

**BULBRITE®**  
turn life on

# *The* **Book**

*lighting* in a different way



**2025**





**New to The Book?**  
See resources on page 101

*A new way to shop*

**Shopbulbrite.com**



- ✓ Check pricing & availability
- ✓ Get tracking details
- ✓ Place orders
- ✓ Create and save product lists

Place your order online and  
**save 2% on your next order\***

\*Cannot be combined with additional discounts or used towards direct import orders.

## Our Product Offering

**BULBS**



**OUTDOOR**



**CEILING &  
DOWNLIGHTS**





A photograph of a modern outdoor lounge area. In the foreground, a blue sectional sofa is adorned with several pillows in shades of orange, grey, and blue. To the left, a portion of a black metal wire chair is visible. In the background, a wooden shelf holds various decorative items, including small plants and containers. The scene is illuminated by several large, spherical pendant lights with a copper mesh exterior and a warm, glowing interior. The background is filled with dense green foliage, creating a lush and serene atmosphere.

# Turn life on





# Table of Contents

## CLASSIC

|                     |                  |                    |
|---------------------|------------------|--------------------|
| Clear & Milky A15   | Basics Series    | <a href="#">6</a>  |
| Clear & Milky A15   | Preferred Series | <a href="#">7</a>  |
| Clear & Milky A19   | Basics Series    | <a href="#">8</a>  |
| Clear A19           | Preferred Series | <a href="#">9</a>  |
| Milky A19           | Preferred Series | <a href="#">10</a> |
| Milky 3-Way A19     | Preferred Series | <a href="#">11</a> |
| Amber & Curved A19  | Preferred Series | <a href="#">12</a> |
| Clear & Milky ST15  | Preferred Series | <a href="#">13</a> |
| Clear ST18          | Basics Series    | <a href="#">14</a> |
| Clear ST18          | Preferred Series | <a href="#">15</a> |
| Amber & Curved ST18 | Preferred Series | <a href="#">16</a> |

## CHANDELIER

|                      |                  |                    |
|----------------------|------------------|--------------------|
| Clear E12 B11        | Basics Series    | <a href="#">20</a> |
| Clear E12 & E26 B11  | Preferred Series | <a href="#">21</a> |
| Milky E12 & E26 B11  | Preferred Series | <a href="#">22</a> |
| Clear E12 & E26 CA10 | Preferred Series | <a href="#">23</a> |
| Milky & Amber CA10   | Preferred Series | <a href="#">24</a> |

## GLOBE

|                         |                  |                    |
|-------------------------|------------------|--------------------|
| Clear, Milky, Amber G16 | Preferred Series | <a href="#">28</a> |
| Clear & Milky G25       | Basics Series    | <a href="#">29</a> |
| Clear & Milky G25       | Preferred Series | <a href="#">30</a> |
| Amber & Curved G25      | Preferred Series | <a href="#">31</a> |
| Clear & Milky G40       | Preferred Series | <a href="#">32</a> |

## TUBULAR

|                            |                           |                    |
|----------------------------|---------------------------|--------------------|
| Clear T9                   | Basics / Preferred Series | <a href="#">34</a> |
| Clear T9                   | Preferred Series          | <a href="#">35</a> |
| Frost T9                   | Preferred Series          | <a href="#">36</a> |
| Amber T9                   | Preferred Series          | <a href="#">37</a> |
| Clear, Amber, Curved T14   | Preferred Series          | <a href="#">38</a> |
| Clear, Milky, Amber T6, T8 | Preferred Series          | <a href="#">39</a> |

## DESIGNER

|                        |                                     |                       |
|------------------------|-------------------------------------|-----------------------|
| Warm Dim               | B11, CA10, G16, A19, ST18, G25, G40 | <a href="#">43</a>    |
| Half Gold              | A19, G16, G25, G40                  | <a href="#">44</a>    |
| Half Chrome            | A19, G16, G25, G40                  | <a href="#">45</a>    |
| Half Black             | A19, G16, G25, G40                  | <a href="#">46</a>    |
| Half White             | A19, G16, G25, G40                  | <a href="#">47</a>    |
| Clear & Amber          | Prism, Slanted, Fiesta              | <a href="#">48</a>    |
| Satin & Amber          | Spunlite®                           | <a href="#">49</a>    |
| LED Gradient           | C53, G40                            | <a href="#">51</a>    |
| Traditional, Whimsical | LED Grands                          | <a href="#">52-53</a> |
| Natural                | LED Grands                          | <a href="#">54</a>    |



## GENERAL SERVICE

|                         |                            |                    |
|-------------------------|----------------------------|--------------------|
| E26 A19                 | Basics Series              | <a href="#">56</a> |
| E26, GU24 A19           | Preferred / Premium Series | <a href="#">57</a> |
| A19 3-Way, Dusk to Dawn | Preferred Series           | <a href="#">58</a> |
| BR20, BR30, BR40        | Preferred Series           | <a href="#">59</a> |
| PAR20, PAR30, PAR38     | Basics Series              | <a href="#">60</a> |
| PAR16 & PAR20           | Preferred / Premium Series | <a href="#">61</a> |
| PAR30 Short Neck        | Preferred / Premium Series | <a href="#">62</a> |
| PAR30 Long Neck         | Preferred / Premium Series | <a href="#">63</a> |
| PAR38                   | Preferred / Premium Series | <a href="#">64</a> |
| SORAA                   | Vivid & Brilliant HL       | <a href="#">65</a> |
| 12V MR16 GU5.3          | Preferred / Premium Series | <a href="#">66</a> |
| 120V MR16 GU10          | Preferred / Premium Series | <a href="#">67</a> |

## MINIS

|                                           |                    |
|-------------------------------------------|--------------------|
| Clear, Frost 120V G9                      | <a href="#">70</a> |
| Clear, Frost 120V G9 Full Glass           | <a href="#">71</a> |
| Clear, Frost E11                          | <a href="#">72</a> |
| Clear, Frost E12                          | <a href="#">73</a> |
| 120V GY6.35, GY8 - 12V G4, GY6.35         | <a href="#">74</a> |
| 12V G4, GY6.35 Full Glass                 | <a href="#">75</a> |
| 12V, 24V, 120V R7S, BA15D, Festoon, Wedge | <a href="#">76</a> |

## SMART LIGHTING

|                 |                       |
|-----------------|-----------------------|
| Bulbrite Solana | <a href="#">78-79</a> |
|-----------------|-----------------------|

## OUTDOORS

|                               |                       |
|-------------------------------|-----------------------|
| Color Bulbs A19, S14, PAR38   | <a href="#">80</a>    |
| String Bulbs C7, C9, G16, S14 | <a href="#">81</a>    |
| 14' String Lights E12 Bulbs   | <a href="#">82</a>    |
| 14' String Lights E26 Bulbs   | <a href="#">83</a>    |
| 30' String Lights E26 Bulbs   | <a href="#">84</a>    |
| 48' String Lights E26 Bulbs   | <a href="#">85-86</a> |

## DOWNLIGHTS

|                       |                    |
|-----------------------|--------------------|
| Retrofit Downlights   | <a href="#">88</a> |
| Downlights with J-Box | <a href="#">89</a> |
| 7", 10" Disc Lights   | <a href="#">90</a> |

## CEILING

|                                           |                    |
|-------------------------------------------|--------------------|
| 5", 7", 9" Flush Mounts                   | <a href="#">91</a> |
| 2', 4' Wraps                              | <a href="#">92</a> |
| 2', 4' Wraps with Built-in Battery backup | <a href="#">93</a> |
| Dual head Security Lights                 | <a href="#">94</a> |







Hubbardton Forge Mika Pendant with  
Bulbrite LED Classic Petite

NEW DECORATIVE STYLE

# LED Filaments

IN A *smaller* FORM FACTOR

## CLEAR & MILKY

### A15

Basics Series



Item #  
[776208](#) (2700K)  
[776210](#) (3000K)

7.6W  
A15  
60W Equiv.



Item #  
[776209](#) (2700K)  
[776211](#) (3000K)

7.6W  
A15  
60W Equiv.



# Petite Classics

## CLEAR & MILKY A15

Preferred Series



Item #  
[776825](#) (2700K)<sup>1</sup>  
[776826](#) (3000K)<sup>1</sup>

4W  
A15  
25W Equiv.



Item #  
[776829](#) (2700K)  
[776830](#) (3000K)

7W  
A15  
60W Equiv.



Item #  
[776827](#) (2700K)<sup>1</sup>  
[776828](#) (3000K)<sup>1</sup>

4W  
A15  
25W Equiv.



Item #  
[776831](#) (2700K)  
[776832](#) (3000K)

7W  
A15  
60W Equiv.



SEE INDEX FOR FULL PRODUCT SPECS





# Classic

## CLEAR & MILKY A19

Basics Series



2700K  
7.6W  
A19  
60W Equiv.

Item #  
[776212](#)  
[776226](#)

4-PACK

3000K  
7.6W  
A19  
60W Equiv.

[776214](#)  
[776227](#)

4-PACK

4000K  
7.6W  
A19  
60W Equiv.

[776216](#)  
[776228](#)

4-PACK



Item #  
[776213](#) (2700K)<sup>1,2</sup>  
[776215](#) (3000K)<sup>1,2</sup>

7.6W  
A19  
60W Equiv.





# CLEAR A19

Preferred Series



Item #  
[776871](#) (2700K)

2.5W  
A19  
25W Equiv.



Item #  
[776872](#) (2700K)<sup>1</sup>

5W  
A19  
40W Equiv.



Item #  
[776774](#) (2700K)<sup>1,2</sup>  
[776768](#) (3000K)<sup>1,2</sup>  
[776925](#) (4000K)<sup>1,2</sup>  
[776958](#) (5000K)<sup>1</sup>

8.5W  
A19  
60W Equiv.



Item #  
[776913](#) (2700K)<sup>1</sup>  
[776914](#) (3000K)<sup>1</sup>  
[776926](#) (4000K)<sup>1</sup>

9W  
A19  
75W Equiv.



Item #  
[776915](#) (2700K)<sup>1</sup>  
[776916](#) (3000K)<sup>1</sup>  
[776927](#) (4000K)<sup>1</sup>  
[776960](#) (5000K)<sup>1</sup>

14W  
A19  
100W Equiv.



SEE INDEX FOR FULL PRODUCT SPECS



# MILKY A19

Preferred Series



Item #  
[776953](#) (2700K)<sup>1</sup>

2.5W  
A19  
25W Equiv.




Item #  
[776954](#) (2700K)<sup>1</sup>

5W  
A19  
40W Equiv.



Item #  
[776917](#) (2700K)<sup>1</sup>  
[776922](#) (3000K)<sup>1</sup>

9W  
A19  
75W Equiv.



Item #  
[776937](#) 8.5W (2700K)  
[776869](#) 8.5W (3000K)<sup>1</sup>  
[776928](#) 7W (4000K)<sup>1</sup>  
[776959](#) 8.5W (5000K)<sup>1</sup>

7W & 8.5W  
A19  
60W Equiv.



Item #  
[776918](#) (2700K)<sup>1</sup>  
[776919](#) (3000K)<sup>1</sup>  
[776929](#) (4000K)<sup>1</sup>  
[776961](#) (5000K)<sup>1</sup>

14W  
A19  
100W Equiv.





*Ideal for*  
**Table & Floor Lamps**

**MILKY  
3-WAY A19**

Preferred Series



Item #  
[776520](#) (2700K)  
[776521](#) (3000K)

---

5W/8W/10W  
550/900/1100 Lumens  
A19  
75W Equiv.



SEE INDEX FOR FULL PRODUCT SPECS





# AMBER & CURVED A19

Preferred Series



Item #  
[776902](#) (2100K)<sup>1</sup>

---

4.5W  
A19  
40W Equiv.



Item #  
[776514](#) (2100K)<sup>2</sup>

---

4.5W  
A19  
25W Equiv.



# CLEAR & MILKY ST15

Preferred Series



Item #  
[776821](#) (2700K)  
[776822](#) (3000K)

4W  
ST15  
40W Equiv.



Item #  
[776823](#) (2700K)  
[776824](#) (3000K)

4W  
ST15  
40W Equiv.



*Petite*  
**ST15**

Ideal for small fixtures



SEE INDEX FOR FULL PRODUCT SPECS



# CLEAR ST18

Basics Series



*Ideal for rustic chandeliers*



|                                     |                                                            |        |
|-------------------------------------|------------------------------------------------------------|--------|
| 2700K<br>ST18<br>7.6W<br>60W Equiv. | Item #<br><a href="#">776223</a><br><a href="#">776242</a> | 4-PACK |
| 3000K<br>ST18<br>7.6W<br>60W Equiv. | <a href="#">776224</a><br><a href="#">776243</a>           | 4-PACK |
| 4000K<br>ST18<br>7.6W<br>60W Equiv. | <a href="#">776225</a><br><a href="#">776244</a>           | 4-PACK |



# CLEAR ST18

Preferred Series



Item #  
[776857](#) (2700K)

---

4.5W  
ST18  
40W Equiv.



Item #  
[776767](#) (2700K)<sup>1</sup>  
[776769](#) (3000K)<sup>1</sup>  
[776935](#) (4000K)<sup>1</sup>  
[776985](#) (5000K)

---

8.5W  
ST18  
60W Equiv.



Item #  
[776745](#) (2700K)<sup>1</sup>  
[776746](#) (3000K)<sup>1</sup>  
[776936](#) (4000K)<sup>1</sup>  
[776987](#) (5000K)

---

13W  
ST18  
100W Equiv.




<sup>1</sup>

SEE INDEX FOR FULL PRODUCT SPECS




# AMBER & CURVED ST18

Preferred Series



Item #  
[776515](#) (2100K)<sup>1, 2</sup>

3W  
ST18  
25W Equiv.



Item #  
[776513](#) (2200K)<sup>1, 2</sup>

4W  
ST18  
25W Equiv.



Item #  
[776801](#) (2200K)<sup>1, 2, 3</sup>

5W  
ST18  
40W Equiv.



Item #  
[776909](#) (2100K)<sup>1, 2</sup>

7W  
ST18  
60W Equiv.



The image depicts a sophisticated, modern interior space, likely a hotel lobby or a corporate headquarters. A prominent feature is a wide, curved staircase with a white, flowing balustrade that spirals upwards. The walls are clad in vertical wood slats, and the ceiling is equipped with long, curved, recessed light fixtures. In the foreground, a lounge area is furnished with a low, curved sofa and two matching armchairs, arranged around a dark, round coffee table. To the right, a large, ornate chandelier with multiple spherical lights hangs from the ceiling. The floor is a polished, light-colored material that reflects the ambient light. The overall atmosphere is warm and elegant, with a color palette dominated by warm tones and soft lighting.

Lighting the  
*way forward*

# INDEX CLASSIC

| ITEM # | ORDERING CODE                     | WATTS | BULB TYPE | BASE | DESC    | COLOR TEMP | CRI | LU-MENS | AVG RATED LIFE | M.O.L | M.O.D | WATT EQUIV. | WAR-RANTY YEARS | SAFETY RATING | PAGE # |
|--------|-----------------------------------|-------|-----------|------|---------|------------|-----|---------|----------------|-------|-------|-------------|-----------------|---------------|--------|
| 776208 | LED7A15/27K/FIL/D/B/2             | 7.6   | A15       | E26  | Clear   | 2700K      | 80  | 800     | 15000          | 3.39  | 1.89  | 60W         | 2               | UL            | 6      |
| 776209 | LED7A15/27K/FIL/M/D/B/2           | 7.6   | A15       | E26  | Milky   | 2700K      | 80  | 800     | 15000          | 3.39  | 1.89  | 60W         | 2               | UL            | 6      |
| 776210 | LED7A15/30K/FIL/D/B/2             | 7.6   | A15       | E26  | Clear   | 3000K      | 80  | 800     | 15000          | 3.39  | 1.89  | 60W         | 2               | UL            | 6      |
| 776211 | LED7A15/30K/FIL/M/D/B/2           | 7.6   | A15       | E26  | Milky   | 3000K      | 80  | 800     | 15000          | 3.39  | 1.89  | 60W         | 2               | UL            | 6      |
| 776212 | LED7A19/27K/FIL/D/B/2             | 7.6   | A19       | E26  | Clear   | 2700K      | 80  | 800     | 15000          | 4.17  | 2.36  | 60W         | 2               | UL            | 8      |
| 776213 | LED7A19/27K/FIL/M/D/B/2           | 7.6   | A19       | E26  | Milky   | 2700K      | 80  | 800     | 15000          | 4.17  | 2.36  | 60W         | 2               | UL            | 8      |
| 776214 | LED7A19/30K/FIL/D/B/2             | 7.6   | A19       | E26  | Clear   | 3000K      | 80  | 800     | 15000          | 4.17  | 2.36  | 60W         | 2               | UL            | 8      |
| 776215 | LED7A19/30K/FIL/M/D/B/2           | 7.6   | A19       | E26  | Milky   | 3000K      | 80  | 800     | 15000          | 4.17  | 2.36  | 60W         | 2               | UL            | 8      |
| 776216 | LED7A19/40K/FIL/D/B/2             | 7.6   | A19       | E26  | Clear   | 4000K      | 80  | 800     | 15000          | 4.17  | 2.36  | 60W         | 2               | UL            | 8      |
| 776223 | LED7ST18/27K/FIL/D/B/2            | 7.6   | ST18      | E26  | Clear   | 2700K      | 80  | 800     | 15000          | 5.03  | 2.28  | 60W         | 2               | UL            | 14     |
| 776224 | LED7ST18/30K/FIL/D/B/2            | 7.6   | ST18      | E26  | Clear   | 3000K      | 80  | 800     | 15000          | 5.03  | 2.28  | 60W         | 2               | UL            | 14     |
| 776225 | LED7ST18/40K/FIL/D/B/2            | 7.6   | ST18      | E26  | Clear   | 4000K      | 80  | 800     | 15000          | 5.03  | 2.28  | 60W         | 2               | UL            | 14     |
| 776226 | LED7A19/27K/FIL/D/B/2/4P          | 7.6   | A19       | E26  | Clear   | 2700K      | 80  | 800     | 15000          | 4.17  | 2.36  | 60W         | 2               | UL            | 8      |
| 776227 | LED7A19/30K/FIL/D/B/2/4P          | 7.6   | A19       | E26  | Clear   | 3000K      | 80  | 800     | 15000          | 4.17  | 2.36  | 60W         | 2               | UL            | 8      |
| 776228 | LED7A19/40K/FIL/D/B/2/4P          | 7.6   | A19       | E26  | Clear   | 4000K      | 80  | 800     | 15000          | 4.17  | 2.36  | 60W         | 2               | UL            | 8      |
| 776242 | LED7ST18/27K/FIL/D/B/2/4P         | 7.6   | ST18      | E26  | Clear   | 2700K      | 80  | 800     | 15000          | 5.03  | 2.28  | 60W         | 2               | UL            | 14     |
| 776243 | LED7ST18/30K/FIL/D/B/2/4P         | 7.6   | ST18      | E26  | Clear   | 3000K      | 80  | 800     | 15000          | 5.03  | 2.28  | 60W         | 2               | UL            | 14     |
| 776244 | LED7ST18/40K/FIL/D/B/2/4P         | 7.6   | ST18      | E26  | Clear   | 4000K      | 80  | 800     | 15000          | 5.03  | 2.28  | 60W         | 2               | UL            | 14     |
| 776513 | LED4ST18/22K/FIL-NOS/CURV/1890    | 4     | ST18      | E26  | Antique | 2200K      | 95  | 200     | 15000          | 5.125 | 2.3   | 40W         | 5               | UL            | 16     |
| 776514 | LED4A19/21K/FIL-NOS/CURV/LOOP     | 4.5   | A19       | E26  | Clear   | 2100K      | 80  | 350     | 15000          | 4.09  | 2.36  | 25W         | 5               | UL            | 12     |
| 776515 | LED3ST18/21K/FIL-NOS/CURV/HAIRPIN | 3     | ST18      | E26  | Clear   | 2100K      | 80  | 230     | 15000          | 5.04  | 2.28  | 25W         | 5               | UL            | 16     |
| 776520 | LED10A19/27K/FIL/3WAY             | 10    | A19       | E26  | Milky   | 2700K      | 90  | 1200    | 15000          | 4.09  | 2.36  | 75W         | 2               | UL            | 11     |
| 776521 | LED10A19/30K/FIL/3WAY             | 10    | A19       | E26  | Milky   | 3000K      | 90  | 1200    | 15000          | 4.09  | 2.36  | 75W         | 2               | UL            | 11     |
| 776745 | LED13ST18/27K/FIL/3/JA8           | 13    | ST18      | E26  | Clear   | 2700K      | 90  | 1400    | 15000          | 5.04  | 2.28  | 100W        | 5               | UL            | 15     |
| 776746 | LED13ST18/30K/FIL/3/JA8           | 13    | ST18      | E26  | Clear   | 3000K      | 90  | 1400    | 15000          | 5.04  | 2.28  | 100W        | 5               | UL            | 15     |
| 776767 | LED8ST18/27K/FIL/3/JA8            | 8.5   | ST18      | E26  | Clear   | 2700K      | 90  | 850     | 15000          | 5.04  | 2.28  | 60W         | 5               | UL            | 15     |
| 776768 | LED8A19/30K/FIL/3/JA8             | 8.5   | A19       | E26  | Clear   | 3000K      | 90  | 850     | 15000          | 4.13  | 2.36  | 60W         | 5               | UL            | 9      |
| 776769 | LED8ST18/30K/FIL/3/JA8            | 8.5   | ST18      | E26  | Clear   | 3000K      | 90  | 850     | 15000          | 5.04  | 2.28  | 60W         | 5               | UL            | 15     |
| 776774 | LED8A19/27K/FIL/3/JA8             | 8.5   | A19       | E26  | Clear   | 2700K      | 90  | 850     | 15000          | 4.13  | 2.36  | 60W         | 5               | UL            | 9      |
| 776801 | LED5ST18/22K/FIL-NOS/3            | 5     | ST18      | E26  | Antique | 2200K      | 90  | 450     | 15000          | 5.04  | 2.28  | 40W         | 5               | UL            | 16     |
| 776821 | LED4ST15/27K/FIL/3                | 4     | ST15      | E12  | Clear   | 2700K      | 90  | 400     | 15000          | 4     | 1.9   | 40W         | 5               | UL            | 13     |
| 776822 | LED4ST15/30K/FIL/3                | 4     | ST15      | E12  | Clear   | 3000K      | 90  | 400     | 15000          | 4     | 1.9   | 40W         | 5               | UL            | 13     |
| 776823 | LED4ST15/27K/FIL/M/3              | 4     | ST15      | E12  | Milky   | 2700K      | 90  | 400     | 15000          | 4     | 1.9   | 40W         | 5               | UL            | 13     |
| 776824 | LED4ST15/30K/FIL/M/3              | 4     | ST15      | E12  | Milky   | 3000K      | 90  | 400     | 15000          | 4     | 1.9   | 40W         | 5               | UL            | 13     |
| 776825 | LED4A15/27K/FIL/E12/3             | 4     | A15       | E12  | Clear   | 2700K      | 90  | 400     | 15000          | 3.6   | 1.9   | 25W         | 5               | UL            | 7      |
| 776826 | LED4A15/30K/FIL/E12/3             | 4     | A15       | E12  | Clear   | 3000K      | 90  | 400     | 15000          | 3.6   | 1.9   | 25W         | 5               | UL            | 7      |



# INDEX CLASSIC

| ITEM # | ORDERING CODE           | WATTS | BULB TYPE | BASE | DESC    | COLOR TEMP | CRI | LU-MENS | AVG RATED LIFE | M.O.L | M.O.D | WATT EQUIV. | WAR-RANTY YEARS | SAFETY RATING | PAGE # |
|--------|-------------------------|-------|-----------|------|---------|------------|-----|---------|----------------|-------|-------|-------------|-----------------|---------------|--------|
| 776827 | LED4A15/27K/FIL/M/E12/3 | 4     | A15       | E12  | Milky   | 2700K      | 90  | 400     | 15000          | 3.6   | 1.9   | 25W         | 5               | UL            | 7      |
| 776828 | LED4A15/30K/FIL/M/E12/3 | 4     | A15       | E12  | Milky   | 3000K      | 90  | 400     | 15000          | 3.6   | 1.9   | 25W         | 5               | UL            | 7      |
| 776829 | LED7A15/27K/FIL/3       | 7     | A15       | E26  | Clear   | 2700K      | 90  | 800     | 15000          | 3.29  | 1.9   | 60W         | 5               | UL            | 7      |
| 776830 | LED7A15/30K/FIL/3       | 7     | A15       | E26  | Clear   | 3000K      | 90  | 800     | 15000          | 3.29  | 1.9   | 60W         | 5               | UL            | 7      |
| 776831 | LED7A15/27K/FIL/M/3     | 7     | A15       | E26  | Milky   | 2700K      | 90  | 800     | 15000          | 3.29  | 1.9   | 60W         | 5               | UL            | 7      |
| 776832 | LED7A15/30K/FIL/M/3     | 7     | A15       | E26  | Milky   | 3000K      | 90  | 800     | 15000          | 3.29  | 1.9   | 60W         | 5               | UL            | 7      |
| 776857 | LED4ST18/27K/FIL/3      | 4.5   | ST18      | E26  | Clear   | 2700K      | 90  | 450     | 15000          | 5.04  | 2.28  | 40W         | 5               | UL            | 15     |
| 776869 | LED8A19/30K/FIL/M/3     | 8.5   | A19       | E26  | Milky   | 3000K      | 90  | 800     | 15000          | 4.13  | 2.36  | 60W         | 5               | UL            | 10     |
| 776871 | LED2A19/27K/FIL/3       | 2.5   | A19       | E26  | Clear   | 2700K      | 90  | 250     | 15000          | 4.13  | 2.36  | 25W         | 5               | UL            | 9      |
| 776872 | LED5A19/27K/FIL/3       | 5     | A19       | E26  | Clear   | 2700K      | 90  | 450     | 15000          | 4.05  | 2.36  | 40W         | 5               | UL            | 9      |
| 776902 | LED4A19/21K/FIL-NOS/3   | 4.5   | A19       | E26  | Antique | 2100K      | 90  | 410     | 15000          | 4.05  | 2.36  | 40W         | 5               | UL            | 12     |
| 776909 | LED7ST18/21K/FIL-NOS/3  | 7     | ST18      | E26  | Antique | 2100K      | 80  | 650     | 15000          | 5.04  | 2.28  | 60W         | 5               | UL            | 16     |
| 776913 | LED9A19/27K/FIL/4       | 9     | A19       | E26  | Clear   | 2700K      | 90  | 1100    | 15000          | 4.13  | 2.36  | 75W         | 5               | UL            | 9      |
| 776914 | LED9A19/30K/FIL/4       | 9     | A19       | E26  | Clear   | 3000K      | 90  | 1100    | 15000          | 4.13  | 2.36  | 75W         | 5               | UL            | 9      |
| 776915 | LED14A19/27K/FIL/3      | 14    | A19       | E26  | Clear   | 2700K      | 90  | 1600    | 15000          | 4.13  | 2.36  | 100W        | 5               | UL            | 9      |
| 776916 | LED14A19/30K/FIL/3      | 14    | A19       | E26  | Clear   | 3000K      | 90  | 1600    | 15000          | 4.13  | 2.36  | 100W        | 5               | UL            | 9      |
| 776917 | LED9A19/27K/FIL/M/4     | 9     | A19       | E26  | Milky   | 2700K      | 90  | 1100    | 15000          | 4.13  | 2.36  | 75W         | 5               | UL            | 10     |
| 776918 | LED14A19/27K/FIL/M/3    | 14    | A19       | E26  | Milky   | 2700K      | 90  | 1500    | 15000          | 4.13  | 2.36  | 100W        | 5               | UL            | 10     |
| 776919 | LED14A19/30K/FIL/M/3    | 14    | A19       | E26  | Milky   | 3000K      | 90  | 1500    | 15000          | 4.13  | 2.36  | 100W        | 5               | UL            | 10     |
| 776922 | LED9A19/30K/FIL/M/4     | 9     | A19       | E26  | Milky   | 3000K      | 90  | 1100    | 15000          | 4.13  | 2.36  | 75W         | 5               | UL            | 10     |
| 776925 | LED8A19/40K/FIL/3/JA8   | 8.5   | A19       | E26  | Clear   | 4000K      | 90  | 850     | 15000          | 4.13  | 2.36  | 60W         | 5               | UL            | 9      |
| 776926 | LED9A19/40K/FIL/3       | 9     | A19       | E26  | Clear   | 4000K      | 90  | 1100    | 15000          | 4.13  | 2.36  | 75W         | 5               | UL            | 9      |
| 776927 | LED14A19/40K/FIL/3      | 14    | A19       | E26  | Clear   | 4000K      | 90  | 1500    | 15000          | 4.13  | 2.36  | 100W        | 5               | UL            | 9      |
| 776928 | LED7A19/40K/FIL/M/3     | 7     | A19       | E26  | Milky   | 4000K      | 90  | 800     | 15000          | 4.13  | 2.36  | 60W         | 5               | UL            | 10     |
| 776929 | LED14A19/40K/FIL/M/3    | 14    | A19       | E26  | Milky   | 4000K      | 90  | 1400    | 15000          | 4.13  | 2.36  | 100W        | 5               | UL            | 10     |
| 776935 | LED8ST18/40K/FIL/3/JA8  | 8.5   | ST18      | E26  | Clear   | 4000K      | 90  | 800     | 15000          | 5.04  | 2.28  | 60W         | 5               | UL            | 15     |
| 776936 | LED13ST18/40K/FIL/3/JA8 | 13    | ST18      | E26  | Clear   | 4000K      | 90  | 1400    | 15000          | 5.04  | 2.28  | 100W        | 5               | UL            | 15     |
| 776937 | LED8A19/27K/FIL/M/4     | 8.5   | A19       | E26  | Milky   | 2700K      | 90  | 800     | 15000          | 4.13  | 2.36  | 60W         | 5               | UL            | 10     |
| 776953 | LED2A19/27K/FIL/M/3     | 2.5   | A19       | E26  | Milky   | 2700K      | 90  | 250     | 15000          | 4.13  | 2.36  | 25W         | 5               | UL            | 10     |
| 776954 | LED5A19/27K/FIL/M/3     | 5     | A19       | E26  | Milky   | 2700K      | 90  | 450     | 15000          | 4.13  | 2.36  | 40W         | 5               | UL            | 10     |
| 776958 | LED8A19/50K/FIL/3       | 8.5   | A19       | E26  | Clear   | 5000K      | 90  | 800     | 15000          | 4.13  | 2.3   | 60W         | 5               | UL            | 9      |
| 776959 | LED8A19/50K/FIL/M/3     | 8.5   | A19       | E26  | Milky   | 5000K      | 90  | 800     | 15000          | 4.13  | 2.3   | 60W         | 5               | UL            | 10     |
| 776960 | LED14A19/50K/FIL/3      | 14    | A19       | E26  | Clear   | 5000K      | 90  | 1500    | 15000          | 4.13  | 2.36  | 100W        | 5               | UL            | 9      |
| 776961 | LED14A19/50K/FIL/M/3    | 14    | A19       | E26  | Milky   | 5000K      | 90  | 1500    | 15000          | 4.13  | 2.36  | 100W        | 5               | UL            | 10     |
| 776985 | LED8ST18/50K/FIL/3      | 8.5   | ST18      | E26  | Clear   | 5000K      | 90  | 800     | 15000          | 5.04  | 2.28  | 60W         | 5               | UL            | 15     |
| 776987 | LED13ST18/50K/FIL/3     | 13    | ST18      | E26  | Clear   | 5000K      | 90  | 1400    | 15000          | 5.04  | 2.28  | 100W        | 5               | UL            | 15     |

# Chandelier

## CLEAR E12 B11

Basics Series



|            |                                |
|------------|--------------------------------|
| 2700K      | Item #                         |
| B11        | <a href="#">776200</a>         |
| 4W         | <a href="#">776229</a> 6-PACK  |
| 40W Equiv. | <a href="#">776235</a> 25-PACK |

|            |                                |
|------------|--------------------------------|
| 2700K      | Item #                         |
| B11        | <a href="#">776203</a>         |
| 5W         | <a href="#">776232</a> 6-PACK  |
| 60W Equiv. | <a href="#">776237</a> 25-PACK |

|            |                                |
|------------|--------------------------------|
| 3000K      | <a href="#">776201</a>         |
| B11        | <a href="#">776230</a> 6-PACK  |
| 4W         | <a href="#">776236</a> 25-PACK |
| 40W Equiv. |                                |

|            |                                |
|------------|--------------------------------|
| 3000K      | <a href="#">776204</a>         |
| B11        | <a href="#">776233</a> 6-PACK  |
| 5W         | <a href="#">776238</a> 25-PACK |
| 60W Equiv. |                                |

|            |                               |
|------------|-------------------------------|
| 4000K      | <a href="#">776202</a>        |
| B11        | <a href="#">776231</a> 6-PACK |
| 4W         |                               |
| 40W Equiv. |                               |

|            |                               |
|------------|-------------------------------|
| 4000K      | <a href="#">776205</a>        |
| B11        | <a href="#">776234</a> 6-PACK |
| 5W         |                               |
| 60W Equiv. |                               |



# CLEAR E12 & E26 B11

Preferred Series



Item #  
[776938](#) (2700K)<sup>2,3</sup>

2.5W  
B11  
25W Equiv.  
E12 Base



Item #  
[776756](#) (2700K)<sup>2,3,4</sup>  
[776763](#) (3000K)<sup>2,3,4</sup>  
[776930](#) (4000K)<sup>2,3,4</sup>  
[776962](#) (5000K)<sup>2,3</sup>

4W  
B11  
40W Equiv.  
E12 Base



Item #  
[776626](#) (2700K)<sup>2,3</sup>  
[776627](#) (3000K)<sup>2,3</sup>  
[776931](#) (4000K)<sup>2,3</sup>  
[776964](#) (5000K)<sup>2,3</sup>

5W  
B11  
60W Equiv.  
E12 Base



Item #  
[776737](#) (2700K)<sup>2,3</sup>  
[776738](#) (3000K)<sup>2,3</sup>  
[776932](#) (4000K)<sup>2,3</sup>  
[776966](#) (5000K)<sup>2,3</sup>

6.5W  
B11  
75W Equiv.  
E12 Base



Item #  
[776862](#) (2700K)<sup>1,3</sup>

4.5W  
B11  
40W Equiv.  
E26 Base



Item #  
[776733](#) (2700K)<sup>1,3</sup>  
[776734](#) (3000K)<sup>1,3</sup>

5.5W  
B11  
60W Equiv.  
E26 Base



SEE INDEX FOR FULL PRODUCT SPECS



# MILKY E12 & E26 B11

Preferred Series



Item #

[776939](#) (2700K)<sup>2</sup>

[776773](#) (3000K)<sup>2</sup>

[776933](#) (4000K)<sup>2</sup>

[776963](#) (5000K)<sup>2</sup>

4W - 4.5W

B11

40W Equiv.

E12 Base



Item #

[776940](#) (2700K)<sup>2</sup>

[776941](#) (3000K)<sup>2</sup>

[776934](#) (4000K)<sup>2</sup>

[776965](#) (5000K)<sup>2</sup>

5W

B11

60W Equiv.

E12 Base



Item #

[776986](#) (2700K)<sup>2</sup>

[776988](#) (3000K)<sup>2</sup>

[776968](#) (4000K)<sup>2</sup>

[776967](#) (5000K)<sup>2</sup>

6.5W

B11

75W Equiv.

E12 Base



Item #

[776735](#) (2700K)<sup>1</sup>


[776736](#) (3000K)<sup>1</sup>

5.5W

B11

60W Equiv.

E26 Base



# CLEAR E12 & E26 CA10

Preferred Series



Item #  
[776858](#) (2700K)<sup>2</sup>

2.5W  
CA10  
25W Equiv.  
E12 Base



Item #  
[776739](#) (2700K)<sup>2, 3</sup>  
[776740](#) (3000K)<sup>2, 3</sup>

6.5W  
CA10  
75W Equiv.  
E12 Base



Item #  
[776859](#) (2700K)<sup>2, 3</sup>  
[776864](#) (3000K)<sup>2, 3</sup>

4.5W  
CA10  
40W Equiv.  
E12 Base



Item #  
[776875](#) (2700K)<sup>1, 3</sup>

4.5W  
CA10  
40W Equiv.  
E26 Base



Item #  
[776741](#) (2700K)<sup>2, 3, 4</sup>  
[776742](#) (3000K)<sup>2, 3, 4</sup>

5W  
CA10  
60W Equiv.  
E12 Base



Item #  
[776969](#) (2700K)<sup>1, 3</sup>  
[776971](#) (3000K)<sup>1, 3</sup>

5W  
CA10  
60W Equiv.  
E26 Base



SEE INDEX FOR FULL PRODUCT SPECS



# MILKY & AMBER CA10

Preferred Series



Item #  
[776942](#) (2700K)<sup>2</sup>  
[776861](#) (3000K)<sup>2</sup>

4W  
CA10  
40W Equiv.  
E12 Base



Item #  
[776903](#) (2100K)

2.5W  
CA10  
25W Equiv.  
E12 Base



Item #  
[776787](#) (2700K)<sup>2</sup>  
[776788](#) (3000K)<sup>2</sup>

5W  
CA10  
60W Equiv.  
E12 Base



Item #  
[776970](#) (2700K)<sup>1, 2</sup>  
[776972](#) (3000K)<sup>1, 2</sup>

5W  
CA10  
60W Equiv.  
E26 Base







turn life on

## INDEX CHANDLIER

| ITEM # | ORDERING CODE             | WATTS | BULB TYPE | BASE | DESC  | COLOR TEMP | CRI | LU. MENS | AVG RATED LIFE | M.O.L | M.O.D | WATT EQUIV. | WAR-RANTY YEARS | SAFETY RATING | PAGE # |
|--------|---------------------------|-------|-----------|------|-------|------------|-----|----------|----------------|-------|-------|-------------|-----------------|---------------|--------|
| 776200 | LED4B11/27K/FIL/D/B/2     | 4.1   | B11       | E12  | Clear | 2700K      | 80  | 400      | 15000          | 3.94  | 1.38  | 40W         | 2               | UL            | 20     |
| 776201 | LED4B11/30K/FIL/D/B/2     | 4.1   | B11       | E12  | Clear | 3000K      | 80  | 400      | 15000          | 3.94  | 1.38  | 40W         | 2               | UL            | 20     |
| 776202 | LED4B11/40K/FIL/D/B/2     | 4.1   | B11       | E12  | Clear | 4000K      | 80  | 400      | 15000          | 3.94  | 1.38  | 40W         | 2               | UL            | 20     |
| 776203 | LED5B11/27K/FIL/D/B/2     | 5.1   | B11       | E12  | Clear | 2700K      | 80  | 500      | 15000          | 3.94  | 1.38  | 60W         | 2               | UL            | 20     |
| 776204 | LED5B11/30K/FIL/D/B/2     | 5.1   | B11       | E12  | Clear | 3000K      | 80  | 500      | 15000          | 3.94  | 1.38  | 60W         | 2               | UL            | 20     |
| 776205 | LED5B11/40K/FIL/D/B/2     | 5.1   | B11       | E12  | Clear | 4000K      | 80  | 500      | 15000          | 3.94  | 1.38  | 60W         | 2               | UL            | 20     |
| 776229 | LED4B11/27K/FIL/D/B/2/6P  | 4.1   | B11       | E12  | Clear | 2700K      | 80  | 400      | 15000          | 3.94  | 1.38  | 40W         | 2               | UL            | 20     |
| 776230 | LED4B11/30K/FIL/D/B/2/6P  | 4.1   | B11       | E12  | Clear | 3000K      | 80  | 400      | 15000          | 3.94  | 1.38  | 40W         | 2               | UL            | 20     |
| 776231 | LED4B11/40K/FIL/D/B/2/6P  | 4.1   | B11       | E12  | Clear | 4000K      | 80  | 400      | 15000          | 3.94  | 1.38  | 40W         | 2               | UL            | 20     |
| 776232 | LED5B11/27K/FIL/D/B/2/6P  | 5.1   | B11       | E12  | Clear | 2700K      | 80  | 500      | 15000          | 3.94  | 1.38  | 60W         | 2               | UL            | 20     |
| 776233 | LED5B11/30K/FIL/D/B/2/6P  | 5.1   | B11       | E12  | Clear | 3000K      | 80  | 500      | 15000          | 3.94  | 1.38  | 60W         | 2               | UL            | 20     |
| 776234 | LED5B11/40K/FIL/D/B/2/6P  | 5.1   | B11       | E12  | Clear | 4000K      | 80  | 500      | 15000          | 3.94  | 1.38  | 60W         | 2               | UL            | 20     |
| 776235 | LED4B11/27K/FIL/D/B/2/25P | 4.1   | B11       | E12  | Clear | 2700K      | 80  | 400      | 15000          | 3.94  | 1.38  | 40W         | 2               | UL            | 20     |
| 776236 | LED4B11/30K/FIL/D/B/2/25P | 4.1   | B11       | E12  | Clear | 3000K      | 80  | 400      | 15000          | 3.94  | 1.38  | 40W         | 2               | UL            | 20     |
| 776237 | LED5B11/27K/FIL/D/B/2/25P | 5.1   | B11       | E12  | Clear | 2700K      | 80  | 500      | 15000          | 3.94  | 1.38  | 60W         | 2               | UL            | 20     |
| 776238 | LED5B11/30K/FIL/D/B/2/25P | 5.1   | B11       | E12  | Clear | 3000K      | 80  | 500      | 15000          | 3.94  | 1.38  | 60W         | 2               | UL            | 20     |
| 776626 | LED5B11/27K/FIL/E12/3     | 5     | B11       | E12  | Clear | 2700K      | 80  | 500      | 15000          | 3.85  | 1.37  | 60W         | 5               | UL            | 21     |
| 776627 | LED5B11/30K/FIL/E12/3     | 5     | B11       | E12  | Clear | 3000K      | 80  | 500      | 15000          | 3.85  | 1.37  | 60W         | 5               | UL            | 21     |
| 776733 | LED5B11/27K/FIL/E26/3     | 5.5   | B11       | E26  | Clear | 2700K      | 90  | 500      | 15000          | 3.7   | 1.37  | 60W         | 5               | UL            | 21     |
| 776734 | LED5B11/30K/FIL/E26/3     | 5.5   | B11       | E26  | Clear | 3000K      | 90  | 500      | 15000          | 3.7   | 1.37  | 60W         | 5               | UL            | 21     |
| 776735 | LED5B11/27K/FIL/M/E26/3   | 5.5   | B11       | E26  | Milky | 2700K      | 90  | 500      | 15000          | 3.7   | 1.37  | 60W         | 5               | UL            | 22     |
| 776736 | LED5B11/30K/FIL/M/E26/3   | 5.5   | B11       | E26  | Milky | 3000K      | 90  | 500      | 15000          | 3.7   | 1.37  | 60W         | 5               | UL            | 22     |
| 776737 | LED6B11/27K/FIL/3         | 6.5   | B11       | E12  | Clear | 2700K      | 90  | 750      | 15000          | 3.85  | 1.37  | 75W         | 5               | UL            | 21     |
| 776738 | LED6B11/30K/FIL/3         | 6.5   | B11       | E12  | Clear | 3000K      | 90  | 750      | 15000          | 3.85  | 1.37  | 75W         | 5               | UL            | 21     |
| 776739 | LED6CA10/27K/FIL/3        | 6.5   | CA10      | E12  | Clear | 2700K      | 90  | 750      | 15000          | 4.25  | 1.37  | 75W         | 5               | UL            | 23     |
| 776740 | LED6CA10/30K/FIL/3        | 6.5   | CA10      | E12  | Clear | 3000K      | 90  | 750      | 15000          | 4.25  | 1.37  | 75W         | 5               | UL            | 23     |
| 776741 | LED5CA10/27K/FIL/4/JA8    | 5     | CA10      | E12  | Clear | 2700K      | 90  | 500      | 15000          | 4.25  | 1.26  | 60W         | 5               | UL            | 23     |
| 776742 | LED5CA10/30K/FIL/4/JA8    | 5     | CA10      | E12  | Clear | 3000K      | 90  | 500      | 15000          | 4.25  | 1.26  | 60W         | 5               | UL            | 23     |
| 776756 | LED4B11/27K/FIL/4/JA8     | 4     | B11       | E12  | Clear | 2700K      | 90  | 350      | 15000          | 3.85  | 1.37  | 40W         | 5               | UL            | 21     |
| 776763 | LED4B11/30K/FIL/4/JA8     | 4     | B11       | E12  | Clear | 3000K      | 90  | 350      | 15000          | 3.85  | 1.37  | 40W         | 5               | UL            | 21     |
| 776773 | LED4B11/30K/FIL/M/3       | 4.5   | B11       | E12  | Milky | 3000K      | 90  | 400      | 15000          | 3.85  | 1.37  | 40W         | 5               | UL            | 22     |
| 776787 | LED5CA10/27K/FIL/M/3      | 5     | CA10      | E12  | Milky | 2700K      | 90  | 500      | 15000          | 4.17  | 1.25  | 60W         | 5               | UL            | 24     |
| 776788 | LED5CA10/30K/FIL/M/3      | 5     | CA10      | E12  | Milky | 3000K      | 90  | 500      | 15000          | 4.17  | 1.25  | 60W         | 5               | UL            | 24     |

## INDEX CHANDILLER

| ITEM # | ORDERING CODE            | WATTS | BULB TYPE | BASE | DESC    | COLOR TEMP | CRI | LU. MENS | AVG RATED LIFE | M.O.L | M.O.D | WATT EQUIV. | WAR-RANTY YEARS | SAFETY RATING | PAGE # |
|--------|--------------------------|-------|-----------|------|---------|------------|-----|----------|----------------|-------|-------|-------------|-----------------|---------------|--------|
| 776858 | LED2CA10/27K/FIL/E12/3   | 2.5   | CA10      | E12  | Clear   | 2700K      | 80  | 250      | 15000          | 4.33  | 1.26  | 25W         | 5               | UL            | 23     |
| 776859 | LED4CA10/27K/FIL/3       | 4.5   | CA10      | E12  | Clear   | 2700K      | 90  | 350      | 15000          | 4.33  | 1.26  | 40W         | 5               | UL            | 23     |
| 776861 | LED4CA10/30K/FIL/M/3     | 4.5   | CA10      | E12  | Milky   | 3000K      | 90  | 400      | 15000          | 4.17  | 1.25  | 40W         | 5               | UL            | 24     |
| 776862 | LED4B11/27K/FIL/E26/3    | 4.5   | B11       | E26  | Clear   | 2700K      | 90  | 350      | 15000          | 3.85  | 1.37  | 40W         | 5               | UL            | 21     |
| 776864 | LED4CA10/30K/FIL/3       | 4.5   | CA10      | E12  | Clear   | 3000K      | 90  | 350      | 15000          | 4.33  | 1.26  | 40W         | 5               | UL            | 23     |
| 776875 | LED4CA10/27K/FIL/E26/3   | 4.5   | CA10      | E26  | Clear   | 2700K      | 92  | 350      | 15000          | 4.33  | 1.26  | 40W         | 5               | UL            | 23     |
| 776888 | LED5B11/30K/FIL/M/3      | 5     | B11       | E12  | Milky   | 3000K      | 80  | 500      | 15000          | 3.85  | 1.37  | 60W         | 5               | UL            | 24     |
| 776903 | LED2CA10/21K/FIL-NOS/3   | 2.5   | CA10      | E12  | Antique | 2100K      | 90  | 160      | 15000          | 4.33  | 1.26  | 25W         | 5               | UL            | 24     |
| 776930 | LED4B11/40K/FIL/3/JA8    | 4     | B11       | E12  | Clear   | 4000K      | 90  | 300      | 15000          | 3.85  | 1.37  | 40W         | 5               | UL            | 21     |
| 776931 | LED5B11/40K/FIL/E12/3    | 5     | B11       | E12  | Clear   | 4000K      | 90  | 500      | 15000          | 3.85  | 1.37  | 60W         | 5               | UL            | 21     |
| 776932 | LED6B11/40K/FIL/3        | 6.5   | B11       | E12  | Clear   | 4000K      | 90  | 750      | 15000          | 3.85  | 1.37  | 75W         | 5               | UL            | 21     |
| 776933 | LED4B11/40K/FIL/M/3      | 4     | B11       | E12  | Milky   | 4000K      | 90  | 300      | 15000          | 3.85  | 1.37  | 40W         | 5               | UL            | 22     |
| 776934 | LED5B11/40K/FIL/M/3      | 5     | B11       | E12  | Milky   | 4000K      | 90  | 500      | 15000          | 3.85  | 1.37  | 60W         | 5               | UL            | 22     |
| 776938 | LED2B11/27K/FIL/4        | 2.5   | B11       | E12  | Clear   | 2700K      | 90  | 250      | 15000          | 3.85  | 1.37  | 25W         | 5               | UL            | 21     |
| 776939 | LED4B11/27K/FIL/M/3      | 4     | B11       | E12  | Milky   | 2700K      | 90  | 300      | 15000          | 3.85  | 1.37  | 40W         | 5               | UL            | 22     |
| 776939 | LED4B11/27K/FIL/M/3      | 4     | B11       | E12  | Milky   | 2700K      | 90  | 300      | 15000          | 3.85  | 1.37  | 40W         | 5               | UL            | 22     |
| 776940 | LED5B11/27K/FIL/M/4      | 5     | B11       | E12  | Milky   | 2700K      | 90  | 500      | 15000          | 3.85  | 1.37  | 60W         | 5               | UL            | 22     |
| 776941 | LED5B11/30K/FIL/M/4      | 5     | B11       | E12  | Milky   | 3000K      | 90  | 500      | 15000          | 3.85  | 1.37  | 60W         | 5               | UL            | 22     |
| 776942 | LED4CA10/27K/FIL/M/3     | 4     | CA10      | E12  | Milky   | 2700K      | 90  | 300      | 15000          | 4.17  | 1.26  | 40W         | 5               | UL            | 24     |
| 776962 | LED4B11/50K/FIL/3        | 4     | B11       | E12  | Clear   | 5000K      | 90  | 400      | 15000          | 3.85  | 1.37  | 40W         | 5               | UL            | 21     |
| 776963 | LED4B11/50K/FIL/M/3      | 4     | B11       | E12  | Milky   | 5000K      | 90  | 400      | 15000          | 3.85  | 1.37  | 40W         | 5               | UL            | 22     |
| 776964 | LED5B11/50K/FIL/3        | 5     | B11       | E12  | Clear   | 5000K      | 90  | 500      | 15000          | 3.85  | 1.37  | 60W         | 5               | UL            | 21     |
| 776965 | LED5B11/50K/FIL/M/3      | 5     | B11       | E12  | Milky   | 5000K      | 90  | 500      | 15000          | 3.85  | 1.37  | 60W         | 5               | UL            | 22     |
| 776966 | LED6B11/50K/FIL/3        | 6.5   | B11       | E12  | Clear   | 5000K      | 90  | 750      | 15000          | 3.85  | 1.37  | 75W         | 5               | UL            | 21     |
| 776967 | LED6B11/50K/FIL/M/3      | 6.5   | B11       | E12  | Milky   | 5000K      | 90  | 750      | 15000          | 3.85  | 1.37  | 75W         | 5               | UL            | 22     |
| 776968 | LED6B11/40K/FIL/M/3      | 6.5   | B11       | E12  | Milky   | 4000K      | 90  | 750      | 15000          | 3.85  | 1.37  | 75W         | 5               | UL            | 22     |
| 776969 | LED5CA10/27K/FIL/E26/3   | 5     | CA10      | E26  | Clear   | 2700K      | 90  | 500      | 15000          | 4.17  | 1.26  | 60W         | 5               | UL            | 23     |
| 776970 | LED5CA10/27K/FIL/E26/M/3 | 5     | CA10      | E26  | Milky   | 2700K      | 90  | 500      | 15000          | 4.17  | 1.26  | 60W         | 5               | UL            | 24     |
| 776971 | LED5CA10/30K/FIL/E26/3   | 5     | CA10      | E26  | Clear   | 3000K      | 90  | 500      | 15000          | 4.17  | 1.26  | 60W         | 5               | UL            | 23     |
| 776972 | LED5CA10/30K/FIL/E26/M/3 | 5     | CA10      | E26  | Milky   | 3000K      | 90  | 500      | 15000          | 4.17  | 1.26  | 60W         | 5               | UL            | 24     |
| 776986 | LED6B11/27K/FIL/M/3      | 6.5   | B11       | E12  | Milky   | 2700K      | 90  | 750      | 15000          | 3.85  | 1.37  | 75W         | 5               | UL            | 22     |
| 776988 | LED6B11/30K/FIL/M/3      | 6.5   | B11       | E12  | Milky   | 3000K      | 90  | 750      | 15000          | 3.85  | 1.37  | 75W         | 5               | UL            | 22     |





# CLEAR, MILKY, AMBER G16

Preferred Series



Item #  
[776706](#) (2700K)<sup>1</sup>

2.5W  
G16  
25W Equiv.



Item #  
[776743](#) (2700K)<sup>1,2</sup>  
[776744](#) (3000K)<sup>1,2</sup>

4W  
G16  
40W Equiv.



Item #  
[776943](#) (2700K)<sup>1</sup>  
[776712](#) (3000K)<sup>1</sup>

4W  
G16  
40W Equiv.



Item #  
[776906](#) (2100K)

2.5W  
G16  
25W Equiv.



# CLEAR & MILKY G25

Basics Series



2700K  
7.6W  
G25  
60W Equiv.

Item #  
[776217](#)  
[776239](#)

4-PACK

3000K  
7.6W  
G25  
60W Equiv.

[776219](#)  
[776240](#)

4-PACK

4000K  
7.6W  
G25  
60W Equiv.

[776221](#)  
[776241](#)

4-PACK



Item #  
[776218](#) (2700K)  
[776220](#) (3000K)  
[776222](#) (4000K)

7.6W  
G25  
60W Equiv.



SEE INDEX FOR FULL PRODUCT SPECS

# CLEAR & MILKY G25

Preferred Series



*Ideal for Pendants*



Item #  
[776973](#) (2700K)  
[776975](#) (3000K)

5W  
G25  
60W Equiv.



Item #  
[776974](#) (2700K)  
[776976](#) (3000K)

5W  
G25  
60W Equiv.



Item #  
[776749](#) (2700K)<sup>1</sup>  
[776750](#) (3000K)<sup>1</sup>  
[776977](#) (4000K)<sup>1</sup>  
[776979](#) (5000K)<sup>1</sup>

8.5W  
G25  
100W Equiv.



Item #  
[776944](#) (2700K)  
[776810](#) (3000K)  
[776978](#) (4000K)  
[776980](#) (5000K)

8.5W  
G25  
100W Equiv.



Item #  
[776747](#) (2700K)<sup>1</sup>  
[776748](#) (3000K)<sup>1</sup>

13W  
G25  
150W Equiv.





# AMBER & CURVED G25

Preferred Series



Item #  
[776800](#) (2200K)<sup>1</sup>

5W  
G25  
40W Equiv.



Item #  
[776516](#) (2100K)

4.5W  
G25  
40W Equiv.

Infuse  
your  
space  
with the  
warmth of

*Amber*



<sup>1</sup>

SEE INDEX FOR FULL PRODUCT SPECS



# CLEAR & MILKY G40

Preferred Series



Item #

[776878](#) (2700K)

[776879](#) (3000K)

[776981](#) (4000K)

[776983](#) (5000K)

8.5W

G40

100W Equiv.



Item #

[776897](#) (2700K)

[776899](#) (3000K)

[776982](#) (4000K)

[776984](#) (5000K)

8.5W

G40

100W Equiv.



## INDEX GLOBE


| ITEM # | ORDERING CODE                       | WATTS | BULB TYPE | BASE | DESC    | COLOR TEMP | CRI | LU-MENS | AVG RATED LIFE | M.O.L | M.O.D | WATT EQUIV. | WAR-RANTY YEARS | SAFETY RATING | PAGE # |
|--------|-------------------------------------|-------|-----------|------|---------|------------|-----|---------|----------------|-------|-------|-------------|-----------------|---------------|--------|
| 776217 | LED7G25/27K/FIL/D/B/2               | 7.6   | G25       | E26  | Clear   | 2700K      | 80  | 800     | 15000          | 4.72  | 3.15  | 60W         | 2               | UL            | 29     |
| 776218 | LED7G25/27K/FIL/M/D/B/2             | 7.6   | G25       | E26  | Milky   | 2700K      | 80  | 800     | 15000          | 4.72  | 3.15  | 60W         | 2               | UL            | 29     |
| 776219 | LED7G25/30K/FIL/D/B/2               | 7.6   | G25       | E26  | Clear   | 3000K      | 80  | 800     | 15000          | 4.72  | 3.15  | 60W         | 2               | UL            | 29     |
| 776220 | LED7G25/30K/FIL/M/D/B/2             | 7.6   | G25       | E26  | Milky   | 3000K      | 80  | 800     | 15000          | 4.72  | 3.15  | 60W         | 2               | UL            | 29     |
| 776221 | LED7G25/40K/FIL/D/B/2               | 7.6   | G25       | E26  | Clear   | 4000K      | 80  | 800     | 15000          | 4.72  | 3.15  | 60W         | 2               | UL            | 29     |
| 776222 | LED7G25/40K/FIL/M/D/B/2             | 7.6   | G25       | E26  | Milky   | 4000K      | 80  | 800     | 15000          | 4.72  | 3.15  | 60W         | 2               | UL            | 29     |
| 776239 | LED7G25/27K/FIL/D/B/2/4P            | 7.6   | G25       | E26  | Clear   | 2700K      | 80  | 800     | 15000          | 4.72  | 3.15  | 60W         | 2               | UL            | 29     |
| 776240 | LED7G25/30K/FIL/D/B/2/4P            | 7.6   | G25       | E26  | Clear   | 3000K      | 80  | 800     | 15000          | 4.72  | 3.15  | 60W         | 2               | UL            | 29     |
| 776241 | LED7G25/40K/FIL/D/B/2/4P            | 7.6   | G25       | E26  | Clear   | 4000K      | 80  | 800     | 15000          | 4.72  | 3.15  | 60W         | 2               | UL            | 29     |
| 776516 | LED4G25/21K/FIL-NOS/<br>CURV/SPIRAL | 4.5   | G25       | E26  | Clear   | 2100K      | 80  | 350     | 15000          | 4.64  | 3.14  | 40W         | 5               | UL            | 31     |
| 776706 | LED2G16/27K/FIL/3                   | 2.5   | G16       | E12  | Clear   | 2700K      | 90  | 250     | 15000          | 3.34  | 1.96  | 25W         | 5               | UL            | 28     |
| 776712 | LED4G16/30K/FIL/M/3                 | 4     | G16       | E12  | Milky   | 3000K      | 90  | 360     | 15000          | 3.34  | 1.96  | 40W         | 5               | UL            | 28     |
| 776743 | LED4G16/27K/FIL/4/JA8               | 4     | G16       | E12  | Clear   | 2700K      | 90  | 350     | 15000          | 3.22  | 1.96  | 40W         | 5               | UL            | 28     |
| 776744 | LED4G16/30K/FIL/4/JA8               | 4     | G16       | E12  | Clear   | 3000K      | 90  | 350     | 15000          | 3.22  | 1.96  | 40W         | 5               | UL            | 28     |
| 776747 | LED13G25/27K/FIL/3/JA8              | 13    | G25       | E26  | Clear   | 2700K      | 90  | 1400    | 15000          | 4.64  | 3.15  | 150W        | 5               | UL            | 30     |
| 776748 | LED13G25/30K/FIL/3/JA8              | 13    | G25       | E26  | Clear   | 3000K      | 90  | 1400    | 15000          | 4.64  | 3.15  | 150W        | 5               | UL            | 30     |
| 776749 | LED8G25/27K/FIL/4/JA8               | 8.5   | G25       | E26  | Clear   | 2700K      | 90  | 800     | 15000          | 4.64  | 3.15  | 100W        | 5               | UL            | 30     |
| 776750 | LED8G25/30K/FIL/4/JA8               | 8.5   | G25       | E26  | Clear   | 3000K      | 90  | 800     | 15000          | 4.64  | 3.15  | 100w        | 5               | UL            | 30     |
| 776800 | LED5G25/22K/FIL-NOS/3               | 5     | G25       | E26  | Antique | 2200K      | 90  | 450     | 15000          | 4.64  | 3.15  | 40W         | 5               | UL            | 31     |
| 776810 | LED8G25/30K/FIL/M/3                 | 8.5   | G25       | E26  | Milky   | 3000K      | 90  | 800     | 15000          | 4.64  | 3.15  | 100W        | 5               | UL            | 30     |
| 776878 | LED8G40/27K/FIL/3                   | 8.5   | G40       | E26  | Clear   | 2700K      | 90  | 800     | 15000          | 7     | 4.92  | 100W        | 5               | UL            | 32     |
| 776879 | LED8G40/30K/FIL/3                   | 8.5   | G40       | E26  | Clear   | 3000K      | 90  | 800     | 15000          | 7     | 4.92  | 100W        | 5               | UL            | 32     |
| 776897 | LED8G40/27K/FIL/M/3                 | 8.5   | G40       | E26  | Milky   | 2700K      | 90  | 800     | 15000          | 7     | 4.92  | 100W        | 5               | UL            | 32     |
| 776899 | LED8G40/30K/FIL/M/3                 | 8.5   | G40       | E26  | Milky   | 3000K      | 90  | 800     | 15000          | 7     | 4.92  | 100W        | 5               | UL            | 32     |
| 776906 | LED2G16/21K/FIL-NOS/3               | 2.5   | G16       | E12  | Antique | 2100K      | 90  | 160     | 15000          | 3.34  | 1.96  | 25W         | 5               | UL            | 28     |
| 776943 | LED4G16/27K/FIL/M/4                 | 4     | G16       | E12  | Milky   | 2700K      | 90  | 300     | 15000          | 4.17  | 1.96  | 40W         | 5               | UL            | 28     |
| 776944 | LED8G25/27K/FIL/M/3                 | 8.5   | G25       | E26  | Milky   | 2700K      | 90  | 800     | 15000          | 4.64  | 3.15  | 100W        | 5               | UL            | 30     |
| 776973 | LED5G25/27K/FIL/3                   | 5     | G25       | E26  | Clear   | 2700K      | 90  | 500     | 15000          | 4.64  | 3.15  | 60W         | 5               | UL            | 30     |
| 776974 | LED5G25/27K/FIL/M/3                 | 5     | G25       | E26  | Milky   | 2700K      | 90  | 500     | 15000          | 4.64  | 3.15  | 60W         | 5               | UL            | 30     |
| 776975 | LED5G25/30K/FIL/3                   | 5     | G25       | E26  | Clear   | 3000K      | 90  | 500     | 15000          | 4.64  | 3.15  | 60W         | 5               | UL            | 30     |
| 776976 | LED5G25/30K/FIL/M/3                 | 5     | G25       | E26  | Milky   | 3000K      | 90  | 500     | 15000          | 4.64  | 3.15  | 60W         | 5               | UL            | 30     |
| 776977 | LED8G25/40K/FIL/3/JA8               | 8.5   | G25       | E26  | Clear   | 4000K      | 90  | 800     | 15000          | 4.64  | 3.15  | 100W        | 5               | UL            | 30     |
| 776978 | LED8G25/40K/FIL/M/3                 | 8.5   | G25       | E26  | Milky   | 4000K      | 90  | 800     | 15000          | 4.64  | 3.15  | 100W        | 5               | UL            | 30     |
| 776979 | LED8G25/50K/FIL/3                   | 8.5   | G25       | E26  | Clear   | 5000K      | 90  | 800     | 15000          | 4.64  | 3.15  | 100W        | 5               | UL            | 30     |
| 776980 | LED8G25/50K/FIL/M/3                 | 8.5   | G25       | E26  | Milky   | 5000K      | 90  | 800     | 15000          | 4.64  | 3.15  | 100W        | 5               | UL            | 30     |
| 776981 | LED8G40/40K/FIL/3                   | 8.5   | G40       | E26  | Clear   | 4000K      | 90  | 800     | 15000          | 6.69  | 4.84  | 100W        | 5               | UL            | 32     |
| 776982 | LED8G40/40K/FIL/M/3                 | 8.5   | G40       | E26  | Milky   | 4000K      | 90  | 800     | 15000          | 6.69  | 4.84  | 100W        | 5               | UL            | 32     |
| 776983 | LED8G40/50K/FIL/3                   | 8.5   | G40       | E26  | Clear   | 5000K      | 90  | 800     | 15000          | 6.69  | 4.84  | 100W        | 5               | UL            | 32     |
| 776984 | LED8G40/50K/FIL/M/3                 | 8.5   | G40       | E26  | Milky   | 5000K      | 90  | 800     | 15000          | 6.69  | 4.84  | 100W        | 5               | UL            | 32     |



# Tubular

## CLEAR T9

Basics Series



Item #  
[776206](#) (2700K)  
[776207](#) (3000K)

5.1W  
T9 5"  
60W Equiv.

## CLEAR T9

Preferred Series



Item #  
[776947](#) (2700K)  
[776854](#) (3000K)

3W  
T9 5"  
25W Equiv.



Item #  
[776731](#) (2700K)<sup>1</sup>  
[776732](#) (3000K)<sup>1</sup>  
[776989](#) (4000K)<sup>1</sup>  
[776991](#) (5000K)

5W  
T9 5"  
40W Equiv.



# CLEAR T9

Preferred Series

15"



Item #  
[776720](#) (2700K)  
[776721](#) (3000K)

5W  
T9 15"  
40W Equiv.

11"



Item #  
[776945](#) (2700K)  
[776946](#) (3000K)

5W  
T9 11"  
40W Equiv.

7.5"



Item #  
[776948](#) (2700K)  
[776949](#) (3000K)

3W  
T9 7.5"  
25W Equiv.



SEE INDEX FOR FULL PRODUCT SPECS

Glare free, soft diffused light



# FROST T9

Preferred Series



5"

Item #  
[776781](#) (2700K)<sup>1</sup>  
[776792](#) (3000K)<sup>1</sup>  
[776990](#) (4000K)<sup>1</sup>  
[776992](#) (5000K)<sup>1</sup>

5W  
T9 5"  
40W Equiv.



7.5"

Item #  
[776725](#) (2700K)  
[776726](#) (3000K)

5W  
T9 7.5"  
40W Equiv.



11"

Item #  
[776727](#) (2700K)  
[776728](#) (3000K)

5W  
T9 11"  
40W Equiv.





*One continuous filament*  
NO BREAKS IN LIGHT


# AMBER T9

Preferred Series



Item #  
[776908](#) (2100K)

3W  
T9 5"  
25W Equiv.




Item #  
[776713](#) (2100K)<sup>1</sup>

5W  
T9 7.5"  
25W Equiv.



Item #  
[776707](#) (2100K)

5W  
T9 11"  
25W Equiv.



Item #  
[776719](#) (2100K)

5W  
T9 15"  
40W Equiv.



SEE INDEX FOR FULL PRODUCT SPECS



# CLEAR, AMBER, CURVED T14

## Preferred Series



Item #

[776819](#) (2700K)<sup>1, 3</sup>

[776820](#) (3000K)<sup>1, 3</sup>

5W  
T14  
40W Equiv.



Item #

[776905](#) (2100K)<sup>1</sup>

4W  
T14  
40W Equiv.

*Spiral Filament*



Item #

[776518](#) (2100K)<sup>2</sup>

4.5W  
T14  
40W Equiv.



# CLEAR, MILKY, AMBER T6, T8

## Preferred Series



Item #  
[776951](#) (2700K)<sup>1</sup>  
[776952](#) (3000K)<sup>1</sup>

2.5W  
 T6  
 25W Equiv.



Item #  
[776729](#) (2700K)<sup>1</sup>  
[776730](#) (3000K)<sup>1</sup>  
[776994](#) (4000K)<sup>1</sup>  
[776996](#) (5000K)<sup>1</sup>

4.5W  
 T6  
 40W Equiv.



Item #  
[776780](#) (2700K)<sup>1</sup>  
[776791](#) (3000K)<sup>1</sup>  
[776993](#) (4000K)<sup>1</sup>  
[776995](#) (5000K)<sup>1</sup>

4.5W  
 T8  
 40W Equiv.



Item #  
[776723](#) (2700K)<sup>1</sup>  
[776724](#) (3000K)<sup>1</sup>

4.5W  
 T8  
 40W Equiv.



Item #  
[776904](#) (2100K)

2.5W  
 T6  
 25W Equiv.



Item #  
[776722](#) (2100K)

4.5W  
 T8  
 40W Equiv.



SEE INDEX FOR FULL PRODUCT SPECS



# INDEX TUBULAR

| ITEM # | ORDERING CODE                   | WATTS | BULB TYPE | BASE | DESC    | COLOR TEMP | CRI | LUMENS | AVG RATED LIFE | M.O.L | M.O.D | WATT EQUIV. | WAR-RANTY YEARS | SAFETY RATING | PAGE # |
|--------|---------------------------------|-------|-----------|------|---------|------------|-----|--------|----------------|-------|-------|-------------|-----------------|---------------|--------|
| 776206 | LED5T9/27K/FIL/D/B/2            | 5.1   | T9 5"     | E26  | Clear   | 2700K      | 80  | 500    | 15000          | 4.92  | 1.26  | 60W         | 2               | UL            | 34     |
| 776207 | LED5T9/30K/FIL/D/B/2            | 5.1   | T9 5"     | E26  | Clear   | 3000K      | 80  | 500    | 15000          | 4.92  | 1.26  | 60W         | 2               | UL            | 34     |
| 776518 | LED4T14/21K/FIL-NOS/CURV/SPIRAL | 4.5   | T14       | E26  | Clear   | 2100K      | 80  | 350    | 15000          | 4.25  | 1.77  | 40W         | 5               | UL            | 38     |
| 776707 | LED5T9L/21K/11/FIL-NOS/3        | 5     | T9 11"    | E26  | Antique | 2100K      | 90  | 300    | 15000          | 11    | 1.18  | 25W         | 5               | UL            | 37     |
| 776713 | LED5T9/21K/7/FIL-NOS/3          | 5     | T9 7.5"   | E26  | Antique | 2100K      | 90  | 250    | 15000          | 7.50  | 1.18  | 25W         | 5               | UL            | 37     |
| 776719 | LED5T9L/21K/15/FIL-NOS/3        | 5     | T9 15"    | E26  | Antique | 2100K      | 90  | 400    | 15000          | 15    | 1.18  | 40W         | 5               | UL            | 37     |
| 776720 | LED5T9L/27K/15/FIL/3            | 5     | T9 15"    | E26  | Clear   | 2700K      | 90  | 400    | 15000          | 15    | 1.18  | 40W         | 5               | UL            | 35     |
| 776721 | LED5T9L/30K/15/FIL/3            | 5     | T9 15"    | E26  | Clear   | 3000K      | 90  | 400    | 15000          | 15    | 1.18  | 40W         | 5               | UL            | 35     |
| 776722 | LED4T8/21K/FIL-NOS/3            | 4.5   | T8        | E12  | Antique | 2100K      | 90  | 450    | 15000          | 5     | 0.98  | 40W         | 5               | UL            | 40     |
| 776723 | LED4T8/27K/FIL/3                | 4.5   | T8        | E12  | Clear   | 2700K      | 90  | 450    | 15000          | 5     | 0.98  | 40W         | 5               | UL            | 40     |
| 776724 | LED4T8/30K/FIL/3                | 4.5   | T8        | E12  | Clear   | 3000K      | 90  | 450    | 15000          | 5     | 0.98  | 40W         | 5               | UL            | 40     |
| 776725 | LED5T9/27K/7/FIL/F/3            | 5     | T9 7.5"   | E26  | Frost   | 2700K      | 90  | 350    | 15000          | 7.50  | 1.18  | 40W         | 5               | UL            | 36     |
| 776726 | LED5T9/30K/7/FIL/F/3            | 5     | T9 7.5"   | E26  | Frost   | 3000K      | 90  | 350    | 15000          | 7.50  | 1.18  | 40W         | 5               | UL            | 36     |
| 776727 | LED5T9/27K/11/FIL/F/3           | 5     | T9 11"    | E26  | Frost   | 2700K      | 90  | 400    | 15000          | 11    | 1.18  | 40W         | 5               | UL            | 36     |
| 776728 | LED5T9/30K/11/FIL/F/3           | 5     | T9 11"    | E26  | Frost   | 3000K      | 90  | 400    | 15000          | 11    | 1.18  | 40W         | 5               | UL            | 36     |
| 776729 | LED4T6/27K/FIL/M/3              | 4.5   | T6        | E12  | Milky   | 2700K      | 90  | 400    | 15000          | 3.34  | 0.78  | 40W         | 5               | UL            | 40     |
| 776730 | LED4T6/30K/FIL/M/3              | 4.5   | T6        | E12  | Milky   | 3000K      | 90  | 400    | 15000          | 3.34  | 0.78  | 40W         | 5               | UL            | 40     |
| 776731 | LED5T9/27K/5/FIL/4/JA8          | 5     | T9 5"     | E26  | Clear   | 2700K      | 90  | 500    | 15000          | 4.92  | 1.18  | 40W         | 5               | UL            | 34     |
| 776732 | LED5T9/30K/5/FIL/4/JA8          | 5     | T9 5"     | E26  | Clear   | 3000K      | 90  | 500    | 15000          | 4.92  | 1.18  | 40W         | 5               | UL            | 34     |
| 776780 | LED4T6/27K/FIL/3                | 4.5   | T6        | E12  | Clear   | 2700K      | 90  | 450    | 15000          | 3.34  | 0.78  | 40W         | 5               | UL            | 39     |
| 776781 | LED5T9/27K/5/FIL/F/3            | 5     | T9 5"     | E26  | Frost   | 2700K      | 90  | 450    | 15000          | 5     | 1.18  | 40W         | 5               | UL            | 36     |
| 776791 | LED4T6/30K/FIL/3                | 4.5   | T6        | E12  | Clear   | 3000K      | 90  | 450    | 15000          | 3.34  | 0.78  | 40W         | 5               | UL            | 39     |
| 776792 | LED5T9/30K/5/FIL/F/3            | 5     | T9 5"     | E26  | Frost   | 3000K      | 90  | 450    | 15000          | 5     | 1.18  | 40W         | 5               | UL            | 36     |
| 776819 | LED5T14/27K/FIL/3               | 5     | T14       | E26  | Clear   | 2700K      | 90  | 450    | 15000          | 4.25  | 1.77  | 40W         | 5               | UL            | 38     |
| 776820 | LED5T14/30K/FIL/3               | 5     | T14       | E26  | Clear   | 3000K      | 90  | 450    | 15000          | 4.25  | 1.77  | 40W         | 5               | UL            | 38     |
| 776854 | LED3T9/30K/FIL/3                | 3     | T9 5"     | E26  | Clear   | 3000K      | 90  | 250    | 15000          | 5     | 1.1   | 25W         | 5               | UL            | 34     |
| 776904 | LED2T6/21K/FIL-NOS/3            | 2.5   | T6        | E12  | Antique | 2100K      | 90  | 160    | 15000          | 3.38  | 0.78  | 25W         | 5               | UL            | 40     |
| 776905 | LED4T14/21K/FIL-NOS/3           | 4     | T14       | E26  | Antique | 2100K      | 90  | 315    | 15000          | 4.13  | 1.77  | 40W         | 5               | UL            | 38     |
| 776908 | LED3T9/21K/FIL-NOS/3            | 3     | T9 5"     | E26  | Antique | 2100K      | 90  | 200    | 15000          | 5     | 1.10  | 25W         | 5               | UL            | 37     |
| 776945 | LED5T9L/27K/11/FIL/4            | 5     | T9 11"    | E26  | Clear   | 2700K      | 90  | 500    | 15000          | 11    | 1.18  | 40W         | 5               | UL            | 35     |
| 776946 | LED5T9L/30K/11/FIL/4            | 5     | T9 11"    | E26  | Clear   | 3000K      | 90  | 500    | 15000          | 11    | 1.18  | 40W         | 5               | UL            | 35     |
| 776947 | LED3T9/27K/FIL/4                | 3     | T9 5"     | E26  | Clear   | 2700K      | 90  | 250    | 15000          | 5     | 1.18  | 25W         | 5               | UL            | 34     |
| 776948 | LED3T9/27K/7/FIL/4              | 3     | T9 7.5"   | E26  | Clear   | 2700K      | 90  | 250    | 15000          | 7.50  | 1.18  | 25W         | 5               | UL            | 35     |
| 776949 | LED3T9/30K/7/FIL/4              | 3     | T9 7.5"   | E26  | Clear   | 3000K      | 90  | 250    | 15000          | 7.50  | 1.18  | 25W         | 5               | UL            | 35     |
| 776951 | LED2T6/27K/FIL/3                | 2.5   | T6        | E12  | Clear   | 2700K      | 90  | 250    | 15000          | 3.34  | 0.78  | 25W         | 5               | UL            | 39     |
| 776952 | LED2T6/30K/FIL/4                | 2.5   | T6        | E12  | Clear   | 3000K      | 90  | 250    | 15000          | 3.34  | 0.78  | 25W         | 5               | UL            | 39     |
| 776989 | LED5T9/40K/5/FIL/3/JA8          | 5     | T9 5"     | E26  | Clear   | 4000K      | 90  | 400    | 15000          | 4.92  | 1.18  | 40W         | 5               | UL            | 34     |
| 776990 | LED5T9/40K/5/FIL/F/3            | 5     | T9 5"     | E26  | Frost   | 4000K      | 90  | 400    | 15000          | 4.92  | 1.18  | 40W         | 5               | UL            | 36     |
| 776991 | LED5T9/50K/5/FIL/3              | 5     | T9 5"     | E26  | Clear   | 5000K      | 90  | 400    | 15000          | 4.92  | 1.18  | 40W         | 5               | UL            | 34     |
| 776992 | LED5T9/50K/5/FIL/F/3            | 5     | T9 5"     | E26  | Frost   | 5000K      | 90  | 400    | 15000          | 4.92  | 1.18  | 40W         | 5               | UL            | 36     |
| 776993 | LED4T6/40K/FIL/3                | 4.5   | T6        | E12  | Clear   | 4000K      | 90  | 450    | 15000          | 3.34  | 0.78  | 40W         | 5               | UL            | 39     |
| 776994 | LED4T6/40K/FIL/M/3              | 4.5   | T6        | E12  | Milky   | 4000K      | 90  | 450    | 15000          | 3.34  | 0.78  | 40W         | 5               | UL            | 40     |
| 776995 | LED4T6/50K/FIL/3                | 4.5   | T6        | E12  | Clear   | 5000K      | 90  | 450    | 15000          | 3.34  | 0.78  | 40W         | 5               | UL            | 40     |
| 776996 | LED4T6/50K/FIL/M/3              | 4.5   | T6        | E12  | Milky   | 5000K      | 90  | 450    | 15000          | 3.34  | 0.78  | 40W         | 5               | UL            | 40     |



# Designer *Bulbs*

Illuminating  
*Emotions*  
through  
*Design*






# LED WARM DIM


You have to  
*dim it* to  
believe it




100%  
Brightness



50%  
Brightness



10%  
Brightness



3000K 

Bulb shifts  
in color from  
**soft white** to  
**candlelight**  
as you dim

1800K 



# WARM DIM B11, CA10, G16, A19, ST18, G25, G40



Item #  
[776401](#) (3000K - 1800K)

5W  
B11  
60W Equiv.



Item #  
[776400](#) (3000K - 1800K)

9W  
A19  
60W Equiv.



Item #  
[776402](#) (3000K - 1800K)

5W  
CA10  
60W Equiv.



Item #  
[776405](#) (3000K - 1800K)

9W  
ST18  
60W Equiv.




Item #  
[776403](#) (3000K - 1800K)

5W  
G16  
60W Equiv.



Item #  
[776404](#) (3000K - 1800K)

9W  
G25  
60W Equiv.



watch our LED Warm Dim  
collection in action!



Item #  
[776406](#) (3000K - 1800K)

4.5W  
G40  
40W Equiv.



Item #  
[776679](#) (2700K)<sup>1</sup>

5W  
A19  
40W Equiv.



Item #  
[776921](#) (2700K)<sup>2</sup>

2.5W  
G16  
25W Equiv.



Item #  
[776923](#) (2700K)<sup>1</sup>

4.5W  
G25  
40W Equiv.



Item #  
[776924](#) (2700K)<sup>1</sup>

6W  
G40  
60W Equiv.

# half Gold

A19, G16, G25, G40





Item #  
[776671](#) (2700K)<sup>1</sup>

4.5W  
A19  
40W Equiv.



Item #  
[776771](#) (2700K)<sup>2</sup>

2.5W  
G16  
25W Equiv.



Item #  
[776870](#) (2700K)<sup>1, 3</sup>

5W  
G25  
40W Equiv.



Item #  
[776920](#) (2700K)<sup>2, 3</sup>

6W  
G40  
60W Equiv.



**half Chrome**  
A19, G16, G25, G40







Item #  
[776833](#) (2700K)<sup>1</sup>

5W  
A19  
40W Equiv.



Item #  
[776834](#) (2700K)<sup>2</sup>

2.5W  
G16  
25W Equiv.



Item #  
[776835](#) (2700K)<sup>1</sup>

5W  
G25  
40W Equiv.



Item #  
[776836](#) (2700K)<sup>1</sup>

6W  
G40  
60W Equiv.

# half Black

A19, G16, G25, G40





Item #  
[776837](#) (2700K)<sup>1</sup>

5W  
 A19  
 40W Equiv.



Item #  
[776838](#) (2700K)<sup>2</sup>

2.5W  
 G16  
 25W Equiv.



Item #  
[776839](#) (2700K)<sup>1</sup>

5W  
 G25  
 40W Equiv.



Item #  
[776840](#) (2700K)<sup>1</sup>

6W  
 G40  
 60W Equiv.



**half** *White*  
 A19, G16, G25, G40



*New shapes  
breaking the norm!*

## CLEAR & AMBER Prism, Slanted, Fiesta



Item #  
[776596](#) (3000K)<sup>1</sup>

4W  
Prism  
40W Equiv.  
E12 Base



Item #  
[776594](#) (2700K)<sup>1</sup>  
[776595](#) (3000K)<sup>1</sup>

4.5W  
Slanted  
40W Equiv.  
E12 Base



Item #  
[776580](#) (2700K)

4W  
F15  
40W Equiv.  
E26 Base



Item #  
[776581](#) (2100K)

4W  
F15  
40W Equiv.  
E26 Base





# SATIN & AMBER Spunlite®



Item #  
[776590](#) (2700K)

4W  
C11  
40W Equiv.  
E12 Base



Item #  
[776592](#) (2700K)

4W  
C15  
40W Equiv.  
E26 Base



Item #  
[776591](#) (2100K)

4W  
C11  
40W Equiv.  
E12 Base



Item #  
[776593](#) (2100K)

4W  
C15  
40W Equiv.  
E26 Base



*look & feel of a*  
**gas lantern  
flame**



SEE INDEX FOR FULL PRODUCT SPECS



**GRAND  
DIENT**



**LED** COLLECTION

Unique  
***Finish & Shapes***  
create a **focal** Point  
*of their own*

*Your new*  
**CENTERPIECE**

## C53, G40 Clear to Smoke

## C53, G40 Clear to Blue



SEE INDEX FOR FULL PRODUCT SPECS



# TRADITIONAL LED Grands



*The bulb is the fixture*



Item #  
[776301](#) (2200K)

4W  
ET25  
60W Equiv.



Item #  
[776302](#) (2200K)

4W  
G63  
60W Equiv.



Item #  
[776300](#) (2200K)

4W  
PS52  
60W Equiv.




Item #  
[776314](#) (2200K)

4W  
BT56  
60W Equiv.



# WHIMSICAL LED Grands



15.16  
inches

Item #  
[776303](#) (2200K)

4W  
WATER BOTTLE  
60W Equiv.



Item #  
[776304](#) (2200K)

4W  
BEEHIVE  
60W Equiv.



Item #  
[776305](#) (2200K)

4W  
DIAMOND  
60W Equiv.



Item #  
[776306](#) (2200K)

4W  
OLIVE  
60W Equiv.



SEE INDEX FOR FULL PRODUCT SPECS

# NATURAL LED Grands



Item #  
[776317](#) (2000K)

4W  
DROPLET  
60W Equiv.



Item #  
[776316](#) (2000K)

4W  
ICEBERG  
60W Equiv.



Item #  
[776319](#) (2000K)

4W  
ORB  
60W Equiv.



Item #  
[776318](#) (2000K)

4W  
JEWEL  
60W Equiv.



Item #  
[776320](#) (2000K)

4W  
GLACIER  
60W Equiv.





| ITEM # | ORDERING CODE               | WATTS | BULB TYPE | BASE | DESC             | COLOR TEMP  | CRI | LU-MENS | AVG RATED LIFE | M.O.L | M.O.D | WATT EQUIV. | WAR-RANTY YEARS | SAFETY RATING | PAGE # |
|--------|-----------------------------|-------|-----------|------|------------------|-------------|-----|---------|----------------|-------|-------|-------------|-----------------|---------------|--------|
| 776300 | LED4PS52/22K/FIL            | 4     | PS52      | E26  | Clear            | 2200K       | 95  | 190     | 15000          | 12.68 | 6.3   | 60W         | 5               | UL            | 52     |
| 776301 | LED4ET25/22K/FIL            | 4     | ET25      | E26  | Clear            | 2200K       | 95  | 190     | 15000          | 15.16 | 3.15  | 60W         | 5               | UL            | 52     |
| 776302 | LED4G63/22K/FIL             | 4     | G63       | E26  | Clear            | 2200K       | 95  | 190     | 15000          | 11.22 | 7.87  | 60W         | 5               | UL            | 52     |
| 776303 | LED4WB/22K/FIL              | 4     | WB        | E26  | Clear            | 2200K       | 95  | 190     | 15000          | 15.16 | 3.54  | 60W         | 5               | UL            | 53     |
| 776304 | LED4BH/22K/FIL              | 4     | BH        | E26  | Clear            | 2200K       | 95  | 190     | 15000          | 15.16 | 7.87  | 60W         | 5               | UL            | 53     |
| 776305 | LED4DIA/22K/FIL             | 4     | DIA       | E26  | Clear            | 2200K       | 95  | 190     | 15000          | 15.35 | 7.87  | 60W         | 5               | UL            | 53     |
| 776306 | LED4OLIVE/22K/FIL           | 4     | OS        | E26  | Clear            | 2200K       | 95  | 190     | 15000          | 16.93 | 4.53  | 60W         | 5               | UL            | 53     |
| 776314 | LED4BT56/22K/FIL            | 4     | BT56      | E26  | Clear            | 2200K       | 95  | 190     | 15000          | 15.16 | 7     | 60W         | 5               | UL            | 52     |
| 776316 | LED4ICE/20K/FIL-NOS         | 4     | ICEBERG   | E26  | Antique          | 2000K       | 95  | 180     | 15000          | 11    | 6.5   | 60W         | 5               | UL            | 54     |
| 776317 | LED4DROP/20K/FIL-NOS        | 4     | DROPLET   | E26  | Antique          | 2000K       | 95  | 200     | 15000          | 12.5  | 6     | 60W         | 5               | UL            | 54     |
| 776318 | LED4JEWEL/20K/FIL-NOS       | 4     | JEWEL     | E26  | Antique          | 2000K       | 95  | 200     | 15000          | 11.5  | 6.5   | 60W         | 5               | UL            | 54     |
| 776319 | LED4ORB/20K/FIL-NOS         | 4     | ORB       | E26  | Antique          | 2000K       | 95  | 200     | 15000          | 12.5  | 8     | 60W         | 5               | UL            | 54     |
| 776320 | LED4GLACIER/20K/FIL-NOS     | 4     | GLACIER   | E26  | Antique          | 2000K       | 95  | 200     | 15000          | 12.5  | 7.75  | 60W         | 5               | UL            | 54     |
| 776321 | LED4C53/30K/FIL/GRAD/SMK    | 4.5   | C53       | E26  | Clear/Smoke      | 3000K       | 80  | 200     | 15000          | 10.25 | 6.75  | 60W         | 5               | UL            | 51     |
| 776322 | LED4C53/30K/FIL/GRAD/BLU    | 4.5   | C53       | E26  | Clear/Blue       | 3000K       | 80  | 200     | 15000          | 10.25 | 6.75  | 60W         | 5               | UL            | 51     |
| 776400 | LED9A19/30K-18K/WMDM/FIL/M  | 9     | A19       | E26  | Milky            | 3000K-1800K | 90  | 800     | 15000          | 4.123 | 2.354 | 60W         | 5               | UL            | 43     |
| 776401 | LED5B11/30K-18K/WMDM/FIL/M  | 5     | B11       | E12  | Milky            | 3000K-1800K | 90  | 500     | 15000          | 3.8   | 1.36  | 60W         | 5               | UL            | 43     |
| 776402 | LED5CA10/30K-18K/WMDM/FIL/M | 5     | CA10      | E12  | Milky            | 3000K-1800K | 90  | 500     | 15000          | 4.72  | 1.37  | 60W         | 5               | UL            | 43     |
| 776403 | LED5G16/30K-18K/WMDM/FIL/M  | 5     | G16       | E12  | Milky            | 3000K-1800K | 90  | 500     | 15000          | 3.34  | 1.97  | 60W         | 5               | UL            | 43     |
| 776404 | LED9G25/30K-18K/WMDM/FIL/M  | 9     | G25       | E26  | Milky            | 3000K-1800K | 90  | 800     | 15000          | 4.123 | 2.354 | 60W         | 5               | UL            | 43     |
| 776405 | LED9ST18/30K-18K/WMDM/FIL/M | 9     | ST18      | E26  | Milky            | 3000K-1800K | 90  | 800     | 15000          | 4.919 | 2.273 | 60W         | 5               | UL            | 43     |
| 776406 | LED4G40/30K-18K/WMDM/FIL/M  | 4.5   | G40       | E26  | Milky            | 3000K-1800K | 90  | 350     | 15000          | 6.69  | 4.92  | 40W         | 2               | UL            | 43     |
| 776580 | LED4F15/27K/FIESTA/CLR      | 4     | F15       | E26  | Clear/Iridescent | 2700K       | 90  | 320     | 15000          | 4.41  | 1.38  | 40W         | 2               | UL            | 48     |
| 776581 | LED4F15/21K/FIESTA/AMB      | 4     | F15       | E26  | Amber            | 2100K       | 80  | 280     | 15000          | 4.41  | 1.38  | 40W         | 2               | UL            | 48     |
| 776590 | LED4C11/27K/FIL/SPUN/SAT    | 4     | C11       | E12  | Satin            | 2700K       | 90  | 350     | 15000          | 4.145 | 1.89  | 40W         | 2               | UL            | 49     |
| 776591 | LED4C11/21K/FIL/SPU-MB      | 4     | C11       | E12  | Amber            | 2100K       | 80  | 250     | 15000          | 4.145 | 1.89  | 40W         | 2               | UL            | 49     |
| 776592 | LED4C15/27K/FIL/SPUN/SAT    | 4     | C15       | E26  | Satin            | 2700K       | 90  | 350     | 15000          | 4.25  | 1.85  | 40W         | 2               | UL            | 49     |
| 776593 | LED4C15/21K/FIL/SPU-MB      | 4     | C15       | E26  | Amber            | 2100K       | 80  | 250     | 15000          | 4.25  | 1.85  | 40W         | 2               | UL            | 49     |
| 776594 | LED4T6SL/27K/FIL/3          | 4.5   | T6SL      | E12  | Clear            | 2700K       | 90  | 400     | 15000          | 3.75  | 0.75  | 40W         | 5               | UL            | 48     |
| 776595 | LED4T6SL/30K/FIL/3          | 4.5   | T6SL      | E12  | Clear            | 3000K       | 90  | 400     | 15000          | 3.75  | 0.75  | 40W         | 5               | UL            | 48     |
| 776596 | LED4PRISM/30K/FIL/3         | 4     | Prism     | E12  | Clear            | 3000K       | 90  | 350     | 15000          | 4.75  | 1.5   | 40W         | 5               | UL            | 48     |
| 776671 | LED4A19/27K/FIL/HM/2        | 4.5   | A19       | E26  | Half Chrome      | 2700K       | 80  | 360     | 15000          | 4.10  | 2.4   | 40W         | 5               | UL            | 45     |
| 776679 | LED5A19/27K/FIL/HG/3        | 5     | A19       | E26  | Half Gold        | 2700K       | 90  | 400     | 15000          | 4.09  | 2.36  | 40W         | 5               | UL            | 44     |
| 776771 | LED2G16/27K/FIL/HM/3        | 2.5   | G16       | E12  | Half Chrome      | 2700K       | 90  | 200     | 15000          | 3.34  | 1.96  | 25W         | 5               | UL            | 45     |
| 776833 | LED5A19/27K/FIL/HB/3        | 5     | A19       | E26  | Half Black       | 2700K       | 90  | 400     | 15000          | 4.10  | 2.35  | 40W         | 5               | UL            | 46     |
| 776834 | LED2G16/27K/FIL/HB/3        | 2.5   | G16       | E12  | Half Black       | 2700K       | 90  | 200     | 15000          | 3.22  | 1.96  | 25W         | 5               | UL            | 46     |
| 776835 | LED5G25/27K/FIL/HB/3        | 5     | G25       | E26  | Half Black       | 2700K       | 90  | 400     | 15000          | 4.584 | 3.157 | 40W         | 5               | UL            | 46     |
| 776836 | LED6G40/27K/FIL/HB/3        | 6     | G40       | E26  | Half Black       | 2700K       | 90  | 500     | 15000          | 6.75  | 4.75  | 60W         | 5               | UL            | 46     |
| 776837 | LED5A19/27K/FIL/HW/3        | 5     | A19       | E26  | Half White       | 2700K       | 90  | 400     | 15000          | 4.10  | 2.35  | 40W         | 5               | UL            | 47     |
| 776838 | LED2G16/27K/FIL/HW/3        | 2.5   | G16       | E12  | Half White       | 2700K       | 90  | 200     | 15000          | 3.22  | 1.96  | 25W         | 5               | UL            | 47     |
| 776839 | LED5G25/27K/FIL/HW/3        | 5     | G25       | E26  | Half White       | 2700K       | 90  | 400     | 15000          | 4.584 | 3.157 | 40W         | 5               | UL            | 47     |
| 776840 | LED6G40/27K/FIL/HW/3        | 6     | G40       | E26  | Half White       | 2700K       | 90  | 500     | 15000          | 6.75  | 4.75  | 60W         | 5               | UL            | 47     |
| 776870 | LED5G25/27K/FIL/HM/3        | 5     | G25       | E26  | Half Chrome      | 2700K       | 90  | 450     | 15000          | 4.64  | 3.15  | 40W         | 5               | UL            | 45     |
| 776920 | LED6G40/27K/FIL/HM/3        | 6     | G40       | E26  | Half Chrome      | 2700K       | 90  | 500     | 15000          | 6.57  | 4.92  | 60W         | 5               | UL            | 45     |
| 776921 | LED2G16/27K/FIL/HG/3        | 2.5   | G16       | E12  | Half Gold        | 2700K       | 90  | 200     | 15000          | 3.22  | 1.96  | 25W         | 5               | UL            | 44     |
| 776923 | LED4G25/27K/FIL/HG/3        | 4.5   | G25       | E26  | Half Gold        | 2700K       | 90  | 350     | 15000          | 4.64  | 3.14  | 40W         | 5               | UL            | 44     |
| 776924 | LED6G40/27K/FIL/HG/3        | 6     | G40       | E26  | Half Gold        | 2700K       | 90  | 500     | 15000          | 6.57  | 4.92  | 60W         | 5               | UL            | 44     |
| 776997 | LED4G40/30K/FIL/GRAD/SMK    | 4.5   | G40       | E26  | Clear/Smoke      | 3000K       | 80  | 200     | 15000          | 6.57  | 4.92  | 60W         | 5               | UL            | 51     |
| 776998 | LED4G40/30K/FIL/GRAD/BLU    | 4.5   | G40       | E26  | Clear/Blue       | 3000K       | 80  | 200     | 15000          | 6.57  | 4.92  | 60W         | 5               | UL            | 51     |

# General Service

E26  
A19

Basics Series



|            |                                |
|------------|--------------------------------|
| Item #     |                                |
| 2700K      | <a href="#">774243</a>         |
| 8.5W       | <a href="#">774247</a> 4-PACK  |
| A19        | <a href="#">774251</a> 25-PACK |
| 60W Equiv. |                                |
| 3000K      | <a href="#">774244</a>         |
| 8.5W       | <a href="#">774248</a> 4-PACK  |
| A19        | <a href="#">774252</a> 25-PACK |
| 60W Equiv. |                                |
| 4000K      | <a href="#">774245</a>         |
| 8.5W       | <a href="#">774249</a> 4-PACK  |
| A19        |                                |
| 60W Equiv. |                                |
| 5000K      | <a href="#">774246</a>         |
| 8.5W       | <a href="#">774250</a> 4-PACK  |
| A19        |                                |
| 60W Equiv. |                                |



# E26, GU24 A19



## Preferred Series

|                                  |                                                                                      |                                                   |
|----------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------|
| 2700K<br>9W<br>A19<br>60W Equiv. | Item #<br><a href="#">774262</a><br><a href="#">774253</a><br><a href="#">774257</a> | <a href="#">4-PACK</a><br><a href="#">25-PACK</a> |
| 3000K<br>9W<br>A19<br>60W Equiv. | <a href="#">774263</a><br><a href="#">774254</a><br><a href="#">774258</a>           | <a href="#">4-PACK</a><br><a href="#">25-PACK</a> |
| 4000K<br>9W<br>A19<br>60W Equiv. | <a href="#">774264</a><br><a href="#">774255</a>                                     | <a href="#">4-PACK</a>                            |
| 5000K<br>9W<br>A19<br>60W Equiv. | <a href="#">774265</a><br><a href="#">774256</a>                                     | <a href="#">4-PACK</a>                            |

## Premium Series

|                                             |
|---------------------------------------------|
| Item #                                      |
| <a href="#">774238</a> (2700K) <sup>1</sup> |
| <a href="#">774239</a> (3000K) <sup>1</sup> |
| <a href="#">774240</a> (4000K) <sup>1</sup> |

9W  
A19  
60W Equiv.  
E26 Base



## Preferred Series

|                                |
|--------------------------------|
| Item #                         |
| <a href="#">774266</a> (2700K) |
| <a href="#">774267</a> (3000K) |

11W  
A19  
75W Equiv.  
E26 Base

## Premium Series

|                                             |
|---------------------------------------------|
| Item #                                      |
| <a href="#">774276</a> (2700K) <sup>1</sup> |
| <a href="#">774277</a> (3000K) <sup>1</sup> |

15W  
A19  
100W Equiv.  
E26 Base



## Preferred Series

|                                             |
|---------------------------------------------|
| Item #                                      |
| <a href="#">774241</a> (2700K) <sup>1</sup> |
| <a href="#">774242</a> (3000K) <sup>1</sup> |

9W  
A19  
60W Equiv.  
GU24 Base



SEE INDEX FOR FULL PRODUCT SPECS



# 3-WAY, DUSK TO DAWN A19

Preferred Series

*Ideal for table & floor portables*

Offers three levels of light so users can adjust the brightness to their preference



Item #  
[774285](#) (2700K)  
[774286](#) (3000K)

5/9/14W  
A19 3-Way Bulb  
40/60/100W Equiv.

 For LED Filament  
3-Way, see page 11.



Item #  
[774070](#) (3000K)

9W  
A19  
60W Equiv.



# REFLECTORS BR20, BR30, BR40

Basics Series



Item #  
[772854](#) (2700K)  
[772855](#) (3000K)

7W  
BR20  
50W Equiv.



Item #  
[772856](#) (2700K)  
[772857](#) (3000K)

8W  
BR30  
65W Equiv.



Item #  
[772858](#) (2700K)  
[772859](#) (3000K)

11W  
BR30  
75W Equiv.



Item #  
[772860](#) (2700K)  
[772861](#) (3000K)

15W  
BR40  
90W Equiv.



SEE INDEX FOR FULL PRODUCT SPECS

# PAR20, PAR30, PAR38

Basics Series



Item #  
[772242](#) (3000K)<sup>2</sup>  
[772243](#) (4000K)<sup>2</sup>

---

7W  
PAR20  
50W Equiv.



Item #  
[772245](#) (3000K)<sup>2</sup>  
[772246](#) (4000K)<sup>2</sup>

---

10W  
PAR30SN  
75W Equiv.



Item #  
[772248](#) (3000K)<sup>2</sup>  
[772249](#) (4000K)<sup>2</sup>

---

10W  
PAR30LN  
75W Equiv.



Item #  
[772253](#) (3000K)<sup>2</sup>  
[772254](#) (4000K)<sup>2</sup>

---

15W  
PAR38  
90W Equiv.



# PAR16 & PAR20

## Preferred Series



Item #  
[771117](#) (3000K)<sup>2</sup>

6.5W  
PAR16  
60W Equiv.

## Preferred Series



### N.Flood

Item #  
[772751](#) (2700K)<sup>1</sup>  
[772755](#) (3000K)<sup>1</sup>

### Flood

Item #  
[772752](#) (2700K)<sup>1</sup>  
[772756](#) (3000K)<sup>1</sup>

7W  
PAR20  
50W Equiv.

## Premium Series



### N.Flood

Item #  
[772261](#) (2700K)<sup>1, 3, 4</sup>  
[772265](#) (3000K)<sup>1, 3, 4</sup>

### Flood

Item #  
[772262](#) (2700K)<sup>1, 3, 4</sup>  
[772266](#) (3000K)<sup>1, 3, 4</sup>

6.5W  
PAR20  
50W Equiv.



SEE INDEX FOR FULL PRODUCT SPECS

# PAR30 Short Neck



Preferred Series

**N.Flood**

**Flood**

|                                |                                |
|--------------------------------|--------------------------------|
| Item #                         |                                |
| <a href="#">772763</a> (2700K) | <a href="#">772764</a> (2700K) |
| <a href="#">772767</a> (3000K) | <a href="#">772768</a> (3000K) |

10W  
PAR30SN  
75W Equiv.



Premium Series

**N.Flood**

**Flood**

|                                               |                                               |
|-----------------------------------------------|-----------------------------------------------|
| Item #                                        |                                               |
| <a href="#">772273</a> (2700K) <sup>1,2</sup> | <a href="#">772274</a> (2700K) <sup>1,2</sup> |
| <a href="#">772277</a> (3000K) <sup>1,2</sup> | <a href="#">772278</a> (3000K) <sup>1,2</sup> |

10W  
PAR30SN  
75W Equiv.



# PAR30 Long Neck



## Preferred Series

### N.Flood

### Flood

Item #

[772775](#) (2700K)

[772779](#) (3000K)

[772776](#) (2700K)

[772780](#) (3000K)

10W  
PAR30LN  
75W Equiv.



## Premium Series


### Flood

Item #

[772286](#) (2700K)<sup>1,2</sup>

[772290](#) (3000K)<sup>1,2</sup>

10W  
PAR30LN  
75W Equiv.



SEE INDEX FOR FULL PRODUCT SPECS



*Great for  
Landscape Lighting*

# PAR38

## Preferred Series



**Flood**

Item #  
[772788](#) (2700K)  
[772792](#) (3000K)

15W  
PAR38  
120W Equiv.

## Premium Series



**Flood**

Item #  
[772298](#) (2700K)<sup>1,2</sup>  
[772302](#) (3000K)<sup>1,2</sup>

15W  
PAR38  
120W Equiv.





# SORAA<sup>®</sup>

**WE CARRY VIVID AND BRILLIANT HL PRODUCTS,  
CONTACT US FOR MORE INFORMATION**



# 12V MR16 GU5.3

Preferred Series



Item #  
[771207](#) (2700K)  
[771208](#) (3000K)

6.5W  
MR16  
50W Equiv.



Item #  
[771211](#) (2700K)  
[771212](#) (3000K)

7W  
MR16  
75W Equiv.

Premium Series



Item #  
[771101](#) (2700K)<sup>1, 2</sup>  
[771102](#) (3000K)<sup>1, 2</sup>

6.5W  
MR16  
50W Equiv.



Item #  
[771203](#) (2700K)<sup>1-2</sup>  
[771204](#) (3000K)<sup>1-2</sup>

7.5W  
MR16  
75W Equiv.





# 120V MR16 GU10

## Preferred Series



Item #

[771119](#) (2700K)

[771120](#) (3000K)

6.5W  
PAR16  
50W Equiv.

## Premium Series



Item #

[771221](#) (2700K)<sup>1, 2</sup>

[771218](#) (3000K)<sup>1, 2</sup>

5.5W  
PAR16  
50W Equiv.



SEE INDEX FOR FULL PRODUCT SPECS

# INDEX GENERAL SERVICE

| ITEM # | ORDERING CODE               | WATTS | BULB TYPE | BASE  | DESC  | COLOR TEMP | CRI | LU-<br>MENS | AVG<br>RATED<br>LIFE | M.O.L | M.O.D | WATT<br>EQUIV. | WAR-<br>RANTY<br>YEARS | SAFETY<br>RATING | PAGE<br># |
|--------|-----------------------------|-------|-----------|-------|-------|------------|-----|-------------|----------------------|-------|-------|----------------|------------------------|------------------|-----------|
| 771101 | LED6MR16FL35/50/927/J/D/4   | 6.5   | MR16      | GU5.3 | -     | 2700K      | 90  | 500         | 25000                | 1.9   | 1.97  | 50W            | 3                      | UL               | 66        |
| 771102 | LED6MR16FL35/50/930/J/D/4   | 6.5   | MR16      | GU5.3 | -     | 3000K      | 90  | 500         | 25000                | 1.9   | 1.97  | 50W            | 3                      | UL               | 66        |
| 771203 | LED7MR16FL35/75/927/J/D     | 7.5   | MR16      | GU5.3 | -     | 2700K      | 90  | 570         | 25000                | 1.91  | 1.97  | 75W            | 3                      | UL               | 66        |
| 771204 | LED7MR16FL35/75/930/J/D     | 7.5   | MR16      | GU5.3 | -     | 3000K      | 90  | 570         | 25000                | 1.91  | 1.97  | 75W            | 3                      | UL               | 66        |
| 771117 | LED6PAR16FL40/50/830/D/4    | 6.5   | PAR16     | E26   | -     | 3000K      | 80  | 500         | 15000                | 2.76  | 1.95  | 60W            | 3                      | UL               | 61        |
| 771119 | LED6PAR16GUFL40/50/827/D/4  | 6.5   | PAR16     | GU10  | -     | 2700K      | 80  | 500         | 25000                | 2.04  | 1.97  | 50W            | 3                      | UL               | 67        |
| 771120 | LED6PAR16GUFL40/50/830/D/4  | 6.5   | PAR16     | GU10  | -     | 3000K      | 80  | 500         | 25000                | 2.04  | 1.97  | 50W            | 3                      | UL               | 67        |
| 771203 | LED7MR16FL35/75/927/J/D     | 7.5   | MR16      | GU5.3 | -     | 2700K      | 90  | 570         | 25000                | 1.91  | 1.97  | 75W            | 3                      | UL               | 66        |
| 771204 | LED7MR16FL35/75/930/J/D     | 7.5   | MR16      | GU5.3 | -     | 3000K      | 90  | 570         | 25000                | 1.91  | 1.97  | 75W            | 3                      | UL               | 66        |
| 771207 | LED6MR16FL35/50/827/D       | 6.5   | MR16      | GU5.3 | -     | 2700K      | 80  | 500         | 25000                | 1.9   | 1.97  | 50W            | 3                      | UL               | 66        |
| 771208 | LED6MR16FL35/50/830/D       | 6.5   | MR16      | GU5.3 | -     | 3000K      | 80  | 500         | 25000                | 1.91  | 1.97  | 50W            | 3                      | UL               | 66        |
| 771211 | LED7MR16FL35/75/827/D       | 7     | MR16      | GU5.3 | -     | 2700K      | 80  | 570         | 25000                | 1.91  | 1.97  | 75W            | 3                      | UL               | 66        |
| 771212 | LED7MR16FL35/75/830/D       | 7     | MR16      | GU5.3 | -     | 3000K      | 80  | 570         | 25000                | 1.91  | 1.97  | 75W            | 3                      | UL               | 66        |
| 771218 | LED5PAR16GUFL40/50/930/J/D  | 5.5   | PAR16     | GU10  | -     | 3000K      | 90  | 420         | 25000                | 2.16  | 1.97  | 50W            | 3                      | UL               | 67        |
| 771221 | LED5PAR16GUFL40/50/927/J/D  | 5.5   | PAR16     | GU10  | -     | 2700K      | 90  | 400         | 25000                | 2.16  | 1.97  | 50W            | 3                      | UL               | 67        |
| 772242 | LED7PAR20/B-FL40/830/WD/2   | 7     | PAR20     | E26   | White | 3000K      | 80  | 500         | 25000                | 3.14  | 2.48  | 50W            | 2                      | UL               | 60        |
| 772243 | LED7PAR20/B-FL40/840/WD/2   | 7     | PAR20     | E26   | White | 4000K      | 80  | 500         | 25000                | 3.14  | 2.48  | 50W            | 2                      | UL               | 60        |
| 772245 | LED10PAR30S/B-FL40/830/WD/2 | 10    | PAR30SN   | E26   | White | 3000K      | 80  | 800         | 25000                | 3.6   | 3.69  | 75W            | 2                      | UL               | 60        |
| 772246 | LED10PAR30S/B-FL40/840/WD/2 | 10    | PAR30SN   | E26   | White | 4000K      | 80  | 800         | 25000                | 3.6   | 3.69  | 75W            | 2                      | UL               | 60        |
| 772248 | LED10PAR30L/B-FL40/830/WD/2 | 10    | PAR30LN   | E26   | White | 3000K      | 80  | 800         | 25000                | 4.53  | 3.74  | 75W            | 2                      | UL               | 60        |
| 772249 | LED10PAR30L/B-FL40/840/WD/2 | 10    | PAR30LN   | E26   | White | 4000K      | 80  | 800         | 25000                | 4.53  | 3.74  | 75W            | 2                      | UL               | 60        |
| 772253 | LED15PAR38/B-FL40/830/WD/2  | 15    | PAR38     | E26   | White | 3000K      | 80  | 1200        | 25000                | 5.3   | 4.68  | 90W            | 2                      | UL               | 60        |
| 772254 | LED15PAR38/B-FL40/840/WD/2  | 15    | PAR38     | E26   | White | 4000K      | 80  | 1200        | 25000                | 5.3   | 4.6   | 90W            | 2                      | UL               | 60        |
| 772261 | LED6PAR20/NFL25/927/WD/2    | 6.5   | PAR20     | E26   | -     | 2700K      | 90  | 500         | 25000                | 3.125 | 2.5   | 50W            | 3                      | UL               | 61        |
| 772262 | LED6PAR20/FL40/927/WD/2     | 6.5   | PAR20     | E26   | -     | 2700K      | 90  | 500         | 25000                | 3.125 | 2.5   | 50W            | 3                      | UL               | 61        |
| 772265 | LED6PAR20/NFL25/930/WD/2    | 6.5   | PAR20     | E26   | -     | 3000K      | 90  | 500         | 25000                | 3.125 | 2.5   | 50W            | 3                      | UL               | 61        |
| 772266 | LED6PAR20/FL40/930/WD/2     | 6.5   | PAR20     | E26   | -     | 3000K      | 90  | 500         | 25000                | 3.125 | 2.5   | 50W            | 3                      | UL               | 61        |
| 772273 | LED10PAR30S/NF25/927/WD/2   | 10    | PAR30SN   | E26   | -     | 2700K      | 90  | 830         | 25000                | 3.563 | 3.75  | 75W            | 3                      | UL               | 62        |
| 772274 | LED10PAR30S/FL40/927/WD/2   | 10    | PAR30SN   | E26   | -     | 2700K      | 90  | 830         | 25000                | 3.563 | 3.75  | 75W            | 3                      | UL               | 62        |
| 772277 | LED10PAR30S/NF25/930/WD/2   | 10    | PAR30SN   | E26   | -     | 3000K      | 90  | 830         | 25000                | 3.563 | 3.75  | 75W            | 3                      | UL               | 62        |
| 772278 | LED10PAR30S/FL40/930/WD/2   | 10    | PAR30SN   | E26   | -     | 3000K      | 90  | 830         | 25000                | 3.563 | 3.75  | 75W            | 3                      | UL               | 62        |
| 772286 | LED10PAR30L/FL40/927/WD/2   | 10    | PAR30LN   | E26   | -     | 2700K      | 90  | 800         | 25000                | 4.563 | 3.75  | 75W            | 3                      | UL               | 65        |
| 772290 | LED10PAR30L/FL40/930/WD/2   | 10    | PAR30LN   | E26   | -     | 3000K      | 90  | 800         | 25000                | 4.563 | 3.75  | 75W            | 3                      | UL               | 65        |
| 772298 | LED15PAR38/FL40/927/WD/2    | 15    | PAR38     | E26   | -     | 2700K      | 90  | 1200        | 25000                | 5.188 | 4.75  | 120W           | 3                      | UL               | 64        |
| 772302 | LED15PAR38/FL40/930/WD/2    | 15    | PAR38     | E26   | -     | 3000K      | 90  | 1200        | 25000                | 5.188 | 4.75  | 120W           | 3                      | UL               | 64        |
| 772751 | LED7PAR20/NF25/827/WD/2     | 7     | PAR20     | E26   | -     | 2700K      | 80  | 500         | 25000                | 3.125 | 2.5   | 50W            | 3                      | UL               | 61        |
| 772752 | LED7PAR20/FL40/827/WD/2     | 7     | PAR20     | E26   | -     | 2700K      | 80  | 500         | 25000                | 3.125 | 2.5   | 50W            | 3                      | UL               | 61        |
| 772755 | LED7PAR20/NF25/830/WD/2     | 7     | PAR20     | E26   | -     | 3000K      | 80  | 500         | 25000                | 3.125 | 2.5   | 50W            | 3                      | UL               | 61        |
| 772756 | LED7PAR20/FL40/830/WD/2     | 7     | PAR20     | E26   | -     | 3000K      | 80  | 500         | 25000                | 3.125 | 2.5   | 50W            | 3                      | UL               | 61        |
| 772763 | LED10PAR30S/NF25/827/WD/2   | 10    | PAR30SN   | E26   | -     | 2700K      | 80  | 800         | 25000                | 3.563 | 3.75  | 75W            | 3                      | UL               | 62        |
| 772764 | LED10PAR30S/FL40/827/WD/2   | 10    | PAR30SN   | E26   | -     | 2700K      | 80  | 800         | 25000                | 3.563 | 3.75  | 75W            | 3                      | UL               | 62        |
| 772767 | LED10PAR30S/NF25/830/WD/2   | 10    | PAR30SN   | E26   | -     | 3000K      | 80  | 800         | 25000                | 3.563 | 3.75  | 75W            | 3                      | UL               | 62        |
| 772768 | LED10PAR30S/FL40/830/WD/2   | 10    | PAR30SN   | E26   | -     | 3000K      | 80  | 800         | 25000                | 3.563 | 3.75  | 75W            | 3                      | UL               | 62        |
| 772775 | LED10PAR30L/NF25/827/WD/2   | 10    | PAR30LN   | E26   | -     | 2700K      | 80  | 800         | 25000                | 4.563 | 3.75  | 75W            | 3                      | UL               | 65        |
| 772776 | LED10PAR30L/FL40/827/WD/2   | 10    | PAR30LN   | E26   | -     | 2700K      | 80  | 800         | 25000                | 4.563 | 3.75  | 75W            | 3                      | UL               | 65        |

# INDEX GENERAL SERVICE

| ITEM # | ORDERING CODE                   | WATTS | BULB TYPE | BASE | DESC  | COLOR TEMP | CRI | LU-MENS      | AVER-AGE RATED LIFE | M.O.L | M.O.D | WATT EQUIV.  | WAR-RANTY YEARS | SAFETY RATING | PAGE # |
|--------|---------------------------------|-------|-----------|------|-------|------------|-----|--------------|---------------------|-------|-------|--------------|-----------------|---------------|--------|
| 772779 | LED10PAR30L/NF25/830/WD/2       | 10    | PAR30LN   | E26  | -     | 3000K      | 80  | 800          | 25000               | 4.563 | 3.75  | 75W          | 3               | UL            | 65     |
| 772780 | LED10PAR30L/FL40/830/WD/2       | 10    | PAR30LN   | E26  | -     | 3000K      | 80  | 800          | 25000               | 4.563 | 3.75  | 75W          | 3               | UL            | 65     |
| 772788 | LED15PAR38/FL40/827/WD/2        | 15    | PAR38     | E26  | -     | 2700K      | 80  | 1200         | 25000               | 5.188 | 4.75  | 120W         | 3               | UL            | 64     |
| 772792 | LED15PAR38/FL40/830/WD/2        | 15    | PAR38     | E26  | -     | 3000K      | 80  | 1200         | 25000               | 5.188 | 4.75  | 120W         | 3               | UL            | 64     |
| 772854 | LED7BR20/827/D/5                | 7     | BR20      | E26  | Frost | 2700K      | 80  | 525          | 25000               | 3.86  | 2.48  | 50W          | 3               | UL            | 59     |
| 772855 | LED7BR20/830/D/5                | 7     | BR20      | E26  | Frost | 3000K      | 80  | 525          | 25000               | 3.86  | 2.48  | 50W          | 3               | UL            | 59     |
| 772856 | LED8BR30/827/D/5                | 8     | BR30      | E26  | Frost | 2700K      | 80  | 650          | 25000               | 5.19  | 3.76  | 65W          | 3               | UL            | 59     |
| 772857 | LED8BR30/830/D/5                | 8     | BR30      | E26  | Frost | 3000K      | 80  | 650          | 25000               | 5.19  | 3.76  | 65W          | 3               | UL            | 59     |
| 772858 | LED11BR30/827/D/5               | 11    | BR30      | E26  | Frost | 2700K      | 80  | 1000         | 25000               | 5.03  | 3.77  | 75W          | 3               | UL            | 59     |
| 772860 | LED15BR40/827/D/5               | 15    | BR40      | E26  | Frost | 2700K      | 80  | 1400         | 25000               | 6.22  | 4.94  | 90W          | 3               | UL            | 59     |
| 772861 | LED15BR40/830/D/5               | 15    | BR40      | E26  | Frost | 3000K      | 80  | 1400         | 25000               | 6.22  | 4.94  | 90W          | 3               | UL            | 59     |
| 774238 | LED9A19/P60W/927/J/D/1P         | 9     | A19       | E26  | Frost | 2700K      | 90  | 800          | 25000               | 4.331 | 2.362 | 60W          | 5               | UL            | 57     |
| 774239 | LED9A19/P60W/930/J/D/1P         | 9     | A19       | E26  | Frost | 3000K      | 90  | 800          | 25000               | 4.331 | 2.362 | 60W          | 5               | UL            | 57     |
| 774240 | LED9A19/P60W/940/J/D/1P         | 9     | A19       | E26  | Frost | 4000K      | 90  | 800          | 25000               | 4.331 | 2.362 | 60W          | 5               | UL            | 57     |
| 774241 | LED9A19/P60W/927/GU24/J/D/1P    | 9     | A19       | GU24 | Frost | 2700K      | 90  | 800          | 25000               | 4.33  | 2.362 | 60W          | 5               | UL            | 57     |
| 774242 | LED9A19/P60W/930/GU24/J/D/1P    | 9     | A19       | GU24 | Frost | 3000K      | 90  | 800          | 25000               | 4.33  | 2.362 | 60W          | 5               | UL            | 57     |
| 774243 | LED8A19/B60W/827/1P             | 8.5   | A19       | E26  | Frost | 2700K      | 80  | 750          | 10000               | 4.25  | 2.36  | 60W          | 2               | UL            | 56     |
| 774244 | LED8A19/B60W/830/1P             | 8.5   | A19       | E26  | Frost | 3000K      | 80  | 750          | 10000               | 4.25  | 2.36  | 60W          | 2               | UL            | 56     |
| 774245 | LED8A19/B60W/840/1P             | 8.5   | A19       | E26  | Frost | 4000K      | 80  | 750          | 10000               | 4.25  | 2.36  | 60W          | 2               | UL            | 56     |
| 774246 | LED8A19/B60W/850/1P             | 8.5   | A19       | E26  | Frost | 5000K      | 80  | 750          | 10000               | 4.25  | 2.36  | 60W          | 2               | UL            | 56     |
| 774247 | LED8A19/B60W/827/4P             | 8.5   | A19       | E26  | Frost | 2700K      | 80  | 750          | 10000               | 4.25  | 2.36  | 60W          | 2               | UL            | 56     |
| 774248 | LED8A19/B60W/830/4P             | 8.5   | A19       | E26  | Frost | 3000K      | 80  | 750          | 10000               | 4.25  | 2.36  | 60W          | 2               | UL            | 56     |
| 774249 | LED8A19/B60W/840/4P             | 8     | A19       | E26  | Frost | 4000K      | 80  | 750          | 10000               | 4.25  | 2.36  | 60W          | 2               | UL            | 56     |
| 774250 | LED8A19/B60W/850/4P             | 8     | A19       | E26  | Frost | 5000K      | 80  | 750          | 10000               | 4.25  | 2.36  | 60W          | 2               | UL            | 56     |
| 774251 | LED8A19/B60W/827/25P            | 8     | A19       | E26  | Frost | 2700K      | 80  | 750          | 10000               | 4.25  | 2.36  | 60W          | 2               | UL            | 56     |
| 774252 | LED8A19/B60W/830/25P            | 8     | A19       | E26  | Frost | 3000K      | 80  | 750          | 10000               | 4.25  | 2.36  | 60W          | 2               | UL            | 56     |
| 774253 | LED9A19/PF60W/927/D/2/4P        | 9     | A19       | E26  | Frost | 2700K      | 90  | 800          | 15000               | 4.25  | 2.36  | 60W          | 2               | UL            | 57     |
| 774254 | LED9A19/PF60W/930/D/2/4P        | 9     | A19       | E26  | Frost | 3000K      | 90  | 800          | 15000               | 4.25  | 2.36  | 60W          | 2               | UL            | 57     |
| 774255 | LED9A19/PF60W/940/D/2/4P        | 9     | A19       | E26  | Frost | 4000K      | 90  | 800          | 15000               | 4.25  | 2.36  | 60W          | 2               | UL            | 57     |
| 774256 | LED9A19/PF60W/950/D/2/4P        | 9     | A19       | E26  | Frost | 5000K      | 90  | 800          | 15000               | 4.25  | 2.36  | 60W          | 2               | UL            | 57     |
| 774257 | LED9A19/PF60W/927/D/2/25P       | 9     | A19       | E26  | Frost | 2700K      | 90  | 800          | 15000               | 4.25  | 2.36  | 60W          | 2               | UL            | 57     |
| 774258 | LED9A19/PF60W/930/D/2/25P       | 9     | A19       | E26  | Frost | 3000K      | 90  | 800          | 15000               | 4.25  | 2.36  | 60W          | 2               | UL            | 57     |
| 774262 | LED9A19/PF60W/927/D/2/1P        | 9     | A19       | E26  | Frost | 2700K      | 90  | 800          | 15000               | 4.25  | 2.36  | 60W          | 2               | UL            | 57     |
| 774263 | LED9A19/PF60W/930/D/2/1P        | 9     | A19       | E26  | Frost | 3000K      | 90  | 800          | 15000               | 4.25  | 2.36  | 60W          | 2               | UL            | 57     |
| 774264 | LED9A19/PF60W/940/D/2/1P        | 9     | A19       | E26  | Frost | 4000K      | 90  | 800          | 15000               | 4.25  | 2.36  | 60W          | 2               | UL            | 57     |
| 774265 | LED9A19/PF60W/950/D/2/1P        | 9     | A19       | E26  | Frost | 5000K      | 90  | 800          | 15000               | 4.25  | 2.36  | 60W          | 2               | UL            | 57     |
| 774266 | LED11A19/PF75W/927/D/2/1P       | 11    | A19       | E26  | Frost | 2700K      | 90  | 1100         | 15000               | 4.331 | 2.362 | 75W          | 3               | UL            | 57     |
| 774267 | LED11A19/PF75W/930/D/2/1P       | 11    | A19       | E26  | Frost | 3000K      | 90  | 1100         | 15000               | 4.331 | 2.362 | 75W          | 3               | UL            | 57     |
| 774276 | LED15A19/P100W/927/J/D/1P       | 15    | A19       | E26  | Frost | 2700K      | 90  | 1600         | 25000               | 4.52  | 2.28  | 100W         | 5               | UL            | 57     |
| 774277 | LED15A19/P100W/930/J/D/1P       | 15    | A19       | E26  | Frost | 3000K      | 90  | 1600         | 25000               | 4.52  | 2.28  | 100W         | 5               | UL            | 57     |
| 774285 | LED5/9/14A19/PF100W/827/3WAY/1P | 41768 | A19       | E26  | Frost | 2700K      | 80  | 450/800/1600 | 25000               | 4.511 | 2.259 | 40/ 60/ 100W | 3               | UL            | 58     |
| 774286 | LED5/9/14A19/PF100W/830/3WAY/1P | 41768 | A19       | E26  | Frost | 3000K      | 80  | 450/800/1600 | 25000               | 4.511 | 2.259 | 40/ 60/ 100W | 3               | UL            | 58     |



# CLEAR, FROST 120V G9



Item #  
[770589](#) (2700K)<sup>2</sup>  
[770577](#) (3000K)<sup>2</sup>

3.5W  
 T5  
 25W Equiv.



Item #  
[770590](#) (2700K)<sup>1, 2</sup>  
[770579](#) (3000K)<sup>1, 2</sup>

4.5W  
 T6  
 40W Equiv.



Item #  
[770647](#) (2700K)<sup>1, 2</sup>  
[770648](#) (3000K)<sup>1, 2</sup>

5W  
 T6  
 60W Equiv.



Item #  
[770644](#) (2700K)<sup>1</sup>  
[770645](#) (3000K)<sup>1</sup>

6.5W  
 T6  
 70W Equiv.



## Frost finish



Item #  
[770591](#) (2700K)<sup>1, 2</sup>  
[770580](#) (3000K)<sup>1, 2</sup>

4.5W  
 T6  
 40W Equiv.



# CLEAR, FROST 120V G9 - Full Glass

*perfect for Clear glass fixtures*



Item #  
[770597](#) (2700K)  
[770598](#) (3000K)

3.5W  
T4  
25W Equiv.



Item #  
[770599](#) (2700K)  
[770600](#) (3000K)

4.5W  
T5  
40W Equiv.


*Clear glass creates the look of* **halogens**



Item #  
[770659](#) (2700K)  
[770660](#) (3000K)

3.5W  
T5  
25W Equiv.

*New* **Frost** *finish*



Item #  
[770657](#) (2700K)  
[770658](#) (3000K)

4.5W  
T5  
40W Equiv.



SEE INDEX FOR FULL PRODUCT SPECS

# CLEAR, FROST E11



Item #  
[770592](#) (2700K)<sup>1</sup>  
[770581](#) (3000K)<sup>1</sup>

4.5W  
T6  
40W Equiv.

Frost *finish*



Item #  
[770593](#) (2700K)<sup>1</sup>

4.5W  
T6  
40W Equiv.



Item #  
[770629](#) (2700K)<sup>1</sup>  
[770630](#) (3000K)<sup>1</sup>

5W  
T6  
60W Equiv.



Item #  
[770640](#) (2700K)  
[770641](#) (3000K)

6.5W  
T6  
70W Equiv.







# CLEAR, FROST E12



Item #  
[770595](#) (2700K)<sup>1</sup>  
[770584](#) (3000K)<sup>1</sup>

4.5W  
T6  
40W Equiv.

Frost *finish*



Item #  
[770596](#) (2700K)<sup>1</sup>  
[770585](#) (3000K)<sup>1</sup>

4.5W  
T6  
40W Equiv.



Item #  
[770631](#) (2700K)<sup>1</sup>  
[770632](#) (3000K)<sup>1</sup>

5W  
T6  
60W Equiv.



Item #  
[770642](#) (2700K)  
[770643](#) (3000K)

6.5W  
T6  
70W Equiv.



SEE INDEX FOR FULL PRODUCT SPECS

# 120V GY6.35, GY8



Item #  
[770616](#) (2700K)  
[770615](#) (3000K)

4.5W  
T6  
GY6.35 Base  
40W Equiv.



Item #  
[770588](#) (2700K)<sup>1</sup>  
[770576](#) (3000K)<sup>1</sup>

4.5W  
T6  
GY8 Base  
40W Equiv.

# 12V G4, GY6.35



Item #  
[770586](#) (2700K)<sup>1</sup>  
[770571](#) (3000K)<sup>1</sup>

2W  
T4  
G4 Base  
15W Equiv.



Item #  
[770587](#) (2700K)<sup>1</sup>  
[770572](#) (3000K)<sup>1</sup>

3W  
JC  
G4 Base  
25W Equiv.




Item #  
[770623](#) (2700K)<sup>1</sup>  
[770624](#) (3000K)<sup>1</sup>

4.5W  
T5  
G4 Base  
40W Equiv.



Item #  
[770625](#) (2700K)<sup>1</sup>  
[770626](#) (3000K)<sup>1</sup>

5W  
T7  
GY6.35 Base  
60W Equiv.



Item #  
[770622](#) (2700K)  
[770621](#) (3000K)

2.8W  
Wafer  
G4 Base  
25W Equiv.



# New 12V Full Glass minis

*Small but mighty*

now available in  
**Clear & Frost**

## 12V FULL GLASS G4, GY6.35

Item #

[770649](#) (2700K)<sup>1,2</sup>

[770650](#) (3000K)<sup>1,2</sup>



1.8W

T5

G4 Base

15W Equiv.

Item #

[770651](#) (2700K)<sup>1,2</sup>

[770652](#) (3000K)<sup>1,2</sup>



1.8W

T5

G4 Base

15W Equiv.

Item #

[770653](#) (2700K)<sup>1,2</sup>

[770654](#) (3000K)<sup>1,2</sup>



1.8W

T5

GY6.35 Base

15W Equiv.

Item #

[770655](#) (2700K)<sup>1,2</sup>

[770656](#) (3000K)<sup>1,2</sup>



1.8W

T5

GY6.35 Base

15W Equiv.



SEE INDEX FOR FULL PRODUCT SPECS



# 12V, 24V, 120V R7S, BA15D, Festoon, Wedge

## 12 VOLTS

## 24 VOLTS

Item #

[770612](#) (2700K)<sup>2</sup>

[770611](#) (3000K)<sup>2</sup>

Item #

[770614](#) (2700K)<sup>2</sup>

[770613](#) (3000K)<sup>2</sup>



0.8W

T3

20W Equiv.

Festoon Base

## 12 VOLTS

Item #

[770594](#) (2700K)

[770583](#) (3000K)



2.5W

T5

20W Equiv.

Wedge Base

## 120 VOLTS

Item #

[770620](#) (2700K)<sup>1,2</sup>

[770619](#) (3000K)<sup>1,2</sup>



4.5W

T5

40W Equiv.

BA15D Base

## 120 VOLTS

Item #

[770637](#) (3000K)<sup>1,2</sup>



6W

J-TYPE

50W Equiv.

R7S Base

## 120 VOLTS

Item #

[770638](#) (3000K)<sup>1,2</sup>



10W

J-TYPE

75W Equiv.

R7S Base



| ITEM # | ORDERING CODE        | WATTS | BULB TYPE | BASE   | DESC  | COLOR TEMP | CRI | LUMENS | AVG RATED LIFE | M.O.L | M.O.D | WATT EQUIV. | WAR-RANTY YEARS | SAFETY RATING | PAGE # |
|--------|----------------------|-------|-----------|--------|-------|------------|-----|--------|----------------|-------|-------|-------------|-----------------|---------------|--------|
| 770571 | LED2G4/30K/12        | 2     | JC        | G4     | Clear | 3000K      | 80  | 180    | 15000          | 1.42  | 0.57  | 15W         | 5               | UL            | 74     |
| 770572 | LED3G4/30K/12        | 3     | JC        | G4     | Clear | 3000K      | 80  | 280    | 15000          | 1.69  | 0.63  | 25W         | 5               | UL            | 74     |
| 770576 | LED4GY8/30K/120/D    | 4.5   | T6        | GY8    | Clear | 3000K      | 80  | 400    | 25000          | 1.81  | 0.69  | 40W         | 5               | UL            | 74     |
| 770577 | LED3G9/30K/120       | 3.5   | T5        | G9     | Clear | 3000K      | 80  | 330    | 25000          | 1.95  | 0.63  | 25W         | 5               | UL            | 70     |
| 770579 | LED4G9/30K/120/D     | 4.5   | T6        | G9     | Clear | 3000K      | 80  | 400    | 25000          | 2.17  | 0.71  | 40W         | 5               | UL            | 70     |
| 770580 | LED4G9/30K/120/F/D   | 4.5   | T6        | G9     | Frost | 3000K      | 80  | 340    | 25000          | 2.17  | 0.71  | 40W         | 5               | UL            | 70     |
| 770581 | LED4E11/30K/120/D    | 4.5   | T6        | E11    | Clear | 3000K      | 80  | 400    | 25000          | 2.06  | 0.70  | 40W         | 5               | UL            | 72     |
| 770583 | LED2WEDGE/30K/12     | 2.5   | T5        | WEDGE  | Clear | 3000K      | 80  | 230    | 15000          | 1.46  | 0.59  | 20W         | 5               | UL            | 76     |
| 770584 | LED4E12/30K/120/D    | 4.5   | T6        | E12    | Clear | 3000K      | 80  | 400    | 25000          | 2.13  | 0.7   | 40W         | 5               | UL            | 73     |
| 770585 | LED4E12/30K/120/F/D  | 4.5   | T6        | E12    | Frost | 3000K      | 80  | 340    | 25000          | 2.13  | 0.7   | 40W         | 5               | UL            | 73     |
| 770586 | LED2G4/27K/12        | 2     | JC        | G4     | Clear | 2700K      | 80  | 180    | 15000          | 1.42  | 0.57  | 15W         | 5               | UL            | 74     |
| 770587 | LED3G4/27K/12        | 3     | JC        | G4     | Clear | 2700K      | 80  | 280    | 15000          | 1.69  | 0.63  | 25W         | 5               | UL            | 74     |
| 770588 | LED4GY8/27K/120/D    | 4.5   | T6        | GY8    | Clear | 2700K      | 80  | 400    | 25000          | 1.81  | 0.69  | 40W         | 5               | UL            | 74     |
| 770589 | LED3G9/27K/120       | 3.5   | T5        | G9     | Clear | 2700K      | 80  | 330    | 25000          | 1.95  | 0.63  | 25W         | 5               | UL            | 70     |
| 770590 | LED4G9/27K/120/D     | 4.5   | T6        | G9     | Clear | 2700K      | 80  | 400    | 25000          | 2.17  | 0.71  | 40W         | 5               | UL            | 70     |
| 770591 | LED4G9/27K/120/F/D   | 4.5   | T6        | G9     | Frost | 2700K      | 80  | 340    | 25000          | 2.17  | 0.71  | 40W         | 5               | UL            | 70     |
| 770592 | LED4E11/27K/120/D    | 4.5   | T6        | E11    | Clear | 2700K      | 80  | 400    | 25000          | 2.06  | 0.7   | 40W         | 5               | UL            | 72     |
| 770593 | LED4E11/27K/120/F/D  | 4.5   | T6        | E11    | Frost | 2700K      | 80  | 340    | 25000          | 2.06  | 0.7   | 40W         | 5               | UL            | 72     |
| 770594 | LED2WEDGE/27K/12     | 2.5   | T5        | WEDGE  | Clear | 2700K      | 80  | 230    | 15000          | 1.46  | 0.59  | 20W         | 5               | UL            | 76     |
| 770595 | LED4E12/27K/120/D    | 4.5   | T6        | E12    | Clear | 2700K      | 80  | 400    | 25000          | 2.13  | 0.7   | 40W         | 5               | UL            | 73     |
| 770596 | LED4E12/27K/120/F/D  | 4.5   | T6        | E12    | Frost | 2700K      | 80  | 340    | 25000          | 2.13  | 0.7   | 40W         | 5               | UL            | 73     |
| 770597 | LED3G9/27K/W/D       | 3.5   | T4        | G9     | Clear | 2700K      | 80  | 300    | 15000          | 2.426 | 0.57  | 25W         | 5               | UL            | 71     |
| 770598 | LED3G9/30K/W/D       | 3.5   | T4        | G9     | Clear | 3000K      | 80  | 300    | 15000          | 2.426 | 0.57  | 25W         | 5               | UL            | 71     |
| 770599 | LED4G9/27K/W/D       | 4.5   | T5        | G9     | Clear | 2700K      | 80  | 450    | 15000          | 2.576 | 0.628 | 40W         | 5               | UL            | 71     |
| 770600 | LED4G9/30K/W/D       | 4.5   | T5        | G9     | Clear | 3000K      | 80  | 450    | 15000          | 2.576 | 0.628 | 40W         | 5               | UL            | 71     |
| 770611 | LED1/FEST/30K/12/2   | 0.8   | T3        | FEST   | Clear | 3000K      | 82  | 55     | 25000          | 1.636 | 0.417 | 20W         | 5               | ETL           | 76     |
| 770612 | LED1/FEST/27K/12/2   | 0.8   | T3        | FEST   | Clear | 2700K      | 82  | 55     | 25000          | 1.636 | 0.417 | 20W         | 5               | ETL           | 76     |
| 770613 | LED1/FEST/30K/24/2   | 0.8   | T3        | FEST   | Clear | 3000K      | 82  | 55     | 25000          | 1.636 | 0.413 | 20W         | 5               | ETL           | 76     |
| 770614 | LED1/FEST/27K/24/2   | 0.8   | T3        | FEST   | Clear | 2700K      | 82  | 55     | 25000          | 1.636 | 0.413 | 20W         | 5               | ETL           | 76     |
| 770615 | LED4GY6/30K/D/2      | 4.5   | T6        | GY6.35 | Clear | 3000K      | 80  | 400    | 25000          | 1.81  | 0.73  | 40W         | 5               | -             | 74     |
| 770616 | LED4GY6/27K/D/2      | 4.5   | T6        | GY6.35 | Clear | 2700K      | 80  | 400    | 25000          | 1.81  | 0.73  | 40W         | 5               | -             | 74     |
| 770619 | LED4DC/30K/D         | 4.5   | T5        | BA15D  | Clear | 3000K      | 80  | 400    | 25000          | 2.1   | 0.67  | 40W         | 5               | ETL           | 76     |
| 770620 | LED4DC/27K/D         | 4.5   | T5        | BA15D  | Clear | 2700K      | 80  | 400    | 25000          | 2.1   | 0.67  | 40W         | 5               | ETL           | 76     |
| 770621 | LED3G4/WA/30K/12     | 2.8   | WAFER     | G4     | Clear | 3000K      | 80  | 280    | 25000          | 1.56  | 1.19  | 25W         | 5               | UL            | 74     |
| 770622 | LED3G4/WA/27K/12     | 2.8   | WAFER     | G4     | Clear | 2700K      | 80  | 280    | 25000          | 1.56  | 1.19  | 25W         | 5               | UL            | 74     |
| 770623 | LED4G4/27K/12        | 4.5   | T5        | G4     | Clear | 2700K      | 80  | 400    | 25000          | 1.811 | 0.669 | 40W         | 5               | UL            | 74     |
| 770624 | LED4G4/30K/12        | 4.5   | T5        | G4     | Clear | 3000K      | 80  | 400    | 25000          | 1.811 | 0.669 | 40W         | 5               | UL            | 74     |
| 770625 | LED5GY6/27K/12       | 5     | T7        | GY6.35 | Clear | 2700K      | 80  | 550    | 25000          | 2.047 | 0.886 | 60W         | 5               | UL            | 74     |
| 770626 | LED5GY6/30K/12       | 5     | T7        | GY6.35 | Clear | 3000K      | 80  | 550    | 25000          | 2.047 | 0.886 | 60W         | 5               | UL            | 74     |
| 770629 | LED5E11/27K/120/D    | 5     | T6        | E11    | Clear | 2700K      | 80  | 550    | 25000          | 2.283 | 0.748 | 60W         | 5               | UL            | 72     |
| 770630 | LED5E11/30K/120/D    | 5     | T6        | E11    | Clear | 3000K      | 80  | 550    | 25000          | 2.283 | 0.748 | 60W         | 5               | UL            | 72     |
| 770631 | LED5E12/27K/120/D    | 5     | T6        | E12    | Clear | 2700K      | 80  | 550    | 25000          | 2.323 | 0.748 | 60W         | 5               | UL            | 73     |
| 770632 | LED5E12/30K/120/D    | 5     | T6        | E12    | Clear | 3000K      | 80  | 550    | 25000          | 2.323 | 0.748 | 60W         | 5               | UL            | 73     |
| 770637 | LED6R7S/30K/S/D      | 6     | J-TYPE    | R7S    | Clear | 3000K      | 80  | 550    | 25000          | 3.063 | 0.925 | 50W         | 5               | UL            | 76     |
| 770638 | LED10R7S/30K/L/D     | 10    | J-TYPE    | R7S    | Clear | 3000K      | 80  | 1100   | 25000          | 4.638 | 0.925 | 75W         | 5               | UL            | 76     |
| 770640 | LED6E11/27K/120/D    | 6.5   | T6        | E11    | Clear | 2700K      | 80  | 700    | 15000          | 2.83  | 0.748 | 70W         | 5               | UL            | 72     |
| 770641 | LED6E11/30K/120/D    | 6.5   | T6        | E11    | Clear | 3000K      | 80  | 700    | 15000          | 2.83  | 0.748 | 70W         | 5               | UL            | 72     |
| 770642 | LED6E12/27K/120/D    | 6.5   | T6        | E12    | Clear | 2700K      | 80  | 700    | 15000          | 2.89  | 0.748 | 70W         | 5               | UL            | 73     |
| 770643 | LED6E12/30K/120/D    | 6.5   | T6        | E12    | Clear | 3000K      | 80  | 700    | 15000          | 2.89  | 0.748 | 70W         | 5               | UL            | 73     |
| 770644 | LED6G9/27K/120/D     | 6.5   | T6        | G9     | Clear | 2700K      | 80  | 700    | 15000          | 2.72  | 0.748 | 70W         | 5               | UL            | 70     |
| 770645 | LED6G9/30K/120/D     | 6.5   | T6        | G9     | Clear | 3000K      | 80  | 700    | 15000          | 2.72  | 0.748 | 70W         | 5               | UL            | 70     |
| 770647 | LED5G9/27K/120/D/2   | 5     | T6        | G9     | Clear | 2700K      | 80  | 550    | 25000          | 2.17  | 0.75  | 60W         | 5               | UL            | 70     |
| 770648 | LED5G9/30K/120/D/2   | 5     | T6        | G9     | Clear | 3000K      | 80  | 550    | 25000          | 2.17  | 0.75  | 60W         | 5               | UL            | 70     |
| 770649 | LED2G4/27K/W/D       | 1.8   | T5        | G4     | Clear | 2700K      | 90  | 140    | 15000          | 1.946 | 0.522 | 15W         | 5               | UL            | 75     |
| 770650 | LED2G4/30K/W/D       | 1.8   | T5        | G4     | Clear | 3000K      | 90  | 140    | 15000          | 1.946 | 0.522 | 15W         | 5               | UL            | 75     |
| 770651 | LED2G4/27K/W/F/D     | 1.8   | T5        | G4     | Frost | 2700K      | 90  | 140    | 15000          | 1.946 | 0.522 | 15W         | 5               | UL            | 75     |
| 770652 | LED2G4/30K/W/F/D     | 1.8   | T5        | G4     | Frost | 3000K      | 90  | 140    | 15000          | 1.946 | 0.522 | 15W         | 5               | UL            | 75     |
| 770653 | LED2GY6/27K/12/W/D   | 1.8   | T5        | GY6.35 | Clear | 2700K      | 90  | 140    | 15000          | 2.05  | 0.524 | 15W         | 5               | UL            | 75     |
| 770654 | LED2GY6/30K/12/W/D   | 1.8   | T5        | GY6.35 | Clear | 3000K      | 90  | 140    | 15000          | 2.05  | 0.524 | 15W         | 5               | UL            | 75     |
| 770655 | LED2GY6/27K/12/W/F/D | 1.8   | T5        | GY6.35 | Frost | 2700K      | 90  | 140    | 15000          | 2.05  | 0.524 | 15W         | 5               | UL            | 75     |
| 770656 | LED2GY6/30K/12/W/F/D | 1.8   | T5        | GY6.35 | Frost | 3000K      | 90  | 140    | 15000          | 2.05  | 0.524 | 15W         | 5               | UL            | 75     |
| 770657 | LED4G9/27K/W/F/D     | 4.5   | T5        | G9     | Frost | 2700K      | 90  | 400    | 15000          | 2.576 | 0.628 | 40W         | 5               | UL            | 71     |
| 770658 | LED4G9/30K/W/F/D     | 4.5   | T5        | G9     | Frost | 3000K      | 90  | 400    | 15000          | 2.576 | 0.628 | 40W         | 5               | UL            | 71     |
| 770659 | LED3G9/27K/W/F/D     | 3.5   | T5        | G9     | Frost | 2700K      | 90  | 300    | 15000          | 2.426 | 0.572 | 25W         | 5               | UL            | 71     |
| 770660 | LED3G9/30K/W/F/D     | 3.5   | T5        | G9     | Frost | 3000K      | 90  | 300    | 15000          | 2.426 | 0.572 | 25W         | 5               | UL            | 71     |

# BULBRITE® solana

LED SMART BULBS

*Light that*  
**gets you**

Check out [bulbritesolana.com](http://bulbritesolana.com) for more details



B11 | E12 | CLEAR  
[Item # 292115](#)



A19 | E26 | CLEAR  
[Item # 290110](#)



G25 | E26 | CLEAR  
[Item # 293120](#)



A19 | E26 | MILKY  
[Item # 293125](#)



G25 | E26 | MILKY  
[Item # 290111](#)



# BULBRITE SOLANA®

| ITEM # | ORDERING CODE                          | WATTS | BULB TYPE | BASE | DESC                     | COLOR TEMP                  | CRI | LU-MENS | AVG. RATED LIFE | M.O.L | M.O.D | WATT EQUIV. | WAR-RANTY YEARS | SAFETY RAT-ING |
|--------|----------------------------------------|-------|-----------|------|--------------------------|-----------------------------|-----|---------|-----------------|-------|-------|-------------|-----------------|----------------|
| 292115 | SL4WB11/90/W/CL/1P                     | 4     | B11       | E12  | Clear                    | 2200K-6500K                 | 90  | 400     | 15000           | 4.055 | 1.377 | 40W         | 2               | UL             |
| 290110 | SL5WA19/W/CL/1P                        | 5.5   | A19       | E26  | Clear                    | 2200K-6500K                 | 80  | 600     | 15000           | 4.52  | 2.34  | 40W         | 2               | UL             |
| 290125 | SL8WA19/90/W/CL/1P                     | 8     | A19       | E26  | Clear                    | 2200K-6500K                 | 90  | 800     | 15000           | 4.25  | 2.375 | 60W         | 2               | UL             |
| 293120 | SL5WG25/W/CL/1P                        | 5.5   | G25       | E26  | Clear                    | 2200K-6500K                 | 80  | 600     | 15000           | 5.04  | 3.15  | 60W         | 2               | UL             |
| 293125 | SL8WG25/90/W/CL/1P                     | 8     | G25       | E26  | Clear                    | 2200K-6500K                 | 90  | 800     | 15000           | 4.688 | 3.125 | 60W         | 2               | UL             |
| 290111 | SL5WA19/90/W/MK/1P                     | 5.5   | A19       | E26  | Milky                    | 2200K-6500K                 | 90  | 500     | 15000           | 4.25  | 2.375 | 40W         | 2               | UL             |
| 293121 | SL5WG25/90/W/MK/1P                     | 5.5   | G25       | E26  | Milky                    | 2200K-6500K                 | 90  | 500     | 15000           | 4.688 | 3.125 | 60W         | 2               | UL             |
| 190120 | SL8WA19/W/FR/1P                        | 8     | A19       | E26  | Frost                    | 2200K-6500K                 | 80  | 800     | 25000           | 4.625 | 2.5   | 60W         | 2               | UL             |
| 195125 | SL9WA19/90/WC/FR/1P                    | 9     | A19       | E26  | Frost                    | 2200K-6500K/<br>Multi-Color | 90  | 800     | 25000           | 4.33  | 2.36  | 60W         | 2               | ETL            |
| 190121 | SL8WA19/W/FR/2P                        | 8     | A19       | E26  | Frost                    | 2200K-6500K                 | 80  | 800     | 25000           | 4.625 | 2.5   | 60W         | 2               | UL             |
| 814361 | STRING18/36FT/24IN/<br>SMART/BLACK/LED | 16    | S14       | -    | Smart<br>String<br>Light | Multi-Color                 | 80  | 30      | 8000            | 432   | -     | 7.5W        | 1               | ETL            |



A19 | E26 | MILKY  
[Item # 195125](#)



A19 | E26 | MILKY  
[Item # 190120](#)



STRING LIGHT MULTICOLOR  
[Item # 814361](#)

# Color Bulbs A19, S14, PAR38

Perfect for weddings, patios, tents, awnings,  
holiday décor and cause-marketing initiatives.



- Item #
- [776105](#) RED
  - [776106](#) AMBER
  - [776107](#) YELLOW
  - [776108](#) GREEN
  - [776109](#) BLUE
  - [776110](#) PINK

4.5W  
A19  
25W Equiv.  
E26 Base

- Item #
- [776150](#) RED
  - [776151](#) AMBER
  - [776152](#) YELLOW
  - [776153](#) GREEN
  - [776154](#) BLUE
  - [776155](#) PINK

*OPAQUE  
Ceramic finish*  
for more vibrant colors, no visible filament



2.5W  
S14  
25W Equiv.  
E26 Base



- Item #
- [772500](#) RED
  - [772501](#) AMBER
  - [772502](#) YELLOW
  - [772503](#) GREEN
  - [772504](#) BLUE
  - [772505](#) PINK

15W  
PAR38  
90W Equiv.  
E26 Base



# String Bulbs C7, C9, G16, S14



Item #  
[770171](#) (2700K)<sup>4</sup>

0.6W  
C7  
5W Equiv.  
E12 Base



Item #  
[770191](#) (2700K)<sup>4</sup>

0.6W  
C9  
5W Equiv.  
E17 Base

*Plastic Envelope*  
**shatter proof**



Item #  
[776786](#) (2700K)<sup>1, 4</sup>

0.7W  
G16  
11W Equiv.  
E12 Base



Item #  
[776785](#) (2700K)<sup>1, 4</sup>

1W  
S14  
11W Equiv.  
E26 Base



Item #  
[776684](#) (2400K)<sup>2, 3</sup>  
[776685](#) (2700K)<sup>2, 3</sup>

0.7W  
S14  
11W Equiv.  
E26 Base



Item #  
[776950](#) (2700K)<sup>1, 2, 3, 5</sup>


2.5W  
S14  
25W Equiv.  
E26 Base



SEE INDEX FOR FULL PRODUCT SPECS



# 14' String Lights E12 Bulbs



Item #  
[812123](#) (2700K)  
10 Sockets

0.7W LED G16  
Connect up to  
40 strings



Item #  
[810054](#) (2700K)<sup>1</sup>  
10 Sockets

11W Incand G16  
Connect up to  
7 strings



Item #  
[810150](#) (2700K)<sup>1</sup>  
10 Sockets

15W Incand Prism  
Connect up to  
5 strings



Item #  
[810056](#)  
10 Sockets


No bulbs  
included

*Ideal for*  
balconies, porches and  
smaller outdoor spaces



# 14' String Lights E26 Bulbs

For illustration purposes only.



Item #  
**812143** (2700K)  
10 Sockets

1W LED S14  
Connect up to 40 strings



Item #  
**810006** (2700K)<sup>1</sup>  
10 Sockets


11W Incand S14  
Connect up to 8 strings



SEE INDEX FOR FULL PRODUCT SPECS

# 30' String Lights E26 Bulbs

*Ideal for*  
patios, decks and pergolas



*Shatter Resistant*



Item #  
[812313](#) (2700K)  
12 Sockets

1W LED S14  
Connect up to 30  
strings


Item #  
[812312](#) (2700K)  
12 Sockets

11W Incand S14  
Connect up to 6  
strings

# 48' String Lights E26 Bulbs

*Ideal for*  
expansive areas

For illustration purposes only.



*Shatter Resistant*



Item #  
[812483](#) (2700K)  
15 sockets

1W LED S14  
Connect up to 25 strings



Item #  
[812482](#) (2700K)  
15 sockets

11W Incand S14  
Connect up to 5 strings




SEE INDEX FOR FULL PRODUCT SPECS



# 48' String Lights

## E26 Bulbs



Item #  
[810002](#) (2700K)<sup>1</sup>  
15 sockets

11W LED S14  
Connect up to 4 strings



Item #  
[810004](#) (2200K)<sup>1</sup>  
15 sockets

25W Incand A19  
Connect up to 3 strings



Item #  
[812480](#)  
15 sockets

No bulbs  
included

# INDEX OUTDOOR BULBS

| ITEM # | ORDERING CODE         | WATTS | BULB TYPE | BASE | DESCRIPTION    | COLOR TEMP | CRI | LU-MENS | AVG RATED LIFE | M.O.L | M.O.D | WATT EQUIV. | WAR-RANTY YEARS | SAFETY RATING | PAGE # |
|--------|-----------------------|-------|-----------|------|----------------|------------|-----|---------|----------------|-------|-------|-------------|-----------------|---------------|--------|
| 770171 | LED/C7C               | 0.6   | C7        | E12  | Clear          | 2700K      | -   | -       | 30000          | 2.188 | 0.875 | 5W          | 3               | UL            | 81     |
| 770191 | LED/C9C               | 0.6   | C9        | E17  | Clear          | 2700K      | -   | -       | 30000          | 2.938 | 1.125 | 5W          | 3               | UL            | 81     |
| 772500 | LED15PAR38/FL40/RED/D | 15    | PAR38     | E26  | RED            | Colored    | -   | -       | 15000          | 5.11  | 1.85  | 90W         | 2               | UL            | 80     |
| 772501 | LED15PAR38/FL40/AMB/D | 15    | PAR38     | E26  | AMBER          | Colored    | -   | -       | 15000          | 5.11  | 4.72  | 90W         | 2               | UL            | 80     |
| 772502 | LED15PAR38/FL40/YLW/D | 15    | PAR38     | E26  | YELLOW         | Colored    | -   | -       | 15000          | 5.11  | 4.72  | 90W         | 2               | UL            | 80     |
| 772503 | LED15PAR38/FL40/GRN/D | 15    | PAR38     | E26  | GREEN          | Colored    | -   | -       | 15000          | 5.11  | 4.72  | 90W         | 2               | UL            | 80     |
| 772504 | LED15PAR38/FL40/BLU/D | 15    | PAR38     | E26  | BLUE           | Colored    | -   | -       | 15000          | 5.11  | 4.72  | 90W         | 2               | UL            | 80     |
| 776105 | LED4A19/RED/FIL/D     | 4.5   | A19       | E26  | CERAMIC RED    | Colored    | -   | -       | 15000          | 4.09  | 0.572 | -           | 2               | UL            | 80     |
| 776106 | LED4A19/AMB/FIL/D     | 4.5   | A19       | E26  | CERAMIC AMBER  | Colored    | -   | -       | 15000          | 4.09  | 2.36  | -           | 2               | UL            | 80     |
| 776107 | LED4A19/YLW/FIL/D     | 4.5   | A19       | E26  | CERAMIC YELLOW | Colored    | -   | -       | 15000          | 4.09  | 2.36  | -           | 2               | UL            | 80     |
| 776108 | LED4A19/GRN/FIL/D     | 4.5   | A19       | E26  | CERAMIC GREEN  | Colored    | -   | -       | 15000          | 4.09  | 2.36  | -           | 2               | UL            | 80     |
| 776109 | LED4A19/BLU/FIL/D     | 4.5   | A19       | E26  | CERAMIC BLUE   | Colored    | -   | -       | 15000          | 4.09  | 2.36  | -           | 2               | UL            | 80     |
| 776110 | LED4A19/PNK/FIL/D     | 4.5   | A19       | E26  | CERAMIC PINK   | Colored    | -   | -       | 15000          | 4.09  | 2.36  | -           | 2               | UL            | 80     |
| 776150 | LED2S14/RED/FIL/D     | 2.5   | S14       | E26  | CERAMIC RED    | Colored    | -   | -       | 15000          | 3.22  | 2.36  | -           | 2               | UL            | 80     |
| 776151 | LED2S14/AMB/FIL/D     | 2.5   | S14       | E26  | CERAMIC AMBER  | Colored    | -   | -       | 15000          | 3.22  | 1.85  | -           | 2               | UL            | 80     |
| 776152 | LED2S14/YLW/FIL/D     | 2.5   | S14       | E26  | CERAMIC YELLOW | Colored    | -   | -       | 15000          | 3.22  | 1.85  | -           | 2               | UL            | 80     |
| 776153 | LED2S14/GRN/FIL/D     | 2.5   | S14       | E26  | CERAMIC GREEN  | Colored    | -   | -       | 15000          | 3.22  | 1.85  | -           | 2               | UL            | 80     |
| 776154 | LED2S14/BLU/FIL/D     | 2.5   | S14       | E26  | CERAMIC BLUE   | Colored    | -   | -       | 15000          | 3.22  | 1.85  | -           | 2               | UL            | 80     |
| 776684 | LED1S14/24K/FIL       | 0.7   | S14       | E26  | Clear          | 2400K      | 80  | 75      | 15000          | 3.268 | 1.77  | 11W         | 1               | UL            | 81     |
| 776685 | LED1S14/27K/FIL       | 0.7   | S14       | E26  | Clear          | 2700K      | 80  | 75      | 15000          | 3.268 | 1.77  | 11W         | 1               | UL            | 81     |
| 776785 | LED1S14/27K/FIL/PL    | 1     | S14       | E26  | Clear          | 2700K      | 80  | 45      | 10000          | 3.260 | 1.73  | 11W         | 1               | 0             | 81     |
| 776786 | LED1G16/27K/FIL/PL    | 0.7   | G16       | E12  | Clear          | 2700K      | 80  | 45      | 10000          | 2.71  | 1.77  | 11W         | 1               | -             | 81     |
| 776950 | LED2S14/27K/FIL/4     | 2.5   | S14       | E26  | Clear          | 2700K      | 90  | 250     | 15000          | 3.260 | 1.77  | 25W         | 5               | UL            | 81     |

# INDEX STRING LIGHTS

| ITEM # | ORDERING CODE                         | WATTS | BULB TYPE | BASE | DESCRIPTION                                                                         | COLOR TEMP | CRI | LU-MENS | AVG RATED LIFE | M.O.L | M.O.D | WATT EQUIV. | WAR-RANTY YEARS | SAFETY RATING | PAGE # |
|--------|---------------------------------------|-------|-----------|------|-------------------------------------------------------------------------------------|------------|-----|---------|----------------|-------|-------|-------------|-----------------|---------------|--------|
| 810002 | STRING15/E26-S14KT                    | 11    | S14       | E26  | String Light - Black - Bulbs Included: 11W S14 Clear Incandescent (15 pcs)          | 2700K      | 100 | 75      | 5000           | 576   | -     | -           | -               | ETL           | 86     |
| 810004 | STRING15/E26-A19KT                    | 25    | A19       | E26  | String Light - Black - Bulbs Included: 25W A19 Nostalgic Loop Incandescent (15 pcs) | 2200K      | 100 | 50      | 3000           | 576   | -     | -           | -               | ETL           | 86     |
| 810006 | STRING10/E26/BLACK-S14KT              | 11    | S14       | E26  | String Light - Black - Bulbs Included: 11W S14 Clear Incandescent (10 pcs)          | 2700K      | 100 | 45      | -              | 168   | -     | -           | 1               | ETL           | 83     |
| 810054 | STRING10/E12/BLACK-G16KT              | 11    | G16       | E12  | String Light - Black - Bulbs Included: 11W G16 Clear Incandescent (10 pcs)          | 2700K      | 100 | -       | -              | 168   | -     | -           | 1               | ETL           | 82     |
| 810056 | STRING10/E12/BLACK                    | -     | -         | E12  | String Light - Black - Bulbs not Included                                           | -          | -   | -       | -              | 168   | -     | -           | 1               | ETL           | 82     |
| 810150 | STRING10/E12/BLACK-F10KT              | 15    | FIESTA    | E12  | Amber                                                                               | 2700K      | 100 | -       | 5000           | 168   | 168   | 15W         | -               | ETL           | 82     |
| 812123 | STRING10L/14FT/16IN/E12/BLACK/LED/G16 | 0.7   | G16       | E12  | String Light - Black - Bulbs Included: 0.7W G16 Clear LED (10 pcs)                  | 2700K      | 80  | 50      | -              | 168   | -     | 11W         | 1               | ETL           | 82     |
| 812143 | STRING10L/14FT/16IN/E26/BLACK/LED/S14 | 1     | S14       | E26  | String Light - Black - Bulbs Included: 1W S14 Clear LED (10 pcs)                    | 2700K      | 80  | 60      | -              | 168   | -     | 11W         | 1               | ETL           | 83     |
| 812312 | STRING12L/30FT/30IN/E26/BLACK/INC/S14 | 11    | S14       | E26  | String Light - Black - Bulbs Included: 11W S14 Clear Incandescent (12 pcs)          | 2700K      | 80  | 60      | -              | 360   | -     | 0           | 1               | ETL           | 84     |
| 812313 | STRING12L/30FT/30IN/E26/BLACK/LED/S14 | 1     | S14       | E26  | String Light - Black - Bulbs Included: 1W S14 Clear LED (12 pcs)                    | 2700K      | 80  | 60      | -              | 360   | -     | 11W         | 1               | ETL           | 84     |
| 812480 | STRING15L/48FT/36IN/E26/BLACK         | -     | -         | E26  | -                                                                                   | -          | -   | -       | -              | 576   | -     | 0           | 1               | -             | 86     |
| 812482 | STRING15L/48FT/36IN/E26/BLACK/INC/S14 | 11    | S14       | E26  | String Light - Black - Bulbs Included: 11W S14 Clear Incandescent (15 pcs)          | 2700K      | 100 | 60      | -              | 576   | -     | 0           | 1               | ETL           | 85     |
| 812483 | STRING15L/48FT/36IN/E26/BLACK/LED/S14 | 1     | S14       | E26  | String Light - Black - Bulbs Included: 1W S14 Clear LED (15 pcs)                    | 2700K      | 80  | 60      | -              | 576   | -     | 11W         | 1               | ETL           | 85     |

FOR USE IN RECESSED CANS

# Retrofit Downlights

**INTEGRATED**  
**LED** *Lighting*


Item #

[773170](#) (2700K)<sup>1,2,3</sup>  
[773171](#) (3000K)<sup>1,2,3</sup>

9W  
 5/6" DWNLGT  
 Adjustable  
 75W Equiv.  
 E26 Base



Item #

[773180](#) (2700K)<sup>1,2,3</sup>  
[773181](#) (3000K)<sup>1,2,3</sup>

14W  
 5/6" DWNLGT  
 Adjustable  
 75W Equiv.  
 E26 Base



Item #


[773108](#) (2700K)<sup>1,2</sup>  
[773109](#) (3000K)<sup>1,2</sup>  
[773110](#) (4000K)<sup>1</sup>

12W  
 4" DWNLGT  
 75W Equiv.  
 E26 Base

Item #

[773165](#) (2700K)<sup>1,2,3</sup>  
[773166](#) (3000K)<sup>1,2,3</sup>  
[773167](#) (4000K)<sup>1,2,3</sup>

14W  
 5/6" DWNLGT  
 75W Equiv.  
 E26 Base


**5 COLOR**  
 TEMPERATURE ADJUSTABLE

Item #

[773190](#)<sup>1,2,3</sup>

12W  
 4" DWNLGT 5CCT -  
 27/30/35/40/50K  
 75W Equiv.  
 E26 Base

Item #

[773191](#)<sup>1,2,3</sup>

14W  
 5/6" DWNLGT 5CCT -  
 27/30/35/40/50K  
 75W Equiv.  
 E26 Base



FOR USE WITHOUT RECESSED CANS

# Downlights with J-Box

**INTEGRATED**  
**LED** *Lighting*


Item #

[773240](#) (2700K)<sup>2,3</sup>[773241](#) (3000K)<sup>2,3</sup>[773242](#) (4000K)<sup>2,3</sup>

9W

4" JBOX DWNLGT  
65W Equiv.

Item #

[773215](#) (2700K)<sup>1</sup>[773216](#) (3000K)<sup>1</sup>[773217](#) (4000K)<sup>1</sup>


12W

4" JBOX DWNLGT  
75W Equiv.

Item #

[773220](#) (2700K)<sup>2</sup>[773221](#) (3000K)<sup>2</sup>[773222](#) (4000K)<sup>2</sup>

14W

6" JBOX DWNLGT  
75W Equiv.
**5 COLOR**  
 TEMPERATURE ADJUSTABLE

Item #

[773301](#)<sup>1</sup>

12W

4" DWNLGT 5CCT -  
27/30/35/40/50K  
75W Equiv.

Item #

[773302](#)<sup>1</sup>


14W

6" DWNLGT 5CCT -  
27/30/35/40/50K  
75W Equiv.

Item #

[773300](#)

## BRACKET

 Expandable up to 24" joist spacing.  
 Works for 3", 4" and 6" downlights.



SEE INDEX FOR FULL PRODUCT SPECS





# WET RATED

*Great for*  
bathroom areas,  
such as for overhead  
lighting in showers.



Item #  
**773299**

- A** Spring Kit for Can Retrofitting
- B** 2 Pcs Springs with screw
- C** 1 Pc ground wire

## FOR MOUNTING DIRECT TO J-BOX 7", 10" Disc Lights

INTEGRATED  
**LED** *Lighting*



WHITE TRIM

WHITE TRIM

BLACK TRIM

Item #  
**773273** (5CCT  
27/30/35/40/50K)  
**773274** (3000K)  
**773275** (3000K)

14W  
7" DWNLGT  
75W Equiv.




WHITE TRIM

WHITE TRIM

BLACK TRIM

Item #  
**773276** (5CCT  
27/30/35/40/50K)  
**773277** (3000K)  
**773278** (3000K)

25W  
10" DWNLGT






# FOR MOUNTING DIRECT TO J-BOX 5", 7", 9" Flush Mounts

INTEGRATED  
**LED** *lighting*

**5CCT  
TEMPERATURE  
CONTROL**



Item #

- WHITE TRIM [773603](#) (5CCT 27/30/35/40/50K)
- WHITE TRIM [773600](#) (3000K)
- BLACK TRIM [773601](#) (3000K)
- NICKEL TRIM [773602](#) (3000K)

10.3W  
5" FLUSH MOUNT  
60W Equiv.



Item #

- WHITE TRIM [773607](#) (5CCT 27/30/35/40/50K)
- WHITE TRIM [773604](#) (3000K)
- BLACK TRIM [773605](#) (3000K)
- NICKEL TRIM [773606](#) (3000K)

14W  
7" FLUSH MOUNT  
75W Equiv.



Item #

- WHITE TRIM [773611](#) (5CCT 27/30/35/40/50K)
- WHITE TRIM [773608](#) (3000K)
- BLACK TRIM [773609](#) (3000K)
- NICKEL TRIM [773610](#) (3000K)


17W  
9" FLUSH MOUNT  
90W Equiv.



SEE INDEX FOR FULL PRODUCT SPECS



# 2' & 4' Wraps



Easy to install integrated **slip tabs** for seamless lens removal and multiple keyholes / knockouts for wire connections

Thin profile design ideal for low clearance ceilings



Item #  
[773500](#) (3000K)  
[773501](#) (5CCT 27/30/35/40/50K)

Item #  
[773502](#) (3000K)  
[773503](#) (5CCT 27/30/35/40/50K)

20W  
 2ft Wrap Light  
 1x 32W T8 Equiv.

46W  
 4ft Wrap Light  
 2x 32W T8 Equiv.



# 2' & 4' Wraps


## WITH BUILT-IN BATTERY BACKUP

**Built-in Battery Backup**  
for emergency  
or electrical outages.



**NEW Emergency Battery  
Back Up Option Available**

Up to 90-Minutes of emergency power during  
an outage, requires connection to a second  
unswitched hot line. (See instructions)




Item #

[773504](#) (3000K)

[773505](#) (5CCT 27/30/35/40/50K)

20W

2ft Wrap Light  
1x 32W T8 Equiv.



Item #

[773506](#) (3000K)

[773507](#) (5CCT 27/30/35/40/50K)

46W

4ft Wrap Light  
2x 32W T8 Equiv.







Advanced motion sensor with 180° detection range and 60-foot distance capability, automatically activating when movement is detected  
(Motion Sensor Model Only)

## Easy to install

Wall or eave mountable with single center screw for quick, easy installation



IP66 Wet Rated with premium aluminum body and stainless-steel fasteners for superior durability in all weather conditions

## DUAL HEAD Security Lights



Item #

WHITE TRIM

[773700](#) (4000K)

BLACK TRIM

[773701](#) (4000K)

24W  
Dual Head Security  
Lights



Item #

WHITE TRIM

[773702](#) (4000K)

BLACK TRIM

[773703](#) (4000K)

24W  
Dual Head Security  
Lights with motion  
sensor / dusk to dawn



# DOWNLIGHTS & CEILING

| ITEM # | ORDERING CODE                            | WATTS | FIXTURE TYPE    | COLOR TEMP                 | CRI | LUMENS | AVG<br>RATED<br>LIFE | M.O.L | M.O.D | WATT<br>EQUIV. | WAR-<br>RANTY<br>YEARS | SAFETY<br>RAT-<br>ING | PAGE<br># |
|--------|------------------------------------------|-------|-----------------|----------------------------|-----|--------|----------------------|-------|-------|----------------|------------------------|-----------------------|-----------|
| 773108 | LED12REC/4HL/827/WHRD/D                  | 12    | 4" DWNLTG       | 2700K                      | 80  | 1100   | 50000                | 1.69  | 4.96  | 75W            | 5                      | UL                    | 88        |
| 773109 | LED12REC/4HL/830/WHRD/D                  | 12    | 4" DWNLTG       | 3000K                      | 80  | 1100   | 50000                | 1.69  | 4.96  | 75W            | 5                      | UL                    | 88        |
| 773110 | LED12REC/4HL/840/WHRD/D                  | 12    | 4" DWNLTG       | 4000K                      | 80  | 1100   | 50000                | 1.69  | 4.96  | 75W            | 5                      | UL                    | 88        |
| 773165 | LED14REC/5/6/927/WHRD/D                  | 14    | 5/6" DWNLTG     | 2700K                      | 90  | 1100   | 50000                | 2.76  | 7.24  | 75W            | 5                      | UL                    | 88        |
| 773166 | LED14REC/5/6/930/WHRD/D                  | 14    | 5/6" DWNLTG     | 3000K                      | 90  | 1100   | 50000                | 2.76  | 7.24  | 75W            | 5                      | UL                    | 88        |
| 773167 | LED14REC/5/6/940/WHRD/D                  | 14    | 5/6" DWNLTG     | 4000K                      | 90  | 1100   | 50000                | 2.76  | 7.24  | 75W            | 5                      | UL                    | 88        |
| 773190 | LED12REC/4/5CCT/927-950/WHRD/D           | 12    | 4" DWNLTG       | 5 CCT -<br>27/30/35/40/50K | 90  | 1100   | 50000                | 1.69  | 4.96  | 75W            | 3                      | UL                    | 88        |
| 773191 | LED14REC/5/6/5CCT/927-950/WHRD/D         | 14    | 5/6" DWNLTG     | 5 CCT -<br>27/30/35/40/50K | 90  | 1100   | 50000                | 1.69  | 7.24  | 75W            | 3                      | UL                    | 88        |
| 773240 | LED9JBOXDL/4/927/WHRD/D                  | 9     | 4" JBOX DWNLTG  | 2700K                      | 90  | 650    | 50000                | 1.26  | 4.8   | 65W            | 5                      | UL                    | 89        |
| 773241 | LED9JBOXDL/4/930/WHRD/D                  | 9     | 4" JBOX DWNLTG  | 3000K                      | 90  | 650    | 50000                | 1.26  | 4.8   | 65W            | 5                      | UL                    | 89        |
| 773242 | LED9JBOXDL/4/940/WHRD/D                  | 9     | 4" JBOX DWNLTG  | 4000K                      | 90  | 650    | 50000                | 1.26  | 4.8   | 65W            | 5                      | UL                    | 89        |
| 773215 | LED12JBOXDL/4HL/827/WHRD/D               | 12    | 4" JBOX DWNLTG  | 2700K                      | 80  | 1100   | 50000                | 1.69  | 4.96  | 75W            | 5                      | UL                    | 89        |
| 773216 | LED12JBOXDL/4HL/830/WHRD/D               | 12    | 4" JBOX DWNLTG  | 3000K                      | 80  | 1100   | 50000                | 1.69  | 4.96  | 75W            | 5                      | UL                    | 89        |
| 773217 | LED12JBOXDL/4HL/840/WHRD/D               | 12    | 4" JBOX DWNLTG  | 4000K                      | 80  | 1100   | 50000                | 1.69  | 4.96  | 75W            | 5                      | UL                    | 89        |
| 773220 | LED14JBOXDL/6/827/WHRD/D                 | 14    | 6" JBOX DWNLTG  | 2700K                      | 80  | 1100   | 50000                | 1.26  | 6.85  | 75W            | 5                      | UL                    | 89        |
| 773221 | LED14JBOXDL/6/830/WHRD/D                 | 14    | 6" JBOX DWNLTG  | 3000K                      | 80  | 1100   | 50000                | 1.26  | 6.85  | 75W            | 5                      | UL                    | 89        |
| 773222 | LED14JBOXDL/6/840/WHRD/D                 | 14    | 6" JBOX DWNLTG  | 4000K                      | 80  | 1100   | 50000                | 1.26  | 6.85  | 75W            | 5                      | UL                    | 89        |
| 773273 | LED14DISC/7/5CCT/927-950/3/WHRD/D        | 14    | 7" DISC         | 5 CCT -<br>27/30/35/40/50K | 90  | 1100   | 50000                | 0.984 | 7.4   | 75W            | 3                      | UL                    | 90        |
| 773274 | LED14DISC/7/930/3/WHRD/D                 | 14    | 7" DISC         | 3000K                      | 90  | 1100   | 50000                | 0.984 | 7.4   | 75W            | 3                      | UL                    | 90        |
| 773275 | LED14DISC/7/930/3/BLRD/D                 | 14    | 7" DISC         | 3000K                      | 90  | 1100   | 50000                | 0.984 | 7.4   | 75W            | 3                      | UL                    | 90        |
| 773276 | LED25DISC/10/5CCT/927-950/3/WHRD/D       | 25    | 10" DISC        | 5 CCT -<br>27/30/35/40/50K | 90  | 2000   | 50000                | 1.18  | 10    | -              | 5                      | UL                    | 90        |
| 773277 | LED25DISC/10/930/3/WHRD/D                | 25    | 10" DISC        | 3000K                      | 90  | 2000   | 50000                | 1.18  | 10    | -              | 5                      | UL                    | 90        |
| 773278 | LED25DISC/10/930/3/BLRD/D                | 25    | 10" DISC        | 3000K                      | 90  | 2000   | 50000                | 1.18  | 10    | -              | 5                      | UL                    | 90        |
| 773299 | LED7DISC/CAN-SPRINGS-50PK                | -     | -               | -                          | -   | -      | -                    | -     | -     | -              | -                      | -                     | 90        |
| 773300 | LED3/4/6-DOWNLIGHT/24BRACKET             | -     | BRACKET         | -                          | -   | -      | -                    | 1     | 24    | -              | -                      | -                     | 89        |
| 773301 | LED12RECJBOXDL/4/5CCT/827-850/<br>WHRD/D | 12    | 4" JBOX DWNLTG  | 5 CCT -<br>27/30/35/40/50K | 80  | 1100   | 50000                | 1.69  | 5.51  | 75W            | 5                      | UL                    | 89        |
| 773302 | LED14RECJBOXDL/6/5CCT/827-850/<br>WHRD/D | 14    | 6" JBOX DWNLTG  | 5 CCT -<br>27/30/35/40/50K | 80  | 1100   | 50000                | 1.89  | 7.32  | 75W            | 5                      | UL                    | 89        |
| 773500 | LED20WRAP/2FT/930/3/WH/D                 | 20    | WRAP            | 3000K                      | 90  | 2300   | 50000                | 24.37 | 5.13  | 1-32W T8       | 5                      | ETL                   | 92        |
| 773501 | LED20WRAP/2FT/5CCT/927-950/3/WH/D        | 20    | WRAP            | 5 CCT -<br>27/30/35/40/50K | 90  | 2300   | 50000                | 24.37 | 5.13  | 1-32W T8       | 5                      | ETL                   | 92        |
| 773502 | LED46WRAP/4FT/930/3/WH/D                 | 46    | WRAP            | 3000K                      | 90  | 5300   | 50000                | 47.6  | 5.13  | 2-32W T8       | 5                      | ETL                   | 92        |
| 773503 | LED46WRAP/4FT/5CCT/927-950/3/WH/D        | 46    | WRAP            | 5 CCT -<br>27/30/35/40/50K | 90  | 5300   | 50000                | 47.6  | 5.13  | 2-32W T8       | 5                      | ETL                   | 92        |
| 773504 | LED20WRAP/2FT-BB/930/3/WH/D              | 20    | WRAP            | 3000K                      | 90  | 2300   | 50000                | 24.37 | 5.13  | 1-32W T8       | 5                      | ETL                   | 93        |
| 773505 | LED20WRAP/2FT-BB/5CCT/927-950/3/WH/D     | 20    | WRAP            | 5 CCT -<br>27/30/35/40/50K | 90  | 2300   | 50000                | 24.37 | 5.13  | 1-32W T8       | 5                      | ETL                   | 93        |
| 773506 | LED46WRAP/4FT-BB/930/3/WH/D              | 46    | WRAP            | 3000K                      | 90  | 5300   | 50000                | 47.6  | 5.13  | 2-32W T8       | 5                      | ETL                   | 93        |
| 773507 | LED46WRAP/4FT-BB/5CCT/927-950/3/WH/D     | 46    | WRAP            | 5 CCT -<br>27/30/35/40/50K | 90  | 5300   | 50000                | 47.6  | 5.13  | 2-32W T8       | 5                      | ETL                   | 93        |
| 773600 | LED10FLUSH/5/930/3/WH/D                  | 10.3  | FLUSH MOUNT     | 3000K                      | 90  | 850    | 50000                | 5     | 0.73  | 60W            | 5                      | UL                    | 91        |
| 773601 | LED10FLUSH/5/930/3/BL/D                  | 10.3  | FLUSH MOUNT     | 3000K                      | 90  | 850    | 50000                | 5     | 0.73  | 60W            | 5                      | UL                    | 91        |
| 773602 | LED10FLUSH/5/930/3/NK/D                  | 10.3  | FLUSH MOUNT     | 3000K                      | 90  | 850    | 50000                | 5     | 0.73  | 60W            | 5                      | UL                    | 91        |
| 773603 | LED10FLUSH/5/5CCT/927-930/3/WH/D         | 10.3  | FLUSH MOUNT     | 5 CCT -<br>27/30/35/40/50K | 90  | 850    | 50000                | 5     | 0.73  | 60W            | 5                      | UL                    | 91        |
| 773604 | LED14FLUSH/7/930/3/WH/D                  | 14    | FLUSH MOUNT     | 3000K                      | 90  | 1150   | 50000                | 7     | 0.73  | 75W            | 5                      | UL                    | 91        |
| 773605 | LED14FLUSH/7/930/3/BL/D                  | 14    | FLUSH MOUNT     | 3000K                      | 90  | 1150   | 50000                | 7     | 0.73  | 75W            | 5                      | UL                    | 91        |
| 773606 | LED14FLUSH/7/930/3/NK/D                  | 14    | FLUSH MOUNT     | 3000K                      | 90  | 1150   | 50000                | 7     | 0.73  | 75W            | 5                      | UL                    | 91        |
| 773607 | LED14FLUSH/7/5CCT/927-930/3/WH/D         | 14    | FLUSH MOUNT     | 5 CCT -<br>27/30/35/40/50K | 90  | 1150   | 50000                | 7     | 0.73  | 75W            | 5                      | UL                    | 91        |
| 773608 | LED17FLUSH/9/930/3/WH/D                  | 17    | FLUSH MOUNT     | 3000K                      | 90  | 1400   | 50000                | 9     | 0.73  | 90W            | 5                      | UL                    | 91        |
| 773609 | LED17FLUSH/9/930/3/BL/D                  | 17    | FLUSH MOUNT     | 3000K                      | 90  | 1400   | 50000                | 9     | 0.73  | 90W            | 5                      | UL                    | 91        |
| 773610 | LED17FLUSH/9/930/3/NK/D                  | 17    | FLUSH MOUNT     | 3000K                      | 90  | 1400   | 50000                | 9     | 0.73  | 90W            | 5                      | UL                    | 91        |
| 773611 | LED17FLUSH/9/5CCT/927-930/3/WH/D         | 17    | FLUSH MOUNT     | 5 CCT -<br>27/30/35/40/50K | 90  | 1400   | 50000                | 9     | 0.73  | 90W            | 5                      | UL                    | 91        |
| 773700 | LED24SEC/2RHWH/40K                       | 24    | SECURITY LIGHTS | 4000K                      | 80  | 2200   | 50000                | 4.41  | 5.9   | 120W           | 5                      | UL                    | 94        |
| 773701 | LED24SEC/2RHBL/40K                       | 24    | SECURITY LIGHTS | 4000K                      | 80  | 2200   | 50000                | 4.41  | 5.9   | 120W           | 5                      | UL                    | 94        |
| 773702 | LED24SEC/2RHWH/MO/40K                    | 24    | SECURITY LIGHTS | 4000K                      | 80  | 2200   | 50000                | 6.1   | 6.69  | 120W           | 5                      | UL                    | 94        |
| 773703 | LED24SEC/2RHBL/MO/40K                    | 24    | SECURITY LIGHTS | 4000K                      | 80  | 2200   | 50000                | 6.1   | 6.69  | 120W           | 5                      | UL                    | 94        |

# Counter Mat

Item # 900061 Ordering Code: COUNTERMAT/DISPLAY

- Show customers which bulb is the perfect fit for their new fixture
- QR code allows customers to view all Bulbrite bulb options
- Minimal dedicated space needed



# 5CCT Ceiling Light Counter Display

Item # 900174 Ordering Code: LEDFM/COUNTER/DISPLAY

- Interactive counter display with dimmer
- Features 5CCT J-Box Downlight with accessible switch to change color temperature
- 100 Bulbrite Ceiling Solutions tri-fold brochure included



# HALF MOON

## COUNTER DISPLAY SERIES



### Multi-CCT Half Moon Display

Dimensions: 18" W x 6" H

Item #900210 Ordering Code: MOONDISPLAY/CCTS



### Decorative Half Moon Display

Dimensions: 18" W x 6" H

Item # 900022 Ordering Code: MOONDISPLAY/DECORATIVE



### Builder Half Moon Display

Dimensions: 18" W x 6" H

Item # 900023 Ordering Code: MOONDISPLAY/BUILDER



### 4000K Half Moon Display

Dimensions: 18" W x 6" H

Item # 900208 Ordering Code: MOONDISPLAY/4000K



### 5000K Half Moon Display

Dimensions: 18" W x 6" H


Item #900209 Ordering Code: MOONDISPLAY/5000K



# Large Wall-Mounted Wheel

Item # 900155 Ordering Code: LARGE/ROUND/WHEEL/DISPLAY

- Hardwood wall-mounted display to showcase 16 Bulbrite bulbs
- 29" Diameter wheel with Sixteen (16) E26 base sockets
- Custom product and branding stickers available



## LED Warm Dim Collection



You have to *dim it* to believe it



### Warm Dim Tent Card

Dimensions: 8.5" W x 5" H x 3.5" D  
Item # 900203 Ordering Code: WARMDIM/DISPLAY/TENTCARD

Create some buzz by placing these tent cards throughout your store.



### Warm Dim Counter Display

Dimensions: 18.18" W x 12.06" H x 5.5" D  
Item # 900196 Ordering Code: WARMDIM/DISPLAY/DIMMER


See LED Warm Dim in a side-by-side comparison with a traditional incandescent.



### Warm Dim Gallery Display

Dimensions: 20" W x 48" H  
Item # 900201 Ordering Code: WARMDIM/DISPLAY/GALLERY

Showcase the full LED Warm Dim Collection with our gallery that features 5 sockets, a fully operational dimmer and wide shelf for displaying product.



## Four Shelf Floor Display with Sockets

Item # 900062 Ordering Code: 4SHELF/FLOOR/DISPLAY

- Includes two shelves of 10 E26 sockets with individual dimmers
- Two additional shelves for displaying product boxes
- Top design features lighting facts and educational bulb information
- Option to design your own design with your company logo

## Linear Bulb Display

Discover how proper merchandising **boosts sales**, enhances training, and strengthens branding. Boost your bulb presence with Bulbrite's **new customizable linear wall display**

### Option A: Showcase Breadth of Product



Dimensions: 30" W x 20" H x 12" D

Item # 900204 Ordering Code: SHELF/WALL/DISPLAY

### Option B: Showcase a product line



### Option C: Showcase your brand



**LED 1, 2, 3 or 5 YEAR LIMITED WARRANTY**

Bulbrite offers 1, 2, 3, or 5-year limited warranties on LED products (based on average household use of 3 hours per day according to federal estimation standards issued by the Department of Energy and Federal Trade Commission).

For product-specific warranty information, please visit [www.bulbrite.com](http://www.bulbrite.com). You can also find warranty information listed on product packaging. If a covered product fails within the specified warranty period, please contact:

Bulbrite Industries, Inc.,  
800.528.5555,  
[productsupport@bulbrite.com](mailto:productsupport@bulbrite.com)

Bulbrite reserves the right to examine all failed lamps, components, and/or ballasts and reserves the right to be the sole judge of whether any lamps and/or Bulbrite lighting products are defective and covered under this warranty. This product will be credited, repaired, or replaced at Bulbrite's option, and we will not cover associated labor costs. This warranty will not apply in the event of conditions demonstrating abnormal use or stress, improper storage, improper installation, or extended daily use that is beyond reasonable operating hours for the intended application. The warranty is void if the product is not used for the intention of which it was manufactured.

**LIMITATION OF LIABILITY**

THE FOREGOING WARRANTY CONSTITUTES BULBRITE'S EXCLUSIVE LIABILITY AND THE EXCLUSIVE REMEDY TO A CUSTOMER FOR ANY BREACH OF OR ANY OTHER NONCONFORMITY OF THE PRODUCTS COVERED BY THIS WARRANTY. THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES. BULBRITE MAKES NO WARRANTY, EXPRESSED OR IMPLIED, OR STATUTORY, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.


NO REPRESENTATIVE, EMPLOYEE, DISTRIBUTOR, OR DEALER OF BULBRITE HAS THE AUTHORITY TO MAKE OR IMPLY ANY WARRANTY, REPRESENTATION, PROMISE, OR AGREEMENT, WHICH IN ANY WAY VARIES THE TERMS OF THE WARRANTY SET FORTH ABOVE.

THE BULBRITE PRODUCTS SOLD TO CUSTOMERS ARE INTENDED TO BE USED ONLY IN THE APPLICATION(S) SPECIFIED BY BULBRITE. ANY OTHER USE RENDERS THE WARRANTY EXPRESSED HEREIN AND ALL IMPLIED WARRANTIES NULL AND VOID AND SAME ARE HEREBY EXCLUDED.

UNDER NO CIRCUMSTANCES SHALL BULBRITE BE LIABLE TO CUSTOMER OR ANY THIRD PARTY FOR CONSEQUENTIAL, INCIDENTAL, INDIRECT, EXEMPLARY, SPECIAL, OR OTHER DAMAGES WHETHER IN AN ACTION BASED ON CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER LEGAL THEORY, ARISING OUT OF OR RELATED TO THE PRODUCTS SOLD TO CUSTOMER, INCLUDING BUT NOT LIMITED TO LOST PROFITS OR LOSS OF BUSINESS, EVEN IF BULBRITE IS APPRISED OF THE LIKELIHOOD OF SUCH DAMAGES OCCURRING..

# How to use The Book

## Feature Icons



## Compliance Icons

Indicates the lamp is compliant with the applicable regulation or certification.



## Product Series

|          | Basics Series   | Preferred Series | Premium Series  |
|----------|-----------------|------------------|-----------------|
| CRI      | 80              | 90               | 90              |
| Title 20 |                 | ✓                | ✓               |
| Title 24 |                 |                  | ✓               |
| Hours    | 10,000 - 15,000 | 15,000           | 15,000 - 25,000 |
| Warranty | 2 Years         | 5 Years          | 5 Years         |





**NEW JERSEY | SOUTH CAROLINA | TEXAS**

**800-528-5555 - SERVICE@BULBRITE.COM - BULBRITE.COM**

**THE BOOK 2025 07.18**

©2025 Bulbrite Industries, Inc. All rights reserved. All brand names are trademarks or registered trademarks of Bulbrite Industries, Inc. Printed in USA.