



**A CROSBIE
MEMBER
COMPANY**

Q1 Providence | East Bank Demerara | Tel: +592-265-7445

45 Urquhart Street | Georgetown | Tel: +592-226-8130

Email: info@fmlgy.com

Visit us at WWW.FMLGY.COM



HD 4/9 C

Suitable for vertical and horizontal operation: the HD 4/9 C cold water high-pressure cleaner can be used for a wide variety of applications, and is extremely mobile, light and compact.

Supply voltage (V/Hz)	110v/60Hz
Output Pressure (bar/psi)	130 / 1885
Flow rate (l/h)	max. 420



HD 6/15 C

HD 6/15 C is the reliable all-purpose machine in the compact class, light-weight with compact dimensions. Available pressure regulator enables machine to be used in a wide range of demanding cleaning tasks.

Supply voltage (V/Hz)	110v/60Hz
Output Pressure (bar/psi)	140 / 2031
Flow rate (l/h)	max. 570



HD 12/15

The Professional Washer HD 12/15 Maxi was sized for daily and continuous use. Its motor coupled to the pump ensures less wear of parts.

Supply voltage (V/Hz)	220v/60Hz
Output Pressure (bar/psi)	150 / 2170
Flow rate (l/h)	max. 1200

Contact us for more options



HD 10/25 MAXI

The Kärcher professional high-pressure cleaner model HD 10/25 Cage has a flow rate of 1000 l/h and pressure of up to 250 bar. It features a crankshaft pump, brass cylinder heads and connecting rods and high-performance ceramic pistons sized for daily and continuous use,

Supply voltage (V/Hz)	220v/60Hz
Output Pressure (bar/psi)	250 / 3625
Flow rate (l/h)	max. 1000



G 3200 OCT

Kärcher's G 3200 OCT is a professional-grade gasoline engine driven pressure washer that offers both ease of use and maximum durability. Equipped with a triplex pump which outputs 3200 PSI at 2.5 GPM. It's 10" wheels allows easy mobility and 5 tips for variety of pressure.

Output Pressure (bar/psi)	221/3200
Water Volume	2.5 GPM
Detergent Suction	0.15 - 0.20 GPM
Engine	KXS® 196

G 3800 OHT

Driven by a Honda GX270 engine, the G 3800 OHT handles the most challenging cleaning assignments. Includes pro features like a steel-braided rubber hose and VersaGRIP trigger gun.

Output Pressure (bar/psi)	262/3800
Water Volume	3.5 GPM
Detergent Suction	0.15 - 0.20 GPM
Engine	Honda GX270

Contact us for more options



HD 585

This compact cold water pressure washer is the ideal model for commercial end users. The HD 585 boasts impressive mobility, compactness and features Kärcher features such as: an impact-resistant plastic cover that protects the high-pressure pump from damage and dirt.

Supply voltage (V/Hz)	110v/60Hz
Output Pressure (bar/psi)	120 /1740
Flow rate (l/h)	max. 400

HD 9/23 De

The HD 9/23 De diesel-powered key start engine, is a robust cold water high-pressure washer which outputs 4000 PSI for high performance cleaning. Equipped with 50ft wire braided hose, easy force trigger gun and servo that allows for maximum control.

Max. pressure (bar/psi)	270/4000
Drive type	Diesel
Motor manufacturer	Yanmar
Flow rate (l/h)	930
Pump Type	Axial pump



HDS 1.9/15 Ed Cage

The Kärcher HDS 1.9/15 Ed Cage is built on a rugged 1.25" powder coated steel frame. This compact electric roll cage model is designed for wherever high pressure hot water application is needed. Equipped with 50ft wire braided hose and easy force ergonomic trigger gun also built in soap dispenser. Hot water is generated using a fuel efficient diesel burner which will heat water to 302°F/150°.

Max. pressure (bar/psi)	203/3000
Drive type	Electric motor (110V 60Hz)
Motor manufacturer	Baldor
Pump type	Triplex pump
Flow rate (l/h)	479
Max teater temperature	302°F/150°



Contact us for more options