


# ALUMINIUM BARS



 **alumeco**

# TABLE OF CONTENTS

ROUND BARS	2
Round Bars EN AW-2007	<b>3</b>
Round Bars EN AW-2011	<b>3</b>
Round Bars EN AW-5083	<b>4</b>
Round Bars EN AW-5754	<b>4</b>
Round Bars EN AW-6026	<b>4</b>
Round Bars EN AW-6026 LF	<b>5</b>
Round Bars EN AW-6060	<b>5</b>
Round Bars EN AW-6082	<b>6</b>
Round Bars EN AW-7075	<b>6</b>
EN AW-2007	<b>8</b>
EN AW-6082	<b>10</b>
EN AW-6060	<b>12</b>
FLAT BARS	13
Flat Bars EN AW-7075	<b>14</b>
Flat Bars EN AW-6026 LF	<b>14</b>
Flat Bars EN AW-6101A	<b>14</b>
SQUARE BARS	15
Square Bars EN AW-2007	<b>16</b>
Square Bars EN AW-2011	<b>16</b>
Square Bars EN AW-6026	<b>16</b>
Square Bars EN AW-6026 LF	<b>16</b>
Square Bars EN AW-6060	<b>16</b>
Square Bars EN AW-6082	<b>17</b>

# ABOUT ALUMECO GROUP



Alumeco is a global wholesaler, founded in 1983 with headquarters in Odense, Denmark.

Alumeco Group offers a wide range of aluminium, stainless steel, copper, brass, bronze and other metals to meet all your metal needs. We offer both standardized and customized products, and we are ready to support you from idea to finished product.

## SUBSIDIARIES

Alumeco A/S			Alumeco Austria GmbH
Alumeco NL B.V.			Alumeco Service GmbH
Alumeco Norge AS			Metallcenter West GmbH
Alumeco Sverige AB			Alcobra GmbH
Alumeco CZ s.r.o.			Metalcenter Group GmbH
UAB Alumeco Baltic			Aluteam-Alumeco Sp. z o.o.
Alumeco Finland OY Ab			Alumeco Metal Products (Jiangmen) Co.,Ltd.
Metalcenter Group OY Ab			



**1028** (2023)  
Employees



**878** (2023)  
mio. EUR



**40.000**  
m<sup>2</sup> stock



## Round Bars

WE STOCK A WIDE RANGE OF ROUND BARS IN 2000 OG 6000 ALLOYS ESSENTIALLY, THEY EXIST IN ALL SIZES FROM 5 MM AND UP TO 500 MM IN DIAMETER, AND OFTEN IN LENGTHS OF 3000 MM AND 6000 MM AND IN THREE DIFFERENT QUALITIES: PRESSED, DRAWN AND MOULDED. IF YOU REQUEST OTHER DIMENSIONS THAN THE ONCE INTRODUCED - YOU ARE WELCOME TO CONTACT US

---

# ROUND BARS

## ROUND BARS EN AW-2007

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
8	0.14	45	4.53	140	43.87
9	0.18	46	4.74	145	47.06
10	0.22	48	5.16	150	50.36
11	0.27	50	5.60	155	53.78
12	0.32	52	6.05	160	57.30
15	0.50	55	6.77	165	60.94
16	0.57	56	7.02	170	64.69
19	0.81	60	8.06	180	72.52
20	0.90	63	8.88	190	80.81
21	0.99	65	9.46	200	89.54
22	1.08	70	10.97	210	98.71
23	1.18	72	11.60	220	108.34
24	1.29	75	12.59	230	118.41
25	1.40	80	14.33	240	128.93
26	1.51	85	16.17	250	139.90
28	1.76	90	18.13	260	151.31
29	1.88	95	20.20	270	163.19
30	2.01	100	22.38	280	175.49
32	2.29	105	24.68	300	201.45
33	2.44	110	34.49	320	229.21
35	2.74	115	29.60	350	274.20
36	2.90	120	32.23	360	290.09
38	3.23	125	34.97	400	358.14
40	3.58	130	37.83		
42	3.95	135	40.79		

## ROUND BARS EN AW-2011

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
<b>5</b>	<b>0.06</b>	<b>35</b>	<b>2.74</b>	<b>100</b>	<b>22.38</b>
<b>6</b>	<b>0.08</b>	36	2.90	<b>105</b>	<b>24.68</b>
<b>8</b>	<b>0.14</b>	<b>38</b>	<b>3.23</b>	<b>110</b>	<b>27.08</b>
<b>10</b>	<b>0.22</b>	<b>40</b>	<b>3.58</b>	<b>115</b>	<b>29.60</b>
<b>12</b>	<b>0.32</b>	<b>42</b>	<b>3.95</b>	<b>120</b>	<b>32.23</b>
<b>14</b>	<b>0.44</b>	<b>45</b>	<b>4.53</b>	125	34.98
<b>15</b>	<b>0.50</b>	<b>50</b>	<b>5.60</b>	<b>130</b>	<b>37.83</b>
<b>16</b>	<b>0.57</b>	<b>55</b>	<b>6.77</b>	<b>140</b>	<b>43.87</b>
<b>17</b>	<b>0.65</b>	<b>60</b>	<b>8.06</b>	<b>150</b>	<b>50.36</b>
<b>20</b>	<b>0.90</b>	<b>65</b>	<b>9.46</b>	<b>160</b>	<b>57.30</b>
<b>22</b>	<b>1.08</b>	<b>70</b>	<b>10.97</b>	165	60.90
<b>24</b>	<b>1.29</b>	<b>75</b>	<b>12.59</b>	<b>170</b>	<b>64.69</b>
<b>25</b>	<b>1.40</b>	<b>80</b>	<b>14.33</b>	<b>180</b>	<b>72.52</b>
<b>28</b>	<b>1.76</b>	<b>85</b>	<b>16.17</b>	<b>200</b>	<b>89.54</b>
<b>30</b>	<b>2.02</b>	<b>90</b>	<b>18.13</b>		
<b>32</b>	<b>2.29</b>	<b>95</b>	<b>20.20</b>		



# ROUND BARS

## ROUND BARS EN AW-5083

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
15	0.48	65	8.96	140	41.56
20	0.85	70	10.39	150	47.71
25	1.33	75	11.93	160	54.29
30	1.91	80	13.57	170	61.28
32	2.17	85	15.32	180	72.50
35	2.60	90	18.10	190	76.55
40	3.39	95	19.14	200	84.82
45	4.29	100	21.21	220	102.64
50	5.50	110	27.10	250	132.53
55	6.41	120	30.54	430	392.09
60	7.63	130	35.84		

## ROUND BARS EN AW-5754

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
15	0.50	65	8.96	130	35.84
20	0.85	70	10.39	135	38.65
25	1.33	80	14.20	140	41.56
30	1.91	85	15.32	150	50.10
35	2.60	90	17.18	160	56.27
40	3.40	95	19.14	170	61.28
45	4.29	100	22.37	180	72.50
50	5.30	110	25.66	200	89.50
55	6.41	115	29.60	240	122.15
60	7.63	120	32.10		

## ROUND BARS EN AW-6026

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
8	0.14	<b>36</b>	<b>2.80</b>	95	19.49
10	0.22	38	3.12	100	21.60
12	0.31	40	3.46	105	23.81
15	0.49	42	3.81	110	26.13
16	0.55	45	4.37	<b>115</b>	<b>28.56</b>
18	0.70	50	5.40	120	31.10
20	0.86	55	6.53	125	33.75
22	1.04	60	7.78	130	36.50
25	1.35	65	9.12	140	42.33
26	1.46	70	10.58	150	48.60
28	1.69	75	12.15	160	55.29
30	1.94	80	13.82	190	77.97
32	2.21	85	15.60		
35	2.65	90	17.50		



# ROUND BARS

## ROUND BARS EN AW-6026 LF

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
8	0.14	38	3.12	100	21.60
10	0.22	40	3.46	105	23.81
12	0.31	42	3.81	110	26.13
15	0.49	45	4.37	115	28.56
16	0.55	50	5.40	120	31.10
18	0.70	55	6.53	125	33.75
20	0.86	60	7.78	130	36.50
22	1.05	65	9.13	140	42.33
25	1.35	70	10.58	150	48.60
26	1.46	75	12.15	160	55.29
28	1.69	80	13.82	170	62.42
30	1.94	85	15.60	180	69.98
32	2.21	90	17.49	200	86.39
35	2.65	95	19.49		

## ROUND BARS EN AW-6060

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
6	0.08	14	0.42	25	1.32
8	0.14	15	0.48	70	10.70
10	0.21	16	0.54	90	17.17
12	0.30	20	0.85		



# ROUND BARS

## ROUND BARS EN AW-6082

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
6	0.08	<b>45</b>	<b>4.29</b>	<b>160</b>	<b>54.29</b>
<b>8</b>	<b>0.14</b>	48	4.89	<b>165</b>	<b>57.73</b>
9	0.17	<b>50</b>	<b>5.30</b>	<b>170</b>	<b>61.28</b>
<b>10</b>	<b>0.21</b>	52	5.73	<b>175</b>	<b>64.94</b>
11	0.26	<b>55</b>	<b>6.41</b>	<b>180</b>	<b>68.71</b>
<b>12</b>	<b>0.30</b>	56	6.65	<b>190</b>	<b>76.55</b>
14	0.42	<b>60</b>	<b>7.63</b>	<b>200</b>	<b>84.82</b>
<b>15</b>	<b>0.48</b>	<b>65</b>	<b>8.96</b>	<b>210</b>	<b>93.52</b>
<b>16</b>	<b>0.54</b>	<b>70</b>	<b>10.39</b>	<b>220</b>	<b>102.64</b>
17	0.61	72	10.99	225	107.35
<b>18</b>	<b>0.69</b>	<b>75</b>	<b>11.93</b>	<b>230</b>	<b>112.18</b>
<b>20</b>	<b>0.85</b>	<b>80</b>	<b>13.57</b>	<b>240</b>	<b>122.15</b>
21	0.94	82	14.26	<b>250</b>	<b>132.54</b>
<b>22</b>	<b>1.03</b>	<b>85</b>	<b>15.32</b>	<b>260</b>	<b>143.35</b>
23	1.12	<b>90</b>	<b>17.18</b>	<b>270</b>	<b>154.59</b>
24	1.22	<b>95</b>	<b>19.14</b>	<b>280</b>	<b>166.25</b>
<b>25</b>	<b>1.33</b>	<b>100</b>	<b>21.21</b>	290	179.47
26	1.43	<b>105</b>	<b>23.38</b>	<b>300</b>	<b>190.85</b>
27	1.55	<b>108</b>	<b>24.73</b>	<b>305</b>	<b>197.27</b>
<b>28</b>	<b>1.66</b>	<b>110</b>	<b>25.66</b>	<b>310</b>	<b>203.79</b>
29	1.78	<b>115</b>	<b>28.04</b>	<b>320</b>	<b>217.15</b>
<b>30</b>	<b>1.91</b>	<b>120</b>	<b>30.54</b>	<b>330</b>	<b>230.93</b>
<b>32</b>	<b>2.17</b>	<b>125</b>	<b>33.13</b>	<b>340</b>	<b>245.14</b>
34	2.45	<b>130</b>	<b>35.84</b>	<b>350</b>	<b>259.77</b>
<b>35</b>	<b>2.60</b>	135	38.65	<b>360</b>	<b>274.83</b>
36	2.75	<b>140</b>	<b>41.56</b>	370	290.31
<b>38</b>	<b>3.06</b>	<b>145</b>	<b>47.04</b>	<b>380</b>	<b>306.21</b>
<b>40</b>	<b>3.39</b>	<b>150</b>	<b>47.71</b>	<b>400</b>	<b>339.30</b>
<b>42</b>	<b>3.74</b>	<b>155</b>	<b>50.95</b>	450	429.43

## ROUND BARS EN AW-7075

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
8	0.14	<b>75</b>	<b>12.37</b>	<b>230</b>	<b>116.33</b>
<b>10</b>	<b>0.22</b>	<b>80</b>	<b>14.07</b>	<b>240</b>	<b>126.67</b>
<b>12</b>	<b>0.32</b>	<b>85</b>	<b>15.89</b>	<b>250</b>	<b>137.45</b>
<b>15</b>	<b>0.50</b>	<b>90</b>	<b>17.81</b>	<b>260</b>	<b>148.66</b>
16	0.54	<b>100</b>	<b>21.99</b>	<b>270</b>	<b>160.32</b>
18	0.73	<b>105</b>	<b>24.24</b>	<b>280</b>	<b>172.41</b>
<b>20</b>	<b>0.88</b>	<b>110</b>	<b>26.61</b>	<b>290</b>	<b>184.95</b>
<b>22</b>	<b>1.06</b>	<b>115</b>	<b>29.08</b>	<b>300</b>	<b>197.92</b>
<b>25</b>	<b>1.37</b>	<b>120</b>	<b>31.67</b>	<b>310</b>	<b>211.34</b>
<b>30</b>	<b>1.98</b>	<b>130</b>	<b>37.17</b>	320	225.19
<b>35</b>	<b>2.69</b>	<b>140</b>	<b>43.10</b>	330	239.48
<b>40</b>	<b>3.52</b>	<b>150</b>	<b>49.48</b>	<b>350</b>	<b>269.39</b>
42	3.88	<b>160</b>	<b>56.30</b>	<b>360</b>	<b>285.01</b>
<b>45</b>	<b>4.45</b>	<b>170</b>	<b>63.55</b>	<b>370</b>	<b>301.06</b>
<b>50</b>	<b>5.50</b>	<b>180</b>	<b>71.25</b>	<b>380</b>	<b>317.55</b>
<b>55</b>	<b>6.65</b>	<b>190</b>	<b>79.39</b>	<b>400</b>	<b>351.87</b>
<b>60</b>	<b>7.92</b>	<b>200</b>	<b>87.96</b>	410	376.00
<b>65</b>	<b>9.29</b>	<b>210</b>	<b>96.98</b>	450	445.33
<b>70</b>	<b>10.78</b>	<b>220</b>	<b>106.44</b>		



# ROUND BARS

---

## EN AW-2007

Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)
15 x 10	0.43	45 x 35	4.49	90 x 30	7.70
20 x 15	0.86	50 x 6	0.86	100 x 12	3.42
25 x 20	1.42	55 x 30	4.70	120 x 60	20.52
30 x 20	1.71	60 x 5	0.86	130 x 90	33.34
35 x 20	2.00	70 x 12	2.39	150 x 10	4.28
40 x 8	0.91	80 x 12	2.74	200 x 20	11.40





## EN AW-6082

Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)
<b>15 x 10</b>	<b>0.40</b>	<b>60 x 5</b>	<b>0.81</b>	<b>140 x 10</b>	<b>3.78</b>
<b>20 x 10</b>	<b>0.54</b>	<b>70 x 10</b>	<b>1.89</b>	<b>150 x 10</b>	<b>4.05</b>
<b>25 x 10</b>	<b>0.68</b>	<b>75 x 6</b>	<b>1.22</b>	<b>160 x 15</b>	<b>6.48</b>
<b>30 x 5</b>	<b>0.40</b>	<b>80 x 8</b>	<b>1.73</b>	<b>165 x 65</b>	<b>28.96</b>
<b>35 x 10</b>	<b>0.94</b>	<b>85 x 30</b>	<b>6.88</b>	<b>180 x 15</b>	<b>7.29</b>
<b>40 x 5</b>	<b>0.54</b>	<b>90 x 10</b>	<b>2.43</b>	<b>200 x 10</b>	<b>5.40</b>
45 x 25	3.04	<b>100 x 8</b>	<b>2.16</b>	<b>220 x 30</b>	<b>17.82</b>
<b>50 x 5</b>	<b>0.68</b>	<b>120 x 10</b>	<b>3.24</b>		
55 x 30	4.46	<b>125 x 10</b>	<b>3.38</b>		



## EN AW-6060

Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)
<b>10 x 2</b>	<b>0.05</b>	<b>35 x 3</b>	<b>0.28</b>	<b>80 x 3</b>	<b>0.65</b>
<b>12 x 4</b>	<b>0.13</b>	<b>40 x 2</b>	<b>0.22</b>	<b>90 x 5</b>	<b>1.22</b>
<b>15 x 2</b>	<b>0.08</b>	<b>45 x 3</b>	<b>0.36</b>	<b>100 x 3</b>	<b>0.81</b>
<b>20 x 2</b>	<b>0.11</b>	<b>50 x 2</b>	<b>0.27</b>	<b>120 x 5</b>	<b>1.62</b>
<b>25 x 2</b>	<b>0.14</b>	<b>60 x 2</b>	<b>0.32</b>	<b>150 x 5</b>	<b>2.02</b>
<b>30 x 2</b>	<b>0.16</b>	<b>70 x 5</b>	<b>0.94</b>		



## Flat Bars

WE STOCK A WIDE RANGE OF FLAT PROFILES AND OFFER A HUGE RANGE OF DIFFERENT SIZES. IF YOU REQUEST OTHER DIMENSIONS THAN THE ONCE INTRODUCED - YOU ARE WELCOME TO CONTACT US.

---

# FLAT BARS

## FLAT BARS EN AW-7075

Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)
50 x 35	4.95				

## FLAT BARS EN AW-6026 LF

Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)
160 x 50	22.00				

## FLAT BARS EN AW-6101A

Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)
<b>20 x 10</b>	<b>0.54</b>	60 x 10	1.62	<b>150 x 10</b>	<b>4.05</b>
<b>30 x 10</b>	<b>0.81</b>	<b>80 x 10</b>	<b>2.16</b>	<b>160 x 10</b>	<b>4.32</b>
<b>40 x 10</b>	<b>1.08</b>	100 x 10	2.70		
<b>50 x 10</b>	<b>1.35</b>	<b>120 x 10</b>	<b>3.24</b>		



## Square Bars

WE HAVE A PROFOUND STOCK RANGE OF SQUARE BARS, AND MAINLY WE OFFER THEM IN 2000 AND 6000 ALLOYS. ESSENTIALLY, THEY EXIST IN ALL SIZES FROM 8 MM AND UP TO 200 MM AND OFTEN IN LENGTHS OF 3000 MM AND 6000 MM. IF YOU REQUEST OTHER DIMENSIONS OR ALLOY TYPES THAN THE ONCE INTRODUCED - YOU ARE WELCOME TO CONTACT US.

---

# SQUARE BARS

## SQUARE BARS EN AW-2007

Width	Weight (kg)	Width	Weight (kg)	Width	Weight (kg)
10	0.28	50	7.12	105	31.42
12	0.41	55	8.62	110	34.49
15	0.64	60	10.26	115	37.69
20	1.14	65	12.04	120	41.04
22	1.38	70	13.96	130	48.17
25	1.78	75	15.80	140	55.86
30	2.56	80	18.24	150	64.13
35	3.49	85	20.59	160	72.96
36	3.69	90	23.08	180	92.34
40	4.56	95	25.72	190	102.88
45	5.77	100	28.50	200	114.00

## SQUARE BARS EN AW-2011

Width	Weight (kg)	Width	Weight (kg)	Width	Weight (kg)
10	0.29	35	3.49	<b>80</b>	<b>18.24</b>
15	0.64	<b>40</b>	<b>4.56</b>	<b>90</b>	<b>23.09</b>
<b>20</b>	<b>1.14</b>	<b>50</b>	<b>7.12</b>	<b>100</b>	<b>28.50</b>
<b>25</b>	<b>1.78</b>	<b>60</b>	<b>10.26</b>		
<b>30</b>	<b>2.56</b>	<b>70</b>	<b>13.97</b>		

## SQUARE BARS EN AW-6026

Width	Weight (kg)	Width	Weight (kg)	Width	Weight (kg)
20	1.10	50	6.88	100	27.50
30	2.48	60	9.90	140	53.90
35	3.37	70	13.48		
40	4.40	90	22.28		

## SQUARE BARS EN AW-6026 LF

Width	Weight (kg)	Width	Weight (kg)	Width	Weight (kg)
<b>20</b>	<b>1.10</b>	<b>50</b>	<b>6.88</b>	<b>90</b>	<b>22.28</b>
<b>30</b>	<b>2.48</b>	<b>60</b>	<b>9.90</b>	<b>100</b>	<b>27.50</b>
<b>40</b>	<b>4.40</b>	<b>70</b>	<b>13.48</b>	110	33.28

## SQUARE BARS EN AW-6060

Width	Weight (kg)	Width	Weight (kg)	Width	Weight (kg)
<b>8</b>	<b>0.17</b>	<b>15</b>	<b>0.61</b>	<b>25</b>	<b>1.69</b>
<b>12</b>	<b>0.39</b>	<b>20</b>	<b>1.08</b>		

# SQUARE BARS EN AW-6082

## SQUARE BARS EN AW-6082

Width	Weight (kg)	Width	Weight (kg)	Width	Weight (kg)
<b>10</b>	<b>0.27</b>	<b>60</b>	<b>9.72</b>	<b>130</b>	<b>45.63</b>
<b>12</b>	<b>0.39</b>	<b>65</b>	<b>11.41</b>	<b>135</b>	<b>49.21</b>
<b>15</b>	<b>0.61</b>	<b>70</b>	<b>13.23</b>	<b>140</b>	<b>52.92</b>
<b>20</b>	<b>1.08</b>	<b>75</b>	<b>15.19</b>	<b>150</b>	<b>60.75</b>
<b>25</b>	<b>1.69</b>	<b>80</b>	<b>17.28</b>	<b>160</b>	<b>69.12</b>
<b>30</b>	<b>2.43</b>	<b>85</b>	<b>19.51</b>	<b>165</b>	<b>73.51</b>
32	2.80	<b>90</b>	<b>21.87</b>	<b>170</b>	<b>78.03</b>
<b>35</b>	<b>3.31</b>	<b>95</b>	<b>24.37</b>	<b>180</b>	<b>87.48</b>
<b>40</b>	<b>4.32</b>	<b>100</b>	<b>27.00</b>	190	97.47
<b>45</b>	<b>5.47</b>	<b>110</b>	<b>32.67</b>	<b>200</b>	<b>108.00</b>
<b>50</b>	<b>6.75</b>	<b>120</b>	<b>38.88</b>	<b>220</b>	<b>130.68</b>
<b>55</b>	<b>8.17</b>	<b>125</b>	<b>42.19</b>		



