

ALUMINIUM BARS




TABLE OF CONTENTS

ROUND BARS	2
Round Bars EN AW-2007	3
Round Bars EN AW-2011	4
Round Bars EN AW-5083	4
Round Bars EN AW-5754	5
Round Bars EN AW-6026	5
Round Bars EN AW-6026 LF	5
Round Bars EN AW-6060	5
Round Bars EN AW-6082	6
Round Bars EN AW-7075	6
FLAT BARS	7
Flat Bars EN AW-6101A	8
Flat Bars EN AW-2007	8
Flat Bars EN AW-6082	8
Flat Bars EN AW-6060	8
FLAT BARS	9
Flat Bars EN AW-7075	10
Flat Bars EN AW-6026 LF	10
SQUARE BARS	11
Square Bars EN AW-2007	12
Square Bars EN AW-2011	12
Square Bars EN AW-6026	12
Square Bars EN AW-6026 LF	12
Square Bars EN AW-6060	12
Square Bars EN AW-6082	13

ABOUT ALUMECO GROUP



Alumeco is a global wholesaler, founded in 1983 with headquarters in Odense, Denmark.

Alumeco Group offers a wide range of metals, so you can buy everything in one place. We offer both standardized and customized solutions, and we are ready to support you at every step. As your preferred metal partner, we ensure the best guidance, solution and quality every time.

SUBSIDIARIES

Alumeco A/S			Alumeco Austria GmbH
Alumeco NL			Alumeco Service GmbH
Alumeco Norge AS			Metalcenter West GmbH
Alumeco Sverige AB			Alcobra GmbH
Alumeco CZ s.r.o.			Metalcenter Group GmbH
UAB Alumeco Baltic			Aluteam-Alumeco Sp. z o.o.
Alumeco Finland OY AB			Alumeco Metal Products (Jiangmen) Co.,Ltd.
Metalcenter Group OY AB			



1000 (2022)
Employees



1046 (2022)
mio. EUR



40.000
m² stock



Round Bars

WE STOCK A WIDE RANGE OF ROUND BARS IN 2000 OG 6000 ALLOYS ESSENTIALLY, THEY EXIST IN ALL SIZES FROM 5 MM AND UP TO 500 MM IN DIAMETER, AND OFTEN IN LENGTHS OF 3000 MM AND 6000 MM AND IN THREE DIFFERENT QUALITIES: PRESSED, DRAWN AND MOULDED. IF YOU REQUEST OTHER DIMENSIONS THAN THE ONCE INTRODUCED - YOU ARE WELCOME TO CONTACT US

ROUND BARS EN AW-2007

ROUND BARS EN AW-2007

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
8	0.14	56	7.00	270	163.00
9	0.18	60	8.00	280	175.00
10	0.22	63	8.88	290	188.00
11	0.27	65	9.00	300	201.00
12	0.32	70	10.97	310	215.00
13	0.38	72	11.60	320	229.00
14	0.44	75	13.00	330	244.00
15	0.50	80	14.00	340	259.00
16	0.57	82	15.00	350	274.00
17	0.65	85	16.00	360	290.00
18	0.73	90	18.00	370	306.00
19	0.81	95	20.00	380	323.00
20	0.90	100	22.00	400	358.00
21	0.99	105	25.00	410	376.00
22	1.08	110	27.00	420	395.00
23	1.18	115	30.00	430	414.00
24	1.29	120	32.00	440	433.00
25	1.40	125	35.00	450	453.00
26	1.51	130	38.00	460	474.00
28	1.75	135	41.00	470	494.00
29	1.88	140	44.00	480	516.00
30	2.00	145	47.00	500	560.00
32	2.29	150	50.00	510	582.00
33	2.44	155	54.00	520	605.00
35	2.74	160	57.00	530	629.00
36	2.90	165	61.00	540	653.00
38	3.23	170	65.00	550	677.00
40	3.58	180	73.00	570	727.00
42	3.95	190	81.00	580	753.00
43	4.00	200	90.00	600	806.00
45	4.53	210	99.00	620	860.00
46	4.74	220	108.00	630	888.00
48	5.00	230	118.00	640	917.00
50	5.60	240	129.00	650	946.00
52	6.00	250	140.00	660	975.00
55	6.77	260	151.00		

ROUND BARS

ROUND BARS EN AW-2011

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
5	0.06	30	2.00	90	18.00
6	0.08	32	2.28	95	20.00
8	0.14	35	2.73	100	22.00
10	0.22	36	2.89	105	25.00
12	0.32	38	3.22	110	27.00
14	0.44	40	3.57	115	29.00
15	0.50	42	3.93	120	32.00
16	0.57	45	4.52	125	35.00
17	0.64	50	5.58	130	38.00
18	0.72	55	6.75	140	44.00
20	0.89	60	8.00	150	50.00
21	0.98	65	9.00	160	57.00
22	1.08	70	10.93	165	61.00
24	1.28	75	13.00	170	64.00
25	1.39	80	14.00	180	72.00
28	1.75	85	16.00	200	89.00

ROUND BARS EN AW-5083

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
15	0.47	140	41.00	370	286.00
20	0.84	150	47.00	380	302.00
25	1.31	160	53.00	400	334.00
30	1.88	170	60.00	410	351.00
32	2.14	180	68.00	420	369.00
35	2.56	190	75.00	430	386.00
40	3.34	200	84.00	440	404.00
45	4.23	210	92.00	450	423.00
50	5.00	220	101.00	460	442.00
55	6.32	230	111.00	470	461.00
60	7.52	240	120.00	480	481.00
65	8.83	250	131.00	490	502.00
70	10.00	260	141.00	500	522.00
75	11.75	280	164.00	510	543.00
80	13.00	290	176.00	520	565.00
85	15.00	300	188.00	530	587.00
90	16.92	310	201.00	540	609.00
95	19.00	320	214.00	550	632.00
100	21.00	330	228.00	560	655.00
110	25.00	340	242.00	580	703.00
120	30.00	350	256.00	600	752.00
130	35.00	360	271.00	620	803.00



ROUND BARS

ROUND BARS EN AW-5754

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
15	0.47	65	8.89	130	36.00
20	0.84	70	10.00	135	38.00
25	1.32	80	13.00	140	41.00
30	1.89	85	15.00	150	47.00
35	2.58	90	17.00	160	54.00
40	3.37	95	19.00	170	61.00
45	4.26	100	21.00	180	68.00
50	5.00	110	25.00	200	84.00
55	6.37	115	28.00	240	121.00
60	7.58	120	30.00		

ROUND BARS EN AW-6026

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
8	0.14	35	2.62	90	17.00
10	0.21	38	3.00	95	19.00
12	0.31	40	3.42	100	21.00
15	0.48	42	3.77	105	24.00
16	0.55	45	4.33	110	26.00
18	0.69	50	5.34	115	28.00
20	0.85	55	6.46	120	31.00
22	1.00	60	7.69	125	33.00
25	1.34	65	9.00	130	36.00
26	1.44	70	10.00	140	42.00
28	1.67	75	12.00	150	48.00
30	1.92	80	14.00	160	55.00
32	2.19	85	15.00	190	77.00

ROUND BARS EN AW-6026 LF

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
8	0.14	38	3.00	100	21.00
10	0.21	40	3.42	105	24.00
12	0.31	42	3.77	110	26.00
15	0.48	45	4.33	115	28.00
16	0.55	50	5.34	120	31.00
18	0.69	55	6.46	125	33.00
20	0.85	60	7.69	130	36.00
22	1.00	65	9.00	140	42.00
25	1.34	70	10.00	150	48.00
26	1.44	75	12.00	153	50.00
28	1.67	80	14.00	160	55.00
30	1.92	85	15.00	170	62.00
32	2.19	90	17.00	180	69.00
35	2.62	95	19.00	200	85.00

ROUND BARS EN AW-6060

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
6	0.08	14	0.42	70	10.00
8	0.14	15	0.48	90	17.00
10	0.21	20	0.85		
12	0.31	25	1.33		

ROUND BARS


ROUND BARS EN AW-6082

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
10	0.21	75	11.93	230	112.00
12	0.31	80	14.00	240	122.00
13	0.36	82	14.00	250	133.00
15	0.48	85	15.00	260	143.00
16	0.54	90	17.00	270	155.00
18	0.69	95	19.00	280	166.00
20	0.85	100	21.00	300	191.00
22	1.00	105	23.00	305	197.00
25	1.33	108	25.00	310	204.00
28	1.66	110	26.00	320	217.00
29	1.78	115	28.00	330	231.00
30	1.91	120	31.00	340	245.00
32	2.17	125	33.00	350	260.00
33	2.31	130	36.00	360	275.00
34	2.45	140	42.00	380	306.00
35	2.60	150	48.00	390	323.00
38	3.00	155	51.00	400	339.00
40	3.39	160	54.00	420	374.00
42	3.74	165	58.00	450	429.00
45	4.29	170	61.00	471	470.00
50	5.30	175	65.00	500	530.00
55	6.41	180	69.00	510	552.00
56	6.65	190	77.00	530	596.00
60	7.63	200	85.00	610	789.00
65	8.96	210	94.00		
70	10.00	220	103.00		

ROUND BARS EN AW-7075

Diameter	Weight (kg)	Diameter	Weight (kg)	Diameter	Weight (kg)
8	0.14	65	9.00	210	97.00
10	0.22	70	10.81	220	107.00
12	0.32	75	12.00	230	117.00
13	0.37	80	14.00	240	127.00
15	0.50	85	15.95	250	138.00
16	0.56	90	18.00	260	149.00
17	0.64	95	20.00	270	161.00
18	0.72	100	22.00	280	173.00
20	0.88	105	24.00	290	186.00
22	1.07	110	27.00	300	199.00
25	1.38	115	29.00	310	212.00
26	1.49	120	32.00	320	226.00
30	1.99	125	34.00	330	240.00
32	2.26	130	37.00	340	255.00
35	2.70	140	43.00	350	270.00
40	3.53	150	50.00	360	286.00
42	3.89	160	56.00	370	302.00
45	4.47	165	60.00	380	319.00
50	5.52	170	64.00	400	353.00
52	5.97	180	72.00	410	371.00
55	6.68	190	80.00	450	447.00
60	7.95	200	88.00	480	508.00





Flat Bars

WE STOCK A WIDE RANGE OF FLAT PROFILES AND OFFER A HUGE RANGE OF DIFFERENT SIZES. IF YOU REQUEST OTHER DIMENSIONS THAN THE ONCE INTRODUCED - YOU ARE WELCOME TO CONTACT US.

FLAT BARS

FLAT BARS EN AW-6101A

Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)
12 x 5	0.16	50 x 5	0.68	120 x 10	3.24
20 x 10	0.54	60 x 5	0.81	150 x 10	4.00
30 x 10	0.81	80 x 10	2.16	160 x 10	4.32
40 x 10	1.08	100 x 10	2.70	200 x 10	5.40

FLAT BARS EN AW-2007

Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)
15 x 10	0.43	45 x 35	4.49	90 x 30	7.70
20 x 15	0.86	50 x 6	0.86	100 x 12	3.42
25 x 20	1.42	55 x 30	4.70	120 x 60	21.00
30 x 20	1.71	60 x 5	0.86	130 x 90	33.00
35 x 20	2.00	70 x 12	2.39	150 x 10	4.28
40 x 8	0.91	80 x 12	2.74	200 x 20	11.00


FLAT BARS EN AW-6082

Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)
15 x 10	0.40	60 x 5	0.81	125 x 10	3.38
20 x 10	0.54	70 x 10	1.89	140 x 10	3.78
25 x 10	0.68	75 x 6	1.22	150 x 10	4.00
30 x 5	0.40	80 x 8	1.73	160 x 15	6.48
35 x 10	0.94	85 x 30	6.88	165 x 65	29.00
40 x 5	0.54	90 x 10	2.43	180 x 15	7.00
45 x 20	2.43	100 x 8	2.16	200 x 10	5.40
50 x 5	0.68	120 x 10	3.24	220 x 30	18.00

FLAT BARS EN AW-6060

Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)
10 x 2	0.05	35 x 3	0.28	80 x 3	0.65
12 x 4	0.13	40 x 2	0.22	90 x 5	1.22
15 x 2	0.08	45 x 3	0.36	100 x 3	0.81
20 x 2	0.11	50 x 2	0.27	120 x 5	1.62
25 x 2	0.14	60 x 2	0.32	150 x 5	2.00
30 x 2	0.16	70 x 5	0.94		





Flat Bars

WE STOCK A WIDE RANGE OF FLAT PROFILES AND OFFER A HUGE RANGE OF DIFFERENT SIZES. IF YOU REQUEST OTHER DIMENSIONS THAN THE ONCE INTRODUCED - YOU ARE WELCOME TO CONTACT US.

FLAT BARS

FLAT BARS EN AW-7075

Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)
15 x 10	0.42	45 x 30	3.79	90 x 60	15.00
20 x 10	0.56	50 x 30	4.22	100 x 40	11.00
30 x 10	0.84	60 x 30	5.00	120 x 60	20.00
35 x 20	1.97	70 x 60	11.80	150 x 100	42.00
40 x 25	2.81	80 x 60	13.00		

FLAT BARS EN AW-6026 LF

Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)	Width x Thickness (mm)	Weight (kg)
160 x 50	22.00				





Square Bars

WE HAVE A PROFOUND STOCK RANGE OF SQUARE BARS, AND MAINLY WE OFFER THEM IN 2000 AND 6000 ALLOYS. ESSENTIALLY, THEY EXIST IN ALL SIZES FROM 8 MM AND UP TO 200 MM AND OFTEN IN LENGTHS OF 3000 MM AND 6000 MM. IF YOU REQUEST OTHER DIMENSIONS OR ALLOY TYPES THAN THE ONCE INTRODUCED - YOU ARE WELCOME TO CONTACT US.

SQUARE BARS

SQUARE BARS EN AW-2007

Width	Weight (kg)	Width	Weight (kg)	Width	Weight (kg)
10	0.28	50	7.00	105	31.00
12	0.41	55	8.62	110	34.00
15	0.64	60	10.00	115	38.00
20	1.14	65	12.00	120	41.00
22	1.38	70	13.96	130	48.00
25	1.78	75	16.00	140	56.00
30	2.56	80	18.00	150	64.00
35	3.49	85	21.00	160	73.00
36	3.69	90	23.00	180	92.00
40	4.56	95	26.00	190	103.00
45	5.77	100	28.00	200	114.00

SQUARE BARS EN AW-2011

Width	Weight (kg)	Width	Weight (kg)	Width	Weight (kg)
10	0.28	35	3.48	80	18.00
15	0.64	40	4.54	90	23.00
20	1.14	50	7.00	100	28.00
25	1.78	60	10.00		
30	2.56	70	13.92		

SQUARE BARS EN AW-6026

Width	Weight (kg)	Width	Weight (kg)	Width	Weight (kg)
20	1.09	50	6.80	100	27.00
30	2.45	60	9.79	140	53.00
35	3.33	70	13.00		
40	4.35	90	22.00		

SQUARE BARS EN AW-6026 LF

Width	Weight (kg)	Width	Weight (kg)	Width	Weight (kg)
20	1.09	70	13.00	110	33.00
30	2.45	75	15.00	150	61.00
40	4.35	80	17.00	200	109.00
50	6.80	90	22.00		
60	9.79	100	27.00		

SQUARE BARS EN AW-6060

Width	Weight (kg)	Width	Weight (kg)	Width	Weight (kg)
8	0.17	15	0.61	25	1.69
12	0.39	20	1.08		



SQUARE BARS EN AW-6082

SQUARE BARS EN AW-6082

Width	Weight (kg)	Width	Weight (kg)	Width	Weight (kg)
10	0.27	60	9.72	130	46.00
12	0.39	65	11.00	135	49.00
15	0.61	70	13.00	140	53.00
20	1.08	75	15.00	150	61.00
25	1.69	80	17.00	160	69.00
30	2.43	85	20.00	165	74.00
32	2.76	90	22.00	170	78.00
35	3.31	95	24.00	180	87.00
40	4.32	100	27.00	200	108.00
45	5.47	110	33.00	220	131.00
50	6.75	120	39.00		
55	8.00	125	42.00		



