



Aluminium Mudguards Made in Belgium








Single axle

Width 460, 650 & 690 mm






ALUMINIUM 5 BAR CHECKERPLATE 2.5/4



CODE HEGGE	WIDTH	SPAN	SHEET LENGTH
	W	S	L
ALQ 46130	460	1300	2180
ALQ 65128	650	1280	2180
ALQ 65130	650	1300	2180
ALQ 65135	650	1350	2180
ALQ 69130	690	1300	2180

All sizes are in mm





L = SHEET LENGTH
S = SPAN
W = WIDTH


HOLDERS, MUD FLAPS AND OTHER OPTIONS AVAILABLE ON DEMAND.




Double axle

Width 460, 650 & 690 mm






ALUMINIUM 5 BAR CHECKERPLATE 2.5/4



CODE HEGGE	WIDTH	SPAN	SHEET LENGTH
	W	S	L
ALQ 46270	460	2700	3510
ALQ 65265	650	2650	3510
ALQ 65270	650	2700	3510
ALQ 65275	650	2750	3510
ALQ 69265	690	2650	3570
ALQ 69270	690	2700	3570

All sizes are in mm





L = SHEET LENGTH
S = SPAN
W = WIDTH

HOLDERS, MUD FLAPS AND OTHER OPTIONS AVAILABLE ON DEMAND.




Long versions






ALUMINIUM 5 BAR CHECKERPLATE 2.5/4



CODE HEGGE	WIDTH	SPAN	SHEET LENGTH
	W	S	L
ALQ 46410	460	4100	4900
ALQ 65410	650	4100	4900

Any desired length available on request in width 460, 650 and 690 mm.



L = SHEET LENGTH
S = SPAN
W = WIDTH

HOLDERS, MUD FLAPS AND OTHER OPTIONS AVAILABLE ON DEMAND.



Specials


Mudguards for 3-sided tipper






Specials

Agricultural applications



Round-angled versions in various radii and widths available on demand





Specials & options



Specials & Options

side profile





Many traffic accidents are caused by poor visibility and misjudgment of distance, speed and size of the vehicle. To limit this, it is a legal requirement in Europe to provide trucks from 7.5 tons and trailers from 3.5 tons with contour marking with retro-reflective tape.

Aluwing has developed a new profile for this that is mounted on the aluminum mudguard. This profile can be supplied attached to the mudguard, including ECE 104 approved reflective tape, or the profile can be supplied separately and can be retrofitted.



Specials

Angled versions





Bosstraat 131
B-3930 Hamont-Achel • België

Tel: +32 11 660 620
Fax: +32 11 660 629

info@aluwing.eu
www.aluwing.eu

