




NOVA NEW PARQUET TECHNOLOGY



ESTA
PARKET

2025/2026 v.1.0

CONTENTS

Why NOVA	3
Technical characteristics	4
1-Strip NOVA	6
Herringbone NOVA	10
Chevron NOVA	14
How to restore your NOVA floor	17
Sustainability	18
Certificates	19



WHY NOVA

A SMARTER CHOICE FOR MODERN LIVING

Nova goes beyond traditional flooring solutions by merging cutting-edge craftsmanship with an eco-conscious design. Nova offers a sleek and natural appeal with its carefully selected oak and walnut surfaces. The precision-engineered structure enhances dimensional stability, making it an excellent choice for a variety of climates and installation conditions.

INNOVATIVE NANO-BEVEL

The Nova collection features a specially developed nano-bevel that does not collect dirt or dust. This makes the flooring easier to install and highlights the beautiful width of each plank. The bevel is included in every design unless otherwise specified.

ELITE GRADING

Clean Elite grading with hardly any repaired knots.

FULLY RECYCLABLE

Sustainably designed for a full recycling cycle, reducing waste and environmental impact.

100% NATURAL WOOD

Crafted entirely from natural wood, bringing the essence of nature to your space.

EASY TO RENEW

Can be refinished using Bona polish technology

BRILLIANT INVESTMENT

High-quality, premium floors at the price of standard rustic flooring



TECHNICAL CHARACTERISTICS



Nova, 13 mm thick with 3 mm top layer / 8,5 mm middle layer/ 1,5 mm birch back layer
Top: Solid European Oak / Middle layer: Spruce / Base: Birch Veneer

100% WOOD CONSTRUCTION



1 Strip Oak Elite grade
0.5 mm
3 Strip Ash hardwood
2.5 mm
Spruce strips
8.5 mm
Birch veneer
1.5 mm

HERRINGBONE



Board dimension: 13x120x725 mm
1 pack = 24 boards = 2.09 m²
1 pallet = 50 packs = 104.4 m² = 845 kg
Pallet size L 1500 mm x W 1250 mm x H 950 mm

CHEVRON




Board dimension: 13x120x675 mm
1 pack = 24 boards = 1,95 m²
1 pallet = 50 packs = 97,2 m² = 790 kg
Pallet size: P 1500 mm x L 1250 mm x K 950 mm


1-STRIP



Board dimension: 13x202x2200 mm
1 pack = 6 boards = 2,67m²
1 pallet = 50 packs = 133 m² = 1080 kg
Pallet size: P 2250 mm x L 1050 mm x K 950 mm



CHEVRON



HERRINGBONE



1-STRIP

OAK



WALNUT



1 STRIP NOVA



#16504 OAK ELITE NOVA LAVA GREY

Thickness: 13 Length: 2200 Width: 202

Extra Matt Lacquered Gloss 5%



#16056
OAK ELITE NOVA ECO LATTE

Thickness: 13 Length: 2200 Width: 202
Extra Matt Lacquered Gloss 5%



#16043
OAK ELITE NOVA ECO PEARL

Thickness: 13 Length: 2200 Width: 202
Extra Matt Lacquered Gloss 5%



#16045
OAK ELITE NOVA ECO DAZY

Thickness: 13 Length: 2200 Width: 202
Extra Matt Lacquered Gloss 5%



#16040
OAK ELITE NOVA ECO SANDSTONE

Thickness: 13 Length: 2200 Width: 202
Extra Matt Lacquered Gloss 5%





#16044
OAK ELITE NOVA ECO HAVANA

Thickness: 13 Length: 2200 Width: 202
Extra Matt Lacquered Gloss 5%



#16041
OAK ELITE NOVA ECO STAVANGER

Thickness: 13 Length: 2200 Width: 202
Extra Matt Lacquered Gloss 5%



#31065
WALNUT CITY NOVA


Thickness: 19 Length: 2200 Width: 202
Extra Matt Lacquered Gloss 5%
NO BEVEL



#31066
WALNUT ELITE NOVA ECO


Thickness: 13 Length: 2200 Width: 202
Extra Matt Lacquered Gloss 10-15%





#16052 OAK ELITE NOVA ECO PURE LINE

Thickness: 13 Length: 2200 Width: 202
Extra Matt Lacquered Gloss 5%, NB



#16038 OAK ELITE NOVA ECO

Thickness: 13 Length: 2200 Width: 202
Extra Matt Lacquered Gloss 5%



#16039 OAK ELITE NOVA ECO PURE LINE

Thickness: 13 Length: 2200 Width: 202
Extra Matt Lacquered Gloss 5%




HERRINGBONE NOVA




#14508 OAK ELITE NOVA ECO DAZY

Thickness: 13 Length: 725 Width: 120
Extra Matt Lacquered Gloss 5%




#14069 OAK ELITE NOVA ECO LATTE

Thickness: 13 Length: 725 Width: 120
Extra Matt Lacquered Gloss 5%




#14506 OAK ELITE NOVA ECO PEARL

Thickness: 13 Length: 725 Width: 120
Extra Matt Lacquered Gloss 5%




#14502 OAK ELITE NOVA ECO PURE LINE

Thickness: 13 Length: 725 Width: 120
Extra Matt Lacquered Gloss 5%




#14503 OAK ELITE NOVA SANDSTONE

Thickness: 13 Length: 725 Width: 120
Extra Matt Lacquered Gloss 5%



#14507 OAK ELITE NOVA ECO HAVANA

Thickness: 13 Length: 725 Width: 120
Extra Matt Lacquered Gloss 5%



#14504 OAK ELITE NOVA ECO STAVANGER

Thickness: 13 Length: 725 Width: 120
Extra Matt Lacquered Gloss 5%



#14081 OAK ELITE NOVA ECO LAVA GREY

Thickness: 13 Length: 725 Width: 120
Extra Matt Lacquered Gloss 5%



#34025 WALNUT AB NOVA ECO

Thickness: 13 Length: 725 Width: 120
Extra Matt Lacquered Gloss 10-15%



#14501 OAK ELITE NOVA

Thickness: 13 Length: 725 Width: 120
Extra Matt Lacquered Gloss 5%




CHEVRON NOVA



#15519 OAK ELITE NOVA LAVA GREY

Thickness: 13 Length: 675 Width: 120
Extra Matt Lacquered Gloss 5%




#15506 OAK ELITE NOVA ELITE PEARL

Thickness: 13 Length: 675 Width: 120
Extra Matt Lacquered Gloss 5%



#15502 OAK ELITE NOVA PURE LINE

Thickness: 13 Length: 675 Width: 120
Extra Matt Lacquered Gloss 5%



#15501 OAK ELITE NOVA

Thickness: 13 Length: 675 Width: 120
Extra Matt Lacquered Gloss 5%




#15503 OAK ELITE NOVA SANDSTONE

Thickness: 13 Length: 675 Width: 120
Extra Matt Lacquered Gloss 5%



#15504 OAK ELITE NOVA STAVANGER

Thickness: 13 Length: 675 Width: 120
Extra Matt Lacquered Gloss 5%



#35006 WALNUT AB NOVA ECO

Thickness: 13 Length: 675 Width: 120
Extra Matt Lacquered Gloss 10-15%



#15508 OAK ELITE NOVA DAZY

Thickness: 13 Length: 675 Width: 120
Extra Matt Lacquered Gloss 5%



#15507 OAK ELITE NOVA HAVANA

Thickness: 13 Length: 675 Width: 120
Extra Matt Lacquered Gloss 5%

NOVA floors are designed to last, and with the right care, they can look as good as new. Small scratches are easy to handle - no need for sanding. Using Bona products, you can quickly polish and refresh the floor's surface, preserving its original color and finish.



HOW TO RESTORE AND MAINTAIN YOUR NOVA FLOOR



5 EASY STEPS TO RENEW YOUR NOVA FLOOR:

- Clean the floor surface to remove dust and dirt
- Gently mix the polish by moving it back and forth for 30 seconds
- Apply Bona Polish using Bona Microfiber Applicator Pad
- Work with the small sections to keep applicator wet
- Allow floor to dry for one hour before resuming foot traffic



SAVE TIME AND MONEY

Avoid the hassle and cost of sanding. Simply polish the surface to restore the floor.



MAINTAINS ORIGINAL COLOR

Keeps the floor's natural color and appearance without altering its look.



QUICK AND EASY TO APPLY

No professional skills needed. Just follow a few simple steps.

Scan the QR code to watch the **video tutorial**.



SUSTAINABILITY

At Esta Parquet, we believe that a beautiful home starts with a beautiful planet. Sustainability isn't just a trend for us — it's a commitment we've upheld for over 35 years.

RESPONSIBLY SOURCED MATERIALS

We carefully select raw materials from sustainably managed forests, where every harvested tree is replaced, ensuring the health and longevity of the ecosystem. By partnering with certified suppliers, we guarantee that our wood meets the highest environmental standards.

ZERO WASTE PHILOSOPHY

Every part of the tree matters. Our production processes are optimized to minimize waste, transforming leftover wood into biofuel or other useful materials. Nothing goes to waste — because nature deserves our respect.

LOW-IMPACT PRODUCTION

Innovation drives our efforts to reduce carbon emissions and energy consumption. We use eco-friendly adhesives, low-VOC finishes, and cutting-edge manufacturing technology to ensure that your floors are not only stunning but also safe for your home and the environment.

TIMELESS, SUSTAINABLE DESIGN

Our parquet is built to last for generations. By creating durable, high-quality floors, we reduce the need for replacements, saving resources and reducing environmental impact.



CERTIFICATES



The Real Wood logo is exclusively managed by authorized manufacturers who are members of the European Federation of the Parquet Industry (FEP). Choosing real wood supports ecological sustainability.



M1 certification guarantees that emissions from Esta Parket are as slow, as they are found in the trees in Nature, making Esta Parket floor perfectly safe for your home.



The FSC® (Forest Stewardship Council®) certification ensures that wood products come from responsibly managed forests that provide environmental, social, and economic benefits.



The FEP certification is issued by the European Federation of the Parquet Industry, ensuring compliance with the highest standards in parquet production. The FEP certification represents reliability, craftsmanship, and a commitment to ecological responsibility.



The Bona High Durability Finishes certification confirms that Technomar & Adrem Ltd. meets the highest standards for adhesion, chemical resistance, impact resistance, abrasion resistance, and scratch resistance. This ensures durable and long-lasting performance of the finishes.



The SCS certification confirms that Technomar & Adrem AS meets standards for sustainable production and distribution of FSC Mix and FSC Controlled Wood, reflecting a commitment to responsible forestry and environmental care.



The ISO 9001 certification represents a global standard for quality management systems, demonstrating a company's commitment to delivering consistently high-quality products and services. For Esta Parket, this certification underscores our dedication to excellence at every stage of production, from sourcing premium materials to crafting flooring that meets the most rigorous standards.



ESTA PARKET

Natural beauty. Timeless comfort.

Manufactured by Technomar & Adrem AS, Estonia
Bringing innovative parquet solutions since 1991

Vana-Narva mnt 22, 74114
Maardu, Estonia
Tel. +372 603 4865
+372 603 4896
www.estaparket.eu
info@estaparket.eu



**ESTA
PARKET**