



TOOLS & EQUIPMENT CATALOGUE



WIHA 2 PIECE PLIER SET 220MM LINEMAN'S PLIERS & 200MM SIDE CUTTERS

- Premium C70 tempered steel for strength and durability
- Cuts and strips soft and hard wires with ease
- DynamicJoint® design reduces cutting effort and hand fatigue
- Chromed finish for corrosion resistance
- Non-slip ergonomic grip for secure handling
- Individually tested at 10,000 V AC and approved for 1,000 V AC.



• \$99



PART NO.	DESCRIPTION
WH-41926	2 PIECE PLIER SET, 41250 220MM LINEMAN'S PLIERS & 26754 200MM SIDE CUTTERS, VDE 1000V INSULATED

TENG TOOLS 1/2" DRIVE TORQUE WRENCH & BREAKER BAR SET

- Premium set including 1/2" drive torque wrench (TE-1292AG-EP) & 1/2" drive breaker bar (TE-1201)
- Unique TT Tray storage fits perfectly into tool chest
- Adjustable torque range 40–210 Nm with click-release and angular gauge for accuracy
- Dual Nm / ft-lb scales, locking setting, and reversible 24-tooth ratchet
- Heavy-duty chrome vanadium breaker bar with secure ball-detent and ergonomic grip



• \$199



PART NO.	CONTENTS
TE-TTX2493	TE-1292AG-EP & TE-1201

NEW

M7 ULTRA COMPACT AIR NEEDLE SCALER

- Low Vibration, just 1.5 m/s²
- Compact & Ultra-Lightweight, 250mm length & Weighs only 0.65 kg
- Fast & Efficient Surface Cleaning delivers 6,000 impacts per minute
- 12 x 2.0 mm hardened needles



• \$319



PART NO.	NEEDLE SIZE	OVERALL LENGTH
M7-SN1350	2mm x 100mm (12 per set)	250mm

NEW

ITM 12.5KVA CONSTRUCTION SERIES PETROL GENERATOR

- Max Watts: 10,000W
- Rated Watts: 9,000W
- 1 x 15A & 1 x 32A Outlets
- Powerful 4 Stroke OHV Engine
- IP66 rated power outlets
- RCD for enhanced electrical safety
- Digital Multimeter display
- Electric start with remote
- Noise @ 7m full load: 80 dB
- 10 Hours Running Time 50% Load
- Complete with handle & wheel kit



• \$3499



PART NO.	KVA RATING	MAX. WATTS	RATED WATTS	ENGINE HP	IP66 OUTLETS
TM520-10000	12.5 KVA	10,000W	9000W	18HP	1 x 15A & 1 x 32A

OUR LEADING BRANDS:



NOW AVAILABLE

WIHA TOOLS



WIHA 2 PIECE PLIER SET 220MM LINEMAN'S PLIERS & 200MM SIDE CUTTERS

- High quality C 70 tool steel, tempered.
- Universal cutter for cutting soft and hard wires and cables, also suitable for cutting and stripping cables.
- Durable thanks to high quality, chromed plier surface to prevent corrosion.
- Special DynamicJoint® design reduces effort required for cutting.
- A secure, non-slip grip in all standard work situations.
- Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.



\$99



PART NO.	DESCRIPTION
WH-41926	2 PIECE PLIER SET, 41250 220MM LINEMAN'S PLIERS & 26754 200MM SIDE CUTTERS, VDE 1000V INSULATED

WIHA 220MM LINEMAN'S PLIERS VDE 1000V INSULATED

- Australian designed electrician's combination plier
- 220mm, 9" Overall Length
- Rated to 1000V
- Cross hacked jaw, providing a non slip surface when twisting cables.
- The handles have been designed to offer a high level of comfort when pulling, stripping and twisting cables.
- Narrow plier head, for those confined working spaces.
- Built in crimper for crimping lugs and links with the one tool.



\$75



PART NO.	DESCRIPTION
WH-41250	220MM INDUSTRIAL ELECTRICIANS LINEMAN'S PLIERS, VDE 1000V INSULATED

WIHA 200MM NEEDLE NOSE PLIERS STRAIGHT, VDE 1000V INSULATED

- For all fitting, gripping and adjustment tasks, as well as cutting to length of live parts up to 1,000 V AC
- Cutting, bending, gripping – also in difficult-to-access spots
- Kind to hands and muscles



\$75



PART NO.	DESCRIPTION
WH-40829	200MM NEEDLE NOSE PLIERS, PROFESSIONAL ELECTRICIANS, STRAIGHT, VDE 1000V INSULATED

WIHA 200MM HEAVY-DUTY BICUT SWITCHABLE DIAGONAL SIDE CUTTERS, VDE 1000V INSULATED

- Power-assisted all-round diagonal cutter
- Suitable for cutting different materials, ranging from soft to extremely hard, such as cables, nails, screws, bolts, wire rope, spring wire and chains.
- Offers you full protection, individually tested at 10,000 V AC and approved for 1,000 V AC



\$125



PART NO.	DESCRIPTION
WH-38984	200MM HEAVY-DUTY BICUT SWITCHABLE DIAGONAL SIDE CUTTERS, VDE 1000V INSULATED

WIHA END CUT NIPPER

- German Designed
- Heat Treated to 64 HRC to offer a Long Life Cutter Jaw.
- An integrated Reinforced Rivet for those tough environments.
- Vinyl dipped non-slip handles to provide grip in wet conditions.
- Made from C70 Tool Steel
- Cutting Edge Heat Treated to 64HRC
- Non-Slip Vinyl Dipped Handles



FROM \$47



PART NO.	DESCRIPTION	PRICE
WH-43568	200MM END CUT NIPPER	\$47.00
WH-43569	280MM END CUT NIPPER	\$55.00

WIHA L-KEY SET ERGOSTAR HEXAGONAL BALL END MAGICRING, 9-PCS

- MagicRing® holding feature (from size 3) with its spring steel ring, holds all standard hex screws firmly in any position perfectly without any magnets
- Ideal for tightening or loosening all hex screws in hard-to-reach places, removing standard countersunk screws and inserting and screwing into horizontal, inclined or deep tapped blind holes.
- The hexagonal ball end allows effortless screwing at an angle of up to 25°
- Includes: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0 and 10mm hex keys




FROM \$79

PART NO.	DESCRIPTION	PRICE
WH-43851	L-KEY SET ERGOSTAR HEXAGONAL BALL END MAGICRING, 9-PCS.	\$79.00
WH-43850	L-KEY SET ERGOSTAR HEXAGONAL BALL MAGICRING 9-PCS. FLOURESCENT COLOUR	\$135.00

WIHA 6 PIECE SCREWDRIVER SET SLOTTED & PHILLIPS VDE 1000V INSULATED

- Slotted 3mm, 4mm, 5.5mm & 6.5mm
- Phillips PH1 & PH2
- Ergonomically shaped SoftFinish® handle is designed to maximise hand-force transmission, improving control and reducing user fatigue.
- Safe operation up to 1,000 V AC



\$95

PART NO.	DESCRIPTION
WH-00833	6 PIECE SCREWDRIVER SET, SLOTTED & PHILLIPS, SOFTFINISH,

WIHA 4 PIECE FINE SCREWDRIVER SET VDE 1000V INSULATED

- Ideal for delicate and high-precision tasks in the electrical sector as well as for hobbyists and model building
- Ergonomic handle design with a soft zone
- Smooth-running rotating cap
- Printed screwdriver symbols on the rotating cap
- Filigree fastening work
- Permits quick rotation thanks to the rotating cap
- Safe operation up to 1,000 V AC



\$69

PART NO.	DESCRIPTION
WH-44847	4 PIECE FINE SCREWDRIVER SET, PICOFINISH, SLOTTED & PHILLIPS

WIHA LIFTUP SCREWDRIVER, 6-BITS VDE 1000V INSULATED

- Clearly arranged and easy to remove
- SlimBits allow access to low-lying screws thanks to inserted insulation
- Expandable and compatible with EVF products
- Safe operation up to 1,000 V AC



\$135

PART NO.	DESCRIPTION
WH-38612	SCREWDRIVER WITH BIT MAGAZINE LIFTUP ELECTRIC, SLOTTED, PHILLIPS WITH 6 SLIMBITS
WH-38613	SCREWDRIVER WITH BIT MAGAZINE LIFTUP ELECTRIC, PHILLIPS, POZIDRIV, SLOTTED WITH 6 SLIMBITS

WIHA 14 PIECE TORQUE SCREWDRIVER SET VDE 1000V INSULATED

- Variably adjustable torque from 0.8 - 5.0 Nm
- Audible and tactile click signal when preset torque is reached protecting against damage to materials
- SlimBits allow access to low-lying screws
- Safe operation up to 1,000 V AC



\$449

PART NO.	DESCRIPTION
WH-40674	14 PIECE TORQUE SCREWDRIVER SET, 0.8 TO 5.0NM TORQUE RANGE, INC. FOLDING BAG

WIHA SLIMFIX SCREWDRIVER SET VDE 1000V INSULATED

- SlimFix shaft design with inserted insulation allows access to low-lying screws & protects the insulation from being damaged and worn.
- Ergonomic SoftFinish® handle ensures optimal transmission of hand force
- Safe operation up to 1,000 V AC



FROM **\$112**

PART NO.	DESCRIPTION	PRICE
WH-35389	6 PIECE SLIMFIX SCREWDRIVER SET SLOTTED 3, 4, 5.5, 6.5MM, PHILLIPS PH1 & PH2	\$112.00
WH-41003	12 PIECE SLIMFIX SCREWDRIVER SET SLOTTED, PHILLIPS, POZIDRIVE, TORX	\$179.00

WIHA POCKETMAX® SCREWDRIVER WITH 4-BIT MAGAZINE VDE 1000V INSULATED

- Bits cartridge is magnetically attached. Simply pull to open
- Fits easily in your pocket
- SlimBits allow access to low-lying screws thanks to inserted insulation
- Safe operation up to 1,000 V AC
- Expandable and compatible with EVF products



\$99

PART NO.	DESCRIPTION
WH-45296	SCREWDRIVER WITH BIT MAGAZINE POCKETMAX® ELECTRIC MIXED WITH 4 SLIMBITS

WIHA 5 PIECE TORQUE ADAPTER SET VDE 1000V INSULATED

- Torque adapter for 0,8 / 2,0 / 2,5 / 2,8 / 4,0 Nm
- Audible and tactile feedback alerts the user at activation, helping prevent material damage and rework.
- Safe operation up to 1,000 V AC
- Expandable and compatible with EVF products



\$379

PART NO.	DESCRIPTION
WH-41479	5 PIECE EASYTORQUE ADAPTER SET, FOR SLIMBITS AND SLIMVARIO HOLDER

WIHA 32 PIECE MIXED MULTI FUNCTIONAL SET VDE 1000V INSULATED

- SlimBits allow access to low-lying screws thanks to inserted insulation
- Expandable and compatible with EVF products
- Safe operation up to 1,000 V AC
- Convenient bag with workbench stand function



\$499

PART NO.	DESCRIPTION
WH-43465	TOOL SET SLIMVARIO® ELECTRIC MIXED, 32 PCS. INCLUDING MULTIFUNCTIONAL BAG

TENG TOOLS GROOVE JOINT PLIERS

- Serrated jaws for a more secure grip
- Non slip groove joints for use with higher force
- Chrome vanadium with a polished head
- Vinyl grip for easier use in pockets or tool pouches



PART NO.	LENGTH	JAW OPENING	JAW DEPTH	PRICE
TE-MB410	250mm	45mm	35mm	\$54.00
TE-MB412	300mm	60mm	45mm	\$72.00
TE-MB416	400mm	90mm	60mm	\$109.00

FROM
\$54

TENG TOOLS 9PCE 3/8" DRIVE TX BIT SOCKET SET 10-50

- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Designed for use with TX fastenings
- Supplied with a clip rail with socket clips for easy storage as a set
- Drive: 3/8"
- Socket Type: BitSocket
- Type Of Set: ClipRail



PART NO.	DESCRIPTION
TE-M3813TX	3/8" Drive TX Bit Socket Clip Rail Set 9 Pieces

\$79

1/2" HEAVY DUTY IMPACT DRIVER SET

- Reversible action heavy duty impact driver for shifting stubborn fastenings
- 1/2" drive square drive for use with impact sockets and accessories
- Removable bit holder included for use with 5/16" hexagon drive impact bits
- Set includes 12 impact bits covering the most popular screw head sizes and types
- Supplied in a handy storage case



PART NO.	DESCRIPTION
TE-ID515	15 Pce 1/2" Dr. H/Duty Impact Driver Set

NORMALLY \$60
NOW \$49

METRIC BALL END HEX KEY SET

- Ball point end on the long key end giving access at angles of up to 25°
- Ideal for use in confined spaces
- Regular hex end on the short arm giving the ability to apply higher torque
- Chrome vanadium steel with a black finish
- Supplied with a folding plastic holder to keep the keys together



PART NO.	DESCRIPTION
TE-1479MM	7 Pce Metric Ball End Hex Key Set 1.5mm to 10mm

NORMALLY \$42
NOW \$35

39 Pieces 3/8" MECCA PRO SOCKET SET

- 3/8" FRP Soft Grip Ratchet - 45 Teeth
- 75mm Wobble extension bar
- 150mm Extension bar
- Universal joint & 1/2"F to 3/8"M Adaptor
- Bit adaptor hex bit coupler
- 6pt Sockets 8mm to 22mm
- 6pt Deep Sockets 8mm to 19mm
- Flat Bits 4mm, 5.5mm
- PH Bits PH1, PH2
- PZ Bits PZ1, PZ2
- TX Bits TX10, TX15, TX20
- HEX Bits 5mm, 6mm



NORMALLY \$209
NOW \$155

PART NO.	PIECES	DRIVE
TE-T3839	39	3/8"

68 Pieces 1/2" MECCA PRO TOOL SET

- 1/2" FRP Soft Grip Ratchet - 45 Teeth
- 63.5mm & 150mm Extensions bar
- Universal joint & 3/8"F to 1/2"M Adaptor
- 12pt Sockets 10mm to 32mm
- 160mm Side cutting pliers
- 185mm Combination pliers
- 160mm Long nose pliers
- 240mm Water pump pliers
- 3x Flat & 3x PH Screwdrivers
- Combo Spanners 8 to 19mm
- 1/4" Hex Bits - Flat PH, PZ, Hex, TX, TPX, SQ



NORMALLY \$599
NOW \$449

PART NO.	PIECES	DRIVE
TE-T1268	68	1/2"

127 Pieces 1/4" 3/8" 1/2" TOOL SET

- 1/4" & 3/8" FRP Soft Grip Ratchet - 45 Teeth
- 1/4" Ratcheting Bits Driver Set
- 6x Extensions bars & 9x Adaptors & Joints
- 6pt 1/4" Sockets 4 to 13mm
- 6pt 1/4" Deep Sockets 6 to 13mm
- 6pt 1/4" Imperial Sockets 3/16" to 1/2"
- 6pt 3/8" Sockets 8 to 22mm
- 6pt 3/8" Imperial Sockets 5/16" to 7/8"
- 3/8" Spark plug sockets 16 & 21mm
- 12pt 1/2" Sockets 19mm to 32mm
- Adjustable Wrench Wide Jaw 250mm
- Combination Spanners 8mm to 19mm
- 1/4" Drive Bits - Flat PH, PZ, Hex & TX



NORMALLY \$549
NOW \$399

PART NO.	PIECES	DRIVE
TE-TM127	127	1/4", 3/8" & 1/2"

105 Pieces 1/2" HEAVY DUTY TOOL SET

- 1/2" Dr sockets 8-32mm, Inhex 5-19mm
- 1/2" Dr ratchet, 17" breaker bar, 5" extrn bar
- Combination spanners 8-32mm
- Side cutting, combo & 10" water pump pliers
- Blade type & ratcheting screwdriver
- 29 pce 1/4" Drive Bits Set with mini ratchet including Flat, PH, PZ, Hex, TX, TPX, SQ
- Hex keys 1.5-10mm
- Ball pein hammer 24 Oz
- Shifters 6" & 12"
- 125° hook, Telescopic pick-up tool



NORMALLY \$899
NOW \$690

PART NO.	PIECES	DRIVE
TE-THDV105	105	1/2"

TENG TOOLS TORQUE WRENCHES

FROM

\$129

- Equipped with an in-built angular gauge for easier after tightening
- Click type mechanism to signal when the required torque is reached
- Additional ft/lb reference scale
- Marked to show the correct place where pressure should be applied
- Twist locking facility to ensure the set torque is maintained



PART NO.	DRIVE	RANGE	PRICE
TE-1492AG-E	1/4"	5-25 Nm / 4-18 ft-lb	\$129.00
TE-3892AG-E3	3/8"	20-110 Nm / 15-81 ft-lb	\$159.00
TE-1292AG-EP	1/2"	40-210 Nm / 30-150 ft-lb	\$179.00
TE-1292AG-E4	1/2"	70-350 Nm / 50-250 ft-lb	\$289.00

TENG TOOLS 7 PIECE T-HANDLE BALL POINT HEX KEY SET

\$125

- Ball point end on the long key end giving access at angles of up to 25°
- Regular hex end on the short arm giving the ability to apply higher torque
- Tools are held in place using three colour pre-cut high-density EVA foam
- Organised in a foam inlay module size 2 (FOAM2)



PART NO.	CONTENTS
TE-TEDHEX7	7 Pce T-Handle Hex Drivers 2.5mm to 8mm

TENG TOOLS 4 PIECE ADJUSTABLE WRENCH SET

\$219

- Includes regular style 6, 8 and 10" adjustable wrenches
- Also includes an 8" wide jaw adjustable wrench
- Tools are held in place using three colour pre-cut high-density EVA foam
- Designed and manufactured to DIN3117 and ISO6787
- Organised in a foam inlay module size 2 (FOAM2)



PART NO.	CONTENTS
TE-TEDADJ4	6, 8, 10" Regular Adjustable Wrenches, 8" Wide Jaw Adjustable Wrench

TENG TOOLS 4 PIECE MB 7" SNAP-RING (CIRCLIP) PLIER SET

\$135

- For use with inner and outer type circlips or snap rings
- Vinyl grip for easier use in pockets or tool pouches
- 1.8mm tip and 19 to 60mm capacity
- Chrome vanadium construction
- Return spring for easier use
- Organised in a tool tray module size 1 (TT1)



PART NO.	CONTENTS
TE-TT474-7	4 Pce 7" Snap-Ring (Circlip) Pliers, Straight/Inner, Bent/Inner, Straight/Outer, Bent/Outer

TENG TOOLS 2 PIECE 3/8" & 1/2" DRIVE TORQUE WRENCH SET

\$299

- Equipped with an in-built angular gauge for easier after tightening
- Click type mechanism to signal when the required torque is reached
- Additional ft/lb reference scale
- Marked to show the correct place where pressure should be applied
- Twist locking facility to ensure the set torque is maintained
- Reversible 24 teeth ratchet (DIN3122) giving 15° increments



PART NO.	CONTENTS
TE-TEX1238	2 Pce 3/8" and 1/2" Drive Torque Wrench Set

TENG TOOLS 11 PIECE SCREWDRIVER SET

\$155

- TT-MV PLUS steel alloy for greater strength and material flexibility
- Hanging hole in the handle for use as a T handle or with a fall protection wire
- Ergonomically designed bi-material handle
- Handles are moulded around the blade
- Tools are held in place using three colour pre-cut high-density EVA foam
- Organised in a foam inlay module size 2 (FOAM2)



PART NO.	CONTENTS
TE-TED911N	11 Pce Screwdrivers, Flat x 5, PH0, PH1, PH2 x 2, PZ1, PZ2

TENG TOOLS 5 PIECE PLIER SET

\$259

- TPR grip for a more secure and comfortable grip
- All the most commonly used pliers in one set
- Tools are held in place using three colour pre-cut high-density EVA foam clearly showing where each tool belongs
- Organised in a foam inlay module size 2 (FOAM2)



PART NO.	CONTENTS
TE-TED441-T	5" & 8" Side Cutters, 8" Combo, 8" Long Nose, 10" Water Pump

TENG TOOLS 3 PIECE ROLL/HEEL PRY BAR SET

\$159

- Includes roll/heel bars in three sizes to suit different applications
- Organised in a tool tray module size X4 (TTX4)



PART NO.	CONTENTS
TE-TTXPB3	12, 16 & 20"

**TENG TOOLS 272 PIECE
26" METRIC & IMPERIAL TOOL KIT**

BONUS

272 PCE

1/4" 3/8" 1/2"

- 5 Drawer Deep Top Chest
- 7 Drawer Roller Cabinet
- 1/4" Dr. 89pc Metric Socket Set
- 3/8" Dr. 36pc Metric Socket Set
- 13pc Extension Bar Set
- 1/2" Dr. 27pc Metric Socket Set
- 11pc Screwdriver Set
- 5pc Screwdriver Set
- 15pc Combination Spanner Set 5.5 to 19mm
- 7pc Combination Spanner Set 20 to 32mm
- 5pc Plier Set
- 62 Pc Imperial Spanner and Socket Tool Set

VIEW THE KIT ONLINE



NORMALLY \$3695
NOW \$3495
SAVE \$200



1/2" & 3/4" DRIVE TORQUE WRENCH KIT \$279 VALUE PART NO. TE-TEX1238



PART NO.	COLOUR	PIECES
TE-TCM272EVAN	Red	272
TE-TCM272EVANBK	Black	272

**TENG TOOLS 663 PIECE
37" METRIC & IMPERIAL TOOL KIT**

BONUS

663 PCE

1/4" 3/8" 1/2"

- 1/4", 3/8" & 1/2" drives Metric & Imperial
- The kit also includes a durable 18 mm laminated MDF worktop
- Essential tools for automotive work: 1/4", 3/8", and 1/2" drive sockets, bit sockets, ratchets, impact tools, combination spanners, screwdrivers, bits, T-handle hex & tx keys, pliers, torque wrenches, pullers, taps & dies, inch spanners & sockets, and various general tools
- 37" width Extra Heavy Duty roller cabinet with 7 Drawers

VIEW THE KIT ONLINE



NORMALLY \$5595
NOW \$4995
SAVE \$600



3/4" DRIVE M7 IMPACT WRENCH KIT \$1420 VALUE PART NO. M7-NC6255Q-KIT



PART NO.	CONTENTS
TE-TKW37R663T	663 Pce 7 Drawer 37" Roller Cabinet Metric/Imperial Tool Kit

**TENG TOOLS 1008 PIECE
37" METRIC & IMPERIAL TOOL KIT**

NORMALLY \$7095

1008 PCE

1/4" 3/8" 1/2"

NOW \$5995
SAVE \$1100

- 1/4", 3/8" & 1/2" drives Metric & Imperial
- Complete with 2x shelves, 100mm bench vice and paper towel holder (towel not inc.)
- The kit covers CR-V sockets in standard & deep, TX, TPX, TX-E, HEX, PH, PZ, Blade, Ribe & Spline, ratchets & accessories, impact sockets & accessories, combination spanners, electrical tools & VDE, screwdrivers, T-handle HEX & TX keys, pliers, locking pliers, torque wrench, rivet & nut-rivet gun & general tools



VIEW THE KIT ONLINE



BONUS
68 PCE 1/2" DRIVE TOOL SET \$449 VALUE PART NO. TE-T1268



PART NO.	CONTENTS
TE-TKW37B1008T	1008 Pce 8 Drawer 36" Roller Cabinet Metric/Imperial Tool Kit

**TENG TOOLS 1033 PCE
MEGA MASTER 19 DRAWER
METRIC & IMPERIAL TOOL KIT**

NORMALLY \$7195

1033 PCE

1/4" 3/8" 1/2" 3/4"

NOW \$6495
SAVE \$700

- A complete tool kit covering the requirements of most users
- All the tools are laid out in individual tool modules using the TengTools Tool Control system, easy to see if any tools have been mislaid or lost
- Red or Black 26" 19 drawer system inc. top box, middle box & roller cabinet

VIEW THE KIT ONLINE



BONUS

105 PCE HEAVY DUTY 1/2" DRIVE TOOL SET \$690 VALUE PART NO. TE-THDV105



PART NO.	COLOUR	PIECES
TE-TKS26B1033T	Black	1033
TE-TKS26R1033T	Red	1033

RYTOOL AUTOMOTIVE TOOLS



RYTOOL PRY BAR SET

- 4 Piece set including 200mm, 300mm, 450mm, 600mm



• \$42

PART NO.	CONTENTS	PIECES
RT1237	200mm, 300mm, 450m & 600mm	4pcs

RYTOOL 1 METRE HEAVY DUTY BREAKER BARS

- 1 Metre length
- 3/4" and 1" drive available



FROM
• \$189

PART NO.	DRIVE	PRICE
RT1135A	3/4"	\$189.00
RT0358	1"	\$199.00

RYTOOL HYDRAULIC GEAR PULLER KIT

- A heavy duty master set of gear pullers & bearing separators
- 10 Ton hydraulic ram plus forged puller arms & bearing separator (Capacity: 20-105mm)
- Ideal for servicing passenger cars, light/heavy duty trucks, off-road construction equipment and machinery



• \$529

PART NO.	DESCRIPTION
RT3874	Hydraulic Bearing Puller Kit

RYTOOL CONVERTIBLE PULLERS

- Convertible 3 or 2 Jaw Pullers



FROM
• \$73

PART NO.	SIZE	SPREAD	REACH	PRICE
RT3854	3"	100mm	65mm	\$73.00
RT3856	4"	200mm	135mm	\$119.00

RYTOOL 110 PIECE TAP & DIE SET

- PACKAGE INCLUSIONS
- 35 sizes of hand taps, 2 of each
 - 35 corresponding dies
 - 1 adjustable tap holder M3-M12 (1/16" - 1/2")
 - 1 adjustable tap holder M6-M20 (1/4" - 3/4")
 - 1 short tap holder with T handle
 - 1 fixed round die holder ø 25,4 mm (1")
 - 1 fixed round die holder ø 38,1 mm (1 1/2")



• \$419

PART NO.	MEASUREMENT
RT748401100	METRIC
RT748401200	SAE/MET

RYTOOL PNEUMATIC BRAKE FLUID EXTRACTOR KIT

- Contains new fluid supply bottle, adaptor set for various cylinder types, 1 litre capacity.



• \$279

PART NO.	DESCRIPTION
RT203BRK	Pneumatic Brake Fluid Extractor Kit

AUTOMOTIVE LIFTING

ITM HYDRAULIC BOTTLE JACKS

- Fully welded design to eliminate leaks
- Billet steel base and welded construction for extra strength and durability
- Suited for use in the professional trade workshop
- Fully chromed and polished cylinder and piston
- Fitted with high performance seals



PART NO.	WORKING LOAD LIMIT	HEIGHT LOWERED	HEIGHT RAISED	PRICE
TM822-02000	2,000kg	193mm	368mm	\$59.00
TM822-04000	4,000kg	212mm	407mm	\$69.00
TM822-06000	6,000kg	230mm	455mm	\$79.00
TM822-08000	8,000kg	228mm	458mm	\$99.00
TM822-10000	10,000kg	229mm	459mm	\$109.00
TM822-15000	15,000kg	240mm	455mm	\$129.00
TM822-20000	20,000kg	260mm	415mm	\$179.00

ITM HYDRAULIC TROLLEY JACK

- Manufactured from heavy duty steel
- Heavy duty steel wheels
- Rear castors pivot 360° for easy positioning
- Perfect for the professional trade workshop



FROM **\$299**

PART NO.	WORKING LOAD LIMIT	HEIGHT LOWERED	HEIGHT RAISED	PRICE
TM826-02000	2,000kg	128mm	474mm	\$299.00
TM826-03000	3,000kg	110mm	505mm	\$499.00

ITM JACK STANDS

- Quick and easy ratcheting height adjustment
- Double locking safety feature
- Large foot base for stability
- Suited for use in the professional trade workshop
- Deep saddle for increased coverage and grip under vehicles
- Reinforced shaft for added strength stability



FROM **\$79**

PART NO.	WORKING LOAD LIMIT	HEIGHT LOWERED	HEIGHT RAISED	PRICE
TM820-01500	1,500kg	280mm	405mm	\$79.00
TM820-02000	2,000kg	295mm	430mm	\$99.00
TM820-04000	4,000kg	392mm	613mm	\$189.00
TM820-08000	8,000kg	465mm	715mm	\$319.00

ITM AIR HYDRAULIC BOTTLE JACKS

- Two style operation: Air and hydraulic (includes handle for hydraulic operation)
- Polyurethane seals - last up to 10 times longer than traditional rubber seals
- Fully chromed and polished cylinder and piston
- High quality aluminium air pump
- 2 Speed action - slow down under load
- Ideal for automotive and truck repair/maintenance



PART NO.	WORKING LOAD LIMIT	HEIGHT LOWERED	HEIGHT RAISED	PRICE
TM824-12000	12,000kg	260mm	500mm	\$279.00
TM824-20000	20,000kg	260mm	500mm	\$339.00
TM824-30000	30,000kg	265mm	500mm	\$429.00

ITM 2000KG ALUMINIUM BODY TROLLEY JACK

- Strong but lightweight aluminium and steel construction
- Fast lifting dual pump action
- Side mounted handles for portability and quick positioning
- Low profile frame



\$449

PART NO.	WORKING LOAD LIMIT	HEIGHT LOWERED	HEIGHT RAISED
TM827-02000	2,000kg	100mm	495mm

ITM 500KG PREMIUM 4-WAY TRANSMISSION JACK

- Heavy duty construction
- 2 Way tilt cradle
- Load control chains hold the transmission in place
- Adjustable lifting platform for quick adjustment to suit most pan configurations
- Hydraulic foot pedal lift
- 4 Swivel castors for easy positioning
- Net Weight: 52kg



\$929

PART NO.	WORKING LOAD LIMIT	HEIGHT LOWERED	HEIGHT RAISED
TM834-00500	500kg	860mm	1840mm

NEW
HIGH PRESSURE
ITM 5000PSI, 24HP PETROL PRESSURE WASHER
POWERED by HONDA

- Genuine Honda GX690 V-Twin Engine
- Max Pressure: 5000PSI
- Flow Rate: 25 L/min
- Large 15.2L fuel tank
- Electric Start
- Industrial triplex pump with ceramic coated stainless steel pistons
- 15m Quick connect steel braided hose
- Quick release mounting plate for optional hose reel
- Heavy duty powder coated steel frame


•\$9999

PART NO.	ENGINE	PRESSURE
TM542-5000	24hp GX690 V-Twin	5000PSI

NEW
HOT WATER
ITM 3600PSI, 13HP HOT WATER PETROL PRESSURE WASHER
POWERED by HONDA

- Genuine Honda GX390 Engine
- Max Pressure: 3600PSI
- Flow Rate: 15 L/min
- Max Temp: 120°C
- Electric Start
- Commercial direct drive triplex pump
- Vertical dual pipe heating coils
- 33L Diesel burner fuel tank
- Heavy duty powder coated steel frame


•\$9999

PART NO.	ENGINE	PRESSURE
TM545-3600H	13hp GX390	3600PSI

NEW
DIESEL
ITM 4000PSI, 12HP DIESEL PRESSURE WASHER

- Powerful 12HP air cooled diesel engine
- Max Pressure: 4000PSI
- Flow Rate: 17 L/min
- Electric / Recoil Start
- High quality triplex pump with ceramic coated stainless steel pistons
- 15m Quick connect steel braided hose
- Quick connect nozzles: 0°, 15°, 25°, 40°, Soap
- Heavy duty powder coated steel frame
- Large puncture proof solid wheels


•\$2899

PART NO.	ENGINE	PRESSURE
TM543-4000	12hp Air Cooled Diesel Engine	4000PSI

NEW
VEHICLE MOUNT
ITM 2700PSI, 13HP PETROL VEHICLE MOUNTABLE PRESSURE WASHER
POWERED by HONDA

- Genuine Honda GX390 Engine
- High flow triplex pump
- Max Pressure: 2700PSI
- Max Flow Rate: 25 L/min
- Belt driven design reduces RPM and vibration helping to extend pump life
- Ideal for mounting on Utes, Trucks & field service vehicles
- Hose and lance sold separately to suit installation requirements


•\$3799

PART NO.	ENGINE	PRESSURE
TM542-2700	13hp GX390	2700PSI

ITM 3200PSI, 6.5HP PETROL PRESSURE WASHER
POWERED by HONDA

- 6.5hp Genuine Honda GX200 engine, assembled to machine in Australia
- Max. Pressure: 3200psi (220 bar)
- Max. Flow Rate: 9.5 L/min
- Displacement: 196cc
- Fuel Tank: 3.6L
- Start Type: Recoil
- Pump type: AR Axial Pump
- Quick connect nozzles: 0°, 15°, 25°, 40°, Soap
- 10m Quick connect steel braided hose


FOAM CANNON & TURBO NOZZLE \$158 VALUE
•\$1549

PART NO.	ENGINE	PRESSURE
TM542-3200	6.5hp GX200	3200PSI

ITM 4200PSI, 13HP PETROL PRESSURE WASHER
POWERED by HONDA

- 13hp Genuine Honda GX390 engine, assembled to machine in Australia
- Max. Pressure: 4200psi (290 bar)
- Max. Flow Rate: 15.1 L/min
- Displacement: 389cc
- Fuel Tank: 6.1L
- Start Type: Recoil
- Pump type: AR Triplex Pump
- Quick connect nozzles: 0°, 15°, 25°, 40°, Soap
- 15m Quick connect steel braided hose


•\$2699

PART NO.	ENGINE	PRESSURE
TM542-4200	13hp GX390	4200PSI

ITM CHAIN BLOCKS

- Colour coded to W.L.L. for safety
- Load limited protection system
- Automatic double pawl braking system
- Hooks fitted with safety latches
- Grade 80 chain
- Tested & certified to AS 1418.2
- Test certificate supplied



FROM **• \$159**

PART NO.	W.L.L. CAPACITY	STANDARD LIFT	PRICE
TM9020-00202	250kg	2 Metre	\$159.00
TM9022-00503	500kg	3 Metre	\$179.00
TM9022-00506	500kg	6 Metre	\$229.00
TM9022-01003	1000kg	3 Metre	\$189.00
TM9022-01006	1000kg	6 Metre	\$229.00
TM9022-02003	2000kg	3 Metre	\$269.00
TM9022-02006	2000kg	6 Metre	\$329.00
TM9022-03003	3000kg	3 Metre	\$359.00
TM9022-03006	3000kg	6 Metre	\$539.00
TM9022-05003	5000kg	3 Metre	\$559.00
TM9022-05006	5000kg	6 Metre	\$659.00

ITM WORKSHOP ELECTRIC WIRE ROPE HOISTS

- Industrial grade motor & robust construction
- Auto stop at top and bottom
- Hooks fitted with spring safety latches
- Tested & certified to AS 1418.2
- Up/Down Pendant controller with Emergency Safety Stop
- Hook can be connected back onto the hoist to double the rated capacity. This reduces the lift height and lift speed by 50%



FROM **• \$299**

PART NO.	RATED CAPACITY	MAXIMUM LIFT HEIGHT	LIFT SPEED	MOTOR	PRICE
TM9008-00212	100/200kg	6m/12m	5m/10m/min	510W	\$299.00
TM9008-00512	250/500kg	6m/12m	5m/10m/min	1000W	\$379.00

ITM 500KG COMPACT ELECTRIC CHAIN HOIST

- Compact yet Heavy Duty design
- Industrial quality, designed for professional workshop applications
- Up/Down Pendant controller with Emergency Stop switch
- Weight overload limiter for safety
- Single phase, 1300w 240V motor
- Upper and lower limit switches to prevent chain runout
- Chain length can be altered by ITM to your required length
- Tested & certified to AS 1418.2
- Test certificate & user manual supplied



FROM **• \$1499**

PART NO.	RATED CAPACITY	STANDARD LIFT	LIFT SPEED	NET WEIGHT	PRICE
TM9000-00503	500kg	3m	5m/min	19kg	

ITM LEVER BLOCKS

- 1.5m standard lift
- Colour coded to W.L.L. for safety
- Load limited protection system
- Automatic double pawl braking system
- Hooks fitted with spring safety latches
- Grade 80 chain
- Tested & certified to AS 1418.2
- Test certificate supplied



FROM **• \$139**

PART NO.	W.L.L. CAPACITY	STANDARD LIFT	PRICE
TM9040-00201	250kg	1.5 Metre	\$139.00
TM9040-00501	500kg	1.5 Metre	\$159.00
TM9042-00701	750kg	1.5 Metre	\$179.00
TM9042-01501	1500kg	1.5 Metre	\$259.00
TM9042-03001	3000kg	1.5 Metre	\$369.00
TM9042-06001	6000kg	1.5 Metre	\$519.00
TM9042-09001	9000kg	1.5 Metre	\$889.00

ITM BRUSHLESS BUILDERS WIRE ROPE HOISTS

- Extra powerful brushless 240V Motor with 50% duty cycle for high use applications
- Variable Speed
- Robust construction
- Dual brake system & safety auto brake in case of power loss
- 7m Length pendant controller with E-Stop
- Tested & certified to AS 1418.2
- Test certificate & user manual supplied
- Optional wireless remote available - \$375.00 TM9006-BLREMOTE



FROM **• \$1349**



BRUSHLESS

PART NO.	RATED CAPACITY	MAXIMUM LIFT HEIGHT	LIFT SPEED	MOTOR	PRICE
TM9006-BL26030	260kg	30m	7-19m/min	2100W	\$1349.00
TM9006-BL49060	490kg	60m	5-16m/min	2800W	\$1749.00

ITM 240V ELECTRIC CHAIN HOISTS

- Japanese technology with dual braking system to ensure safe and reliable operation
- Weight overload limiter for safety
- Thermal overload motor protection
- Single phase, 240V motor
- Upper and lower limit switches to prevent chain runout
- Chain length can be altered by ITM to your required length
- Tested & certified to AS 1418.2
- Test certificate & user manual supplied
- 500kg Also available
- Dual speed models, also available half button press for low speed



FROM **• \$2499**

PART NO.	RATED CAPACITY	CHAIN DROPS	LIFT SPEED	NET WEIGHT	PRICE
TM9001-01003	1.0 Tonne	1	6m/min	60kg	\$2499.00
TM9001-02003	2.0 Tonne	2	3m/min	65kg	\$2899.00

ITM GRADE 70 TRANSPORT CHAIN KIT GRAB HOOKS AT EACH END

- Zinc Di-chromate coated
- Supplied in convenient pre-cut lengths
- Fitted with metal test tag
- Tested & certified to AS/NZS 4344



FROM
• \$69

PART NO.	L.C.	CHAIN	LENGTH	PRICE
TM9714-02306	2300kg	6mm	6m	\$69.00
TM9714-02309	2300kg	6mm	9m	\$99.00
TM9714-03006	3000kg	7.1mm	6m	\$75.00
TM9714-03009	3000kg	7.1mm	9m	\$105.00
TM9714-03806	3800kg	8mm	6m	\$95.00
TM9714-03809	3800kg	8mm	9m	\$119.00
TM9714-06006	6000kg	10mm	6m	\$125.00
TM9714-06009	6000kg	10mm	9m	\$149.00

ITM MESH SAFETY CARGO NETS

- Tough elastic bungee cord & 24x large polypropylene hooks
- High strength & robust design
- U.V. stabilised mesh, ideal for tough Australian conditions



FROM
• \$79

PART NO.	SIZE	PRICE
TM9420-20018	2.0m x 1.8m	\$79.00
TM9420-25020	2.5m x 2.0m	\$89.00
TM9420-25036	2.5m x 2.6m	\$139.00

ITM EXTRA HEAVY DUTY CARGO NETS

- Load restraint type, 1000kg Lashing capacity when using 6x supplied tie downs
- Includes 6x 400kg L.C tie downs with hook & keeper plus s-hooks
- Multiple eyelets & mounting points
- High strength & robust design
- U.V. stabilised mesh



FROM
• \$299

PART NO.	SIZE	PRICE
TM9424-18014	1.8m x 1.4m	\$299.00
TM9424-24024	2.4m x 2.4m	\$349.00
TM9424-26020	2.6m x 2.0m	\$339.00
TM9424-26030	2.6m x 3.0m	\$389.00
TM9424-30036	3.0m x 3.6m	\$499.00

ITM GRADE 70 RATCHET TYPE LOAD BINDERS

- Grab hooks at both ends
- Powder coated
- Drop forged & heat treated high strength steel
- Proof tested & fitted with metal test tag
- Tested & certified to AS/NZS 4344




FROM
• \$46

PART NO.	LASHING CAPACITY	HOOK/CHAIN SIZE	PRICE
TM9701-02006	2000kg	6mm (1/4")	\$46.00
TM9701-04208	4200kg	8mm (5/16" - 3/8")	\$56.00
TM9701-07310	7300kg	10mm (3/8" - 1/2")	\$65.00
TM9701-10013	10,000kg	13mm (1/2" - 5/8")	\$85.00

ITM HEAVY DUTY CARGO NETS

- Multiple eyelets & mounting points for securing different shaped loads
- Includes 4x 400kg L.C tie downs with hook & keeper plus s-hooks
- High strength & robust design
- U.V. stabilised mesh, ideal for tough Australian conditions



FROM
• \$249

PART NO.	SIZE	PRICE
TM9422-24024	2.46m x 2.46m	\$249.00
TM9422-28028	2.84m x 2.84m	\$299.00
TM9422-28034	2.84m x 3.34m	\$349.00

NEW

ITM BLACK COLOR SAFETY CHAIN HOOK SETS

- Black Color
- For quick attachment and removal of trailer safety chains from your vehicle
- Kit including:
2x Hammer Type Connecting Links
2x Eye Type Sling Hook with Safety Latch
- Grade 80 Components tested and certified to AS 3776:2015
- Conforms to ADR62/02



FROM
• \$39

PART NO.	ATM (MAX TOWING CAPACITY)	MIN BREAK STRENGTH 4 TO 1 FACTOR (PER HOOK)	SUITS CHAIN SIZE	PRICE
TM9804-2000B	2000kg	4480kg	8mm	\$39.00
TM9804-4000B	4000kg	8000kg	10 & 13mm	\$49.00



LOAD RESTRAINT

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

NEW

DIESEL GENERATORS

ITM 8.1KVA DIESEL GENERATOR

- Max Watts: 6500W
- Rated Watts: 6000W
- 2 x 15a IP66 outlets
- Electric key start
- Worksite Compliant IP66 outlets and RCD
- 4 Wheels for easy transportation
- Powerful and reliable diesel engine
- Large 12.5L tank for extended run time
- THD <5%
- Automatic voltage regulator



.\$2499

PART NO.	KVA RATING	MAX. WATTS	RATED WATTS	IP66 OUTLETS
TM524-6500	8.1	6,500W	6,000W	2 x 15a

ITM 10.3KVA SILENCED DIESEL GENERATOR

- Max Watts: 8300W
- Rated Watts: 7800W
- Silenced cabinet design
- 1x15a & 1x32a IP66 outlets
- Electric key start
- Worksite Compliant IP66 outlets & RCD
- 4 Wheels for easy transportation
- Powerful and reliable diesel engine
- Large 26L tank for extended run time
- THD <5% & Automatic voltage regulator



.\$3999

PART NO.	KVA RATING	MAX. WATTS	RATED WATTS	IP66 OUTLETS
TM524-8300S	10.3	8,300W	7,800W	1x15a & 1x32a

ITM 12.5KVA CONSTRUCTION SERIES PETROL GENERATOR

- Max Watts: 10,000W
- Rated Watts: 9,000W
- Powerful 4 Stroke OHV Engine
- IP66 rated power outlets
- RCD for enhanced electrical safety
- Digital Multimeter display
- Starting System: Electric r/remote.
- Noise @ 7m full load: 80 dB
- Running Time @ 50% Load: 10 Hours
- Complete with handle & wheel kit



.\$3499

PART NO.	KVA RATING	MAX. WATTS	RATED WATTS	ENGINE HP	IP66 OUTLETS
TM520-10000	12.5 KVA	10,000W	9000W	18HP	1 x 15A & 1 x 32A

ITM 8.1KVA SILENCED DIESEL GENERATOR

- Max Watts: 6500W
- Rated Watts: 6000W
- Silenced cabinet significantly reduces noise
- 2 x 15a IP66 outlets
- Electric key start
- Worksite Compliant IP66 outlets and RCD
- 4 Wheels for easy transportation
- Powerful and reliable diesel engine
- Large 30L tank for extended run time
- THD <5% & Automatic voltage regulator



.\$2999

PART NO.	KVA RATING	MAX. WATTS	RATED WATTS	IP66 OUTLETS
TM524-6500S	8.1	6,500W	6,000W	2 x 15a

ITM 15KVA SILENCED DIESEL GENERATOR

- Max Watts: 12000W
- Rated Watts: 11000W
- Silenced cabinet design
- 2x15a & 1x32a IP66 outlets
- Electric key start
- Worksite Compliant IP66 outlets & RCD
- 4 Wheels for easy transportation
- Powerful and reliable diesel engine
- Large 26L tank for extended run time
- THD <5% & Automatic voltage regulator



.\$6499

PART NO.	KVA RATING	MAX. WATTS	RATED WATTS	IP66 OUTLETS
TM524-12000S	15	12,000W	11,000W	2 x 15A and 1 x 32A

ITM CONSTRUCTION SERIES PETROL GENERATORS

- Powerful 4 stroke OHV engines
- Low oil sensor
- Digital multimeter display
- Large capacity fuel tanks
- Electric start with Remote and battery supplied
- Complete with handle and wheel kit



FROM \$1499

PART NO.	KVA RATING	MAX. WATTS	RATED WATTS	ENGINE HP	IP66 OUTLETS	PRICE
TM520-3400	4 KVA	3400W	3200W	8hp	1x 15A	\$1499.00
TM520-5500	6.8 KVA	5500W	5000W	13hp	2x 15A	\$2199.00
TM520-6500	8.1 KVA	6500W	6000W	15hp	2x 15A	\$2399.00
TM520-8000	10 KVA	8000W	7500W	17hp	2x 15A	\$2699.00

NEW

ITM 11,000 WATT INVERTER GENERATOR

- 11,000 W max. & 10,000 W rated output for high-demand applications
- Pure sine-wave inverter power safe for sensitive electronics
- Push-button electric start with remote control
- Low-noise operation 65-71 dB
- Multiple outputs: 2 x 15A, 1 x 32A, USB & USB-C
- 27L tank providing up to 7 hours runtime at 50% load for extended use
- Dimensions (LxWxH): 82x63x73.2 cm
- Net Weight: 110kg



.\$5499



PART NO.	MAX. WATTS	RATED WATTS	RUNTIME 50% LOAD	START SYSTEM	OUTLETS
TM523-11000	11,000W	10,000W	7 HOURS	ELECTRIC/RECOIL	2 x 15A, 1 x 32A

ITM INVERTER GENERATORS

- Industrial grade 4 stroke engines
- 3 way cooling system to lower the running temperature and extend engine life
- Engine Smart Control (E.S.C.) intelligently controls rpm to further reduce noise and fuel consumption
- Pure sine-wave power
- 3 in 1 Multi-function control
- Robust construction
- Low oil sensor



FROM

.\$1149



PART NO.	MAX. WATTS	RATED WATTS	RUNTIME 50% LOAD	START SYSTEM	OUTLETS	PRICE
TM523-1800	1800W	1600W	7 HOURS	RECOIL	1x 15A	\$1149.00
TM523-3300	3300W	2500W	4.5 HOURS	RECOIL	2x 15A	\$1499.00
TM523-4500	4500W	3500W	8 HOURS	ELECTRIC	2x 15A	\$1999.00
TM523-7000	7000W	6500W	10 HOURS	ELECTRIC	2x15A & 1x30A	\$4159.00

ITM 3.75KVA PETROL GENERATOR

POWERED by **HONDA**

- 3000w Max. Watts
- Honda GX200 6.5HP engine
- IP66-rated power outlets
- RCD for enhanced electrical safety
- Low oil sensor to protect the engine from damage
- 2-year trade warranty
- 3-year Honda engine warranty
- 4.5 Hours running time



.\$1459

PART NO.	ENGINE	MAX. WATTS	RATED WATTS	IP66 OUTLETS	KVA RATING
TM522-3000	6.5hp GX200	3,000W	2,800W	1 x 15A	3.75KVA

ITM 7.5KVA PETROL GENERATOR

POWERED by **HONDA**

- 6000w Max. Watts
- Honda GX390 13hp Engine
- IP66-rated power outlets
- RCD for enhanced electrical safety
- Low oil sensor to protect the engine from damage
- 2-year trade warranty
- 3-year Honda engine warranty
- 13 Hours running time
- Heavy-duty wheel and handle kit
- Digital multimeter display



.\$2699

PART NO.	ENGINE	MAX. WATTS	RATED WATTS	IP66 OUTLETS	KVA RATING
TM522-6000	13hp GX390	6,000W	5,500W	2 x 15A	7.5KVA

ITM 13KVA PETROL GENERATOR

POWERED by **HONDA**

- 22hp Genuine Honda GX630 engine
- 10,500W Maximum Watts
- Multiple outlets, 2 x 15A, 1 x 32A
- IP66-rated power outlets
- RCD for enhanced electrical safety
- Low oil sensor to protect the engine
- Low THD of <5%
- Electric start
- 2-year trade warranty
- 3-year Honda engine warranty
- 11 Hours running time
- Wheel Kit Sold Separately



.\$6499

PART NO.	ENGINE	MAX. WATTS	RATED WATTS	IP66 OUTLETS
TM522-10500	22hp GX630	10,500W	9,500W	2 x 15A and 1 x 32A

ITM 15KVA PETROL GENERATOR

POWERED by **HONDA**

- 24hp Genuine Honda GX690 engine
- 12,000W Maximum Watts
- Multiple outlets, 2 x 15A, 1 x 32A
- IP66-rated power outlets
- RCD for enhanced electrical safety
- Low oil sensor to protect the engine
- Low THD of <5%
- Electric start
- 2-year trade warranty
- 3-year Honda engine warranty
- 11 Hours running time
- Wheel Kit Sold Separately



.\$6799

PART NO.	ENGINE	MAX. WATTS	RATED WATTS	IP66 OUTLETS
TM522-12000	24hp GX690	12,000W	10,500W	2 x 15A and 1 x 32A



GENERATORS

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

ITM ALUMINIUM TWIN TANK SILENCED NAILING COMPRESSORS

- Perfect for nailing applications
- Powerful 4 pole induction motor
- Oil free pumps for virtually maintenance free operation
- Very quiet, ideal for indoor use
- Light weight aircraft aluminium alloy tanks
- Compact and portable design
- Max. pressure: 135 psi (9.3 bar)
- One-touch "Nitto style" couplers
- 3-year complete warranty



FROM
• \$519

PART NO.	TANK	MOTOR	FAD	WEIGHT	PRICE
TM350-10010	10L	1HP	62 L/min	19kg	\$519.00
TM350-20016	16L	2HP	125 L/min	26.4kg	\$629.00

ITM 2.2 HP BELT DRIVE AIR COMPRESSOR

2.2 HP

- Durable copper wound motor
- Full brass non-return valve
- Soft start valve
- Condor pressure switch
- 145psi (10 bar) max. pressure
- Thermal overload protection
- Includes filter regulator with one-touch "Nitto style" couplers
- 200mm Solid rubber wheels
- 3-year pump warranty



• \$939

PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
TM351-22050	50L	V-TWIN	2.2HP 10amp	185 L/Min	\$939.00

ITM 3.0 HP BELT DRIVE AIR COMPRESSORS

3.0 HP

- Ideal for commercial applications
- Durable copper wound motor
- Full brass non-return valve
- Soft start valve
- Condor pressure switch
- 145psi (10 bar) max. pressure
- Thermal overload protection
- Includes filter regulator with one-touch "Nitto style" couplers
- 200mm Solid rubber wheels
- 3-year pump warranty



FROM
• \$1089

PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
TM351-30050	50L	SINGLE CYLINDER	3.0HP 15amp	318 L/Min	\$1089.00
TM351-30060	60L	TRIPLE	3.0HP 15amp	328 L/Min	\$1349.00
TM351-30090	90L	TRIPLE	3.0HP 15amp	328 L/Min	\$1489.00

ITM 2.5 HP DIRECT DRIVE AIR COMPRESSOR

2.5 HP

- Pump Type: Direct Drive
- Motor HP: 2.5 HP
- Tank Capacity: 50 L
- Cylinders: Single
- Power Source: 240V (10 AMP)
- Max Pressure: 145 PSI (10 Bar)
- Pump Displacement: 218 L/min (7.7 CFM)
- Free Air Delivery: 175 L/min (6.2 CFM)
- Noise: 75 dB
- Pump RPM: 2900
- Filter / Regulator: Yes



• \$629

PART NO.	PUMP	MOTOR	FAD
TM350-25050	DIRECT DRIVE, SINGLE	2.5HP 10amp	175 L/Min

ITM 2.5 HP BELT DRIVE AIR COMPRESSORS

2.5 HP

- Durable copper wound motor
- Full brass non-return valve
- Soft start valve
- Condor pressure switch
- 145psi (10 bar) max. pressure
- Thermal overload protection
- Includes filter regulator with one-touch "Nitto style" couplers
- 200mm Solid rubber wheels
- 3-year pump warranty



FROM
• \$1039

PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
TM351-25060	60L	V-TWIN	2.5HP 10amp	257 L/Min	\$1039.00
TM351-25090	90L	V-TWIN	2.5HP 10amp	257 L/Min	\$1229.00

ITM 5.5HP PETROL POWERED BELT DRIVE AIR COMPRESSOR

5.5 HP

- Powered by a 5.5hp Honda GX160 4 stroke OHV petrol engine
- Cast-iron single cylinder pump with aluminium head
- Automatic idle control
- 145psi (10bar) Max. Pressure
- 3-year pump warranty



POWERED BY
HONDA

• \$2399

PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
TM352-55060	60L	SINGLE	5.5HP Petrol Honda	355 L/Min	\$2399.00

ABAC BELT DRIVE AIR COMPRESSORS



- ABAC Compressors are synonymous with efficiency, reliability, and superior air powered solutions
- Highest quality components for demanding applications
- Very high FAD power output
- Twin cylinder belt drive pump
- Premium Condor pressure switch
- Filter regulator & twin Nitto-style coupler outlets
- Soft start valve & full brass non-return valve
- Max Pressure: 145 PSI (10 Bar)
- 3 year motor and pump warranty



FROM
.\$1449

PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
ABAC351-20050	50L	V-TWIN	2.0HP 10amp	245 L/Min	\$1449.00
ABAC351-30100	100L	V-TWIN	3.0HP 15amp	340 L/Min	\$1849.00

ABAC STATIONARY AIR COMPRESSORS



- Very high FAD power output stationary compressors designed for heavy duty workshops with large volume air usage
- Highest quality components for demanding applications
- Premium Condor switches
- Filter regulator & twin Nitto-style coupler outlets
- Soft start valve & full brass non-return valve
- Max Pressure: 145 PSI (10 Bar)
- 3 year motor and pump warranty



FROM
.\$3949

PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
ABAC353-55150	150L	V-TWIN	5.5HP 415V	615 L/Min	\$3949.00
ABAC353-75270	270L	TRIPLE	7.5HP 415V	950 L/Min	\$5299.00
ABAC353-10270	270L	TRIPLE	10HP 415V	1250 L/Min	\$6079.00
ABAC353-15500	500L	QUAD	15HP 415V	1670 L/Min	\$9199.00

ITM STATIONARY AIR COMPRESSORS

- Cast-iron cylinder with aluminium heads
- Powerful and efficient induction motor
- Soft start valve for motor protection
- Thermal overload protection with manual reset
- Full brass non-return valve
- Certified safety valve
- Reliable Condor pressure switch
- Includes twin outlet one-touch "Nitto style" connectors



FROM
.\$2799

PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
TM353-55200	200L	V-TWIN	5.5HP 415V	507 L/Min	\$2799.00
TM353-75270	270L	TRIPLE	7.5HP 415V	704 L/Min	\$3749.00
TM353-10270	270L	TRIPLE	10HP 415V	1143 L/Min	\$4149.00

ITM SILENCED CABINET PISTON COMPRESSORS

- An intelligent design to combine the quiet operation of a screw compressor with the cost benefits of a piston compressor
- Slower RPM to reduce noise & increase pump life
- Soundproof cabinet. Very quiet 65dB at 7m
- Compact design & easy to use control panel
- Powerful high efficiency induction motor



FROM
.\$4199

PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
TM355-55270	270L	V-TWIN	5.5HP 415V	465 L/Min	\$4199.00
TM355-75270	270L	TRIPLE	7.5HP 415V	595 L/Min	\$4699.00
TM355-10270	270L	TRIPLE	10HP 415V	960 L/Min	\$5199.00

ITM ROTARY SCREW COMPRESSORS

- Complete package with screw, tank, dryer and pre/post filters
- Fully sealed cabinet with soundproofing and noise-reducing partitions to minimise noise
- Extra large surface cooler allows unit to operate at ambient temperatures under 46° C
- Premium filtration with ultra low oil carry over meaning less contamination resulting in cleaner air
- Intelligent control system with self-service timing management
- Nationwide service and warranty supported by Air Technology Group and ITM service network
- Max. Pressure: 145 psi (10 bar)



FROM
.\$12,899

PART NO.	TANK	NOISE	MOTOR	FAD	PRICE
TM356-10270	270L	66 dBA	10HP 415V	1080 L/Min	\$12,899.00
TM356-15500	500L	72 dBA	15HP 415V	1620 L/Min	\$13,899.00
TM356-20500	500L	73 dBA	20HP 415V	1980 L/Min	\$14,949.00

ITM REFRIGERANT DRYERS

- ITM refrigerant dryers guarantee dry and quality compressed air which prolongs the lifetime of your equipment and ensures a superior production quality. Water vapour is eliminated, avoiding corrosion in your compressed air network and tools. This lowers your maintenance costs and improves your overall production process for complete peace of mind
- Nationwide service and warranty supported by Air Technology Group and ITM service network
- 13 Bar Max. Working Pressure
- 3/4 Thread G Connection



FROM
.\$1659

PART NO.	CAPACITY CFM	CAPACITY L/MIN	NOISE	POWER	PRICE
TM357-035	35 CFM	990 L/min	66 dBA	350W	\$1659.00
TM357-074	74 CFM	2095 L/min	72 dBA	460W	\$2249.00



AIR COMPRESSORS

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST



PNEUMATIC TOOLS



AIR TOOLS

M7 1/2" DRIVE AIR IMPACT WRENCH

- Lightweight, only 1.7kg
- Powerful, 1650Nm (1200ft-lb) Max. Torque
- Extra heavy duty twin hammer
- Value for money, high quality and specs
- 25mm Bolt capacity
- Magnesium composite body
- Patented EZ grease anvil, ensuring maximum power is easily maintained



EASY GREASE ANVIL SERIES



• \$519

PART NO.	SQUARE DRIVE	MAXIMUM TORQUE
M7-NC4255QH	1/2"	1200 FT-LB

M7 3/4" DRIVE AIR IMPACT WRENCH, COMPOSITE

- Lightweight composite body, only 1.9kg
- Low noise level, only 85dB
- Very powerful, 1900Nm (1400ft-lb) Max. torque!
- Compact - Only 198mm Length
- 25mm Bolt capacity
- Patented EZ grease anvil, ensuring maximum power is easily maintained



EASY GREASE ANVIL SERIES



• \$839

PART NO.	SQUARE DRIVE	MAXIMUM TORQUE
M7-NC6255QH	3/4"	1400 FT-LB

M7 SUPER DUTY 3/4" AIR IMPACT WRENCH

- Powerful, 2000Nm (1500ft-lb) Max. torque
- Super Duty, designed for the commercial tyre industry
- Lightweight composite body, only 3.0kg!
- Spring mounted rotor blades for extra durability
- Magnesium housing
- Low noise level, only 88dB
- 30mm Bolt capacity



• \$1299

PART NO.	SQUARE DRIVE	MAXIMUM TORQUE
M7-NC6266	3/4"	1500 FT-LB

M7 1" D HANDLE AIR IMPACT WRENCH

- Torque Range: 200-2000 ft-lb / 271 2710 Nm
- Max. Torque at 5 seconds: 2400 ft-lb / 3250 Nm
- Twin hammer mechanism
- D Handle Outside trigger
- Bolt Capacity: 1-7/16" (36mm)
- Free Speed: 4000 RPM
- Air Requirement: 10 CFM
- Net Weight: 12.1kg
- Sound Pressure: 100dBA
- Vibration Level: 10m/s²



• \$2139

PART NO.	SQUARE DRIVE	MAXIMUM TORQUE
M7-NC8252	1"	2400 FT-LB

M7 150MM RANDOM ORBITAL SANDER

- Pad Diameter: 150mm (6")
- Free Speed: 10000RPM
- Orbit: 5mm
- Air Requirements: 3 CFM / 90 PSI
- Overall Length: 157mm
- Rated Power: 0.24HP
- Net Weight: 0.68kg
- Sound Pressure: 81.6 dBA
- Vibration Level: 7.1m/s²



• \$359

PART NO.	PAD DIAMETER	FREE SPEED
M7-QB55602	150mm	10,000 RPM

M7 50MM & 75MM HIGH SPEED PISTOL SANDER

- Pad Diameter: 50mm & 75mm (2" & 3")
- Free Speed: 18000RPM
- Spindle Size: 1/4" - 20
- Air Requirements: 2.1 CFM / 90 PSI
- Inlet: 1/4"
- Overall Length: 107mm
- Rated Power: 0.38HP
- Net Weight: 0.5kg
- Sound Pressure: 73 dBA
- Vibration Level: 0.9m/s²



• \$189

PART NO.	PAD DIAMETER	FREE SPEED
M7-QP212	50mm & 75mm	18,000 RPM

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

NEW ULTRA COMPACT

M7 ULTRA COMPACT AIR NEEDLE SCALER

- Low Vibration, just 1.5 m/s²
- Compact & Ultra-Lightweight, 250mm length & Weighs only 0.65 kg
- Fast & Efficient Surface Cleaning delivers 6,000 impacts per minute
- 12x 2.0 mm hardened needles



• \$319

PART NO.	NEEDLE SIZE	OVERALL LENGTH
M7-SN1350	2mm x 100mm (12 per set)	250mm

M7 AIR NEEDLE SCALER

- Stroke Length: 32mm
- Blows Per Minute: 5500BPM
- Air Requirements: 3 CFM / 90 PSI
- Inlet: 1/4"
- Net Weight: 1.3kg
- Sound Pressure: 86 dBA
- Vibration Level: 7.67m/s²



• \$319

PART NO.	NEEDLE SIZE	OVERALL LENGTH
M7-SN1288	3mm x 123mm (12 per set)	290mm

M7 AIR PISTOL NEEDLE SCALER

- Stroke Length: 33mm
- Blows Per Minute: 3700BPM
- Air Requirements: 15 CFM / 90 PSI
- Inlet: 1/4"
- Net Weight: 2.8kg
- Sound Pressure: 97 dBA
- Vibration Level: 9.7m/s²



• \$579

PART NO.	NEEDLE SIZE	OVERALL LENGTH
M7-SN2110	3mm x 180mm (19 per set)	330mm

M7 AIR HAMMER SET

- 7 piece set including 5 chisels
- Shank Type: Round
- Blows Per Minute: 3200BPM
- Air Requirements: 4 CFM / 90 PSI
- Inlet: 1/4"
- Net Weight: 1.7kg
- Sound Pressure: 98 dBA
- Vibration Level: 12.3m/s²



• \$259

PART NO.	SHANK SIZE	OVERALL LENGTH
M7-SC0517C	10.2mm (0.401")	175mm

M7 COMPACT AIR DIE GRINDER

- Safety lever throttle
- Collet Size: 1/4" & 1/8"
- Free Speed: 25000 RPM
- Air Requirements: 10 CFM / 90 PSI
- Inlet: 1/4"
- Rated Power: 0.3HP
- Net Weight: 0.38kg
- Sound Pressure: 81.5 dBA
- Vibration Level: 1.8m/s²



• \$169

PART NO.	COLLET SIZE	OVERALL LENGTH
M7-QA111B	1/4" & 1/8"	155mm

M7 90° ANGLE HEAD AIR DIE GRINDER

- 90° Angle head
- Safety lever throttle
- Free Speed: 19000 RPM
- Air Requirements: 10 CFM / 90 PSI
- Overall Length: 160mm
- Rated Power: 0.3HP
- Net Weight: 0.51kg



• \$239

PART NO.	COLLET SIZE	OVERALL LENGTH
M7-QA611B	1/4" & 1/8"	160mm

M7 16MM STROKE HYDRAULIC AIR RIVETER

- Nozzle sizes: 2.4, 3.2, 4.0, 4.8mm
- 4.8mm (3/16") Aluminium and steel rivet capacity
- 4.0mm (5/32") Stainless rivet capacity
- Stroke length: 16mm
- Net weight: 1.5kg
- Traction power: 2303 lbf



• \$359

PART NO.	STROKE LENGTH	RIVET CAPACITY
M7-PA301	16mm	2.4-4.8mm

M7 EXTRA HEAVY DUTY AIR ANGLE GRINDERS

- Safety lever throttle
- 1.3hp motor for stall resistance
- One-piece housing reduces maintenance costs
- Heavy-duty air cooled spiral gears and double bearings for durability
- Swivel guard on 125mm
- Grinding wheel not included
- Free Speed: 11000 RPM



FROM \$619

PART NO.	DIAMETER	SPINDLE	PRICE
M7-QB7114M	100mm	M10x1.5	\$619.00
M7-QB7215M	125mm	M14x2.0	\$659.00



AIR TOOLS

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

NEW
ITM STAINLESS STEEL CERMET TIPPED BLADES

- Premium Cermet Carbide cutting tips
- Suitable for cutting stainless steel up to 3mm thick including Stainless Tube & Pipe, Square Tube, Plate & Rebar
- 15 times longer life than standard TCT blades


FROM \$115

PART NO.	SIZE	TEETH	BORE	PRICE
SSBL-SS1352050	135mm	50	20mm	\$115.00
SSBL-SS1502052	150mm	52	20mm	\$125.00
SSBL-SS1652056	165mm	56	20mm	\$145.00
SSBL-SS1852064	185mm	64	20mm	\$155.00
SSBL-SS2031670	203mm	70	16mm	\$199.00
SSBL-SS3052596	305mm	96	25.4mm	\$259.00
SSBL350-CERMET110	355mm	110	25.4mm	\$301.00

NEW
ITM METAL CUTTING CERMET TIPPED BLADES


- Premium Cermet Carbide cutting tips
- Suitable for cutting metal up to 6mm thick, including Angle Profile, Plate Steel, Square Tube, Pipe, Rebar & C-Channel Steels
- 3 times longer life than standard TCT blades


FROM \$85

PART NO.	SIZE	TEETH	BORE	PRICE
SSBL-M1352026	135mm	26	20mm	\$85.00
SSBL-M1502032	150mm	32	20mm	\$85.00
SSBL-M1652032	165mm	32	20mm	\$90.00
SSBL-M1852036	185mm	36	20mm	\$110.00
SSBL-M2031640	203mm	40	16mm	\$119.00
SSBL-M3052554	305mm	54	25.4mm	\$259.00
SSBL350-CERMET64	355mm	64	25.4mm	\$270.00

ITM STRAIGHT JAW FABRICATED STEEL BENCH VICES

- Extra heavy-duty
- Precision machined knurled jaws with V-Groove
- Precise sliding jaw
- Large diameter screw


FROM \$209

PART NO.	JAW WIDTH	JAW OPENING	THROAT DEPTH	WEIGHT	PRICE
TM102-100	100mm	115mm	75mm	10.5kg	\$209.00
TM102-125	125mm	135mm	95mm	18.6kg	\$349.00
TM102-150	150mm	170mm	105mm	22.6kg	\$389.00
TM102-200	200mm	265mm	135mm	37kg	\$719.00

NEW
ITM SHEET METAL CARBIDE BLADES

- Suitable for cutting sheet metal up to 1.2mm thick including Flat Sheet, Corrugated Sheet, Roofing Steels & Cladding
- Premium Cermet Carbide cutting tips for sizes 135mm and 150mm
- C6 Carbide tips for sizes 165mm and 185mm, giving optimal performance for the blade size
- 6 times longer life than standard TCT blades


FROM \$129

PART NO.	SIZE	TEETH	BORE	PRICE
SSBL-SM1352050	135mm	50	20mm	\$129.00
SSBL-SM1502052	150mm	52	20mm	\$139.00
SSBL-SM1652056	165mm	56	20mm	\$149.00
SSBL-SM1852060	185mm	60	20mm	\$159.00

ITM MECHANICS BENCH VICES

- Rugged all cast iron construction
- Integrated anvil for shaping and beating
- Extra heavy-duty sliding jaw and large diameter screw
- 50 ± 5 HRC hardened carbon steel jaws


FROM \$109

PART NO.	JAW WIDTH	JAW OPENING	THROAT DEPTH	WEIGHT	PRICE
TM100-075	75mm	75mm	50mm	7.5kg	\$109.00
TM100-100	100mm	115mm	55mm	10kg	\$159.00
TM100-125	125mm	140mm	70mm	15.5kg	\$229.00
TM100-150	150mm	175mm	80mm	18kg	\$279.00
TM100-200	200mm	200mm	100mm	31kg	\$419.00

ITM OFFSET JAW FABRICATED STEEL BENCH VICES

- Extra heavy-duty
- Precision machined knurled jaws with V-Groove
- Precise sliding jaw
- Large diameter screw


FROM \$209

PART NO.	JAW WIDTH	JAW OPENING	THROAT DEPTH	WEIGHT	PRICE
TM104-100	100mm	120mm	70mm	11.2kg	\$209.00
TM104-125	125mm	140mm	95mm	20.3kg	\$389.00
TM104-150	150mm	170mm	105mm	25kg	\$419.00
TM104-200	200mm	265mm	135mm	60kg	\$999.00

EHOMA 275MM SWIVEL PAD C CLAMP

- Extra heavy duty, Industrial quality
- Chrome Vanadium Jaws and Chrome Molybdenum Handles for maximum strength and durability
- Rust resistant nickel plated finish
- Wide-opening jaws provide greater versatility in clamping a variety of shapes
- Turn screw to adjust pressure and to fit work piece
- Classic trigger release designed to provide maximum locking force
- Made in Taiwan
- 275mm (11")
- Jaw capacity 88mm



\$40

PART NO.	SIZE	JAW CAPACITY
TM604-102	275mm	88mm

EHOMA FORGED STEEL F CLAMPS

- Premium quality forged steel clamps
- Tempered and hot forged steel
- Nickel and chrome plating



FROM

\$49



PART NO.	SPAN X DEPTH	RAIL SIZE	CLAMPING FORCE	PRICE
EC-G16CS	160 x 80mm	16 x 7.5mm	300kg	\$49.00
EC-G20CS	200 x 100mm	19.5 x 9.5mm	450kg	\$65.00
EC-G25CS	250 x 120mm	22 x 10.5mm	550kg	\$79.00
EC-G30CS	300 x 140mm	25 x 12mm	670kg	\$99.00
EC-G40CS	400 x 175mm	27 x 13mm	1000kg	\$129.00
EC-G60CS	600 x 175mm	27 x 13mm	1000kg	\$149.00
EC-G80CS	800 x 175mm	27 x 13mm	1000kg	\$179.00
EC-G100CS	1000 x 175mm	27 x 13mm	1000kg	\$219.00

EHOMA QUICK ACTION FORGED STEEL F CLAMPS

- Ratchet type lever prevents overloading and resists vibration
- For high pressure, fast action clamping purposes



FROM

\$99



PART NO.	SPAN X DEPTH	RAIL SIZE	CLAMPING FORCE	PRICE
EC-G16L	160 x 80mm	16 x 7.5mm	300kg	\$99.00
EC-G20L	200 x 100mm	19.5 x 9.5mm	350kg	\$119.00
EC-G30L	300 x 140mm	25 x 12mm	500kg	\$159.00
EC-G40L	400 x 120mm	25 x 12mm	550kg	\$169.00
EC-G50L	500 x 120mm	25 x 12mm	550kg	\$209.00

EHOMA LOCKING PLIERS 3 PIECE SET

- Includes:
150mm Long Nose
175mm Straight Jaw
250mm Round Jaw



\$68



PART NO.	DESCRIPTION
TM604-SET30	Locking Pliers - 3 Piece Set

EHOMA HEAVY DUTY FORGED STEEL F CLAMPS

- Larger rail sizes 30x15mm
- For heavy duty applications
- Changeable clamping heads
- Socket drive handle
- Up to 1000mm span available



FROM

\$179



PART NO.	SPAN X DEPTH	RAIL SIZE	CLAMPING FORCE	PRICE
EC-GS30C	300 x 140mm	30 x 15mm	1200kg	\$179.00
EC-GS40C	400 x 120mm	30 x 15mm	1200kg	\$199.00
EC-GS50C	500 x 140mm	30 x 15mm	1200kg	\$209.00
EC-GS60C	600 x 120mm	30 x 15mm	1200kg	\$219.00
EC-GS80C	800 x 140mm	30 x 15mm	1200kg	\$289.00
EC-GS100C	1000 x 120mm	30 x 15mm	1200kg	\$319.00

EHOMA RATCHET HANDLE FORGED STEEL F CLAMPS

- The innovative ratchet system allows faster clamping in restricted working areas
- The comfortable non-slip handle makes it easier to achieve maximum clamping pressure
- Bi-directional ratcheting and free spin



FROM

\$129



PART NO.	SPAN X DEPTH	RAIL SIZE	CLAMPING FORCE	PRICE
EC-G30R	300 x 140mm	25 x 12mm	670kg	\$129.00
EC-G40R	400 x 175mm	27 x 13mm	700kg	\$159.00
EC-G60R	600 x 175mm	27 x 13mm	700kg	\$189.00

MAGNETIC BASE DRILLING MACHINES

- Australia's most comprehensive range of magnetic base drilling machines, cutters and accessories.
- With our wide range of machine styles, sizes and designs, there is a Holemaker machine to suit every application.

- Reliable and durable European made machines
- Value for money that far exceeds any other brand on the market
- Over 20 different models of magnetic drilling machines, stocked in Australia!
- Over 25 years of product development

CORDLESS

HOLEMAKER PRO 35 18V CORDLESS MAGNETIC BASE DRILL

- Cordless, Compact & lightweight European Made Machine
- 18V Brushless motor technology
- CAS Battery platform
- Ideal for onsite & overhead tasks
- Unique dual rail slide system increases machine rigidity and improves cutter life
- Includes:
 - 14, 18, 22mm cutters & pin
 - 4Ah Lithium ion battery & Charger



•\$2799

Holemaker
Drilling Solutions By TTM®

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPRO35-18VK1	35 x 52mm	11kg

HOLEMAKER PRO 35 MAGNETIC BASE DRILL

- Quality, Compact & Robust European Made Machine
- Lightweight, only 10kg
- Ideal for onsite & overhead tasks
- Capacity (diameter) 35mm
- Capacity (depth) 52mm
- Unique dual rail slide system increases machine rigidity and improves cutter life
- Gravity feed coolant system with magnetically attached bottle



•\$1249

Holemaker
Drilling Solutions By TTM®

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPRO35	35 x 52mm	10kg

HOLEMAKER PRO 42 MAGNETIC BASE DRILL

- Durable & Versatile European Made Machine
- Light-weight, only 12.5kg
- Large 165mm stroke
- Capacity (diameter) 42mm
- Capacity (depth) 52mm
- Gravity feed coolant system with magnetically attached bottle
- Optional twist drill chuck
- Plastic carry case



•\$1999

Holemaker
Drilling Solutions By TTM®

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPRO42	42 x 52mm	12.5kg

HOLEMAKER PRO 40AD MAGNETIC BASE DRILL

- European made
- Ultra low profile
- 185mm constant working height
- Light-weight, only 10kg
- Capacity (diameter) 40mm
- Capacity (depth) 40mm
- Utilises standard 3/4" shank cutters
- Ratchet feed handle system which can be used on either side of the machine
- Plastic carry case



NEW

•\$2799

Holemaker
Drilling Solutions By TTM®

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPRO40AD	40 x 40mm	10kg

HOLEMAKER PRO 55 MAGNETIC BASE DRILL

- Durable & Versatile European Made Machine
- Light-weight, only 15.5kg
- Large 165mm stroke
- 2-speed gearbox
- Capacity (diameter) 55mm
- Capacity (depth) 75mm
- Gravity feed coolant system with magnetically attached bottle
- Optional twist drill chuck
- Plastic carry case



•\$2799

Holemaker
Drilling Solutions By TTM®

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPRO55	55 x 75mm	15.5kg

HOLEMAKER PRO 52-MT2 MAGNETIC BASE DRILL

- Versatile & Multi-Purpose, European Made Machine
- #2 Morse taper spindle, for use with drill chucks, taper shank drills, reamers etc. as well as annular cutters
- 2-speed gearbox
- Capacity (diameter) 52mm
- Capacity (depth) 52mm
- Light-weight, only 16.5kg
- Plastic carry case



•\$2999

Holemaker
Drilling Solutions By TTM®

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPRO52-MT2	52 x 52mm	16.5kg

NEW**HOLEMAKER PRO 80
MAGNETIC BASE DRILL**

- #3 Morse taper spindle
- European made
- 2-speed gearbox
- Large 190mm stroke
- Capacity (diameter) 80mm
- Capacity (depth) 110mm
- Powerful 1600W motor
- Lightweight, only 18kg
- Plastic carry case

**•\$4699****Holemaker**
Drilling Solutions By **ITM**

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPRO80	80 x 110mm	18kg

**HOLEMAKER SPECIAL 80
MAGNETIC BASE DRILL**

- #3 Morse taper spindle
- European made
- Capacity (diameter) 80mm
- Capacity (depth) 110mm
- 25mm #3MT drill bit capacity
- M24 Tapping capacity
- 2-speed variable & reversing
- Powerful 1500W Italian motor
- Electronic clutch
- Overload and overheat protection
- Tilt sensor
- 360-degree visual monitoring system
- Intuitive top mount control panel
- Very light-weight 18kg

**•\$5199****Holemaker**
Drilling Solutions By **ITM**

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMSPECIAL80	80 x 110mm	18kg

**HOLEMAKER SPECIAL 140
MAGNETIC BASE DRILL**

- #4 Morse taper spindle
- European made
- Capacity (diameter) 150mm
- Capacity (depth) 110mm
- 47mm #4MT drill bit capacity
- M42 Tapping capacity
- 4-speed variable reversing
- Powerful 2150W Italian motor
- Electronic clutch
- Overload and overheat protection
- Tilt sensor
- 360-degree visual monitoring system
- Intuitive top mount control panel
- Very light-weight 31kg

**•\$7279****Holemaker**
Drilling Solutions By **ITM**

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMSPECIAL140	150 x 110mm	31kg

NEW**HOLEMAKER PRO 100
MAGNETIC BASE DRILL**

- #3 Morse taper spindle
- European made
- 4-speed gearbox
- Large 190mm stroke
- Capacity (diameter) 100mm
- Capacity (depth) 110mm
- Powerful 1600W motor
- Lightweight, only 24kg
- Plastic carry case

**•\$5399****Holemaker**
Drilling Solutions By **ITM**

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPRO100	100 x 110mm	24kg

**HOLEMAKER SPECIAL 110
MAGNETIC BASE DRILL**

- #3 Morse taper spindle
- European made
- Capacity (diameter) 120mm
- Capacity (depth) 110mm
- 32mm #3MT drill bit capacity
- M30 Tapping capacity
- 4-speed variable & reversing
- Powerful 2150W Italian motor
- Electronic clutch
- Overload and overheat protection
- Tilt sensor
- 360-degree visual monitoring system
- Intuitive top mount control panel
- Very light-weight 25kg

**•\$6239****Holemaker**
Drilling Solutions By **ITM**

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMSPECIAL110	120 x 110mm	25kg

**HOLEMAKER GOLD SERIES
ANNULAR CUTTERS**

- Available in sizes 12 - 60mm diameter
- Available in 25, 50 & 75mm depth of cut
- Titanium nitride coating
- Universal shank
- M2AL high speed steel material
- Multi-cut geometry
- Holemaker Maxi-Cut TCT Cutters up to 200mm Diameter and 200mm Depth

**FROM****•\$66****25MM DEPTH**

PART NO.	DIAMETER	PRICE
AT1225	12mm	\$66.00
AT1425	14mm	\$66.00
AT1625	16mm	\$72.00
AT1825	18mm	\$74.00
AT2025	20mm	\$80.00
AT2225	22mm	\$90.00
AT2425	24mm	\$99.00

FROM**•\$84****50MM DEPTH**

PART NO.	DIAMETER	PRICE
AT1250	12mm	\$84.00
AT1450	14mm	\$84.00
AT1650	16mm	\$88.00
AT1850	18mm	\$92.00
AT2050	20mm	\$104.00
AT2250	22mm	\$115.00
AT2450	24mm	\$125.00

Holemaker
Drilling Solutions By **ITM****MAGNETIC BASE DRILLS**

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

LIMITED TIME OFFER!
BONUS 2x EXTRA BLADES PLUS 5 LITRE CUTTING FLUID WITH WP210SH & WP270SH BANDSAWS
\$209 VALUE

ITM 170MM X 170MM CAPACITY SWIVEL HEAD BANDSAW

- Swivel head 0° to 60°
- Dual mode operation
 - Manual trigger switch, or
 - Control panel with hydraulic downfeed
- Industrial quality made in Taiwan
- Recirculating coolant system
- Blade Size: 19mm x 0.9mm x 2110mm
- Bed Height: 895mm
- Weight: 156kg


CUTTING CAPACITY:
 Rectangular 90°: 210 x 100mm
 Square 90°: 170 x 170mm
 Square 45°: 110 x 110mm

* BONUS BLADES AND FLUID TOTAL 3 BLADES

.\$3299

PART NO.	BLADE SPEED	MOTOR
WP210SH-1	Single Speed 80 mpm	1hp Single Phase (240V)
WP210SH-3	2 Speed 40 / 80 mpm	1hp Three Phase (415V)

MACC 400MM X 200MM BANDSAW

- 2 way swivel head 0° to 60° Right, 0° to 45° Left
- Dual direction heavy-duty vice
- Hydraulic down feed
- Weight: 530kg
- Recirculating coolant system
- Blade Size: 27mm x 0.9mm x 3200mm


CUTTING CAPACITY:
 Rectangular 90°: 400 x 200mm
 Square 90°: 280 x 280mm
 Square 45°: 220 x 220mm

.\$16,699

PART NO.	BLADE SPEED	MOTOR
MB-411CSO-3	2 Speed 38 / 77 mpm	2.0hp Three Phase (415V)

ITM 350MM COLD CUT SAW PRO KIT - CERMET

- ✓ Stainless Steel ✓ Mild Steel ✓ Aluminium
- ✓ Thin Material ✓ Thick Material
- 2 Blade kit
 - 66 tooth T.C.T. blade
 - 110 tooth cermet carbide blade for stainless steel
- Fully enclosed retractable guard increases user safety
- Heavy-duty vice: 90° - 45°
- Pipe vice attachment
- Maximum material dimensions:
 - 90°: 120 x 120mm
 - 45°: 120 x 90mm


.\$1049

PART NO.	CAPACITY	MOTOR
S14-PROKIT	120 x 120mm	3.0hp Single Phase (240V)

ITM 220MM X 220MM CAPACITY SWIVEL HEAD BANDSAW

- Swivel head 0° to 60°
- Dual mode operation
 - Manual trigger switch, or
 - Control panel with hydraulic downfeed
- Industrial quality made in Taiwan
- Recirculating coolant system
- Blade Size: 27mm x 0.9mm x 2460mm
- Bed Height: 840mm
- Weight: 216kg



VIEW THE RANGE


CUTTING CAPACITY:
 Rectangular 90°: 260 x 110mm
 Square 90°: 215 x 215mm
 Square 45°: 45 x 145mm

* BONUS BLADES AND FLUID TOTAL 3 BLADES

.\$3999

PART NO.	BLADE SPEED	MOTOR
WP270SH-1	Single Speed 72 mpm	1.5hp Single Phase (240V)
WP270SH-3	2 Speed 36 / 72 mpm	1.5hp Three Phase (415V)

NEW
MACC 400MM X 330MM SEMI-AUTOMATIC BANDSAW

- Semi-automatic machine
- 2 way swivel head 0° to 60°
- Dual direction heavy-duty vice
- Recirculating coolant system
- Blade Size: 34mm x 1.1mm x 4270mm
- Italian made quality


CUTTING CAPACITY:
 Rectangular 90°: 400 x 330mm
 Square 90°: 330 x 330mm
 Square 45° (R): 280 x 280mm

.\$24,995

PART NO.	BLADE SPEED	MOTOR
MB-415DI-3	Variable 22-73 mpm	2.95hp Three Phase (415V)

ITM 300MM X 180MM CAPACITY BANDSAW

- Horizontal and vertical saw
- Swivel vice, 0° to 45°
- Hydraulic downfeed
- Incorporated recirculating coolant system
- Non-voltage return ON/OFF switch and emergency stop switch
- Bed Height: 572mm
- Weight: 130kg
- Made in Taiwan
- Blade Size: 19mm x 0.9mm x 2360mm


CUTTING CAPACITY:
 Rectangular 90°: 300 x 180mm
 Square 90°: 180 x 180mm
 Square 45°: 110 x 110mm

.\$2179

PART NO.	BLADE SPEED	MOTOR
UE712A	4 Speed 22 / 33 / 45 / 65mpm	1.0hp Single Phase (240V)

ITM HEAVY DUTY INDUSTRIAL BENCH GRINDERS

- 25mm Width grinding wheels with 36 and 60 grit
- Cast iron body and base
- Vibration absorbing pads on base
- Capacitor Start-Run motor
- Fully adjustable tool rests
- Large eye shields




FROM
\$219

PART NO.	GRINDING WHEEL SIZE	MOTOR	WEIGHT	PRICE
TM400-150	150mm	370W 240v	11.1kg	\$219.00
TM400-200	200mm	600W 240v	16.7kg	\$299.00
PO200HD	200mm	750W 240v	23.0kg	\$349.00
TM400-250	250mm	900W 240v	32.0kg	\$519.00

MULTITOOL BELT & DISC GRINDING ATTACHMENTS

The Genuine Multitool is a renowned, Australian designed belt grinding attachment which can be used on most bench grinders. The technology replaces the grinding wheel and converts a traditional grinder into a sophisticated work station ideal for sanding, grinding, sharpening, shaping, polishing and refinishing



FROM
\$229

PART NO.	MULTITOOL BELT SIZE	DISC SIZE	MINIMUM GRINDER POWER	PRICE
P0362	915 x 50mm	178mm	1/2 HP 375W	\$229.00
P0364	915 x 100mm	178mm	3/4 HP 600W	\$536.00
P0482	1220 x 50mm	178mm	3/4 HP 600W	\$579.00
P0484	1220 x 100mm	178mm	1 HP 750W	\$639.00

ITM BENCH DRILLS

- Quality casting, construction and componentry
- Emergency stop N.V.R. safety switch
- Supplied with Drill chuck, arbor & Safety guard



VIEW THE RANGE



FROM
\$259

PART NO.	CAPACITY	CHUCK	SPEED	MOTOR	PRICE
TD0813	13mm	13mm	5 Speed	250W 240V	\$259.00
TD1013	13mm	13mm	5 Speed	375W 240V	\$379.00
TD1316	16mm	16mm #2MT	16 Speed	375W 240V	\$559.00
TD1416	16mm	16mm #2MT	16 Speed	450W 240V	\$689.00

ITM BENCH GRINDERS WITH MULTITOOL BELT ATTACHMENT

- Industrial quality for demanding professional workshops
- Powerful motor
- Genuine Multitool finishing attachment
- Extra heavy-duty tool rests and eye shields



FROM
\$399

PART NO.	GRINDING WHEEL SIZE	MULTITOOL BELT SIZE	MOTOR	PRICE
P0362-150	150mm	915 x 50mm	370W 240v	\$399.00
P0362-200	200mm	915 x 50mm	600W 240v	\$449.00
P0362-200HD	200mm	915 x 50mm	750W 240v	\$499.00
P0482-250	250mm	1220 x 50mm	900W 240v	\$799.00
P0484-250	250mm	1220 x 100mm	900W 240v	\$999.00

ITM PREMIUM BENCH GRINDER STAND

- Industrial Bench Grinder Stand for use with most 200mm and 250mm bench grinders
- 855mm work height for comfortable extended use
- Heavy-duty steel construction
- Parts / water tray holder on front (tray not included)
- Pre-slotted top plate for multi-fit applications
- Pre-drilled base plate for easy mounting
- Heavy-duty powder coat finish
- Top Plate: 350mm x 250mm x 5mm
- Base Plate: 350mm x 250mm x 5mm
- Upright Tube Dimension: 100mm x 100mm
- Parts / water tray holder on front (tray not included)
- Emergency stop switch (TM403-018)



FROM
\$175

PART NO.	DESCRIPTION	PRICE
TM403-016	Premium Bench Grinder Stand	\$175.00
TM403-018	Premium Bench Grinder Stand with E-Stop	\$269.00

ITM PEDESTAL DRILLS

- Quality casting, construction and componentry
- Emergency stop N.V.R. safety switch
- Supplied with Drill chuck, arbor & Safety guard



VIEW THE RANGE



FROM
\$609

PART NO.	CAPACITY	CHUCK	SPEED	MOTOR	PRICE
TD1316F	16mm	16mm #2MT	16 Speed	550W 240V	\$609.00
TD1420F	20mm	20mm #3MT	12 Speed	750W 240V	\$769.00
TD1825F	25mm	20mm #3MT	12 Speed	1500W 240V	\$1229.00
TD2032F	32mm	20mm #4MT	12 Speed	1500W 240V	\$1489.00

NEW

HOLEMAKER 3/8" 3 PCE SET CARBIDE BURR SET

- 1/4" Imperial Shank
- Set includes 1 of each SA3, SC3, SF3 burr types
- Double cut geometry for Ideal use on mild steel, cast iron, high strength steel, steel castings, stainless steel, steel welds



\$79

Holemaker
Drilling Solutions By **FTM**

PART NO.	SET INCLUDES
CB-SET-33	SA3, SC3, SF3

DRILL DOCTOR XP DRILL BIT SHARPENER

- Creates and sharpens split point bits
- Adjustable relief angle
- 240V motor
- 3-year warranty



Drill Doctor
The Drill Bit Sharpener

\$309

PART NO.	DRILL BIT CAPACITY	SHARPENING ANGLE
DDXP	2.5mm to 13mm	118°

WORK SHARP PRECISION ADJUST KNIFE SHARPENER

- Sharpening angle can be easily adjusted from 15° to 30° in 1° increments to sharpen every knife you own
- 320 grit and 600 grit diamond plates to quickly restore a sharp edge, and a fine grit ceramic stone to hone an incredibly keen edge on any knife



WORK SHARP
SHARPENERS

\$135

PART NO.	DESCRIPTION
WSBCHPAJ-I	Precision Adjust Knife Sharpener

NEW

HOLEMAKER 3/8" 4 PCE SET CARBIDE BURR SET

- 1/4" Imperial Shank
- Set includes 1 of each SA3, SC3, SF3, SL3 burrs
- Double cut geometry for Ideal use on mild steel, cast iron, high strength steel, steel castings, stainless steel, steel welds



\$99

Holemaker
Drilling Solutions By **FTM**

PART NO.	SET INCLUDES
CB-SET-34	SA3, SC3, SF3, SL3

DRILL DOCTOR 750X DRILL BIT SHARPENER

- Top of the line tradesman model
- 2.5mm to 19mm drill bit capacity
- Creates and sharpens split point bits
- 240V motor
- 3-year warranty



Drill Doctor
The Drill Bit Sharpener

\$649

PART NO.	DRILL BIT CAPACITY	SHARPENING ANGLE
DD750X	2.5mm to 19mm	115° to 140°

WORK SHARP MK2, ELECTRIC KNIFE SHARPENER

- 240V Flexible Belt Sharpener
- Quickly toggle between the 25° angle for outdoor and pocket knives and the 20° angle for thinner blades and kitchen knives
- Two-speed motor, low speed for course grit belts when grinding and won't burn the knife or tool, and high speed for fine grit belts when honing a precise edge



WORK SHARP
SHARPENERS

\$249

PART NO.	DESCRIPTION
WSKTS2-I	Knife & Tool Sharpener Mk. 2

LOCAL DISTRIBUTOR