



*The* Supplement  
**BOOK**  
*New products* Spring 2025



Spring 2025





Easy to install integrated **slip tabs** for seamless lens removal and multiple keyholes / knockouts for wire connections

# WRAPS


Thin profile design ideal for low clearance ceilings

2700K 3000K 3500K 4000K 5000K

**5CCT TEMPERATURE CONTROL**

**5 COLOR**  
TEMPERATURE ADJUSTABLE SWITCH INSIDE

## Measuring Specifications



Featured available only for item# 773501, 773503

# 2' & 4' Wraps

**INTEGRATED  
LED** *Lighting*

Available in 2' (2300 Lumens) and 4' (5300 Lumens)



High light output, available in 3000K or 5CCT Selectable (2700K/3000K/3500K/4000K/5000K)

Multi-Volt (120-277V) with universal dimming control for commercial and residential applications

Ideal for residential and commercial applications such as garages, laundry rooms, hallways, workshops or other areas where utility lights are needed

Easy to install integrated **slip tabs** for seamless lens removal and multiple keyholes / knockouts for wire connections

Thin profile design ideal for low clearance ceilings



Item #  
[773500](#) (3000K)  
[773501](#) (5CCT 27/30/35/40/50K)

20W  
2ft Wrap Light  
1x T8 32W Equiv.

Item #  
[773502](#) (3000K)  
[773503](#) (5CCT 27/30/35/40/50K)

46W  
4ft Wrap Light  
2x T8 32W Equiv.



SEE INDEX FOR FULL PRODUCT SPECS




# WET RATED

*Great for*  
bathroom areas,  
such as for overhead  
lighting in showers.



## FOR MOUNTING DIRECT TO J-BOX 7" Disc Lights

INTEGRATED  
**LED** Lighting



Item #  
[773273](#)

14W  
7" DWNLGT 5CCT  
27/30/35/40/50K  
75W Equiv.




Item #  
[773274](#) (3000K)

14W  
7" DWNLGT  
75W Equiv.




Item #  
[773275](#) (3000K)

14W  
7" DWNLGT  
75W Equiv.



Item #  
[773299](#)

- A** Spring Kit for Can Retrofitting
- B** 2 Pcs Springs with Screw
- C** 1 Pc Ground Wire







2700K

3000K

3500K

4000K


5000K

FOR MOUNTING DIRECT TO J-BOX

# 5", 7", 9" Flush Mounts

INTEGRATED LED *lighting*

5CCT  
TEMPERATURE  
CONTROL



Item #

- WHITE TRIM** [773603](#) (5CCT 27/30/35/40/50K)
- WHITE TRIM** [773600](#) (3000K)
- BLACK TRIM** [773601](#) (3000K)
- NICKEL TRIM** [773602](#) (3000K)

10.3W  
5" FLUSH MOUNT  
50W Equiv.

Item #

- WHITE TRIM** [773607](#) (5CCT 27/30/35/40/50K)
- WHITE TRIM** [773604](#) (3000K)
- BLACK TRIM** [773605](#) (3000K)
- NICKEL TRIM** [773606](#) (3000K)

14W  
7" FLUSH MOUNT  
75W Equiv.

Item #

- WHITE TRIM** [773611](#) (5CCT 27/30/35/40/50K)
- WHITE TRIM** [773608](#) (3000K)
- BLACK TRIM** [773609](#) (3000K)
- NICKEL TRIM** [773610](#) (3000K)


17W  
9" FLUSH MOUNT  
90W Equiv.



SEE INDEX FOR FULL PRODUCT SPECS

# MULTI-PACKS FILAMENTS A19, ST18, G25

Basics Series




2700K  
7.6W  
A19  
60W Equiv. **Item # 776226**  
**4-PACK**

3000K  
7.6W  
A19  
60W Equiv. **776227**  
**4-PACK**

4000K  
7.6W  
A19  
60W Equiv. **776228**  
**4-PACK**

*Multi-Packs*




2700K  
7.6W  
ST18  
60W Equiv. **Item # 776242**  
**4-PACK**

3000K  
ST18  
7.6W  
60W Equiv. **776243**  
**4-PACK**

4000K  
ST18  
7.6W  
60W Equiv. **776244**  
**4-PACK**

*Ideal for*

renovations or decorating projects where multiple fixtures need new bulbs at once.



2700K  
7.6W  
G25  
60W Equiv. **Item # 776239**  
**4-PACK**

3000K  
7.6W  
G25  
60W Equiv. **776240**  
**4-PACK**

4000K  
7.6W  
G25  
60W Equiv. **776241**  
**4-PACK**




## MULTI-PACKS FILAMENTS

# B11

### Basics Series

2700K  
4.1W  
B11  
40W Equiv.

Item #  
[776229](#)<sup>1</sup> **6-PACK**  
[776235](#)<sup>1</sup> **25-PACK**



3000K  
4.1W  
B11  
40W Equiv.

[776230](#)<sup>1</sup> **6-PACK**  
[776236](#)<sup>1</sup> **25-PACK**

4000K  
4.1W  
B11  
40W Equiv.

[776231](#)<sup>1</sup> **6-PACK**

2700K  
5.1W  
B11  
60W Equiv.

Item #  
[776232](#)<sup>1</sup> **6-PACK**  
[776237](#)<sup>1</sup> **25-PACK**



3000K  
5.1W  
B11  
60W Equiv.

[776233](#)<sup>1</sup> **6-PACK**  
[776238](#)<sup>1</sup> **25-PACK**

4000K  
5.1W  
B11  
60W Equiv.

[776234](#)<sup>1</sup> **6-PACK**

## MULTI-PACKS GENERAL SERVICE

# A19

### Basics Series

Item #  
2700K  
8.5W  
A19  
60W Equiv.

Item #  
[774247](#) **4-PACK**  
[774251](#) **25-PACK**



3000K  
8.5W  
A19  
60W Equiv.

[774248](#) **4-PACK**  
[774252](#) **25-PACK**

4000K  
8.5W  
A19  
60W Equiv.

[774249](#) **4-PACK**

5000K  
8.5W  
A19  
60W Equiv.

[774250](#) **4-PACK**

### Preferred Series

2700K  
9W  
A19  
60W Equiv.

Item #  
[774253](#)<sup>1,2</sup> **4-PACK**  
[774257](#)<sup>1,2</sup> **25-PACK**



3000K  
9W  
A19  
60W Equiv.

[774254](#)<sup>1,2</sup> **4-PACK**  
[774258](#)<sup>1,2</sup> **25-PACK**

4000K  
9W  
A19  
60W Equiv.

[774255](#)<sup>1,2</sup> **4-PACK**

5000K  
9W  
A19  
60W Equiv.

[774256](#)<sup>1,2</sup> **4-PACK**



SEE INDEX FOR FULL PRODUCT SPECS

# LED FILAMENTS 4000K & 5000K B11, T6, A19

Preferred Series



Item #  
[776933](#) (4000K) 4W  
[776934](#) (4000K) 5W  
[776968](#) (4000K) 6.5W  
[776963](#) (5000K) 4W  
[776965](#) (5000K) 5W  
[776967](#) (5000K) 6.5W

B11  
E12 Base



Item #  
[776930](#) (4000K) 4W  
[776931](#) (4000K) 5W  
[776932](#) (4000K) 6.5W  
[776962](#) (5000K) 4W  
[776964](#) (5000K) 5W  
[776966](#) (5000K) 6.5W

B11  
E12 Base



Item #  
[776994](#) (4000K)  
[776996](#) (5000K)

4.5W  
T6  
E12 Base



Item #  
[776993](#) (4000K)  
[776995](#) (5000K)

4.5W  
T6  
E12 Base



Item #  
[776928](#) (4000K) 7W  
[776929](#) (4000K) 14W  
[776959](#) (4000K) 8.5W  
[776961](#) (5000K) 14W

A19  
E26 Base



Item #  
[776925](#) (4000K) 8.5W  
[776926](#) (4000K) 9W  
[776927](#) (4000K) 14W  
[776958](#) (5000K) 8.5W  
[776960](#) (5000K) 14W

A19  
E26 Base

New expanded assortment now offering

4000K  
**LED Filaments**  
 5000K



Item #  
[776935](#) (4000K) 8.5W  
[776985](#) (5000K) 8.5W  
[776987](#) (5000K) 13W

ST18  
E26 Base



# LED FILAMENTS 4000K & 5000K T9, G25, G40

Preferred Series



Item #  
[776990](#) (4000K)  
[776992](#) (5000K)

5W  
T9 5"  
E26 Base



Item #  
[776989](#) (4000K)  
[776991](#) (5000K)

5W  
T9 5"  
E26 Base



Item #  
[776978](#) (4000K)  
[776980](#) (5000K)

8.5W  
G25  
E26 Base



Item #  
[776977](#) (4000K)  
[776979](#) (5000K)

8.5W  
G25  
E26 Base



Item #  
[776981](#) (4000K)  
[776983](#) (5000K)

8.5W  
G40  
E26 Base



Item #  
[776982](#) (4000K)  
[776984](#) (5000K)

8.5W  
G40  
E26 Base

CLEAR & MILKY

A15 - ST15

Preferred Series



Item #  
[776825](#) (2700K)<sup>1</sup>  
[776826](#) (3000K)<sup>1</sup>

4W  
 A15  
 25W Equiv.  
 E12 Base



Item #  
[776827](#) (2700K)<sup>1</sup>  
[776828](#) (3000K)<sup>1</sup>

4W  
 A15  
 25W Equiv.  
 E12 Base



Item #  
[776829](#) (2700K)<sup>2</sup>  
[776830](#) (3000K)<sup>2</sup>

7W  
 A15  
 60W Equiv.  
 E26 Base



Item #  
[776831](#) (2700K)<sup>2</sup>  
[776832](#) (3000K)<sup>2</sup>

7W  
 A15  
 60W Equiv.  
 E26 Base



Item #  
[776821](#) (2700K)<sup>1</sup>  
[776822](#) (3000K)<sup>1</sup>

4W  
 ST15  
 40W Equiv.  
 E12 Base



Item #  
[776823](#) (2700K)<sup>1</sup>  
[776824](#) (3000K)<sup>1</sup>

4W  
 ST15  
 40W Equiv.  
 E12 Base



# Ideal for Floor & Table Lamps

## MILKY 3-WAY A19

Preferred Series



Item #  
[776520](#) (2700K)  
[776521](#) (3000K)

---

5W/8W/10W  
550/900/1100 Lumens  
A19  
75W Equiv.



SEE INDEX FOR FULL PRODUCT SPECS



**GRAND DIENT**  
LED COLLECTION  
*Your new centerpiece*

**CLEAR TO SMOKE  
C53, G40**

**CLEAR TO BLUE  
C53, G40**

10.25  
inches



Item #  
[776321](#) (3000K)  

---

4.5W  
C53  
60W Equiv.



Item #  
[776322](#) (3000K)  

---

4.5W  
C53  
60W Equiv.



Item #  
[776997](#) (3000K)  

---

4.5W  
G40  
60W Equiv.



Item #  
[776998](#) (3000K)  

---

4.5W  
G40  
60W Equiv.



LED  
**WARM DIM**  
 COLLECTION

**WARM DIM**  
**B11, CA10, G16, A19, ST18, G25, G40**



Item #  
[776401](#) (3000K - 1800K)

5W  
 B11  
 60W Equiv.



Item #  
[776400](#) (3000K - 1800K)

9W  
 A19  
 60W Equiv.



Item #  
[776402](#) (3000K - 1800K)

5W  
 CA10  
 60W Equiv.



Item #  
[776405](#) (3000K - 1800K)

9W  
 ST18  
 60W Equiv.



Item #  
[776403](#) (3000K - 1800K)

5W  
 G16  
 60W Equiv.



Item #  
[776404](#) (3000K - 1800K)

9W  
 G25  
 60W Equiv.

watch our LED Warm Dim collection in action!

Scan me

You have to *dim it* to believe it

Bulb shifts in color from **soft white** to **candlelight** as you dim


**Warm Dim G40**  
*now available*

Item #  
[776406](#) (3000K - 1800K)

---

4.5W  
 G40  
 40W Equiv.

*Ideal for Pendants*



Watch Our Half Series Designer Tips Video

# half Gold

A19, G16, G25, G40



Item # [776679](#) (2700K)<sup>1</sup>

5W  
A19  
40W Equiv.



Item # [776921](#) (2700K)<sup>2</sup>

2.5W  
G16  
25W Equiv.



Item # [776923](#) (2700K)<sup>1</sup>

4.5W  
G25  
40W Equiv.



Item # [776924](#) (2700K)<sup>1</sup>

6W  
G40  
60W Equiv.





Item #  
[776671](#) (2700K)<sup>1</sup>

4.5W  
A19  
40W Equiv.



Item #  
[776771](#) (2700K)<sup>2</sup>

2.5W  
G16  
25W Equiv.



Item #  
[776870](#) (2700K)<sup>1,3</sup>

5W  
G25  
40W Equiv.



Item #  
[776920](#) (2700K)<sup>2,3</sup>


6W  
G40  
60W Equiv.



# half Chrome

## A19, G16, G25, G40





Watch Our Half Series Designer Tips Video

# half Black

A19, G16, G25, G40



Item #  
[776833](#) (2700K)<sup>1</sup>

5W  
A19  
40W Equiv.



Item #  
[776834](#) (2700K)<sup>2</sup>

2.5W  
G16  
25W Equiv.



Item #  
[776835](#) (2700K)<sup>1</sup>

5W  
G25  
40W Equiv.



Item #  
[776836](#) (2700K)<sup>1</sup>

6W  
G40  
60W Equiv.



Item #  
[776837](#) (2700K)<sup>1</sup>

5W  
A19  
40W Equiv.



Item #  
[776838](#) (2700K)<sup>2</sup>

2.5W  
G16  
25W Equiv.




Item #  
[776839](#) (2700K)<sup>1</sup>

5W  
G25  
40W Equiv.



Item #  
[776840](#) (2700K)<sup>1</sup>

6W  
G40  
60W Equiv.



# half *White*

## A19, G16, G25, G40





# COLOR BULBS A19 - S14 - PAR38

Perfect for weddings, patios, tents, awnings, holiday décor and cause-marketing initiatives.



- Item #
- 776105 RED
  - 776106 AMBER
  - 776107 YELLOW
  - 776108 GREEN
  - 776109 BLUE
  - 776110 PINK

4.5W  
A19  
25W Equiv.  
E26 Base

*OPAQUE  
Ceramic finish*

for more vibrant colors, no visible filament

- Item #
- 776150 RED
  - 776151 AMBER
  - 776152 YELLOW
  - 776153 GREEN
  - 776154 BLUE
  - 776155 PINK

2.5W  
S14  
25W Equiv.  
E26 Base



- Item #
- 772500 RED
  - 772501 AMBER
  - 772502 YELLOW
  - 772503 GREEN
  - 772504 BLUE
  - 772505 PINK

15W  
PAR38  
90W Equiv.  
E26 Base




# CLEAR, FROST 120V G9 - Full Glass



Item #  
[770597](#) (2700K)  
[770598](#) (3000K)

3.5W  
T4  
25W Equiv.



Item #  
[770599](#) (2700K)  
[770600](#) (3000K)

4.5W  
T5  
40W Equiv.

Clear glass creates the look of halogens



Item #  
[770659](#) (2700K)  
[770660](#) (3000K)

3.5W  
T5  
25W Equiv.



New Frost finish

Item #  
[770657](#) (2700K)  
[770658](#) (3000K)

4.5W  
T5  
40W Equiv.

# 12V FULL GLASS G4, GY6.35



Item #  
[770649](#) (2700K)  
[770650](#) (3000K)

1.8W  
T5  
G4 Base  
15W Equiv.



Item #  
[770653](#) (2700K)  
[770654](#) (3000K)

1.8W  
T5  
GY6.35 Base  
15W Equiv.



Item #  
[770651](#) (2700K)  
[770652](#) (3000K)

1.8W  
T5  
G4 Base  
15W Equiv.



Item #  
[770655](#) (2700K)  
[770656](#) (3000K)

1.8W  
T5  
GY6.35 Base  
15W Equiv.



PAGE #	ITEM #	ORDERING CODE	WATTS	BULB TYPE	BASE	DESC	COLOR TEMP	CRI	LU- MENS	AVG RATED LIFE	M.O.L	M.O.D	WATT EQUIV.	WAR- RANTY YEARS	SAFETY RATING
3	773500	LED20WRAP/2FT/930/J/WH/D	20	WRAP	N/A	White	3000K	90	2300	50000	24.37	5.13	N/A	5	ETL
3	773501	LED20WRAP/2FT/5CCT/927-950/J/WH/D	20	WRAP	N/A	White	5 CCT- 27/30/35/40/50K	90	2300	50000	24.37	5.13	N/A	5	ETL
3	773502	LED48WRAP/4FT/930/J/WH/D	46	WRAP	N/A	White	3000K	90	5300	50000	47.6	5.13	N/A	5	ETL
3	773503	LED48WRAP/4FT/5CCT/927-950/J/WH/D	46	WRAP	N/A	White	5 CCT- 27/30/35/40/50K	90	5300	50000	47.6	5.13	N/A	5	ETL
4	773273	LED14DISC/7/5CCT/927-950/J/WHRD/D	14	7" DISC	E26	White	5 CCT- 27/30/35/40/50K	90	1100	50000	0.984	7.402	75W	3	UL
4	773274	LED14DISC/7/930/J/WHRD/D	14	7" DISC	E26	White	3000K	90	1100	50000	0.984	7.402	75W	3	UL
4	773275	LED14DISC/7/930/J/BLRD/D	14	7" DISC	E26	Black	3000K	90	1100	50000	0.984	7.402	75W	3	UL
4	773299	LED7DISC/CAN-SPRINGS-50PK	-	-	-	-	-	-	-	-	-	-	-	-	0
5	773603	LED10FLUSH/5/5CCT/927-950/J/WH/D	10.3	FLUSH MOUNT	E26	White	5 CCT- 27/30/35/40/50K	90	850	50000	5	0.73	60W	5	UL
5	773600	LED10FLUSH/5/930/J/WH/D	10.3	FLUSH MOUNT	E26	White	3000K	90	850	50000	5	0.73	60W	5	UL
5	773601	LED10FLUSH/5/930/J/BL/D	10.3	FLUSH MOUNT	E26	Black	3000K	90	850	50000	5	0.73	60W	5	UL
5	773602	LED10FLUSH/5/930/J/NK/D	10.3	FLUSH MOUNT	E26	Nickel	3000K	90	850	50000	5	0.73	60W	5	UL
5	773607	LED14FLUSH/7/5CCT/927-950/J/WH/D	14	FLUSH MOUNT	E26	White	5 CCT- 27/30/35/40/50K	90	1150	50000	7	0.73	75W	5	UL
5	773604	LED14FLUSH/7/930/J/WH/D	14	FLUSH MOUNT	E26	White	3000K	90	1150	50000	7	0.73	75W	5	UL
5	773605	LED14FLUSH/7/930/J/BL/D	14	FLUSH MOUNT	E26	Black	3000K	90	1150	50000	7	0.73	75W	5	UL
5	773606	LED14FLUSH/7/930/J/NK/D	14	FLUSH MOUNT	E26	Nickel	3000K	90	1150	50000	7	0.73	75W	5	UL
5	773611	LED17FLUSH/9/5CCT/927-950/J/WH/D	17	FLUSH MOUNT	E26	White	5 CCT- 27/30/35/40/50K	90	1400	50000	9	0.73	90W	5	UL
5	773608	LED17FLUSH/9/930/J/WH/D	17	FLUSH MOUNT	E26	White	3000K	90	1400	50000	9	0.73	90W	5	UL
5	773609	LED17FLUSH/9/930/J/BL/D	17	FLUSH MOUNT	E26	Black	3000K	90	1400	50000	9	0.73	90W	5	UL
5	773610	LED17FLUSH/9/930/J/NK/D	17	FLUSH MOUNT	E26	Nickel	3000K	90	1400	50000	9	0.73	90W	5	UL
6	776226	LED7A19/27K/FIL/D/B/2/4P	7.6	A19	E26	Clear	2700K	80	800	15000	4.17	2.36	60W	2	UL
6	776227	LED7A19/30K/FIL/D/B/2/4P	7.6	A19	E26	Clear	3000K	80	800	15000	4.17	2.36	60W	2	UL
6	776228	LED7A19/40K/FIL/D/B/2/4P	7.6	A19	E26	Clear	4000K	80	800	15000	4.17	2.36	60W	2	UL
6	776239	LED7G25/27K/FIL/D/B/2/4P	7.6	G25	E26	Clear	2700K	80	800	15000	4.72	3.15	60W	2	UL
6	776240	LED7G25/30K/FIL/D/B/2/4P	7.6	G25	E26	Clear	3000K	80	800	15000	4.72	3.15	60W	2	UL
6	776241	LED7G25/40K/FIL/D/B/2/4P	7.6	G25	E26	Clear	4000K	80	800	15000	4.72	3.15	60W	2	UL
6	776242	LED7ST18/27K/FIL/D/B/2/4P	7.6	ST18	E26	Clear	2700K	80	800	15000	5.03	2.28	60W	2	UL
6	776243	LED7ST18/30K/FIL/D/B/2/4P	7.6	ST18	E26	Clear	3000K	80	800	15000	5.03	2.28	60W	2	UL
6	776244	LED7ST18/40K/FIL/D/B/2/4P	7.6	ST18	E26	Clear	4000K	80	800	15000	5.03	2.28	60W	2	UL
7	776229	LED4B11/27K/FIL/D/B/2/6P	4.1	B11	E12	Clear	2700K	80	400	15000	3.94	1.38	40W	2	UL
7	776235	LED4B11/27K/FIL/D/B/2/25P	4.1	B11	E12	Clear	2700K	80	400	15000	3.94	1.38	40W	2	UL
7	776230	LED4B11/30K/FIL/D/B/2/6P	4.1	B11	E12	Clear	3000K	80	400	15000	3.94	1.38	40W	2	UL
7	776236	LED4B11/30K/FIL/D/B/2/25P	4.1	B11	E12	Clear	3000K	80	400	15000	3.94	1.38	40W	2	UL
7	776231	LED4B11/40K/FIL/D/B/2/6P	4.1	B11	E12	Clear	4000K	80	400	15000	3.94	1.38	40W	2	UL
7	776232	LED5B11/27K/FIL/D/B/2/6P	5.1	B11	E12	Clear	2700K	80	500	15000	3.94	1.38	60W	2	UL
7	776237	LED5B11/27K/FIL/D/B/2/25P	5.1	B11	E12	Clear	2700K	80	500	15000	3.94	1.38	60W	2	UL
7	776233	LED5B11/30K/FIL/D/B/2/6P	5.1	B11	E12	Clear	3000K	80	500	15000	3.94	1.38	60W	2	UL
7	776238	LED5B11/30K/FIL/D/B/2/25P	5.1	B11	E12	Clear	3000K	80	500	15000	3.94	1.38	60W	2	UL
7	776234	LED5B11/40K/FIL/D/B/2/6P	5.1	B11	E12	Clear	4000K	80	500	15000	3.94	1.38	60W	2	UL
7	774247	LED8A19/B60W/827/4P	8.5	A19	E26	Frost	2700K	80	750	10000	4.25	2.36	60W	2	UL



PAGE #	ITEM #	ORDERING CODE	WATTS	BULB TYPE	BASE	DESC	COLOR TEMP	CRI	LU. MENS	AVG RATED LIFE	M.O.L	M.O.D	WATT EQUIV.	WAR-RANTY YEARS	SAFETY RATING
7	774251	LED8A19/B60W/827/25P	8.5	A19	E26	Frost	2700K	80	750	10000	4.25	2.36	60W	2	UL
7	774248	LED8A19/B60W/830/4P	8.5	A19	E26	Frost	3000K	80	750	10000	4.25	2.36	60W	2	UL
7	774252	LED8A19/B60W/830/25P	8.5	A19	E26	Frost	3000K	80	750	10000	4.25	2.36	60W	2	UL
7	774249	LED8A19/B60W/840/4P	8.5	A19	E26	Frost	4000K	80	750	10000	4.25	2.36	60W	2	UL
7	774250	LED8A19/B60W/850/4P	8.5	A19	E26	Frost	5000K	80	750	10000	4.25	2.36	60W	2	UL
7	774253	LED9A19/PF60W/927/D/2/4P	9	A19	E26	Frost	2700K	90	800	15000	4.25	2.36	60W	2	UL
7	774257	LED9A19/PF60W/927/D/2/25P	9	A19	E26	Frost	2700K	90	800	15000	4.25	2.36	60W	2	UL
7	774254	LED9A19/PF60W/930/D/2/4P	9	A19	E26	Frost	3000K	90	800	15000	4.25	2.36	60W	2	UL
7	774258	LED9A19/PF60W/930/D/2/25P	9	A19	E26	Frost	3000K	90	800	15000	4.25	2.36	60W	2	UL
7	774255	LED9A19/PF60W/940/D/2/4P	9	A19	E26	Frost	4000K	90	800	15000	4.25	2.36	60W	2	UL
7	774256	LED9A19/PF60W/950/D/2/4P	9	A19	E26	Frost	5000K	90	800	15000	4.25	2.36	60W	2	UL
8	776925	LED8A19/40K/FIL/3/JA8	8.5	A19	E26	Clear	4000K	90	850	15000	4.13	2.36	60W	5	UL
8	776926	LED9A19/40K/FIL/3	9	A19	E26	Clear	4000K	90	1100	15000	4.13	2.36	75W	5	UL
8	776927	LED14A19/40K/FIL/3	14	A19	E26	Clear	4000K	90	1500	15000	4.13	2.36	100W	5	UL
8	776928	LED7A19/40K/FIL/M/3	7	A19	E26	Milky	4000K	90	800	15000	4.13	2.36	60W	5	UL
8	776929	LED14A19/40K/FIL/M/3	14	A19	E26	Milky	4000K	90	1400	15000	4.13	2.36	100W	5	UL
8	776935	LED8ST18/40K/FIL/3/JA8	8.5	ST18	E26	Clear	4000K	90	800	15000	5.04	2.28	60W	5	UL
8	776930	LED4B11/40K/FIL/3/JA8	4	B11	E12	Clear	4000K	90	300	15000	3.85	1.37	40W	5	UL
8	776931	LED5B11/40K/FIL/E12/3	5	B11	E12	Clear	4000K	90	500	15000	3.85	1.37	60W	5	UL
8	776932	LED6B11/40K/FIL/3	6.5	B11	E12	Clear	4000K	90	750	15000	3.85	1.37	75W	5	UL
8	776933	LED4B11/40K/FIL/M/3	4	B11	E12	Milky	4000K	90	300	15000	3.85	1.37	40W	5	UL
8	776934	LED5B11/40K/FIL/M/3	5	B11	E12	Milky	4000K	90	500	15000	3.85	1.37	60W	5	UL
8	776968	LED6B11/40K/FIL/M/3	6.5	B11	E12	Milky	4000K	90	750	15000	3.85	1.37	75W	5	UL
8	776993	LED4T6/40K/FIL/3	4.5	T6	E12	Clear	4000K	90	450	15000	3.34	0.78	40W	5	UL
8	776994	LED4T6/40K/FIL/M/3	4.5	T6	E12	Milky	4000K	90	450	15000	3.34	0.78	40W	5	UL
8	776958	LED8A19/50K/FIL/3	8.5	A19	E26	Clear	5000K	90	800	15000	4.13	2.36	60W	5	UL
8	776960	LED14A19/50K/FIL/3	14	A19	E26	Clear	5000K	90	1500	15000	4.13	2.36	100W	5	UL
8	776959	LED8A19/50K/FIL/M/3	8.5	A19	E26	Milky	5000K	90	800	15000	4.13	2.36	60W	5	UL
8	776961	LED14A19/50K/FIL/M/3	14	A19	E26	Milky	5000K	90	1500	15000	4.13	2.36	100W	5	UL
8	776985	LED8ST18/50K/FIL/3	8.5	ST18	E26	Clear	5000K	90	800	15000	5.04	2.28	60W	5	UL
8	776987	LED13ST18/50K/FIL/3	13	ST18	E26	Clear	5000K	90	1400	15000	5.04	2.28	100W	5	UL
8	776962	LED4B11/50K/FIL/3	4	B11	E12	Clear	5000K	90	400	15000	3.85	1.37	40W	5	UL
8	776964	LED5B11/50K/FIL/3	5	B11	E12	Clear	5000K	90	500	15000	3.85	1.37	60W	5	UL
8	776966	LED6B11/50K/FIL/3	6.5	B11	E12	Clear	5000K	90	750	15000	3.85	1.37	75W	5	UL
8	776963	LED4B11/50K/FIL/M/3	4	B11	E12	Milky	5000K	90	400	15000	3.85	1.37	40W	5	UL
8	776965	LED5B11/50K/FIL/M/3	5	B11	E12	Milky	5000K	90	500	15000	3.85	1.37	60W	5	UL
8	776967	LED6B11/50K/FIL/M/3	6.5	B11	E12	Milky	5000K	90	750	15000	3.85	1.37	75W	5	UL
8	776979	LED8G25/50K/FIL/3	8.5	G25	E26	Clear	5000K	90	800	15000	4.64	3.15	100W	5	UL
8	776980	LED8G25/50K/FIL/M/3	8.5	G25	E26	Milky	5000K	90	800	15000	4.64	3.15	100W	5	UL
8	776983	LED8G40/50K/FIL/3	8.5	G40	E26	Clear	5000K	90	800	15000	6.69	4.84	100W	5	UL
8	776984	LED8G40/50K/FIL/M/3	8.5	G40	E26	Milky	5000K	90	800	15000	6.69	4.84	100W	5	UL
8	776991	LED5T9/50K/5/FIL/3	5	T9 5"	E26	Clear	5000K	90	400	15000	4.92	1.18	40W	5	UL

PAGE #	ITEM #	ORDERING CODE	WATTS	BULB TYPE	BASE	DESC	COLOR TEMP	CRI	LU-MENS	AVG RATED LIFE	M.O.L	M.O.D	WATT EQUIV.	WAR-RANTY YEARS	SAFETY RATING
8	776992	LED5T9/50K/5/FIL/F/3	5	T9 5"	E26	Frost	5000K	90	400	15000	4.92	1.18	40W	5	UL
8	776995	LED4T6/50K/FIL/3	4.5	T6	E12	Clear	5000K	90	450	15000	3.34	0.78	40W	5	UL
8	776996	LED4T6/50K/FIL/M/3	4.5	T6	E12	Milky	5000K	90	450	15000	3.34	0.78	40W	5	UL
9	776977	LED8G25/40K/FIL/3/JA8	8.5	G25	E26	Clear	4000K	90	800	15000	4.64	3.15	100W	5	UL
9	776978	LED8G25/40K/FIL/M/3	8.5	G25	E26	Milky	4000K	90	800	15000	4.64	3.15	100W	5	UL
9	776981	LED8G40/40K/FIL/3	8.5	G40	E26	Clear	4000K	90	800	15000	6.69	4.84	100W	5	UL
9	776982	LED8G40/40K/FIL/M/3	8.5	G40	E26	Milky	4000K	90	800	15000	6.69	4.84	100W	5	UL
9	776989	LED5T9/40K/5/FIL/3/JA8	5	T9 5"	E26	Clear	4000K	90	400	15000	4.92	1.18	40W	5	UL
9	776990	LED5T9/40K/5/FIL/F/3	5	T9 5"	E26	Frost	4000K	90	400	15000	4.92	1.18	40W	5	UL
10	776825	LED4A15/27K/FIL/E12/3	4	A15	E12	Clear	2700K	90	400	15000	3.6	1.9	25W	5	UL
10	776827	LED4A15/27K/FIL/M/E12/3	4	A15	E12	Milky	2700K	90	400	15000	3.6	1.9	25W	5	UL
10	776826	LED4A15/30K/FIL/E12/3	4	A15	E12	Clear	3000K	90	400	15000	3.6	1.9	25W	5	UL
10	776828	LED4A15/30K/FIL/M/E12/3	4	A15	E12	Milky	3000K	90	400	15000	3.6	1.9	25W	5	UL
10	776821	LED4ST15/27K/FIL/3	4	ST15	E12	Clear	2700K	90	400	15000	4	1.9	40W	5	UL
10	776823	LED4ST15/27K/FIL/M/3	4	ST15	E12	Milky	2700K	90	400	15000	4	1.9	40W	5	UL
10	776822	LED4ST15/30K/FIL/3	4	ST15	E12	Clear	3000K	90	400	15000	4	1.9	40W	5	UL
10	776824	LED4ST15/30K/FIL/M/3	4	ST15	E12	Milky	3000K	90	400	15000	4	1.9	40W	5	UL
10	776829	LED7A15/27K/FIL/3	7	A15	E26	Clear	2700K	90	800	15000	3.29	1.9	60W	5	UL
10	776831	LED7A15/27K/FIL/M/3	7	A15	E26	Milky	2700K	90	800	15000	3.29	1.9	60W	5	UL
10	776830	LED7A15/30K/FIL/3	7	A15	E26	Clear	3000K	90	800	15000	3.29	1.9	60W	5	UL
10	776832	LED7A15/30K/FIL/M/3	7	A15	E26	Milky	3000K	90	800	15000	3.29	1.9	60W	5	UL
11	776520	LED10A19/27K/FIL/3WAY	5/8/10	A19	E26	Milky	2700K	90	550/ 900/ 1100	15000	4.09	2.36	75W	2	UL
11	776521	LED10A19/30K/FIL/3WAY	5/8/10	A19	E26	Milky	3000K	90	550/ 900/ 1100	15000	4.09	2.36	75W	2	UL
12	776997	LED4G40/30K/FIL/GRAD/SMK	4.5	G40	E26	Clear/ Smoke	3000K	80	200	15000	6.57	4.92	60W	5	UL
12	776998	LED4G40/30K/FIL/GRAD/BLU	4.5	G40	E26	Clear/ Blue	3000K	80	200	15000	6.57	4.92	60W	5	UL
12	776321	LED4C53/30K/FIL/GRAD/SMK	4.5	C53	E26	Clear/ Smoke	3000K	80	200	15000	10.25	6.75	60W	5	UL
12	776322	LED4C53/30K/FIL/GRAD/BLU	4.5	C53	E26	Clear/ Blue	3000K	80	200	15000	10.25	6.75	60W	5	UL
13	776401	LED5B11/30K-18K/WMDM/FIL/M	5	B11	E12	Milky	3000K-1800K	90	500	15000	3.8	1.36	60W	5	UL
13	776402	LED5CA10/30K-18K/WMDM/FIL/M	5	CA10	E12	Milky	3000K-1800K	90	500	15000	4.72	1.37	60W	5	UL
13	776403	LED5G16/30K-18K/WMDM/FIL/M	5	G16	E12	Milky	3000K-1800K	90	500	15000	3.34	1.97	60W	5	UL
13	776400	LED9A19/30K-18K/WMDM/FIL/M	9	A19	E26	Milky	3000K-1800K	90	800	15000	4.123	2.354	60W	5	UL
13	776405	LED9ST18/30K-18K/WMDM/FIL/M	9	ST18	E26	Milky	3000K-1800K	90	800	15000	4.919	2.273	60W	5	UL
13	776404	LED9G25/30K-18K/WMDM/FIL/M	9	G25	E26	Milky	3000K-1800K	90	800	15000	4.123	2.354	60W	5	UL
13	776406	LED4G40/30K-18K/WMDM/FIL/M	4.5	G40	E26	Milky	3000K-1800K	90	350	15000	6.69	4.92	40W	2	UL
14	776921	LED2G16/27K/FIL/HG/3	2.5	G16	E12	Half Gold	2700K	90	200	15000	3.22	1.96	25W	5	UL
14	776923	LED4G25/27K/FIL/HG/3	4.5	G25	E26	Half Gold	2700K	90	350	15000	4.64	3.14	40W	5	UL
14	776679	LED5A19/27K/FIL/HG/3	5	A19	E26	Half Gold	2700K	90	400	15000	4.09	2.36	40W	5	UL
14	776924	LED6G40/27K/FIL/HG/3	6	G40	E26	Half Gold	2700K	90	500	15000	6.57	4.92	60W	5	UL
15	776771	LED2G16/27K/FIL/HM/3	2.5	G16	E12	Half Mirror	2700K	90	200	15000	3.34	1.96	25W	5	UL
15	776870	LED5G25/27K/FIL/HM/3	5	G25	E26	Half Mirror	2700K	90	450	15000	4.64	3.15	40W	5	UL
15	776671	LED4A19/27K/FIL/HM/2	4.5	A19	E26	Half Mirror	2700K	80	360	15000	4.1	2.4	40W	5	UL
15	776920	LED6G40/27K/FIL/HM/3	6	G40	E26	Half Mirror	2700K	90	500	15000	6.57	4.92	60W	5	UL

PAGE #	ITEM #	ORDERING CODE	WATTS	BULB TYPE	BASE	DESC	COLOR TEMP	CRI	LU-MENS	AVG RATED LIFE	M.O.L	M.O.D	WATT EQUIV.	WAR-RANTY YEARS	SAFETY RATING
16	776833	LED5A19/27K/FIL/HB/3	5	A19	E26	Half Black	2700K	90	400	15000	4.1	2.35	40W	5	UL
16	776834	LED2G16/27K/FIL/HB/3	2.5	G16	E12	Half Black	2700K	90	200	15000	3.22	1.96	25W	5	UL
16	776835	LED5G25/27K/FIL/HB/3	5	G25	E26	Half Black	2700K	90	400	15000	4.584	3.157	40W	5	UL
16	776836	LED6G40/27K/FIL/HB/3	6	G40	E26	Half Black	2700K	90	500	15000	6.75	4.75	60W	5	UL
17	776837	LED5A19/27K/FIL/HW/3	5	A19	E26	Half White	2700K	90	400	15000	4.1	2.35	40W	5	UL
17	776838	LED2G16/27K/FIL/HW/3	2.5	G16	E12	Half White	2700K	90	200	15000	3.22	1.96	25W	5	UL
17	776839	LED5G25/27K/FIL/HW/3	5	G25	E26	Half White	2700K	90	400	15000	4.584	3.157	40W	5	UL
17	776840	LED6G40/27K/FIL/HW/3	6	G40	E26	Half White	2700K	90	500	15000	6.75	4.75	60W	5	UL
18	776105	LED4A19/RED/FIL/D	4.5	A19	E26	Ceramic Red	Colored	N/A	N/A	15000	4.09	2.36	25W	2	UL
18	776106	LED4A19/AMB/FIL/D	4.5	A19	E26	Ceramic Amber	Colored	N/A	N/A	15000	4.09	2.36	25W	2	UL
18	776107	LED4A19/YLW/FIL/D	4.5	A19	E26	Ceramic Yellow	Colored	N/A	N/A	15000	4.09	2.36	25W	2	UL
18	776108	LED4A19/GRN/FIL/D	4.5	A19	E26	Ceramic Green	Colored	N/A	N/A	15000	4.09	2.36	25W	2	UL
18	776109	LED4A19/BLU/FIL/D	4.5	A19	E26	Ceramic Blue	Colored	N/A	N/A	15000	4.09	2.36	25W	2	UL
18	776110	LED4A19/PNK/FIL/D	4.5	A19	E26	Ceramic Pink	Colored	N/A	N/A	15000	4.09	2.36	25W	2	UL
18	776150	LED2S14/RED/FIL/D	2.5	S14	E26	Ceramic Red	Colored	N/A	N/A	15000	3.22	1.85	25W	2	UL
18	776151	LED2S14/AMB/FIL/D	2.5	S14	E26	Ceramic Amber	Colored	N/A	N/A	15000	3.22	1.85	25W	2	UL
18	776152	LED2S14/YLW/FIL/D	2.5	S14	E26	Ceramic Yellow	Colored	N/A	N/A	15000	3.22	1.85	25W	2	UL
18	776153	LED2S14/GRN/FIL/D	2.5	S14	E26	Ceramic Green	Colored	N/A	N/A	15000	3.22	1.85	25W	2	UL
18	776154	LED2S14/BLU/FIL/D	2.5	S14	E26	Ceramic Blue	Colored	N/A	N/A	15000	3.22	1.85	25W	2	UL
18	776155	LED2S14/PNK/FIL/D	2.5	S14	E26	Ceramic Pink	Colored	N/A	N/A	15000	3.22	1.85	25W	2	UL
18	772500	LED15PAR38/FL/RED/D	15	PAR38	E26	Red	N/A	N/A	N/A	15000	5.11	4.72	90W	2	UL
18	772501	LED15PAR38/FL/AMB/D	15	PAR38	E26	Amber	N/A	N/A	N/A	15000	5.11	4.72	90W	2	UL
18	772502	LED15PAR38/FL/YLW/D	15	PAR38	E26	Yellow	N/A	N/A	N/A	15000	5.11	4.72	90W	2	UL
18	772503	LED15PAR38/FL/GRN/D	15	PAR38	E26	Green	N/A	N/A	N/A	15000	5.11	4.72	90W	2	UL
18	772504	LED15PAR38/FL/BLU/D	15	PAR38	E26	Blue	N/A	N/A	N/A	15000	5.11	4.72	90W	2	UL
18	772505	LED15PAR38/FL/PNK/D	15	PAR38	E26	Pink	N/A	N/A	N/A	15000	5.11	4.72	90W	2	UL
19	770597	LED3G9/27K/W/D	3.5	T4	G9	Clear	2700K	80	300	15000	2.426	0.57	25W	5	UL
19	770598	LED3G9/30K/W/D	3.5	T4	G9	Clear	3000K	80	300	15000	2.426	0.57	25W	5	UL
19	770659	LED3G9/27K/W/F/D	3.5	T5	G9	Frost	2700K	90	300	15000	2.426	0.572	25W	5	UL
19	770660	LED3G9/30K/W/F/D	3.5	T5	G9	Frost	3000K	90	300	15000	2.426	0.572	25W	5	UL
19	770599	LED4G9/27K/W/D	4.5	T5	G9	Clear	2700K	80	450	15000	2.576	0.628	40W	5	UL
19	770600	LED4G9/30K/W/D	4.5	T5	G9	Clear	3000K	80	450	15000	2.576	0.628	40W	5	UL
19	770657	LED4G9/27K/W/F/D	4.5	T5	G9	Frost	2700K	90	400	15000	2.576	0.628	40W	5	UL
19	770658	LED4G9/30K/W/F/D	4.5	T5	G9	Frost	3000K	90	400	15000	2.576	0.628	40W	5	UL
19	770649	LED2G4/27K/W/D	1.8	T5	G4	Clear	2700K	90	140	15000	1.946	0.522	15W	5	UL
19	770650	LED2G4/30K/W/D	1.8	T5	G4	Clear	3000K	90	140	15000	1.946	0.522	15W	5	UL
19	770651	LED2G4/27K/W/F/D	1.8	T5	G4	Frost	2700K	90	140	15000	1.946	0.522	15W	5	UL
19	770652	LED2G4/30K/W/F/D	1.8	T5	G4	Frost	3000K	90	140	15000	1.946	0.522	15W	5	UL
19	770653	LED2GY6/27K/12/W/D	1.8	T5	GY6.35	Clear	2700K	90	140	15000	2.05	0.524	15W	5	UL
19	770654	LED2GY6/30K/12/W/D	1.8	T5	GY6.35	Clear	3000K	90	140	15000	2.05	0.524	15W	5	UL
19	770655	LED2GY6/27K/12/W/F/D	1.8	T5	GY6.35	Frost	2700K	90	140	15000	2.05	0.524	15W	5	UL
19	770656	LED2GY6/30K/12/W/F/D	1.8	T5	GY6.35	Frost	3000K	90	140	15000	2.05	0.524	15W	5	UL





**NEW JERSEY | SOUTH CAROLINA | TEXAS**

**800-528-5555 - SERVICE@BULBRITE.COM - BULBRITE.COM**

**NEW PRODUCT CATALOG SPRING 2025**

©2025 Bulbrite Industries, Inc. All rights reserved. All brand names are trademarks or registered trademarks of Bulbrite Industries, Inc. Printed in USA.