



HiLook

Great performance, best deals

2025

HIKVISION®



HiLook

Looking for maximum performance that goes further? Look at HiLook

HiLook is aimed at providing user-friendly, and reliable performance products including network cameras, backend products, video intercoms, and cables for small to medium-sized projects. You can now manage your HiLook devices with HiLook App, the video management software, both on PC and on mobile. HiLook offers a wide range of solutions for various.

CONTENTS

01 Video Security

- 01 Video Security Highlights
- 05 Video Security – IP
- 23 Video Security - Turbo HD

34 Video Intercom

- 34 Video Intercom

37 Networking

- 38 Switch
- 38 Wi-Fi Router

41 Monitor and Cables

- 41 Monitor and Cables

Video Security – Highlights

ColorVu 3.0

HikAI-ISP with AI noise reduction offers clearer motion images and static details; AI 3D LUT color correction shows the true colors of night scenes; Improved AI WDR auto turn-on and turn-off ensures bright areas of an image are not overexposed.



Smartphone

ColorVu 2.0

ColorVu 3.0

Smart Hybrid Light

Cameras featuring Smart Hybrid Light offer three supplemental lighting modes: IR, white light, and smart mode. In smart mode, the camera maintains infrared light until an event is triggered, at which point the white light turns on to enable color imaging.




IR Mode

White Light Mode

Smart Mode

Motion Detection 2.0

Motion Detection 2.0 enhances detection capabilities with target classification. HiLook products can quickly recognize key objects of persons and vehicles, improving efficiency.



Auto Tracking Lite

Auto Tracking Lite enables the HiLook PT cameras to pan and tilt so that targets are always in the field of view. Stay in frame, stay in focus.



Video Security – Highlights

PT

Easy remote adjustment of any angle via HiLook App.



Two-way Audio

Two-way audio enables real-time communication, breaking the limits.



Live Guard

Proactive protection with real-time visual and audible warnings.



3K Resolution

Ultimate 3K (16:9):
Ultimate visual experience without distortion.



Video Security – EUI

Easy and Efficient User Interface

Simple and concise design with only four necessary modules on the dashboard header, making it easier for users.




New Startup Wizard


Unlock the new startup wizard for HiLook NVRs and DVRs.

It only takes five steps to complete:

Select region – Set password – Auto configuration – HiLook settings – Password recovery method setting, and activation complete!



How to Retrieve & Reset Password



Before retrieving the password, try to recall it using the password hint on the login interface. Simply hover your mouse over the exclamation mark icon to view the hint.

If you still cannot remember the password, please retrieve and reset it using the following three methods.

01 HiLook App


01

Choose
"Verify by HiLook"



02

Scan the QR code on the GUI
and get a verification code



03

Key in the verification code
and reset password



Tips: The HiLook account needs to be bound with devices in advance, so we highly recommend binding the device to your HiLook app account during activation.

02 Email

01

Choose
"Verify by Email"



02

Read and accept
"Privacy Policy"



03

Key in the verification code
and reset password



03 Security Question

01

Choose "Verify by
Security Question"



02

Answer the security
question



03

Set new password and
password hint





Video Security – IP

HiLook IP cameras offer practical security solutions. ColorVu delivers vivid colors in low light, while Smart Hybrid Light provides flexible lighting modes. Motion Detection 2.0 identifies people and vehicles, and Two-way Audio enables clear communication.

Wi-Fi models offer effortless installation and quick camera-to-NVR connection: a PoE cable for power and data simplifying complex IP setup.

The NVRs ensure a smooth live view and fluid playback through reliable video recording and management.

Video Security – IP

Value Series



NEW

ColorVu 3.0 Two-Way Audio

IPC-B129HAA-LUF/SL

- High-quality 24/7 colorful imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



NEW

ColorVu 3.0 Two-Way Audio

IPC-B149HAA-LUF/SL

- High-quality 24/7 colorful imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



NEW

ColorVu 3.0 Two-Way Audio

IPC-B169HAA-LUF/SL

- High-quality 24/7 colorful imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



NEW

ColorVu 3.0 Two-Way Audio

IPC-B129HAA-LUF/SRB

- High-quality 24/7 colorful imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



NEW

ColorVu 3.0 Two-Way Audio

IPC-B149HAA-LUF/SRB

- High-quality 24/7 colorful imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



NEW

ColorVu 3.0 Two-Way Audio

IPC-B169HAA-LUF/SRB

- High-quality 24/7 colorful imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



NEW

ColorVu 3.0 Two-Way Audio

IPC-T229HAA-LUF/SL

- High-quality 24/7 colorful imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



NEW

ColorVu 3.0 Two-Way Audio

IPC-T249HAA-LUF/SL

- High-quality 24/7 colorful imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



NEW

ColorVu 3.0 Two-Way Audio

IPC-T269HAA-LUF/SL

- High-quality 24/7 colorful imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



NEW

ColorVu 3.0 Two-Way Audio

IPC-T229HAA-LUF/SRB

- High-quality 24/7 colorful imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



NEW

ColorVu 3.0 Two-Way Audio

IPC-T249HAA-LUF/SRB

- High-quality 24/7 colorful imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



NEW

ColorVu 3.0 Two-Way Audio

IPC-T269HAA-LUF/SRB

- High-quality 24/7 colorful imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)

Video Security – IP

Value Series



• NEW

ColorVu 3.0 Two-Way Audio

IPC-B429HAA-LUF/SL

- High-quality 24/7 colorful imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



• NEW

ColorVu 3.0 Two-Way Audio

IPC-B449HAA-LUF/SL

- High-quality 24/7 colorful imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



• NEW

ColorVu 3.0 Two-Way Audio

IPC-B469HAA-LUF/SL

- High-quality 24/7 colorful imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



• NEW

ColorVu 3.0 Two-Way Audio

IPC-B429HAA-LUF/SRB

- High-quality 24/7 colorful imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



• NEW

ColorVu 3.0 Two-Way Audio

IPC-B449HAA-LUF/SRB

- High-quality 24/7 colorful imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



• NEW

ColorVu 3.0 Two-Way Audio

IPC-B469HAA-LUF/SRB

- High-quality 24/7 colorful imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



• NEW

ColorVu 3.0 Two-Way Audio

IPC-B529HAA-LUF/SL

- High-quality 24/7 colorful imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



• NEW

ColorVu 3.0 Two-Way Audio

IPC-B549HAA-LUF/SL

- High-quality 24/7 colorful imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



• NEW

ColorVu 3.0 Two-Way Audio

IPC-B569HAA-LUF/SL

- High-quality 24/7 colorful imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



• NEW

ColorVu 3.0 Two-Way Audio

IPC-B529HAA-LUF/SRB

- High-quality 24/7 colorful imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



• NEW

ColorVu 3.0 Two-Way Audio

IPC-B549HAA-LUF/SRB

- High-quality 24/7 colorful imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



• NEW

ColorVu 3.0 Two-Way Audio

IPC-B569HAA-LUF/SRB

- High-quality 24/7 colorful imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio and strobe light alarm
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)

NEW



- High-quality 24/7 colorful imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)



- High-quality 24/7 colorful imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)



- High-quality 24/7 colorful imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)



- High-quality 24/7 colorful imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)



- High-quality 24/7 colorful imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)



- High-quality 24/7 colorful imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)



- High-quality 24/7 colorful imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)



- High-quality 24/7 colorful imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)



- High-quality 24/7 colorful imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)



- High-quality 24/7 colorful imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)



- High-quality 24/7 colorful imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)



- High-quality 24/7 colorful imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)



- High-quality 24/7 colorful imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)



- High-quality 24/7 colorful imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)



- High-quality 24/7 colorful imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)

Video Security – IP

Value Series



• NEW

ColorVu Two-Way Audio

IPC-B469HAD-LUF/SL

- High-quality 24/7 colorful imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Strobe light & audio alarm
- On-board storage up to 512 GB (SD card slot)
- 180° field of view



• NEW

Smart Hybrid Light Two-Way Audio

IPC-B460HAD-LUF/SL

- High quality imaging with 6 MP resolution
- Person and vehicle detection
- Strobe light & audio alarm
- On-board storage up to 512 GB (SD card slot)
- 180° field of view



• NEW

Smart Hybrid Light Two-Way Audio

IPC-B480HAD-LUF/SL

- High quality imaging with 8 MP resolution
- Person and vehicle detection
- Strobe light & audio alarm
- On-board storage up to 512 GB (SD card slot)
- 180° field of view



• NEW

ColorVu Two-Way Audio

IPC-T269HAD-LUF/SL

- High-quality 24/7 colorful imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Strobe light & audio alarm
- On-board storage up to 512 GB (SD card slot)
- 180° field of view



• NEW

Smart Hybrid Light Two-Way Audio

IPC-T260HAD-LUF/SL

- High quality imaging with 6 MP resolution
- Person and vehicle detection
- Strobe light & audio alarm
- On-board storage up to 512 GB (SD card slot)
- 180° field of view



• NEW

Smart Hybrid Light Two-Way Audio

IPC-T280HAD-LUF/SL

- High quality imaging with 8 MP resolution
- Person and vehicle detection
- Strobe light & audio alarm
- On-board storage up to 512 GB (SD card slot)
- 180° field of view



• NEW

ColorVu Two-Way Audio

IPC-B469HAD-LUF/SRB

- High-quality 24/7 colorful imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Strobe light & audio alarm
- On-board storage up to 512 GB (SD card slot)
- 180° field of view



• NEW

Smart Hybrid Light Two-Way Audio

IPC-B460HAD-LUF/SRB

- High quality imaging with 6 MP resolution
- Person and vehicle detection
- Strobe light & audio alarm
- On-board storage up to 512 GB (SD card slot)
- 180° field of view



• NEW

Smart Hybrid Light Two-Way Audio

IPC-B480HAD-LUF/SRB

- High quality imaging with 8 MP resolution
- Person and vehicle detection
- Strobe light & audio alarm
- On-board storage up to 512 GB (SD card slot)
- 180° field of view



• NEW

ColorVu Two-Way Audio

IPC-T269HAD-LUF/SRB

- High-quality 24/7 colorful imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Strobe light & audio alarm
- On-board storage up to 512 GB (SD card slot)
- 180° field of view



• NEW

Smart Hybrid Light Two-Way Audio

IPC-T260HAD-LUF/SRB

- High quality imaging with 6 MP resolution
- Person and vehicle detection
- Strobe light & audio alarm
- On-board storage up to 512 GB (SD card slot)
- 180° field of view



• NEW

Smart Hybrid Light Two-Way Audio

IPC-T280HAD-LUF/SRB

- High quality imaging with 8 MP resolution
- Person and vehicle detection
- Strobe light & audio alarm
- On-board storage up to 512 GB (SD card slot)
- 180° field of view

Video Security – IP

Value Series



IPC-B129HA-LUF/SL

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- Water and dust resistant (IP67)



IPC-B129HA-LUF/SRB

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- Water and dust resistant (IP67)



IPC-T229HA-LUF/SL

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- Water and dust resistant (IP67)



IPC-T229HA-LUF/SRB

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- Water and dust resistant (IP67)



IPC-B429HA-LUF/SL

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- Water and dust resistant (IP67)



IPC-B429HA-LUF/SRB

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- Water and dust resistant (IP67)



IPC-B429HA-LU

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)



IPC-B149HA-LU

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Built-in two-way audio
- Water and dust resistant (IP67)



IPC-B169HA-LU

- High quality imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Built-in two-way audio
- Water and dust resistant (IP67)



IPC-B469HA-LU

- High quality imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Built-in two-way audio
- Water and dust resistant (IP67)



IPC-B129HA-LU

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Built-in two-way audio
- Water and dust resistant (IP67)



IPC-T229HA-LU

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)

Video Security – IP

Value Series



IPC-B449HA-LU

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Built-in two-way audio
- Water and dust resistant (IP67)



IPC-D129HA-LU

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)
- Vandal resistant (IK08)



IPC-D149HA-LU

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- Built-in two-way audio
- Water and dust resistant (IP67)
- Vandal resistant (IK08)



IPC-T249HA-LU

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-D169HA-LU

- High quality imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)
- Vandal resistant (IK08)



IPC-T221H-L

- High quality imaging with 2 MP resolution
- Efficient H.265+ compression technology
- Clear imaging against strong back light due to digital WDR technology
- 24/7 colorful imaging
- Built-in two-way audio
- Water and dust resistant (IP67)



IPC-B121H-L

- High quality imaging with 2 MP resolution
- Efficient H.265+ compression technology
- Clear imaging against strong back light due to digital WDR technology
- 24/7 colorful imaging
- Built-in two-way audio
- Water and dust resistant (IP67)



IPC-T220HA-LUFC/SL

- High quality imaging with 2 MP resolution
- Person detection
- Efficient H.265+ compression technology
- Smart Hybrid Light
- Built-in two-way audio
- Water and dust resistant (IP67)



IPC-B120HA-LUFC/SL

- High quality imaging with 2 MP resolution
- Person detection
- Efficient H.265+ compression technology
- Built-in two-way audio
- Smart Hybrid Light
- Water and dust resistant (IP67)



IPC-B140HA-LUFC/SL

- High quality imaging with 4 MP resolution
- Person detection
- Efficient H.265+ compression technology
- Built-in two-way audio
- Smart Hybrid Light
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



IPC-T240HA-LUFC/SL

- High quality imaging with 4 MP resolution
- Person detection
- Efficient H.265+ compression technology
- Smart Hybrid Light
- Built-in two-way audio
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



IPC-T280HA-LUFC/SL

- High quality imaging with 8 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- Water and dust resistant (IP67)

Video Security – IP

Value Series



Smart Hybrid Light Two-Way Audio

IPC-T260HA-LUF/SL

- High quality imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- Water and dust resistant (IP67)



Smart Hybrid Light Two-Way Audio

IPC-T220HA-LUF/SL

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- Water and dust resistant (IP67)



Smart Hybrid Light Two-Way Audio

IPC-T240HA-LUF/SL

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- Water and dust resistant (IP67)



Smart Hybrid Light Two-Way Audio

IPC-B460HA-LUF/SL

- High quality imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- Water and dust resistant (IP67)



Smart Hybrid Light Two-Way Audio

IPC-B480HA-LUF/SL

- High quality imaging with 8 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- Water and dust resistant (IP67)



Smart Hybrid Light Two-Way Audio

IPC-B160HA-LUF/SL

- High quality imaging with 6 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- Water and dust resistant (IP67)



Smart Hybrid Light Two-Way Audio

IPC-B180HA-LUF/SL

- High quality imaging with 8 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- Water and dust resistant (IP67)



Smart Hybrid Light Two-Way Audio

IPC-B420HA-LUF/SL

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- Water and dust resistant (IP67)



Smart Hybrid Light Two-Way Audio

IPC-B120HA-LUF/SL

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- Water and dust resistant (IP67)



Smart Hybrid Light Two-Way Audio

IPC-B140HA-LUF/SL

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- Water and dust resistant (IP67)



Smart Hybrid Light Two-Way Audio

IPC-B440HA-LUF/SL

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- Water and dust resistant (IP67)



Smart Hybrid Light Two-Way Audio

IPC-B620HA-LZU/SL

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Clear imaging even with strong back lighting due to DWDR technology
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Water and dust resistant (IP67)

Video Security – IP

Value Series



Smart Hybrid Light Two-Way Audio

IPC-B660HA-LZU/SL

- High quality imaging with 6 MP resolution
- Person and vehicle detection
- Clear imaging even with strong back lighting due to 120 dB WDR technology
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Water and dust resistant (IP67)



Smart Hybrid Light Two-Way Audio

IPC-B640HA-LZU/SL

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- Clear imaging even with strong back lighting due to 120 dB WDR technology
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Water and dust resistant (IP67)



ColorVu

IPC-B169HA

- High quality imaging with 6 MP resolution
- 24/7 colorful imaging
- Person and vehicle detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



ColorVu

IPC-T269HA

- High quality imaging with 6 MP resolution
- 24/7 colorful imaging
- Person and vehicle detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



ColorVu

IPC-B469HA

- High quality imaging with 6 MP resolution
- 24/7 colorful imaging
- Person and vehicle detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



ColorVu

IPC-D169HA

- High quality imaging with 6 MP resolution
- 24/7 colorful imaging
- Person and vehicle detection
- Water and dust resistant (IP67) and vandal resistant (IK08)
- Efficient H.265+ compression technology



ColorVu

IPC-B429HA

- High quality imaging with 2 MP resolution
- 24/7 colorful imaging
- Person and vehicle detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



ColorVu

IPC-T229HA

- High quality imaging with 2 MP resolution
- 24/7 colorful imaging
- Person and vehicle detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



ColorVu

IPC-D129HA

- High quality imaging with 2 MP resolution
- 24/7 colorful imaging
- Person and vehicle detection
- Water and dust resistant (IP67)
- Vandal resistant (IK08)
- Efficient H.265+ compression technology



ColorVu

IPC-B129HA

- High quality imaging with 2 MP resolution
- 24/7 colorful imaging
- Person and vehicle detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



ColorVu

IPC-D149HA

- High quality imaging with 4 MP resolution
- 24/7 colorful imaging
- Person and vehicle detection
- Water and dust resistant (IP67)
- Vandal resistant (IK08)
- Efficient H.265+ compression technology



ColorVu

IPC-B149HA

- High quality imaging with 4 MP resolution
- 24/7 colorful imaging
- Person and vehicle detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology

Video Security – IP

Value Series



IPC-T249HA

- High quality imaging with 4 MP resolution
- 24/7 colorful imaging
- Person and vehicle detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-B449HA

- High quality imaging with 4 MP resolution
- 24/7 colorful imaging
- Person and vehicle detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-D140HA-LUC

- High quality imaging with 4 MP resolution
- Person detection
- Efficient H.265+ compression technology
- Smart Hybrid Light
- Built-in two-way audio
- -F model supports on-board storage up to 512 GB (SD card slot)



IPC-D140HA-LUFC

- High quality imaging with 4 MP resolution
- Person detection
- Efficient H.265+ compression technology
- Smart Hybrid Light
- Built-in two-way audio
- -F model supports on-board storage up to 512 GB (SD card slot)



IPC-D120HA-LUFC

- High quality imaging with 2 MP resolution
- Person detection
- Efficient H.265+ compression technology
- Smart Hybrid Light
- Built-in two-way audio
- -F model supports on-board storage up to 512 GB (SD card slot)



IPC-B140HA-LUC

- High quality imaging with 4 MP resolution
- Person detection
- Efficient H.265+ compression technology
- Smart Hybrid Light
- Built-in two-way audio
- -F model supports on-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



IPC-B140HA-LUFC

- High quality imaging with 4 MP resolution
- Person detection
- Efficient H.265+ compression technology
- Smart Hybrid Light
- Built-in two-way audio
- -F model supports on-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



IPC-B120HA-LUC

- High quality imaging with 2 MP resolution
- Person detection
- Efficient H.265+ compression technology
- Smart Hybrid Light
- Built-in two-way audio
- Water and dust resistant (IP67)



IPC-T220HA-LUC

- High quality imaging with 2 MP resolution
- Person detection
- Efficient H.265+ compression technology
- Smart Hybrid Light
- Built-in two-way audio
- Water and dust resistant (IP67)



IPC-T220HA-LUFC

- High quality imaging with 2 MP resolution
- Person detection
- Efficient H.265+ compression technology
- Smart Hybrid Light
- Built-in two-way audio
- On-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



IPC-B120HA-LUFC

- High quality imaging with 2 MP resolution
- Person detection
- Efficient H.265+ compression technology
- Smart Hybrid Light
- Built-in two-way audio
- Water and dust resistant (IP67)



IPC-D120HA-LUC

- High quality imaging with 2 MP resolution
- Person detection
- Efficient H.265+ compression technology
- Smart Hybrid Light
- Built-in two-way audio
- -F model supports on-board storage up to 512 GB (SD card slot)

Video Security – IP

Value Series



IPC-T240HA-LUFC

- High quality imaging with 4 MP resolution
- Person detection
- Efficient H.265+ compression technology
- Smart Hybrid Light
- Built-in two-way audio
- -F model supports on-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



IPC-T240HA-LUC

- High quality imaging with 4 MP resolution
- Person detection
- Efficient H.265+ compression technology
- Smart Hybrid Light
- Built-in two-way audio
- -F model supports on-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



IPC-B620HA-LZU

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Clear imaging against strong back light due to DWDR technology
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Water and dust resistant (IP67)



IPC-D640HA-LZU

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Water and dust resistant (IP67) and vandal proof (IK08)



IPC-B640HA-LZU

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- On-board storage up to 512 GB (SD card slot)
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)
- Built-in two-way audio



IPC-D620HA-LZU

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Efficient H.265+ compression technology
- On-board storage up to 512 GB (SD card slot)
- Built-in two-way audio
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Water and dust resistant (IP67) and vandal proof (IK08)



IPC-D140HA-LU

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio
- Water and dust resistant (IP67) and vandal resistant (IK08)
- Efficient H.265+ compression technology



IPC-B140HA-LU

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-D120HA-LU

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio
- Water and dust resistant (IP67) and vandal resistant (IK08)
- Efficient H.265+ compression technology



IPC-B120HA-LU

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-B440HA-LU

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-T240HA-LU

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology

Video Security – IP

Value Series



IPC-T220HA-LU

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-B420HA-LU

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Smart Hybrid Light
- Built-in two-way audio
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-B141H-C

- High quality imaging with 4 MP resolution
- Easy installation with Power over Ethernet (PoE) technology
- Water and dust resistant (IP67)



IPC-D141H-C

- High quality imaging with 4 MP resolution
- Easy installation with Power over Ethernet (PoE) technology



IPC-T241H-C

- High quality imaging with 4 MP resolution
- Easy installation with Power over Ethernet (PoE) technology
- Water and dust resistant (IP67)



IPC-D121H-C

- High quality imaging with 2 MP resolution
- Easy installation with Power over Ethernet (PoE) technology



IPC-T220HA-UC

- High quality imaging with 2 MP resolution
- Person detection
- Built-in two-way audio
- Water and dust resistant (IP67)
- Easy installation with Power over Ethernet (PoE) technology



IPC-B120HA-UC

- High quality imaging with 2 MP resolution
- Person detection
- Built-in two-way audio
- Water and dust resistant (IP67)
- Easy installation with Power over Ethernet (PoE) technology



IPC-T221H-C

- High quality imaging with 2 MP resolution
- Water and dust resistant (IP67)
- Easy installation with Power over Ethernet (PoE) technology



IPC-B121H-C

- High quality imaging with 2 MP resolution
- Water and dust resistant (IP67)
- Easy installation with Power over Ethernet (PoE) technology



IPC-B620HA-Z

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Up to 256 GB SD card slot for storage
- Water and dust resistant (IP67)
- EXIR 2.0: advanced infrared technology with long IR range
- Efficient H.265+ compression technology



IPC-B640HA-Z

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Up to 256 GB SD card slot for storage
- Water and dust resistant (IP67)
- EXIR 2.0: advanced infrared technology with long IR range
- Efficient H.265+ compression technology

Video Security – IP

Value Series



IPC-T620HA-Z

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Up to 256 GB memory card slot for storage
- Water and dust resistant (IP67)
- EXIR 2.0: advanced infrared technology with long IR range
- Clear imaging even with strong back lighting due to DWDR technology
- Efficient H.265+ compression technology



IPC-T640HA-Z

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Up to 256 GB SD card slot for storage
- Water and dust resistant (IP67)
- EXIR 2.0: advanced infrared technology with long IR range
- Clear imaging even with strong back lighting due to 120 dB WDR technology
- Efficient H.265+ compression technology



IPC-D620HA-Z

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Up to 256 GB SD card slot for storage
- Water and dust resistant (IP67)
- Vandal proof (IK10)
- EXIR 2.0: advanced infrared technology with long IR range
- Clear imaging even with strong back lighting due to DWDR technology
- Efficient H.265+ compression technology



IPC-D640HA-Z

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Up to 256 GB SD card slot for storage
- Water and dust resistant (IP67) and vandal proof (IK10)
- EXIR 2.0: advanced infrared technology with long IR range
- Clear imaging even with strong back lighting due to 120 dB WDR technology
- Efficient H.265+ compression technology



IPC-B420HA

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology
- Easy installation with Power over Ethernet (PoE) technology



IPC-T220HA

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology
- Easy installation with Power over Ethernet (PoE) technology



IPC-B120HA

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology
- Easy installation with Power over Ethernet (PoE) technology



IPC-D120HA

- High quality imaging with 2 MP resolution
- Person and vehicle detection
- Water and dust resistant (IP67)
- Vandal resistant (IK10)
- Efficient H.265+ compression technology
- Easy installation with Power over Ethernet (PoE) technology



IPC-B440HA

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- Water and dust resistant (IP67)
- Clear imaging against strong back light due to 120 dB true WDR technology
- Efficient H.265+ compression technology
- Easy installation with Power over Ethernet (PoE) technology



IPC-D140HA

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- Water and dust resistant (IP67)
- Vandal resistant (IK10)
- Clear imaging against strong back light due to 120 dB true WDR technology
- Efficient H.265+ compression technology
- Easy installation with Power over Ethernet (PoE) technology



IPC-T240HA

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- Water and dust resistant (IP67)
- Clear imaging even with strong back lighting due to 120 dB WDR
- Efficient H.265+ compression technology
- EXIR 2.0: advanced infrared technology with long IR range



IPC-B140HA

- High quality imaging with 4 MP resolution
- Person and vehicle detection
- Water and dust resistant (IP67)
- Clear imaging even with strong back lighting due to 120 dB WDR
- Efficient H.265+ compression technology
- EXIR 2.0: advanced infrared technology with long IR range

Video Security – IP

Value Series



IPC-B420H

- High quality imaging with 2 MP resolution
- Clear imaging against strong back light due to DWDR technology
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)
- Easy installation with Power over Ethernet (PoE) technology
- 3D DNR technology delivers clean and sharp images



IPC-B440H

- High quality imaging with 4 MP resolution
- Clear imaging against strong back light due to 120 dB WDR technology
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)
- Easy installation with Power over Ethernet (PoE) technology
- 3D DNR technology delivers clean and sharp images



IPC-B640H-Z

- High quality imaging with 4 MP resolution
- Efficient H.265+ compression technology
- Clear imaging against strong back light due to 120 dB true WDR technology
- Water and dust resistant (IP67)
- Motorized varifocal lens for easy installation and monitoring



IPC-D640H-Z

- High quality imaging with 4 MP resolution
- Efficient H.265+ compression technology
- Clear imaging against strong back light due to 120 dB true WDR technology
- Water and dust resistant (IP67)
- Vandal proof (IK10)
- Motorized varifocal lens for easy installation and monitoring



IPC-T621H-Z

- High quality imaging with 2 MP resolution
- Efficient H.265+ compression technology
- Clear imaging against strong back light due to DWDR technology
- Water and dust resistant (IP67)
- Motorized varifocal lens for easy installation and monitoring



IPC-T641H-Z

- High quality imaging with 4 MP resolution
- Efficient H.265+ compression technology
- Clear imaging against strong back light due to 120 dB true WDR technology
- Water and dust resistant (IP67)
- Motorized varifocal lens for easy installation and monitoring



IPC-D121H

- High quality imaging with 2 MP resolution
- Efficient H.265+ compression technology
- Clear imaging against strong back light due to DWDR technology
- Water and dust resistant (IP67)
- Vandal proof (IK10)
- Easy installation with power over Ethernet (PoE) technology



IPC-T221H

- High quality imaging with 2 MP resolution
- Efficient H.265+ compression technology
- Clear imaging against strong back light by DWDR technology
- Water and dust resistant (IP67)
- Easy installation with Power over Ethernet (PoE) technology



IPC-B121H

- High quality imaging with 2 MP resolution
- Efficient H.265+ compression technology
- Clear imaging against strong back light due to DWDR technology
- Water and dust resistant (IP67)
- EXIR 2.0: advanced infrared technology with long IR range



IPC-B140H

- High quality imaging with 4 MP resolution
- Efficient H.265+ compression technology
- Clear imaging against strong back light due to 120 dB true WDR technology
- Water and dust resistant (IP67)
- 3D DNR technology delivers clean and sharp images
- Easy installation with Power over Ethernet (PoE) technology



IPC-T240H

- High quality imaging with 4 MP resolution
- Efficient H.265+ compression technology
- Clear imaging against strong back light due to 120 dB true WDR technology
- Water and dust resistant (IP67)
- 3D DNR technology delivers clean and sharp images
- Easy installation with Power over Ethernet (PoE) technology



IPC-D140H

- High quality imaging with 4 MP resolution
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)
- Vandal resistant (IK10)
- 3D DNR technology delivers clean and sharp images
- Easy installation with Power over Ethernet (PoE) technology

Video Security – IP

Pro Series



Smart Hybrid Light Two-Way Audio

IPC-B140HAP-LUF/SL

- 4 MP Smart Hybrid Light Motion Detection 2.0 Fixed Bullet Network Camera
- 2.8/4 mm fixed lens
- Color: 0.01 Lux@(F2.0, AGC ON), B/W: 0 Lux with IR
- WDR
- Smart Hybrid Light with IR and white light, up to 30 m
- Water and dust resistant (IP67)
- Full metal



Smart Hybrid Light Two-Way Audio

IPC-T240HAP-LUF/SL

- 4 MP Smart Hybrid Light Motion Detection 2.0 Fixed Turret Network Camera
- 2.8/4 mm fixed lens
- Color: 0.01 Lux@(F2.0, AGC ON), B/W: 0 Lux with IR
- WDR
- Smart Hybrid Light with IR and white light, up to 30 m
- Water and dust resistant (IP67)
- Full metal



Smart Hybrid Light Two-Way Audio

IPC-B160HAP-LUF/SL

- 6 MP Smart Hybrid Light Motion Detection 2.0 Fixed Bullet Network Camera
- 2.8/4 mm fixed lens
- Color: 0.005 Lux@(F1.6, AGC ON), B/W: 0 Lux with IR
- WDR
- Smart Hybrid Light with IR and white light, up to 30 m
- Water and dust resistant (IP67)
- Full metal



Smart Hybrid Light Two-Way Audio

IPC-T260HAP-LUF/SL

- 6 MP Smart Hybrid Light Motion Detection 2.0 Fixed Turret Network Camera
- 2.8/4 mm fixed lens
- Color: 0.005 Lux@(F1.6, AGC ON), B/W: 0 Lux with IR
- WDR
- Smart Hybrid Light with IR and white light, up to 30 m
- Water and dust resistant (IP67)
- Full metal



Smart Hybrid Light Two-Way Audio

IPC-B180HAP-LUF/SL

- 8 MP Smart Hybrid Light Motion Detection 2.0 Fixed Bullet Network Camera
- 2.8/4 mm fixed lens
- Color: 0.01 Lux@(F2.0, AGC ON), B/W: 0 Lux with IR
- WDR
- Smart Hybrid Light with IR and white light, up to 30 m
- Water and dust resistant (IP67)
- Full metal



Smart Hybrid Light Two-Way Audio

IPC-T280HAP-LUF/SL

- 8 MP Smart Hybrid Light Motion Detection 2.0 Fixed Turret Network Camera
- 2.8/4 mm fixed lens
- Color: 0.01 Lux@(F2.0, AGC ON), B/W: 0 Lux with IR
- WDR
- Smart Hybrid Light with IR and white light, up to 30 m
- Water and dust resistant (IP67)
- Full metal

PTZ Series



PTZ-N2404I-DE3

- 4 MP@25/30 fps, 4x optical zoom
- Person and vehicle detection
- Built-in two-way audio
- Pan: 0° to 355°, tilt: 0° to 90°
- 20 m IR
- Power over Ethernet
- Water and dust resistant (IP66)
- Vandal proof (IK10)



PTZ-N2604I-DE3

- 6 MP@25/30 fps, 4x optical zoom
- Person and vehicle detection
- Built-in two-way audio
- Pan: 0° to 355°, tilt: 0° to 90°
- 20 m IR
- Power over Ethernet
- Water and dust resistant (IP66)
- Vandal proof (IK10)



Smart Hybrid Light

PTZ-N2C400M-DE

- 4 MP@25 fps, 2.8 mm/4 mm lens
- Two-way audio
- Pan: 0° to 345°, tilt: 0° to 80°
- Smart Hybrid Light
- 30 m white light and 30 m IR
- Power over Ethernet
- Water and dust resistant (IP66)
- Vandal proof (IK10)



Smart Hybrid Light

PTZ-N2C400M-D/W

- 4 MP@25 fps, 2.8 mm/4 mm lens
- Two-way audio
- Pan: 0° to 345°, tilt: 0° to 80°
- Smart Hybrid Light
- 30 m white light and 30 m IR
- Wi-Fi connection
- Water and dust resistant (IP66)



Smart Hybrid Light

PTZ-N2D400M-DE/14

- 4 MP+4 MP@25 fps, 2.8 mm+6 mm lens
- Two-way audio
- Pan: 0° to 350°, tilt: -5° to 90°
- Smart Hybrid Light
- Static: 30 m white light and 30 m IR
- PT: 30 m IR
- Smart Linkage
- Power over Ethernet
- Water and dust resistant (IP66)



PTZ-N4215-DE3

- 1/2.8" 2 MP CMOS, 15x optical zoom
- 2 MP@25/30 fps
- Pan: 360° endless, tilt: 0° to 90°
- Person and vehicle detection
- Power over Ethernet

Video Security – IP

PTZ Series



PTZ-N4215I-DE

- 1/2.8" 2 MP CMOS, 15× optical zoom
- 2 MP@25/30 fps, 100 m IR
- Pan: 360° endless, tilt: -15° to 90°
- Person and vehicle detection
- Power over Ethernet
- Water and dust resistant (IP66)



PTZ-N4225I-DE

- 1/2.8" 2 MP CMOS, 25× optical zoom
- 2 MP@25/30 fps, 100 m IR
- Pan: 360° endless, tilt: -15° to 90°
- Person and vehicle detection
- Power over Ethernet
- Water and dust resistant (IP66)



PTZ-N5225I-DE

- 1/2.8" 2 MP CMOS, 25× optical zoom
- 2 MP@25/30 fps, 150 m IR
- Pan: 360° endless, tilt: -15° to 90°
- Person and vehicle detection
- Power over Ethernet
- Water and dust resistant (IP66)

Value Series NVR



NVR-104H-D(D)

4-ch 1-HDD NVR

- Up to 4-ch IP camera inputs
- Incoming/outgoing bandwidth: 40 Mbps/ 60 Mbps
- Up to 1 × 6 MP / 4 × 1080p decoding capacity
- 1 SATA interface, up to 6TB for each HDD
- 1 HDMI, 1 VGA
- Mini 1U case (plastic)



NVR-104H-D/4P(D)

4-ch 1-HDD PoE NVR

- Up to 4-ch IP camera inputs
- Incoming/outgoing bandwidth: 40 Mbps/ 60 Mbps
- Up to 1 × 6 MP / 4 × 1080p decoding capacity
- 1 SATA interface, up to 6TB for each HDD
- 1 HDMI, 1 VGA
- Mini 1U case (plastic)
- /P: PoE



NVR-108H-D(D)

8-ch 1-HDD NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 60 Mbps/ 60 Mbps
- Up to 1 × 6 MP / 4 × 1080p decoding capacity
- 1 SATA interface, up to 6TB for each HDD
- 1 HDMI, 1 VGA
- Mini 1U case (plastic)



NVR-108H-D/8P(D)

8-ch 1-HDD PoE NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 60 Mbps/ 60 Mbps
- Up to 1 × 6 MP / 4 × 1080p decoding capacity
- 1 SATA interface, up to 6TB for each HDD
- 1 HDMI, 1 VGA
- Mini 1U case (plastic)
- /P: PoE



NVR-104MH-D(D)

4-ch 1-HDD NVR

- Up to 4-ch IP camera inputs
- Incoming/outgoing bandwidth: 40 Mbps/ 60 Mbps
- Up to 1 × 6 MP / 4 × 1080p decoding capacity
- 1 SATA interface, up to 6TB for each HDD
- 1 HDMI, 1 VGA
- 260 1U case (metal)



NVR-104MH-D/4P(D)

4-ch 1-HDD PoE NVR

- Up to 4-ch IP camera inputs
- Incoming/outgoing bandwidth: 40 Mbps/ 60 Mbps
- Up to 1 × 6 MP / 4 × 1080p decoding capacity
- 1 SATA interface, up to 6TB for each HDD
- 1 HDMI, 1 VGA
- 260 1U case (metal)
- /P: PoE



NVR-108MH-D(D)

8-ch 1-HDD NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 60 Mbps/ 60 Mbps
- Up to 1 × 6 MP / 4 × 1080p decoding capacity
- 1 SATA interface, up to 6TB for each HDD
- 1 HDMI, 1 VGA
- 260 1U case (metal)



NVR-108MH-D/8P(D)

8-ch 1-HDD PoE NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 60 Mbps/60 Mbps
- Up to 1 × 6 MP / 4 × 1080p decoding capacity
- 1 SATA interface, up to 6TB for each HDD
- 1 HDMI, 1 VGA
- 260 1U case (metal)
- /P: PoE



NVR-104MH-C(E)

4-ch 1-HDD NVR

- Up to 4-ch IP camera inputs
- Incoming/outgoing bandwidth: 40 Mbps/80 Mbps
- Up to 2 × 8 MP / 4 × 4MP / 8 × 1080p decoding capacity
- 1 SATA interface, up to 8 TB for each HDD
- 1 HDMI, 1 VGA
- 260 1U case (metal)
- Up to 1-ch Motion Detection 2.0

Video Security – IP

Value Series NVR



NVR-104MH-C/4P(E)

4-ch 1-HDD PoE NVR

- Up to 4-ch IP camera inputs
- Incoming/outgoing bandwidth: 40 Mbps/ 80 Mbps
- Up to 2 × 8 MP / 4 × 4 MP / 8 × 1080p decoding capacity
- 1 SATA interface, up to 8 TB for each HDD
- 1 HDMI, 1 VGA
- 260 1U case (metal)
- /P: PoE
- Up to 1-ch Motion Detection 2.0



NVR-108MH-C(E)

8-ch 1-HDD NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 80 Mbps/ 80 Mbps
- Up to 2 × 8 MP / 4 × 4 MP / 8 × 1080p decoding capacity
- 1 SATA interface, up to 8 TB for each HDD
- 1 HDMI, 1 VGA
- 260 1U case (metal)
- Up to 4-ch Motion Detection 2.0



NVR-108MH-C/8P(E)

8-ch 1-HDD PoE NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 80 Mbps/ 80 Mbps
- Up to 2 × 8 MP / 4 × 4 MP / 8 × 1080p decoding capacity
- 1 SATA interface, up to 8 TB for each HDD
- 1 HDMI, 1 VGA
- 260 1U case (metal)
- /P: PoE
- Up to 4-ch Motion Detection 2.0



NVR-116MH-C(E)

16-ch 1-HDD NVR

- Up to 16-ch IP camera inputs
- Incoming/outgoing bandwidth: 160 Mbps /80 Mbps
- Up to 2 × 8 MP / 4 × 4 MP / 8 × 1080p decoding capacity
- 1 SATA interface, up to 8 TB for each HDD
- 1 HDMI, 1 VGA
- 260 1U case (metal)
- Up to 4-ch Motion Detection 2.0



NVR-208MH-C(E)

8-ch 2-HDD NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 80 Mbps/ 80 Mbps
- Up to 2 × 8 MP / 4 × 4 MP / 8 × 1080p decoding capacity
- 2 SATA interface, up to 8 TB for each HDD
- 1 HDMI, 1 VGA
- 380 1U case (metal)
- Up to 4-ch Motion Detection 2.0



NVR-208MH-C/8P(E)

8-ch 2-HDD PoE NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 80 Mbps/ 80 Mbps
- Up to 2 × 8 MP / 4 × 4 MP / 8 × 1080p decoding capacity
- 2 SATA interface, up to 8 TB for each HDD
- 1 HDMI, 1 VGA
- 380 1U case (metal)
- /P: PoE
- Up to 4-ch Motion Detection 2.0



NVR-216MH-C(E)

16-ch 2-HDD NVR

- Up to 16-ch IP camera inputs
- Incoming/outgoing bandwidth: 160 Mbps /80 Mbps
- Up to 2 × 8 MP / 4 × 4 MP / 8 × 1080p decoding capacity
- 2 SATA interface, up to 8 TB for each HDD
- 1 HDMI, 1 VGA
- 380 1U case (metal)
- Up to 4-ch Motion Detection 2.0



NVR-216MH-C/16P(E)

16-ch 2-HDD PoE NVR

- Up to 16-ch IP camera inputs
- Incoming/outgoing bandwidth: 160 Mbps /80 Mbps
- Up to 2 × 8 MP / 4 × 4 MP / 8 × 1080p decoding capacity
- 2 SATA interface, up to 8 TB for each HDD
- 1 HDMI, 1 VGA
- 380 1U case (metal)
- /P: PoE
- Up to 4-ch Motion Detection 2.0

Pro Series NVR



NVR-104MH-K

4-ch 1-HDD NVR

- Up to 4-ch IP camera inputs
- Incoming/outgoing bandwidth: 40 Mbps/ 80 Mbps
- Up to 2 × 12 MP / 4 × 8 MP / 8 × 4MP / 16 × 1080p decoding capacity
- 1 SATA interface, up to 16TB for each HDD
- 1 HDMI, 1 VGA
- 315 1U case (metal)
- Up to 4-ch Motion Detection 2.0



NVR-104MH-K/4P

4-ch 1-HDD PoE NVR

- Up to 4-ch IP camera inputs
- /P: PoE
- Incoming/outgoing bandwidth: 40 Mbps/ 80 Mbps
- Up to 2 × 12 MP / 4 × 8 MP / 8 × 4MP / 16 × 1080p decoding capacity
- 1 SATA interface, up to 16TB for each HDD
- 1 HDMI, 1 VGA
- 315 1U case (metal)
- Up to 4-ch Motion Detection 2.0



NVR-108MH-K

8-ch 1-HDD NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 80 Mbps/ 80 Mbps
- Up to 2 × 12 MP / 4 × 8 MP / 8 × 4MP / 16 × 1080p decoding capacity
- 1 SATA interface, up to 16TB for each HDD
- 1 HDMI, 1 VGA
- 315 1U case (metal)
- Up to 8-ch Motion Detection 2.0

Video Security – IP

Pro Series NVR



NVR-108MH-K/8P 8-ch 1-HDD PoE NVR

- Up to 8-ch IP camera inputs
- /P: PoE
- Incoming/outgoing bandwidth: 80 Mbps/ 80 Mbps
- Up to 2 × 12 MP / 4 × 8 MP / 8 × 4 MP / 16 × 1080p decoding capacity
- 1 SATA interface, up to 16TB for each HDD
- 1 HDMI, 1 VGA
- 315 1U case (metal)
- Up to 8-ch Motion Detection 2.0



NVR-116MH-K 16-ch 1-HDD NVR

- Up to 16-ch IP camera inputs
- Incoming/outgoing bandwidth: 160 Mbps/ 80 Mbps
- Up to 2 × 12 MP / 4 × 8 MP / 8 × 4 MP / 16 × 1080p decoding capacity
- 1 SATA interface, up to 16TB for each HDD
- 1 HDMI, 1 VGA
- 315 1U case (metal)
- Up to 8-ch Motion Detection 2.0



NVR-208MH-K 8-ch 2-HDD NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 80 Mbps/ 160 Mbps
- Up to 2 × 12 MP / 4 × 8 MP / 8 × 4 MP / 16 × 1080p decoding capacity
- 2 SATA interface, up to 16TB for each HDD
- 1 HDMI, 1 VGA
- 380 1U case (metal)
- Up to 8-ch Motion Detection 2.0



NVR-208MH-K/8P 8-ch 2-HDD PoE NVR

- Up to 8-ch IP camera inputs
- /P: PoE
- Incoming/outgoing bandwidth: 80 Mbps/ 160 Mbps
- Up to 2 × 12 MP / 4 × 8 MP / 8 × 4 MP / 16 × 1080p decoding capacity
- 2 SATA interface, up to 16TB for each HDD
- 1 HDMI, 1 VGA
- 380 1U case (metal)
- Up to 8-ch Motion Detection 2.0



NVR-216MH-K 16-ch 2-HDD NVR

- Up to 16-ch IP camera inputs
- Incoming/outgoing bandwidth: 160 Mbps/ 160 Mbps
- Up to 2 × 12 MP / 4 × 8 MP / 8 × 4 MP / 16 × 1080p decoding capacity
- 2 SATA interface, up to 16TB for each HDD
- 1 HDMI, 1 VGA
- 380 1U case (metal)
- Up to 16-ch Motion Detection 2.0



NVR-216MH-K/16P 16-ch 2-HDD PoE NVR

- Up to 16-ch IP camera inputs
- /P: PoE
- Incoming/outgoing bandwidth: 160 Mbps/ 160 Mbps
- Up to 2 × 12 MP / 4 × 8 MP / 8 × 4 MP / 16 × 1080p decoding capacity
- 2 SATA interface, up to 16TB for each HDD
- 1 HDMI, 1 VGA
- 380 1U case (metal)
- Up to 16-ch Motion Detection 2.0



NVR-232MH-K 32-ch 2-HDD NVR

- Up to 32-ch IP camera inputs
- Incoming/outgoing bandwidth: 256 Mbps/ 160 Mbps
- Up to 2 × 12 MP / 4 × 8 MP / 8 × 4 MP / 16 × 1080p decoding capacity
- 2 SATA interface, up to 16TB for each HDD
- 1 HDMI, 1 VGA
- 380 1U case (metal)
- Up to 32-ch Motion Detection 2.0



NVR-232MH-K/16P 32-ch 2-HDD PoE NVR

- Up to 32-ch IP camera inputs
- /P: PoE
- Incoming/outgoing bandwidth: 256 Mbps/ 160 Mbps
- Up to 2 × 12 MP / 4 × 8 MP / 8 × 4 MP / 16 × 1080p decoding capacity
- 2 SATA interface, up to 16TB for each HDD
- 1 HDMI, 1 VGA
- 380 1U case (metal)
- Up to 32-ch Motion Detection 2.0

Network Video Recorders Value Series Wi-Fi NVR



NVR-104MH-Q/W

- Up to 4-ch IP camera inputs
- Incoming/outgoing bandwidth: 40 Mbps/ 80 Mbps
- Up to 2 × 8 MP / 4 × 4 MP / 8 × 2 MP decoding capacity
- Up 4K HDMI local output
- Wi-Fi 6
- 1 SATA interface, up to 8TB for each HDD



NVR-108MH-Q/W

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 80 Mbps/ 80 Mbps
- Up to 2 × 8 MP / 4 × 4 MP / 8 × 2 MP decoding capacity
- Up 4K HDMI local output
- Wi-Fi 6
- 1 SATA interface, up to 8TB for each HDD



Video Security – Turbo HD

HiLook's Turbo HD cameras feature plug-and-play capabilities using coaxial cables, and rendering superior imaging in as little light as 0.005 lux. The new Turbo HD Camera features two-way audio for crystal-clear sound effects, a pioneer in the video security industry.

Based on deep learning technology, our DVRs can identify and extract human and vehicle targets and generate high-precision alarms. Users can quickly search video footage based on the appearances of persons or vehicles during a specific period of time.

Video Security – Turbo HD

Eco Series


THC-B120-PC

- 1080p bullet camera
- 2.8/3.6 mm fixed lens
- 20 m IR
- IP66
- Plastic


THC-B120-C

- 1080p bullet camera
- 2.8/3.6 mm fixed lens
- 20 m IR
- IP66
- Plastic and metal


THC-B120-PIC

- 1080p bullet camera
- 2.8/3.6 mm fixed lens
- 25 m IR
- IP67
- Plastic


THC-T120-PC

- 1080p bullet camera
- 2.8/3.6 mm fixed lens
- 20 m IR
- Plastic


THC-T120-PIC

- 1080p bullet camera
- 2.8/3.6 mm fixed lens
- 20 m IR
- Plastic


THC-B127-LPC

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- 2 MP CMOS sensor, 20 m IR+ 20 m white light outdoor Smart Hybrid Light bullet


THC-B127-LMC

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- 2 MP CMOS sensor, 20 m IR+ 20 m white light outdoor Smart Hybrid Light bullet


THC-T127-LPC

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- 2 MP CMOS sensor, 20 m IR+ 20 m white light indoor Smart Hybrid Light turret


THC-T127-LMC

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- 2 MP CMOS sensor, 20 m IR+ 20 m white light outdoor Smart Hybrid Light turret

Video Security – Turbo HD

Value Series



THC-B120-P(B)

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- 2 MP CMOS sensor, 20 m IR, outdoor EXIR bullet, ICR



THC-B120-M

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- 2 MP CMOS sensor, 20 m IR, outdoor EXIR bullet, ICR



THC-B220

- 2.8/3.6/6 mm fixed lens
- IP66
- Front cover: metal
- Main body: plastic
- Bracket: plastic
- 2 MP CMOS sensor, 40 m IR, outdoor EXIR bullet, ICR



THC-B220-M

- 2.8/3.6/6 mm fixed lens
- IP66
- Full metal
- 2 MP CMOS sensor, 40 m IR, outdoor EXIR bullet, ICR



THC-T120-P

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- 2 MP CMOS sensor, indoor EXIR turret, 20 m IR, ICR



THC-T120

- 2.8/3.6 mm fixed lens
- IP66
- Cover&Base: Plastic
- Turret: metal
- 2 MP CMOS sensor, 20 m IR, outdoor EXIR turret, ICR



THC-T120-M

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- 2 MP CMOS sensor, 20 m IR, outdoor EXIR turret, ICR



THC-T220-P

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- 2 MP CMOS sensor, 40 m IR, outdoor EXIR turret, ICR



THC-T220-M

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- 2 MP CMOS sensor, 40 m IR, outdoor EXIR turret, ICR



THC-B320-VF

- 2.8-12 mm Vari Focal Lens
- IP66
- Front cover: metal
- Main body: plastic
- Bracket: metal
- 2 MP CMOS sensor, 40 m IR, outdoor EXIR bullet, ICR



THC-T320-VF

- 2.8-12 mm Vari Focal Lens
- IP66
- Cover&Base: plastic
- Turret: metal
- 2 MP CMOS sensor, 40 m IR, EXIR turret, ICR



THC-B123-M

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- 2 MP CMOS sensor, 30 m IR, outdoor EXIR bullet, ICR



THC-B223-M

- 2.8/3.6/6 mm fixed lens
- IP66
- Full metal
- 2 MP CMOS sensor, 50 m IR, outdoor EXIR bullet, ICR



THC-T123-M

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- 2 MP CMOS sensor, 30 m IR, outdoor EXIR turret, ICR



THC-B120-PS

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- Built-in microphone
- 2 MP CMOS sensor, 25 m IR, outdoor EXIR bullet, ICR

Video Security – Turbo HD

Value Series



THC-B120-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 2 MP CMOS sensor, 30 m IR, outdoor EXIR bullet, ICR



THC-T120-PS

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- Built-in microphone
- 2 MP CMOS sensor, indoor EXIR turret, 20 m IR, ICR



THC-T120-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 2 MP CMOS sensor, 30 m IR, outdoor EXIR turret, ICR



THC-T220-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 2 MP CMOS sensor, 40 m IR, outdoor EXIR turret, ICR



THC-B127-P

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- 2 MP CMOS sensor, 20 m white light, outdoor white light bullet



THC-B127-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 2 MP CMOS sensor, 20 m white light, outdoor white light bullet



THC-T127-P

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- 2 MP CMOS sensor, indoor White light turret, 20 m white light



THC-T127-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 2 MP CMOS sensor, 20 m white light, outdoor white light turret



THC-B127-LPS

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- Built-in microphone
- 2 MP CMOS sensor, 20 m white light, outdoor Smart Hybrid Light turret



THC-B127-LMS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 2 MP CMOS sensor, 20 m white light+20 m IR outdoor Smart Hybrid Light bullet



THC-B227-LMS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 2 MP CMOS sensor, 20 m white light+40 m IR outdoor Smart Hybrid Light bullet



THC-T127-LPS

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- Built-in microphone
- 20 m white light+20 m IR outdoor Smart Hybrid Light bullet



THC-T127-LMS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 2 MP CMOS sensor, 20 m white light+20 m IR outdoor Smart Hybrid Light turret



THC-T227-LMS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 2 MP CMOS sensor, 20 m white light+20 m IR outdoor Smart Hybrid Light turret



THC-B129-P

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- 2 MP CMOS sensor, outdoor bullet, 0.001Lux/F1.0, 0 Lux with white light, 20 m

Video Security – Turbo HD

Value Series



THC-B129-M

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- 2 MP CMOS sensor, outdoor bullet, 0.001 Lux/F1.0, 0 Lux with white light, 20 m



THC-B229-M

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- 2 MP CMOS sensor, outdoor bullet, 0.001 Lux/F1.0, 0 Lux with white light, 40 m



THC-T129-P

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- 2 MP CMOS sensor, indoor turret, 0.001 Lux/F1.0, 0 Lux with white light, 20 m



THC-T129-M

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- 2 MP CMOS sensor, outdoor turret, 0.001 Lux/F1.0, 0 Lux with white light, 20 m



THC-T229-M

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- 2 MP CMOS sensor, outdoor turret, 0.001 Lux/F1.0, 0 Lux with white light, 40 m



THC-B129-PS

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- Built-in microphone
- 2 MP CMOS sensor, outdoor bullet, 0.001 Lux/F1.0, 0 Lux with white light, 20 m



THC-B129-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 2 MP CMOS sensor, outdoor bullet, 0.001 Lux/F1.0, 0 Lux with white light, 20 m



THC-B229-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 2 MP CMOS sensor, outdoor bullet, 0.001 Lux/F1.0, 0 Lux with white light, 40 m



THC-T129-PS

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- Built-in microphone
- 2 MP CMOS sensor, indoor turret, 0.001 Lux/F1.0, 0 Lux with white light, 20 m



THC-T129-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 2 MP CMOS sensor, outdoor turret, 0.001 Lux/F1.0, 0 Lux with white light, 20 m



THC-T229-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 2 MP CMOS sensor, outdoor turret, 0.001 Lux/F1.0, 0 Lux with white light, 40 m



THC-B129-LPS

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- Built-in microphone
- 2 MP CMOS sensor, 20 m white light+20 m IR outdoor Smart Hybrid Light bullet



THC-B229-LS

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- Built-in microphone
- 2 MP CMOS sensor, 40 m white light+40 m IR outdoor Smart Hybrid Light bullet



THC-T129-LPS

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- Built-in microphone
- 2 MP CMOS sensor, 20 m white light+20 m IR Smart Hybrid Light turret



THC-T229-LMS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 2 MP CMOS sensor, 40 m white light+40 m IR outdoor Smart Hybrid Light turret

Video Security – Turbo HD

Value Series



THC-B150-P

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- 5 MP CMOS sensor, EXIR bullet, 20 m IR, ICR



THC-B150-M

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- 5 MP CMOS sensor, EXIR bullet, 20 m IR, ICR



THC-T150-P

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- 5 MP CMOS sensor, indoor EXIR turret, 20 m IR, ICR



THC-T150-M

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- 5 MP CMOS sensor, EXIR turret, 20 m IR, ICR



THC-B157-LPS

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- Built-in microphone
- 3K CMOS sensor, 20 m white light+20 m IR outdoor Smart Hybrid Light bullet



THC-B157-LMS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 3K CMOS sensor, 20 m white light+20 m IR outdoor Smart Hybrid Light bullet



THC-B257-LMS

- 2.8/3.6/6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 3K CMOS sensor, 20 m white light+40 m IR outdoor Smart Hybrid Light bullet



THC-T157-LPS

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- Built-in microphone
- 3K CMOS sensor, 20 m white light+20 m IR indoor Smart Hybrid Light turret



THC-T157-LMS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 3K CMOS sensor, 20 m white light+20 m IR outdoor Smart Hybrid Light turret



THC-T257-LMS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 3K CMOS sensor, 20 m white light+20 m IR outdoor Smart Hybrid Light turret



THC-B159-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 3K (5 MP 16:9) CMOS sensor, 3K@20 fps (Default), outdoor bullet, 0.001Lux/F1.0, 0 Lux with white light, 20 m



THC-B259-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 3K (5 MP 16:9) CMOS sensor, 3K@20 fps (Default), outdoor bullet, 0.001Lux/F1.0, 0 Lux with white light, 40 m

Video Security – Turbo HD

Value Series



THC-T159-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 3K (5 MP 16:9) CMOS sensor, 3K@20 fps (Default), outdoor turret, 0.001 Lux/F1.0, 0 Lux with white light, 20 m



THC-T259-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full metal
- Built-in microphone
- 3K (5 MP 16:9) CMOS sensor, 3K@20 fps (Default), outdoor turret, 0.001 Lux/F1.0, 0 Lux with white light, 40 m



THC-B159-LPS

- 3K ColorVu fixed mini bullet
- 2.8 mm, 3.6 mm fixed focal lens
- 0.001 Lux @(F1.0, AGC ON), 0 Lux with white light
- Built-in microphone
- Digital WDR
- IR: up to 20 m; white light: up to 20 m
- Switchable TVI/AHD/CVI/CVBS
- IP66
- Plastic



THC-B259-LS

- 3K ColorVu fixed bullet
- 2.8 mm, 3.6 mm fixed focal lens
- 0.001 Lux @(F1.0, AGC ON), 0 Lux with white light
- Built-in microphone
- Digital WDR
- IR: up to 40 m; white light: up to 40 m
- IP66
- Plastic and metal



THC-T159-LPS

- 3K ColorVu fixed bullet
- 2.8 mm, 3.6 mm fixed focal lens
- 0.001 Lux @(F1.0, AGC ON), 0 Lux with white light
- Built-in microphone
- Digital WDR
- IR: up to 20 m; white light: up to 20 m
- IP66
- Plastic



THC-T259-LS

- 3K ColorVu fixed bullet
- 2.8 mm, 3.6 mm fixed focal lens
- 0.001 Lux @(F1.0, AGC ON), 0 Lux with white light
- Built-in microphone
- Digital WDR
- IR: up to 40 m; white light: up to 40 m
- IP66
- Metal



NEW



THC-B137-LFS

- 2K bullet camera
- 2.8/3.6 mm fixed lens
- IR: up to 30 m
White light: up to 20 m
- IP66
- Metal



NEW



THC-B137-LPFS

- 2K bullet camera
- 2.8/3.6 mm fixed lens
- IR: up to 25 m
White light: up to 20 m
- IP66
- Plastic



NEW



THC-T137-LFS

- 2K bullet camera
- 2.8/3.6 mm fixed lens
- IR: up to 30 m
White light: up to 20 m
- IP66
- Metal



NEW



THC-T137-LPFS

- 2K bullet camera
- 2.8/3.6 mm fixed lens
- IR: up to 20 m
White light: up to 20 m
- Plastic

Video Security – Turbo HD

Two-way Audio Series 2 MP



Two-Way Audio

THC-B127-LPTS

- 2 MP Smart Hybrid Light Two-way Audio fixed mini bullet camera
- 2.8 mm, 3.6 mm fixed focal lens
- IR: up to 25 m
- White light: up to 20 m
- IP67
- Plastic



Two-Way Audio

THC-B127-LTS

- 2 MP Smart Hybrid Light Two-way Audio fixed mini bullet camera
- 2.8 mm, 3.6 mm fixed focal lens
- IR: up to 30 m
- White light: up to 20 m
- IP67
- Metal



Two-Way Audio

THC-B227-LTS

- 2 MP Smart Hybrid Light Two-way Audio fixed mini bullet camera
- 2.8 mm, 3.6 mm fixed focal lens
- IR: up to 40 m
- White light: up to 40 m
- IP67
- Plastic and metal



Two-Way Audio

THC-T227-LTS

- 2 MP Smart Hybrid Light Two-way Audio fixed turret camera
- 2.8 mm, 3.6 mm fixed focal lens
- IR: up to 40 m
- White light: up to 40 m
- IP67
- Plastic and metal



Two-Way Audio

THC-T127-PTLTS

- 2 MP Smart Hybrid Light Two-way Audio fixed PT camera
- 2.8 mm, 3.6 mm fixed focal lens
- IR: up to 25 m
- White light: up to 20 m
- Plastic

Two-way Audio Series 3K



NEW

Two-Way Audio

THC-B157-LPTS

- 3K Smart Hybrid Light Two-way Audio fixed mini bullet camera
- 2.8 mm, 3.6 mm fixed focal lens
- IR: up to 25 m
- White light: up to 20 m
- IP67
- Plastic



NEW

Two-Way Audio

THC-B157-LTS

- 3K Smart Hybrid Light Two-way Audio fixed mini bullet camera
- 2.8 mm, 3.6 mm fixed focal lens
- IR: up to 30 m
- White light: up to 20 m
- IP67
- Metal



NEW

Two-Way Audio

THC-B257-LTS

- 3K Smart Hybrid Light Two-way Audio fixed mini bullet camera
- 2.8 mm, 3.6 mm fixed focal lens
- IR: up to 40 m
- White light: up to 40 m
- IP67
- Plastic and metal



NEW

Two-Way Audio

THC-T257-LTS

- 3K Smart Hybrid Light Two-way Audio fixed turret camera
- 2.8 mm, 3.6 mm fixed focal lens
- IR: up to 40 m
- White light: up to 40 m
- IP67
- Plastic and metal



NEW

Two-Way Audio

THC-T157-PTLTS

- 3K Smart Hybrid Light Two-way Audio fixed PT camera
- 2.8 mm, 3.6 mm fixed focal lens
- IR: up to 25 m
- White light: up to 20 m
- Plastic

Video Security – Turbo HD

PTZ Series



PTZ-T4215-D3

- 1/2.8" 2 MP CMOS, 15x optical zoom
- 2 MP@25/30 fps
- Pan: 360° endless, tilt: -5° to 90°
- TVI/AHD/CVI/CVBS video output



PTZ-T4215I-D

- 1/2.8" 2 MP CMOS, 15x optical zoom
- 2 MP@25/30 fps
- Pan: 360° endless, tilt: -15° to 90°
- 100 m IR
- TVI/AHD/CVI/CVBS video output
- IP66



PTZ-T4225I-D

- 1/2.8" 2 MP CMOS, 25x optical zoom
- 2 MP@25/30 fps
- Pan: 360° endless, tilt: -15° to 90°
- 100 m IR
- TVI/AHD/CVI/CVBS video output
- IP66



PTZ-T5225I-A

- 1/2.8" 2 MP CMOS, 25x optical zoom
- 2 MP@25/30 fps
- Pan: 360° endless, tilt: -15° to 90°
- 150 m IR
- TVI/AHD/CVI/CVBS video output
- IP66

Backend Products- DVR



DVR-104G-M1(C)

4-ch 1-HDD DVR

- 4-ch analog video inputs
- Up to 5-ch IP camera inputs (up to 1080p)
- Up to 1080p Lite@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 4TB for each HDD
- Mini 1U case (plastic)
- Motion Detection 2.0 on all 4 channels



DVR-108G-M1(C)

8-ch 1-HDD DVR

- 8-ch analog video inputs
- Up to 10-ch IP camera inputs (up to 5 MP)
- Up to 1080p Lite@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 4TB for each HDD
- Mini 1U case (plastic)
- Motion Detection 2.0 on all 8 channels



DVR-116G-M1(F)

16-ch 1-HDD DVR

- 16-ch analog video inputs
- Up to 18-ch IP camera inputs (up to 5 MP)
- Up to 1080p Lite@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 10TB for each HDD
- Mini 1U case (plastic)
- Motion Detection 2.0 on all 16 channels



TwoWayAudio

DVR-104G-M1/T

4-ch 1-HDD DVR

- 4-ch analog video inputs
- Up to 5-ch IP camera inputs (up to 1080p)
- Up to 1080p Lite@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 4TB for each HDD
- Mini case (plastic)
- Motion Detection 2.0 on all 4 channels



TwoWayAudio

DVR-108G-M1/T

8-ch 1-HDD DVR

- 8-ch analog video inputs
- Up to 10-ch IP camera inputs (up to 5 MP)
- Up to 1080p Lite@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 4TB for each HDD
- Mini case (plastic)
- Motion Detection 2.0 on all 8 channels



TwoWayAudio

DVR-116G-M1/T

16-ch 1-HDD DVR

- 16-ch analog video inputs
- Up to 18-ch IP camera inputs (up to 5 MP)
- Up to 1080p Lite@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 4TB for each HDD
- Mini case (plastic)
- Motion Detection 2.0 on all 16 channels

Video Security – Turbo HD

Backend Products- DVR



DVR-204G-M1(C)

4-ch 1-HDD DVR

- 4-ch analog video inputs
- Up to 5-ch IP camera inputs (up to 1080p)
- Up to 1080p Lite@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 4TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 4 channels



DVR-208G-M1(C)

8-ch 1-HDD DVR

- 8-ch analog video inputs
- Up to 10-ch IP camera inputs (up to 5 MP)
- Up to 1080p Lite@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 4TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 8 channels



DVR-216G-M1(C)

16-ch 1-HDD DVR

- 16-ch analog video inputs
- Up to 18-ch IP camera inputs (up to 5 MP)
- Up to 1080p Lite@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 4TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 16 channels



Two-Way Audio

DVR-204G-M1/T

4-ch 1-HDD DVR

- 4-ch analog video inputs
- Up to 5-ch IP camera inputs (up to 1080p)
- Up to 1080p Lite@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 4TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 4 channels



Two-Way Audio

DVR-208G-M1/T

8-ch 1-HDD DVR

- 8-ch analog video inputs
- Up to 10-ch IP camera inputs (up to 5 MP)
- Up to 1080p Lite@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 4TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 8 channels



Two-Way Audio

DVR-216G-M1/T

16-ch 1-HDD DVR

- 16-ch analog video inputs
- Up to 18-ch IP camera inputs (up to 5 MP)
- Up to 1080p Lite@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 4TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 16 channels



DVR-204Q-M1(E)

4-ch 1-HDD DVR

- 4-ch analog video inputs
- Up to 6-ch IP camera inputs (up to 6 MP)
- Up to 3K/5 MP Lite@12 fps, 1080p@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 10TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 4 channels



DVR-208Q-M1(E)

8-ch 1-HDD DVR

- 8-ch analog video inputs
- Up to 12-ch IP camera inputs (up to 6 MP)
- Up to 3K/5 MP Lite@12 fps, 1080p@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 10TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 8 channels



DVR-216Q-M1(F)

16-ch 1-HDD DVR

- 16-ch analog video inputs
- Up to 24-ch IP camera inputs (up to 6 MP)
- Up to 3K/5 MP Lite@12 fps, 1080p@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 10TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 16 channels



DVR-216Q-M2

16-ch 2-HDD DVR

- 16-ch analog video inputs
- Up to 24-ch IP camera inputs (up to 6 MP)
- Up to 3K/5 MP Lite@12 fps, 1080p@15 fps encoding capability
- Audio via coaxial cable
- 2 HDD, up to 10TB for each HDD
- 380 1U case (metal)
- Motion Detection 2.0 on all 16 channels



DVR-232Q-M2

32-ch 2-HDD DVR

- 32-ch analog video inputs
- Up to 40-ch IP camera inputs (up to 6 MP)
- Up to 3K/5 MP Lite@12 fps, 1080p@15 fps encoding capability
- Audio via coaxial cable
- 2 HDD, up to 10TB for each HDD
- 380 1U case (metal)
- Motion Detection 2.0 on all 32 channels



Two-Way Audio

DVR-204Q-M1/T

4-ch 1-HDD DVR

- 4-ch analog video inputs
- Up to 5-ch IP camera inputs (up to 1080p)
- Up to 3K/5 MP Lite@12 fps, 2K@10 fps, 1080p@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 10TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 4 channels

Video Security – Turbo HD

Backend Products- DVR



Two-Way Audio

DVR-208Q-M1/T 8-ch 1-HDD DVR

- 8-ch analog video inputs
- Up to 12-ch IP camera inputs (up to 6MP)
- Up to 3K/5 MP Lite@12 fps, 2K@10 fps, 1080p@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 10TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 8 channels



Two-Way Audio

DVR-216Q-M1/T 16-ch 1-HDD DVR

- 16-ch analog video inputs
- Up to 24-ch IP camera inputs (up to 6MP)
- Up to 3K/5 MP Lite@12 fps, 2K@10 fps, 1080p@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 10TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 16 channels



Two-Way Audio

DVR-204U-M1/T 4-ch 1-HDD DVR

- 4-ch analog video inputs
- Up to 8-ch IP camera inputs (up to 8 MP)
- Up to 4K/8 MP@8 fps(1-ch), 3K/5 MP@12 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 10TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 4 channels



Two-Way Audio

DVR-208U-M1/T

- 8-ch analog video inputs
- Up to 16-ch IP camera inputs (up to 8 MP)
- Up to 4K/8 MP@8 fps, 3K/5 MP@12 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 10TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 8 channels



Two-Way Audio

DVR-216U-M1/T

- 16-ch analog video inputs
- Up to 16-ch IP camera inputs (up to 8 MP)
- Up to 4K/8 MP@8 fps, 3K/5 MP@12 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 10TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 16 channels

Kit



TK-4142BH-MM 4-ch 2 MP Bullet Kit

- DVR: 4-ch 1-HDD DVR (DVR-204Q-K1)
- Up to 1080p@15 fps encoding capability
- Camera: 4 × 2 MP bullet cameras (THC-B120-M)
- Cable: 4 × 18.3 m (60 ft) video and power cables
- 1 HDD, up to 6TB for each HDD



TK-4142BH-MP 4-ch 2 MP Bullet Kit

- DVR: 4-ch 1-HDD DVR (DVR-204Q-K1)
- Up to 1080p@15 fps encoding capability
- Camera: 4 × 2 MP bullet cameras (THC-B120-P[B])
- Cable: 4 × 18.3 m (60 ft) video and power cables
- 1 HDD, up to 6TB for each HDD



TK-4142MH-MH 4-ch 2 MP Mix Kit

- DVR: 4-ch 1-HDD DVR (DVR-204Q-K1)
- Up to 1080p@15 fps encoding capability
- Camera: 2 × 2 MP bullet cameras (THC-B120-M) + 2 × 2 MP turret cameras (THC-T120)
- Cable: 4 × 18.3 m (60 ft) video and power cables
- 1 HDD, up to 6TB for each HDD



TK-4142TH-MH 4-ch 2 MP Turret Kit

- DVR: 4-ch 1-HDD DVR (DVR-204Q-K1)
- Up to 1080p@15 fps encoding capability
- Camera: 4 × 2 MP turret cameras (THC-T120)
- Cable: 4 × 18.3 m (60 ft) video and power cables
- 1 HDD, up to 6TB for each HDD



TK-4144BH-MH 4-ch 4 MP Lite Bullet Kit

- DVR: 4-ch 1-HDD DVR (DVR-204Q-K1)
- Up to 4 MP Lite@15 fps encoding capability
- Camera: 4 × 4 MP bullet cameras (THC-B140-M)
- Cable: 4 × 18.3 m (60 ft) video and power cables
- 1 HDD, up to 6TB for each HDD



TK-4144MH-MH 4-ch 4 MP Lite Mix Kit

- DVR: 4-ch 1-HDD DVR (DVR-204Q-K1)
- Up to 4 MP Lite@15 fps encoding capability
- Camera: 2 × 4 MP bullet cameras (THC-B140-M) + 2 × 4 MP turret cameras (THC-T140)
- Cable: 4 × 18.3 m (60 ft) video and power cables
- 1 HDD, up to 6TB for each HDD



Video Intercom



HD image quality

2 MP camera, offering more details



One-press to call

One-press to call the indoor station via the door station



Remote control

Answer video call from the door station
Unlock doors remotely from your mobile phone



Plug & play

Easy installation with no additional configuration for the hybrid kit and 4-wire kit



HiLook

Front Yard Motion Detection Alarm

Users can always check the camera view of the door station via their mobile app, keeping track of the front door dynamics anytime, anywhere

Video Intercom

HiLook Video Intercom system - Enhance your home security with HiLook's exceptional performance. Our products feature high-definition imaging, easy one-touch calling, real-time video previews, and more to give you peace of mind in your daily life.

Choose from our versatile product range:

IP Kit: IP65 waterproof rating, superior image quality, mobile control support, and user-friendly touch screen interface.

Hybrid Kit: Plug-and-play, high-definition imaging and convenient mobile app support.

4-Wire Kit: Simple plug-and play operation for added user convenience.



Video Intercom

IP Kit



VI-K43P

Door Station: VI-V400W

- 2 MP camera, H:131°, V:78°
- One-press to call
- IR supplement, WDR
- IP65, PoE
- Built-in card reader module
- Convenient app mobile control

Indoor Station: VI-H460W

- 7" touch screen, 1024 x 600
- Wi-Fi
- Convenient mobile control
- 8-ch alarm inputs and 2-ch alarm outputs
- Support voice messages
- Elevator access control



VI-K46P

Door Station: VI-V400W

- 2 MP camera, H:131°, V:78°
- One-press to call
- IR supplement, WDR
- IP65, PoE
- Built-in card reader module
- Convenient app mobile control

Indoor Station: VI-H440W

- 4.3" touch screen, 480 x 272
- Wi-Fi
- Convenient mobile control
- Easy and quick set-up

Protective shield: VI-V400-RS

Hybrid Kit



VI-K23P

Door Station: VI-B101

- 2 MP camera
- IR supplement
- One-press to call
- 4-wire plug & play analog interfaces
- IP65, Anti-oxidant aluminium alloy

Indoor Station: VI-H460WD

- 7" touch screen, 1024 x 600
- 2-ch alarm inputs and 2-ch alarm outputs
- TCP/IP, Wi-Fi
- Convenient mobile control
- Support voice messages
- Elevator access control

4-Wire Kit



DS-K13P

Door Station: VI-B101

- 2 MP camera
- IR supplement
- One-press to call
- 4-wire plug & play analog interfaces
- IP65, Anti-oxidant aluminium alloy

Indoor Station: VI-H150

- 7" colorful TFT screen, 800 x 480
- 4-wire plug & play analog interfaces
- Supports monitoring door station and external analog cameras



DS-K12P

Door Station: VI-B100

- 2 MP camera
- IR supplement
- One-press to call
- 4-wire plug & play analog interfaces
- IP65, Aluminum Alloy

Indoor Station: VI-H150

- 7" colorful TFT screen, 800 x 480
- 4-wire plug & play analog interfaces
- Supports monitoring door station and external analog cameras




Networking

HiLook's networking solutions deliver excellent connectivity infrastructure for both residential and commercial environments. Our product line features switches with advanced surge protection and long-range transmission capabilities, alongside high-performance Wi-Fi routers equipped with stable and fast wi-fi signal and intelligent management features. Engineered for reliability and performance, these networking products provide the robust foundation needed for seamless data transmission and wireless connectivity across diverse installation scenarios.

Switch

6 KV Surge Protection

It can protect the switches from high-voltage energy pulses, extending their lifespan.



Indoor



Outdoor



Surge Protection


Long-Distance Transmission

In extended mode, the transmission distance extends up to 250 meters with smooth and stable video streaming, which can save labor and wiring costs.

Note:

Meeting the following conditions to achieve long-distance transmission:


- HiLook cameras
- Extend mode
- CAT5e and above network cables



Wi-Fi Router

3T3R for 5 GHz





One more antenna design
Stronger wall penetration



Parental Control

Create healthy surfing habits for your family



-  Device access control
-  URL filter
-  Speed limitation
-  Time schedule

Networking

Switch



NS-0105D

5 Port Fast Ethernet
Unmanaged Desktop Switch

- 5 x 10/100 Mbps ethernet ports
- Support MDI/MIDX
- Store-and-forward switching
- MAC address auto-learning and aging
- Simple, compact body design
- Desktop and wall-mounting installation
- Plug & play, easy to use



NS-0108D

8 Port Fast Ethernet
Unmanaged Desktop Switch

- 8 x 10/100 Mbps ethernet ports
- Support MDI/MIDX
- Store-and-forward switching
- MAC address auto-learning and aging
- Simple, compact body design
- Desktop and wall-mounting installation
- Plug & play, easy to use



NS-0505D

5 Port Gigabit
Unmanaged Desktop Switch

- 5 x 10/100/1000 Mbps ethernet ports
- Support MDI/MIDX
- Store-and-forward switching
- MAC address auto-learning and aging
- Simple, compact body design
- Desktop and wall-mounting installation
- Plug & play, easy to use



NS-0508D

8 Port Gigabit
Unmanaged Desktop Switch

- 8 x 10/100/1000 Mbps ethernet ports
- Supports MDI/MIDX
- Store-and-forward switching
- MAC address auto-learning and aging
- Simple, compact body design
- Desktop and wall-mounting installation
- Plug & play, easy to use



NS-0516R

16 Port Gigabit
Unmanaged Switch

- 16 x 10/100/1000 Mbps RJ45 ports
- Easy plug-and-play installation
- Rack-mounting
- Rugged metal case, exquisite and beautiful design



NS-0524R

24 Port Gigabit
Unmanaged Switch

- 24 x 10/100/1000 Mbps RJ45 ports
- Easy plug-and-play installation
- Rack-mounting
- Rugged metal case, exquisite and beautiful design



NS-0105P-35

4 Port Fast Ethernet
Unmanaged PoE Switch

- 4 x 100 Mbps PoE ports, 1 x 100 Mbps uplink port
- All ports support 6 KV surge protection
- 35 W PoE power budget
- Up to 250 m long-range transmission
- MAC address auto learning and auto aging



NS-0106P-35

4 Port Fast Ethernet
Unmanaged PoE Switch

- 4 x 10/100 Mbps PoE ports, 2 x 10/100Mbps RJ45 ports
- 6 KV surge protection
- Up to 250 m long-range transmission
- 35 W PoE power budget
- Reliable fanless design



NS-0310P-60

8 Port Fast Ethernet
Unmanaged PoE Switch

- 8 x 10/100 Mbps PoE ports, 2 x Gigabit RJ45 ports
- IEEE 802.3at/af standard for PoE ports, 60 W power budget
- IEEE 802.3, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z and IEEE 802.3ab standard
- 6 KV surge protection
- Up to 250 m long-range transmission
- Reliable fanless design.



NS-0318P-130(B)

16 Port Fast Ethernet
Unmanaged PoE Switch

- 16 x 100 Mbps PoE ports, 1 x 1000 Mbps RJ45 port, 1 x 1000 Mbps SFP port
- 130 W PoE power budget
- 6 KV surge protection
- Up to 250 m long-range transmission



NS-0326P-230(B)

24 Port Fast Ethernet
Unmanaged PoE Switch

- 24 x 100 Mbps PoE ports, 1 x 1000 Mbps RJ45 port, 1 x 1000 Mbps SFP port
- 230 W PoE power budget
- 6 KV surge protection
- Up to 250 m long-range transmission



NS-0505P-35

4 Port Gigabit
Unmanaged PoE Switch

- 4 x Gigabit PoE ports, 1 x Gigabit RJ45 port
- IEEE 802.3at/af standard, 35W power budget
- IEEE 802.3, IEEE 802.3u, IEEE 802.3x, IEEE 802.3ab, and IEEE 802.3z standard
- 6 KV surge protection
- Reliable fanless design.

Networking

Switch



NS-0510P-58
8 Port Gigabit
Unmanaged PoE Switch

- 8 × Gigabit PoE ports, 1 × Gigabit RJ45 port, 1 × Gigabit SFP port
- IEEE 802.3at/af standard, 58 W power budget
- IEEE 802.3, IEEE 802.3u, IEEE 802.3x, IEEE 802.3ab, and IEEE 802.3z standard
- 6 KV surge protection
- Reliable fanless design



NS-0518P-125
16 Port Gigabit
Unmanaged PoE Switch

- 16 × Gigabit PoE ports, 2 × Gigabit SFP ports
- IEEE 802.3at/af standard, 125 W power budget
- IEEE 802.3, IEEE 802.3u, and IEEE 802.3x standard
- 6 KV surge protection



NS-0526P-225
24 Port Gigabit
Unmanaged PoE Switch

- 24 × Gigabit PoE ports, 2 × Gigabit SFP ports
- IEEE 802.3at/af standard, 225 W power budget
- IEEE 802.3, IEEE 802.3u, IEEE 802.3x, IEEE 802.3ab, and IEEE 802.3z standard
- 6 KV surge protection
- Reliable fanless design

Wi-Fi Router



NEW

WR-AX18
AX1800 Wireless Router

- 1800 Mbps Wi-Fi 6
- Wired and wireless dual gigabit
- Dual band in one and 5G first
- Dual-core CPU
- Webpage and APP management



NEW

WR-AX30
AX3000 Wireless Router

- 3000 Mbps Wi-Fi 6
- Wired and wireless dual gigabit
- Dual band in one and 5G first
- 160 MHz bandwidth
- Webpage and APP management



Monitor and Cables

HiLook monitors feature an exquisite design with a wide field of view and superior dual-screen splicing capabilities. With full HD imaging, they deliver exceptional color and clear, detailed visuals from any angle thanks to their 178-degree viewing range.

HiLook monitors comply with VESA mounting standards, and provide multiple interface options, which meet every kind of needs.

HiLook offers Cat6 network cables, with stable electrical performance:

- Compliant with ANSI/TIA-568.2-D, IEC61156, ISO/IEC11801
- Excellent performance in the Fluke 80-meter permanent link test while working continuously at 50° C high temperature
- Solid-bare copper conductor with less resistance
- Compliant with RoHS 2.0

Monitor and Cables

Monitor



Hi-D22F2V2F

- 21.45 inch, 1080p, 100 Hz
- Interface: HDMI/VGA audio out
- Panel type: VA
- View angle: 178°/178°
- VESA bracket



Hi-D22F2P2F

- 21.45 inch, 1080p, 100 Hz
- Interface: HDMI/VGA audio out
- Panel type: IPS
- View angle: 178°/178°
- VESA bracket



Hi-D24F2V2F

- 23.8 inch, 1080p, 100 Hz
- Interface: HDMI/VGA audio out
- Panel type: VA
- View angle: 178°/178°
- VESA bracket



Hi-D24F2P2F

- 23.8 inch, 1080p, 100 Hz
- Interface: HDMI/VGA audio out
- Panel type: IPS
- View angle: 178°/178°
- VESA bracket

Cables



NC-1LN6UU/CCA/M

- UTP Cat6 305m
- Solid-bare copper (99.95%)
- Core diameter: 23AWG
- CPR Fca
- Sheath material: PVC
- Sheath color: white

HiLook

Great performance, best deals

2025



www.hikvision.com
support@hikvision.com



HIKVISION®