




JST

Solderless Terminals


Blade terminal (AF-type Vinyl-insulated (funnel-entry))

[Type]
Blade type
With insulator



Blade terminal (AF-type Vinyl-insulated with copper sleeve (straight, flared))

[Type]
Blade type
With insulator



Blade terminal (AF-type, Non-insulated)

[Type]
Non-insulated type
Blade type



Blade terminal (AF-type, Nylon-insulated) (straight)

[Type]
With insulator
Blade type




Blade terminal (AF-type, Vinyl-insulated) (flared)

[Type]
With insulator
Blade type



Blade terminal (AF-type, Vinyl-insulated) (straight)

[Type]
With insulator
Blade type



Bullet terminal (PC type)(Fully-nylon-insulated with copper sleeve)

[Type]
With insulator
Quick connection type



Bullet terminal (Vinyl-insulated with copper sleeve)

[Type]
With insulator
Quick connection type



Copper Tubular Lugs (One-hole)

[Type]
Non-insulated type
Copper tubular type



Copper Tubular Lugs (Two-holes)

[Type]
Non-insulated type
Copper tubular type



Double-hole terminal (RD-type)

[Type]
Non-insulated type
2 holes type




Flag terminal (FG-type)

[Type]
Flag type



Fork tongue terminal (X-type, Non-insulated)

[Type]
Non-insulated type
Fork tongue terminal X type




Fork tongue terminal (X-type, Vinyl-insulated)

[Type]
With insulator
Fork tongue terminal X type




Fork tongue terminal (Y-type, Non-insulated)

[Type]
Non-insulated type
Fork tongue terminal Y type




Knife Disconnect terminal (K-type)

[Type]
Knife disconnect type
With insulator




Lipped Blade terminal (AH-type)

[Type]
Lipped blade type




Pin terminal (PC-type Vinyl-insulated (straight, flared))

[Type]
Pin type
With insulator




Pin terminal (PC-type Vinyl-insulated with copper sleeve (straight, flared))

[Type]
Pin type
With insulator




Pin terminal (PC-type, Non-insulated)

[Type]
Non-insulated type
Pin type



Quick disconnect terminal (Female, Vinyl-insulated with funnel-entry copper sleeve/Fully-insulated with copper sleeve)

[Type]
Quick connection type
With insulator



Quick disconnect terminal (Male, Female, Piggyback/Vinyl-insulated with copper sleeve)

[Type]
With insulator
Quick connection type



Ring tongue terminal (R-type, Non-insulated Heavy duty)

[Type]
Non-insulated type
Ring terminal



Ring tongue terminal (R-type, Non-insulated)

[Type]
Non-insulated type
Ring terminal



Ring tongue terminal (R-type, Non-insulated/Bent at 90 degrees)

[Type]
Ring terminal
Non-insulated type




Ring tongue terminal (R-type, Non-insulated/of nickel)

[Type]
Ring terminal
Non-insulated type




Ring tongue terminal (R-type, Nylon-insulated) (flared)

[Type]
With insulator
Ring terminal



Ring tongue terminal (R-type, Nylon-insulated) (straight)

[Type]
With insulator
Ring terminal



Ring tongue terminal (R-type, Vinyl-insulated (funnel-entry))

[Type]
Ring terminal
With insulator




Ring tongue terminal (R-type, Vinyl-insulated with copper sleeve) (Medium size)

[Type]
With insulator
Ring terminal




Ring tongue terminal (R-type, Vinyl-insulated with copper sleeve) (flared)

[Type]
With insulator
Ring terminal




Ring tongue terminal (R-type, Vinyl-insulated with copper sleeve) (straight)

[Type]
With insulator
Ring terminal




Ring tongue terminal (R-type, Vinyl-insulated) (flared)

[Type]
With insulator
Ring terminal




Ring tongue terminal (R-type, Vinyl-insulated) (straight)

[Type]
With insulator
Ring terminal




Spade tongue terminal (A-type Vinyl-insulated (funnel-entry))

[Type]
Spade tongue terminal
With insulator




Spade tongue terminal (A-type, Non-insulated)

[Type]
Non-insulated type
Spade tongue terminal




Spade tongue terminal (A-type/B-type, Vinyl-insulated with copper sleeve) (flared)

[Type]
With insulator
Spade tongue terminal



Spade tongue terminal (A-type/B-type, Vinyl-insulated with copper sleeve) (straight)

[Type]
With insulator
Spade tongue terminal



Spade tongue terminal (A-type/B-type, Vinyl-insulated) (flared)

[Type]
With insulator
Spade tongue terminal



Spade tongue terminal (A-type/B-type, Vinyl-insulated) (straight)

[Type]
With insulator
Spade tongue terminal




Spade tongue terminal (B-type Vinyl-insulated (funnel-entry))

[Type]
Spade tongue terminal
With insulator




Spade tongue terminal (B-type, Non-insulated)

[Type]
Non-insulated type
Spade tongue terminal



Spade tongue terminal (LS-type)

[Type]
Spade tongue terminal



Tape-on terminals/splices

[Type]
Non-insulated type
Others

