



HINDMEDICO

PRODUCT PVT.LTD.

SAFETY SOLUTION



PROTECTING LIVES WITH
TRUSTED SAFETY GEAR

BUILT FOR SAFETY TRUSTED BY INDUSTRY



WWW.HMPPRODUCT.IN



About Us

Welcome to **HINDMEDICO PRODUCT PVT. LTD.** a leader in providing advanced technology solutions for Gas Welding and Cutting equipment, Personal Protective Equipments (Safety) and various Medical devices. Founded in 1992, our company, previously known as M/s HIND MEDICO PRODUCT, has consistently delivered high-quality and reliable products under the esteemed HMP brand.

Our dedication to excellence is reflected in our commitment to Welding, Safety & Medical. We are a professionally managed organization that prioritizes the quality and longevity of our products. Our experienced R&D team continuously works on developing and optimizing our product range to meet and exceed industry standards.

At **HINDMEDICO PRODUCT PVT. LTD.** we believe in building lasting relationships with our customers. Our reputation is built on trust, and we strive to maintain the confidence our clients place in us. We are dedicated to providing ongoing support and services to ensure the optimal performance of our products.

Thank you for choosing **HINDMEDICO PRODUCT PVT. LTD.** We look forward to serving you and contributing to your success with our innovative and dependable solutions.

for **HINDMEDICO PRODUCT PVT. LTD.**
from Director Desk.





Safety Helmet	-----	01-08
Safety Harness	-----	09-15
Eye Protection	-----	15-19
Protective Workwear	-----	20-27
Refelcting Jacket	-----	28-30
Safety Net	-----	31-35



PROTECTING WORKERS POWERING INDUSTRIES

From helmets to coveralls, HMP delivers world-class PPE that safeguards workers while enhancing productivity across industries. Safety you can trust, performance you can count on





Industrial Safety Helmets

WITH VENTILATION HOLE



VENTI (RATCHET TYPE) SIX SUSPENSION

DESCRIPTION:

Helmet made of virgin quality HDPE & LDPE.
Triangular shape rib at top for better protection of blow particles and shock.
Provides total 8 (Eight) nos. of ventilation hole on two sides of the shell for better air circulation and comfort.
Four-point plastic suspension cradle with cushion pad.
Comes with Ratchet type adjustment to suit most head sizes.
The Head band is made of HDPE with adjustable chinstrap
Head band covered with non-irritant and soft sweat absorb fabric to provide maximum comfort
Universal slot provides for Ear Muff & Face Shield fitting on both side of the shell.
Multi colour option

ISI Mark: IS 2925 & CE certified



Industrial Safety Helmets

WITH VENTILATION HOLE



VENTI (RATCHET TYPE) FOUR SUSPENSION

DESCRIPTION:

Helmet made of virgin quality HDPE & LDPE.
Triangular shape rib at top for better protection of blow particles and shock.
Provides total 8 (Eight) nos. of ventilation hole on two sides of the shell for better air circulation and comfort.
Four-point plastic suspension cradle with cushion pad.
Comes with Ratchet type adjustment to suit most head sizes.
The Head band is made of HDPE with adjustable chinstrap
Head band covered with non-irritant and soft sweat absorb fabric to provide maximum comfort
Universal slot provides for Ear Muff & Face Shield fitting on both side of the shell.
Multi colour option

ISI Mark: IS 2925, EN 397 & CE certified



Industrial Safety Helmets

WITH VENTILATION HOLE

VENTILATION
SYSTEM



SIX SUSPENSION
SYSTEM



VENTI (NAPE TYPE) SIX SUSPENSION

DESCRIPTION:

Helmet made of virgin quality HDPE & LDPE.

Triangular shape rib at top for better protection of blow particles and shock.

Provides total 8 (Eight) nos. of ventilation hole on two sides of the shell for better air circulation and comfort.

Six-point plastic suspension.

Comes with Nape type adjustment to suit most head sizes (520mm - 600mm)

Head band & cradle made of LDPE with adjustable chinstrap

Universal slot provides for Ear Muff & Face Shield fitting on both side of the shell.

Multi colour option

ISI Mark: IS 2925, EN 397 & CE certified



Industrial Safety Helmets

WITH VENTILATION HOLE



DESCRIPTION:

Helmet made of virgin quality HDPE & LDPE.

Triangular shape rib at top for better protection of blow particles and shock.

Provides total 8 (Eight) nos. of ventilation hole on two sides of the shell for better air circulation and comfort.

Four-point plastic suspension.

Comes with Nape type adjustment to suit most head sizes (520mm - 600mm)

The Head band & cradle is made of LDPE with adjustable chinstrap

Universal slot provides for Ear Muff & Face Shield fitting on both side of the shell.

Multi colour option

ISI Mark: IS 2925, EN 397 & CE certified



Industrial Safety Helmets

WITHOUT VENTILATION HOLE



DESCRIPTION:

Helmet made of virgin quality HDPE & LDPE.
Three corrugated ribs at the top for better protection of blow particles.
Four-point plastic suspension.
Comes with Nape type adjustment to suit most head sizes (520mm - 600mm)
The Head band and cradle is made of LDPE with adjustable chinstrap.
Universal slot provides for Ear Muff & Face Shield fitting on both side of the shell.
Multi colour option.
Light Weight.

ISI Mark: IS 2925, EN 397 & CE certified



Industrial Safety Helmets

WITHOUT VENTILATION HOLE

CORRUGATED
RIBS



FOUR SUSPENSION
SYSTEM



COBRA

RATCHET TYPE

DESCRIPTION:

Helmet made of virgin quality HDPE & LDPE.
Three corrugated ribs at the top for better protection of blow particles.
Four-point plastic suspension cradle with cushion pad.
Comes with Ratchet type adjustment to suit most head sizes (520mm - 600mm)
The Head band is made of HDPE with adjustable chinstrap.
The headband is covered with soft fabric to prevent irritation and absorb sweat, ensuring maximum comfort.
Universal slot provides for Ear Muff & Face Shield fitting on both side of the shell.
Multi colour option.
Light Weight.

ISI Mark: IS 2925, EN 397 & CE certified



Engineered For Heights, Designed For Safety.

HMP Full Body Safety Harness & Lanyards
Crafted for professionals working at
elevation, our harness systems are
precision-engineered for strength,
durability, and all-day comfort. With
safety as the foundation, HMP delivers
trusted fall protection in the toughest
industrial environments.





Full Body Harness & Lanyards

FALL PROTECTION EQUIPMENT



ROHINI 1

DESCRIPTION:

Anchor point: One dorsal D-ring for fall arrest and two textile chest attachment loop for ladder climbing.

Special features: Dual florescent colour scheme of High-strength Webbing to differentiate shoulder & thigh straps.

Sit Strap : Ideally positioned sit-strap for extended comfort.

Materials : Fray-proof dope-dyed polyester webbing, metal buckles of high-strength alloy steel.

Metal Parts : D-ring & Metal buckles are high strength alloy steel.

Breaking strength :- 23 kN (Minimum)

Stitching: High-strength polyester twist thread, computerized stitching.

Size adjustment: chest and thighs straps.

Fall Indicator : In-built Fall Indicator to facilitate easy inspection in case a fall has occurred ever.

Lanyard: Double lanyard Twisted Polyamide Ropes two end are attached with two Scaffold Hooks and another end incorporated with dorsal D-Ring of Full Body Harness (FBH).

Total Length: 1.8 mtr.

Material: Twisted Polyamide/polyester Rope.

Hooks: Forged high strength alloy steel.

Breaking strength: – 23 kN (Minimum)

Stitching: High Strength polyester thread, computerized zigzag stitching instead of splicing.

Standard: IS 3521(Part-1), EN 361, ISI & CE Mark.



Full Body Harness & Lanyards

FALL PROTECTION EQUIPMENT



DESCRIPTION:

ROHINI 2

HARNES :

Anchor point : One dorsal D-ring for fall arrest and two textile chest attachment loops for ladder climbing

Special features: Dual florescent colour scheme of High-strength Webbing to differentiate shoulder & thigh straps.

Sit Strap : Ideally positioned sit-strap for extended comfort.

Materials : Fray-proof dope-dyed polyester webbing

Metal Parts : D-ring & Metal buckles are high strength alloy steel.

Stitching: High-strength polyester twist thread, computerized stitching.

Size adjustment: chest and thighs straps.

Fall Indicator : In-built Fall Indicator to facilitate easy inspection in case a fall has occurred ever.

Standard: IS 3521(Part-1), EN 361, ISI & CE Mark.

LANYARD :

Description : One end of Energy Absorber (EA) attached with Twisted Fork Polyamide Rope attached with two Scaffold Hooks. Another end of EA incorporated with dorsal D-Ring of Full Body Harness (FBH).

Total Length : 1.8 mtr.

Material: Twisted Polyamide / polyester Rope

Metal Parts : D-ring & Metal buckles are high strength alloy steel.

Hooks: Forged high strength alloy steel.

Breaking strength : 23 kN (Minimum)

Stitching: High Strength polyester thread, computerized zigzag stitching instead of splicing.



Full Body Harness & Lanyards

FALL PROTECTION EQUIPMENT

SMART 1 DESCRIPTION:



×
×
×
×
×
×

Harness:

Anchor point: One dorsal D-ring for fall arrest and two textile chest attachment loops for ladder climbing.

Special features: Built-in dual colour webbing for easy orientation.

Sit Strap : Ideally positioned sit-strap for extended comfort.

Materials: Fray-proof dope-dyed polyester webbing.

Metal Parts : D-ring & Metal buckles are high strength alloy steel.

Stitching : High-strength polyester twist thread, computerized stitching.

Adjustability: Chest and Thighs Straps.

Breaking strength: 23 kN (Minimum)

Type: A & L

Fall Indicator : In-built Fall Indicator to facilitate easy inspection in case a fall has occurred ever.

Standard : IS 3521(Part-1) ISI Mark

Lanyard:

Description : Twisted Polyamide Rope Double lanyard with two Scaffold Hooks. Rope Lanyard incorporated with dorsal D-Ring of Full Body Harness (FBH).

Total Length: 1.8 mtr.

Material: Twisted Polyamide Ropes, hooks are Forged high strength alloy steel.

Breaking strength: 23 kN (Minimum)

Stitching: High Strength polyester thread, computerized zigzag stitching instead of splicing.

Standard: IS 3521(Part-2) ISI Mark



FRONT ADJUSTMENT
BUCKLE



REAR ANCHORING
POINT

SMART 2 DESCRIPTION:

Harness:

Anchor point: One dorsal D-ring for fall arrest and two textile chest attachment loops for ladder climbing.

Special features: Built-in dual colour webbing for easy orientation.

Sit Strap : Ideally positioned sit-strap for extended comfort.

Materials: Fray-proof dope-dyed polyester webbing.

Metal Parts : D-ring & Metal buckles are high strength alloy steel.

Stitching: High-strength polyester twist thread, computerized stitching.

Adjustability: Chest and Thighs Straps.

Breaking strength: 23 kN (Minimum)

Type: A & L

Fall Indicator : In-built Fall Indicator to facilitate easy inspection in case a fall has occurred ever.

Standard : IS 3521(Part-1) ISI Mark

Lanyard:

Description : Energy Absorber with Twisted Fork Polyamide Rope end are attached with two Scaffold Hooks. Energy Absorber Incorporated with dorsal D-Ring of Full Body Harness (FBH).

Total Length: 1.8 mtr.

Material: Twisted Polyamide Ropes, hooks are Forged high strength alloy steel

Breaking strength: 23 kN (Minimum)

Stitching: High Strength polyester computerized thread, zigzag stitching instead of splicing.

Standard: IS 3521(Part-2) ISI Mark



»
»
»
»
»
»



FRONT ADJUSTMENT
BUCKLE



SHOCK ABSORBER

Full Body Harness & Lanyards

FALL PROTECTION EQUIPMENT

LEO 1

DESCRIPTION:

Harness :

Anchor point: One dorsal D-ring for fall arrest and two textile chest attachment loops for ladder climbing.

Special features: Built-in dual colour webbing for easy orientation.

Sit Strap : Ideally positioned sit-strap for extended comfort.

Materials: Fray-proof dope-dyed polyester webbing.

Metal Parts : D-ring & Metal buckles are alloy steel.

Stitching: High-strength polyester twist thread, computerized stitching.

Adjustability: Chest and Thighs Straps.

Breaking strength: 22 kN (Minimum)

Type: A & L

Fall Indicator : In-built Fall Indicator to facilitate easy inspection in case a fall has occurred ever.

Standard: IS 3521(Part-1) ISI Mark

Lanyard:

Description: Double lanyard Twisted Polypropylene Ropes two end are attached with two Scaffold Hooks and another end incorporated with dorsal D-Ring of Full Body Harness (FBH).

Material: Twisted Polypropylene Rope

Hooks: Forged high strength alloy steel.

Total Length: 1.8 mtr.

Breaking strength : 20 kN (Minimum)

Stitching: High Strength polyester thread, computerized zigzag stitching instead of splicing.

Standard: IS 3521(Part-2) ISI Mark



×
×
×
×
×
×



TEXTILE LOOP FOR
ANCHORING

LEO 2

DESCRIPTION:

Harness:

Anchor point: One dorsal D-ring for fall arrest and two textile chest attachment loops for ladder climbing.

Special features: Built-in dual colour webbing for easy orientation.

Sit Strap : Ideally positioned sit-strap for extended comfort.

Materials: Fray-proof dope-dyed polyester webbing.

Metal Parts : D-ring & Metal buckles are alloy steel.

Stitching: High-strength polyester twist thread, computerized stitching.

Adjustability: Chest and Thighs Straps.

Breaking strength: 22 kN (Minimum)

Type: A & L

Fall Indicator : In-built Fall Indicator to facilitate easy inspection in case a fall has occurred ever.

Standard : IS 3521(Part-1) ISI Mark

Lanyard:

Description : Twisted Polypropylene Rope and Energy Absorbing double lanyard with two Scaffold Hook, EA Incorporated with dorsal D-Ring of Full Body Harness (FBH).

Material: Twisted Polypropylene Rope.

Hooks : Forged high strength alloy steel.

Total Length: 1.8 mtr.

Breaking strength: 20 kN (Minimum)

Stitching: High Strength polyester thread, computerized zigzag stitching instead of splicing.

Standard: IS 3521(Part-2) ISI Mark





Shielding Eyes Enhancing Performance

SAFETY Starts with Sight





Industrial Safety Goggles



HMP-07 – SAFETY GOGGLES

BENEFITS:

- Unique wrap-around design.
- Hardened anti-fog coated lens for superior vision.
- Optimum protection against harmful UV radiation.
- Soft PVC shroud around the lens for 100 % eye sealing against chemical/liquid splashes.
- Fully adjustable elastic headband for a snug fit.
- Tested at elevated temperatures, resistant to ignition, and optically tested for quality assurance.
- Tested for disinfection and increased durability.
- Hard-coated lens for scratch resistance and anti-fog properties.

FEATURES:

HMP Design Safety Goggles are made of Polycarbonate (PC) lens, which has the characteristics of High Impact Resistance & UV400, and Anti-Scratch Coating on the surface of the one piece lens. High-Speed Impact and Chemical Splash Protection Standards.

6 Nos. Air Vents (Indirect) – The surface of our safety goggles is treated with an anti-fog coating. You don't have to worry the lenses will fog up if they come into contact with water vapor! The frame has 6 small vented ventilation indirect holes designed to circulate air around the eyes

Elastic adjustable wrap around headband design which fits comfortably over your eyes. The fit around PVC frame is lightweight, soft, and does not hurt the skin

Extra Wide Safety Goggles Design takes into account the special needs of people who wear prescription glasses. Wrap-around glasses frame has a wider size and is suitable for most prescription glasses. There will be no pressure on the face.

It is suitable for laboratory, Science labs, welding, machining, construction work, outdoor riding, DIY projects and any place where these glasses are required.

BRAND	HMP
COLOUR	Black
MATERIAL	Polycarbonate Polyvinyl Chloride
FRAME TYPE	Full Rim
FRAME MATERIAL	Polyvinyl Chloride (PVC)
HEAD BAND	Textile Elastic (Adjustable)
LENS	Polycarbonate (PC) 2-1.2UIB CE

LENS FEATURE	OPTICAL CLASS	FILTER	IMPACT RESISTANCE	COATING	WEIGHT
Clear	1	2-1.2	B Withstand (45 m/s) force	K (Anti-Scratch)	65g



Industrial Safety Goggles



HMP-05 – SAFETY SPECTACLE

BENEFITS:

- Unique wrap-around design.
- Hardened anti-fog coated lens for superior vision.
- Optimum protection against harmful UV radiation.
- Soft PVC shroud around the lens for 100 % eye sealing against chemical/liquid splashes.
- Fully adjustable elastic headband for a snug fit.
- Tested at elevated temperatures, resistant to ignition, and optically tested for quality assurance.
- Tested for disinfection and increased durability.
- Hard-coated lens for scratch resistance and anti-fog properties.

FEATURES:

Close-fitting unitary front with dual base curvature offers wide and unobstructed vision

Snug- Fitting wraparound lens gives perfect impact protection around the eyes.

Hard coating on lens ensures the lenses remain clear during using in the work place and prevent scratches that expand shelf life of the product.

Stylish template design tips contours to fit head shapes without stress.

Temple(Arm) length 3-step adjustable for all head sizes and perfect fit

Tested for disinfection procedures and enhanced durability for long-term use.

Great for welding, Construction, woodwork, yard work, spray paint, airplanes, Frontline Healthcare Hospital, Workers, Adult Unisex (Men & Women)

Protected Lens filter out 99.9% of harmful UV light

BRAND	HMP
COLOUR	Transparent body black Temple
MATERIAL	Polycarbonate Polyvinyl Chloride
FRAME TYPE	Full Rim
FRAME MATERIAL	Polyvinyl Chloride (PVC)
HEAD BAND	Textile Elastic (Adjustable)
LENS	Polycarbonate (PC) 2-1.2U1B CE

LENS FEATURE	OPTICAL CLASS	FILTER	IMPACT RESISTANCE	COATING	WEIGHT
Smoke	1	5-2.5	Withstand (45 m/s) force	K	25.40 g



Industrial Safety Goggles



HMP-03 – SAFETY SPECTACLE

BENEFITS:

- Unique wrap-around design.
- Hardened anti-fog coated lens for superior vision.
- Optimum protection against harmful UV radiation.
- Soft PVC shroud around the lens for 100 % eye sealing against chemical/liquid splashes.
- Fully adjustable elastic headband for a snug fit.
- Tested at elevated temperatures, resistant to ignition, and optically tested for quality assurance.
- Tested for disinfection and increased durability.
- Hard-coated lens for scratch resistance and anti-fog properties.

FEATURES:

Polycarbonate lens Polycarbonate temple provides perfect impact protection around the eyes.

Modern sleek temple design contours to fit all head shapes without stress.

Temple(Arm) length 4-step adjustable for all head sizes and perfect fit

protected Lens filter out 99.9% of harmful UV light

Fashionable Design remarkable Spectacle, Suitable for

Hard coatings on lens ensure the lenses remain clear during using in the work place and prevent scratches that expands shelf life of the product.

It is suitable for laboratory, Science labs, welding, machining, construction work, outdoor riding, DIY projects and any place where these glasses are required.

BRAND	HMP
COLOUR	Transparent
MATERIAL	Polycarbonate
FRAME TYPE	Full Rim
FRAME MATERIAL	Polyvinyl Chloride (PVC)
HEAD BAND	Textile Elastic (Adjustable)
LENS	Polycarbonate (PC) 2-1.2UIB CE

LENS FEATURE	OPTICAL CLASS	FILTER	IMPACT RESISTANCE	COATING	WEIGHT
clear	1	2-1.2	Withstand (IF) (45 m/s) force	K	35.70 g





**From Flames
To Visibility
Our
Safety Product's
Covers All**





Protective workwear

HBS-IFR-150

DESCRIPTION:

Material: Inherently Flame Retardant (IFR) fabric, 150 ± 5% gsm
Design: Single-piece coverall with full sleeves, With Double Green Reflective Tape on leg, Arm and shoulder. With 26-Inch-long YKK / Local Zipper for front closer. 2 Box Chest Pocket with Flap and 2 side pant pocket and 1 back pocket.
Color Options: Orange and Blue
Sizes: Small, Medium, Large, Extra-Large, and custom sizes
Certifications: Complies with NFPA 2112, EN ISO 11612:2015, EN ISO 13688:2013, ASTM F1506, ASTM F1959, and Oeko-Tex 100 standards.

WEAR TYPE	Reflective
BRAND	HMP
PRODUCT TYPE	Coveralls
MATERIAL	Cotton
SIZE	S to XXL
GENDER	Unisex
WASH CARE	Machine Wash
COUNTRY OF ORIGIN	Made in India



FEATURE

Cuff closing with snap button.
Skin-friendly and breathable.
Lightweight with inherent flame-resistant properties that do not wash out.



XXXXXX

Protective workwear

HBSC-200

DESCRIPTION:

Material: 100% Cotton Premium Fabric Boiler Suit , 200 ± 5% GSM
Design: Single-piece coverall with full sleeves, With Gray Reflective Tape or 3M reflective tapes on the shoulder, sleeves and on the knees. With 26-Inch-long YKK / Local Zipper for front closer. 2 Box Chest Pocket with Flap and 2 side pant pocket and 1 back pocket.
Color Options: Orange and Blue
Sizes: Small, Medium, Large, Extra-Large, and custom sizes.
The size is as per actual and gives a smart fit look however if you need a lose fit or if worn above work clothes then go 1 size bigger.

WEAR TYPE	Reflective
BRAND	HMP
PRODUCT TYPE	Coveralls
MATERIAL	Cotton
SIZE	S to XXL
GENDER	Unisex
WASH CARE	Machine Wash
COUNTRY OF ORIGIN	Made in India



XXXXXX

Protective workwear



HBS-FR-240

DESCRIPTION:

100% COTTON Fire Retardant Premium Fabric in 240 GSM adhering to ISO 11612:2015 A1 and A2
2 front pockets with Quality Ring Buttons, 2 side pockets, 1 tool pocket, 1 sleeve pocket and 2 back pockets
For high visibility, 2 inch Fire Retardant K15 Gray / 3M reflective tapes have been stitched on the shoulder, sleeves and on the knees
Fire Retardant 26-Inch-long zippers front closure, Ring buttons on sleeves for closure All the Stress points have been bartacked

WEAR TYPE	Reflective
BRAND	HMP
PRODUCT TYPE	Coveralls
MATERIAL	Cotton
SIZE	S to XXL
GENDER	Unisex
WASH CARE	Machine Wash
COUNTRY OF ORIGIN	Made in India



XXXXXX

Protective workwear

HCPS-250

DESCRIPTION:

The Industrial 250 ±5% GSM Cotton Coveralls Safety Pant Shirt is a durable and high-visibility work wear set designed for safety and comfort in industrial environments. It offers a sturdy, breathable, and soft material that is ideal for extended wear in various working conditions.

The coveralls feature a two-inch reflective tape strategically placed across the body and limbs to enhance visibility, ensuring the wearer is easily seen in low-light or hazardous environments.

Material: 250 GSM cotton, providing a balance of durability and comfort.

Design: The coveralls typically consist of a shirt and pant combination with Steel Snap Button Closer offering full-body coverage for protection.

Color Options: Orange and Blue.

Sizes: Small, Medium, Large, Extra-Large, and custom sizes.

Pockets: Functional pockets for storing small tools or essentials.

Fit: Designed for a practical, comfortable fit, often with adjustable closures.

Applications: Ideal for industrial workers, construction sites, warehouse environments, and any setting where high visibility and durability are essential.

WEAR TYPE	Reflective
BRAND	HMP
PRODUCT TYPE	Coveralls
MATERIAL	Cotton
SIZE	S to XXL
GENDER	Unisex
WASH CARE	Machine Wash
COUNTRY OF ORIGIN	Made in India



Protective workwear

HBSC-250

DESCRIPTION:

Material: 100% Cotton fabric, 250 ± 5% GSM
Design: Single-piece coverall with full sleeves, With Gray Reflective Tape on leg, Arm and shoulder. With 26-Inch-long YKK / Local Zipper for front closer. 2 Box Chest Pocket with Flap and 2 side pant pocket and 1 back pocket.
Color Options: Orange and Royal Blue
Sizes: Small, Medium, Large, Extra-Large, and custom sizes.

WEAR TYPE	Reflective
BRAND	HMP
PRODUCT TYPE	Coveralls
MATERIAL	Cotton
SIZE	S to XXL
GENDER	Unisex
WASH CARE	Machine Wash
COUNTRY OF ORIGIN	Made in India



XXXXXX

Protective workwear

HCPS-250

DESCRIPTION:

The Industrial 200 ±5% GSM Cotton Coveralls Safety Pant Shirt is a durable and high-visibility work wear set designed for safety and comfort in industrial environments. It offers a sturdy, breathable, and soft material that is ideal for extended wear in various working conditions.

The coveralls feature a two-inch reflective tape strategically placed across the body and limbs to enhance visibility, ensuring the wearer is easily seen in low-light or hazardous environments.

Material: 200 GSM cotton, providing a balance of durability and comfort.

Design: The coveralls typically consist of a shirt and pant combination with Steel Snap Button Closer offering full-body coverage for protection.

Color Options: Orange and Blue.

Sizes: Small, Medium, Large, Extra-Large, and custom sizes.


Pockets: Functional pockets for storing small tools or essentials.

Fit: Designed for a practical, comfortable fit, often with adjustable closures.

Applications: Ideal for industrial workers, construction sites, warehouse environments, and any setting where high visibility and durability are essential.

WEAR TYPE	Reflective
BRAND	HMP
PRODUCT TYPE	Coveralls
MATERIAL	Cotton
SIZE	S to XXL
GENDER	Unisex
WASH CARE	Machine Wash
COUNTRY OF ORIGIN	Made in India





Reflecting **Safety**
Protecting Lives

SAFETY JACKET

HRJ-01

DESCRIPTION:

120 GSM Polyester Mesh SKP Jacket with Orange Grey Reflective Tape.
With Black Piping and 18-inch Zipper closer.
Size: Sto XXXL.
Colour: Green.
Logo Charges Extra (If required)
Make: HMP

MODEL	HRJ-01
MATERIAL	Mesh polyester or plain polyester
TAPE	Orange outline Gray Reflective Tape (50 mm width)
FABRIC	Polyester Mesh SGS Jacket
COLOUR	Green
FABRIC WEIGHT	120 / 220 GSM
STYLE	18 inch Zipper, One side opening
DESIGN	i) Two Horizontal and two vertical reflective tapes ii) One Horizontal and two vertical reflective tapes
SIZE	S to XXXL (above Size extra Charge)
MAKE	HMP Brand
LOGO	Logo Charge Extra If Required
STANDARD	EN - 471



HRJ-02 DESCRIPTION:

200 GSM 100% Cotton Jacket with 2H+ 2V grey tape. With 2 Down Pocket.
With 2 inch 2 nos. Velcro closer.
Size: S to XXXL.Colour:Orange.
Logo Charges Extra (If required)
Make: HMP

MODEL	HRJ-02
MATERIAL	Mesh polyester or plain polyester
TAPE	Gray Reflective Tape (50 mm width)
FABRIC	100% Cotton Jacket
COLOUR	Orange
FABRIC WEIGHT	200 GSM
STYLE	2" Velcro Closer 2 nos. One side opening
DESIGN	i) Two Horizontal and two vertical Gray reflective tapes
SIZE	S to XXXL (above Size extra Charge)
MAKE	HMP Brand
LOGO	Logo Charge Extra If Required
STANDARD	EN 471

SAFETY JACKET

HRJ-03

DESCRIPTION:

2 inch grey reflective tape. With 2 Down Pocket.
With 20 inch Zip closer.
With Black Piping and 18-inch Zipper closer.
Size: Sto XXXL.
Colour: Green.
Logo Charges Extra (If required)
Make: HMP

MODEL	HRJ-03
MATERIAL	Mesh polyester or plain polyester
TAPE	Orange outline Gray Reflective Tape (50 mm width)
FABRIC	100 % Cotton Jacket with side Mesh polyester cloth.
COLOUR	Green Cotton with side polyester mesh Dark Blue colour
FABRIC WEIGHT	200 GSM
STYLE	23 inch Zipper, One side opening
DESIGN	i)Two vertical reflective tapes Front side ii) Two Horizontal and two vertical reflective tapes Back Side. Chinas Collar ,Side Mesh (Jali) cloth Present
SIZE	S to XXXL (above Size extra Charge)
MAKE	HMP Brand
LOGO	Logo Charge Extra If Required
STANDARD	EN - 471



HRJ-04

DESCRIPTION:

120 GSM Polyester Mesh SGS Jacket with 250 GSM Green and Blue fabric mix.
With 4 Down Pocket. With Grey Reflective Tape.
With Gren Piping and 18-inch cover Zipper closer.
Size: S to XXXL
Logo Charges Extra (If required)
Make: HMP

MODEL	HRJ-04
MATERIAL	Mesh polyester or plain polyester
TAPE	Orange outline Gray Reflective Tape (50 mm width)
FABRIC	100 % Cotton Pocket,Coller and Chain Cover with Mesh polyester Jacket
COLOUR	Light Green mesh polyester with Front Cotton Black pocket.
FABRIC WEIGHT	200 GSM
STYLE	23 inch Zipper, One side opening
DESIGN	i)Two vertical reflective tapes Front side ii) Two Horizontal and two vertical reflective tapes Back Side. Chinas Collar ,Side Mesh (Jali) cloth Present
SIZE	S to XXXL (above Size extra Charge)
MAKE	HMP Brand
LOGO	Logo Charge Extra If Required
STANDARD	EN 471




Every step at height deserves protection.

HMP Safety Nets are designed
to protect workers from falls
and accidents at heights.
Strong, durable, and dependable
safeguarding lives with every use.



Industrial safety net

Fish net



HSFN :001 (DOUBLE LAYER)

HMP Brand Safety Net is designed to protect workers, the public, and property from falling objects on construction sites, especially in high-rise buildings. It prevents debris from falling and can cover large areas. EN - 471

DESCRIPTION:

Overlay safety net.

Rope material: Polypropylene.

Mesh size: 100 mm x 100 mm.

Mesh rope: 4 mm diameter PP rope.


Border rope: 12 mm diameter PP rope.

Overlay net, Containment net of 0.5 mm diameter twin, mesh size 15-22 mm

Tie rope 12 mm diameter, PP rope of 2 meters length at every 1.5 meter interval

SPECIFICATION :-

SAFETY NET SIZE (STANDARD)	Normally - (10x5) mtr ² , (10x3) mtr Length and width should not less than 3 mtr. (Customized Size is also available)
BORDER ROPE	Material-Polypropylene, Diameter-12 mm, ISI Marked Breaking Strength-2100 kgf.
TIE ROPE & TIE CORD	Material-Polypropylene, Diameter-12 mm, Length-2 mtr at 4 corner, ISI Marked .
FABRICATION TYPE	Hand Knot
LAYER (MESH ROPE)	Mesh Size:100x100 mm ² , diameter :4 mm,
2ND LAYER (MESH ROPE)	Diameter-0.5mm, Mesh Size-20-25 mm (HDPE Net),
STANDARD/APPROVED	Rope Conformed IS 5175:1992 and Safety Net Conform IS 11057:1984
MARKING/LABLE	Brand Logo, Manufacturer Name, Model No, Batch No and Size
BREAKING/TEARING STRENGTH	214 kg (Approx)



Industrial safety net

Fish net



HBSCSN-003 : (SINGLE LAYER)

HMP Brand Safety Net is designed to protect workers, the public, and property from falling objects on construction sites, especially in high-rise buildings. It prevents debris

DESCRIPTION:

Braided safety net

Rope material: Polypropylene.

Mesh size: 30 mm X 30 mm

Mesh rope: 2.5 mm diameter single braided rope

Border rope: 12 mm diameter PP rope

Tie rope : 12 mm diameter

PP rope of 2 metres length at every 1.5 metre interval

Standard: Rope: ISI marked, and Net as per to IS 11057:1984


SPECIFICATION :-

SAFETY NET SIZE (STANDARD)	Normally - (10x5) mtr ² , (10x3) mtr ² (Customized Size is also available Length and width should not less than 3 mtr.
BORDER ROPE	Material- Polypropylene, Diameter-12 mm, ISI Marked Breaking Strength-2100 kgf.
TIE ROPE & TIE CORD	Material- Polypropylene, Diameter-12 mm, Length-2 mtr long at 4 corner and 1.5 mtr. long at every 2 mtr interval, ISI Marked.
FABRICATION TYPE	Machine Made Knot.
MESH ROPE	Mesh Size :30x30 mm ² , Diameter :2.5 mm (Single cord) Braided Rope
STANDARD/APPROVED	Rope Conformed IS 5175:1992 and Safety Net Conform IS 11057:1984
MARKING/LABLE	Brand Logo, Manufacturer Name, Model No, Batch No and Size
BREAKING/TEARING STRENGTH	250 kg (Approx)



Industrial safety net

Fish net



HDDSN :002 (DOUBLE CORDDOUBLE LAYER)

HMP Brand Safety Net is designed to protect workers, the public, and property from falling objects on construction sites, especially in high-rise buildings. It prevents debris from falling and can cover large areas. EN - 471

DESCRIPTION:

2 mm Double cord, Double Layer safety net

Rope material: Polypropylene

Mesh size: 30 mm X 30 mm

Mesh rope: 2 mm diameter double cord

Border rope: 12 mm diameter PP rope

Tie rope : 12 mm diameter, PP rope of 2 meters length at every 1.5 meter interval

Standard: ISI marked, rope and Net as per to IS 11057:1984

SAFETY NET SIZE (STANDARD)	Normally - (10x5) mtr2,(10x3) mtr2 (Customized Size is also available) Length and width should not less than 3 mtr.
BORDER ROPE	Material- Polypropylene, Diameter-12 mm, ISI Marked Breaking Strength-2100 kgf.
TIE ROPE & TIE CORD	Material- Polypropylene, Diameter-12 mm,Length-2 mtr long at 4 corner and 1 mtr. long at every 2 mtr interval, ISI Marked.
FABRICATION TYPE	Hand Knot
LAYER (MESH ROPE)	Mesh Size :30x30 mm2,diameter :2 mm (Double cord) HDPE
2ND LAYER (MESH ROPE)	Monofilament UV Stabilized Net.
STANDARD/APPROVED	Rope Conformed IS 5175:1992 and Safety Net Conform IS 11057:1984
MARKING/LABLE	Brand Logo, Manufacturer Name, Model No, Batch No and Size
BREAKING/TEARING STRENGTH	100 kg (Apporx)



Industrial safety net

Fish net



HBDLMSN :004 (DOUBLE LAYER)

HMP Brand Safety Net is designed to protect workers, the public, and property from falling objects on construction sites, especially in high-rise buildings. It prevents debris

DESCRIPTION:

Durable and resistant to harsh environments

High-strength materials for maximum load capacity

Customizable sizes and shapes to fit specific applications

Easy installation and maintenance


Manufactured with ISI Marked Rope and Net as per to IS 11057:1984

SPECIFICATION :-

SAFETY NET SIZE (STANDARD)	Normally - (10x5) mtr ² , (10x3) mtr ² (Customized Size is also available) Length and width should not less than 3 mtr
BORDER ROPE	Material- Polypropylene, Diameter-12 mm, ISI Marked Breaking Strength-2100 kgf
TIE ROPE & TIE CORD	Material- Polypropylene, Diameter-12 mm, Length-2 mtr at 4 corner, ISI Marked.
FABRICATION TYPE	Hand Knot
LAYER (MESH ROPE)	diameter :2.5 mm Braided Single Cord ,Mesh Size :30x30 mm ²
2ND LAYER (MESH ROPE)	100 GSM Monofilament Net, with UV Protection and Welding/ Grinding Splatter Resistant.
STANDARD/APPROVED	Rope Conformed IS 5175:1992 and Safety Net Conform IS 11057:1984
MARKING/LABLE	Brand Logo, Manufacturer Name, Model No, Batch No and Size
BREAKING/TEARING STRENGTH	300 kg (approx)



From The Director's Desk



SUMAN DAS

Dear Colleagues & Our Valued Customers,

It gives me immense pride to share a few words from the Director's Desk. Over the years, our journey has been defined by dedication, innovation, and a relentless commitment to excellence. What started as a vision has now transformed into a strong and trusted organization, thanks to the collective efforts of our employees, the trust of our customers.

At our core, we believe in delivering quality, ensuring safety, and creating value for every individual associated with us. The challenges of today's world inspire us to constantly evolve, adopt new technologies, and set higher benchmarks for ourselves.

As we move forward, our focus remains on sustainable growth, building long-term relationships, and contributing positively to society. Together, let us continue this journey with the same spirit of teamwork and responsibility that has brought us this far.

Thank you for being an integral part of our success story.

With warm regards,

Hindmedico Product Pvt.Ltd.



AURKA PRATIM DAS

OUR MANAGERS



AMAL NANDI

MANAGER



**DEBAYAN
BHOWMICK**

ASST.MANAGER

At the heart of our success lies a dynamic management team that blends experience, vision, and innovation. Each leader brings expertise from diverse fields, working together to drive strategic growth and operational excellence. With a shared commitment to quality, integrity, and customer satisfaction, our management ensures that every decision strengthens the foundation of our company and paves the way for a sustainable future.

OUR ACCOUNTS TEAM



**DEBASISH
HALDER**
SR. ACCOUNTANT



**SANTANU
CHAKRABORTY**
SR. ACCOUNTANT

THE ACCOUNTS TEAM IS THE BACKBONE OF OUR FINANCIAL OPERATIONS, ENSURING THAT EVERY TRANSACTION IS ACCURATE, TRANSPARENT, AND ALIGNED WITH OUR COMPANY'S GOALS. THEY MAKE SURE THE BUSINESS RUNS SMOOTHLY BEHIND THE SCENES. THEIR WORK ISN'T JUST ABOUT NUMBERS—IT'S ABOUT BUILDING TRUST AND ACCOUNTABILITY. BY MAINTAINING CLEAR RECORDS, ANALYZING FINANCIAL TRENDS, AND PROVIDING VISIONS, THEY EMPOWER LEADERSHIP TO MAKE INFORMED DECISIONS FOR GROWTH. THE TEAM ENSURES FINANCIAL STABILITY WHILE SUPPORTING EVERY DEPARTMENT WITH TIMELY AND PRECISE SOLUTIONS. THEY ARE TO MAKE SURE OUR RESOURCES ARE WELL-MANAGED AND OUR VISION REMAINS SUSTAINABLE.



**KRISHANU
MONADL**
ACCOUNTANT



NILADRI ROY
ACCOUNTANT



**JOYDEEP
GHOSHWAMI**
ACCOUNTANT



**SUBRATA GUHA
THAKURTA**
ACCOUNTANT

MEET OUR BEST TEAM

OUR SALES TEAM



MANOJ JHA

SR. MANAGER, SALES & OPERATIONS

At the intersection of customer success and operational efficiency stands with 30 Years of experience. With a proven track record in building strong client relationships and streamlining business processes, Manoj is a key driver of our company's growth and reliability.



UDAY BANERJEE

SR. MANAGER-SALES

With 30+ years of experience, he has been instrumental in HMP's growth for the past 17 Years. He excels in sales strategy, and building strong customers relationships, while fostering teamwork and ensuring customer success.



AJAY SINHA

SR. MANAGER-SALES

Behind every successful deal is a team of passionate people having 20 years of experience, who believe in building relationships, not just closing sales. He is the driving force that connects our products and solutions with customers across industries.



KOUSTAV BANERJEE

EXECUTIVE SALES

With over 3 years of experience, he has been an integral part of HMP's growth journey. He brings expertise in sales strategy, and is dedicated to fostering teamwork while ensuring every client's success.



KRISHNA HALDER

SALES COORDINATOR

Our Sales Coordination & Operations team ensures every promise becomes performance. Our Operations experts transform plans into action—managing resources, schedules, and quality to deliver excellence consistently.



PAPPU BHATTACHARYYA

SALES COORDINATOR

Sales Coordinators are professionals who combine strong communication skills. They work closely with managers, executives, and customers to make sure inquiries are addressed quickly, orders are processed accurately, and timelines are maintained.

OUR QUALITY CONTROL TEAM

Quality Control Department
At the heart of our commitment to excellence is our Quality Control & Assurance (QC-QA) Department—a team of skilled professionals dedicated to ensuring that every product leaving our facility meets the highest safety, performance, and compliance standards.



**MILAN
MUKHERJE**

MANAGER – QUALITY
ASSURANCE & CONTROL



**ABHIJIT
SARKAR**

QUALITY CONTROL INSPECTOR



**SAYAN
KUMAR PAUL**

QUALITY CONTROL INSPECTOR

OUR CREATIVE TEAM



SUMIT GHOSH

Sr. Web Designer & Developer

At HMP, our Creative Team is the driving force behind fresh ideas and powerful designs. We blend innovation with strategy to craft visuals, content, and campaigns that connect with people and reflect our brand's vision. With passion and accuracy, we turn concepts into impactful stories that inspire trust and progress.

A passionate Creative expert of 3D & VFX, driven by imagination, innovation, and accuracy. He brings unique artistry, technical skills, and years of industry experience—together transforming ideas into breathtaking visuals that inspire and engage.



SUDIP SAHA

VFX ARTIST & DESIGNER

CERTIFICATES

ZERTIFIKAT ◆ CERTIFICATE ◆ 認定證書 ◆ CERTIFICADO ◆ CERTIFICAT ◆ 証明書



CERTIFICATE

HINDMEDICO PRODUCT PRIVATE LIMITED

ADDRESS: 1ST FLOOR, 5/8, ASHUTOSH MUKHERJEE ROAD,
BELURMATH, HOWRAH-711202, WEST BENGAL, INDIA

QACS certify that the quality management system of the above organization has been audited and found to be in accordance with the requirements of standard detailed below

ISO 9001:2015

For The Following Scope

MANUFACTURING & SUPPLY OF ANAESTHESIA MACHINES & MEDICAL GAS PIPELINE ACCESSORIES AND RELATED SPARES, ARC WELDING ACCESSORIES (ELECTRODE HOLDERS, EARTHING CLAMPS, WELDING CABLES), GAS WELDING EQUIPMENTS & ACCESSORIES (GAS PRESSURE REGULATORS, BLOWPIPES, FLASH BACK ARRESTORS, NOZZLES, CUTTING MACHINES), MIG & TIG WELDING TORCHES AND ACCESSORIES, LEATHER GLOVES, APRONS, RUBBER HOSE, INDUSTRIAL SAFETY HELMET AND INDUSTRIAL SAFETY BELT (HARNES)

Certificate No:- QACS-UAF-Q-HM-09.23.1010

EA Code:- 18

*This certificate is issued in accordance with the QACS International Pvt. Ltd. auditing and Certification procedures and it is remain valid subject to annual surveillance audit.

Certificate Issue Date	: 06.06.2024	1st Surveillance Date	: 08.11.2024
Dated Of Initial Registration	: 09.11.2023	*Certificate Expiry Date	: 08.11.2025
Certificate Validity	: 01 Year & 06 Months	Revision	: 01

Note: Certificate shall be valid after surveillance, only if continuation letter by QACS is present.

QACS International Pvt. Ltd.
 Kh. No. 853, 2nd floor, opp SBI bank,
 east nager Bazar, delhi-110084
 E-mail: info@qacs-world.com
 To check the certificate validity please refer
 Web: www.globalqacs.com

QACS Accredited By:
 United Accreditation Foundation Inc. (UAF)
 400 North Centre DR, STE 202, Norfolk,
 VA 23502, United States Of America (USA)
 Web: www.uafaccreditation.org







Authorized Signatory



Disclaimer - This certificate is issued on the basis of random onsite inspection w.r.t. System/Product. Certification of organization as per the standard mentioned. This Certification do not involve any financial auditing. This certificate cannot be used as justification for running any type of deposit schemes. QACS will not be responsible if someone give deposit/advance based on this system/product certification mentioning as an international financial audit.

WE ARE PROUD TO SERVE




OUR VISION

At **HINDMEDICO PRODUCT PVT. LTD.** our vision is to be a global leader in providing innovative and reliable solutions for welding gas equipment, medical gas equipment, and industrial safety products. We aspire to set the benchmark for excellence in our industry, driven by a commitment to quality, safety, and customer satisfaction.

We aim to become the preferred choice for customers worldwide by consistently delivering superior products and services. Pioneering advancements in technology, we strive to meet the dynamic needs of the industry and our customers. Embracing sustainable practices, we contribute to the well-being of our planet and future generations. By upholding the highest standards in all aspects of our business, from product development to customer service, we ensure excellence in everything we do.

Our goal is to expand our presence and impact across international markets while maintaining our core values and commitment to quality. We envision a future where **HINDMEDICO PRODUCT PVT. LTD.** continues to inspire trust and confidence through our unwavering dedication to excellence and innovation. By fostering a culture of continuous improvement and integrity, we aim to contribute positively to the industries we serve and the communities we touch.



OUR MISSION

At **HINDMEDICO PRODUCT PVT. LTD.** our mission is to enhance health and safety through innovative and high-quality solutions. We are committed to providing state-of-the-art welding gas equipment, medical gas equipment, and industrial safety products that meet the evolving needs of our customers.

Our key objectives include:

Quality Excellence: Ensuring every product we manufacture meets the highest standards of quality and reliability.

Innovation: Continuously advancing our technology and product offerings through rigorous research and development.

Customer Satisfaction: Building and maintaining strong relationships with our customers by delivering exceptional service and support.

Safety: Prioritizing the health and safety of our users by developing products that are safe, efficient, and dependable.

Sustainability: Operating with a focus on long-term sustainability, minimizing our environmental impact, and promoting responsible practices.

We are dedicated to achieving these goals by fostering a culture of excellence, integrity, and continuous improvement. At **HINDMEDICO PRODUCT PVT. LTD.** we strive to be a trusted partner in your success, delivering products that you can rely on for years to come.





A Heartfelt Thank You.

At Hindmedico Product Pvt. Ltd., our journey of growth and excellence would not have been possible without the trust and support of our customers and valued dealers.

To our dealers, your dedication, professionalism, and belief in our vision have built a strong bridge between us and the marketplace. Your efforts ensure that our promise of quality and service reaches far and wide. Together, we have created a partnership built on trust and shared growth.

To our customers – your continued faith in our products inspires us to innovate, improve, and deliver solutions that make a difference. Every order, every feedback, and every relationship built with you drives us to set higher standards of quality and service.

As we look to the future, we remain committed to nurturing this bond with even greater sincerity. With your support, we do not just sell products—we create progress, safety, and long-lasting relationships.

Thank you for being an integral part of our story.

From - HMP family.



SAFETY FIRST!



HINDMEDICO
PRODUCT PVT.LTD.

📍 Regd. Office : 5/8 Ashutosh Mukherjee Road
Belurmath, Howrah – 711202

📍 Works : 3/1 Ashutosh Mukherjee Road
Belurmath, Howrah – 711202

☎ 033 2654 8185 ✉ sales@hmpglobal.in

WWW.HMPPRODUCT.IN

