

RAKO



Evident quality.

RAKO

- 46 *The all rounder in Euro dimensions*
- 47 *Euro base size Sidewall and handle variations*
- 48 *Base variations*
- 50 *RAKO 200 x 150 mm
RAKO 300 x 200 mm*
- 51 *RAKO 400 x 300 mm*
- 54 *RAKO 400 x 400 mm*
- 56 *RAKO 600 x 400 mm*
- 60 *RAKO 800 x 600 mm*
- 63 *RAKO 800 x 600 mm welded to pallet*
- 64 *Lids / covers*
- 67 *RAKO with lid Cases*
- 69 *Accessories*
- 70 *Removable boxes*
- 72 *Compartment trays*
- 73 *Foam inserts and dividers*
- 75 *Marking*
- 77 *Special RAKO*

The all-rounder in Euro dimensions

Versatile and flexible

Every basic RAKO container enables a large number of variations by combining various sidewalls, bases and handles.

When selecting the perfect container, you can choose between perforated and slotted sidewalls, a grid or ribbed base depending on its purpose and load capacity, insert a perforated base or an enclosed double bass and decide on a handle bar, a handle slot or a shell handle.

These versatile selection options in combination with the container's high load capacity are what make the RAKO an extremely adjustable universal container




RAKO and Euro Pallets

RAKO containers can be stacked onto pallets for storage or transport. This is why the base size of the containers must be aligned to the base size of the pallets.

Standard base sizes of the RAKO containers are therefore deducted by repeatedly dividing the base sizes of a pallet:

800 x 600 mm
600 x 400 mm
600 x 200 mm
400 x 400 mm
400 x 300 mm
300 x 200 mm
200 x 150 mm


Container heights:
from 65 to 545 mm

*Sidewall variations*

- 1** solid
- 2** perforated
- 3** slotted
- 4** custom made

Handle variations

- 5** handle bar
- 6** handle slot
- 7** shell handle



Non reinforced RAKO bases



SGL base grated

SGL base slotted

SGL base solid

Grated base


Slotted base

Solid base
with water drainage holes

Solid base

Remark
Bonded stacking For example, a 600 x 400 mm container can be stacked onto two 400 x 300 mm RAKO containers. Available as grid base, slotted base and closed floor with or without water drainage holes.
Air circulation possible, liquids can drain off (contents remain dry).
Boreholes in the base Liquids can drain off, positive fire-protection evaluation.

Solid base



Reinforced RAKO bases

RAKO




Enclosed double base

Ribbed base, closed

Remark
Internal ribbing between internal and external base plate.
Medium ribbing

Enclosed double base



200 x 150 mm



Standard colour
light grey

Height:

117 mm

Internal dimensions base:
162 x 112 x 114 mm
Stacking height: 103 mm
Usable internal height
in stack: 97 mm
Volume: 2 litres
Weight: 0.2 kg

Article code	Sidewalls			Base						Handles		
	solid	perforated	slotted	solid	slotted	with ribbing	grated	SGL base	enclosed double	handle bar	shell handle	handle slots
3-237-0	•			•						•		
3-217Z-0	•			•						•		
3-206Z-0	•			•						•		
3-210-0	•			•						•		
3-310-0	•			•								2

300 x 200 mm



Standard colour
light grey

Height:

65 mm

Internal dimensions base:
258 x 158 x 63 mm
Stacking height: 51 mm
Usable internal height
in stack: 49 mm
Volume: 3 litres
Weight: 0.2 kg

Standard colour
light grey
dark blue



Height:

117 mm

Internal dimensions base:
258 x 158 x 114 mm
Stacking height: 103 mm
Usable internal height
in stack: 97 mm
Volume: 5 litres
Weight: 0.3 kg

Height:

220 mm

Internal dimensions base:
260 x 160 x 217 mm
Stacking height: 206 mm
Usable internal height
in stack: 203 mm
Volume: 9 litres
Weight: 0.7 kg

Standard colour
light grey

Sidewalls



slotted



perforated

Handles



handle bar



shell



slot

Stock items (SKU), for all other items please request the minimum order quantities.

400 x 300 mm



Standard colour

light grey



Standard colours


light grey
translucent
scarlet
dark blue
yellow



Standard colour

light grey


Bases




solid




slotted




grated



SGL base



ribbed



enclosed double base

Height:

65 mm

Internal dimensions base:

358 x 258 x 62 mm

Stacking height: 51 mm

Usable internal height

in stack: 48 mm

Volume: 6 litres

Weight: 0.5 kg

Height:

117 mm

Internal dimensions base:

358 x 258 x 114 mm

Stacking height: 103 mm

Usable internal height

in stack: 97 mm

Volume: 10 litres

Weight: 0.8 kg

Containers with reinforced base

Internal dim. base:

358 x 258 x 100 mm

Usable internal height

in stack: 86 mm

Weight: 0.9 kg

Height:

145 mm

Internal dimensions base:

364 x 264 x 130 mm

Stacking height: 133 mm

Usable internal height

in stack: 118 mm

Volume: 12 litres

Weight: 0.9 kg

Internal dim. base:

357 x 257 x 142 mm

Usable intern. height

in stack: 130 mm

Volume: 13 litres

Article code	Sidewalls			Base							Handles		
	solid	perforated	slotted	solid	slotted	with ribbing	grated	SGL base	enclosed double	handle bar	shell handle	handle slots	
3-211Z-0	•			•							2		
3-203Z-0	•			•							2		
3-203Z-72	•					•					2		
3-203Z-72-V	•							•			2		
3-4313N-0	•							•			2		
3-4313N-1		• ¹						•			2		
3-4313N-29		•						•			2		
3-4313N-53	•			•							2		
3-4313N-194		• ¹		•							2		
3-4313N-129		•		•							2		

¹ long sides

Stock items (SKU), for all other items please request the minimum order quantities.

400 x 300 mm



Standard colours

	light grey
	dark blue



Standard colours

	light grey
	translucent
	scarlet
	dark blue
	yellow

Height:

170 mm

Internal dimensions base:

358 x 258 x 165 mm

Stacking height: 154 mm

Usable internal height

in stack: 151 mm

Volume: 15 litres

Weight: 0.9 kg

Containers with
reinforced base

Internal dim. base:

358 x 258 x 151 mm

Usable intern. height

in stack: 137 mm

Weight: 1.1 kg

Height:

220 mm

Internal dim. base:

359 x 259 x 217 mm

Stacking height:

206 mm

Usable intern. height

in stack: 203 mm

Volume: 20 litres

Weight: 1.2 kg

Containers with
reinforced base

Internal dim. base:

359 x 259 x 203 mm

Usable intern. height

in stack: 189 mm

Weight: 1.3 kg

Article code	Sidewalls			Base						Handles		
	solid	perforated	slotted	solid	slotted	with ribbing	grated	SGL base	enclosed double	handle bar	shell handle	handle slots
3-207Z-0	•			•							2	
3-307Z-0	•			•								2
3-207Z-72	•					•					2	
3-207Z-72-V	•							•			2	
3-307Z-72	•					•						2
3-307Z-72-V	•							•				2
3-204Z-0	•			•							2	
3-304Z-0	•			•								2
3-204Z-1		•		•							2	
3-304Z-1		•		•								2
3-204Z-2			•	•							2	
3-304Z-2			•	•								2
3-204Z-3			•		•						2	
3-304Z-3			•		•							2
3-204Z-4	•				•						2	
3-304Z-4	•				•							2
3-204Z-5		•			•						2	
3-304Z-5		•			•							2
3-204Z-204	•			• ¹							2	
3-204Z-72	•					•					2	
3-204Z-72-V	•							•			2	
3-304Z-72	•					•						2
3-304Z-72-V	•							•				2

¹ 4 water drainage holes

Sidewalls



slotted



perforated

Handles



handle bar




shell



slot

Stock items (SKU), for all other items please request the minimum order quantities.

400 x 300 mm



Standard colour

light grey



Standard colour

light grey

Height:

270 mm

Internal dim. base:

358 x 258 x 268 mm

Stacking height:

258 mm

Usable intern. height

in stack: 255 mm

Volume: 24 litres

Weight: 1.3 kg

Height:

323 mm

Internal dim. base:

358 x 258 x 320 mm

Stacking height:

309 mm

Usable intern. height

in stack: 306 mm

Volume: 30 litres

Weight: 1.5 kg

Containers with
reinforced base

Internal dim. base:

358 x 258 x 306 mm


Usable intern. height

in stack: 292 mm

Weight: 1.6 kg

Article code	Sidewalls			Base						Handles		
	solid	perforated	slotted	solid	slotted	with ribbing	grated	SGL base	enclosed double	handle bar	shell handle	handle slots
3-212Z-0	•			•							2	
3-312Z-0	•			•							2	
3-212Z-1		•		•							2	
3-312Z-1		•		•							2	
3-212Z-2			•	•							2	
3-312Z-2			•	•							2	
3-212Z-3			•		•						2	
3-312Z-3			•		•						2	
3-212Z-4	•				•						2	
3-312Z-4	•				•						2	
3-212Z-5		•			•						2	
3-312Z-5		•			•						2	
3-205Z-0	•			•							2	
3-305Z-0	•			•							2	
3-205Z-1		•		•							2	
3-305Z-1		•		•							2	
3-205Z-2			•	•							2	
3-305Z-2			•	•							2	
3-205Z-3			•		•						2	
3-305Z-3			•		•						2	
3-205Z-4	•				•						2	
3-305Z-4	•				•						2	
3-205Z-5		•			•						2	
3-305Z-5		•			•						2	
3-205Z-72	•					•					2	
3-205Z-72-V	•							•			2	
3-305Z-72	•					•					2	
3-305Z-72-V	•							•			2	


Bases




solid




slotted




grated



SGL base



ribbed

enclosed
double baseStock items (SKU), for all other items please
request the minimum order quantities.

400 x 400 mm



Standard colour
light grey

600 x 200 mm



Sidewalls



slotted



perforated

Handles



handle bar



shell



slot

Article code	Sidewalls			Base						Handles		
	solid	perforated	slotted	solid	slotted	with ribbing	grated	SGL base	enclosed double	handle bar	shell handle	handle slots
38-1927-0	•					1				•		
38-1928-0	•					1				•		
38-1932-0	•					1				•		
38-1934-1	•					•						2
38-1934-10	•			•								4
38-1934-5		•					•					2
101-6222-1	•			•						•		

Height:

70 mm

Internal dimensions base:

370 x 370 x 52 mm

Stacking height: 56 mm

Usable internal height

in stack: 37 mm

Volume: 7 litres

Weight: 1.2 kg

Height:

120 mm

Internal dimensions base:

370 x 370 x 102 mm

Stacking height: 106 mm

Usable internal height

in stack: 87 mm

Volume: 15 litres

Weight: 1.3 kg

Height:

220 mm

Internal dimensions base:

370 x 370 x 202 mm

Stacking height: 206 mm

Usable internal height

in stack: 187 mm

Volume: 28 litres

Weight: 1.8 kg

Height:

270 mm

Internal dimensions base:

370 x 370 x 258 mm

Stacking height: 256 mm

Usable internal height

in stack: 239 mm

Volume: 35 litres

Weight: 1.7 kg

Height:

220 mm

Internal dimensions base:

558 x 158 x 217 mm

Stacking height: 206 mm

Usable internal height

in stack: 203 mm

Volume: 19 litres

Weight: 1.4 kg

¹ narrow ribbed

Stock items (SKU), for all other items please request the minimum order quantities.

600 x 400 mm



Standard colour

light grey

Height:

75 mm

Internal dimensions base:

552 x 352 x 72 mm

Stacking height: 65 mm

Usable internal height

in stack: 62 mm

Volume: 14 litres

Weight: 1.2 kg

Containers with reinforced base

Article code	Sidewalls			Base						Handles		
	solid	perforated	slotted	solid	slotted	with ribbing	grated	SGL base	enclosed double	handle bar	shell handle	handle slots
3-227D-0	•			•							2	
3-227D-72	•					•					2	
3-227D-72-V	•							•			2	
3-6406-0	•							•			2	
3-6406-1		• ¹						•			2	
3-6406-45	•			•				•			2	
3-200Z-0	•			•							2	
3-200Z-1		• ¹		•							2	
3-200Z-2			• ¹	•							2	
3-200Z-3			• ¹		•						2	
3-200Z-4	•				•						2	
3-200Z-5		• ¹			•						2	
3-300Z-214	•			•								2
3-200Z-72	•					•					2	
3-200Z-72-V	•							•			2	
3-200Z-91			• ¹		•						2	
3-200Z-91-V			• ¹					•			2	
3-300Z-213	•				•							2
3-300Z-213-V	•							•				2

Height:

78 mm

Internal dim. base:

565 x 365 x 63 mm

Stacking height: 66 mm

Usable internal height

in stack: 51 mm

Volume: 12 litres

Weight: 1.2 kg

Height:

117 mm

Internal dim. base:

558 x 358 x 114 mm

Stacking height:

103 mm

Usable internal

height in stack: 100 mm

Volume: 20 litres

Weight: 1.3 kg

Containers with reinforced base


Standard colours

light grey

scarlet

dark blue


Bases




solid




slotted




grated



SGL base



ribbed



enclosed double base

¹ long sides

Stock items (SKU), for all other items please request the minimum order quantities.

600 x 400 mm



Standard colour
light grey

Height:

145 mm

Internal dim. base:
564 x 364 x 130 mm
Stacking height: 133 mm
Usable internal height
in stack: 117 mm
Volume: 26 litres
Weight: 1.8 kg

External dimensions:
600 x 400 x 147 mm
Internal dimensions base:
557 x 357 x 143 mm
Usable internal height
in stack: 130 mm
Volume: 28 litres
Weight: 1.7 kg

Containers with
reinforced base

External dimensions:
600 x 400 x 147 mm
Internal dim. base:
564 x 364 x 129 mm
Usable internal height
in stack: 115 mm
Volume: 26 litres
Weight: 1.9 kg

Height:

170 mm

Internal dim. base:
558 x 358 x 165 mm
Stacking height:
154 mm
Usable intern. height
in stack: 149 mm
Volume: 30 litres
Weight: 1.5 kg

Standard colours 3-208Z-0

light grey
dark blue

Standard colour 3-308Z-32

light grey

Sidewalls



slotted



perforated

Handles



handle bar



shell



slot

Article code	Sidewalls			Base						Handles		
	solid	perforated	slotted	solid	slotted	with ribbing	grated	SGL base	enclosed double	handle bar	shell handle	handle slots
3-6413N-0	•							•			2	
3-6413-1		• ¹						•			2	
3-6413-31			•					• ²			2	
3-6413N-20	•							•				2
3-6413N-186	•			•							2	
3-6413N-72	•					•					2	
3-6413N-72-V	•							•			2	
3-208Z-0	•			•							2	
3-308Z-0	•			•								2
3-208Z-1		•		•							2	
3-308Z-1		•		•								2
3-208Z-2			•	•							2	
3-308Z-2			•	•								2
3-208Z-3			•	•							2	
3-308Z-3			•	•								2
3-208Z-4	•			•							2	
3-308Z-4	•			•								2
3-208Z-5		•		•							2	
3-308Z-5		•		•								2
3-208Z-32			•				•				2	
3-308Z-32			•				•					2
3-208Z-72	•					•					2	
3-208Z-72-V	•							•			2	
3-308Z-72	•					•						2
3-308Z-72-V	•							•				2

¹ long sides

² grated

Stock items (SKU), for all other items please request the minimum order quantities.

600 x 400 mm



Standard colours 3-201Z-0

	light grey
	translucent
	scarlet
	dark blue
	yellow

Standard colour 3-301Z-0

	light grey
--	------------

Height:

220 mm

Internal dim.:

558 x 358 x 217 mm

Stacking height:

206 mm

Usable intern. height

in stack: 201 mm

Volume: 43 litres

Weight: 2.1 kg

Containers with
reinforced base

Internal dim. base:

559 x 359 x 203 mm

Usable intern. height

in stack: 189 mm

Weight: 2.4 kg

Height:

278 mm

Internal dim. base:

561 x 361 x 262 mm

Stacking height:

266 mm

Usable intern. height

in stack: 250 mm

Volume: 53 litres

Weight: 2.7 kg

Internal dim. base:

557 x 357 x 276 mm

Usable intern. height

in stack: 262 mm

Volume: 56 litres

Weight: 2.7 kg

Containers with
reinforced base

External dimensions:

600 x 400 x 281 mm

Internal dim. base:


561 x 361 x 262 mm

Usable intern. height

in stack: 269 mm

Weight: 2.9 kg


Bases




solid




slotted




grated



SGL base



ribbed

enclosed
double base

Article code	Sidewalls			Base						Handles		
	solid	perforated	slotted	solid	slotted	with ribbing	grated	SGL base	enclosed double	handle bar	shell handle	handle slots
3-201Z-0	•			•							2	
3-301Z-0	•			•								2
3-201Z-1		•		•							2	
3-301Z-1		•		•							2	
3-201Z-2			•	•							2	
3-301Z-2			•	•							2	
3-201Z-3			•		•						2	
3-301Z-3			•		•						2	
3-201Z-4	•				•						2	
3-301Z-4	•				•						2	
3-201Z-5		•			•						2	
3-301Z-5		•			•						2	
3-201Z-32			•				•				2	
3-301Z-32			•				•				2	
3-201Z-141	•1			•							1	
3-301Z-203	•							•2			2	
3-101Z-0	•			•								4
3-201Z-72	•					•					2	
3-301Z-72	•					•					2	
3-201Z-72-V	•							•			2	
3-301Z-72-V	•							•			2	
3-201Z-177	•1					•					1	
3-6426N-0	•							•			2	
3-6426N-20	•							•			2	
3-6426-29		•						•			2	
3-6426-21		•						•			2	
3-6426-30			•					•			2	
3-6426-22			•					•			2	
3-6426-38			•					•3			4	
3-6426N-1	•			•							2	
3-6426N-24	•			•							2	
3-6426-41		•		•							2	
3-6426-25		•		•							2	
3-6426-34			•	•							2	
3-6426-27			•	•							2	
3-6426N-72	•					•					2	
3-6426N-72-V	•							•			2	

¹ 1 small side with access aperture² 4 water drainage holes³ grated

Stock items (SKU), for all other items please request the minimum order quantities.

600 x 400 mm



Standard colours 3-202Z-0

	light grey
	scarlet
	dark blue

Standard colour 3-302Z-0 and 3-302U-32

	light grey
--	------------

Height:

323 mm

Internal dim. base:

558 x 358 x 320 mm

Stacking height:

309 mm

Usable intern. height

in stack: 304 mm

Volume: 60 litres

Weight: 2.7 kg

Containers with
reinforced base

Internal dim. base:

558 x 358 x 305 mm

Usable intern. height

in stack: 292 mm

Weight: 2.9 kg



Standard colour

	light grey
--	------------

Sidewalls



slotted



perforated

Handles



handle bar



shell



slot

Article code	Sidewalls			Base						Handles		
	solid	perforated	slotted	solid	slotted	with ribbing	grated	SGL base	enclosed double	handle bar	shell handle	handle slots
3-202Z-0	•			•							2	
3-302Z-0	•			•								2
3-202Z-1		•		•							2	
3-302Z-1		•		•								2
3-202Z-2			•	•							2	
3-302Z-2			•	•								2
3-202Z-3			•		•						2	
3-302Z-3			•		•							2
3-202Z-4	•				•						2	
3-302Z-4	•				•							2
3-202Z-5		•			•						2	
3-302Z-5		•			•							2
3-202Z-32			•				•				2	
3-302Z-32			•				•					2
3-102Z-0	•			•								4
3-202Z-72	•					•					2	
3-202Z-72-V	•								•		2	
3-302Z-72	•					•						2
3-302Z-72-V	•								•			2
3-6439N-13	•			•				•				4
3-6439N-20	•			•				•				2
3-6439N-14		•			•			•				4
3-6439N-15			•		•			•				4
3-6439N-38			•					• ¹				4
38-6439-301	•					•						2
38-6439-301-V1	•								•			2

¹ grated

Stock items (SKU), for all other items please request the minimum order quantities.

600 x 400 mm



Standard colour 3-209Z-0

light grey

Standard colours 3-309Z-0

light grey


dark blue



Standard colour

light grey


Bases




solid




slotted




grated



SGL base



ribbed

enclosed
double base

Height:

425 mm

Internal dim. Z base:

558 x 358 x 422 mm

Internal dim. N base:

558 x 358 x 411 mm

Stacking height: 412 mm

Usable internal height

in stack: 409 mm

Volume: 90 litres

Weight: 3.5 kg

Containers with
reinforced base

Internal dim. base:

558 x 358 x 408 mm

Usable intern. height

in stack: 395 mm

Weight: 4.1 kg

Height:

544 mm

Internal dim. base:

561 x 361 x 528 mm

Stacking height: 532 mm

Usable internal height

in stack: 516 mm

Volume: 100 litres

Weight: 5.0 kg

Article code	Sidewalls			Base						Handles		
	solid	perforated	slotted	solid	slotted	with ribbing	grated	SGL base	enclosed double	handle bar	shell handle	handle slots
3-209Z-0	•			•							2	
3-309Z-0	•			•							4	
3-109Z-0	•			•							2	
3-309N-32			•				•				4	
3-209Z-72	•					•					2	
3-209Z-72-V	•							•			2	
3-309Z-72	•					•					4	
3-309Z-72-V	•							•			4	
3-6453-13	•			•				•			4	
3-6453-38			•					• ¹			4	
3-6453-15			•		•			•			4	
3-6453-36		•			•			•			4	

¹ gratedStock items (SKU), for all other items please
request the minimum order quantities.

800 x 600 mm



Standard colour
light grey

Height:

117 mm

Internal dimensions base:
748 x 548 x 113 mm
Stacking height: 103 mm
Usable internal height
in stack: 96 mm
Volume: 45 litres
Weight: 3.0 kg

Containers with
reinforced base

Internal dimensions base:
750 x 550 x 99 mm
Usable internal height
in stack: 85 mm
Weight: 3.3 kg

Height:

220 mm

Internal dimensions base:
748 x 548 x 216 mm
Stacking height: 206 mm
Usable internal height
in stack: 202 mm
Volume: 90 litres
Weight: 4.2 kg

Containers with
reinforced base

Internal dim. base:
749 x 549 x 202 mm
Usable internal height
in stack: 188 mm
Weight: 4.4 kg

Article code	Sidewalls			Base						Handles		
	solid	perforated	slotted	solid	slotted	with ribbing	grated	SGL base	enclosed double	handle bar	shell handle	handle slots
3-222U-0	•			•							2	
3-222U-72	•					•					2	
3-222U-72-V	•							•			2	
3-221Z-0	•			•							2	
3-321Z-0	•			•								2
3-221Z-72	•					•					2	
3-321Z-72	•					•						2
3-221Z-72-V	•							•			2	
3-321Z-72-V	•							•				2

Sidewalls



slotted



perforated

Handles



handle bar



shell



slot

Stock items (SKU), for all other items please request the minimum order quantities.

800 x 600 mm



Height:

300 mm

Internal dim. base:

748 x 548 x 297 mm

Stacking height: 284 mm

Usable internal height

in stack: 281 mm

Volume: 122 litres

Weight: 5.3 kg

Containers with reinforced base

Internal dim. base:

750 x 550 x 287 mm

Usable internal height

in stack: 285 mm

Weight: 5.5 kg



Standard colour

 light grey

Height:

323 mm

Internal dim. base:

748 x 548 x 319 mm

Stacking height: 309 mm

Usable internal height

in stack: 303 mm

Volume: 128 litres

Weight: 5.4 kg

Containers with reinforced base

Internal dim. base:

750 x 550 x 305 mm


Usable intern. height

in stack: 289 mm

Weight: 5.9 kg

Article code	Sidewalls			Base							Handles		
	solid	perforated	slotted	solid	slotted	with ribbing	grated	SGL base	enclosed double	handle bar	shell handle	handle slots	
3-224U-0	•			•								2	
3-324U-0	•			•								2	
3-224U-1		•		•								2	
3-324U-1		•		•								2	
3-224U-72	•					•						2	
3-324U-72	•					•						2	
3-224U-72-V	•								•			2	
3-324U-72-V	•								•			2	
3-220Z-0	•			•								2	
3-320Z-0	•			•								2	
3-220Z-72	•					•						2	
3-320Z-72	•					•						2	
3-220Z-72-V	•								•			2	
3-320Z-72-V	•								•			2	


Bases




solid




slotted




grated



SGL base



ribbed




enclosed double base

Stock items (SKU), for all other items please request the minimum order quantities.

800 x 600 mm




Standard colour
light grey



Article code	Sidewalls			Base						Handles		
	solid	perforated	slotted	solid	slotted	with ribbing	grated	SGL base	enclosed double	handle bar	shell handle	handle slots
3-219U-0	•			•							2	
3-319U-0	•			•								2
Containers with reinforced base Internal dimensions base: 748 x 548 x 422 mm Stacking height: 412 mm Usable internal height in stack: 409 mm Volume: 175 litres Weight: 6.7 kg												
3-219U-72	•					•					2	
3-319U-72	•					•						2
3-219U-72-V	•								•		2	
3-319U-72-V	•								•			2
Internal dim. base: 748 x 548 x 408 mm Usable internal height in stack: 395 mm Weight: 7.1 kg												
3-319U-136	• ¹			•								2
Height: 425 mm Internal dimensions base: 748 x 548 x 422 mm Stacking height: 412 mm Usable internal height in stack: 409 mm Volume: 175 litres Weight: 6.7 kg												
Containers with reinforced base Internal dim. base: 748 x 548 x 408 mm Usable internal height in stack: 395 mm Weight: 6.9 kg												
3-319U-167	• ¹					•						2
3-319U-167-V	• ¹								•			2

¹ 1 small side with access aperture


Bases




solid




slotted




grated



SGL base



ribbed



enclosed double base

Sidewalls



slotted



perforated

Handles



handle bar



shell



slot

Stock items (SKU), for all other items please request the minimum order quantities.

RAKO welded to pallet

RAKO

800 x 600 mm



Height:

267 mm

Internal dimensions base:

748 x 548 x 99 mm

Volume: 45 litres

Weight: 9.1 kg



Height:

370 mm

Internal dimensions base:

748 x 548 x 202 mm

Volume: 90 litres

Weight: 10.3 kg



Height:

450 mm

Internal dimensions base:

748 x 548 x 283 mm

Volume: 122 litres

Weight: 11.7 kg



Height:

473 mm

Internal dimensions base:

748 x 548 x 305 mm

Volume: 128 litres

Weight: 12 kg



Height:

575 mm

Internal dimensions base:

748 x 548 x 408 mm

Volume: 175 litres

Weight: 13.1 kg

Article code	Sidewalls			Base							Handles		
	solid	perforated	slotted	solid	slotted	with ribbing	grated	SGL base	enclosed double		handle bar	shell handle	handle slots
3-222U-72-33	•			•							2		
3-221Z-72-33	•			•							2		
3-224U-72-33	•			•							2		
3-220Z-72-33	•			•							2		
3-219U-72-33	•			•							2		

Accessories – Lids



Hinged lid



Hook-in lid



Snap lock



3-944-0

3-944-1

3-944-2

200 x 150 mm



3-215Z-0

3-215Z-1-11

3-215N-2-11

20-2124

21-2930

20-2065.1

300 x 200 mm



3-214Z-0

3-214Z-1-11

3-214Z-2-11

3-924-3-11

20-0509

21-2539

20-2064-Z

20-2130

400 x 300 mm

Standard colours

-  1) dark grey
-  2) natural
-  3) dark blue
-  4) scarlet
-  5) translucent
-  6) yellow

Article code	Model	Standard colour
3-944-0	loose lid	
3-944-1	hinged lid	1
3-944-2	hook-in lid	
3-215Z-0	loose lid	1
3-215Z-1-11	hinged lid with snap locks	1, 3
3-215N-2-11	hook-in lid with snap locks	
20-2124	sliding lid	
21-2930	slip lid, vacuum formed	
20-2065.1	dust-cover, vacuum formed wall thickness 0.5 mm	2
3-214Z-0	loose lid	1
3-214Z-1-11	hinged lid with snap locks	1, 3, 4, 6
3-214Z-1-255-11	hinged lid with snap locks	5
3-214Z-2-11	hook-in lid with snap locks	1
3-924-3-11	slip lid with hooks with snap locks	
20-0509	slip lid	
21-2539	sliding lid (not suitable for RAKO 3-211Z-0)	
20-2064-Z	dust cover, vacuum formed, wall thickness 0.8 mm (to fit RAKO with Z article code)	2
20-2130	slip lid, vacuum formed, wall thickness 2 mm	2

Stock items (SKU), for all other items please request the minimum order quantities.



38-1966-0

38-1966-1

38-1966-2

400 x 400 mm

Article code	Model	Standard colour
38-1966-0	loose lid	
38-1966-1	hinged lid	7
38-1966-2	hook-in lid	



3-213Z-0

3-213Z-1-11

3-213Z-2-11

3-213A-9

3-925-5

20-0252

3-923-3

21-2811

53-6040-001-00

20-2007.1

21-2895-1

*600 x 400 mm**Snap lock*

3-213Z-0	loose lid	1
3-213Z-1-11	hinged lid with snap locks	1, 4, 3, 8
3-213Z-1-255-11	hinged lid with snap locks	5
3-213Z-2-11	hook-in lid with snap locks	1
3-213A-9	loose lid, foldable	
3-925-5	slip lid	6
20-0252	slip lid with gripping action	
3-923-3	slip lid	
21-2811	sliding lid	
53-6040-001-00	snap-on lid	5
20-2007.1	dust cover, vacuum formed, wall thickness 1 mm (to fit RAKO with Z article code)	2
21-2895-1	loose lid, vacuum formed wall thickness 2,5 mm	2

Standard colours

- 1) dark grey
- 2) natural
- 3) dark blue
- 4) scarlet
- 5) translucent
- 6) pale blue
- 7) light grey
- 8) yellow

Hinge reinforcement

Article code	Colour
89-4-865	plastic, white



Article code	Colour
89-4-867.2	plastic, dark grey
89-4-867	plastic, white
89-3-832	metal



Stock items (SKU), for all other items please request the minimum order quantities.

Accessories – Lids / Covers



800 x 600 mm

40-8060-0

3-223U-0

20-2103-2

21-0600

21-0600-5

40-86-1-11

Article code	Model	Standard colour
40-8060-0	slip lid	
3-223U-0	slip lid	1
3-223U-1	slip lid, with notches on both short sides for shell handles	
20-2103-2	slip lid, vacuum formed	2
21-0600	slip lid with gripping action, with spaces for handles	2
21-0600-2	slip lid without gripping action, with spaces for handles	
21-0600-4	slip lid with gripping action, without spaces for handles	
21-0600-5	slip lid without gripping action, without spaces for handles	
40-86-1-11	hinged lid with snap locks	



1200 x 800 mm

20-0751	cover	2
---------	-------	---



1200 x 1000 mm

20-2127-2	cover	
21-0780-1	cover	

20-2127-2

21-0780-1

Standard colours



- 1) dark grey
2) black

Stock items (SKU), for all other items please request the minimum order quantities.

RAKO with lid – Cases

RAKO

RAKO with lid



Equipment:
 1 RAKO container
 1 hinged lid
 2 hinge reinforcem.
 2 snap locks

Standard colours for containers

36-201-13 / 36-203-13 / 36-204-13:

light grey, scarlet, dark blue, yellow, translucent

36-200-13 / 36-202-13:

light grey, scarlet, dark blue

36-206-13 / 36-207-13 / 36-208-13:

light grey, dark blue

all other containers: light grey

Standard colours for lids

300 x 200 mm:

dark grey, dark blue

400 x 300 mm / 600 x 400 mm:

dark grey, scarlet, dark blue, translucent

Cases



Equipment:
 1 RAKO container
 1 hinged lid
 2 hinge reinforcem.
 2 snap locks
 1 carry handle

Standard colours

35-211: light grey, translucent

all other cases: light grey



Carry handles

Article code	External dimensions	Volume	Weight	Handle Model
36-217-13	300 x 200 x 80 mm	3 litres	0.4 kg	
36-206-13	300 x 200 x 132 mm	5 litres	0.5 kg	
36-210-13	300 x 200 x 235 mm	9 litres	0.9 kg	
36-211-13	400 x 300 x 81 mm	5 litres	0.8 kg	
36-203-13	400 x 300 x 132 mm	10 litres	1.1 kg	
36-4313-13	400 x 300 x 160 mm	12 litres	1.2 kg	
36-207-13	400 x 300 x 184 mm	15 litres	1.2 kg	
36-204-13	400 x 300 x 235 mm	20 litres	1.5 kg	
36-212-13	400 x 300 x 287 mm	24 litres	1.6 kg	
36-205-13	400 x 300 x 338 mm	30 litres	1.8 kg	
36-227-13	600 x 400 x 90 mm	14 litres	1.9 kg	
36-200-13	600 x 400 x 132 mm	20 litres	2.0 kg	
36-208-13	600 x 400 x 184 mm	30 litres	2.2 kg	
36-201-13	600 x 400 x 235 mm	43 litres	2.8 kg	
36-6426-13	600 x 400 x 293 mm	53 litres	3.4 kg	
36-202-13	600 x 400 x 338 mm	60 litres	3.4 kg	
36-209-13	600 x 400 x 441 mm	90 litres	4,2 kg	

35-206	300 x 200 x 132 mm	5 litres	0.5 kg	A
35-210-0	300 x 200 x 235 mm	9 litres	1.0 kg	B
35-211	400 x 300 x 81 mm	5 litres	0.8 kg	A
35-203	400 x 300 x 132 mm	10 litres	1.2 kg	A
35-4313-0	400 x 300 x 160 mm	12 litres	1.3 kg	B
35-207	400 x 300 x 184 mm	15 litres	1.3 kg	A
35-204-0	400 x 300 x 235 mm	20 litres	1.6 kg	B
35-212-7	400 x 300 x 287 mm	24 litres	1.7 kg	B
35-205-7	400 x 300 x 338 mm	30 litres	1.9 kg	B
35-227-7	600 x 400 x 90 mm	14 litres	2.0 kg	B
35-200	600 x 400 x 132 mm	20 litres	2.1 kg	A
35-208	600 x 400 x 184 mm	30 litres	2.3 kg	A
35-201-7	600 x 400 x 235 mm	43 litres	2.9 kg	B
35-6426-7	600 x 400 x 293 mm	53 litres	3.5 kg	B

All RAKO containers from the basic dimensions 400 x 300 x 145 mm on can be provided with two "B" handles fitted on the short side (only applies to containers from stock).

Article code	Model
89-2-1-1	A = carrier handle with catch mechanism for containers with integrated handle sockets
89-2-1-2	B = rivettable carrier handle
89-2-1-3	C = carrier handle in leather effect rivettable
89-2-1-5	D = carrier handle spring-loaded rivettable

Stock items (SKU), for all other items please request the minimum order quantities.

RAKO with lid – Cases

RAKO with safety lock


Equipment:

- 1 RAKO container
- 1 hinged lid with metal reinforcement.
- 2 hinge reinforcement.
- 2 snap locks
- 1 safety lock

All sizes listed are available for delivery in quantities as low as 1 unit.


Article code	External dimensions	Volume	Weight	Handle Model
36-206-SG	300 x 200 x 132 mm	5 litres	0.5 kg	none
36-210-SG	300 x 200 x 235 mm	9 litres	0.9 kg	none
36-203-SG	400 x 300 x 132 mm	10 litres	1.1 kg	none
36-4313-SG	400 x 300 x 160 mm	12 litres	1.2 kg	none
36-207-SG	400 x 300 x 184 mm	15 litres	1.2 kg	none
36-204-SG	400 x 300 x 235 mm	20 litres	1.5 kg	none
36-212-SG	400 x 300 x 287 mm	24 litres	1.7 kg	B
36-205-SG	400 x 300 x 336 mm	30 litres	1.9 kg	B
36-200-SG	600 x 400 x 132 mm	20 litres	2.0 kg	none
36-208-SG	600 x 400 x 184 mm	30 litres	2.2 kg	B
36-201-SG	600 x 400 x 235 mm	40 litres	2.8 kg	B
36-6426-SG	600 x 400 x 293 mm	53 litres	3.4 kg	B
36-202-SG	600 x 400 x 338 mm	60 litres	3.4 kg	B
36-209-SG	600 x 400 x 441 mm	90 litres	4.2 kg	B

Locking systems

Choose from five locking systems. (When ordering please quote the required Article code suffix).



-A-VH



-SG



-HS

-GHS

Article code suffix	Version
-A-VH	padlock hole (padlock separate)
-SG	same-key lock for one or several containers
-HS	locks with an individual key and one or several master keys for all containers
-GHS	safety locks with individual keys for each container; one or several master keys for individual container groups; overall master key

Double case



600 x 400 x 170 mm

600 x 400 x 250 mm

Article code	Internal dimensions	Volume	Weight
35-227-70	both containers: 552 x 352 x 71 mm	both containers: 14 litres	3.8 kg
35-200-70	both containers: 558 x 358 x 114 mm	both containers: 20 litres	4.4 kg

Archive box


Standard colour

light grey

400 x 300 x 338 mm

Internal dim. base:
352 x 252 x 320 mm
Width file rails:
330 mm
Weight: 2.4 kg
No. of files: 30-35

600 x 400 x 338 mm


Internal dim. base:
552 x 352 x 320 mm
Width file rails:
330 mm
Weight: 5.6 kg
No. of files: 60-70

Article code	Cylinder lock
36-421	without
36-421-1	individual-key lock
36-421-7	same-key lock
36-420	without
36-420-1	individual-key lock
36-420-7	same-key lock

Stock items (SKU), for all other items please request the minimum order quantities.

Accessories – Miscellaneous

RAKO

**1** Identification

Can be positioned individually	Version
	barcode label
	transponder / RFID
	inmould label

2 Adhesive label area

Article code	Size
97-N107	150 x 80 mm
97-N109	100 x 100 mm
97-N110	200 x 100 mm

3 Removable boxes

	see page 70-71
--	----------------

4 Label pockets

	see page 75
--	-------------

5 Label clips

	see page 76
--	-------------

6 Foam inserts

	see page 73
--	-------------

7 Covering for handle slots

Article code	Version
9-4033	Handle cover: smooth on the inside on the container. Is subsequently inserted in the handle slot.
80-936	Recessed handle: reach-through remains in place. Is subsequently inserted in the handle hole.

8 Dollies

	see section "Dollies"
--	-----------------------

9 Individual labeling

An individual version requires a template	Version
	hot stamping
	pad printing
	script inserts
	inmould labelling
	foil embossing

10 Hot-stamping

Standard font size	HELNETICA capital letters 14 mm / 30 mm
--------------------	---

11 Partition panels

	see page 74
--	-------------

Accessories – Removable boxes

For 400 x 300 mm



Standard colour
light grey



Standard colour
light grey



Standard colour
light grey



For containers
with a height of
65 mm or above

Lid

For containers
with a height of
120 mm or above

Lids

For containers
with a height of
120 mm or above

For containers
with a height of
120 mm or above

Lid

For containers
with a height of
120 mm or above

Article code	External dim.	Height	Size
3-291N-1	174 x 127 mm	32 mm	1/4
3-295	174 x 127 mm		
3-286N-0	127 x 87 mm	50 mm	1/8
3-292N-0	174 x 127 mm	50 mm	1/4
3-290	127 x 87 mm		
3-295	174 x 127 mm		
21-0414	178 x 127 mm	65 mm	1/4
21-0413	257 x 178 mm	65 mm	1/2
3-655	262 x 121 mm	98 mm	1/3
3-655-2	262 x 121 mm		
21-0483	185 x 92 mm	85 mm	1/8
21-0482	183 x 183 mm	85 mm	1/4
21-0481	367 x 182 mm	85 mm	1/2

Stock items (SKU), for all other items please request the minimum order quantities.

For 600 x 400 mm



Standard colour
light grey



Standard colour
light grey



For containers
with a height of
120 mm or above

Article code	External dim.	Height	Size
3-939N-42	139 x 89 mm	99 mm	 1/16
3-903N-43	177 x 139 mm	99 mm	 1/8
3-902N-43	277 x 177 mm	99 mm	 1/4
3-901N-43	355 x 277 mm	99 mm	 1/2

Lids

20-2117	138 x 88 mm
20-2116	177 x 139 mm
20-2115	277 x 177 mm
20-2114	355 x 277 mm

For containers
with a height of
278 mm or above

3-922-3	277 x 177 mm	230 mm	 1/4
---------	--------------	--------	---

For containers
with a height of
120 mm or above

3-930-2	555 x 89 mm	99 mm	 1/4
3-929-3	555 x 177 mm	99 mm	 1/2

Lids

20-2118	553 x 177 mm
---------	--------------

For containers
with a height of
75 mm or above

21-0503	180 x 140 mm	49 mm	 1/8
21-0502	280 x 180 mm	49 mm	 1/4
21-0501	557 x 180 mm	49 mm	 1/2

For containers
with a height of
170 mm or above

21-0500	280 x 180 mm	148 mm	 1/4
---------	--------------	--------	---

Stock items (SKU), for all other items please request the minimum order quantities.

Accessories – Removable boxes

Compartment trays



20-2001.1



20-2002.1



20-2005.1

Standard colour
 black

Basic size
 400 x 300 mm

External dimensions:
 358 x 258 x 48 mm

The set consists of:
 1 compartment tray
 1 foam insert and
 5 adhesive spots



Article code	Dimensions of compartments	To fit case
20-2001.1	2 comp. at 52 x 243 mm 4 comp. at 57 x 109 mm 8 comp. at 55 x 51 mm	35-211 (400 x 300 mm)
20-2002.1	10 comp. at 62 x 116 mm	
20-2005.1	24 comp. at 52 x 56 mm	




Basic size
 400 x 300 mm
 600 x 400 mm

External dimensions:
 350 x 138 x 50 mm

* In combination with one
 compartment tray 21-2484-...
 for the case 35-211.
 4 compartment trays to fit the
 case 35-227.



21-2496-U	5 compartments at 124 x 63 x 45mm	35-211 (400 x 300 mm) and 35-227 (600 x 400 mm) *
-----------	--------------------------------------	--




21-2484-1-U



21-2484-2-U




21-2484-4-U



21-2484-20-U

To fit base size
 600 x 400 mm

External dimensions:
 349 x 110 x 50 mm

21-2484-1-U	1 compartment at 335 x 95 x 46 mm	35-227 (600 x 400 mm) *  1/5
21-2484-2-U	2 compartments at 335 x 44 x 45 mm	
21-2484-4-U	4 compartments at 164 x 44 x 46 mm	
21-2484-20-U	20 compartments at 27 x 44 x 26 mm	




* 5 compartment trays in any
 desired arrangement fit the base
 size 600 x 400 mm.

Stock items (SKU), for all other items please
 request the minimum order quantities.

Accessories – Foam inserts

RAKO

Foam inserts



Standard colour
 dark grey

Material:
soft, PU HL 2551


The foam inserts are pre-punched for individual assembly.
 The set consist of:
 1 foam insert for the container
 1 foam insert for the lid
 5 adhesive spots



Standard colour
 dark grey

Material:
hard, PE Ethafoam 220

Foam inserts for lids



Standard colour
 dark grey

Material:
soft, PUR RG25

Individual foam inserts




Article code	External dimensions	To fit container
80-925-11	360 x 260 x 62 mm	35-211
80-925-12	360 x 260 x 112 mm	35-203
80-925-24	560 x 360 x 112 mm	35-200
89-6-0360	363.8 x 263.8 x 20 mm	400 x 300 mm
89-6-0349	563.8 x 363.8 x 20 mm	600 x 400 mm
89-6-1540	255 x 155 x 12 mm	300 x 200 mm
89-6-0014	355 x 255 x 12 mm	400 x 300 mm
89-6-0015	560 x 360 x 12 mm	600 x 400 mm

Remark
Foam inserts consisting of various materials and forms can be manufactured upon request.

Stock items (SKU), for all other items please request the minimum order quantities.

Accessories – Dividers

Partition panels to stick together



*To fit containers
300 x 200 mm*

*To fit containers
400 x 300 mm*



*To fit containers
600 x 400 mm*

*Layer pads for
dividers*


Standard colour
light grey

Remark:
In higher containers the dividers can be stacked on top of each other.
Custom made dividers are available on request.

Article code	External dimensions	No. of slots	Distance of slots	Position
80-990-3	258 x 47 x 2 mm	15	15 mm	lengthw.
80-991-3	158 x 45 x 2 mm	9	15 mm	crossw.
80-990-2	352 x 47 x 2 mm	21	15 mm	lengthw.
80-991-2	252 x 45 x 2 mm	15	15 mm	crossw.
80-990-1	552 x 47 x 2 mm	32	15 mm	lengthw.
80-991-1	352 x 45 x 2 mm	21	15 mm	crossw.

Article code	External dim.	To fit RAKO
80-992-3	258 x 158 x 2 mm	300 x 200 mm
80-992-2	352 x 252 x 2 mm	400 x 300 mm
80-992-1	552 x 352 x 2 mm	600 x 400 mm

Individual dividers



Remark
Different divider versions can be manufactured upon request.

Stock items (SKU), for all other items please request the minimum order quantities.

Accessories – Marking

RAKO

Label pockets



To weld on

Material: PP natural (translucent), 1.5 mm

For paper size
A4
(210 x 297 mm)

Article code	Style	Internal dim. (LxWxD)	Immersion depth
89-21-2401	border on 2 sides	216 x 300 x 4 mm	vertical, 100%
89-21-2402		216 x 225 x 4 mm	vertical, 75%
89-21-2403		303 x 213 x 4 mm	horiz., 100%
89-21-2404		303 x 160 x 4 mm	horiz., 75%
89-21-3401	border on 3 sides	216 x 300 x 4 mm	vertical, 100%
89-21-3402		216 x 225 x 4 mm	vertical, 75%
89-21-3403		303 x 213 x 4 mm	horiz., 100%
89-21-3404		303 x 160 x 4 mm	horiz., 75%

For paper size
A5
(148 x 210 mm)

89-21-2501	border on 2 sides	154 x 213 x 2.5 mm	vertical, 100%
89-21-2502		154 x 160 x 2.5 mm	vertical, 75%
89-21-2503		216 x 151 x 2.5 mm	horiz., 100%
89-21-2504		216 x 115 x 2.5 mm	horiz., 75%
89-21-3501	border on 3 sides	154 x 213 x 2.5 mm	vertical, 100%
89-21-3502		154 x 160 x 2.5 mm	vertical, 75%
89-21-3503		216 x 151 x 2.5 mm	horiz., 100%
89-21-3504		216 x 115 x 2.5 mm	horiz., 75%



To rivet on

Material: PET-G transparent, 1.5 mm
With article code suffix: -PET

For paper size
A6
(105 x 148 mm)

89-21-2601	border on 2 sides	111 x 151 x 2.5 mm	vertical, 100%
89-21-2602		111 x 115 x 2.5 mm	vertical, 75%
89-21-2603		154 x 108 x 2.5 mm	horiz., 100%
89-21-2604		154 x 80 x 2.5 mm	horiz., 75%
89-21-3601	border on 3 sides	111 x 151 x 2.5 mm	vertical, 100%
89-21-3602		111 x 115 x 2.5 mm	vertical, 75%
89-21-3603		154 x 108 x 2.5 mm	horiz., 100%
89-21-3604		154 x 80 x 2.5 mm	horiz., 75%

For paper size
A7
(74 x 105 mm)

89-21-2701	border on 2 sides	80 x 108 x 2.5 mm	vertical, 100%
89-21-2702		80 x 80 x 2.5 mm	vertical, 75%
89-21-2703		111 x 77 x 2.5 mm	horiz., 100%
89-21-2704		111 x 55 x 2.5 mm	horiz., 75%
89-21-3701	border on 3 sides	80 x 108 x 2.5 mm	vertical, 100%
89-21-3702		80 x 80 x 2.5 mm	vertical, 75%
89-21-3703		111 x 77 x 2.5 mm	horiz., 100%
89-21-3704		111 x 55 x 2.5 mm	horiz., 75%

Border on 2 sides



Border on 3 sides



Adhesive label pocket



Article code	Style	Internal dimensions
89-20-39-5	border on 3 sides	90 x 52 mm

Label pocket

With reversible
carrier plate



Article code	Model	Style	External dim.
89-21-21-1	label pocket, translucent	border on 3 sides	130 x 80 mm
26-2-0001.2	reversible carrier plate		225 x 112 mm

Stock items (SKU), for all other items please
request the minimum order quantities.

Accessories – Marking

Label clips



Article code	Style	Width	Fixation
80-417	galvanised	30 mm	to clip on
80-417-1	blue galvanised	19 mm	
80-417-2.1	blue galvanised	19 mm	
80-985-E	stainless steel	30 mm	to rivet on
80-169	galvanised	30 mm	

Which label clip fits which RAKO container:

Container	80-417	80-417-1	80-417-2.1	80-169	80-985-E
3-200Z-...	✓	-	✓	✓	-
3-201Z-...	✓	-	✓	✓	✓
3-202Z-...	✓	-	-	✓	✓
3-203Z-...	✓	-	✓	✓	-
3-204Z-...	✓	-	✓	✓	-
3-205Z-...	✓	-	✓	✓	✓
3-206Z-...	✓	-	-	✓	-
3-207Z-...	✓	-	✓	✓	-
3-208Z-...	✓	-	✓	✓	-
3-209N-...	-	✓	-	✓	✓
3-209Z-...	✓	-	✓	✓	-
3-210-...	✓	-	✓	✓	-
3-211Z-...	-	-	-	-	-
3-212Z-...	✓	-	✓	✓	-
3-217Z-...	-	-	-	-	-

Container	80-417	80-417-1	80-417-2.1	80-169	80-985-E
3-227-...	✓	-	✓	✓	-
3-237-...	-	-	-	✓	-
3-4313N-...	✓	-	✓	✓	-
3-6406-...	✓	✓	-	✓	-
3-6413-...	✓	✓	-	✓	-
3-6413N-...	✓	-	✓	✓	✓
3-6426-...	✓	✓	-	✓	✓
3-6426N-...	✓	-	-	✓	✓
3-6439-...	✓	✓	-	✓	✓
3-6453-...	✓	✓	-	✓	✓
3-219U-...	✓	-	✓	✓	-
3-220Z-...	✓	-	✓	✓	-
3-221Z-...	✓	-	✓	✓	-
3-222U-...	✓	-	✓	✓	-
3-224U-...	✓	-	✓	✓	-

Label clip part



For subsequent welding

Article code	External dimensions
89-21-51	40 x 15.6 mm
89-21-46	70 x 15.6 mm

The article code only encompasses one label bracket part.

Label holder



plastic-coated and washable



Article code	For paper size	External dimensions
89-26U-0058	A6	165 x 114 mm
89-26U-0059	A5	230 x 170 mm
89-26U-0060	A4	335 x 230 mm

Stock items (SKU), for all other items please request the minimum order quantities.

Special RAKO


RAKO



RAKO with partition guide

External dimensions:
400 x 300 x 325 mm
Internal dimensions base:
358 x 258 x 320 mm
Volume: 30 litres
Weight: 1.6 kg

Article code	Sidewalls			Base						Handles		
	solid	perforated	slotted	solid	slotted	with ribbing	grated	SGL base	enclosed double	handle bar	shell handle	handle slots
3-205G-185	•					•					2	



Injected notches for partitions on long and short sidewalls for the insertion of compartment dividers.



Tray containers

Article code	External dimensions	Version
36-201-TK	600 x 400 x 220 mm	without front door
36-201-TK-200	600 x 400 x 220 mm	with front door
36-209-TK	600 x 400 x 425 mm	without front door
36-209-TK-200	600 x 400 x 425 mm	with front door

Lids for tray containers

Article code	Model
3-213Z-0	loose lid
3-213Z-1-11	hinged lid
3-213Z-2-11	hook-in lid

Trays

Article code	Usable internal dim.	36-201-TK	36-209-TK
20-0703	509 x 308 x 22 mm	5 trays	12 trays
20-0704	498 x 297 x 80 mm	1 tray	4 trays
20-0705	498 x 297 x 105 mm	1 tray	3 trays

Lid for trays

Article code	Model
21-0793	loose lid



RAKO in special dimensions

Version
RAKO containers can also be manufactured in small series production at various special dimensions.



RAKO – electrically conductive ESD

Remark
refer to chapter "Electrically conductive products ESD"



Stock items (SKU), for all other items please request the minimum order quantities.