


**Runyes**®  
FOCUS ON DENTAL



# **UREKA** Overhead

Smooth, Sturdy, Comfortably Smart  
Technology Built To Last



**Doctor's Stool**

- ✦ Stable and heavier base
- ✦ Comfortable memory foam leather
- ✦ Anti crushing system
- ✦ Emergency safety switch
- ✦ Sensor based triple axis movable LED operating light
- ✦ Adjustable Dual color light (white & yellow) source with digital display
- ✦ Bilateral pneumatic control design
- ✦ Low & High VAC suction with delay function
- ✦ Multifunctional additional movable tray
- ✦ Easily cleaned Removable instrument tray
- ✦ Anti spill, Anti splash detachable glass spittoon
- ✦ Multifunctional rotatable handpiece holder
- ✦ Max. load bearing capacity - 180kg

Multiple color choices of leather cushion



Boutique & fashionable  
waist headrest



Extra cushions for  
more comfort



High & low suction  
filtration system



Sensor Based Led Light  
With Digital Display



Safety Protection  
System Switch



State-of-the-art  
disinfection system

# **UREKA** Under Hanging

Smooth, Sturdy, Comfortably Smart  
Technology Built To Last



**Doctor's Stool**

- ✦ Stable and heavier base
- ✦ Comfortable memory foam leather
- ✦ Anti crushing system
- ✦ Emergency safety switch
- ✦ Sensor based triple axis movable LED operating light
- ✦ Adjustable Dual color light (white & yellow) source with digital display
- ✦ Bilateral pneumatic control design
- ✦ Low & High VAC suction with delay function
- ✦ Multifunctional additional movable tray
- ✦ Easily cleaned Removable instrument tray
- ✦ Anti spill, Anti splash detachable glass spittoon
- ✦ Multifunctional rotatable handpiece holder
- ✦ Max. load bearing capacity - 180kg



Boutique & fashionable  
waist headrest



Extra cushions for  
more comfort



High & low suction  
filtration system



Sensor Based Led Light  
With Digital Display



Safety Protection  
System Switch



State-of-the-art  
disinfection system

Multiple color choices of leather cushion





## European B Class Autoclave

### AUTOCLAVE

#### FENG 23L TOUCH SCREEN AUTOCLAVE

Redefining The Sterilization Excellence

- ✦ B type fully automatic front-loading autoclave powered by triple vacuum cycle
- ✦ Temperature Selection - 121° C / 134° C/ B+
- ✦ Double door lock system for safety
- ✦ 5 Programs for sterilization of all types of instruments – Solid/Hollow, Porous/Non-Porous etc.
- ✦ Built-in water quality sensor
- ✦ Bow and Dick test qualified
- ✦ Touch screen control panel
- ✦ Big open tank, easy to clean
- ✦ Data storage facility with USB functioning (2000 cycles)
- ✦ Steam generator cleaning program to increase the efficiency of the autoclave
- ✦ Chamber size: 250 mm x 450 mm
- ✦ 9 nos. error codes for self diagnosis
- ✦ Inbuilt USB & printer port with micro printer (optional)
- ✦ Product Size: 594X468X453mm
- ✦ Net Weight: 50Kg
- ✦ Voltage: 230 V 50/60Hz
- ✦ Power: 1800W
- ✦ Water tank capacity: 4.5Ltr.
- ✦ One cycle water consumption: 600ml



#### Work Mode Chart

Cycle Mode	Ster. Temp (degree)	Ster. Press (Kpa)	Ster. Time (Min)	Drying Time (Min)	Complete Time (min)
Unwrapped Cycle	134	210	4	10	35
Universal B Cycle	134	210	6	15	50
Rubber & Plastic unwrapped cycle	121	110	16	10	45
Rubber & Plastic wrapped cycle	121	110	20	15	60
18 min B cycle (Prion)	134	210	18	15	60
Ster. Result Testing Cycle (B&D Test)	-	-	-	-	30
Vaccum Leakage Testing Cycle	-	-	-	-	20

#### 23 Ltr Touch Screen B-Type front loading Fully automatic with USB RECORDER



USB Record Read



Six Layer Pot Body Structure



Heat Dissipation Structure



Double Door Lock Protection

# Ray 98 (Gun Type) Handheld Portable X-Ray

IMAGING IN MY CONTROL

MODERN MEDICAL IMAGING TECHNOLOGY  
More accurate and more flexible.



Clear Large Screen Display

Button Adjustment  
To Improve Diagnostic  
Efficiency

Long Handle, Comfortable  
To Hold, Easier To Operate

Atmospheric and  
Concise Design

Recessed Power Button.  
Avoid Accidental Touch



Smart Camera  
Angle Assistance



Ergonomic  
Design



Long Battery Life

## Technical Specifications

Tube Voltage	70kV±10%
Tube Current	2mA + 20%
Input Voltage	100V-240V
Frequency	50 -60Hz
Anode Angle	12.5°
Focus	0.4mm
Exposure Time Range	0.04s -2.0s
Leak Emissivity	1 meter 0.25mGy/h
Machine Weight	1.7kg
Relative Humidity	30%RH-75%RH

## WATER DISTILLER

The water distiller is the best in its class. This distiller completes one litre of pure steam-distilled water in 1 hour. The boil chamber and condensing coils are high-grade 304 Stainless Steel. It comes with a high-quality plastic collection bottle, the lid and handle are made of food-grade polypropylene, and the lid is removable for convenience. Distilling your own water can't get any easier, simply fill the boiling chamber, press the start button, and walk away, the distiller will automatically shut off at the end of the cycle. It's very easy and convenient.

- ✦ Easy to use, produces pure steam distilled water
- ✦ Lightweight compact design, great for home and for medical use
- ✦ Eliminates plastic bottles from the store & saves you money
- ✦ Capacity - 4 Litres
- ✦ High-quality collection bottle for the purest water



## DENTAL SEALER

- ✦ The effective heating control and high-quality performance because of the automatic temperature adjustment and stand-by system
- ✦ A reminder system prevents overheating during sealing
- ✦ The smart operation pad allows choosing the exact bag length to save the paper
- ✦ 12mm sealing seam can definitely guarantee the legal requirements of sterilization
- ✦ Power: 80W

## LUB-120 LUBRICATAION MACHINE

### 1 Customized Handpieces Position Enjoy Changable Space:

Four handpiece tips configuration, the number of fast and slow tips can be customized according to the needs of the clinic/hospital. Unique design of slow tips and quick selection loading and unloading knob for easier operation.

### 2 Full Atomization Effective Maintenance:

Achieve front-stage atomization, and the maintenance oil enters the handpieces as the form of oil mist achieving full maintenance and avoiding oil entrapment.

### 3 Oil-Free Pressurization, Safe and Reliable

### 4 Accurate Oil Control:

Adopted advanced program design and special automization tip to achieve accurate oil volume control.

### 5 Rear Hidden Integrated Pressure Regulating Filter:

Makes operation more convenient, One touch and one click to flexibly meet changing needs.



Technical Specifications	
Power Supply	100V-240V, 50/60Hz
Power	60VA
Frequency	50 -60Hz
Power Air Sources	0.4-0.6Mpa
Capacity	300ml
Package Size	310x270x350mm
Net Weight	7.2kg

Close The Cover



Back Detail



Operation Interface



Fuel Quantity Alert





WHERE **TRUST** COMES FIRST



**Warranty Ke Saath Bhi  
Warranty Ke Baad Bhi**

**For any Sales & Support**

 9599281852, 8448398852

 sales@unicorndenmart.com

**Customer Care**

 011-45551250, 95994 48518

 care@unicorndenmart.com | care1@unicorndenmart.com



SCAN TO VISIT OUR WEBSITE



Corporate Office: 3 Local Shopping Centre, MOR Land, Near J Block DDA Market,  
New Rajender Nagar, New Delhi – 110060

    /unicorndenmart.com

\* Accessories shown may not be a part of standard equipment. Specifications are subject to change without notice.

Ver 03/2025