

CROWDERTRACK QUALITY SLIDING DOOR HARDWARE

kncrowder.com





K.N.CROWDER

is committed to providing the sliding door industry with quality engineered, durable, time-tested door hardware. Crowdertrack was formed in the late 1940s. Since that time we have had the pleasure of supplying quality sliding door hardware to the construction industry.

Help and cooperation from architectural hardware consultants, lumber dealers, wholesale and retail hardware houses has been paramount to our continued growth and success.

We wish to acknowledge this support and express sincere thanks to all our many friends and valued customers for this continuing support.



"This catalogue represents a proud body of engineering work serving the sliding and folding door hardware industry.

Our engineering experts are always more than happy to discuss your specific hardware needs. Commitment to our customers' continued satisfaction is our primary goal."

Peter Crowder President, K.N. Crowder Mfg. Inc.

How to Specify CROWDERTRACK

To assist us in understanding your specific needs and processing your order flawlessly, there are **three items** we **need to know**, in addition to the dimensions, about your installation:

Determine your door type requirements.

Examples are: single track pocket, front, top or rear mounted, dual track bypassing, 2 single tracks employed as dual bypassing, bi-parting or bi-folding/pivot.

Estimate or determine the door weight you will need to accommodate. A reference table below is shown to assist with this calculation.

Determine your opening size. Charts of standard sizes and configurations, as well as hardware required are shown on each product page of this catalogue, where applicable. Consider allowances and clearances for recessed pockets where applicable.

you require alternate configurations or have special track requirements, we would be more than happy to discuss your needs.

Average Door Weight (lbs) for 7ft [2134mm] 1-3/8" [34.9mm] thick

Door Width	Hollow Wood Core	Solid Pine	Hollow Core Steel	Solid Oak
12" [305 mm]	14	21	28	35
18" [457 mm]	21	32	42	53
24" [610 mm]	28	42	56	70
30" [762 mm]	25	53	70	88
36" [914 mm]	42	63	84	105

For 8ft [2438mm] doors, 1-3/8" [34.9mm] thick, multiply by 1.14 for approx. weight

For 7ft [2134mm] doors, 1-3/4" [44.5mm] thick, multiply by 1.25 for approx. weight

For 8ft [2438mm] doors, 1-3/4" [44.5mm] thick, multiply by 1.50 for approx, weight

NOTE: SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE

PRECISION GROUND Bearings

WE HAVE REDESIGNED our nylon ball bearing wheels & hangers. The new and improved hangers will now be supplied with our new precision ground bearings.


These new precision ground bearings will easily handle the same load capacity (weight) but are virtually silent and incredibly smooth.

We have cycle tested * our new hangers to the equivalent of over 30 years of normal use (over 150,000 cycles) without experiencing any measurable wear or increase in noise.

* One cycle = one opening and one closing of the door




3



	Track Series	Hanger Type		Weight	Page
rn ns	CRT-100	Top, Strap & Glass Door Catch 'N' Close Hangers	P.	Up to 350 lbs. per door	11-15
sed Barn Systems	CRT-50	Top, Strap & Glass Door Catch 'N' Close Hangers		Up to 175 lbs. per door	17-21
Exposed Barn Door Systems	CFT-200	Top, Strap & Glass Door Catch 'N' Close Hangers	7.1	Up to 300 lbs. per door	25-33
ΘĞ	J -TRACK 300	Top & Strap Mount Catch 'N' Close Hangers		Up to 200 lbs. per door	34-35
	•••	Catch 'N' Close Product Information		Up to 300 lbs. per door	23
	CRT-100	Catch 'N' Close Glass Hangers	7	Up to 350 lbs. per door	15
tems	CRT-50	Catch 'N' Close Glass Hangers	-	Up to 175 lbs. per door	21
Glass Systems	CFT-200	Catch 'N' Close Glass Hangers	-1-1-	Up to 300 lbs. per door	33
<u>G</u>	•••	Catch 'N' Close Glass Hangers	0.01	Up to 300 lbs. per door	57
	•••	Catch 'N' Close Glass Hangers	Feat	Up to 300 lbs. per door	59
	CC-904 & CC-404	Zero Clearance Catch 'N' Close Hangers		Up to 300 lbs. per door	37
	CC-904 & CC-404	Easy Connect Catch 'N' Close Hangers		Up to 200 lbs. per door	39
SL	CC-905	Drywall Ceiling Track with Catch 'N' Close	61 01	Up to 300 lbs. per door	41
Track Systems	C-104 Zero Clearance Hangers		67 01	Up to 300 lbs. per door	87
ck S)	C-104	Quick Release Hangers		Up to 200 lbs. per door	89
	C-104	Heavy-Duty Nylon Wheel Hangers	000	Up to 450 lbs. per door	91
Ceiling	C-204	Heavy-Duty Steel Wheel Hangers		Up to 700 lbs. per door	93
0	C-104	Nylon Wheel Hangers	0000	Up to 500 lbs. per door	97
	C-411 & C-400 Quick Release & Top Mount Hangers		57 01	Up to 150 lbs. per door	99
	C-350	Top Mount & Concealed Hangers	mg H	Up to 75 lbs. per door	101
ems	CC-904 w/ CC-902	Zero Clearance & Easy Connect Catch 'N' Close Hangers	া তা	Up to 300 lbs. per door	43
Barn Door Systems	CC-908 Zero Clearance Catch 'N' Close Hangers		Up to 300 lbs. per door	45	
n Doc	CC-908	Easy Connect Catch 'N' Close Hangers		Up to 200 lbs. per door	47
Bar	CC-908 & CC-408	Zero Clearance Catch 'N' Close Hangers		Up to 300 lbs. per door	49

Burlington, Ontario, Canada | New York, USA 4 kncrowder.com



	Track Series	Hanger Type		Weight	Page
(0	CC-908 & CC-408	Easy Connect Catch'N'Close Hangers	िन्त ।	Up to 200 lbs. per door	51
/stem	C-108	Zero Clearance Hangers	6 TON	Up to 300 lbs. per door	103
oor 5)	C-108	Quick Release Hangers	f toron	Up to 200 lbs. per door	105
Barn Door Systems	C-108	Heavy-Duty Nylon Wheel Hangers	(or	Up to 450 lbs. per door	107
	C-108	Nylon Wheel Hangers	Too.	Up to 500 lbs. per door	109
	CC-500	Zero Clearance Catch'N'Close Hangers	liorai.	Up to 150 lbs. per door	53
stems	CC-500	Easy Connect Catch'N'Close Hangers	Goral III	Up to 150 lbs. per door	55
Bypass Systems	C-500 & C-538	Top Mount Hangers	oFon 1	Up to 125 lbs. per door	111
Вура	C-600	Top Mount & Concealed Hangers	die of	Up to 75 lbs. per door	113
	C-2035, C-2025	Side Mount Hangers		Up to 60 lbs. per door	115
sms	•••	Crowderframe Pocket Door Kit - How it all comes togethe	r		61
Syste	TYPE CC-HD-2X6	Heavy-Duty Easy Connect Catch'N'Close Hangers	Moral A	Up to 300 lbs. per door	63
t Dool	TYPE CC-2X6 & TYPE CC	Easy Connect Catch'N'Close Hangers		Up to 150 lbs. per door	65
Pocke	TYPE C-2X6, TYPE C & TYPE B	Quick Release & Top Mount Hangers	TOT ON	Up to 150 lbs. per door	67
Crowderframe Pocket Door Systems	•••	Extra Wide/High Pocket Door Kits and Bi-Parting Pocket Door Add-on Products			68-69
owdei	TYPE CC	2X4 Snap-on Aluminum Crowderframe Pocket Trim Kits			70-71
ڻ	•••	Sound Sealing Pocket Doors			72-73
	CST	Stacking Track Systems	B.I	Up to 300 lbs. per door	75
	•••	Come-Along Systems	7-7-7	Up to 350 lbs. per door	77
Custom Systems	•••	Crowderslide Telescoping Door Systems		Varies	79
om Sy	•••	Strike & Jamb Kits			81
Custo	•••	Cantilever Door Systems		Varies	83
	•••	High Security Door Systems		Varies	85
	•••	Exterior Applications	000	Up to 450 lbs. per door	95
D 11 1	0 0	-			1




2	A9. A9. A	y w w w w w w	wwwwwwwww	<i>,</i> , , , , , , , , , , , , , , , , , ,	w 	<i>,</i> , , , , , , , , , , , , , , , , , ,
		Track Series	Hanger Type		Weight	Page
Crowder	ns	C-975	Center Pivot Hangers	(a)	Up to 250 lbs. per door	117
	Crowder Folding Systems	C-104 & C-204	Easy Connect Pivot Kits		Up to 150 lbs. per door	119
	Crov	CF-115 & CF-100	Pivot Kits	<u> </u>	Up to 50 lbs. per door	121
	S.	•••	Trackless Pivots	柜訓	Up to 200 lbs. per door	123
Door	oor	•••	For 1-3/4" Thick Doors or greater		•••	124
	Dc	•••	For 1-3/8" Thick Doors or smaller		•••	125
			Lock Series			Page

		Lock Series		Page
	Privacy Lock Sets		0 1	127-129
	Security Lock Sets		ì	131
	Passage Sets			133-135
	Bi-Parting Lock & Passage Sets			137
slln	Barrier Free (ADA Compliant) Lock Sets		•	139
Ks & P	Barn Door Lock Sets		•1	141-143
Door Locks & Pulls	Self-Latching Lock Sets			145
Doc	Flush Pulls		1	147
	Edge Pulls		I	149
	Glass Door Pulls		1	151
	Door Handle Pulls		11	153-155
	Colour Chart			156-157





Throw
A CURVE
into your Office
or Home!
SPICE it Up!




KN CROWDER, A LEADER IN THE SLIDING DOOR

TRACK INDUSTRY, CAN CURVE ANY TRACK YOU THROW AT THEM!

KNC's curved door track system departs from the traditional and enables interesting spaces to be created using curved walls and doors.

Sliding doors, whether curved or straight, save tremendous amounts of floor space compared to hinged doors. Curved tracks can be side-mounted or top mounted inside a pocket. Almost all tracks and guide channels can be curved to meet the exact specified dimensions. With a 36" [914 mm] minimum, any radius can be accommodated in any arc length. The curved sliding door track system is quiet and durable and ensures that the door's glide is extremely smooth. KN Crowder is committed to innovation. We provide the sliding door industry with quality engineered, durable and time-tested hardware through our Crowdertrack line of sliding door products. Crowdertrack is as 'smooth as flight'.











CROWDER ROUND TRACK SERIES



CRT-101-SS & CRT-101-BPUp to 350 lbs. [159 kg] per door

Crowder Round Track 100 series features our classic top mount hangers for an ultra-modern look.

3-1/2" [88.9mm] Delrin wheels, precision ball bearings and shock absorbing stops come together to provide extremely smooth and quiet door operation. All CRT components are precision-machined 304 stainless steel finished in black or polished to a satin finish.



How to Specify/Order:

Kit Code: CRT-101-SS X [track length] 1DR KIT **Kit Code:** CRT-101-BP X [track length] 1DR KIT **Note:** [track length] = door width x 2 (for 1 door kits)

Optional Door Handle Pulls:

For 18" [457 mm] back to back handle pulls:

CRT-DP18 x 630 (Stainless Steel)
CRT-DP18 x 622 (Black Finish)
For 36" [914 mm] back to back handle pulls:

CRT-DP36 x 630 (Stainless Steel) CRT-DP36 x 622 (Black Finish)







CROWDER ROUND TRACK SERIES



CRT-102-SS & CRT-102-BP Up to 350 lbs. [159 kg] per door



Crowder Round Track 100 series features our classic strap mount hangers for an ultra-modern look.

3-1/2" [88.9mm] Delrin wheels, precision ball bearings and shock absorbing stops come together to provide extremely smooth and quiet door operation. All CRT components are precision-machined 304 stainless steel finished in black or polished to a satin finish.



How to Specify/Order:

Kit Code: CRT-102-SS X [track length] 1DR KIT (For 1-3/4" [44.5 mm] door) **Kit Code:** CRT-102-38-SS X [track length] 1DR KIT (For 1-3/8" [34.9 mm] door) **Kit Code:** CRT-102-BP X [track length] 1DR KIT (For 1-3/4" [44.5 mm] door) **Kit Code:** CRT-102-38-BP X [track length] 1DR KIT (For 1-3/8" [34.9 mm] door)

Note: [track length] = door width x 2 (for 1 door kits)

Optional Door Handle Pulls:

For 18" [457 mm] back to back handle pulls:

CRT-DP18 x 630 (Stainless Steel)

CRT-DP18 x 622 (Black Finish)

For 36" [914 mm] back to back handle pulls:

CRT-DP36 x 630 (Stainless Steel)

CRT-DP36 x 622 (Black Finish)







CROWDER ROUND TRACK SERIES FOR GLASS DOORS



CRT-103-SS & CRT-103-BP Up to 350 lbs. [159 kg] per door

Crowder Round Track 100 series features our classic strap mount hangers for glass doors.



3-1/2" [88.9mm] Delrin wheels, precision ball bearings and shock absorbing stops come together to provide extremely smooth and quiet door operation. All CRT components are precision-machined 304 stainless steel finished in black or polished to a satin finish.



How to Specify/Order:

Kit Code: CRT-103-12-SS X [track length] 1DR KIT (for 1/2" [12 mm] Glass) **Kit Code:** CRT-103-38-SS X [track length] 1DR KIT (for 3/8" [10 mm] Glass) **Kit Code:** CRT-103-12-BP X [track length] 1DR KIT (for 1/2" [12 mm] Glass) **Kit Code:** CRT-103-38-BP X [track length] 1DR KIT (for 3/8" [10 mm] Glass)

Note: [track length] = door width x 2 (for 1 door kits)

Optional Glass Door Handle Pulls:

For 18" [457 mm] back to back handle pulls:

CRT-GDP18 x 630 (Stainless Steel)

CRT-GDP18 x 622 (Black finish)

For 36" [914 mm] back to back handle pulls:

CRT-GDP36 x 630 (Stainless Steel)

CRT-GDP36 x 622 (Black finish)









Coming Soon with Catch'N'Close!

CROWDER ROUND TRACK LIGHT-DUTY SERIES



CRT-51-SS & CRT-51-BPUp to 175 lbs. [79 kg] per door

Crowder Round Track 50 series is the light-duty version of our best-selling CRT-100 series. This hollow tube track system is still able to support up to 175 lbs. [79 kg] per door.

2-3/4" [69.9mm] Delrin wheels, precision ball bearings and shock absorbing stops come together to provide extremely smooth and quiet door operation. All CRT components are precision-machined 303 stainless steel finished in black or polished to a satin finish.



How to Specify/Order:

Kit Code: CRT-51-SS X [track length] 1DR KIT **Kit Code:** CRT-51-BP X [track length] 1DR KIT **Note:** [track length] = door width x 2 (for 1 door kits)

Optional Door Handle Pulls:

For 18" [457 mm] back to back handle pulls:

CRT-DP18 x 630 (Stainless Steel)
CRT-DP18 x 622 (Black finish)
For 36" [914 mm] back to back handle pulls:

CRT-DP36 x 630 (Stainless Steel) CRT-DP36 x 622 (Black finish)







Coming Soon with Catch'N'Close!

CROWDER ROUND TRACK LIGHT-DUTY SERIES



CRT-52-SS & CRT-52-BPUp to 175 lbs. [79 kg] per door



Crowder Round Track 50 series is the light-duty version of our best-selling CRT-100 series. This hollow tube track system is still able to support up to 175 lbs. [79 kg] per door.

2-3/4" [69.9mm] Delrin wheels, precision ball bearings and shock absorbing stops come together to provide extremely smooth and quiet door operation. All CRT components are precision-machined 303 stainless steel finished in black or polished to a satin finish.



How to Specify/Order:

Kit Code: CRT-52-SS X [track length] 1DR KIT (For 1-3/4" [44.5 mm] door) **Kit Code:** CRT-52-38-SS X [track length] 1DR KIT (For 1-3/8" [34.9 mm] door) **Kit Code:** CRT-52-BP X [track length] 1DR KIT (For 1-3/4" [44.5 mm] door) **Kit Code:** CRT-52-38-BP X [track length] 1DR KIT (For 1-3/8" [34.9 mm] door)

Note: [track length] = door width x 2 (for 1 door kits)

Optional Door Handle Pulls:

For 18" [457 mm] back to back handle pulls:

CRT-DP18 x 630 (Stainless Steel)

CRT-DP18 x 622 (Black finish)

For 36" [914 mm] back to back handle pulls:

CRT-DP36 x 630 (Stainless Steel)

CRT-DP36 x 622 (Black finish)









Coming Soon with Catch'N'Close!

CROWDER ROUND TRACK LIGHT-DUTY SERIES FOR GLASS DOORS



CRT-53-SS & CRT-53-BP Up to 175 lbs. [79 kg] per door



Crowder Round Track 50 series is the light-duty version of our best-selling CRT-100 series. This hollow tube track system for glass doors is still able to support up to 175 lbs. [79 kg] per door.



2-3/4" [69.9mm] Delrin wheels, precision ball bearings and shock absorbing stops come together to provide extremely smooth and quiet door operation. All CRT components are precision-machined 303 stainless steel finished in black or polished to a satin finish.

How to Specify/Order:

Kit Code: CRT-53-12-SS X [track length] 1DR KIT (for 1/2" [12 mm] Glass & Stainless Steel) Kit Code: CRT-53-38-SS X [track length] 1DR KIT (for 3/8" [10 mm] Glass & Stainless Steel) Kit Code: CRT-53-12-BP X [track length] 1DR KIT (for 1/2" [12 mm] Glass & Black Finish) Kit Code: CRT-53-38-BP X [track length] 1DR KIT (for 3/8" [10 mm] Glass & Black Finish)

Note: [track length] = door width x 2 (for 1 door kits)

Optional Glass Door Handle Pulls:

For 18" [457 mm] back to back handle pulls:

CRT-GDP18 x 630 (Stainless Steel)

CRT-GDP18 x 622 (Black finish)

For 36" [914 mm] back to back handle pulls:

CRT-GDP36 x 630 (Stainless Steel) CRT-GDP36 x 622 (Black finish)







NEW TECHNOLOGY FROM KN CROWDER

CLOSES SLOWLY, SAFELY AND SILENTLY



Crowdertrack's revolutionary technology allows sliding doors to close and stay closed -- safely, securely and silently, all with the introduction of the Catch'N'Close® closing system --

Bouncing and slamming is no longer an issue for Crowdertrack's sliding doors as the Catch'N'Close technology allows for smooth and controlled opening and closing of the door. The door will automatically slow and shut itself for the final few inches as the door travels to the open/closed position. No more jamming fingers or slamming doors.

"Safety is a top concern at Crowder. The Catch'N'Close closing system allows the door to safely and securely close," said Jeremy Crowder, Vice President K.N. Crowder.

THE BENEFITS:

Silent close

If noise reduction and privacy is a priority, the Catch'N'Close closing system is ideal. Condominiums, hotels, hospitals, offices, conference rooms, long-term care facilities, bedrooms and bathrooms are just a few spaces that can benefit from this new technology.



Safety

The Catch'N'Close closing system eliminates accidental closure of the door on users' fingers. Residential and commercial facilities who are catering to small children, the elderly, or individuals who require additional care are perfect candidates for the system.

Ease of use

The Catch'N'Close closing system is extremely user friendly as the door gently glides into the open/closed position without user assistance. The user is no longer responsible for ensuring that the door is either in the fully open or closed position as the Catch'N'Close mechanism does it for them.

The Technology

K.N. Crowder is the first to use the gas spring technology to create a top of the line door closing system. The closing system can be installed on both the opening and closing ends of doors up to 300 lbs. [136 kg] or as narrow as 18 inches [457.2 mm] wide. It has been cycle tested for up to 50,000 cycles without fail. The Catch'N'Close closing system has the unique ability to safeguard the door and hardware from wear and tear. The system eliminates slamming; protecting the user, the door and the door frame.

Installation

The installation is easy as the Catch'N'Close closing system is hidden inside the Crowdertrack and requires no additional installation efforts. The product can be used on top/side mounted doors, pocket doors, single and bi-parting doors and some barn door applications. In the event there is any issue, or customers want to replace the closing device with a new one, there is no need to take apart the door or wall as the new closing system can easily be accessed or installed/removed from underneath the track.

"Our customers have always wanted quality, highly functional products that look great! The Catch'N'Close closing system fits nicely into our collection of quality sliding door hardware", said Jeremy Crowder, Vice President K.N. Crowder.





CROWDER FLAT TRACK SERIES



Up to 300 lbs. [136 kg] per door

Crowder Flat Track 200 series features our classic top mount hangers for an ultra-modern look.

4" [101.6 mm] Delrin wheels combined with our precision ball bearings provide extremely smooth and quiet door operation. The Catch'N'Close closing system gently guides the door into position without any assistance. The precision-machined 304 stainless steel solid flat track and hardware are polished to a satin finish.



How to Specify/Order:

Kit Code: CFT-[]-201-SS X [track length] 1DR KIT

[] = maximum door weight (CC1 for 150 lbs. [68 kg], CC2 for 200 lbs. [91 kg] or CC3 for 300 lbs. [136 kg])

Note: [track length] = door width x 2 (for 1 door kits)

Optional Door Handle Pulls:

For 18" [457 mm] back to back handle pulls:

CFT-DP18 x 630 (Stainless Steel)

For 36" [914 mm] back to back handle pulls:

CFT-DP36 x 630 (Stainless Steel)









CROWDER FLAT TRACK SERIES



Up to 300 lbs. [136 kg] per door

Crowder Flat Track 200 series features our classic top mount hangers for an ultra-modern look.

4" [101.6 mm] Delrin wheels combined with our precision ball bearings provide extremely smooth and quiet door operation. The Catch'N'Close closing system gently guides the door into position without any assistance. The precision-machined 304 stainless steel solid flat track and hardware are given a black finish.



How to Specify/Order:

Kit Code: CFT-[]-201-BP X [track length] 1DR KIT

[] = maximum door weight (CC1 for 150 lbs. [68 kg], CC2 for 200 lbs. [91 kg] or

CC3 for 300 lbs. [136 kg])

Note: [track length] = door width x 2 (for 1 door kits)

Optional Door Handle Pulls:

For 18" [457 mm] back to back handle pulls:

CFT-DP18 x 622 (Black finish)

For 36" [914 mm] back to back handle pulls:

CFT-DP36 x 622 (Black finish)









Closes safely and silently

CROWDER FLAT TRACK SERIES



Up to 300 lbs. [136 kg] per door



Crowder Flat Track 200 series features our classic strap mount hangers for an ultra-modern look.

4" [101.6 mm] Delrin wheels combined with our precision ball bearings provide extremely smooth and quiet door operation. The Catch'N'Close closing system gently guides the door into position without any assistance. The precision-machined 304 stainless steel solid flat track and hardware are polished to a satin finish.



How to Specify/Order:

Kit Code: CFT-[]-202-SS X [track length] 1DR KIT (For 1-3/4" [44.5 mm] door) **Kit Code:** CFT-[]-202-38-SS X [track length] 1DR KIT (For 1-3/8" [34.9 mm] door)

[] = maximum door weight (CC1 for 150 lbs. [68 kg], CC2 for 200 lbs. [91 kg] or

CC3 for 300 lbs. [136 kg])

Note: [track length] = door width x 2 (for 1 door kits)

Optional Door Handle Pulls:

For 18" [457 mm] back to back handle pulls:

CFT-DP18 x 630 (Stainless Steel)

For 36" [914 mm] back to back handle pulls:

CFT-DP36 x 630 (Stainless Steel)









Closes safely and silently

CROWDER FLAT TRACK SERIES



Up to 300 lbs. [136 kg] per door

Crowder Flat Track 200 series features our classic strap mount hangers for an ultra-modern look.



4" [101.6 mm] Delrin wheels combined with our precision ball bearings provide extremely smooth and quiet door operation. The Catch'N'Close closing system gently guides the door into position without any assistance. The precision-machined 304 stainless steel solid flat track and hardware are given a black finish.



How to Specify/Order:

Kit Code: CFT-[]-202-BP X [track length] 1DR KIT (For 1-3/4" [44.5 mm] door) **Kit Code:** CFT-[]-202-38-BP X [track length] 1DR KIT (For 1-3/8" [34.9 mm] door)

[] = maximum door weight (CC1 for 150 lbs. [68 kg], CC2 for 200 lbs. [91 kg] or CC3 for 300 lbs. [136 kg])

Note: [track length] = door width x 2 (for 1 door kits)

Optional Door Handle Pulls:

For 18" [457 mm] back to back handle pulls:

CFT-DP18 x 622 (Black finish)

For 36" [914 mm] back to back handle pulls:

CFT-DP36 x 622 (Black finish)










Closes safely and silently

CROWDER FLAT TRACK SERIES FOR GLASS DOORS



CFT-203-SS & CFT-203-BP Up to 300 lbs. [136 kg] per door

Crowder Flat Track 200 series features our classic strap mount hangers for glass doors.



4" [101.6 mm] Delrin wheels combined with our precision ball bearings provide extremely smooth and quiet door operation. The Catch'N'Close closing system gently guides the door into position without any assistance. The precision-machined 304 stainless steel solid flat track and hardware are finished in black or polished to a satin finish.



How to Specify/Order:

Kit Code: CFT-[]-203-12-SS X [track length] 1DR KIT (for 1/2" [12 mm] Glass & Stainless Steel) **Kit Code:** CFT-[]-203-38-SS X [track length] 1DR KIT (for 3/8" [10 mm] Glass & Stainless Steel) **Kit Code:** CFT-[]-203-12-BP X [track length] 1DR KIT (for 1/2" [12 mm] Glass & Black Finish) **Kit Code:** CFT-[]-203-38-BP X [track length] 1DR KIT (for 3/8" [10 mm] Glass & Black Finish)

[] = maximum door weight (CC1 for 150 lbs. [68 kg], CC2 for 200 lbs. [91 kg] or CC3 for 300 lbs. [136 kg])

Note: [track length] = door width x 2 (for 1 door kits)

Optional Door Handle Pulls:

For 18" [457 mm] back to back handle pulls:

CFT-GDP18 x 630 (Stainless Steel)

CFT-GDP18 x 622 (Black finish)

For 36" [914 mm] back to back handle pulls:

CFT-GDP36 x 630 (Stainless Steel)

CFT-GDP36 x 622 (Black finish)










Coming Soon!

CROWDER J-TRACK 300 SERIES





CJT-CC-301

Crowder J-Track 300 Series features our classic top mount hangers. This series is ideal for customizing the colour of your track!

Our precision ball bearings and Delrin wheels provide extremely smooth and quiet door operation. The Catch'N'Close closing system completes the package by gently guiding the door into position without any assistance.

This extruded aluminum track can be anodized, powder coated or painted any colour you can come up with.



How to Specify/Order:

Please contact KN Crowder at customerservice@kncrowder.com or 1-866-999-1KNC(1562) for more information.






Coming Soon!

CROWDER J-TRACK 300 SERIES





CJT-CC-302

Crowder J-Track 300 Series features our classic strap mount hangers. This series is ideal for customizing the colour of your track!

Our precision ball bearings and Delrin wheels provide extremely smooth and quiet door operation. The Catch'N'Close closing system completes the package by gently guiding the door into position without any assistance.

This extruded aluminum track can be anodized, powder coated or painted any colour you can come up with.



How to Specify/Order:

Please contact KN Crowder at customerservice@kncrowder.com or 1-866-999-1KNC(1562) for more information.





ZERO CLEARANCE CATCH'N'CLOSE HANGERS





CC-810Up to 300 lbs. [136 kg] per door

CC-410Up to 150 lbs. [68 kg] per door



Minimalistic by design, the CC-810 and CC-410 hangers remove distraction from the room. The minimal clearance reduces light and sound entry, making it the ultimate sliding door system.

Our nylon wheels with precision ball bearings allow for smooth and quiet door operation. The Catch'N'Close closing system gently guides the door into position without any assistance.

Available in clear, bronze or black anodized, mill finish or powder-coated.




How to Specify/Order:

Kit Code: CC-[]-810 X [track length] 1DR KIT

[] = maximum door weight (2 for 200 lbs. [91 kg] or 3 for 300 lbs. [136 kg])

Kit Code: CC-[]-410-W X [track length] 1DR KIT (ideal for 1-3/4" [44.5 mm] doors) **Kit Code:** CC-[]-410-B X [track length] 1DR KIT (ideal for 1-3/8" [34.9 mm] doors)

[] = maximum door weight (75 for 75 lbs. [34 kg] or 1 for 150 lbs. [68 kg])



CEILING TRACK SYSTEMS

ARCHITECTURE & DESIGN COLLECTION



EASY CONNECT CATCH'N'CLOSE HANGERS





CC-993Up to 200 lbs. [91 kg] per door

CC-493Up to 150 lbs. [68 kg] per door



For a quick and easy install, the CC-993 and CC-493 hangers are perfect for the job. The top plate is mounted to the top of the door and accepts the Easy Connect stud, therefore reducing installation time.

Our nylon wheels with precision ball bearings allow for smooth and quiet door operation. The Catch'N'Close closing system gently guides the door into position without any assistance.

Available in clear, bronze or black anodized, mill finish or powder-coated.



How to Specify/Order:

Kit Code: CC-2-993 X [track length] 1DR KIT

Kit Code: CC-[]-493-W X [track length] 1DR KIT (ideal for 1-3/4" [44.5 mm] doors) **Kit Code:** CC-[]-493-B X [track length] 1DR KIT (ideal for 1-3/8" [34.9 mm] doors)

[] = maximum door weight (75 for 75 lbs. [34 kg] or 1 for 150 lbs. [68 kg])





DRYWALL CEILING TRACK



CCDC-810 Up to 300 lbs. [136 kg] per door

Minimalistic by design, the CC-810 zero clearance hanger paired with the CC-905 drywall ceiling track remove distraction from the room by levelling the track with the ceiling. The CC-810 hangers reduce light and sound entry, while our nylon wheels with precision ball bearings allow for smooth and quiet door operation. The addition of the Catch 'N' Close closing system enables the door to glide into position without assistance.

Available in clear, bronze or black anodized or powder-coated.



How to Specify/Order:

Kit Code: CCDC-[]-810 X [track length] 1DR KIT

[] = maximum door weight (2 for 200 lbs. [91 kg] or 3 for 300 lbs. [136 kg])

CATCH W CLOSE

BARN DOOR SYSTEMS

ARCHITECTURE & DESIGN COLLECTION



ZERO CLEARANCE CATCH'N'CLOSE HANGER

EASY CONNECT CATCH'N'CLOSE HANGER



CCB-810Up to 300 lbs. [136 kg] per door



CCB-993Up to 200 lbs. [91 kg] per door



Sleek and simple, these side-mounted kit combinations feature a modern track with subtle detailing that can be paired with our zero clearance hangers to minimalize light and sound entry or with our Easy Connect hangers for a quick and easy install.

Our nylon wheels with precision ball bearings always make for smooth and quiet door operation. Our patented Catch'N'Close closing system adds to the sleekness by gently guiding the door into position without any assistance.

Available in clear, bronze or black anodized or powder-coated.



How to Specify/Order:

Kit Code: CCB-[]-810 X [track length] 1DR KIT

[] = maximum door weight (2 for 200 lbs. [91 kg] or 3 for 300 lbs. [136 kg])

Kit Code: CCB-2-993 X [track length] 1DR KIT **Note:** [track length] = door width x 2 (for 1 door kits)





ZERO CLEARANCE CATCH'N'CLOSE HANGERS



CCS-810Up to 300 lbs. [136 kg] per door



CCS-410Up to 150 lbs. [68 kg] per door



For a more elementary look, these side-mounted kit combinations pair a one-piece track with hangers that minimalize light and sound entry.

Our nylon wheels with precision ball bearings allow for smooth and quiet door operation. The Catch'N'Close closing system gently guides the door into position without any assistance.

Available in clear, bronze or black anodized or powder-coated.



How to Specify/Order:

Kit Code: CCS-[]-810 X [track length] 1DR KIT

[] = maximum door weight (2 for 200 lbs. [91 kg] or 3 for 300 lbs. [136 kg])

Kit Code: CCS-[]-410-W X [track length] 1DR KIT (ideal for 1-3/4" [44.5 mm] doors) **Kit Code:** CCS-[]-410-B X [track length] 1DR KIT (ideal for 1-3/8" [34.9 mm] doors)

[] = maximum door weight (75 for 75 lbs. [34 kg] or 1 for 150 lbs. [68 kg])



BARN DOOR SYSTEMS
ARCHITECTURE & DESIGN COLLECTION



EASY CONNECT CATCH'N'CLOSE HANGERS





CCS-993Up to 200 lbs. [91 kg] per door

CCS-493Up to 150 lbs. [68 kg] per door



For a quick and easy install, the CC-993 and CC-493 hangers are perfect for the job. The top plate is mounted to the top of the door and accepts the Easy Connect stud, therefore reducing installation time.

Our nylon wheels with precision ball bearings allow for smooth and quiet door operation. The Catch'N'Close closing system gently guides the door into position without any assistance.





How to Specify/Order:

Kit Code: CCS-2-993 X [track length] 1DR KIT

Kit Code: CCS-[]-493-W X [track length] 1DR KIT (ideal for 1-3/4" [44.5 mm] doors) **Kit Code:** CCS-[]-493-B X [track length] 1DR KIT (ideal for 1-3/8" [34.9 mm] doors)

[] = maximum door weight (75 for 75 lbs. [34 kg] or 1 for 150 lbs. [68 kg])





ZERO CLEARANCE CATCH'N'CLOSE HANGERS





CCSF-810Up to 300 lbs. [136 kg] per door

CCL-410Up to 150 lbs. [68 kg] per door



For an ultra-modern look, these kit combinations feature a smooth undetailed fascia that can be clear, bronze or black anodized, or powder-coated any colour to add to your vision. The zero clearance hangers reduce light and sound entry, along with the visual space between the track and door, making it the ultimate sliding barn door system.

Our nylon wheels with precision ball bearings always make for smooth and quiet door operation. Our patented Catch'N'Close closing system adds to the sleekness by gently guiding the door into position without any assistance.



How to Specify/Order:

Kit Code: CCSF-[]-810 X [track length] 1DR KIT

[] = maximum door weight (2 for 200 lbs. [91 kg] or 3 for 300 lbs. [136 kg])

Kit Code: CCL-[]-410-W X [track length] 1DR KIT (ideal for 1-3/4" [44.5 mm] doors) **Kit Code:** CCL-[]-410-B X [track length] 1DR KIT (ideal for 1-3/8" [34.9 mm] doors)

[] = maximum door weight (75 for 75 lbs. [34 kg] or 1 for 150 lbs. [68 kg])





EASY CONNECT CATCH'N'CLOSE HANGERS





CCSF-993Up to 200 lbs. [91 kg] per door

CCSF-493Up to 150 lbs. [68 kg] per door



For a more uniform look, this all-in-one side-mounted kit covers the track and any gap between the track and door. Equipped with our Easy Connect hangers, this kit makes installation a breeze.

Our nylon wheels with precision ball bearings always make for smooth and quiet door operation. Our patented Catch'N'Close closing system adds to the sleekness by gently guiding the door into position without any assistance.

Available in clear, bronze or black anodized or powder-coated.



How to Specify/Order:

Kit Code: CCSF-2-993 X [track length] 1DR KIT

Kit Code: CCSF-[]-493-W X [track length] 1DR KIT (ideal for 1-3/4" [44.5 mm] doors) **Kit Code:** CCSF-[]-493-B X [track length] 1DR KIT (ideal for 1-3/8" [34.9 mm] doors)

[] = maximum door weight (75 for 75 lbs. [34 kg] or 1 for 150 lbs. [68 kg])







ZERO CLEARANCE CATCH'N'CLOSE HANGER



CCD-410
Up to 150 lbs. [68 kg] per door

Our bypass systems are now available with Catch'N'Close.

This kit includes our zero clearance hangers which reduce light and sound entry, along with the visual space between the track and the door, making it the ultimate bypass system.

As always, our nylon wheels with precision ball bearings allow for smooth and quiet door operation. The addition of the Catch'N'Close closing system enables the door to glide into position without any assistance.

Available in clear, bronze or black anodized, mill finish or powder-coated.



How to Specify/Order:

Kit Code: CCD-[]-410-W X [track length] 2DR KIT (ideal for 1-3/4" [44.5 mm] doors) **Kit Code:** CCD-[]-410-38-B X [track length] 2DR KIT (ideal for 1-3/8" [34.9 mm] doors)

[] = maximum door weight (75 for 75 lbs. [34 kg] or 1 for 150 lbs. [68 kg])



BYPASS SYSTEMS
ARCHITECTURE & DESIGN COLLECTION





EASY CONNECT CATCH'N'CLOSE HANGER



CCD-493Up to 150 lbs. [68 kg] per door

Our bypass systems are now available with Catch'N'Close.

For a quick and easy install, choose our CC-493 hanger. The top plate is mounted to the top of the door and accepts the Easy Connect stud, therefore reducing installation time.

As always, our nylon wheels with precision ball bearings allow for smooth and quiet door operation. The addition of the Catch'N'Close closing system enables the door to glide into position without any assistance.

Available in clear, bronze or black anodized, mill finish or powder-coated.



How to Specify/Order:

Kit Code: CCD-[]-493-W X [track length] 2DR KIT (ideal for 1-3/4" [44.5 mm] doors) **Kit Code:** CCD-[]-493-38-B X [track length] 2DR KIT (ideal for 1-3/8" [34.9 mm] doors)

[] = maximum door weight (75 for 75 lbs. [34 kg] or 1 for 150 lbs. [68 kg])







CATCH'N'CLOSE GLASS HANGERS



Up to 300 lbs. [136 kg] per door

Effortless and worry-free describe the feeling of using our patented Catch'N'Close system with your glass doors. Each hanger comes with our signature precision ball bearing nylon wheels to ensure smooth and quiet operation. Our Catch'N'Close closing system enables the door to gently glide into position safely and without any assistance.

Continuous hanger and fascia are both options for this series and are available in clear, bronze or black anodized or powder-coated.



How to Specify/Order:

Please contact KN Crowder at customerservice@kncrowder.com or 1-866-999-1KNC(1562) for more information.



ARCHITECTURE & DESIGN COLLECTION





SIDE MOUNT CATCH'N'CLOSE GLASS HANGERS





Up to 300 lbs. [136 kg] per door



Effortless and worry-free describe the feeling of using our patented Catch'N'Close system with your glass doors. Each hanger comes with our signature precision ball bearing nylon wheels to ensure smooth and quiet operation. Our Catch'N'Close closing system enables the door to gently glide into position safely and without any assistance.

Continuous hanger and fascia are both options for this series and are available in clear, bronze or black anodized or powder-coated.



How to Specify/Order:

Please contact KN Crowder at customerservice@kncrowder.com or 1-866-999-1KNC(1562) for more information.




CROWDERFRAME POCKET DOOR KITS

ARCHITECTURE & DESIGN COLLECTION



CATCH'N'CLOSE CROWDERFRAME POCKET DOOR KIT HOW IT ALL COMES TOGETHER

TYPE CC-1W Catch'N'Close Crowderframe Pocket Door Kit shown







Closes safely and silently



2X6 HEAVY-DUTY POCKET DOOR KIT





TYPE CC-HD-2X6
Up to 300 lbs. [136 kg] per door
For 2X6 Wall Construction

Our best-selling Crowderframe Pocket Door Kit now comes in a heavy-duty version specifically engineered for 2X6 wall construction! This complete kit eliminates the need for shim kits, making installation fast and easy. As always, our nylon wheels with precision ball bearings allow for smooth and quiet door operation. The Catch'N'Close closing system enables the door to glide into position without any assistance.



Additional features:

- Complete with larger, heavy-duty roll formed steel uprights for less deflection and easy to screw into for drywall fastening.
- The NEW CC-998 Easy Connect Top Mount Hangers allow you the choice to install the door before OR after the drywall goes up. They also allow for height and plumb adjustments while the door is up.
- New Catch'N'Close slot makes installation or replacement of Catch'N'Close devices simple. No removing trim, the door, or cutting into the drywall required.
- Faster and easier installation than a traditional pocket built on-site.
- For single or bi-parting door applications.

How to Specify/Order:

Type CC-2HD-2X6 Heavy-Duty 2X6 Catch'N'Close Crowderframe Pocket Door Kit For maximum door weight of 200 lbs. [91 kg]

Type CC-3HD-2X6 Heavy-Duty 2X6 Catch'N'Close Crowderframe Pocket Door Kit For maximum door weight of 300 lbs. [136 kg]

For doors from 30" [762 mm] to 72" [1828 mm] wide x 78" [1981 mm] to 120" [3048 mm] high, please provide door size when specifying/ordering.





Our Catch'N'Close Crowderframe Pocket Door Kits have been perfected. In addition to our best-selling Type CC kit for 2X4 wall construction, we now offer a kit specifically engineered for 2X6 wall construction.





New!

TYPE CC-2X6
For 2X6 Wall Construction
Up to 150 lbs. [68 kg] per door

Improved!
TYPE CC
For 2X4 Wall Construction
Up to 150 lbs. [68 kg] per door

This addition to the line up eliminates the need for shim kits, making installation fast and easy. As always, our nylon wheels with precision ball bearings allow for smooth and quiet door operation. The Catch'N'Close closing system enables the door to glide into position without any assistance.

Additional features:

- Complete with roll formed steel uprights for less deflection and easy to screw into for drywall fastening.
- The NEW CC-493 Easy Connect Top Mount Hangers allow you the choice to install the door before OR after the drywall goes up. They also allow for height and plumb adjustments while the door is up.
- New Catch'N'Close slot makes installation or replacement of Catch'N'Close devices simple. No removing trim, the door, or cutting into the drywall required.



- Faster and easier installation than a traditional pocket built on-site.
- For single or bi-parting door applications.
- Trim kit available for 2X4 wall construction only (see pages 70-71).

How to Specify/Order:

Type CC-[]W-2X6 Catch'N'Close Crowderframe Pocket Door Kit (ideal for 1-3/4" [44.5 mm] doors in 2X6 wall construction)

Type CC-[]W Catch'N'Close Crowderframe Pocket Door Kit (ideal for 1-3/4" [44.5 mm] doors in 2X4 wall construction)

Type CC-[]B Catch'N'Close Crowderframe Pocket Door Kit (ideal for 1-3/8" [34.9 mm] doors in 2X4 wall construction)

[] = maximum door weight (75 for 75 lbs. [34 kg] or 1 for 150 lbs. [68 kg])

Available for doors from 30" [762 mm] to 48" [1219 mm] wide x 80" [2032 mm] to 120" [3048 mm] high, please provide door size when specifying/ordering.







For 2X6 Wall Construction Up to 150 lbs. [68 kg] per door





Improved!

TYPE C

For 2X4 Wall Construction Up to 150 lbs. [68 kg] per door

Our Type C Crowderframe Pocket Door Kit now comes in a 2X6 version. This complete kit specifically engineered for 2X6 wall construction, eliminates the need for shim kits, making installation fast and easy. For a quick and easy install, we chose our C-411 Quick Release Hangers for these pocket door kits. Check out the drawings above to see how easily the door connects and adjusts! Our nylon wheels with precision ball bearings ensure smooth and quiet door operation.



Improved!

TYPE B

For 2X4 Wall Construction Up to 125 lbs. [57 kg] per door



Our C-400 hangers combined with nylon wheels with precision ball bearings ensure smooth and quiet door operation.

Additional features for all kits above:

- Complete with roll formed steel uprights for less deflection and easy to screw into for drywall fastening.
- Choose to install the door before OR after the drywall goes up.
- Adjust door height and plumb while the door is up.
- Faster and easier installation than a traditional pocket built on-site.
- For single or bi-parting door applications.

How to Specify/Order:

Type C-W-2X6 Crowderframe Pocket Door Kit (ideal for 1-3/4" [44.5 mm] doors in 2X6 wall construction)

Type C-W Crowderframe Pocket Door Kit (ideal for 1-3/4" [44.5 mm] doors in 2X4 wall construction)

Available for doors from 18" [457 mm] to 48" [1219 mm] wide x 80" [2032 mm] to 120" [3048 mm] high, please provide door size when specifying/ordering.

Type B-B Crowderframe Pocket Door Kit (ideal for 1-3/8" [34.9 mm] doors)

Available for doors from 18" [457 mm] to 36" [914 mm] wide x 80" [2032 mm] to 96" [2438 mm] high, please provide door size when specifying/ordering.



FOR EXTRA WIDE AND/OR HIGH POCKET DOORS



All Crowderframe Pocket Door Kits are available to accommodate a wide range of door sizes. Depending on the kit, we can handle doors from 18" [457 mm] to 72" [1829mm] wide x 78" [1981 mm] to 120" [3048 mm] high and up to 2-1/2" [64 mm] thick.

How to Specify/Order:

Please contact KN Crowder at: customerservice@kncrowder.com or 1-866-999-1KNC(1562) for more information.







FOR BI-PARTING POCKET DOORS



How to Specify/Order Add-On Products:

Joiner Kit

For bi-parting door applications, please specify as follows:

For 2X4 wall construction:

CPD-2X4-JOINER KIT as an add-on in addition to two (2) single Crowderframe Pocket Door Kits.

For 2X6 wall construction:

CPD-2X6-JOINER KIT as an add-on in addition to two (2) single 2X6 Crowderframe Pocket Door Kits.





SNAP-ON ALUMINUM CROWDERFRAME POCKET TRIM KIT



CP-TK-2X4 FOR TYPE CC CATCH'N'CLOSE POCKET DOOR KITS


The latest and greatest in pocket door framing! This kit is quick to install and allows easy access for any required maintenance. Bye-bye traditional wood trim finishing!




Key Product Features:

- Allows for the door to be installed after the drywall is in place
- No visible fasteners simply caulk if desired and paint to finish
- Clear anodized finish, can be painted on-site or we can custom finish in advance
- This kit is specifically designed for standard 2X4 wall construction using 1/2" [12.7 mm] drywall and 1-3/4" [44.5 mm] doors
- Features our newly designed C-917 guide channel complete with pile insert to reduce sound and light transfer

TYPE CC-W CATCH'N'CLOSE CROWDERFRAME POCKET DOOR KIT WITH CP-TK-2X4 POCKET TRIM KIT DIMENSION DETAILS







HOW TO SPECIFY/ORDER:

KIT CODE: CP-TK-2X4

For applications where a single TYPE CC-W CATCH'N'CLOSE CROWDERFRAME POCKET DOOR KIT is used.

Suitable for one door kit from:


18" [457 mm] to 36" [914 mm] wide \times 80" [2032 mm] to 84" [2134 mm] or 2150 mm high \times 1-3/4" thick [44.5 mm]

FULL POCKET DOOR KIT is NOT included, must be purchased separately.

For other door sizes or custom applications, please contact KN Crowder at customerservice@kncrowder.com or 1-866-999-1KNC(1562) for more information.



TYPE CC-W CATCH'N'CLOSE CROWDERFRAME POCKET DOOR KIT WITH CP-TK-2X4 POCKET TRIM KIT DIMENSION DETAILS







SOUND SEALING POCKET DOORS

USING KNC WEATHERSTRIP PRODUCTS







For more information on KNC Weatherstrip products please visit : kncrowder.com/wstripping

NOTES: Pocket framing, header, and trim work by others. For single track kits only.


kncrowder.com




LOCKING & LATCHING SOUND SEALING POCKET DOORS



USING KNC WEATHERSTRIP PRODUCTS



WEATHERSTRIP & AUTOMATIC DOOR BOTTOM OPTIONS







CROWDER STACK



CST-700 Series
Up to 200 lbs. [91 kg] per door

The Crowder Stack is a folding partition stacking door system that ranges from light to heavy-duty, taking care of all your room division needs. Ideal for convention centers, event venues, conference rooms, hospitality, etc. The applications are endless! Our strategically designed hangers come with axial bearings to carry the door and allow pivoting or cornering as required.



Coming Soon!
300 lbs. [136 kg] Heavy-Duty System

How to Specify/Order:



CUSTOM SYSTEMS





CROWDER COME-ALONG



CA-134-3Up to 200 lbs. [91 kg] per door




CA-134-3HD HEAVY-DUTY Up to 350 lbs. [159 kg] per door

This is the system of choice if you have multiple doors that need to move as one! Our Come-Along System allows all doors to move by simply opening/closing the lead door; successive doors follow along. This system also eliminates recessing guide channels in the floor.

Our patented Catch 'N' Close closing system can be added to enable the doors to glide into position without any assistance.

Track and hardware components are chosen separately to integrate with the Come-Along System.



How to Specify/Order:





CROWDER DISPLAY

The Crowder Display System is a heavy-duty telescoping track system allowing individual panels to slide in and out, to view the elements on display.

For Retail Displays, this system may be used to showcase doors and door frames, slatwall or building material to name a few; maximizing use of expensive floor space.

Mounted in sturdy frame (by others), panels can be organized to minimize the space between them.

Manufactured to suit application requirements. The installation shown at lower right, produced 1600 sq. ft. [148.6 sq. m.] of display within 160 sq. ft. [14.9 sq. m.] of floor space.







How to Specify/Order:







Coming Soon!

CROWDER SLIDE

The Crowder Slide system is designed to finish off the entire opening with anodized or powder-coated aluminum snap-on covers and trim that create a seamless and uniform look. Using our Catch 'N' Close Barn Door Series, a full height strike jamb allows for privacy or security locksets to be used without the need to build a jamb out from the wall. This complete jamb, strike, and trim system comes with pile inserts to improve sound and light transmission around the door when closed.

Ideal for hospitality, medical, commercial and office applications.





How to Specify/Order:



CUSTOM SYSTEMS
HOSPITAL COLLECTION



CROWDER CANTILEVER



Our Cantilever System is essential for hospitals, assisted living spaces, or anywhere you would need a gap in the track. This system allows for a sliding door to travel over an opening in the track as wide as 16" [406mm]. These gaps are designed for specific needs such as a patient lift tracking system travelling from one room to the next. Our Catch 'N' Close closing system enables the door to glide into position without any assistance.

Available in clear, bronze or black anodized or a custom finish.





How to Specify/Order:


Heavy-Duty Floor Stop





CROWDER SECURITY

KNC has always aimed to make the highest quality sliding door track and hardware but also tackles new challenges and custom applications. This is where our one of a kind and a first in Canada, high security door system comes in. The Crowder Security system provides the standard smooth and quiet sliding door operation with the addition of security. This system is ideal for hospitals & high security facilities which will prevent users from tampering with the assembly or operation of the door.



How to Specify/Order:





ZERO CLEARANCE HANGERS




C-810Up to 300 lbs. [136 kg] per door



C-410Up to 150 lbs. [68 kg] per door



This ceiling track system allows for minimal clearance between the door and track, reducing light and sound entry. Our nylon wheels with precision ball bearings always ensure smooth and quiet door operation. This all-in-one kit comes with a wrench and Allen key for easy adjustment in the field.





How to Specify/Order:

Kit Code: C-810 x [track length] 1DR KIT

Kit Code: C-410-W x [track length] 1DR KIT (ideal for 1-3/4" [44.5 mm] doors) **Kit Code:** C-410-B x [track length] 1DR KIT (ideal for 1-3/8" [34.9 mm] doors)





QUICK RELEASE HANGER



C-911Up to 200 lbs. [91 kg] per door

This heavy-duty hanger comes standard with nylon wheels and precision ball bearings for smooth and quiet door operation. Installation is fast and easy thanks to the Quick Release hanger assembly. Levelling and adjusting the height is also a breeze; only requiring one person.

Available in clear, bronze or black anodized, mill finish or powder-coated.





How to Specify/Order:

Kit Code: C-911 x [track length] 1DR KIT





NYLON WHEEL HANGERS

We have the capability to support extremely large and heavy doors; up to 450 lbs. [204 kg] per door! Our nylon wheels with precision ball bearings ensure smooth and quiet door operation. For top mounted, single, bi-parting, bypassing or pocket doors.

Available in clear, bronze or black anodized, mill finish or powder-coated.



C-818-HDUp to 450 lbs. [204 kg] per door





Up to 350 lbs. [159 kg] per door





C-993Up to 250 lbs. [113 kg] per door



How to Specify/Order:

Kit Code: [hanger series] x [track length] 1DR KIT **Note:** [track length] = door width x 2 (for 1 door kits)

E.G. C-818HD X 72" 1DR KIT





STEEL WHEEL HANGERS

We have the capability to support extremely large and heavy doors; up to 700 lbs. [318 kg] per door! Our precision ball bearing steel wheeled hanger kits work for top mounted, single, bi-parting, bypassing, pocket or side mounted doors.

Available in clear, bronze or black anodized, mill finish or powder-coated.





C-207-8Up to 700 lbs. [318 kg] per door





C-205-8Up to 600 lbs. [272 kg] per door



C-207-4Up to 500 lbs. [227 kg] per door



C-205-4Up to 300 lbs. [136 kg] per door





C-206-4Up to 225 lbs. [102 kg] per door

How to Specify/Order:

Kit Code: [hanger series] x [track length] 1DR KIT **Note:** [track length] = door width x 2 (for 1 door kits)

E.G. C-207-8 X 72" 1DR KIT





STAINLESS STEEL HANGERS

Our stainless steel hangers are ideal for applications that are exposed to moisture, saltwater and other external factors. Installation is fast and easy thanks to the *Easy* Connect Hanger assembly. We recommend these hangers be teamed up with our C-104 or C-108 Crowdertrack in clear, bronze or black anodized.



Up to 450lbs. [205 kg] per door





C-400-SSUp to 125lbs. [57 kg] per door



How to Specify/Order:





NYLON WHEEL HANGERS

For smooth and quiet door operation, choose our nylon wheel kits. Great for top mounted single, bi-parting, bypassing, or pocket doors.

Available in clear, bronze or black anodized, mill finish or powder-coated.



C-107-8Up to 500 lbs. [227 kg] per door



C-105-8Up to 400 lbs. [181 kg] per door







C-107-4Up to 350 lbs. [159 kg] per door



C-105-4Up to 200 lbs. [91 kg] per door



C-106-4Up to 175 lbs. [79 kg] per door







How to Specify/Order:

Kit Code: [hanger series] x [track length] 1DR KIT **Note:** [track length] = door width x 2 (for 1 door kits)

E.G. C-107-8 x 72" 1DR KIT





QUICK RELEASE HANGER



C-411Up to 150 lbs. [68 kg] per door

This medium-duty Quick Release hanger comes standard with precision ball bearing, nylon tire wheels and allows for fast and easy installation. Levelling and adjusting the height is easy and only requires one person. For top mounted single, bi-parting, bypassing or pocket doors.

Available in clear, bronze or black anodized, mill finish or powder-coated.



TOP MOUNT HANGER



C-400Up to 125 lbs. [57 kg] per door

This top mount hanger comes with our precision ball bearing, nylon tire wheels and is ideal for solid core doors. Features vertical adjustment by threaded door top plate and locknut. For top mounted single, bi-parting, bypassing or pocket doors.

Available in clear, bronze or black anodized, mill finish or powder-coated.



How to Specify/Order:

Kit Code: C-411-W X [track length] 1DR KIT (ideal for 1-3/4" [44.5 mm] doors) **Kit Code:** C-411-B X [track length] 1DR KIT (ideal for 1-3/8" [34.9 mm] doors) **Kit Code:** C-400-W X [track length] 1DR KIT (ideal for 1-3/4" [44.5 mm] doors) **Kit Code:** C-400-B X [track length] 1DR KIT (ideal for 1-3/8" [34.9 mm] doors)





TOP MOUNT HANGER



C-350Up to 75 lbs. [34 kg] per door

This light-duty series is top hung and features vertical adjustment by threaded door top plate and locknut. For top mounted single, bi-parting, bypassing, or pocket doors.

Available in clear, bronze or black anodized, mill finish or powder-coated.



CONCEALED HANGER



C-300Up to 75 lbs. [34 kg] per door

This light-duty hanger is great for plywood or special material doors. The concealed track and hanger only require 1" [25.4 mm] of headroom and strongly anchors through the door. For top mounted single, bi-parting, bypassing, or pocket doors.

Available in clear, bronze or black anodized, mill finish or powder-coated.



kncrowder.com

How to Specify/Order:

Kit Code: C-350 X [track length] 1DR KIT **Kit Code:** C-300 X [track length] 1DR KIT





ZERO CLEARANCE HANGER



C-810Up to 300 lbs. [136 kg] per door

This barn doors system allows for minimal clearance between the door and the track, reducing light and sound entry. Our nylon wheels with precision ball bearings ensure smooth and quiet door operation. This all-in-one kit comes with optional fascia and a wrench and Allen key for easy adjustment in the field.



How to Specify/Order:

Kit Code: C-810-108 x [track length] 1DR KIT

Optional Fascia Kit Code: C-810-110-CA x [track length] 1DR KIT





QUICK RELEASE HANGER



C-911Up to 200 lbs. [91 kg] per door

This heavy-duty hanger comes standard with nylon wheels and precision ball bearings for smooth and quiet door operation. Installation is fast and easy thanks to the Quick Release hanger assembly. Levelling and adjusting the height is also a breeze; only requiring one person. For single or bi-parting barn door applications.

Available in clear, bronze or black anodized or powder-coated.



How to Specify/Order:

Kit Code: C-911-108 x [track length] 1DR KIT

Optional Fascia Kit Code: C-911-110-CA x [track length] 1DR KIT





NYLON WHEEL HANGERS

These barn door systems provide an uncomplicated look; hiding the track, hanger and any gaps. Our nylon wheels with precision ball bearings ensure smooth and quiet door operation.

Available in clear, bronze or black anodized or powder-coated.



C-818HD-110Up to 450 lbs. [204 kg] per door



C-994-110Up to 350 lbs. [159 kg] per door







C-993-110 Up to 250 lbs. [113 kg] per door



How to Specify/Order:

Kit Code: [hanger series]-108 x [track length] 1DR KIT

Optional Fascia Kit Code: [hanger series]-110-CA x [track length] 1DR KIT





NYLON WHEEL HANGERS

Precision ball bearing nylon wheels for smooth and quiet door operation. For single or bi-parting barn door applications.

Available in clear, bronze or black anodized or powder-coated.



Up to 175 lbs. [79 kg] per door



C-107-8Up to 500 lbs. [227 kg] per door



C-105-8Up to 400 lbs. [181 kg] per door



C-107-4Up to 350 lbs. [159 kg] per door



C-105-4Up to 200 lbs. [91 kg] per door



C-103-4Up to 200 lbs. [91 kg] per door

kncrowder.com

How to Specify/Order:

Kit Code: [hanger series]-108 x [track length] 1DR KIT

Optional Fascia Kit Code: [hanger series]-110-CA x [track length] 1DR KIT





TOP MOUNT HANGERS



C-500 Up to 125 lbs. [57 kg] per door For 1-3/4" [44.5 mm] thick doors



C-538

Up to 125 lbs. [57 kg] per door
For 1-3/8" [34.9 mm] thick doors



These top mount hangers come with our precision ball bearing, nylon tire wheels and is ideal for solid core doors. Features vertical adjustment by threaded door top plate and locknut.





How to Specify/Order:

Kit Code: C-500-W x [track length] 2DR KIT **Kit Code:** C-538-B x [track length] 2DR KIT

Optional Fascia Kit Code: C-500F-W x [track length] 2DR KIT **Optional Fascia Kit Code:** C-538F-B x [track length] 2DR KIT

111





TOP MOUNT HANGER



C-600Up to 75 lbs. [34 kg] per door

This light-duty series is top hung and features vertical adjustment by threaded door top plate and locknut.

Available in clear, bronze or black anodized, mill finish or powder-coated.



CONCEALED HANGER



C-650Up to 75 lbs. [34 kg] per door

This light-duty hanger is great for plywood or special material doors. The concealed track and hanger only require 1" [25.4 mm] of headroom and strongly anchors through the door.

Available in clear, bronze or black anodized, mill finish or powder-coated.



How to Specify/Order:

Kit Code: C-600 X [track length] 2DR KIT **Kit Code:** C-650 X [track length] 2DR KIT





SIDE MOUNT HANGERS




C-2035Up to 60 lbs. [27 kg] per door



C-2025Up to 60 lbs. [27 kg] per door



Interchangeable hangers allow this system to be used for 3/4" [19 mm] thick or 1-3/8" [34.9 mm] thick doors. Slotted holes on the hanger allow for vertical adjustment. Available with plain track or track with built-in fascia.





How to Specify/Order:

Kit Code: C-2035-CA x [track length] 2DR KIT **Kit Code:** C-2025 x [track length] 2DR KIT





CENTER PIVOT HANGER



C-180HD
Up to 250 lbs. [113 kg] per panel/leaf

These heavy-duty center pivoting hangers are used to create pivoting room dividers that can also be stacked back-to-back against a wall or within hide-away enclosures. Doors must be moved individually and cannot be hinged together.

Available in clear, bronze or black anodized, mill finish or powder-coated.



How to Specify/Order:

Please contact KN Crowder at customerservice@kncrowder.com or 1-866-999-1KNC(1562) for more information.





EASY CONNECT PIVOT KITS



CF-415
Up to 120 lbs. [54 kg] per panel/leaf

This medium-duty bi-folding kit comes with precision ball bearing, nylon tire wheels and our Easy Connect hangers. This combination ensures easy installation and adjustment, along with smooth and quiet door operation.





CF-515
Up to 150 lbs. [68 kg] per panel/leaf

This heavy-duty bi-folding kit comes with ball bearing steel wheels and our Easy Connect hangers, which allow for easy installation and adjustment.



How to Specify/Order:

Kit Code: CF-415 X [track length] 2DR KIT **Kit Code:** CF-515 X [track length] 2DR KIT





PIVOT KITS



CF-115Up to 50 lbs. [23 kg] per panel/door

This medium-duty system is great for bi-folding doors in constant use. The CF-115 hanger comes with ball bearing wheels with nylon tires, which allow for smooth operation. Hinges by others.





CF-100
Up to 20 lbs. [9 kg] per panel/door

Easy to install, this kit features our nylon wheels for smooth bi-folding movement. The spring-loaded pivot and nylon bushings allow for silent and easy use. Brackets are adjustable for plumb. Ideal for light or louvre type doors. Hinges by others.



How to Specify/Order:

Kit Code: CF-115 X [track length] 2DR KIT **Kit Code:** CF-100 X [track length] 2DR KIT





TRACKLESS PIVOTS



CF-116Up to 50 lbs. [23 kg] per door

This medium to light-duty trackless pivot features angle brackets to be routered and recessed into the door.





CF-409Up to 200 lbs. [91 kg] per door

This heavy-duty trackless pivot features all-steel zinc plated mounting plates along with thrust bearing on the bottom pivot plate.



How to Specify/Order:

Kit Code: CF-116 Kit Code: CF-409



DOOR GUIDE SYSTEMS

For 1-3/4" [44.5 mm] Thick Doors (or greater)



914 GUIDE CHANNEL

1" [25.4 mm] wide x 29/32" [23 mm] high



C-913 FLOOR GUIDE

Single Round Bar Handle Pull 2" [50.8 mm] wide x 1" [25.4 mm] high





C-913-2 DOUBLE ROLLER FLOOR **GUIDE**

4" [101.6 mm] wide x 1" [25.4 mm] high





CSM-913-2HD SIDE MOUNT GUIDE

3" [76.2 mm] wide x 3" [76.2 mm] high





C-913SL SPRING LOADED GUIDE

Hole size required in door Ø 3/4" [19.1 mm] x MIN. 3" [76.2 mm] deep





CSM-913 SIDE MOUNT GUIDE

Plate 3" [76.2 mm] long x 1-1/4" [31.8 mm] wide 1-3/4" [44.5 mm] wide x 1-1/2" [38.1 mm] high Distance from wall to center of guide 1-1/2" [38.1 mm]







C-202 DOUBLE GROOVE GUIDE THRESHOLD

4-1/4" [108 mm] wide x 9/16" [14.3 mm] high

C-202S DOUBLE GROOVE SLOPED GUIDE THRESHOLD

5-11/32" [135.4 mm] wide x 9/16" [14.3 mm] high







C-202-3 TRIPLE GROOVE GUIDE THRESHOLD

6-3/16" [157.2 mm] wide x 9/16" [14.3 mm] high

C-202S-3 TRIPLE GROOVE SLOPED GUIDE **THRESHOLD**

7-15/32" [189.4 mm] wide x 9/16" [14.3 mm] high





C-200 GUIDE

2" [50.8 mm] wide x 3/4" [19.1 mm] high





C-913D-134 BYPASS GUIDE

1-1/2" [38.1 mm] wide x 13/16" [20.6 mm] high Center to Center of guides 2-1/8" [54 mm]





C-200B SPRING LOADED GUIDE

Body 1-3/8" [34.9 mm] long x 5/8" [15.9 mm] wide Hole size required in door Ø 1/2" [12.7 mm] x 13/16" [20.6 mm] deep



DOOR GUIDE SYSTEMS

For 1-3/8" [34.9 mm] Thick Doors (or smaller)



201 GUIDE CHANNEL

5/8" [15.5 mm] wide x 3/4" [19.0 mm] high



C-200 GUIDE

2" [50.8 mm] wide x 3/4" [19.1 mm] high





C-200B SPRING LOADED GUIDE

Body 1-3/8" [34.9 mm] long x 5/8" [15.9 mm] wide Hole size required in door Ø 1/2" [12.7 mm] x 13/16" [20.6 mm] deep





CSM-200 SIDE MOUNT GUIDE

1-3/4" [44.5 mm] wide x 1-1/2" [38.1 mm] high Distance from wall to center of guide 1-1/2" [38.1 mm]





C200D-138 BYPASS GUIDE

1-1/2" [38.1 mm] wide x 13/16" [20.6 mm] high Center to Center of guides 1-3/4" [44.5 mm]



C-1205 NYLON GUIDE

Large piece 2-7/8" [73 mm] long x 1-1/8" [28.6 mm] wide x 3/4" [19.1 mm] high Small piece 1-7/16" [36.5 mm] long x 5/8" [15.9] wide x 3/4" [19.1 mm] high





C-1201 CENTER NYLON GUIDE


1-3/4" [44.5 mm] long x 1/2" [12.7 mm] wide x 3/4" [19.1 mm] high





C-1202 OFFSET NYLON GUIDE

1-3/4" [44.5 mm] long x 1/2" [12.7 mm] wide x 3/4" [19.1 mm] high



C-238 DOUBLE GROOVE GUIDE THRESHOLD

3-1/2" [88.9 mm] wide x 9/16" [14.3 mm] high

C-238S DOUBLE GROOVE SLOPED GUIDE **THRESHOLD**

4-19/32" [116.4 mm] wide x 9/16" [14.3 mm] high





C-238-3 TRIPLE GROOVE GUIDE THRESHOLD

5-7/16" [138.1 mm] wide x 9/16" [14.3 mm] high

C-238S-3 TRIPLE GROOVE SLOPED GUIDE **THRESHOLD**

6-11/32" [160.8 mm] wide x 9/16" [14.3 mm] high



DOOR LOCKS & PULLS



C-90L-ETPrivacy Lock & Edge Pull Set







C-90L-OTOccupancy Privacy Lock & Edge Pull Set







C-92L-ETPrivacy Lock Set





C-92L-OT
Occupancy Privacy Lock Set



Lock Series x Finish



PRIVACY LOCK SETS





C-80L-ETPrivacy Lock & Edge Pull Set





C-60L-RETPrivacy Lock & Edge Pull Set





C-60L-SETPrivacy Lock & Edge Pull Set



How to Specify/Order:

Lock Series x Finish



PRIVACY LOCK SETS





C-62L-RETPrivacy Lock Set







C-62L-SETPrivacy Lock Set









C-35
Round Privacy Lock & Edge Pull Set







C-30 Privacy Lock & Edge Pull Set



How to Specify/Order:

Lock Series x Finish





Security Lock & Edge Pull Set







C-90L-CC Double Security Lock & Edge Pull Set







C-92L-CT Security Lock Set



C-92L-CC Double Security Lock Set











C-80L-CT Security Lock & Edge Pull Set

Lock Series x Finish







C-91-BBEdge Pull With Blank Flush Pulls





C-91-BHBHEdge Pull With Blank Flush Pulls With Swing Out Handles



How to Specify/Order:

Lock Series x Finish

PASSAGE SETS



C-21-BBEdge Pull with Blank Flush Pulls





C-2180Edge Pull with Blank Flush Pulls







C-2171Edge Pull with Blank Flush Pulls









How to Specify/Order:

Lock Series x Finish



PASSAGE SETS



C-23 Wood Door Pull for 1-3/8"





C-25 Wood Door Pull for 1-3/4"





C-34Edge Pull with Round Passage Door Pulls






C-40Edge Pull with Passage Door Pulls



How to Specify/Order:

Lock Series x Finish





BI-PARTING LOCK AND PASSAGE SETS

DOOR LOCKS & PULLS



C-90S-BBPassage Strike & Edge Pull Set





C-90L-OTOccupancy Privacy Lock & Edge Pull Set





C-90L-ETPrivacy Lock & Edge Pull Set





C-90L-CT Security Lock & Edge Pull Set



Lock Series x Finish



BARRIER FREE (ADA COMPLIANT) LOCK SETS
DOOR LOCKS & PULLS



C-92L-HLDPComplete Barrier Free (ADA Compliant) Privacy Lock Set



C-92L-HLBarrier Free (ADA Compliant) Privacy Lock Set





C-50PBarrier Free (ADA Compliant) Pocket Passage Pulls



C-50FPFull Privacy, Barrier Free (ADA Compliant)
Pocket Lock Set





Lock Series x Finish









C-94BL-ETBarn Door Privacy Lock Set







C-94BL-CTBarn Door Security Lock Set







C-94BL-OTBarn Door Occupancy Privacy Lock Set

Lock Series x Finish

BARN DOOR LOCK SETS



C-94BL-HLDPComplete Barrier Free (ADA Compliant) Barn Door Lock Set





C-94BL-HLBarrier Free (ADA Compliant) Barn Door Lock Set



How to Specify/Order:

Lock Series x Finish



BARN DOOR LOCK SETS



C-94BL-SETBarn Door Privacy Lock Set





C-54BL Round Barrier Free (ADA Compliant) Privacy Barn Door Lock Set



How to Specify/Order:

Lock Series x Finish



SELF-LATCHING LOCK SETS
DOOR LOCKS & PULLS





C-95SL-CHL
Self-Latching Barrier Free (ADA Compliant)
Cylinder & Handle Lever Lock Set







C-95SL-CT
Self-Latching Flush Pull Cylinder & Handle
Lever Lock Set



How to Specify/Order: Lock Series x Finish





C-95SL-OIHLSelf-Latching Barrier Free (ADA Compliant)
Handle Lever & Occupancy Indicator Lock Set







C-95SL-OT
Self-Latching Flush Pull Thumb Turn & Occupancy
Indicator Lock Set



































How to Specify/Order: Lock Series x Finish Please see pages 156-157 for available finishes.













How to Specify/Order:

Lock Series x Finish



GLASS DOOR PULLS
DOOR LOCKS & PULLS



CGP-012 For 1/2" [12 mm] glass





CGP-038 For 3/8" [10 mm] glass



How to Specify/Order:

Lock Series x Finish





C-90DPDouble Handle Pulls
7-3/4" [197 mm]





C-90SPSingle Handle Pull
7-3/4" [197 mm]



How to Specify/Order:

Lock Series x Finish



DOOR HANDLE PULLS







CFT-SP36/SP18 X 630Single Flat Bar Handle Pull (36" [914 mm] or 18" [457 mm])



CFT-DP36/DP18 X 622 Double Flat Bar Handle Pulls (36" [914 mm] or 18" [457 mm])



CFT-SP36/SP18 X 622Single Flat Bar Handle Pull
(36" [914 mm] or 18" [457 mm])

How to Specify/Order:

Lock Series x Finish



DOOR HANDLE PULLS



CRT-DP36/DP18 X 630Double Round Bar Handle Pulls (36" [914 mm] or 18" [457 mm])



CRT-SP36/SP18 X 630Single Round Bar Handle Pull (36" [914 mm] or 18" [457 mm])



CRT-DP36/DP18 X 622Double Round Bar Handle Pulls (36" [914 mm] or 18" [457 mm])



CRT-SP36/SP18 X 622Single Round Bar Handle Pull (36" [914 mm] or 18" [457 mm])

How to Specify/Order:

Lock Series x Finish

DOOR LOCKS & PULLS COLOUR CHART





DOOR LOCKS & PULLS COLOUR CHART












	619 Dull Nickel Plated	622 Flat Black Coated	625 Bright Chrome	630 Satin Stainless Steel	WH White Powder Coat
C-21	Х	X	X	-	х
C-2171	-	X		-	-
C-2172		X		-	-
C-2180	X	X	X	-	-
C-21-BB	X	X	X	-	-
C-23	-	X	-	X	-
C-25		X	-	X	
C-30	X	X	x	-	X
C-34	X	X	X		
C-35	X	×	×	-	-
C-40	X	X	X		X
C-50 Series		×	-	×	-
C-54BL		-		X	X
C-60 Series	X	×	X		-
C-61	X	X	X		
C-62 Series	X	×	X	-	-
C-71		×			
C-72		×			-
C-80 Series	X	×	X		-
C-90 Series	X	×	X		-
C-91 Series	X	X	X		-
C-92 Series	×	×	×		-
C-94 Series	X	×	X		
C-95 Series	×	×	×		-
CFT Series	-	×	-	X	-
CRT Series	-	×	-	×	-
CGP Series		×	-	×	-




REALLY??? YES WE CAN








Other Products by K.N. Crowder Mfg. Inc.











K.N. CROWDER MFG. INC. 1220 Burloak Drive, Burlington, Ontario L7L 6B3 K.N. CROWDER INC. 210 Eighth Street South Lewiston, New York 14092

Toll Free Tel: 1 866 999 1KNC (1562) Email: customerservice@kncrowder.com