


Muscle Groups Focus






Combined Pull-Up Bar 1500

The combined pull-up bar allows you to perform pull-up exercises in different grip styles, which are important exercises for bodyweight training. The various pull-ups performed provide an intense workout for the arm, shoulder, abdominal and back muscles.

Attributes

1-1-033
EN 16630, ASTM F310
14 + years
l persor
218.26 lbs
Calisthenics
Harc



Installation information

Number of installers (concrete) At least 2 people Total installation time (concrete) 45-90 min. Number of installers (equipment) At least 2 people Total installation time (equipment) 20-30 min. Excavation volume 14,13 ft³ Concrete volume 14,13 ft³ 2pc 19.69 x 19.69 x 31.5 " Size of the base structure In-ground or surface Anchoring options In-g In combined structures, the volume of concrete required varies.


Technical specification

ć	Safety surfice area	Around 4.92 ft rac
	Net weight	61.73
ć	Material	S
	Critic fall height	43
3	Color options	
3	For more color options, discuss with your sales repres	
,		

Warranty

ft radius	Structure	25 years
61.73 lbs	Steel	15 years
S235	Paint	2 years
43.31"	Plastic	5-10 years
	Rubber	1-3 years
	Moving parts Detailed information in the warranty document	2 years
	Detailed information in the warranty document	

Material specification





The element is made of high quality S235 steel, which has been cleaned via sandblasting. A corrosion resistant powder coating finish is then applied. Also available with galvanized surface for even greater protection and longevity!



The clamp system allows for easy assembly and extreme stability.



The connecting elements are fastened with vandal-proof stainless steel screws and nuts. The ends of the bars and posts are sealed with injec-

tion-moulded plastic caps.





