



Metalfrío

PRODUCT CATALOGUE

INTRODUCTION

Metalfrío Solutions is a global company of Brazilian origin, leader in the commercial refrigeration sector. Founded in 1960, Metalfrío has been offering reliable and efficient refrigeration solutions to its customers for more than six decades.

With a complete portfolio of products, it meets the needs of the most diverse types of establishments, bringing the best technology, durability and the lowest energy consumption for you and your business.

With a strong focus on customer satisfaction, Metalfrío has established long-term partnerships with various international partners, being Coca-Cola our most appreciated partner. Our equipment aligns with the values of our clients, positively influencing the consumer experience at the point of sale, offering international certified equipment under UL, ISO, NSF, Energy Star and Coca-Cola own certifications, among others.

Metalfrío's team of experts constantly researches and develops new technologies and functions to meet the changing needs and preferences of the market.

Experience the solutions that Metalfrío, your strategic partner, has to offer, with personalized merchandising tools, from the conception of the idea, the design, through manufacturing to distribution and after-sales.



- **Product lines**

- **Upright coolers**

- **Core models**

- NG49

- NG43

- NG43 Sliding Door

- NG26

- NG12

- NG10

- NG9

- **Full Glass Door advantages**

- **Full Glass Door models**

- NG50

- NG44

- NG27

- NG13

- NG11

- **Upright freezer**

- VF50

PRODUCT LINES

Upright coolers

Core models

32 °F to 45 °F



Full Glass Door models

32 °F to 45 °F



Upright freezer

-0.4 °F to -9.4 °F

els



CORE MODELS



Electronic control with always-on display



Easy serviceability with front access from bottom grid to all components



Ecological refrigerant gas



High double glass

NG49



NG43



NG43 SLIDING DOOR



		NG49	NG43	NG43 Sliding Door	
	Gross volume	<i>ft</i> ³	45.4	39.2	
	Product capacity	20 Oz PET	640	490	
	External dimensions in		Length	54.1	47.1
			Width	29.9	29.9
			Height	79	79
	Shelves		10	10	
	Specs sheet		Specs NG49	Specs NG43	
				Specs NG43 Sliding Door	

High efficiency
Removable panels
Access



High luminosity
LED Lighting
System



Adjustable
epoxy coated
wire shelves



WOT Condenser
for low
maintenance

NG26



NG12



NG10



NG9



Single Door

NG26

NG12

NG10

NG9

23

11.2

9.2

8

360

168

126

102

30

24.8

24.9

20

30

22.7

22.8

20.7

79

62.4

53.5

63

5

4

3

4

NG43
Double Door

Specs NG26

Specs NG12

Specs NG10

Specs NG9

FULL GLASS DOOR ADVANTAGES

- **Premium aesthetics**
Improved and cleaner Full Glass Door aesthetics for a premium look at POS
- **Exactly same footprint as Core models**
- **Additional Packout and Merchandising**
Capability to include more SKU's on bottom shelf
- **Easy Front Access**
To controller, LED drivers, harness and other key components from front bottom grid
- **Connectivity**
Bluetooth
Always On
- **Branding interchangeability**
Front and side decals

NG44

NG27



FULL GLASS DOOR MODELS



Full Glass Door
maximum capacity
and merchandising



Electronic control
with always-on
display



Easy serviceability
with front access
from bottom grid to
all components



Ecological
refrigerant g

NG50



NG44



		NG50	NG44
	Gross volume	48.6	41.1
	Product capacity	688	602
	↔ Length	54.1	47.1
	↘ Width	29.8	29.8
	↑ Height	79	79
	Shelves	10	10
	Specs sheet	Specs NG50	Specs NG44



High efficiency double pane glass



High luminosity LED Lighting System



Adjustable epoxy coated wire shelves



WOT Condenser for low maintenance

NG27



NG13



NG11



NG27

24.5

387

30

30

79

5

Specs NG27

NG13

11.6

182

24.8

22.7

62.4

4

Specs NG13

NG11

9.5

140

24.9

22.8

53.5

3

Specs NG11

UPRIGHT FREEZER



Electronic controller with visible temperature



Adjustable baskets with dividers (optional accessories)




High duty casters (optional accessories)



Ecological R290 refrigerant gas



High efficiency triple glass door



Frost prevention system



High intensity LED lighting system



High resistance epoxy protected shelves



WOT Condenser for low maintenance



Gross volume

*ft*³

VF50

19.6

↔ Length

26.5

↘ Width

33.5

↑↓ Height

79.5



Shelves/Baskets

5



Specs sheet

Specs VF50

VE50





Metalfrío

PRODUCT CATALOGUE