




# WEATHERIZATION PRODUCT CATALOG


Featuring products by:  
SIMPLYCONSERVE®



World-class  
products and  
cutting-edge  
services for  
your customers

# Table of Contents

<b>About AM Conservation</b>	<b>4</b>
<b>Weatherization</b>	<b>6</b>
Weatherstripping	7
Door Bottoms and Thresholds	11
Caulk and Caulk Guns	14
Insulation, Covers, and Accessories	16



# Why Choose AM Conservation?

## Achieve Your Goals with Us

AM Conservation is your trusted resource for energy- and water-efficient products. From smart thermostats to LED light bulbs, showerheads, faucet aerators and advanced powerstrips, our products leverage innovative technology to maximize savings. We guarantee quality with product certifications from ENERGY STAR®, DLC and WaterSense®.

As a manufacturer and distributor with over 30 years of merchandising, online product sales, program implementation and logistics experience in the energy and water efficiency industry, we are uniquely qualified to provide reliable products and services.

30+

### Experience

We have been in business for more than 30 years, which means we've got the experience and market expertise to achieve your unique goals.



### Fast & Safe Delivery

Our industry-leading logistics network follows extensive best practices, including maintaining ample inventory on-hand, to fulfill orders in a seamless and timely manner.



### Reliable Pricing

Our manufacturer-direct product pricing builds value for your business and your customers.



### Top-Level Support

We provide concierge-level customer service with after-sale support.



### Efficient Products

We offer products that are custom-engineered and hand-picked to provide superior performance at an accessible price point.

# Premium Products & Services

AM Conservation's robust product line is ideal for a variety of clients, including utilities, municipalities, program implementers, contractors, distributors, retailers, non-profit agencies and more.



Scan to watch product installation videos on AM Conservation's YouTube Channel



## Rapid & Reliable Fulfillment

We ship directly from our warehouse to your job site or store.




## Unparalleled Value

Our unique, competitively priced product mix builds value for your business and your customers.



## Discount Opportunities


We offer the ability to order in bulk, saving time and providing cost savings to both you and your customers.



# Weatherization and Home Efficiency

## Professional-Grade, High-Quality Materials

AM Conservation provides weatherization products, allowing contractors, business owners and homeowners to install with ease, speed, and flexibility. Our weatherization products are competitively priced and we maintain appropriate inventory levels of hard-to-find, specialty products.



# Weatherstripping

## SIMPLY CONSERVE®

### Simply Conserve® Windjammer-Style Weatherstripping

Our windjammer foam weatherstripping retains its original shape year after year, remains pliable from -40°F and meets ASTM, BSI, DIN and ISO standards. The windjammer is an easy-to-cut cellular polyvinyl chloride (PVC), which has become widely accepted as a substitute for wood due to its superior performance characteristics. It resists water, rot, warping, and splintering, meaning it lasts longer than wood and results in less waste. The tops are precut for a uniform fit, efficient installation and superior air-sealing. The windjammer comes ready to install and can be painted. It has a nail-up installation so no screws are necessary (nails are not included).

**SANTOPRENE™ SKIN WITH FOAM SEALING GASKET**



MODEL NUMBER	COLOR	WIDTH	DIMENSIONS	CASE QTY.
DS060N-B	Brown	0.875"	84" sides, 36" top	15
DS060N-W	White	0.875"	84" sides, 36" top	15
DS060W-B	Brown	1.375"	84" sides, 36" top	12
DS060W-W	White	1.375"	84" sides, 36" top	12

W



## SIMPLY CONSERVE®

### Simply Conserve® Aluminum Weatherstripping

Our KC600 aluminum weatherstripping features a medium-duty extruded aluminum carrier with notched tops for accurate and trouble-free installation. The gasket tops are bevel-cut at the factory for better fit. The thermoplastic rubber sealing gasket has excellent compression set resistance and the ability to consistently spring back into shape, resulting in significant energy conservation. This weatherstripping will seal gaps up to 0.75".

**SANTOPRENE™ SKIN WITH FOAM SEALING GASKET**

MODEL NUMBER	COLOR	DIMENSIONS	CASE QTY.
KC600-B	Brown	84" sides, 36" top	25
KC600W-84	White	84" sides, 36" top	25
KC600-G	Gray	80" sides, 36" top	25
KC600G-84	Gray	84" sides, 36" top	25

## SIMPLY CONSERVE®

### Simply Conserve® Wedge-Style Aluminum Weatherstripping

Our wedge-style aluminum weatherstripping features a medium-duty extruded aluminum carrier that has notched sides for better fit and trouble-free installation. The Santoprene™ sealing gasket stays pliable in sub-zero temperature and won't crack, shrink, or become brittle or stiff. This weatherstripping works well on warped and inconsistent doors. It also features slotted screw holes for easy adjustment and includes screws.



MODEL NUMBER	COLOR	DIMENSIONS	CASE QTY.
KC500	Gray	84" sides, 36" top	12

## SIMPLYCONSERVE®

### Simply Conserve® Low-Temperature TPR Weatherstripping

Our low-temperature TPR weatherstripping features a medium-duty extruded aluminum carrier and slotted holes for easy adjustment and trouble-free installation. Our low-temperature weatherstrip's sealing gasket is made of a pliable thermoplastic rubber (TPR), which will remain pliable in subzero temperatures. That means superior weather sealing when it's needed most.



MODEL NUMBER	COLOR	DIMENSIONS	CASE QTY.
WS051	Gray	84" sides, 36" top	20

## SIMPLYCONSERVE®

### Simply Conserve® "Wright Stuff" Silicone Weatherstripping

Our "Wright Stuff" silicone weatherstripping features a 100% silicone rubber sealing gasket for resilience, ultra violet resistance and low temperature flexibility in extreme temperatures (operates normally up to -55°C). The weatherstripping also features slotted screw holes for easy adjustment and includes screws.



MODEL NUMBER	COLOR	DIMENSIONS	CASE QTY.
WS061	Gray	84" sides, 36" top	20

## SIMPLYCONSERVE®

### Simply Conserve® Kerfed Door Frame Seal Weatherstripping

Our kerfed door frame seal weatherstripping fits easily into most door kerfs and can be removed without damaging the jamb or seal. It is composed of open-celled foam with a polyethylene liner, which provides maximum long-term performance, low compression force and resistance against compression set. That means it retains its original shape year after year.



#### SANTOPRENE™ SKIN WITH FOAM SEALING GASKET

MODEL NUMBER	COLOR	DIMENSIONS	CASE QTY.
QEBD650 84 B CS 150	Brown	84"	150
QEBD650 84 CS 150	White	84"	150

## SIMPLYCONSERVE®

### Simply Conserve® Closed-Cell Foam Tape Weatherstripping

Our closed-cell foam tape weatherstripping seals out drafts, prevents heat loss and improves energy efficiency. This closed-cell foam tape weatherstripping is made of 100% PVC sponge foam with pressure-sensitive peel-and-stick acrylic adhesive. Easy to install, this weatherstripping may be used on doors, windows, attic hatches, around air conditioners and more.



MODEL NUMBER	COLOR	DIMENSIONS	CASE QTY.
P-244	Gray	0.75" x 0.375" x 17'	24
P-243	Gray	0.375" x 0.375" x 17'	27
P-242	Gray	0.375" x 0.375" x 17'	27
P-240	Gray	0.25" x 0.125" x 17'	36
V443H	Gray	0.375" x 0.1875" x 17'	24



## SIMPLYCONSERVE®

### Simply Conserve® Open-Cell Foam Tape Weatherstripping

Our open-cell foam tape weatherstripping is easy to install and helps reduce heating and cooling costs. To install just clean the surface, cut to size, peel and stick. This open-cell foam tape weatherstripping is made of soft compression sponge foam and features an aggressive pressure-sensitive acrylic adhesive. The open-cell foam tape weatherstripping may be used to help seal out drafts, prevent heat loss and improve energy efficiency on doors, windows, attic hatches and around air conditioners.

MODEL NUMBER	COLOR	DIMENSIONS	CASE QTY.
P393	Charcoal	0.5" x 0.5" x 17"	22



## SIMPLYCONSERVE®

### Simply Conserve® V-Seal Adhesive-Backed Weatherstripping

Our v-seal adhesive-backed weatherstripping is easy to install and perfect for the professional or do-it-yourselfer. The v-seal adhesive-backed weatherstripping is pre-scored polypropylene designed for conforming extremely well to large and small gaps. Just cut the v-seal adhesive-backed weatherstripping to size, fold and stick. This weatherstripping can be used to seal both doors and windows.

MODEL NUMBER	COLOR	DIMENSIONS	CASE QTY.
M13W	White	17'	12



# Door Bottoms and Thresholds




### Simply Conserve® Single-Seal Door Sweep

Our single-seal door sweep features a medium-duty extruded aluminum carrier with a pliable single vinyl sealing fin. The vinyl back seal, not found on most other brands, eliminates the need for caulking. Slotted screw holes make for easy adjustment and simple installation. It comes individually packaged with installation instructions and screws.

MODEL NUMBER	COLOR	DIMENSIONS	CASE QTY.
V110	Gray	1.75" x 36"	50




### Simply Conserve® Triple-Seal Door Sweep

Our triple-seal door sweep features include three draft-stopping vinyl sealing fins for three times the sealing power. The medium-duty extruded aluminum carrier with five slotted screw holes provides easy adjustment and efficient installation with no caulking necessary.

MODEL NUMBER	COLOR	DIMENSIONS	CASE QTY.
TSV325L-W	White	2.125" x 36"	50
TSV325L	Gray	2.125" x 36"	50
TSV325L-B	Brown	2.125" x 36"	50




### Simply Conserve® Automatic Weather Seal Door Sweep

Our spring-activated automatic weather seal door sweeps lift when the door opens to clear carpets and lower when the door is closed to seal the gap between the door and threshold. These door sweeps feature a medium-duty extruded aluminum carrier with a pliable single sealing fin and slotted screw holes to make adjustment and installation easy. These door sweeps also seal gaps up to 0.50" between the threshold and door bottom and come individually packaged with installation instructions and Phillips-head screws.

MODEL NUMBER	COLOR	DIMENSIONS	CASE QTY.
07179-I	White	2.5" x 36"	48
07153-I	Brown	2.5" x 36"	48




### Simply Conserve® Self-Stick Door Sweep


Our self-stick door sweep has a strong adhesive to stay in place on the door for a long time. The 1.5" height allows seals on doors with imperfections. To install simply cut to size, peel off the red strip, and stick into place. The door sweep comes individually packaged with installation instructions.

MODEL NUMBER	COLOR	DIMENSIONS	CASE QTY.
N6000	Clear	1.5" x 36"	100

**SIMPLYCONSERVE®**

**Simply Conserve® Door Shoes**

Our door shoes are available in a variety of lengths and finishes. All door shoes are individually packaged and feature slotted holes for easy adjustment, as well as a pliable sealing gasket. The door shoes are made of architectural-grade, medium-duty extruded aluminum and are fire labeled. They are tested to UL 10B standards, certified for Canada. They meet the requirements of ASTM E-152, NFPA-252 and UBC-432. Screws are included.



MODEL NUMBER	DESCRIPTION	DIMENSIONS	CASE QTY.
A217V36L	U-Shape Door Bottom, No Drip Cap	1.75" x 36"	50
A216V36L	U-Shape Door Bottom, With Drip Cap	1.75" x 36"	50

**SIMPLYCONSERVE®**

**Simply Conserve® Corner Doorjamb Pads**

Our corner doorjamb pads feature pressure-sensitive adhesive backing. The corner doorjamb pads are 1.25" wide x 2" high and are easy to install. Simply apply doorjamb pads to corner of doorjamb on the hinge side.



MODEL NUMBER	COLOR	DIMENSIONS	CASE QTY.
1557-8623-1-I-B	Black	1.25" x 2"	100



# Caulk and Caulk Guns

**SIMPLYCONSERVE®**

**Simply Conserve® Caulk Gun**

Sealing and weatherizing is as simple as filling this caulk gun with the caulk of your choice and seamlessly applying in interior and exterior locations. Protect buildings from unwanted weather conditions while saving energy and money.



MODEL NUMBER	CASE QTY.
3985-CAULK GUN	12

**SIMPLYCONSERVE®**

**Simply Conserve® Rope Caulk**

Our rope caulk is an effective alternative to tube caulking for both doors and windows. Unlike tube caulking, there is no caulk gun needed or messy clean up. Simply separate a strand of rope caulk and press the self-stick caulk into place. This caulk helps seal out drafts in small gaps, providing an easy caulking solution that will not harden or dry out.



MODEL NUMBER	COLOR	SIZE	CASE QTY.
P14AM	Gray	30'	12

**Squeeze Tube Caulk**

This premium window & door caulk is formulated to provide an extra-tight seal around windows, doors and other areas of your home. This multi-purpose sealant can be used indoors or outdoors and helps increase energy efficiency by reducing drafts and cold spots.



MODEL NUMBER	COLOR	SIZE	CASE QTY.
0848NR	White	5 oz.	5



# Insulation, Covers, and Accessories



**Simply Conserve® Switch & Outlet Sealing Gaskets**

Our universal switch & outlet sealing gasket eliminate drafts, insulate, and help conserve energy when used in exterior wall and switch receptacles. These gaskets are designed to fit an outlet, toggle light switch, and standard light switch with no need to buy multiple solutions. Flame retardant and UL Listed.



MODEL NUMBER	DESCRIPTION	CASE QTY.
SWTCHOUTSL-UNV-CS	Universal switch and outlet gasket seal	1000



**Simply Conserve® Closed-Cell Polyethylene Hot Water Pipe Insulation**

Our closed-cell polyethylene hot water pipe insulation is used to insulate residential and commercial hot water non-steam pipes, providing improved thermal efficiency and protecting personnel from heat and burns. Insulating hot water pipes reduces heat loss and can raise water temperature 2°F – 4°F. It also prevents freezing and sweating for cold water pipes. Our pipe insulation provides excellent resistance to water and water vapor and has a temperature range of -160° to 200°. The insulation is flexible and is 100% pre-slit for easy installation.



MODEL NUMBER	R VALUE	DIMENSIONS	CASE QTY.
PI010	R3.54	0.50" Wall for 0.50" Pipe 129'/case	43
PI011	R3.15	0.50" Wall for 0.75" Pipe, 84'/case	28
PI016	R5.70	0.75" Wall for 0.75" Pipe 51'/case	17
PI018	R5.07	0.75" Wall for 0.50" Pipe, 72'/case	24



**Simply Conserve® Pipe Insulation Closure Clips**

Our pipe insulation closure clips close pipe insulation seams quickly and efficiently without the use of tape for better fitted seams, neater installation and less heat loss.



MODEL NUMBER	COLOR	CASE QTY.
CCLIPS-B-CS	Black	1000



**Simply Conserve® Heat Shrink Film Window Insulation Kit**

Our easy-to-use heat shrink film window insulation kit contains plastic shrink film and two-way tape to insulate and weatherize average-size windows. The insulation kit seals windows airtight and eliminates condensation, cold drafts and heat loss. The tape securely holds the plastic film in place while a hair dryer shrinks plastic film to form smooth, tight, clear-as-glass coverage inside the storm window.



MODEL NUMBER	PACKAGING	DESCRIPTION	PACKAGE DIMENSIONS	CASE QTY.
WK6242EF	Single Pack	One Box Contains: 1x Clear Shrink Film 62" x 42" 1x Two-Sided Tape 216"	7.753" (L) x 1.459" (W) x 7.365" (H)	12
WK64210EF	Deluxe Pack	One Box Contains: 1x Clear Shrink Film 210" x 64" 1x Two-Sided Tape 90'	7.753" (L) x 1.459" (W) x 7.365" (H)	12



## SIMPLYCONSERVE®

### Simply Conserve® Hot Water Heater Tank Insulating Wraps

Our hot water heater tank insulating wraps have a white vinyl facing and are made from appliance-grade fiberglass insulation. They include specially formulated adhesive tape and easy-to-follow instructions. The wraps made for electric heaters also include an insulating top. These insulating wraps meet and exceed U.S. Department of Energy standards.

MODEL NUMBER	DIMENSIONS	CASE QTY.
TW011	3" X 48" X 87" (for electric water heaters)	4
TW008	3" X 48" X 75" (for electric water heaters)	4



## SIMPLYCONSERVE®

### Simply Conserve® Hot Water Heater Wrap Strap Kit

Our hot water heater wrap strap kit securely keeps the insulating wraps in place and can be used in addition to or in place of tape. Each package contains three straps and three buckles and is long enough to fit all size water heater tanks. These strap kits are reusable.

MODEL NUMBER	CASE QTY.
STRAP-BG	50

## SIMPLYCONSERVE®

### Simply Conserve® Filter Whistle **CUSTOMIZABLE**



Our filter whistle easily attaches to a new furnace or air conditioner filter and sounds when your filter becomes 50% clogged, letting you know it is time to replace the filter. The filter whistle is reusable. Individually packaged with simple use instructions, this product may be custom-packaged with your logo, message or program theme. A minimum quantity purchase of 250 applies for custom packaging.

MODEL NUMBER	CASE QTY.
N9150	900

## SIMPLYCONSERVE®

### Simply Conserve® Chill-Stopper Air Conditioner Covers



Our chill stopper air conditioner covers are rigid air covers that are designed to insulate through-the-wall air conditioners. The chill stopper air conditioner Covers seal out 100% of drafts, have a high R-value and also eliminate condensation. They attach easily from the inside without the need for duct tape, caulking or mess. These air conditioner covers fit most major brands of air conditioners and come with all necessary hardware. When choosing a size for your chill stopper air conditioner cover, it is important that you add 1" to the dimensions of the air conditioner unit after measuring to give you accurate measurements. The chill stopper air conditioner covers are made to order. Additional sizes are available.

MODEL NUMBER	DIMENSIONS	CASE QTY.
Z-VT-120907	26.75" x 16.25" x 4"	8
Z-VT-120910	26.75" x 17.25" x 6"	8

# Weatherization Partner Brands





## AM Conservation

1701 Charleston Regional Parkway  
Suite A  
Charleston, SC 29492 USA

Phone: 843.971.1414  
Fax: 843.971.1472  
Email: [customercare@amconservation.com](mailto:customercare@amconservation.com)



REQUEST A QUOTE  
[amconservation.com](https://amconservation.com)