



## NOVABLAST PUMP 30:1

The Novablast NOVABLAST PUMP 30:1 delivers superior painting performance with preciseness controls and high-quality mechanics. This pump is perfect for technically proficient painters who demand the best from their painting equipment.

With an outlet pressure of 210 bar, it is ideal for various applications in different industries, making it one of the most versatile pumps on the market. Whether you're a professional painter or a general contractor, this pump provides a cost-effective solution that won't break the bank.

It's the perfect choice for those who demand precision, reliability, and affordability from their paint pump.

Whether you're using it to paint metal parts, furniture, or walls, the NOVABLAST PUMP 30:1 Paint Spray Pump offers exceptional performance and results.



TECHNICAL SPECIFICATIONS	PUMP 30:1
ITEM NUMBER	81301000
FLUID PRESSURE RATIO	30:1
DELIVERY	1 GPM/MIN - 4 L/MIN
MAX. PUMP SPEED	60 CYCLE/MIN
AIR MOTOR EFFECTIVE	102 MM
STROKE	120 MM
MAX. INLET PRESSURE	100 PSI - 7 BAR
MAX. OUTLET PRESSURE	3000 PSI - 210 BAR
AIR INLET SIZE	1/2 (PT)
FLUID INLET SIZE	3⁄4 (PT)

## NOVABLAST PUMP X 45:1 PUMP X 56:1 PUMP X 68:1

For those who demand high-quality paint pumps, Novablast's X-Series Paint Pumps are an excellent solution for the professional applicator. Novablast features a range of X paint pumps from a 45:1 up to a 68:1 ratio.

Our versatile pumps are engineered to deliver outstanding performance in various industries, with a full range of accessories available to tailor to your specific needs. In addition, our pumps feature highly durable powder coating and stainless steel parts to endure the most corrosive of environments.

You can rely on the Xtreme Paint Pump as a professional painter to provide superior results without unnecessary bells and whistles. With its precise spray pattern and reliable mechanics, you can trust this pump to deliver the performance you need.

Whether you're a professional painter or contractor, the Novablast X Paint Pump can handle the job. With its unbeatable quality-to-price ratio and its versatility across different industries, it's a reliable and costeffective choice that won't disappoint.



TECHNICAL SPECIFICATIONS	PUMP X 45:1	PUMP X 56:1	PUMP X 68:1
ITEM NUMBER	81451000	81561000	81681000
FLUID PRESSURE RATIO	45:1	56:1	68:1
DELIVERY	3.98 GPM/MIN - 15 L/MIN	3.43 GPM/MIN - 13 L/MIN	2.86 GPM/MIN - 10.80 L/MIN
MAX. PUMP SPEED	60 CYCLE/MIN	60 CYCLE/MIN	60 CYCLE/MIN
AIR MOTOR EFFECTIVE	10 INCH - 254 MM	10 INCH - 254 MM	10 INCH - 254 MM
STROKE	4.72 INCH - 120 MM	4.72 INCH - 120 MM	4.72 INCH - 120 MM
MAX. INLET PRESSURE	100 PSI - 7 BAR	100 PSI - 7 BAR	100 PSI - 7 BAR
MAX. OUTLET PRESSURE	4500 PSI - 310 BAR	5600 PSI - 386 BAR	6800 PSI - 469 BAR
AIR INLET SIZE	34 (PT)	<sup>3</sup> ⁄4 (PT)	3⁄4 (PT)
FLUID INLET SIZE	1 (PT)	1 (PT)	1 (PT)



Our series of painting guns include three different guns designed to meet all of your painting needs. Each gun is made from high-quality materials, ensuring durability and longevity even with frequent use.

In addition, NOVABLAST guns are easy to handle and work seamlessly with most tips and tip guards from other manufacturers, allowing for ultimate flexibility and customization. So whether you're a professional contractor or painter, our guns will make your painting projects easy to handle.

Our NOVABLAST guns, in combination with original tips and accessories, prevent uneven coverage and messy paint jobs - our airless painting guns are designed to provide consistent, excellent results every time.

SPECIFICATIONS	XTR GUN	K300 GUN	SILVER+ GUN
ITEM NUMBER	81007000	81300100	81345004
MATERIAL	ALL METAL	ALL METAL	ALL METAL
PRESSURE	7250 PSI / 500 BAR	3600 PSI / 250 BAR	5000 PSI / 345 BAR