

ORTHOCANADA

Hospital & Senior Rehab Solutions

2025



OrthoCanada was founded in 1989 and has grown to become one of Canada's leading suppliers for hospitals, rehab centers and senior living facilities.

Through careful screening and selection, we offer our customers capital equipment and clinic supplies that are affordable, durable, and meet Canadian safety standards. From our Seers Tables and Nustep Recumbent Steppers to quality supplies like Sanctband, we ensure that products are safe and will help therapists achieve optimal clinical outcomes.





Clinic Setups & Expansions
Product Training
Education
Public Tenders & RFQ
Secure e-Commerce

Get Expert Advice

Expert advice is essential at OrthoCanada. Our talented group of professionals have the background and skill sets to help therapists and institutional buyers make the right product selection for request for proposals and quotes.

Industry Partners & Innovation

OrthoCanada has forged strong partnerships with industry leaders and manufacturers who are in the vanguard of product innovation and development, who provide good working conditions for their workforce, follow best manufacturing practices, and minimize environmental footprint.

Large Inventory & Logistic Solutions

Our inventory of over 3000 products is managed by a procurement team of professional buyers, planners, logistic operators, shipping, receiving and quality control staff. Together they use a state-of-the-art system that optimizes our supply chain operations and ensures orders are filled quickly.



Regulatory & Technical Support

OrthoCanada ensures its products comply with Canadian electrical safety standards and Health Canada's Medical Device License standards. Additionally, a repair and preventive maintenance program can be provided, to help streamline operations, optimize equipment performance, and minimize downtime.

Education

OrthoCanada has partnered with course providers like the K-Taping Academy, Shockwave Training Canada and Embodia to help therapists expand available treatment options for effective and efficient care.



Clinic Setup Expertise

OrthoCanada has been a trusted partner in helping facilities across Canada outfit their rehab department for over 30 years. We have built a team of dedicated, experienced, professionals and have developed a turnkey solution to ensure that new and expanding facilities receive everything they need, on time. We offer:

- Product selection and quality
- Innovative equipment
- Expert advice
- Financial advice
- Large inventory & logistic solutions
- Post sale and technical support





Secure e-Commerce

Online shopping should be reliable and worry-free. OrthoCanada is committed to safeguarding our customers' sensitive data and ensures safe online transactions through our secure payment gateways. Our company is fully compliant with PCI standards, Quebec loi 25 and Canada's Consumer Privacy Protection Act C-27.



**At
OrthoCanada
Healthcare
Institutions
Get More...
Way More**

**Professional
Pricing**


**Priority
Shipping**

**Free
Shipping for
Supply Orders
Over \$250**

- 10 Exercise Equipment**
- 26 Treatment Furniture**
- 46 Therapeutic Modalities**
- 68 Clinic Supplies**
- 96 Small Exercise Products**
- 110 Diagnostic**

**Bulk
Discounts on
Supplies**

**Regular
Promotions**



Ideal for Rehabilitation & Senior Living

NuStep was founded in the late 1980s by Dick Sarns, a medical device designer. Frustrated with the limitations in design and functionality of products used in cardiac rehabilitation, he launched NuStep to create and develop safe and accessible exercise equipment. The introduction of the first seated recumbent stepper in the 1990s revolutionized cardiac rehabilitation and quickly gained acceptance in healthcare and senior living communities. Today, NuStep's recumbent cross trainers are considered the gold standard for inclusive exercise equipment and make exercise possible for people of all ages and abilities.

Why NuStep?

Quality

NuStep is manufactured in the USA and adheres to ISO 9001; 2015 quality standards. The 60 + production associates are passionate about creating durable products, and the evidence is in - NuStep units in the field have registered over 150 million steps.

Fall Prevention

Widely acclaimed by professionals in healthcare and senior living, NuStep is the preferred brand for falls prevention and the improvement of cardiovascular health, strength, coordination, independence, and confidence.

Bridging the Gap

NuStep offers a unique full-body workout, benefiting individuals who cannot utilize conventional fitness

equipment. Its adaptable equipment and accessories allow them to exercise safely and effectively, even with limited mobility.

Ease-of-Use


NuStep recumbent steppers have earned the Arthritis Foundation's Ease-of-Use Commendation, given to products that are easy-to-use by people with arthritis but are also universally accessible to all users.

Service

Support doesn't end after a purchase. NuStep's technical service team, staffed by experienced product specialists, achieves an average 98% customer satisfaction rating.







NuStep T6 Recumbent Stepper

Accessible and easy-to-use, NuStep's T6 PRO & MAX Recumbent Steppers make total body exercise possible for people of all ages and abilities. They have an easy start-up – just touch the screen or start stepping and can be adjusted to fit any user, from 4'6" to 6'7". The console programs will engage and motivate users, and the frame includes features that support user safety, maximum comfort and adjustability.

The NuStep T6 has 15 resistance levels that adjust easily during workout using the lower touchscreen on the integrated media shelf. Programming on the dual screens encourage user engagement and provides metrics to guide exercise planning and progression. Interactive programs on the upper screen encourages the user, while the lower screen displays time, speed (steps per minute) total distance, watts, calories, METs, resistance level and heart rate. Export the data with the USB port and monitor heart rate with Bluetooth wireless technology. Therapists can use the admin mode to modify the default settings and customize an individual's program.

OC-040085-PRO	NuStep T6 PRO	w/Standard Seat
OC-040085-MAX	NuStep T6 MAX	w/Oversize Seat



Oversized pedals with non-slip inserts & adjustable foot secure system



12° Reclining seat



Grab Ring & StrideLock for safe mounting and dismounting

Dual-touchscreen
console with HD
display

360°
swivel seat for
easy mount &
dismount

User controlled
step length with
smooth stepping
motion

Low
step-through
design

Maximum Comfort & Adjustability

The ergonomically designed padded seat and contoured back provides a stable, supportive position for users while exercising.

- 500 lb weight capacity
- 360° swivel seat (locks every 45°)
- 12° reclining seat
- Arm & seat positions are easy to adjust
- 40° hand grip rotation

Safety First

The NuStep T6 includes features for maximum safety during exercise.

- *Grab Ring & StrideLock* for safe mounting and dismounting
- Low step-through design
- Optional hip and torso belt
- Oversized pedals with non-slip inserts & adjustable foot secure system

Engaging & Motivating

Dual-touchscreen console with HD display features intuitive software with engaging workout programs and easy-to-track metrics. With 15 levels of resistance, programs include:



Quick Start

Display pace & number of laps




Pace Partner

Stay on track with a steady pace



NuStep Charts

View statistics based on performance



Trail Runner

Exercise in locations around the world



NuStep T5XR Recumbent Stepper

The T5XR Recumbent Stepper is the industry standard for total body rehabilitation and conditioning. This exceptional machine offers life-transforming exercise to users of all ages and abilities. It boasts an extended range of features, adjustments and versatility that ensure users have a comprehensive workout experience. The T5XR is a favourite among cardiac rehab programs in Canada, providing safe, effective, and adaptive exercises.

OC-040072 NuStep T5XR w/Standard Seat
OC-040080 NuStep T5XR w/Oversize Seat



Display console is easy-to-read and use



12° reclining seat



Oversized pedals with non-slip inserts & adjustable foot secure system

Engaging & Motivating

Monitor and track user progress, change resistance levels, select workout programs on the large, easy-to-read LCD display console. With 15 levels of resistance, programs include:

Quick Start

Get on and go without setting goals

Pace Partner

Stay on track with a steady pace

Target Heart Rate

Keep heart rate in target range

Constant Speed/Power

Maintain a constant speed or workload

Client Profiles

Five profiles for interval training

Maximum Comfort & Adjustability

The ergonomically designed padded seat with a contoured back support provides a stable, supportive position for users while exercising.

- 600 lb user weight capacity
- 360° swivel seat (locks every 45°)
- 10° reclining seat
- Adjustable arm & seat positions
- 40° hand grip rotation

Safety First

The NuStep T5XR includes features for maximum safety during exercise.

- Grab Ring & *StrideLock* for safe mounting and dismounting
- Low step-through design
- Optional hip and torso belt
- Oversized pedals with non-slip inserts & adjustable foot secure system

NuStep T4R Recumbent Stepper

The NuStep T4R Recumbent Stepper is the most popular cross trainer in healthcare and senior living facilities and has now become a leading choice for home exercise. Healthcare professionals have learned that the T4R provides safe and effective exercise tailored to individuals of all ages and abilities. By enabling independent control of step length, resistance level, pace, and exercise duration, the T4R provides therapists flexibility in their treatment plans, and gives users a greater feeling of control and independence.

OC-040070R

NuStep T4R



Engaging & Motivating

A user-friendly display with engaging programs.

Quick start

Get on and go without setting goals

Pace Partner

Stay on track with a steady pace

Safety First

The NuStep T4R includes features for maximum safety during exercise.

- Grab Ring & *StrideLock* for safe mounting and dismounting
- Optional hip belt
- Oversized pedals with non-slip inserts & optional adjustable foot secure system



Non-slip oversized pedals & optional adjustable foot secure system



NuStep Optional Accessories

Ideal for those with limited mobility or neurological conditions, the range of NuStep's optional accessories makes exercise and rehabilitation possible for people of all ages and abilities.

Foot Secure System¹

Keeps feet securely in place, prevents slippage and ensures more efficient exercise.



Well Grip Set²

Keeps hands with weak to no grip strength firmly and comfortably in contact with handgrips.



Leg Stabilizers³

For reduced lower extremity control, legs are maintained in correct plane of movement during exercise.



Hip & Torso Belt⁴

For reduced trunk control, helps maintain upright posture, stability, and security.



Polar Chest Strap⁵

Wireless connectivity provides real-time and accurate heart rate monitoring.

NuStep Model Comparison Chart



T6

T5XR

T4r

Key Mechanical Features

360° swivel seat	•	•	•
Step-through design	•	•	•
Adjustable seat	Up to 18"	Up to 18"	Up to 15"
Adjustable arms	Up to 18"	Up to 18"	Up to 15"
Reclining seat back	•	•	•
40° grip rotation	•	•	•
Stridelock®	•	•	•
Foot secure system	•	•	Optional
Grab ring	•	•	•
Media shelf	•	•	•
Water bottle holder	•	•	•

Electronic Features

Resistance levels	15	15	10
Contact heart rate	•	•	•
Polar (only) heart rate connectivity	•	•	•
Bluetooth heart rate connectivity	•	•	•
Headphone jack	•	•	•
Self-generating	•	•	•
External power supply required	•	•	•
USB port for data export	•	•	•

Console/Program Options

LCD colour display	•	•	•
Dual touchscreen display	•	•	•
Quick Start / Manual mode	•	•	•
Profiles	•	•	•
Pace Partner	•	•	•
Target Heart Rate	•	•	•
Constant Speed / Power	•	•	•
Exercise Protocol (Clinical setting only)	•	•	•
Workout Charts	•	•	•

Product Specifications

Weight capacity	500 lb	600 lb	400 lb
Footprint (L x W x H)	73" x 30" x 52"	73" x 29" x 46"	60" x 27" x 45"
Product weight	298 lb	298 lb	210 lb
Seat back height	19.5"	19.5"	15"
Standard seat 18" width	•	•	17"
Wide seat 22" width	Optional	Optional	•

Warranty

Frame	10 years	10 years	10 years
Parts	3 years	3 years	5 years
Labor	1 years	1 years	1 years



NuStep UE8 Upper Body Ergometer

NuStep UE8 PRO & MAX Upper Body Ergometers are ideal additions to rehabilitation programs for all ages and abilities. Its Integrated Sensor Technology is built into the handgrips, and the bi-directional swivel drive train is designed for ease of access – users can exercise in sitting, standing or in a wheelchair without removing the seat. The ergonomic seat swivels 360° and reclines 12° for additional adjustability.

15 resistance levels guarantee that an exercise program can be initiated early and increased easily as needed. The integrated media shelf with dual HD touchscreens provides interactive programs that promote user engagement and displays metrics that guide planning and progression, including time, speed, total distance, METS, resistance level and heart rate. Export the data with the USB port and monitor heart rate with Bluetooth wireless technology. Therapists can use the admin mode to modify default settings and/or customize their patient's program.

OC-040092-PRO NuStep UE8 PRO w/Standard Seat
OC-040092-MAX NuStep UE8 MAX w/Oversize Seat



Unique Sensor Technology (See details on following page)

Engaging & Motivating

Dual-touchscreen console with HD display features intuitive software with engaging workout programs and easy-to-track metrics. With 15 levels of resistance, programs include:



Quick Start

Display pace & number of laps



Pace Partner

Stay on track with a steady pace



NuStep Charts

View statistics based on performance



Trail Runner

Exercise in locations around the world

NuStep RB8 Recumbent Bike

NuStep's innovative RB8 Recumbent Bike provides users with an effective workout regardless of their fitness level or functional capacity. With its low step-through design and a custom seat that swivels and reclines, the NuStep RB8 is both accessible and adjustable for optimal positioning and comfort during exercise. Its unique design features Integrated Sensor Technology in the pedals that will capture discrepancies in power output between the lower limbs in real time. The console has dual high-definition monitors with touchscreen navigation.

The NuStep RB8 offers 15 resistance levels, easily adjusted during workout on the integrated media shelf. The dual high-definition monitors with touchscreen navigation promote user engagement and provide metrics to guide planning and progression. The upper screen displays interactive programs while the lower screen shows time, speed (steps per minute) total distance, watts, calories, METs, resistance level and heart rate. Export the data with the USB port and monitor heart rate with Bluetooth wireless technology. Therapists can use the admin mode to modify the default settings and customize a patient's program.

OC-040090-PRO NuStep RB8 PRO w/Standard Seat
OC-040090-MAX NuStep RB8 MAX w/Oversize Seat



Unique Sensor Technology

A useful rehabilitation and training tool that monitors the difference in strength between extremities.

- Identifies a difference in power output & symmetry between the right & left legs
- Monitors in real time
- Shows where power inconsistencies lie throughout the ROM



**Also Includes
the Engaging &
Motivating Dual-
Touchscreen
Console**

(See details on previous page)



Spirit CR800 Recumbent Bike

OC-36205

Console	Multi-window LED display, adjustable fan, USB charging, direct speed/incline buttons, Bluetooth FTMS for connectivity to apps, C-Safe
Programs	Manual, Hill, Fat Burn, Cardio, HIIT, Interval, Fit Test, Heart Rate (2), Constant Power, Custom
Heart Rate	Contact & Bluetooth
Resistance	40 levels
Starting Resistance	10 Watts
Drive Train	Poly-v belt w/self-tensioner
Power	Self-generating
Flywheel	30 lb
Pedals	Oversized with a fast-latch system
Seat Adjustment	Yes
Storage	Reading rack, dual seat-mounted trays
Frame	Heavy-gauge high-strength steel with durable powder coat paint
Dims	60"L x 29"W x 51"H
Weight Capacity	450 lb
Product Weight	164 lb
Warranty	FC, lifetime on frame, 5 yrs parts and electronics, 2 yrs labor



Spirit XBR95 Recumbent Bike

OC-36202

Console	7.5" black backlit LCD, adjustable tablet holder (swivel/tilt), adjustable fan, USB charging, Bluetooth speakers, Bluetooth FTMS for connectivity to apps
Programs	Manual, Hill, Fat Burn, Cardio, Strength, HIIT, Fusion, Target (3), Custom (2), Heart Rate (4)
Heart Rate	Contact, Bluetooth, 5kHz
Resistance	40 levels
Starting Resistance	10 Watts
Power	Self-generating
Flywheel	30 lb
Pedals	Oversized & self-balancing with a fast-latch system
Seat Adjustment	Yes
Storage	Water bottle holder, reading rack
Frame	Heavy-gauge high-strength steel with durable powder coat paint
Dims	57"L x 29.5"W x 57"H
Weight Capacity	330 lb
Product Weight	140 lb
Warranty	LC, lifetime on frame, 5 yrs brake, 3 yrs parts, 1 yrs labor



LC: Light Commercial
FC: Full Commercial

Spirit CU800 Upright Bike

OC-36204

Console	Multi-window LED display, adjustable fan, USB charging, direct speed/incline buttons, Bluetooth FTMS for connectivity to apps, C-Safe
Programs	Manual, Hill, Fat Burn, Cardio, HIIT, Interval, Fit Test, Heart Rate (2), Constant Power, Custom
Heart Rate	Contact & Bluetooth
Resistance	40 levels
Starting Resistance	10 Watts
Drive Train	Poly-v belt w/self-tensioner
Power	Self-generating
Flywheel	30 lb
Pedals	Oversized with a fast-latch system
Seat Adjustment	Yes
Storage	Reading rack, dual water bottle holders
Frame	Heavy-gauge high-strength steel with durable powder coat paint
Dims	49"L x 26"W x 58"H
Weight Capacity	450 lb
Product Weight	127 lb
Warranty	FC, lifetime on frame, 5 yrs parts and electronics, 2 yrs labor



Spirit XBU55 Upright Bike

OC-36201

Console	7.5" black backlit LCD, adjustable tablet holder (swivel/tilt), adjustable fan, USB charging, Bluetooth speakers, Bluetooth FTMS for connectivity to apps
Programs	Manual, Hill, Fat Burn, Cardio, Strength, HIIT, Fusion, Target (3), Custom (2), Heart Rate (4)
Heart Rate	Contact, Bluetooth, 5kHz
Resistance	20 levels
Starting Resistance	10 Watts
Power	Requires 120V power supply
Flywheel	30 lb
Pedals	Oversized & self-balancing with a fast-latch system
Seat Adjustment	Yes
Storage	Water bottle holder, reading rack
Frame	Heavy-gauge high-strength steel with durable powder coat paint
Dims	43"L x 22"W x 62"H
Weight Capacity	330 lb
Product Weight	100 lb
Warranty	LC, lifetime on frame, 5 yrs brake, 3 yrs parts, 1 yrs labor





Spirit CT800 Treadmill

OC-36203

HP / Motor	4HP
Dims	85"L x 36"W x 61"H
Product Weight	380 lb
Running Surface	60" x 22" w/multiply belt
Step Up	8"
Weight Capacity	450 lb
Speed	0 to 12 mph
Incline	0 to 15%
Programs	Manual, Interval, 5k, 10k, HIIT, Fat Burn, Cardio, Gerkin Fit Test, Military Tests (6), Heart Rate (2), Custom
Medical Rails	Optional
Heart Rate Monitor	Contact, Bluetooth, 5kHz
Quick Start	Yes
Reverse	No
Safety Off Switch	Yes
iPod, TV Compatible	Bluetooth FTMS, C-Safe
Crossbar	Demi & includes contact heart rate
Warranty	FC, lifetime on frame, 5 yrs motor, deck & parts, 2 yrs labor



Spirit XT685 Treadmill

OC-36200

HP / Motor	4HP
Dims	77"L x 36"W x 68"H
Product Weight	269 lb
Running Surface	60" x 22"
Step Up	7"
Weight Capacity	330 lb
Speed	0.5 to 12 mph
Incline	0 to 15%
Programs	Manual, Hill, Fat Burn, Cardio, Strength, HIIT, Fusion, 5K, 10K, Target (3), Custom (2), Heart Rate (4)
Medical Rails	No
Heart Rate Monitor	Contact, Bluetooth, 5kHz
Quick Start	Yes
Reverse	No
Safety Off Switch	Yes
iPod, TV Compatible	Bluetooth FTMS, Bluetooth 3.0
Crossbar	Demi & includes contact heart rate
Warranty	LC, lifetime on frame, 5 yrs motor, 3 yrs deck & parts, 1 yr labor



SportsArt T655MD Medical Treadmill

OC-37018

HP / Motor	5HP/AC
Dims	104"L x 40"W x 59"H
Product Weight	464 lb
Running Surface	62" x 22"
Step Up	6" with step, 10" without step
Weight Capacity	500 lb
Speed	-3 to 12 mph
Incline	-3 to 22%
Programs	Manual, Random, Interval, Glute, Hill, Track, Fat Burn, HRC Program, Bruce, Modified Bruce, Naughton
Medical Rails	Included, adjustable in height & angle
Heart Rate Monitor	Telemetry
Quick Start	Yes
Reverse	Yes
Safety Off Switch	Yes
iPod, TV Compatible	No
Crossbar	Standard
Warranty	FC, lifetime on frame, 5 yrs parts, labor & wear items



SportsArt T655M Medical Treadmill

OC-37002

HP / Motor	5HP/AC
Dims	84"L x 38"W x 56"H
Product Weight	372 lb
Running Surface	62" x 22"
Step Up	8.75"
Weight Capacity	500 lb
Speed	-3 to 12 mph
Incline	-3 to 15%
Programs	Manual/Track, Random, Glute (x2), Interval (x3), Zone Trainer - Custom HR, Fat Burn, Hill (x3), Cardio HRC by incline or speed, Weight Loss HRC by incline or speed, Fit Tests
Medical Rails	Included
Heart Rate Monitor	Telemetry & contact
Quick Start	Yes
Reverse	Yes
Safety Off Switch	Yes
iPod, TV Compatible	Optional
Crossbar	No
Warranty	FC, lifetime on frame, 5 yrs parts & wear items, 3 yrs labor, 90 days high wearable items



PhysioPro

Wall Mounted Pulleys

The PhysioPro Pulley is a wall-mounted unit specifically adapted to meet the needs of physical rehabilitation. More than 85 exercises can be set up on the bilateral model, and its low starting resistance of one pound makes it ideal for clinical and institutional settings.

Dual weight stacks of 50 lb each can accommodate exercise requirements for more intense conditioning. Wall mount brackets included.

Warranty, 10-year structural and 5-year operating system.

Weight increments 1 to 5 lb: 1 lb, 5 to 20 lb: 2.5 lb, 20 to 50 lb: 5lb.

OC-31750
OC-31760
OC-31740-14

PhysioPro Unilateral Pulley
PhysioPro Bilateral Pulley
Optional Lat Pull Down Bar

22"W x 90"H x 24"D
48"W x 90"H x 24"D

Bilateral Pulley Accessories

- Waist Strap
- Thigh Strap
- Shoulder Strap
- Ankle/Wrist Strap
- Single Arm Handle (2)
- Rowing Handle
- Wrist Conditioner
- Biceps/Triceps Bar
- Overhead Extension
- Lower Extension

Unilateral Pulley Accessories

- Waist Strap
- Thigh Strap
- Shoulder Strap
- Single Arm Handle

CABL

Health Trainer (Rehab Version)

The innovative CABL Health Trainer is the perfect strength training and reconditioning solution for physiotherapy clinics, hospitals, rehabilitation centers, retirement homes and assisted living facilities. Its patented design of hydraulic gas struts and adjustable weight selector delivers a constant resistance throughout the range of motion. The easy-turn weight selector allows quick adjustability of resistance that ranges from 5 to 30 lb in small increments. The 170° swivel exit guide promotes natural movement patterns and reduces friction during exercises. The cable rolls smoothly through the pulleys to allow fluid movement and includes a dampening feature to slow its return in case of accidental release.

The height of the CABL Health Trainer is easily adjusted with a lever to accommodate setup of a wide variety of upper and lower extremity exercises. The lever features a stainless-steel pin with auto-lock function. Mounting hardware included.

OC-31770 CABL Health Trainer (Rehab version)

Features

- Easy weight selection ranges from 5 to 30lb in small increments (5, 9, 13, 17, 24, 30lb)
- Convenient height adjustability includes 9 positions across 4.9' of track
- 170° swivel exit guide
- 6' of cable length tested to deliver a full range of exercises
- Dampening feature designed to slow the return of the cable in case of accidental release
- Includes a handle, an ankle strap and rope accessories
- 18 month warranty





SEERSMEDICAL

Quality Above All Else!

Seers Medical is the leading UK manufacturer of physiotherapy, rehabilitation and medical tables. Seers is dedicated to investing in technological advancements that cater to evolving healthcare applications. Their solutions consistently embody cutting-edge innovation that meets the demands of therapists and stays at the forefront of the industry. Seers products are sold in over 90 countries worldwide, a testament to their global reach. OrthoCanada is proud to exclusively represent Seers Medical in Canada.

Accreditations

Seers Medical's accreditations for quality management (ISO 9001: 2008 & ISO 13485:2016) and environmental practices (ISO 14001) demonstrate their commitment to customer satisfaction, regulatory standards, and responsible operations.

Traceability

Seers Medical table components have a unique serial number that enables comprehensive tracking and ensures quality control, regulatory compliance, post-market surveillance, and patient safety.

Stock Colours



Black



Dark Grey



Deep Blue

Infection Control

Hinger Covers

Contains fluid for easy wiping and protects hinges from liquid seepage.

Antibacterial Upholstery

Institutional-grade, antibacterial, waterproof, and fire-resistant. Fabric is impregnated with Sanitize, which reduces viral activity, including coronaviruses, by over 86%.

EasyClean

This smooth and easy-to-wipe surface is crafted from recycled material. Its backing eliminates staples along the upholstery edges, preventing bacterial growth.

Antimicrobial Powder Coating

The framework is powder-coated with an antimicrobial additive that is evenly distributed by a static charge covering every part, and oven baked to seal before assembly.

Insert Nuts & Caps

Insert and nut caps are fitted to the frame sealing any open sections from ingress. The nylon nut fittings are also capped for safety and infection prevention.



Premium Clinnova 3-Section Mobilization Table

The Clinnova mobilization treatment table, designed for institutional use, has set new standards in infection control, design, and quality engineering. Its many advanced features include an Easy-Clean upholstery backing, antimicrobial powder-coated frame, antibacterial upholstery, comfort crescent cushion, a one-hand release head section, single-lever retractable wheel design, a faster actuator and a 360° perimeter footswitch. These innovative features combine to create a unique treatment table that is adaptable to requirements for a wide range of manual therapy techniques, while reducing the risk of infection and withstanding the heavy use in institutional settings. Wheelchair accessible for patient transfers with clearance beneath the frame for a mobile hoist.

V-360-B	Premium Clinnova	w/Foot Pedal
V-365-B	Premium Clinnova	w/Perimeter Footswitch
V-375-B	Premium Clinnova	w/Perimeter Footswitch & Shroud

Warranty

Frame	Lifetime
Upholstery	5 years
Actuator	5 years
Other Components	5 years

Comfort Crescent Cushion

Improved patient comfort for examinations and treatments done in prone. Removable when required and replaced by the breathing hole plug (included with table).

One-Hand Release Head Section

Features an offset German made *Stabilus* power-assisted anti-entrapment gas strut. In a prone position, the patient's view is unobscured. Refer to description of anti-entrapment gas struts.

Adjustable Leveling Foot

Used for uneven flooring and can be easily adjusted to set all 4 legs firmly on the floor for added stability.

Sturdy Wheels

Feature institutional-grade 3" diameter wheels have a combined load capacity of 660lb.

Optional Base Shroud (Not Illustrated)

Improve infection control practices with the fully encapsulated shroud cover. Cleaning becomes effortless as small crevices are removed and replaced with larger, easy to wipe surfaces with antimicrobial properties.

EasyClean

Is an innovative solution, featuring a smooth and easy-to-wipe surface. Crafted from recycled synthetic material, its unique backing eliminates visible staples along the upholstery edges, preventing bacterial growth. This design facilitates effortless cleaning and maintenance.





Comfort Crescent Cushion



Breathing Hole Plug

Seers V-365-B Premium Clinnova
3-section Table with perimeter
footswitch



Antibacterial Upholstery

Institutional-grade, antibacterial, waterproof, and fire-resistant to Crib 5 standards Mundial vinyl. It is impregnated with Sanitize, an antimicrobial additive treatment that protects against viruses, bacteria, mould & fungi. Sanitized fabrics can reduce viral activity, including coronaviruses, by over 86%. Additionally, the vinyl has been rigorously tested for abrasion resistance, withstanding an impressive 150,000 cycles.

Anti-Entrapment Gas Struts

Sections have German made *Stabilus* power-assisted anti-entrapment gas struts for safe control. The release lever is only used when "closing" the section, reducing the risk of damage to the gas strut seals.

Self-Lubricating Bearings

Ensures the frame raises and lowers in a smooth and silent manner regularly with minimal maintenance. Seers Medical has cycle tested the frame in excess of 120,000 repetitions with a weight of 220lb.

Retractable Wheel Design

Institutional-grade, single lever activated, is simply pushed down to raise the table on its wheels for easy transport. Pull the lever up to bring the table down onto its 4 legs.

Faster Actuator

Changes the Clinnova table height in half the time. With the faster actuator action, the table travels from its lowest to highest in only 15 seconds.

Treated Frames with High Load Capacity


Frames are rust proofed prior to being enamelled with an epoxy powder paint that has an antimicrobial additive for infection control and ease of cleaning. Frames are oven baked to seal paint prior to assembly. 3mm thick steel walls provide extreme strength with a safe lifting capacity of 584lb.

Perimeter Footswitch

The 360° perimeter footswitch is motionless, with membrane sensors positioned to allow the therapist to locate and change the table height leaving hands free to treat the patient. Simple foot pressure on the top or bottom of the switch membrane will activate the table height.



V-360-B/V-365-B/V-375-B



Meets Canadian electrical & load
safety standards





3-Section Mobilization Table with 90° Drop End

This exceptional 3-section mobilization treatment table is unrivalled in strength and stability. Equipped with an adjustable backrest and a convenient one-hand adjustable head section, it effortlessly adapts to various manual therapy and patient examination procedures. Its vertical movement during height adjustments, coupled with anti-bacterial upholstery, anti-entrapment gas struts, and a breathing hole, ensures unparalleled patient comfort and safety. Choose between an electric control foot pedal or perimeter footswitch for seamless operation. Wheelchair accessible for patient transfers and clearance beneath frame for a mobile hoist.

V-330	3-Section 90° Drop End	w/Foot Pedal
V-335	3-Section 90° Drop End	w/Perimeter Footswitch

Warranty

Frame	Lifetime
Upholstery	5 years
Actuator	5 years
Other Components	5 years

Anti-Entrapment Gas Struts

Sections have German made Stabilus® power-assisted anti-entrapment gas struts for safe control. The release lever is only used when “closing” the section, reducing the risk of damage to the gas strut seals.

Self-Lubricating Bearings

Ensure the frame regularly raises and lowers in a smooth and silent manner with minimal maintenance.


Sturdy Wheels

Tente institutional-grade 3" diameter wheels have a combined load capacity of 660lb.

Adjustable Leveling Foot

Used for uneven flooring and can be easily adjusted to set all 4 legs firmly on the floor for added stability.





Seers V-335 3-Section Mobilization Table with 90° drop end and perimeter footswitch



Antibacterial Upholstery

Institutional-grade, antibacterial, waterproof, and fire-resistant to Crib 5 standards Mundial vinyl. It is impregnated with Sanitize, an antimicrobial additive treatment that protects against viruses, bacteria, mould & fungi. Sanitized fabrics can reduce viral activity, including coronaviruses, by over 86%. Additionally, the vinyl has been rigorously tested for abrasion resistance, withstanding an impressive 150,000 cycles.

One-Hand Release Head Section

Features an offset German made *Stabilus* power-assisted anti-entrapment gas strut. In a prone position, the patient's view is unobscured. Refer to description of anti-entrapment gas struts.

Retractable Wheel Design

Institutional-grade and activated at each end of the table. Simply push down to raise the table on its wheels for easy transport. Pull the lever up to bring the table down onto its 4 legs.

Treated Frames with High Load Capacity

Frames are rust proofed prior to being enamelled with an epoxy powder paint that has an antimicrobial additive for infection control and ease of cleaning. Frames are oven baked to seal paint prior to assembly. 3mm thick steel walls provide extreme strength with a safe lifting capacity of 528lb.

Perimeter Footswitch

The 360° perimeter footswitch is motionless, with membrane sensors positioned to allow the therapist to locate and change the table height leaving hands free to treat the patient. Simple foot pressure on the top or bottom of the switch membrane will activate the table height.

EasyClean

Is an innovative solution, featuring a smooth and easy-to-wipe surface. Crafted from recycled synthetic material, its unique backing eliminates visible staples along the upholstery edges, preventing bacterial growth. This design facilitates effortless cleaning and maintenance.





Sterling 3-Section Entry Level Table

The Sterling 3-Section treatment table has an outstanding simple yet quality design. It encompasses numerous top-tier features found in the coveted 3-Section Drop End and Clinnova tables, including one-hand adjustable head and back sections, Stabilus® power-assisted anti-entrapment gas struts of German craftsmanship, durable institutional-grade Mundial upholstery vinyl, and self-lubricating bearings. With a perfect blend of functionality and quality, the Sterling treatment table ensures a superior experience for both therapists and patients. Wheelchair accessible for patient transfers and clearance beneath frame for a mobile hoist.

V-333 3-Section Sterling w/Foot Pedal



EasyClean

Is an innovative solution, featuring a smooth and easy-to-wipe surface. Crafted from recycled synthetic material, its unique backing eliminates visible staples along the upholstery edges, preventing bacterial growth. This design facilitates effortless cleaning and maintenance.

Warranty

Frame	Lifetime
Upholstery	5 years
Actuator	5 years
Other Components	5 years

Largeur
27.5"

0

20.5"

17"

36.5"

V-333

+40°

+80°

-25°

Height Range 18" to 39"

440

Weight Capacity (lbs.)

Accessible

Anti-Bacterial

Freight Required

Meets Canadian electrical & load safety standards

SA®

PS Certified

3-Section Table Comparison Chart



**Premium
Clinnova 3-Section
Mobilization
Table**



**3-Section
Mobilization
Table with 90°
Drop End**



**Sterling
3-Section
Entry Level
Table**

Dimensions	27.5"W x 76"L x 20"-39"H	27.5"W x 73"L x 18"-40"H	27.5"W x 76"L x 18"-39"H
Head Section Length	15"	15"	20.5"
Head Section Tilt	-90°, +10°	-90°, +10°	-25°, +40°
Middle Section Length	20"	20"	17"
Foot Section Length	37.5"	37.5"	36.5"
Foot Section Tilt	+90°	+90°	+80°
1-Hand Release Sections	Yes	Yes	Yes
Foam	1.6" medium density	1.6" medium density	1.6" medium density
Upholstery	Waterproof, antibacterial & fire retardant Mundial vinyl	Waterproof, antibacterial & fire retardant Mundial vinyl	Waterproof, antibacterial & fire retardant Mundial vinyl
Martindale Abrasion Rating	150 000 rubs	150 000 rubs	150 000 rubs
Perimeter Footswitch	V-365	V-335	NA
Lifting Capacity	584lb	528lb	440lb
Travel Time	15 sec	30 sec	45 sec
Castor System	Retractable wheel design, 1 lever	Retractable wheel design, 2 levers	Individually locking castors
Levelling Foot	Yes	Yes	No
Breathing Hole & Plug	Yes	Yes	Yes
Paper Roll Holder	Optional	Optional	Optional
Base Frame Cover (Shroud)	Optional	Optional	No
Safety Marking	QPS/CSA	QPS/CSA	QPS/CSA
Warranty	Lifetime frame, 5 yrs components	Lifetime frame, 5 yrs components	Lifetime frame, 5 yrs components
Code	V-360/V-365/V-375	V-330/V-335	V-333



Bobath Table

Trusted by Canadian therapists, the Bobath Table is an excellent choice, encompassing numerous top-tier features. Crafted with institutional-grade materials, an ergonomic design, and adjustable features, the Bobath Table ensures optimal support and positioning for effective and personalized therapeutic sessions. In addition, the table provides optional side support rails, a patient limb support, and patient support loops to enhance treatment. Wheelchair accessible for patient transfers and clearance beneath frame for a mobile hoist.

V-100	Bobath Table	w/Foot Pedal	80"L x 41"W x 18-39"H
V-105	Bobath Table	w/Perimeter Footswitch	80"L x 41"W x 18-39"H
V-110	Bobath Table	w/Foot Pedal	80"L x 49"W x 18-39"H

Warranty

Frame	Lifetime
Upholstery	5 years
Actuator	5 years
Other Components	5 years

Treated Frames with High Load Capacity

Frames are rust proofed prior to being enamelled with an epoxy powder paint that has an antimicrobial additive for infection control and ease of cleaning. Frames are oven baked to seal paint prior to assembly. 3mm thick steel walls provide extreme strength with a safe lifting capacity of 550lb.

Self-Lubricating Bearings

Ensure the frame regularly raises and lowers in a smooth and silent manner with minimal maintenance.

Sturdy Wheels

Tente® institutional-grade 3" diameter wheels have a combined load capacity of 660lb.

Adjustable Leveling Foot

Used for uneven flooring and can be easily adjusted to set all 4 legs firmly on the floor for added stability.



EasyClean

Is an innovative solution, featuring a smooth and easy-to-wipe surface. Crafted from recycled synthetic material, its unique backing eliminates visible staples along the upholstery edges, preventing bacterial growth. This design facilitates effortless cleaning and maintenance.





Antibacterial Upholstery

Institutional-grade, antibacterial, waterproof, and fire-resistant to Crib 5 standards Mundial vinyl. It is impregnated with Sanitize, an antimicrobial additive treatment that protects against viruses, bacteria, mould & fungi. Sanitized fabrics can reduce viral activity, including coronaviruses, by over 86%. Additionally, the vinyl has been rigorously tested for abrasion resistance, withstanding an impressive 150,000 cycles.

One-Hand Release Backrest with Anti-Entrapment Gas Strut

German made Stabilus® power-assisted anti-entrapment gas strut for safe control. The release lever is only used when "closing" the section, reducing the risk of damage to the gas strut seals.



Optional patient limb support & side support rails (shown lowered)





Optional support loops

Retractable Wheel Design

Institutional-grade and activated at each end of the table. Simply push down to raise the table on its wheels for easy transport. Pull the lever up to bring the table down onto its 4 legs.

Perimeter Footswitch

The 360° perimeter footswitch is motionless, with membrane sensors positioned to allow therapist to locate and change the table height leaving hands free to treat the patient. Simple foot pressure on the top or bottom of the switch membrane will activate the table height.



Meets Canadian electrical & load safety standards



Mat Platform Table

The Seers Mat Platform Tables are almost identical to the Bobath models in terms of specifications and features but does not have the backrest. The single section top design provides a large and stable variable height surface that supports a wide range of exercises and treatment techniques. Includes a magnetic hand control that attaches to the frame. Wheelchair accessible for patient transfers and clearance beneath frame for a mobile hoist.

- Institutional-grade antibacterial Mundial vinyl
- Durable upholstery with a Martindale abrasion rating of 150 000 rubs
- Frame includes an antimicrobial additive for infection control

V-150	Mat Platform Table w/Hand Control	78"L x 41"W x 18-37"H
V-151	Mat Platform Table w/Hand Control	78"L x 49"W x 18-37"H
V-152	Mat Platform Table w/Hand Control	78"L x 59"W x 18-37"H

Warranty

Frame	Lifetime
Upholstery	5 years
Actuator	5 years
Other Components	5 years



Width 41"

78"

V-150

Width 49"

78"

V-151

Width 59"

78"

V-152

550

Weight Capacity (lbs.)

Accessible

Anti-Bacterial

Freight Required

B

Bariatric

Meets Canadian electrical & load safety standards

SA

PS

Certified

Height Range 18" to 37"

3-Section Bariatric Table

The 3-Section Bariatric is the ideal choice when a high capacity lifting table with a 3 cushion configuration is needed. Its institutional-grade, antibacterial, waterproof, and fire-resistant to Crib 5 standards Mundial vinyl is valued by facilities. The Mundial vinyl is impregnated with Sanitize, an antimicrobial additive that protects against viruses, bacteria, mould & fungi. Sanitized fabrics can reduce viral activity, including coronaviruses, by over 86%. Additionally, the vinyl has been rigorously tested for abrasion resistance, withstanding an impressive 150,000 cycles. Crafted with institutional-grade materials, ergonomic design, and adjustable features, the 3-Section Bariatric Table ensures optimal support and positioning for effective and personalized therapy sessions. Wheelchair accessible for patient transfers and clearance beneath frame for a mobile hoist.

- Institutional-grade antibacterial Mundial vinyl
- Durable upholstery with a Martindale abrasion rating of 150 000 rubs
- Frame includes antimicrobial additive for infection control
- Includes electric foot and head sections

Warranty

Frame	Lifetime
Upholstery	5 years
Actuator	5 years
Other Components	5 years

V-SM3573 3-Section Bariatric Table w/Triple Footswitch 75"L x 33"W x 18-38"H



Triple footswitch

Width
31.5"

25.5"

17"

32.5"

V-SM3573

+80°

+45°

-25°

Height Range 18" to 38.5"

715

Weight Capacity (lbs.)

Accessible

Anti-Bacterial

Freight Required

B

Bariatric

Meets Canadian electrical & load safety standards

SA

PS

Certified



Sterling Changing Table

The Sterling Changing Table provides a variable height support surface to reduce back strain for caregivers and support staff during routine changing procedures in environments such as schools, paediatric units and long term care facilities. Fitted with large individually locking castors for easy transport, side rails and side rail cushions, antibacterial upholstery, and a hand control for height adjustment.

V-SX1057 Sterling Change Table w/Hand Control 72"L x 25"W x 18-39"H




- Institutional-grade antimicrobial Mundial vinyl
- Durable upholstery with a Martindale abrasion rating of 150 000 rubs
- Frame includes antimicrobial additive for infection control

Warranty


Frame	Lifetime
Upholstery	5 years
Actuator	5 years
Other Components	5 years

Width
25"





72"


V-SX1057




Height Range 18" to 39"




440
Weight Capacity (lbs.)


Accessible


Anti-Bacterial


Freight Required

Meets Canadian electrical & load safety standards

38

Tilt Table Pro

The intelligent Tilt Table Pro has been designed & developed with medical professionals to meet requirements for syncope testing. The emergency override allows therapists to return the patient to horizontal immediately, in the event of fainting or cardiac arrest. A digital hand control is included as standard, giving live feedback of the table height and angle.

- Institutional-grade antimicrobial Mundial vinyl
- Durable upholstery has a Martindale abrasion rating of 150 000 rubs
- Frame includes antimicrobial additive for infection control

V-400-B	Tilt Table Pro	76"L x 27.5"W x 19-40.5"H
V-410-B	Tilt Table Pro w/Divided Legs	76"L x 27.5"W x 19-40.5"H

Warranty

Frame	Lifetime
Upholstery	5 years
Actuator	5 years
Other Components	5 years

Override/Quick Release

Overrides the actuator to return the patient to horizontal within seconds for emergency CPR.





15 Second Motors with Soft Stop

Brings patients from horizontal to vertical in 15 seconds.



Intelligent Software

Ensures the table is at a suitable height before tilting. CPR function included.



Meets Canadian electrical & load safety standards



Shower Trolley

Designed to provide transport to and from the showering area, this mobile hydraulic Shower Trolley features a foam padded PVC liner and support cushion for added patient comfort, a linked wheel system with central locking and steering facility, as well as fold down side support rails for patient transfers. Clearance beneath frame for mobile hoist.

- Low gradient tilt towards foot end for water drainage via integral outlet
- Bumpers can be removed to reduce the width
- Lowers to wheelchair height for patient transfers
- Clearance beneath frame for mobile hoist

V-ST7700 77"L x 29"W x 16-37"H



Protective Bumpers

Bumpers fitted to all corners for protection during transport.

Large Mobile Wheel Design


5" central locking castors incorporate 3 easy-to-use locking modes: free roam, directional lock, and full lock.



Plug and Drain Hose


Includes plug and drain hose with storage bracket.

Width
29"




77"


V-ST7700




Height Range 16" to 37"




528
Weight
Capacity (lbs.)



Accessible





Anti-
Bacterial



Freight
Required

Meets Canadian electrical & load safety standards

Sukhā

Sukha Swivel Stool

This best seller includes a comfortable 15" diameter seat, with a 3" semi-firm foam cushion covered in durable PVC upholstery. Weight capacity 300lb.

SU-3180	A	19" to 24"H
SU-3183	B	19" to 24"H w/Backrest



Sukha Saddle Stool

Designed for comfort, and to improve posture while sitting. Made with 2" semi-firm foam padding and covered with durable PVC vinyl upholstery. Weight capacity 300 lb.

SU-3186	C	20.8" to 28.7"H
---------	---	-----------------

Sukha Full Round Bolster

Place under patient's knees, ankles, or lower abdomen (in prone lying) for support and to relieve tension. Easy to clean polyurethane upholstery cover is zippered and has a strap handle.

SU-00626-B	E	6"x 26"
SU-00826-B	D	8.5"x 26"

Sukha Knee & Positioning Wedge

This versatile wedge enables patient treatment in an inclined position, or can be used to support knees and relieve pressure on the lumbar spine, ensuring optimal comfort.

SU-00500-B	F	26"L x 18"W x 9"H
------------	---	-------------------

Electric Height & Width Adjustable Parallel Bars

Adjustable Parallel Bars, available in standard and bariatric weight capacities, smoothly adapt to desired height and width and offer a robust steel construction that ensures safety and stability. Choose from 1' or 3' long tapered ends for easy mount, dismount, and wheelchair accessibility. Requires electrical power supply of 7.6A, 115V, 782W.

600lb Weight Capacity

OC-7639-08 8'L x 15.5" to 24.5"W x 25.5" to 39.75"H

OC-7639-10 10'L x 15.5" to 24.5"W x 25.5" to 39.75"H

OC-7639-12 12'L x 15.5" to 24.5"W x 25.5" to 39.75"H

1000lb Weight Capacity

OC-7637-08 8'L x 21.5" to 30.5"W x 25.5" to 39.75"H

OC-7637-10 10'L x 21.5" to 30.5"W x 25.5" to 39.75"H

OC-7637-12 12'L x 21.5" to 30.5"W x 25.5" to 39.75"H

Features

- 600 lb (standard) or 1000 lb (bariatric) weight capacity
- Motorized height & width
- Fingertip controls, individual or simultaneous operation
- 1' or 3' tapered ends with non-skid surface
- 10-gauge steel platform
- 1 5/8" anodized aluminum handrails
- 10-year limited warranty



OC-7639-12
shown with
1' tapered end



Meets Canadian electrical &
load safety standards

Platform Mounted Parallel Bars

Designed and built to last, the Platform Mounted Parallel Bars will give patients confidence throughout their rehabilitation progress. Sturdy, durable and easily adjustable in width and height to accommodate the needs and safety of patients.

400lb Weight Capacity

OC-010231	7' L x 18" to 28" W x 26" to 39" H
OC-010232	10' L x 18" to 28" W x 26" to 39" H
OC-010233	12' L x 18" to 28" W x 26" to 39" H

500lb Weight Capacity

OC-7638	10' L x 20" to 34" W x 26" to 39" H
---------	-------------------------------------



Features

- Mounted on 1 ½" thick hardwood plywood, with ultra-durable UV-cured satin finish
- Heavy-duty, square telescoping steel uprights
- Easy height adjustments, with spring-loaded plungers and numbered height indicator strips
- Width adjustable, one piece 1-1/2" stainless-steel handrails
- End bumpers on handrails
- Second height knob prevents side to side play
- Safety treads at both ends of platform
- 5-year limited warranty

One Sided Straight Staircase

Built with steel uprights, hardwood plywood and full width treads on each step for safety during rehabilitation. Requires a minimum 9' ceiling height.

OC-7616	A	w/Adjustable Handrails	30"W	450lb Weight Capacity
OC-7616-36		w/Adjustable Handrails	36"W	450lb Weight Capacity
OC-7612		w/Hardwood Handrails	30"W	500lb Weight Capacity
OC-7612-36		w/Hardwood Handrails	36"W	500lb Weight Capacity



Mini Staircase

Built with steel uprights, hardwood plywood and full width treads on each step for safety during rehabilitation. Requires a minimum 8' ceiling height.

OC-7615-30	B	w/Adjustable Handrails	30"W	450lb Weight Capacity
OC-7615-36		w/Adjustable Handrails	36"W	450lb Weight Capacity
OC-7613-30		w/Hardwood Handrails	30"W	500lb Weight Capacity
OC-7613		w/Hardwood Handrails	36"W	500lb Weight Capacity

Convertible Staircase

The staircase converts from straight to corner arrangement to fit any clinic layout. Two sets of risers with different step heights allow rehabilitation programs tailored to the patient's ability. Requires a minimum 9' ceiling height.

OC-7596-30	C	30"W	500lb Weight Capacity
OC-7596-36		36"W	500lb Weight Capacity

D



Mobile Mirror

Maple laminate mobile mirror with ¼" thick distortion-free glass and safety backing. Rolls on 3" casters (with 2 locking) for easy portability.

OC-7484

D

31.5" W x 20.5" D x 75.75" H

Lift & Place Rack Station

Used to simulate lifting and loading tasks. Includes 2 height adjustable, high-pressure laminate shelves that slide into mounted support rails. Upper shelf height adjusts from 53" to 59" and lower shelf from 28" to 34". Each shelf has a 100 lb weight capacity.

OC-012800

E

18"D x 30"W x 78"H

E



F



Nested Footstool Set

Birch wood steps have clear poly coating, non-slip abrasive strips and mitred corners. Easy nesting for compact storage.

OC-7610

F

19"L x 21"W x 8"H (nested)

ITO a Name to Trust

With a strong commitment to innovation and quality, ITO has established itself as a trusted manufacturer of electrotherapy solutions. Made in Japan, their devices are known for their reliability, effectiveness, and user-friendly interfaces, ensuring optimal patient comfort and treatment outcomes. With a rich history of research and development, ITO continues to lead the industry in delivering state-of-the-art electrotherapy solutions that contribute to improved patient care worldwide.

US-751 Ultrasound

The US-751 ultrasound offers a safe and precise therapeutic effect with a low BNR (2.4 to 3.0). Its user-friendly interface and large 7" colour touchscreen make patient set up quick and easy! It operates at 1 or 3 MHz and includes a standard 5cm applicator with the option to add a 1cm applicator. To ensure optimal results, the applicator's contact status with the patient's skin is always displayed on both the applicator and the unit. MDALL 92439


OC-3275-751
US-751 Ultrasound w/5cm
Applicator



US-751 Ultrasound with 5cm Applicator
& Optional 1cm Applicator

Specifications

Frequency	1 and 3 MHz \pm 10 % each probe
Max Intensity	2 W/cm ² \pm 20 % continuous 3 W/cm ² \pm 20 % pulsed
Duty	5%, 10%, 20%, 30%, 40%, 50%, 100%
Timer	1 to 30 min
Program Memory	42 preset programs
Warranty	3 yrs unit, 1 yr applicator



User-friendly Interface & 7" Touchscreen

Combination

EU-921 - 2 Channel Combo EU-941 - 4 Channel Combo

The ITO EU-921 and EU-941 combine the advanced features and specifications of the ITO ultrasound and IFC devices. They include a low BNR ranging from 2.4 to 4.6 resulting in safer and more effective ultrasound therapy and offer all the most commonly used currents. The user-friendly interface, large colour touchscreen, body part navigation and preset protocols combine for clear and straightforward treatment delivery and for accurate and optimal targeting, the intensity of each channel is controlled independently. Compatible with the SU-520BK and SU-540BK vacuum devices. MDALL 99315 & 99132

OC-3476 EU-921 - 2 Channel Combo
OC-3477 EU-941 - 4 Channel Combo



EU-941 - 4 Channel Combo

Standard Accessories

OC-3479-01 Electrode Cable, Brown
OC-3479-02 Electrode Cable, Red
OC-3479-03 Electrode Cable, Orange
OC-3479-04 Electrode Cable, Yellow
OC-3280-01 6 x 5cm Carbon Rubber Electrodes
OC-3280-02 8 x 7cm Electrode Sponges
OC-3477-L 5cm Applicator



Standard 5 cm Applicator &
Optional 1 cm Applicator



EU-921 - 2 Channel Combo

Specifications for IFC

Current mode	IF-4, IF-2, EMS, Russian, Hi-Voltage, TENS, MCR, Galvanic, Faradic, Diadynamic, Traebert, I/T Curve, AQ
IF carrier frequency	2, 4, 5, 8, 10 kHz
Frequency	IF 1-250 Hz, EMS 20-250 Hz, HV 0.5-200 Hz, TENS 0.5-250 Hz, MCR 0.3-400 Hz, Galvanic 0.95-15.8 Hz, Faradic 20-250 Hz, Diadynamic 50-100 Hz Traebert 142 Hz
Current amplitude(peak)	IF, EMS, TENS 100 mA / HV 600 mA / MCR 750 μ A / Galvanic 20 mA / Faradic, Diadynamic, Traebert, I/T Curve, AQ 70mA
Vector sweep	0°, 15°, 30° or 45°
Program memory	50 Preset programs and 70 programmable memory
Timer	1 to 60 minutes
Warranty	3 yrs unit, 1 yr applicator

Specifications for Ultrasound

Duty	5, 10, 20, 30, 40, 50, 100%
Max Intensity	3 W/cm ² pulsed or 2 W/cm ² continuous
Frequency	1 MHz or 3 MHz
Program memory	17 preset programs and 10 free programmable memory
Probe head diameter	16mm for small probe & 37.5mm for large probe
Timer	30 minutes

Interferential

ES-5200 - 2 Channel IFC

ES-5400 - 4 Channel IFC

The ITO ES-5200 and ES-5400 are cutting edge interferential devices offering a full range of currents that remain stable throughout the wavelength, delivering the best therapeutic results consistently. The user-friendly interface, large colour touchscreen, body part navigation and preset protocols make patient set up consistent and time saving. The intensity of each channel is controlled independently to ensure accurate and optimal targeting. Compatible with the SU-520BK and SU-540BK vacuum devices.

MDALL 100099 & 100136

OC-3478 ES-5200 - 2 Channel IFC
OC-3479 ES-5400 - 4 Channel IFC

Standard Accessories

OC-3479-01 Electrode Cable, Brown
OC-3479-02 Electrode Cable, Red
OC-3479-03 Electrode Cable, Orange
OC-3479-04 Electrode Cable, Yellow
OC-3280-01 6 x 5cm Carbon Rubber Electrodes
OC-3280-02 8 x 7cm Electrode Sponges

Specifications

Current mode	IF-4, IF-2, EMS, Russian, Hi-Voltage, TENS, MCR, Galvanic, Faradic, Diadynamic, Traevert, I/T Curve, AQ
Number of channels	2 (ES-5200), 4 (ES-5400)
IF carrier frequency	2, 4, 5, 8, 10 kHz
Frequency	IF 1-250 Hz, EMS 20-250 Hz, HV 0.5-200 Hz, TENS 0.5-250 Hz, MCR 0.3-400 Hz, Galvanic 0.95-15.8 Hz, Faradic 20-250 Hz, Diadynamic 50-100 Hz Traevert 142 Hz
Current amplitude (peak)	IF, EMS, TENS 100 mA / HV 600 mA / MCR 750 μ A / Galvanic 20 mA / Faradic, Diadynamic, Traevert, I/T Curve, AQ 70mA
Vector sweep	0°, 15°, 30° or 45°
Program memory	28 preset programs & 20 free programmable memory
Timer	1 to 60 minutes
Warranty	3 yrs unit



ES-5400 4 Channel IFC



ES-5200 2 Channel IFC
w/Optional SU-520BK Vacuum

Vacuum

SU-520BK - 2 Channel Vacuum SU-540BK - 4 Channel Vacuum

The SU-520BK and SU-540BK are 2 and 4 channel vacuum units compatible with ITO IFC and combination devices. Unlike traditional models, these units eliminate the need to empty the water reservoir on a regular basis. They feature innovative and unique blow-out ejector technology, which ensures a hygienic and maintenance-free solution that prevents dust and moisture from accumulating inside the tubes and connections. The soft and flexible suction cups are easy to apply and enhance patient comfort. The vacuum electrodes are versatile, supporting both reusable sponge disks and disposable paper disks. MDALL 99315 & 99132

OC-3480 SU-520BK - 2 Channel Vacuum
OC-3481 SU-540BK - 4 Channel Vacuum



SU-540BK - 4 Channel
Vacuum

Standard Accessories

OC-3278-01 Electrode Hose, Blue
OC-3278-02 Electrode Hose, Grey
OC-3278-03 8cm Vacuum Electrode, Blue
OC-3278-04 8cm Vacuum Electrode, Grey
OC-3278-05 7cm Sponges

Optional Accessories

OC-3278-06 10cm Vacuum Electrode, Grey
OC-3278-07 10cm Vacuum Electrode, Blue
OC-3278-08 9cm Sponges, 4 pk
OC-3278-09 7cm Single-Use Paper Disc, 100 pk
OC-3278-10 9cm Single-Use Paper Disc, 100 pk



SU-520BK - 2 Channel
Vacuum



Ultrasound

BTL-4710 Premium & Smart Ultrasound

Premium & Smart Ultrasound Features

- 1 and 3 MHz + alternating mode
- Heated applicators
- Modular frequency 10-150 Hz
- Duty Factor 5-100%
- Maximum intensity in continuous mode is 2 W/cm²
- Maximum intensity in pulsed mode is 3 W/cm²
- Colour touchscreen (Premium is 7"; Smart is 4.3")
- 2 applicator ports
- Preset protocols and therapeutic encyclopaedia
- Low BNR 2.2-3 (FDA testing)
- Warranty 2 yrs on units and applicators
- MDALL 94143

Additional Features of the Premium Ultrasound

- QUICK protocols
- Body parts navigation
- Large 7" colour touchscreen
- Patient database
- Includes a rotary knob for intensity adjustment

BTL-4710-Premium	Premium Ultrasound w/5cm ² Applicator
BTL-4710-Smart	Smart Ultrasound w/5cm ² Applicator
BTL-4710-Dual	Smart Ultrasound w/5cm ² & 1cm ² Applicators
BTL-4710-Portable	Smart Ultrasound w/5cm ² Applicator & Bag



BTL-4710-Premium with 5cm² applicator

Optional 1cm² applicator



BTL-4710-Smart with 5cm² applicator

BTL Handsfree Sono Applicators

The ultrasound Rotary Field Technology is the latest innovation based on multiple crystal applicators. The ultrasound crystals are organized in the applicator as an array of ultrasound transmitters which are controlled by a real time processor. The real time processor activates the individual crystals according to preset parameters.

Features and Benefits

- Time saver
- Gel pads not required
- More efficient ultrasound delivery, and eliminates application errors
- Maximum safety using the embedded Rotary Field Technology
- Equal ultrasound dosage over the entire treated area
- Alternating frequencies: 1 and 3 MHz

BTL-Sono-6	6 Crystal Applicator Handsfree Sono 6
BTL-Sono-4	4 Crystal Applicator Handsfree Sono 4
BTL-Sono-PH	Handsfree Sono Holder
BTL-Sono-PT	Handsfree Sono Holder for Trolley



Interferential

BTL-4625 Premium & Smart 2-channel IFC

BTL-4625 Premium & Smart IFC Features

- Offers over 20 different waveforms including 2 and 4 pole IFC, TENS, Russian, Microcurrent & High Volt
- Colour touchscreen (Premium is 7"; Smart is 4.3")
- Preset protocols and therapeutic encyclopedia
- Programmable sequences
- Suitable for combined therapy
- Warranty 2 yrs on units
- MDALL 94142

Additional Features of the Premium IFC

- 8 QUICK protocols
- Body parts navigation
- Large 7" colour touchscreen
- Includes rotary knob for intensity adjustment
- Start treatment with a single touch

BTL-4625-Premium

Premium IFC w/Extended Range of Currents

BTL-4625-Smart

Smart IFC w/Extended Range of Currents

Included Accessories

BTL-4000-L1

Channel 1 Lead - Light Grey

BTL-4000-L2

Channel 2 Lead - Dark Grey

BTL-4000-E1

7x5 cm Carbon IFC Electrode (x4)

BTL-4000-S1

Sponges for 5x7 cm Electrode (x4)



BTL-4625-Premium



BTL-4625-Smart



Optional Accessories

Carrying bag



Battery Pack



12 x 10 cm electrodes



Trolley



Combination

BTL-4825 Premium & Smart US/IFC Combo

Premium & Smart Combo Features

- 1 and 3 MHz frequencies + alternating mode
- Heated applicators
- Modular frequency 10-150 Hz
- Duty Factor 5-100%
- Maximum intensity in continuous mode 2 W/cm²
- Maximum intensity in pulsed mode 3 W/cm²
- Colour touchscreen (Premium is 7"; Smart is 4.3")
- 2 applicator ports
- Preset protocols and therapeutic encyclopaedia
- Low BNR 2.2-3
- Offers over 20 different waveforms including 2 and 4 pole IFC, TENS, Russian, Microcurrent & High Volt
- Warranty 2 yrs on units and applicators
- MDALL 94106

Additional Features of the Premium Combo

- QUICK protocols
- Body parts navigation
- Large 7" colour touchscreen
- Patient database
- Includes a rotary knob for Intensity adjustment

BTL-4825-Premium	Premium Combo w/5cm ² Applicator
BTL-4825-Smart	Smart Combo w/5cm ² Applicator

Included Accessories

BTL-4000-L1	Channel 1 Lead - Light Grey
BTL-4000-L2	Channel 2 Lead - Dark Grey
BTL-4000-E1	7x5 cm Carbon IFC Electrode (x4)
BTL-4000-S1	Sponges for 5x7 cm Electrode (x4)
BTL-4000-5CM	Multifrequency Applicator - 5cm ²



BTL-4825-Premium with 5cm² applicator



BTL-4825-Smart with 5cm² applicator

Optional Accessories



12 x 10 cm electrodes



1 cm² applicator



Battery Pack



Carrying bag

LLLT Laser

BTL-4110 Premium & Smart Low Level Laser Therapy

Premium & Smart Laser Features

- 2 ports for simultaneous connection of laser applicators
- Wide range of powerful probes & cluster applicators
- Continuous and pulsed modes
- Automatic recalculation of therapy parameters
- Preset protocols and therapeutic encyclopaedia
- Presets for laser acupuncture
- Colour touchscreen (Premium 7", Smart 4.3")
- Warranty 2 yrs on units and 1 yr on applicators
- MDALL 98761

Additional Features of the Premium Laser

- QUICK protocols
- Body part navigation
- Patient database

BTL-4110-Premium	Premium Low Level Laser
BTL-4110-Smart	Smart Low Level Laser
BTL-4110-200mW	Infrared Probe 830 nm / 200 mW
BTL-4110-400mW	Infrared Probe 830 nm / 400 mW
BTL-4110-800mW	Infrared Cluster 830 nm / 800 mW
BTL-4110-1300mW	Infrared Cluster 830 nm / 1300 mW
BTL-4110-HL	Laser Cluster & Probe Holder for BTL-4000-Cart
BTL-4110-GL	Safety Glasses
BTL-4000-Cart	Trolley
BTL-4000-Bag	Carrying Bag
BTL-4000-Battery	Battery Pack



BTL-4110-Premium



BTL-4110-Smart



Trolley



Cluster & probe holder



Safety glasses



Infrared probe



Infrared cluster



BTL-6000 High Intensity Laser

The BTL-6000 Class IV High Intensity Laser with Intelligent Robotic Scanning System uses the highest power approved by Health Canada. The 10 W power and 1064nm wave length provide effective light penetration deep into tissue for pain management, tissue healing and regeneration. Select from 3 modes – pulsed and triangular for analgesia or continuous for biostimulation and thermal effect. The touchscreen is pre-programmed with therapy protocols for easy, fast, and effective treatment of a range of acute and chronic conditions and sports related injuries. MDALL 80111.

BTL-HIL-10W

BTL-6000 High Intensity Laser, 10W

BTL-HIL-SSELITE

Optional Elite Robotic Scanning System & Cart



Medical Effects

Continuous

- Biostimulation
- Thermal
- Muscle Relaxation

Pulsed/Triangular


- Analgesia
- Microcirculation Stimulation
- Anti-inflammatory



BTL-6000 High Intensity Laser
with Elite Robotic Scanning
System & Cart

Mechanism of Action

The therapeutic effect of laser light is based on biostimulation and the acceleration of cellular processes that contribute to pain reduction and faster recovery after injury. The photomechanical wave stimulates nerve endings, which leads to pain relief. Biostimulation of the affected tissue increases oxygen uptake and improves blood circulation.



Common Indications



Arthritis & Joint Sprain



Acute & Chronic Pain



Tendinitis & Bursitis




Muscle Tension & Strain

Manual laser

Its features include:

- Intelligent Applicator with therapy control buttons and therapy indicator light
- Optical System for setting spot size within a range of 10 to 30 mm



Robotic Scanning System

Includes intelligent features for safe operation:

- Temperature Monitoring is automated and ensures uniform and consistent delivery of energy across the tissues.
- Patient Position Control ensures a constant monitoring of a safe distance between the patient and the Robotic Scanning System.
- Thermal Perception Scan provides a threshold heat tolerance by the patient.





BTL-6000 Radial Shockwave

BTL-6000 ELITE Shockwave

Offering the most powerful radial shockwave device on the market with an intensity of up to 6 bars and ultralight Intelligent MAGNUM applicator, the BTL-6000 Elite shockwave unit is a clinical solution for sub-acute and chronic musculoskeletal conditions. The intensity of 6 bars will deliver successful treatment of deeper tissues while the ultralight Intelligent MAGNUM applicator accommodates parameter adjustments seamlessly.

MDALL 106498

- 8.4" colour touchscreen
- 22 preset protocols
- Includes Magnum applicator
- Intensity up to 6 bars
- Frequency up to 22 Hz



BTL-6000
ELITE Shockwave

BTL-RSWT-ELITE BTL-6000 ELITE Shockwave

Mechanism of Action

Radial shockwave is an acoustic wave that carries high energy to musculoskeletal tissue. It causes mechanical stimulation that promotes tissue regeneration and repair in injured tendons and other soft tissue. It is the first-choice treatment for chronic conditions such as superficial tendinopathies, calcifications, and persistent pain of musculoskeletal origin.



Shockwave Training Canada

For a complete schedule of courses and workshops please visit www.shockwavetraining.ca



Intelligent Magnum Applicator

Spin to fine-tune therapy parameters

6 Bars & 22Hz

Shock-absorbing cushioning eliminates reverse shocks

Smart indicator of therapy parameters

Ultralight & ergonomically-shaped

Redesigned projectile construction for extended lifespan



BTL-6000 PRO Shockwave

- 5.7" colour touchscreen
- 22 preset protocols
- Includes Magnum applicator
- Intensity up to 4 bars
- Frequency up to 15 Hz



BTL-6000 EASY Shockwave

- User friendly LED interface
- 7 preset protocols
- Intensity up to 4 bars
- Frequency up to 15 Hz

Common Indications



Patellar
Tendinitis



RC Tendinitis, Bursitis
& Calcification



Lateral
Epicondylitis



Trigger Point
Release



Hamstring
Strain



BTL-6000 Focus Shockwave

The BTL-6000 Focus Shockwave device is a clinically proven and effective non-invasive alternative to surgery. Ideal for fast pain relief and the restoration of mobility, the therapy enhances tissue regeneration, eliminates calcification, relaxes muscles and trigger points, and stimulates the healing of non-union fractures. Its technology offers non-decreasing shock intensity over its lifespan, supported by constant shock intensity monitoring. Optimal Focal Zone covers any treated area easily and the high Energy Flux Density enables treatment of diverse tissues. It has the highest frequency range on the market for a wide spectrum of indications.

MDALL 102793

BTL-FSWT

BTL-6000 Focus Shockwave



BTL-6000 Focus Shockwave
with Cart

Medical Effects

Acoustic waves with high energy peak used in Shockwave Therapy interact with tissue causing overall beneficial medical effects – accelerated tissue repair and cell growth, analgesia, and restored mobility. Each of the following effects happen simultaneously and are used to treat chronic, sub-acute and acute (advanced users only) conditions.

- New blood vessel formation
- Reversal of chronic inflammation
- Stimulation of collagen production
- Dissolution of calcified fibroblasts
- Dispersion of pain mediator substance P
- Release of trigger points



Common Indications



Tendinitis & Bursitis



Non-Union Fracture



Calcification



Trigger Point Release



Avascular Necrosis

Most Advanced Features in the Industry

Patented
electroacoustic
technology offering
the highest lifespan
of 3 million
shocks

Easy
maintenance &
liquid-free
circuit




Intelligent
applicator with continuous
monitoring of shock
intensity

Adjust parameters
directly from the
applicator touchscreen
display

Switch & go
applicator
replacement service

Select the depth of penetration of up to 65 mm with 3 different coupling pads





BTL-6000 Super Inductive System

The Innovative BTL-6000 Super Inductive System is handsfree and designed to treat painful neuromuscular conditions. The high intensity electromagnetic field of up to 2.5 Tesla triggers action potentials and depolarizes the nerves to elicit a muscle contraction. Easy and quick to set up, treatment effectively addresses acute and chronic pain, muscle relaxation and stimulation, joint stiffness, and supports fracture healing. MDALL 98062.


BTL-SIS

BTL-6000 Super Inductive System



BTL-6000 Super Inductive System with Cart

Most Advanced Features



Penetration of up to 10cm

Focused field of treatment

Pulsed quality monitoring

Most powerful device

No consumables, no disposables

Set & Go Therapy



Medical Effects

Endogenous Opioid
Theory of Pain

Gate Control
Theory of Pain

Peripheral Pattern
Theory of Pain

Pain
Management

Fracture
Healing

Myostimulation

Other
Medical
Effects

Joint
Mobilization

Spasticity
Reduction

Common Indications



Joint Stiffness



Breathing Impairment



Spasticity



Fracture



Muscle Weakness



Acute & Chronic Pain





Lymphatic Drainage & Pressotherapy System

BTL-6000 Lymphastim

Unrivalled system for pressotherapy

Lymphatic drainage is a well established and clinically proven therapeutic method that delivers immediate and visible results. BTL's Lymphastim is based on the pneumatic pressotherapy principle. Special applicator sleeves with multiple overlapping chambers provide gentle massage that encourages the natural circulation of the lymph through the body. Medical Device License 81320

Common Indications

- Chronic oedema
- Obstruction of lymph vessels
- Venous insufficiency and ischemic diseases

Features

- Available with 6 or 12 channels
- Electronic pressure control system
- Range of sleeves available with overlapping chambers
- Connectors for easy applicator change
- Automatic sleeve emptying after treatment
- Preset programs that can be modified by the user
- Pressure setting from 20 to 160mmHg
- Chamber activity shown on display
- Available applicator sleeves: trousers, leg and arm

BTL-LYM12-TOP
BTL-LYM12-EASY
BTL-LYM6-EASY

BTL-6000 Topline, 12 Channel
BTL-6000 Easy, 12 Channel
BTL-6000 Easy, 6 Channel



BTL-6000
Lymphastim Topline



BTL-6000
Lymphastim Easy

Circulatory System Support

The Lymphastim enhances blood circulation by applying continuous pressure waves on peripheral veins. More oxygenated blood helps skin look younger.

Digestive System

The Lymphastim massages and compresses the abdomen, resulting in abdominal relaxation and digestive tract stimulation.

Skin


The aesthetic therapy preset program improves oxygenated blood flow to the skin for a healthier look and improved tone.

Muscles

Pressure waves of the overlapping chambers relax muscles, remove excess liquids with metabolic products, and calm muscle spasms.

Lymphatic System


The Lymphastim stimulates lymphatic flow in peripheral and deep lymph nets. This evacuates metabolic residuals from the interstitial spaces and enhances immunological system response.



Arm sleeve




Leg sleeve



Trousers sleeve with zipper



Trousers sleeve with velcro



Unisex trousers sleeve

	BTL-6000 Lymphastim 12 Topline	BTL-6000 Lymphastim 12 Easy	BTL-6000 Lymphastim 6 Easy
User Interface	5.7" touch screen	LED display	LED display
BTL Encyclopedia	26 clinical protocols		
User Programs	500 user-defined programs		
Preset Programs	15	8	8
Number of Channels	12	12	6
Gradient	0%-100% continuous setting	0%, 10%, 20%, 30%	0%, 10%, 20%, 30%
Pressure Setting	20-160 mmHg	20-160 mmHg	20-160 mmHg
Dimensions	320 x 190 x 280 mm	320 x 190 x 280 mm	320 x 190 x 280 mm
Weight	7.5 kg	7.5 kg	7.5 kg
Main Supply	100-240 V, 50-60 Hz	100-240 V, 50-60 Hz	100-240 V, 50-60 Hz



BTL CPM – Continuous Passive Motion

CPM devices are used during the first phase of rehabilitation following lower limb joint surgeries or traumas. It continuously and repeatedly moves the joint through a controlled range of motion. Daily treatment helps increase limited movement and helps prevent the negative effects of joint immobilization such as joint stiffness, swelling, pain and deep vein thrombosis.



BTL-CPMotion K PRO



BTL-CPMotion K ELITE

BTL-CPMotion K ELITE and PRO

Features

- Easy to clean and disinfect. Fleece kit not required
- Quick and easy setup
- Remote control with touchscreen
- Real-time angle settings
- Advanced therapy settings
- Precise real-time patient threshold angle setting
- 13 automatic preset protocols
- Up to 50 user-defined protocols
- Faster movements for improved therapy outcomes
- Unique click system – no manual tightening needed

BTL-CPM-KELITE
BTL-CPM-KPRO

BTL-CPMotion K ELITE
BTL-CPMotion K PRO

Includes Ankle Module
Optional Ankle Module

BTL-CPMotion K Easy

Features

- Easy to clean and disinfect. Fleece kit not required
- High speed movement
- Quick and easy setup
- Start/Stop remote control
- Unique click system - no manual tightening needed

BTL-CPM-KEASY


BTL-CPMotion K Easy



Remote control with touchscreen
Included with K Pro & Elite



Start/Stop remote control
Included with K Easy



BTL-CPMotion K EASY



	BTL-CPMotion K ELITE	BTL-CPMotion K PRO	BTL-CPMotion K EASY
User Interface	Remote control with touchscreen	Remote control with touchscreen	START/STOP remote control
Advanced Therapy Settings	•	•	
Preset Protocols	•	•	
User-Defined Protocols	•	•	
Ankle Module	•	Optional	
Knee Extension/Flexion	-10°/123°	-10°/123°	-10°/123°
Ankle Extension/Flexion	25°/40°		
Max Movement Speed	380°/min	380°/min	380°/min
Dimensions	15.3" x 17" x 38"	15.3" x 17" x 38"	15.3" x 17" x 38"
Weight	31 lb	26 lb	24 lb
Mains Supply	100-240 V, 50-60 Hz	100-240 V, 50-60 Hz	100-240 V, 50-60 Hz
Standard Accessories	Ankle module, remote control with touchscreen	Remote control with touchscreen	START/STOP remote control
Warranty	1 Year	1 Year	1 Year

OrthoCanada Pro TENS

For optimal pain management and recovery, the new advanced line of OrthoCanada Pro TENS devices are lightweight, portable, and powered by an 8-bit microcomputer. Precise performance and accuracy are guaranteed with easy-to-use dial controls and a convenient slide cover that prevents unintended setting changes. These professional-grade units are designed for use by healthcare professionals and patients, and bring pain relief and muscle rehabilitation from the clinic to the comfort of home. Featuring a Patient Lock System and Patient Compliance Meter, patients can confidently manage their treatment while healthcare professionals can set parameters and monitor progress. MDALL 108683

Pro TENS+

OC-32036 A Pro TENS+
OC-32036-06 Pro TENS+, 6 pk



Pro TENS

OC-32035 B Pro TENS
OC-32035-06 Pro TENS, 6 pk



Pro TENS / EMS

OC-32037 C Pro TENS / EMS
OC-32037-06 Pro TENS / EMS, 6 pk



Specifications

	Pro TENS	Pro TENS+	Pro TENS / EMS
Display	Analog	LCD	LCD
Channels	Dual, isolated between channels	Dual, isolated between channels	Dual, isolated between channels
Waveform	Asymmetrical bi-phasic square pulse	Asymmetrical bi-phasic square pulse	Asymmetrical bi-phasic square pulse
Amplitude	0-80 mA	0-80 mA	0-80 mA
Pulse Rate	2Hz-120Hz	1Hz-160Hz adjustable, 1Hz/step (1-20Hz), 5Hz/step (20-160Hz)	1Hz-160Hz adjustable, 1Hz/step (1-20Hz), 5Hz/step (20-160Hz)
Pulse Width	40µs-260µs	50µs-260µs adjustable, 10µs/step	TENS: 50µs-260µs adjustable, 10µs/step EMS: 250µs fixed
Modes	B, C & M	B, C & M, SDR & SDW	TENS: B, C & M SDR & SDW EMS: S & A
Preset Programs	No	No	No
Program Lock	No	Yes	Yes
Compliance Meter	No	Yes	Yes
Timer	30, 60 min & C	15, 30, 60 min & C	15, 30, 60 min & C
Battery	9V	9V	9V
Low Battery Indicator	Yes	Yes	Yes
Size (L x W x D)	3.7" x 2.4" x 1"	4.3" x 2.4" x 0.98"	4.3" x 2.4" x 0.98"
Weight	120g with battery	140g with battery	140g with battery
Warranty	1 year	1 year	1 year
MDALL	108683	108683	108683
Code	OC-32035	OC-32036	OC-32037

TENS & NMES

TENS 3000

OC-33320

Display	Analog
Channels	Dual, isolated between channels
Waveform	Asymmetrical Biphasic Square Pulse
Amplitude	0-80 mA
Pulse Rate	2-150Hz, adjustable 1Hz/step
Pulse Width	Adjustable from 30-260µs
Modes	B, C, M
Preset Programs	No
Program Lock	No
Compliance Meter	No
Timer	15, 30 min & C
Low Battery Indicator	Yes
Battery	9 volt
Size (L x W x D)	3.75" x 2.60" x 1"
Weight	113g with battery
Warranty	1 year
MDALL	95655



InTENSity 7

OC-32022

OC-32022-06

6 pk

Display	LCD
Channels	Dual, isolated between channels
Waveform	Asymmetrical Biphasic Square Pulse
Amplitude	0-100 mA
Pulse Rate	2-150Hz, adjustable 1Hz/step
Pulse Width	50-300µs, adjustable 10µs/step
Modes	Tens: B, C, M, SD1 & SD2
Preset Programs	No
Program Lock	No
Compliance Meter	Up to 60 sets of operations records and 999 hours
Timer	5-60 minutes or continuous
Low Battery Indicator	Yes
Battery	9 volt
Size (L x W x D)	3.98" x 2.40" x 0.96"
Weight	150g with battery
Warranty	1 year
MDALL	65655



Twin Stim TENS & EMS Combo

OC-32027

OC-32027-06

6 pk

Display	LCD
Channels	Dual, isolated between channels
Waveform	Asymmetrical Biphasic Square Pulse
Amplitude	0-100 mA
Pulse Rate	2-150Hz, adjustable 1Hz/step
Pulse Width	50-300µs, adjustable 10µs/step
Modes	Tens: B, C, M, MRW, SD1 & SD2 EMS : C, S, A
Preset Programs	No
Program Lock	Yes
Compliance Meter	Up to 60 sets of operations records and 999 hours
Timer	1-60 minutes or continuous
Low Battery Indicator	Yes
Battery	9 volt
Size (L x W x D)	3.98" x 2.40" x 0.96"
Weight	150g with battery
Warranty	1 year
MDALL	65651



Chattanooga Primera TENS & NMES

OC-3219

Display	Digital
Channels	Dual, isolated between channels
Waveform	Asymmetrical, Rectangular
Amplitude	0-100 mA
Pulse Rate	2-150Hz,
Pulse Width	100-250µs
Modes	Tens: B, C, M & HAN NMES
Preset Programs	TENS: 8 NMES: 6
Program Lock	Yes
Compliance Meter	No
Timer	Yes
Low Battery Indicator	Yes
Battery	9 volt
Size (L x W x D)	4.5" x 2.45" x 1.0"
Weight	100g with battery
Warranty	2 year
MDALL	65655



Cefar TENS, NMES & Acupuncture

OC-32205

Display	LCD
Channels	Dual, isolated between channels
Waveform	TENS: Constant asymmetrical rectangular current with pulse NMES: Symmetric
Amplitude	0-99 mA, in increments of 0.5 mA
Pulse Rate	1-120Hz,
Pulse Width	60-400µs
Modes	Tens: B, C, M NMES Acupuncture
Preset Programs	Yes
Program Lock	Yes
Compliance Meter	Up to 60 sets of operations records and 999 hours
Timer	1-60 minutes or continuous
Low Battery Indicator	Yes
Battery	Lithium polymer (Li-Po) rechargeable
Size (L x W x D)	5.2" x 2.35" x 0.95"
Weight	156g
Warranty	3 year
MDALL	102624




Rehab X2 TENS & NMES

OC-3213

Display	LCD
Channels	Dual, isolated between channels
Waveform	TENS: Constant asymmetrical rectangular current with pulse NMES: Symmetric
Amplitude	0-99 mA, in increments of 0.5 mA
Pulse Rate	1-120Hz,
Pulse Width	60-400µs
Modes	Tens: B, C, M NMES
Preset Programs	Yes
Program Lock	Yes
Compliance Meter	Yes
Timer	1-99 minutes or continuous
Low Battery Indicator	Yes
Battery	2 x 1.5V AA, rechargeable or non-rechargeable
Size (L x W x D)	4.7" x 1.96" x 1.18"
Weight	180g
Warranty	3 year
MDALL	86092



Axelgaard Electrodes



ValuTrode

For use with TENS and NMES devices. Features an oversize border designed to facilitate easy removal. 4/pk. MDALL 72547

White Foam Backing

OC-33060-10	1.5" x 3.5"	Rectangle	40/pk
OC-33061-10	2" x 3.5"	Rectangle	40/pk
OC-33062-10	2.75"	Round	40/pk
OC-33063-10	2"	Round	40/pk
OC-33064-10	2"	Square	40/pk

White Cloth Backing

OC-3352-10	2.75"	Round	40/pk
OC-3353-10	1.25"	Round	40/pk
OC-3354-01	2"	Round	4/pk
OC-3354-10	2"	Round	40/pk
OC-3355-10	2"	Square	40/pk
OC-3356-10	2" x 4"	Rectangle	40/pk

Beige Cloth Backing

OC-3357-01	2"	Square	4/pk
OC-3357-10	2"	Square	40/pk
OC-3357-60	2"	Square	60/pk




UltraStim

For use with TENS, NMES and IFC devices, and features an oversize border designed to facilitate easy removal. Also includes a silver grid pattern, for even distribution of electrical current. MDALL 72547

Cloth Backing

OC-3370-10A	2"	Round	40/pk
OC-3371-10A	2"	Square	40/pk
OC-3372-10A	2" x 4"	Rectangle	20/pk
OC-3373-10A	1.25"	Round	40/pk
OC-3374-10A	2.75"	Round	40/pk



Pals

For use with TENS, NMES and IFC devices, and features a patented stainless-steel conductive fabric that provides flexibility and conformity. MDALL 72547

OC-3360-1	2"	Square	4/pk
OC-3360-10	2"	Square	40/pk
OC-3361-1	2"	Round	4/pk
OC-3361-10	2"	Round	40/pk
OC-3362-1	2.75"	Round	4/pk
OC-3362-10	2.75"	Round	40/pk
OC-3363-1	2" x 3.5"	Rectangle	4/pk
OC-3363-10	2" x 3.5"	Rectangle	40/pk
OC-3364-1	1.25"	Round	4/pk
OC-3364-10	1.25"	Round	40/pk



Carbon Electrodes

Non-adhesive, reusable, black carbon rubber electrodes for use with TENS & NMES devices. Require gel and tape. MDALL 2628

OC-3304-04	A	1"	Round	4/pk
OC-3305-04	B	2"	Square	4/pk
OC-3306-04	C	3.75" x 1.75"	Rectangle	4/pk

Micropore Tape


OC-4651-02	F	0.5"	24/pk
OC-4651-01	E	1"	12/pk
OC-4651-03	D	2"	6/pk

Transpore Tape

OC-4652-02	H	0.5"	24/pk
OC-4652-01	G	1"	12/pk

MultiStick Uncompromised Adhesion & Performance

Axelgaard's Multistick multi-layer approach ensures the highest quality electrodes in the industry, preventing the delamination and poor adhesion common in single layer gels.



Electrodes Placement Educational Videos

OrthoCanada is pleased to sponsor the Electrode Placement and Functional Movement series presented by Dr. Lucinda Baker, Associate Professor at USC Division of Biokinesiology and Physical Therapy.

These videos provide comprehensive information on the preparation and use of electrodes for effective neurostimulation treatment. All electrodes used in the video presentation are PALS electrodes. We trust

these videos will assist you in your goal to provide effective treatment options to your patients.



Axelgaard Electrode Features

	ValuTrove	UltraStim	Pals
	Good	Better	Best
	Recommended for TENS & NMES	Recommended for TENS, NMES & IFC	Recommended for TENS, NMES & IFC
Latex-Free	●	●	●
Smart-Connector Self-adjusting connector for pin variances and low-profile for patient comfort.	●	●	●
Thickness	35mm	35mm	35mm
Multi-Stick Hydrogel Patented, dual-formulation provides a more durable product & greater number of uses than competitive products.	●	●	●
Clear Film Provides a moisture barrier so electrodes can be used with moist heat packs.	—	—	●
Cloth Backing	●	●	—
Foam Backing Provides a moisture barrier so electrodes can be used with moist heat packs.	●	—	—
Stainless-Steel Knit Fabric	—	—	●
Film with Printed Silver Ink Grid	—	●	—
Conductive Black Film	●	—	—

How to Optimize the Life of Your Self-Adhesive Electrodes

The durability of electrodes depends entirely on the application, storage, humidity and care by the user.

Application

Before application, skin must be cleaned with water and soap to remove any lotions, skin oils, makeup, and dead skin. Any debris on the skin will be transferred to the electrode gel thereby compromising the integrity of its adhesiveness. A clean surface will extend the life of self-adhesive electrodes.

Storage

After every use, return the electrode to the "ON" side of the liner, and place in the original, re-sealable package to prevent loss of moisture. The electrodes should be stored at room temperature. Do not store in freezer or refrigerator, leave in extreme heat, submerge in water or leave outside the package.

Care

After use, if the electrode picks up small amounts of debris you may use a drop of

water on your finger to gently rub the debris off the electrode. Do not use soap, alcohol, submerge in water or scrub with an abrasive material.

Pitting

Check for pitting in the hydrogel layer. Once the gel surface is pitted, electric current may sting the patient.

OrthoCanada Multipurpose Ultrasound Gel

OrthoCanada Multipurpose Ultrasound Gel is known for its quality formulation. Its medium viscosity is an excellent conductive agent for a wide range of applications, such as therapeutic ultrasound, shockwave therapy, diagnostic imaging, and other external procedures. The greaseless, non-staining formula has excellent glide properties, and will spread evenly during treatment without running or drying. Each 5L cube includes an empty 250ml refill bottle. Made in Canada.

Blue

OC-3171-01	1 x 5L	1 Empty 250ml Bottle Included
OC-3171-02	2 x 5L	2 Empty 250ml Bottles Included
OC-3171-04	4 x 5L	4 Empty 250ml Bottles Included
OC-3171-12	250 ml	12pk
OC-3179-BOTTLE	250 ml	Empty Bottle

Dye-Free

OC-3170-01	1 x 5L	1 Empty 250ml Bottle Included
OC-3170-02	2 x 5L	2 Empty 250ml Bottles Included
OC-3170-04	4 x 5L	4 Empty 250ml Bottles Included
OC-3170-12	250 ml	12pk



Features

- Salt, alcohol, and fragrance-free
- Water soluble, hypoallergenic, bacteriostatic formulation (inhibits bacterial growth)
- Conductive, non-corrosive, greaseless & non-staining
- Includes recyclable packaging

Ultrasound Gels



Aquasonic Clear Ultrasound Gel

Based on the same formula as the Aquasonic 100 Ultrasound Gel. Fragrance and dye-free.

OC-3314-01 A 1 x 5L
OC-3314-04 2 x 5L 2 Empty Bottles Included

Aquasonic 100 Ultrasound Gel

Widely used gel for diagnostic and therapeutic applications. Acoustically correct for a broad range of frequencies. Hypoallergenic, bacteriostatic, non-irritating and non-staining. Blue.

OC-3315-01 B 1 x 5L 1 Empty Bottle Included
OC-3315-04 4 x 5L 4 Empty Bottles Included
OC-3315-12 C 250 ml 12 pk
OC-3315-100 D 20 g Single-Use Packette 100 pk

Sterile Aquasonic 100 Ultrasound Gel

Overwrapped sterilized foil pouches for use when sterility is indicated for medical or therapeutic applications. Non-irritating and non-staining. MDALL 38785

OC-3312-100 E 20 g Single-Use Packette 48 pk

Spectra Electrode Gel

Salt and chloride-free, hypoallergenic, bacteriostatic multipurpose electrode conductivity gel.

OC-3321-12 F 250g Tube 12 pk

Thermasonic Gel Warmer

Keeps ultrasound gel warm evenly and consistently with an adjustable temperature, up to 39°C (102°F) maximum. Unit can be placed on the countertop or wall mounted.

OC-31813 G 3 Bottle Warmer

Topical Analgesics

Biofreeze

The #1 clinically recommended topical brand, Biofreeze Professional formula is offered exclusively to professionals. A cooling, fast-acting, long-lasting topical analgesic containing ILEX and menthol, Biofreeze Professional provides penetrating relief to sore and stiff muscles and joints, contusions, muscle spasms, arthritic joints and more. Can be easily applied over treatment areas such as the back, neck and upper and lower extremities.

OC-2071	A	4 oz Spray
OC-2071-12		4 oz Spray, 12 pk
OC-2074	B	16 oz Pump
OC-2072	C	3 oz Roll-on
OC-2072-12		3 oz Roll-on, 12 pk
OC-2076	D	1 gal Pump
OC-2075	E	32 oz Pump
OC-2073	F	4 oz Tube
OC-2073-12		4 oz Tube, 12 pk



Motion Medicine

All natural topical features a proprietary blend of essential oils, including eucalyptus, camphor, glucosamine sulfate and menthol, renowned for their analgesic and anti-inflammatory properties. Its non-greasy, fast-absorbing formula ensures quick penetration into the skin, targeting the painful areas directly.

OC-20801 G 120g Tube
OC-20802 H 500g Jar



Epsomgel

Formulated with the power of pure Epsom salt, arnica, and essential oils to provide soothing relief for tired, achy muscles. The harmonious blend of essential oils, including lavender and peppermint, provides a delightful aromatic experience that enhances relaxation. Its unique formula allows for easy application and quick absorption.

OC-2058 I 240ml Pump
OC-2057 J 150ml Tube
OC-2056 K 90ml Tube
OC-2055 30ml Tube, 12 pk



MuscleCare

Harnessing the power of camphor, menthol, magnesium, glucosamine, MSM, and chondroitin, MuscleCare penetrates deep into the muscles, delivering a soothing and cooling sensation that eases tension and reduces inflammation. Its non-greasy and quick-absorbing formula allows for hassle-free application.

OC-2085-03 L 3 oz Roll-on
OC-2085-04 M 4 oz Tube



Fisiocrem

Fisiocrem, a concentrated blend of 5 herb extracts, offers relief for tired, achy joints, and muscles. Its non-greasy formula boasts anti-inflammatory properties. Fast-acting, long-lasting, and deeply penetrating, it doesn't stain. Key ingredients: Arnica, hypericum perforatum (St John's Wort), calendula officinalis, menthol, and melaleuca oil.

OC-20811 N 250g Tube
OC-20812 O 700g Pump
OC-20810 P 60g Tube

Acupuncture & Dry Needling Needles



Tewa Acupuncture Needles

TeWa acupuncture/dry-needling needles have a copper-wound loop handle over a stainless-steel shaft for superior conductivity in electro-stimulation. Needles 40mm or longer have a two part, disposable Safe-T-Sleeve that guides insertion and maintains the sterility of the needle shaft during insertion. Safe-T-Sleeve is ideal for advanced techniques such as Motor Point Needling or Intra-Muscular Stimulation (IMS). 100 needles/box. MDALL 90527.

Tewa Coated Needles

OC-1126	0.16 x 15
OC-1127	0.16 x 30
OC-1125	0.20 x 30
OC-1117	0.20 x 40
OC-1112	0.22 x 13
OC-1113	0.22 x 25
OC-1114	0.25 x 25
OC-1116	0.25 x 30
OC-1118	0.25 x 40
OC-1120	0.25 x 50
OC-1122	0.25 x 75
OC-1115	0.30 x 25
OC-1119	0.30 x 40
OC-1121	0.30 x 50
OC-1123	0.30 x 75
OC-1124	0.35 x 75
OC-1111	0.35 x 100

Tewa Non-Coated Needles

OC-1102	0.22 x 25
OC-1104	0.22 x 40
OC-1101	0.25 x 13
OC-1103	0.25 x 25
OC-1105	0.25 x 40
OC-1107	0.25 x 50
OC-1108	0.25 x 75
OC-1106	0.30 x 40
OC-1099	0.30 x 50
OC-1109	0.30 x 75
OC-1100	0.30 x 100
OC-1110	0.35 x 75

Seirin Acupuncture Needles

Made in Japan, Seirin acupuncture needles feature an easy-release comfort grip handle with Light-Touch Insertion tube. Made from only the highest quality surgical stainless steel, Seirin needles are colour coded for easy size identification. The guide tube edges are rounded for patient comfort and the shaft of the needle body is centered on the handle to ensure accuracy. 100 needles/box. MDALL 39317.

Seirin J-Type


OC-4772	0.12 x 30
OC-4764	0.14 x 15
OC-4768	0.16 x 15
OC-4773	0.16 x 30
OC-4775	0.18 x 30
OC-4777	0.20 x 30
OC-4778	0.20 x 40
OC-4779	0.20 x 50
OC-4780	0.25 x 30
OC-4781	0.25 x 40
OC-4782	0.25 x 50
OC-4766	0.30 x 30
OC-4765	0.30 x 40
OC-4784	0.30 x 50
OC-4783	0.30 x 60

Seirin D-Type

OC-4769	0.16 x 15
OC-4770	0.20 x 15

Seirin Pyonex

OC-4874	0.20 x 0.6
OC-4875	0.20 x 0.9
OC-4876	0.20 x 1.2
OC-4877	0.20 x 1.5



DongBang Acupuncture Needles

DongBang Acupuncture is a leading Korean manufacturer of acupuncture needles since 1987. DongBang needles are renowned for their “pine needle” shaped points, automated grinding, polishing production lines and reliable consistency. Surgical grade stainless-steel needles with plastic insertion sleeves have a solid spring style handle and a bio-inert silicone layer for smooth insertion. 100 needles/box. MDALL 85725.

DongBang Spring Type

OC-4865	0.20 x 30
OC-4866	0.20 x 40
OC-4867	0.20 x 50
OC-4869	0.25 x 30
OC-4870	0.25 x 40
OC-4871	0.25 x 50

DongBang Spring Type Blister Packs

Each package includes 5 needles and 1 plastic guide tube. 500 needles/box.

OC-4865-BP	0.20 x 30
OC-4869-BP	0.25 x 30
OC-4870-BP	0.25 x 40

DongBang Dry Needles

Unique design with a 0.30mm gauge but thicker feel is ideal for dry needling. Its spring-style metal handle, surgical stainless-steel wire with advanced grinding technology, silicone-coated shaft and precision tip allows a painless and deeper insertion. Includes insertion tube and tab. MDALL 85725.

100 needles per box

OC-4885	0.30 x 30
OC-4886	0.30 x 40
OC-4887	0.30 x 50
OC-4888	0.30 x 60

1000 needles per case

OC-4885-10	0.30 x 30
OC-4886-10	0.30 x 40
OC-4887-10	0.30 x 50
OC-4888-10	0.30 x 60



Hwa-To Acupuncture Needles

Hwa-To is one of the world's oldest producers of traditional Chinese style acupuncture needles. Their proprietary 'pine leaf' tip needles are silicone-free (non-coated) and ideal for moxibustion or electroacupuncture. Made of premium stainless steel with a spiral copper wound handle, the Hwa-To needles have a long-tapered tip for smooth insertion. One needle and insertion tube per individual sterile blister pack. 100 needles/box. MDALL 7324.

OC-48161	0.22 x 13	OC-48168	0.25 x 75
OC-48162	0.22 x 30	OC-48164	0.30 x 30
OC-48165	0.22 x 40	OC-48170	0.30 x 50
OC-48167	0.22 x 75	OC-48169	0.30 x 75
OC-48163	0.25 x 30		
OC-48166	0.25 x 50		

Vigor Acupuncture Needles

Vigor needles are manufactured with surgical grade steel from Germany, sterilized with ethylene oxide gas, and individually placed within guide tubes and blister packs. Needles are coated with bio-inert silicone, and tips are mechanically sharpened for easy and comfortable insertion. Made of high-quality methods & materials to create the best quality and performance. 100 needles/box. MDALL 107533.

OC-4816	0.16 x 15	OC-4806	0.25 x 30
OC-4800	0.20 x 15	OC-4809	0.25 x 40
OC-4801	0.20 x 25	OC-4815	0.25 x 50
OC-4804	0.20 x 30	OC-4813	0.25 x 75
OC-4807	0.20 x 40	OC-4810	0.30 x 40
OC-4802	0.22 x 25	OC-4812	0.30 x 50
OC-4805	0.22 x 30	OC-4814	0.30 x 75
OC-4808	0.22 x 40		
OC-4811	0.22 x 50		
OC-4803	0.25 x 25		

ES-130 Acupuncture Stimulator

Made by ITO in Japan, the compact and portable ES-130 device is the product of choice for electro-acupuncture stimulation. It offers 3 separate output channels for the treatment of different sites simultaneously, all with independently adjustable intensity control dials. Its dual intensity setting can easily be set to low or high while its frequency ranges from 1 to 500 Hz. MDALL 84997

OC-33350

A



B



Stanhexidine

Aqueous solution with 4% alcohol. For external treatment of minor skin infections. APCI advises use of Stanhexidine as the solution of choice for skin preparation prior to needling. It's as effective as betadine without staining the skin.

OC-4849

B

450 ml



D

C



G

Sharps Containers

For biohazard material.

OC-020365

C

1 L

OC-020367

D

3 L

OC-020583

E

2 gal

E350 AS Super 4

The AS SUPER 4 Digital, designed for precise electro-stimulation of acupuncture points, offers 4 independent output channels accommodating up to 8 needles, a frequency range of 1-120 Hz, 30 preset programs and 7 customizable ones. MDALL 79842.

OC-33355

F



F



H

Alcohol Prep Pads

70% 2-ply sterile isopropyl alcohol wipes, individually wrapped to preserve moisture. Perfect for disinfecting wounds and skin surfaces.

OC-4594

G

200/box

Fascia Buddy

Fascia Buddy silicone cups are designed for static and massage cupping techniques. The unique shape allows you to achieve a strong suction easily and safely without using hand pumps or fire. Soft silicone material is comfortable, and cups are easy to apply, move and remove.

OC-4010-S

H

Set of 4

CROSSTAPE®




Therapy for Trigger & Pain Points

The Kumbrink Crosstape patch is used on trigger points, acupuncture points, tense muscles and sore joints. It can effectively be used to stimulate selected acupuncture points, enabling an acupuncture-like treatment without the use of needles.


Many Sizes. Many Applications.

The Crosstape patch is available in sizes S, M, L and XL. Size M is the most commonly used. Size S is ideal for facial applications. Sizes L and XL can be used effectively on larger areas.

OC-4351-S	A	Small	400 Patches
OC-4351-M	B	Medium	180 Patches
OC-4351-L	C	Large	120 Patches
OC-4351-XL	D	X-Large	40 Patches
OC-4351-MIX		Mix Box	20 Sml, 27 Med, 6 Lrg & 2 XL Patches



Actual
sizes
illustrated



Common Crosstape Applications

Temporal
Headache



Shoulder
Pain



Cervical Tension
Headache



Stomach
Problems



Epicondylitis (Tennis Elbow)





Always a Step Ahead

Recommended by the K-Taping Academy Canada, K-Tape is an innovative product that has gained global recognition for its exceptional quality and performance. The Kumbrink-developed K-Tape combines the best natural, raw materials with the most advanced manufacturing process available. Its impact on generating positive clinical outcomes has been profound, introducing a wide array of new possibilities for therapeutic interventions across many healthcare providers.

Cotton & Dyes

K-Tape uses high-quality cotton from a single supplier ensuring uniform thread density and knot-free manufacturing. To maintain consistent elasticity throughout its use, the tape incorporates premium elastane thread while dyes used are supplied by Dystar, known for their safety and adherence to the OEKO-TEX Standard 100 label.

Backing Paper

K-Tape is pre-stretched to the optimal level of 10% during its application to the backing paper. This ensures that it has the ideal amount of pre-stretch required for muscle technique taping.

Physiobond Adhesive

K-Tape features professional-grade Physiobond adhesive, exclusively used for K-Tape. The adhesive undergoes a meticulous manufacturing process, creating long polymer chains for effective skin adhesion. A complex temperature-time procedure removes any skin-irritating residual monomers, resulting in a top-notch tape that sets a new industry standard.

K-Taping

K-Taping is a non-pharmaceutical therapy technique that is effective for an extremely wide range of clinical conditions. K-Tape's high-quality fabric is water resistant and breathable, and designed to provide longer wear and comfort. K-Tape is pre-stretched and is ideal for muscle technique taping. Professional training is essential for effective application of K-Tape therapy. For more information visit www.k-taping.ca.





K-Tape - Box of 4 Rolls

OC-4343	A	Blue	2" x 16.4' each
OC-4342	B	Red	2" x 16.4' each
OC-4301	C	Beige	2" x 16.4' each
OC-4341	D	Black	2" x 16.4' each

K-Tape - Mixed Colours

OC-4344	E	4 Rolls	2" x 16.4' each
---------	---	---------	-----------------

K-Tape - Bulk Roll

OC-4373	F	Blue	2" x 72'
OC-4372	G	Red	2" x 72'
OC-4365	H	Beige	2" x 72'
OC-4371	I	Black	2" x 72'

K-Tape Pure Cotton

OC-4364	J	Bulk Roll	2" x 72'
OC-4331	K	Box of 4 Rolls	2" x 16.4' each

K-Tape My Skin - Box of 4 Rolls

OC-4301	L	Beige	2" x 16.4' each
OC-4302	M	Light Brown	2" x 16.4' each
OC-4303	N	Medium Brown	2" x 16.4' each
OC-4304	O	Dark Brown	2" x 16.4' each
OC-4305	P	Very Dark Brown	2" x 16.4' each

K-Tape My Skin - Mixed Colours

OC-4300	Q	Box of 5 Rolls	2" x 16.4' each
---------	---	----------------	-----------------

K-Tape My Skin - Bulk Roll

OC-4365	R	Beige	2" x 72'
OC-4366	S	Light Brown	2" x 72'
OC-4367	T	Medium Brown	2" x 72'
OC-4368	U	Dark Brown	2" x 72'
OC-4369	V	Very Dark Brown	2" x 72'

Rigid & Athletic Tape

Leukotape P

Leukotape P is a high-strength, rigid strapping tape, with strong zinc oxide adhesive. Porous and hand-tearable. Indicated for the treatment of patellofemoral pain, sprains, strains, and for posture correction. Contains latex.

OC-4649-01	A	1.5" x 45'	1 Roll
OC-4649-04		1.5" x 45'	4 Rolls
OC-4649-30		1.5" x 45'	30/case



Hypafix & Cover-Roll Stretch

Water-resistant with a non-irritating adhesive, this latex-free bandage provides light compression without constricting joints. Used to secure post-op wound dressings and can also be used in conjunction with Leukotape P. Convenient and easily cut to size.

Hypafix

OC-4655-1	B	1" x 30'	1 Roll
OC-4655-2	C	2" x 30'	1 Roll
OC-4655-4	D	4" x 30'	1 Roll
OC-4655-6	E	6" x 30'	1 Roll

Cover-Roll Stretch

OC-4643-04	F	2" x 30'	4 Rolls
OC-4643-12		2" x 30'	12/case
OC-4644-04	G	4" x 30'	4 Rolls
OC-4644-12		4" x 30'	12/case



Cramer 750 Athletic Tape

High-performing non-porous 100% cotton zinc oxide tape. Offers maximum tensile strength, strong adhesion, and easy tear. Direct coating and computerized unwind tension control. Latex-free.

OC-4641 H 1.5" x 45' 32/case

EX1 Athletic Tape

Bleached white cloth tape manufactured with high thread count fabric for high tensile strength, and coated with Jaybird's exclusive synthetic rubber adhesive formula. Serrated edge cut provides easy tearing and has computerized unwind tension control. Hypoallergenic and latex-free.

OC-46600 J 1.5" x 45' 32/case

Renfrew 188 Athletic Tape

Provides support and helps restrict motion in muscles and joints. The Renfrew 188 bleached tape is made from 100% cotton and has a zinc-oxide (skin-friendly), vanilla-scented adhesive.

OC-46960-32 L 1.5" x 45' 32/case

Cramer 950 Athletic Tape

High-performing porous 100% cotton zinc oxide tape. Offers excellent tensile strength, strong adhesion, and easy tear. Direct coating and computerized unwind tension control. Latex-free.

OC-46950-48 I 1" x 45' 48/case

OC-46951-32 1" x 45' 32/case

Pro-White Athletic Tape

Bleached white cloth adhesive tape with excellent adhesion and tensile strength properties. The thread count is lower than the EX1, which gives a softer fabric feel. Serrated edge cut for easy tearing and computerized unwind tension control. Hypoallergenic and latex-free.

OC-46625 K 1.5" x 45' 32/case

Coach Athletic Tape

High-quality, breathable and porous athletic tape protects joints from sprains and injuries. Used by sports teams and athletic trainers to provide support and help speed recovery from injuries to wrist, ankles, knees, or foot. Contains latex.

OC-4650 M 1.5" x 45' 32/case

OC-4650-04 1.5" x 45' 4 Rolls

Foam Underwrap

A lightweight, breathable pre-tape base applied between the skin and adhesive tape to protect the skin from prolonged adhesive contact and for painless tape removal. Tears effortlessly and latex-free.

Cramer

OC-46422-04 A 2.75" x 90' 4 Rolls
OC-46422-48 2.75" x 90' 48/case

Jaybird

OC-4640-04 B 2.5" x 90' 4 Rolls
OC-4640 2.5" x 90' 48/case



Coban Self-Adherent Wrap

Lightweight, porous, and breathable self-adherent wrap provides support and compression. Used for sprains and strains, and to help secure splints, dressings, catheters, and hot/cold therapy products. Contains latex.

OC-4654 C 1" x 15' 5/case

Cramer Cold Spray

Provides rapid and effective relief that quickly evaporates from your skin, reducing surface temperature and providing immediate pain management. Non-staining.

OC-20407 D 6 oz

Cramer Tuf-Skin

Delivers a consistent and even coating of adhesive to frequently taped or wrapped areas. Ideal for securing tape, underwrap, and elastic wraps, while reducing friction and skin irritation that cause blisters. Non-staining.

OC-20405 E 10 oz
OC-20404 F 4 oz

Cramer Tape Remover

Fast-acting, and deactivates tape adhesive for painless removal from the skin.

OC-4685-2 G 16 oz



Kinesio Tape FP

This popular latex-free therapeutic taping product is applied with specific techniques to reduce pain and inflammation, improve lymphatic circulation, and help correct muscle function. Easy on the skin, its patented design has multiple concave ventilation channels running across the width of the tape that are aligned at specific intervals along the tape's length.

Case of 6 Rolls

OC-4667-FP	H	2" x 16.4'	Beige
OC-4670-FP	I	2" x 16.4'	Blue
OC-4671-FP	J	2" x 16.4'	Red
OC-4672-FP	K	2" x 16.4'	Black

Bulk Roll

OC-4663-FP	L	2" x 103.3'	Beige
OC-4670-B-FP	M	2" x 103.3'	Blue
OC-4671-B-FP	N	2" x 103.3'	Red
OC-4672-B-FP	O	2" x 103.3'	Black



Lightplast Pro Elastic Athletic Tape

Moisture resistant, the Lightplast® Pro is a versatile elastic adhesive tape suitable for light support or compression. Its cotton/spandex fabric conforms to body movement. Tape is hand-tearable with consistent unwind for smoother wrapping, and no waste core guarantees maximum use

OC-4657-2		2" x 15'	24/case
OC-4657-3	P	3" x 15'	16/case

Tensoplast Elastic Athletic Tape

Tensoplast Elastic Tape is light, and recommended for medium support or compression, to restrict joint movement, or to correct joint position or posture. Water repellent and air permeable, its long-lasting adhesive delivers firm, controlled support, while edges are non-fray.

OC-4656-2C	Q	2" x 15'	24/case
OC-4656-3C		3" x 15'	16/case

2550 Lightweight Stretch Tape

This unbleached cotton, polyester & spandex blend is coated with a strong zinc oxide hypoallergenic synthetic rubber adhesive formulation. Used to create support yet allows mobility. Tears easily and latex-free.


OC-4645-2	R	2" x 22.5'	24/case
OC-4645-3		3" x 22.5'	16/case

Hot & Cold Therapy

MediBeads Moist Heat Packs

Ideal solution for safe, effective, and convenient heat therapy, these microwavable packs deliver soothing heat that lasts up to 30 minutes. With washable, reusable, and non-toxic properties, the MediBeads consist of hygroscopic beads that capture moisture from the air, offering clean, odor-free, and bacteria resistant moist heat for optimal comfort.

OC-4506-MB	A	7" x 14"	Waist
OC-4505-MB	B	8" x 22"	Cervical
OC-4505-MB-10		8" x 22"	Cervical (10 Pk)
OC-4503-MB	C	9" x 12"	Standard
OC-4503-MB-10		9" x 12"	Standard (10 Pk)
OC-4509-MB	D	8.75" x 5.5"	Neck Size
OC-4507-MB	E	12" x 16"	King Size



Thermophore & Theratherm Electric Heating Pads

The Thermophore and Theratherm electric heating pads offer a specially designed flannel cover that efficiently draws moisture from the air, releasing it onto the skin as the pad's temperature rises, accelerating relief and discomfort.



Thermophore MaxHeat Switch

Thermophore MaxHeat Moist Heat Pad

- Simple 1-touch control
- High, medium & low settings
- Temperature range from 150° to 165° F (66 to 74°C)
- Auto shut-off after 25min
- 2 yr warranty

OC-4480		14" x 27"	Standard
OC-4480-04		14" x 27"	Standard (4 Pk)
OC-4481	F	14" x 14"	Medium
OC-4481-04		14" x 14"	Medium (4 Pk)
OC-4482		4" x 17"	Cervical
OC-4482-04		4" x 17"	Cervical (4 Pk)



Thermophore Classic Moist Heat Pad

- Easy-Comfort™ Switch. Just press for heat, release to cool
- Auto shut-off after 25min
- 2 yr warranty

OC-4510		14" x 27"	Standard
OC-4511	G	14" x 14"	Medium
OC-4512		4" x 17"	Cervical



Theratherm Moist Heat Pad

- Digital control
- Convenient preset time and temperature
- Lockout mode protects against unintentional setting changes
- Temperature range from 113° to 166°F (45° to 75°C)
- Up to 30 minute timer
- 1 yr warranty

OC-4515		14" x 27"	Standard
OC-4515-06		14" x 27"	Standard (6 Pk)
OC-4514		22" x 21"	Shoulder
OC-4514-06		22" x 21"	Shoulder (6 Pk)
OC-4516		13" x 16"	Medium
OC-4516-06		13" x 16"	Medium (6 Pk)

OrthoCanada Hot Packs

Offers up to 30 minutes of deep, moist heat therapy, thanks to the absorbent clay core wrapped in a woven cotton blend. Designed for immersion in hot water, they come with two different colored tabs for easy rotation in busy clinics and simple removal from the heating unit.

OC-45260	A	10" x 12"	Standard
OC-45261	B	3" x 24"	Cervical
OC-45262	C	15" x 24"	Oversize
OC-45264	D	10" x 24"	
OC-45263	E	10" x 20"	Knee/Shoulder (cut-out)
OC-45265	F	10" x 18"	



OrthoCanada All-Terry & Foam-Filled Terry Covers

Designed to insulate and protect patients from excessive heat exposure when using hot packs. Available in all-terry or quick-drying foam-filled styles, these covers are perfect for clinical use. Featuring convenient hook and loop closures, they prevent unwrapping and slipping.

OC-4531	G	9" x 26"	Cervical	All-Terry
OC-4532	H	10" x 28"	Standard	All-Terry
OC-4533	I	24" x 32"	Oversize	All-Terry
OC-4534	J	9" x 26"	Cervical	Terry-Foam
OC-4535	K	10" x 28"	Standard	Terry-Foam
OC-4536	L	24" x 32"	Oversize	Terry-Foam



Hydrocollators

Durable and easy to maintain, these high-quality stainless-steel units provide a constant supply of temperature-consistent hot packs. Thermostatically controlled temperature. 8 cm (3") swivel-type rubber casters for silent, friction-free movement of mobile units. No plumbing required.

		Model	L	W	H	Included Hot Packs
OC-4120	M	E-1	13"	8"	16"	4 Standard
OC-4121	N	E-2	15"	13"	20"	2 Oversized, 3 Standard, 1 Cervical
OC-4123	O	SS-2	21"	16"	33"	8 Standard
OC-4124	P	M-2	27"	16"	33"	12 Standard
OC-4125		M-4	35"	20"	33"	24 Standard

Accessories

OC-4127-3	Q	3 Hook Non-Folding Drying Rack	17"L x 12"W x 2"H
OC-4127-6	R	6 Hook Non-Folding Drying Rack	33"L x 12"W x 2"H
OC-4118	S	16" Steel Tongs	



Therabath Pro Paraffin Bath

Discover the therapeutic benefits of the Therabath Pro for managing arthritis, chronic joint inflammation, muscle stiffness, and various joint conditions. Paraffin therapy effectively decreases pain, provides soothing heat to soft tissues, and promotes circulation in the hands, wrists, elbows, and even the feet and ankles. With the ability to uniformly deliver moist heat, the Therabath is an ideal adjunct to treatments for joint mobilization and active range of motion exercises, while also assisting in the softening of adherent scar tissue prior to treatment.

The Therabath Pro meets Class II medical device standards and is assembled by hand to ensure safety and durability. Made of anodized aluminum, lightweight and energy efficient, with integrated handles for ease of transport. Tank holds 6 lb of wax to permit deep immersion and features automatic temperature control to keep wax between 121 - 130 F. MDALL 6330

OC-4540	A	Therabath Pro	13" x 7" x 5"
OC-4544	B	Mitts	Pair
OC-4545	C	Booties	Pair
OC-4546	D	Bath Liners	100 pk



Therabath Paraffin Refills

Designed to provide a residue and mess-free treatment, Therabath Professional Paraffin Wax is soft and pliable, allowing for easy application and removal. Made in the U.S.A with FDA food grade ingredients, the odorless, colorless and hypoallergenic wax is expertly blended with necessary oils to maintain a supple texture and leave no oily residue. It guarantees soft, youthful, deeply moisturized, and healthy-looking skin, making it a perfect choice for rehabilitation exercises or indulgent self-care.

OC-4543	E	6 x 1 lb Beads	Unscented
---------	---	----------------	-----------

Paraffin Refills

OC-4542	F	6 x 1 lb Beads	Unscented
---------	---	----------------	-----------



Torex Professional Grade Cold Packs

The ultimate solution for effective cold therapy, Torex Professional Grade Cold Packs are versatile and designed to provide soothing relief for various injuries, reducing pain, swelling, and inflammation. The unique gel formula inside the pack remains flexible even when frozen, allowing for optimal conformity and comfort during use. Whether for sports injuries, post-operative recovery, or general pain management, Torex Cold Packs offer a reliable and convenient way to promote healing and alleviate discomfort.



OC-4230	G	Standard	10" x 13.5"
OC-4231	H	Oversized	13" x 19"
OC-4232	I	Cervical	21"



Torex Cold Therapy Roll-On Sleeves

Designed to provide complete coverage to the injured limb. With a patented design that stays securely in place, these sleeves offer hands-free convenience and 360° coverage for effective cold therapy. They include the same outstanding features and benefits as the Torex flat packs, ensuring soothing relief and optimal recovery.

			Limb circumference
OC-4221	J	Small (Wrist & Foot)	4" - 10"
OC-4222		Medium (Elbow & Ankle)	10" - 15"
OC-4223		Large (Leg & Knee)	15" - 21"
OC-4224		X-Large (Thigh)	21" - 28"

Medicold Hot/Cold Gel Packs

Reusable packs stay flexible whether hot or cold and conforms to body shape for optimal treatment effect. Gel is non-toxic and latex-free, with transparent packaging. Heat in microwave or chill in freezer prior to use. Available in three different sizes and sold by the case.

OC-4440-MC	K	10" x 12"	12/case
OC-4441-MC	L	6" x 10"	24/case
OC-4442-MC	M	4" x 20"	24/case

Infection Control

Medicom Medical Disposable Face Mask

Lightweight, soft, and breathable mask offers defense against odors, dust, and light to moderate amounts of fluid, spray, and aerosols. Perfect for healthcare practitioners and their patients.

Latex-free. Blue.

OC-46295	A	50/box	Level 2
OC-46295-10		50/box (case of 10)	Level 2
OC-46291		50/box	Level 3
OC-46291-10		50/box (case of 10)	Level 3



Vinyl Exam Gloves

The soft and silky feel and high tensile strength provide enhanced tactile sensitivity required in clinical practice. These powder-free, non-sterile gloves are latex-free, reducing the risk of allergies. 100 gloves/box. MDALL 64791

OC-46925-S	B	Small	100/box
OC-46925-M	B	Medium	100/box
OC-46925-L	B	Large	100/box
OC-46925-XL	B	X-Large	100/box
OC-46925-10-S		Small	100/box (case of 10)
OC-46925-10-M		Medium	100/box (case of 10)
OC-46925-10-L		Large	100/box (case of 10)
OC-46925-10-XL		X-Large	100/box (case of 10)



Nitrile Exam Gloves

The thin fabric and textured fingertips are easy to put on, giving comfort, dexterity, and protection. Non-sterile gloves offer increased tactility and puncture resistance. Latex and powder-free. 300 gloves/box. MDALL 66585

OC-46924-S	Small	300/box
OC-46924-M	Medium	300/box
OC-46924-L	Large	300/box
OC-46924-XL	X-Large	300/box
OC-46924-8-S	Small	300/box (case of 8)
OC-46924-8-M	Medium	300/box (case of 8)
OC-46924-8-L	Large	300/box (case of 8)
OC-46924-8-XL	X-Large	300/box (case of 8)

Ronco Vinyl Gloves

Powder and latex-free gloves are lightweight and flexible offering a smooth texture and a comfortable fit. Non-sterile. 100 gloves/ box. MDALL 79253

OC-46927-S	C	Small	100/box
OC-46927-M	C	Medium	100/box
OC-46927-L	C	Large	100/box
OC-46927-10-S		Small	100/box (case of 10)
OC-46927-10-M		Medium	100/box (case of 10)
OC-46927-10-L		Large	100/box (case of 10)

Ronco Earth Biodegradable Gloves

Eco-friendly protection with accelerated biodegradation in just 1-5 years, unlike regular nitrile gloves that take over 100 years to decompose. Powder and latex-free, they provide excellent strength, superior elasticity, and textured fingertips for a secure grip. 100/box. MDALL 79251

OC-46926-S	Small	100/box
OC-46926-M	Medium	100/box
OC-46926-L	Large	100/box



Cloth Patient Gowns

Back tie cloth gown. 1 size fits all. Cotton/polyester blend.

OC-4618-6	D	Gowns (6/case)
-----------	---	----------------



BioTEXT

Made with biodegradable surfactants, BioTEXT is an environmentally friendly, multi-purpose, institutional-grade disinfectant for hard and porous surfaces like Naugahyde, leather & vinyl. It's ready to use and formulated to kill harmful pathogens in 3 minutes.

OC-4608-05	E	5L Bag in a Box w/Spout
OC-4608-05-02		5L Bag in a Box w/Spout, 2 pk
OC-4608-02	F	710ml Spray Bottle
OC-4608-04		710ml Spray Bottle, 4 pk

BioSURF

Made with biodegradable surfactants, BioSURF is an environmentally friendly, institutional-grade, ready to use disinfectant. It's designed to kill harmful pathogens within seconds. For hard surfaces only. Lime scented.

OC-4604-05	G	5L Bag in a Box w/Spout
OC-4604-02	H	710ml Spray Bottle

Certainty Plus Wipes

An optimal solution for clinics, these wipes are disposable and pre-moistened with a fragrance-free quaternary disinfectant. 99.9% effective in killing common bacteria in less than 60 seconds and the SARS-COV-2 virus in 30 seconds. For hard surfaces only.

OC-4601	I	Canister of 200 Wipes
OC-4601-06		Canister of 200 Wipe, 6 pk

Certainty Biodegradable Disinfectant Wipes

Certainty Plus Disinfectant is now available in a biodegradable and compostable wipe made with plant-based fibers. Wipes will fully biodegrade in 6 weeks. For hard surfaces only.

OC-4602	J	Canister of 160 Wipes
OC-4602-06		Canister of 160 Wipes, 6 pk

CaviCide and CaviWipes

A convenient, ready-to-use, institutional surface disinfectant that is effective against TB, HCV, bacteria (including MRSA and VRE) and fungi. Formulated to kill harmful organisms in 3 minutes. For hard surfaces only.

OC-4624	L	1 gal
OC-4624-04		1 gal, 4 pk
OC-4624-01	M	24 oz Spray
OC-4624-160	K	Canister of 160 Wipes
OC-4624-160-12		Canister of 160 Wipes, 12 pk

CaviWipes1

CaviWipes1 is a fast and effective multi-purpose disinfectant that kills pathogens in 1 minute. Bleach and fragrance-free, it cleans and disinfects surfaces efficiently, and helps reduce the risk of cross contamination. For hard surfaces only.

OC-46240	N	Canister of 160 Wipes
OC-46240-12		Canister of 160 Wipes, 12 pk

Sanctband™

The Cleaner Band

Sanctband's powder-free and reduced latex protein exercise bands address the dissatisfaction with the messiness of conventional, powdery bands, and the concerns for latex allergies with latex exercise bands.

Sanctband Exercise Band and Dispensers






Sanctband exercise bands are specially treated to remove most of the proteins found in latex and washed to remove the excess powder. This process reduces the possibility for any remaining powder to transport proteins to the user's skin, making it safer to handle and use. Band colour is strength progressive, from extra light to super heavy.

46m Bulk Rolls (150')

OC-9012	A		Peach	X-Light
OC-9013	B		Orange	Light
OC-9014	C		Lime Green	Medium
OC-9015	D		Blueberry	Heavy
OC-9016	E		Plum	X-Heavy
OC-9017	F		Grey	XX-Heavy



30 bands x 1.5m each (5') Dispensers

OC-9000	G		Peach	X-Light
OC-9001	H		Orange	Light
OC-9002	I		Lime Green	Medium
OC-9003	J		Blueberry	Heavy
OC-9004	K		Plum	X-Heavy
OC-9005			Mixed Pack	Includes Orange, Lime Green & Blue





Powder-Free

Taking away the discomfort and mess of powdery hands



Low Protein

Reducing allergies by removing latex proteins



Longer Lasting

Passing a 10,000 stretch endurance test



More Efficient

Resistance remaining linear with increased use



Safer

Having a minimum elongation of 500% at break



Eco-Friendly

Using sustainable resources, clean energy and responsible waste management

Burst resistant up to 120kg (265 lb) & slow deflate. Latex-free.

Sanctband Exercise Balls

Sanctband Anti-Burst Exercise Balls cater to the needs of rehab professionals, providing a versatile solution for a wide range of conditions during therapy and training. Based on German TUV safety standards, they have been tested for their anti-burst properties of up to 120kg (265 lb) static stress weight bearing capacity. Available in 3 sizes and 3 colours. Latex-free.

OC-5455	L	55cm	Orange (polybagged)
OC-5465	M	65cm	Lime (polybagged)
OC-5475	N	75cm	Blueberry (polybagged)
OC-5455-Box		55cm	Orange with Retail Box & Pump
OC-5465-Box		65cm	Lime with Retail Box & Pump
OC-5475-Box		75cm	Blueberry with Retail Box & Pump
OC-5196-Pump	O		Sanctband Ball Pump
OC-5029-22	P	22cm	Sanctband Pilates Ball - Lime Green
OC-5029-26	Q	26cm	Sanctband Pilates Ball - Blueberry
OC-5680	R		Sanctband Exercise Mat - Teal
			60cm x 180cm x 1.5



Sanctband™

Sanctband Tubing

Sanctband tubing is manufactured with a proprietary multi-dipping process (40 to 60 times) for highest quality and resistance to breakage. It is not extruded (like spaghetti), which produces a weaker and cheaper tubing. This unique process ensures durability and the safety of the user. Sanctband tubing is manufactured with the capacity to stretch 6 times its length. Tubing colour is strength progressive, from extra light to super heavy.

Sanctband tubing is manufactured to stretch 6 times its length.

31.1m Tubing Dispenser Box (100')




OC-9018	A		Peach	X-Light
OC-9019	B		Orange	Light
OC-9020	C		Lime Green	Medium
OC-9021	D		Blueberry	Heavy
OC-9022	E		Plum	X-Heavy
OC-9023	F		Grey	XX-Heavy



Sanctband Super Loops

Developed for professional athletes, these Super Loops have been tested for force-elongation to 300% their length. Their high dynamic tension makes them ideal for athletic conditioning, sports specific drills and explosive strength building.

40" Super Loops


OC-9044	M		Orange	Light	40"
OC-9045	N		Cherry	Medium	40"
OC-9046	O		Blueberry	Heavy	40"
OC-9047	P		Plum	Super Heavy	40"



Sanctband Mini Loops

Designed for portability and to target specific muscle groups. Mini Loops can also be used to progress the difficulty of strengthening and toning exercises.

33cm x 5cm Mini Loop (13" x 2")

OC-6110	Q		Peach	X-Light	13"
OC-6111	R		Orange	Light	13"
OC-6112	S		Lime Green	Medium	13"
OC-6113	T		Blueberry	Heavy	13"

23cm x 5cm Mini Loop (9" x 2")


OC-6114		Peach	X-Light	9"
OC-6115		Orange	Light	9"
OC-6116		Lime Green	Medium	9"
OC-6117		Blueberry	Heavy	9"



Sanctband Tubing with Handles

High-quality Sanctband tubing with soft grip foam handles for comfort and solid grip. Tubing length is 45", 54" with handles. Colours are strength progressive, from extra-light to super heavy. Door anchor included.

OC-9030	G		Peach	X-Light
OC-9031	H		Orange	Light
OC-9032	I		Lime Green	Medium
OC-9033	J		Blueberry	Heavy
OC-9034	K		Plum	X-Heavy
OC-9035	L		Grey	XX-Heavy



Developed for professional athletes and tested for force-elongation when stretched 300% of length



Theraband Band

Theraband Band, Latex-Free



Theraband Band Dispenser Packs

Theraband Band

50 yard (46m) bulk rolls. Contains latex.

OC-6620	Tan	X-Thin
OC-6621	Yellow	Thin
OC-6622	Red	Medium
OC-6623	Green	Heavy
OC-6624	Blue	X-Heavy
OC-6625	Black	Special-Heavy
OC-6626	Silver	Super-Heavy

6 yard (5.5m) rolls. Contains latex.

OC-6611	Yellow	Thin
OC-6612	Red	Medium
OC-6613	Green	Heavy
OC-6614	Blue	X-Heavy
OC-6615	Black	Special-Heavy
OC-6616	Silver	Super-Heavy

Theraband Band, Latex-Free

50 yard (46m) bulk rolls

OC-6655	Yellow	Thin
OC-6656	Red	Medium
OC-6657	Green	Heavy
OC-6658	Blue	X-Heavy
OC-6659	Black	Special-Heavy

25 yard (23m) rolls

OC-6650	Yellow	Thin
OC-6651	Red	Medium
OC-6652	Green	Heavy
OC-6653	Blue	X-Heavy
OC-6654	Black	Special-Heavy

Theraband Band Dispenser Packs

Each dispenser pack includes 30, 5"x5", individually wrapped lengths of pre-cut Theraband. Contains latex.

OC-045160	Yellow	Thin
OC-045161	Red	Medium
OC-045162	Green	Heavy
OC-045163	Blue	X-Heavy
OC-045164	Black	Special-Heavy



Theraband Tubing



Theraband Flex Bars



Theraband Hand Exercisers



Theraband Pro Series SCP
Exercise Balls

Theraband Tubing

100' (31m) dispenser box. Made of natural rubber. Contains latex.

OC-6629	Tan	X-Thin
OC-6630	Yellow	Thin
OC-6631	Red	Medium
OC-6632	Green	Heavy
OC-6633	Blue	X-Heavy
OC-6634	Black	Special-Heavy
OC-6635	Silver	Super-Heavy

25' (7.6m) dispenser box. Made of natural rubber. Contains latex.

OC-6650	Yellow	Thin
OC-6651	Red	Medium
OC-6652	Green	Heavy
OC-6653	Blue	X-Heavy

Theraband Flex Bars

Flexible natural rubber bars with easy grip ridges. Diameter of bar increases with resistance level. 12" length.

OC-6269	Yellow	X-Light	5 lb
OC-6270	Red	Light	10 lb
OC-6271	Green	Medium	15 lb
OC-6272	Blue	Heavy	25 lb
OC-6272	Includes 2 Yellow, 4 Red, 4 Green, & 2 Blue		

Theraband Hand Exercisers

Can heat or cool before use. Washable.

OC-6250	1 lb	Yellow
OC-6251	3 lb	Red
OC-6252	5 lb	Green
OC-6253	8 lb	Blue
OC-6254	12 lb	Black

Theraband Pro Series SCP Exercise Balls

Slow deflate balls gives security and comfort. Burst resistant up to 265 lb. Static weight capacity of 1000lb. Polybagged, latex-free.

OC-6535	45 cm	Yellow
OC-6536	55 cm	Red
OC-6537	65 cm	Green
OC-6538	75 cm	Blue

Balance Training

Airex Balance Beam & Balance Pads

Closed-cell super-soft specialty foam used for balance, coordination, mobility, vestibular and stability training. Water-repellent and sanitized to inhibit growth of fungus and microbes.

OC-6165	A	Airex Balance Beam	63"L x 6"W x 2.5"H
OC-6160	B	Airex Balance Pad	20"L x 16"W x 2.5"H
OC-6162		Airex Balance Pad Elite w/Non-Slip Undersurface	20"L x 16"W x 2.5"H



Cando Balance Pad

Thermoplastic elastomer balance pad used for balance, stability, core training and strengthening. Can be stacked to increase challenge. Water-repellent and washable.

OC-6170	C	20"L x 16"W x 2.5"H
---------	---	---------------------

Sanctband Balance & Sitting Discs

These inflatable discs have a smooth surface on one side and sensory points on the other. Used either as a balance disc or an active seating cushion.

OC-5196-Blue D 13" Blue
OC-5196-Lime E 13" Green



Fitter Balance Boards

Balance training, strengthening, and stretching platforms made of hardwood or heavy-duty plastic, with a non-slip surface. The wobble boards adjust for different levels of difficulty.

OC-2400 20" Square Rocker Board
OC-2401 20" Wobble Board
OC-2402 16" Wobble Board
OC-2403 F Set of 3 Boards & Stand
OC-2402-01 16" Wobble Board, Plastic



BOSU Home Balance Trainers

The BOSU Home Balance Trainers are the perfect choice for working on balance, strength, coordination, and flexibility training. They are fun to use, challenging the entire body with integrated, multi-joint movements that require muscle groups to simultaneously react and work together. Made with latex-free, burst-resistant material with a 300 lb weight capacity. Includes a hand pump and QR code to owner's manual and exercise samples.


OC-2408-C G 65 cm
OC-2407-50 50 cm



Urban Poling

Enhance your walking routine with Urban Poling by engaging 90% of your muscles to boost energy expenditure and fat burning. 30 minutes of Nordic pole walking equals 50 minutes of regular walking and delivers over 1800 abdominal contractions per mile. Reduces joint impact, and improves stability, balance, and posture. Features Ergonomic grips, shock-absorbing tips, and easy-to-use high-quality poles to choose from.

OC-9400	A	Series 300 (Fitness Edition)
OC-9402	B	Activator (Prof. Edition)
OC-9403-01	C	Boot-Shaped Replacement Tips (Pair)
OC-9403-02	D	Replacement Bell-Tips for Extra Stability (Pair)
OC-9403-04		Urban Poling Carrying Bag



POP – Post-Operative Knee Sliding Board

A standard for any orthopedic practice, and applicable for all knee and lower extremity rehab programs. The POP is designed to optimize knee range of motion exercises and is ideal for post-operative flexion/extension. The heel trolley ensures a smooth glide, while the base grips provide slip-free placement. Crafted with maple, aluminum axles, and rubber bumpers, it minimizes wear and noise.

OC-4999

E



Rehab Stretch Strap

Versatile non-elastic strap features sewn-in anchors to shorten when needed. Effectively targets multiple muscle groups of the upper and lower extremities for optimal stretching. Polybagged with an illustrated insert that provides visual guidance.

OC-6902 F Rehab Stretch Strap
OC-6902-10 Rehab Stretch Strap, 10 pk
OC-6900 Stretch Out Strap
(Includes a full exercise guide)



Home Shoulder Pulley

Retrain and gain shoulder ROM in all planes. Ideal for frozen shoulder, surgery recovery, mastectomy, and stroke rehabilitation at home or in clinic. This quiet, smooth pulley has a webbed door anchor and notched handles that allow easy and quick adjustments of the rope length with no need to tie or untie knots.

OC-2379 G Green
OC-2379-10 Green, 10 pk

Home Ranger Shoulder Pulleys

The Home Ranger Shoulder Pulleys are available in two models. Both include a self-lubricating nylon pulley and a rope that is marked at intervals to easily gauge progress. Exercise booklet included.

OC-2600 H w/Webbed Door Anchor
OC-2607 I w/Overdoor Metal Bracket

Wall Mounted Overhead Pulley

OC-2381 J 18" x 5" x 20"

Overdoor Shoulder Pulley

OC-2382 K 15" x 3.5" x 7"

Digiflex Hand Exercisers

Develop isolated finger strength, flexibility, and coordination as it builds forearm strength. Resistance refers to pounds per finger. Complete set includes all 5 resistance levels with display rack.

OC-2406-01	1.5 lb	Yellow
OC-2406-03	3 lb	Red
OC-2406-05	5 lb	Green
OC-2406-07	7 lb	Blue
OC-2406-09	9 lb	Black
OC-2406-11	11 lb	Grey
OC-2406-S	Set of 5 Resistances w/display rack	



Sanctband Hand Exercisers

Achieve a stronger grip, enhance forearm strength, and boost hand dexterity with Sanctband Hand Exercisers. Designed for rehabilitation and to improve motor skills and function. Latex-free.

OC-7030	Extra Soft	Peach
OC-7031	Soft	Orange
OC-7032	Medium	Lime
OC-7033	Firm	Blueberry



Digi-Extend Hand Exerciser

Progressive resistance hand exerciser strengthens intrinsic and extrinsic flexors and extensors of hand and forearm and can target individual fingers and thumb. Bands are latex-free elastic and colour coded for levels of resistance. Includes illustrated pamphlet.

OC-2407



Rehab Putty



Cando Twist-n-Bend



Power Web

Therapy Putty

Designed to meet a wide range of strengthening needs. Putty can be squeezed, stretched, twisted, or pinched. Resistance level is colour coded. Combine any colours to create custom resistance for individual needs. Latex-free.

	2 oz	4 oz	1 lb	5 lb
Tan (x-soft)	OC-7049		OC-7059	OC-7069
Yellow (soft)	OC-7050	OC-7040	OC-7060	OC-7070
Red (med-soft)	OC-7051	OC-7041	OC-7061	OC-7071
Green (medium)	OC-7052	OC-7042	OC-7062	OC-7072
Blue (firm)	OC-7054	OC-7044	OC-7064	OC-7074

Cando Twist-n-Bend

Flexible natural rubber bars with easy-grip ridges. All bars have a diameter of 1.75" and 12" length. Contains latex.

OC-6273-Y	Yellow	X-Light
OC-6273-R	Red	Light
OC-6273-G	Green	Medium
OC-6273-BI	Blue	Heavy
OC-6273-Bk	Black	X-Heavy

Power Web

This proven hand, wrist and forearm exerciser is the ultimate rehab tool to develop strength, dexterity, and range of motion. Combo models offer a unique advantage of two resistance levels in one.

14" Diameter

OC-2405-01	Tan	Ultra-Light
OC-2405-02	Yellow	Light
OC-2405-03	Red	Medium
OC-2405-04	Green	Heavy
OC-2405-05	Blue	X-Heavy
OC-2405-06	Black	XX-Heavy
OC-2405-08	Red-Blue	Medium / X-Heavy Combo
OC-2405-10	Yellow-Green	Light / Heavy Combo
OC-2405-14	Red-Tan	Medium / Ultra-Light Combo

7" Diameter - Junior

OC-2405-26	Yellow	Light
OC-2405-27	Red	Medium
OC-2405-28	Green	Heavy
OC-2405-30	Orange	Medium (Latex-Free)

York Vinyl Coated Dumbbells

Easy to disinfect, comfortable grip and colour coded for easy identification. Sold individually or in sets.

OC-2450-X5	A	1, 2, 3, 4, 5 lb Set (2 ea)
OC-2450-X10	A	1, 2, 3, 4, 5, 7, 10 lb Set (2 ea)
OC-2450-X20	A	1,2,3,4,5,7,8,9,10 lb Set (2 ea)
OC-2450-01	A	1 lb
OC-2450-02	A	2 lb
OC-2450-03	A	3 lb
OC-2450-04	A	4 lb
OC-2450-05	A	5 lb
OC-2450-06	A	6 lb
OC-2450-07	A	7 lb
OC-2450-08	A	8 lb
OC-2450-09	A	9 lb
OC-2450-10	A	10 lb



A



Cuff Weights

Durable, vinyl covered, easy to disinfect and colour coded for identification. Sold individually and in sets.

OC-2430-1	B	1 lb
OC-2430-2	B	2 lb
OC-2430-E	B	2.5 lb
OC-2430-3	B	3 lb
OC-2430-4	B	4 lb
OC-2430-5	B	5 lb
OC-2430-6	B	6 lb
OC-2430-F	B	7.5 lb
OC-2430-8	B	8 lb
OC-2430-10	B	10 lb

Cuff Weight Sets

Sets include: 1, 2, 3, 4, 5, 7.5 and 10 lb.

OC-2430-40	B	14 Piece Set, 2 of Each
OC-2430-21	B	7 Piece Set, 1 of Each

Wall Mounted Dumbbell Strip

Features pre-drilled mounting holes for easy installation. The angled rods ensure stability while holding up to 11 dumbbells. With a sleek gray laminate surface, this rack adds a touch of elegance to any clinic. Dumbbells not included.

OC-2451	C	48" L x 3" W
---------	---	--------------

D



Kettlebells

Black cast iron. Sold individually.

OC-61410-10	D	10 lb
OC-61410-15		15 lb
OC-61410-20		20 lb
OC-61410-25		25 lb

Storage Solutions

Organize weights and bands conveniently while giving your facility a clean look. Our premium Storage Solutions include swivel castors (2 locking) for easy transport. Angled polycarbonate dumbbell rods ensure stability, while protective bumpers safeguard both weights and walls. The cuff weight “sliding hook system” allows effortless lateral positioning. Band and weights sold separately.

CabinetRac

- 2 locking doors conceals large interior space
- Holds up to 48 cuff weights, 22 dumbbells and 6 rolls of exercise band

OC-7475 E 29" L X 23" D X 62" H

Cuff Weight, Dumbbell & Band Rack

- Holds up to 64 cuff weights, 22 dumbbells and 6 rolls of exercise band

OC-7478 F 31" W X 24" D X 53" H

Combo Weight & Mirror Rack

- Full length glass mirror with beveled edges
- Holds up to 48 cuff weights, 22 dumbbells and 6 rolls of exercise band

OC-7477 G 31.5" W X 18" D X 72" H

Astoria MaxRac

- Door conceals large interior space
- Full length glass mirror has beveled edges
- Holds up to 64 cuff weights, 22 dumbbells and 6 rolls of exercise bands

OC-7479 H 28" L X 28" D X 65" H



Diagnostic

Chatillon DMG Kit Force Gauge

Available in 500 lb capacity, the Chatillon Force Gauge accurately measures (+0.5% FS) push or pull forces generated by the patient for almost any application. A calibrated dial shows instantaneous force. An easy-to-use peak force switch freezes the pointer at the maximum force for simple identification and analysis.

Includes carrying case, handle assembly, hook with latch, curved and circle compression plates, rectangular plate, palm fixture, grasping cable, small & large v-notch, extension rod, certificate of calibration with data verification to NIST.

OC-3039-500 A DMG + Medical Kit



Baseline Push-Pull Force Gauge

The Baseline Push-Pull Force Gauge is light, easy-to-use and has a 500 lb capacity. Built with the same hydraulic system as the Baseline Hand and Pinch Dynamometers, it gives accurate readings for strength testing, job task analysis, and functional capacity evaluations. Dial shows instantaneous and maximum force reading for manual recording.

Includes a carrying case, 3 force applicators (padded curved, padded straight, and a 1 cm non-padded) and a swivel hook attachment to facilitate pulling and lifting testing.

OC-3042-02 B 500 lb Hydraulic Dial
OC-3042-03 Optional Bilateral Handle (not illustrated)



Baseline Hand Dynamometer

The dual-scale readout display range covers forces from 0-90 kg (200 lb), and the peak-hold needle retains the highest reading until it is reset. The handles easily adjust to 5 grip positions, from 1 3/8" to 3 3/8" in 12" increments. Carrying case and instructions included. 2-year warranty.

OC-3054-02

C




D



E



F



G



H

Baseline 3 Piece Hand Evaluation Set

Complete hand evaluation set includes the Baseline Hand Dynamometer (w/200 lb capacity), Pinch Gauge (w/50 lb capacity), and Stainless-Steel Finger Goniometer.

OC-3054-05

D

Baseline Pinch Gauge

With a 50 lb capacity and 2.5" analog gauge, therapists can provide support during the pinch gauge test, yielding a more accurate result. Its hydraulic system provides reliability, accuracy, and repeatability. Maximum reading remains until the unit is reset. Strength reading is shown in lb and kg. 2-year warranty.

OC-3054-01

E

Smedley Dynamometer

Made of light-weight aluminum with an adjustable handle that will accommodate any hand size. Maximum 200 lb capacity and is calibrated in pounds and kilograms. Carrying case included.

OC-3046

F

Purdue Pegboard Test

Originally developed to aid employee screening for jobs requiring fine and gross motor dexterity and coordination, it measures gross movements of hands, fingers, and arms, plus fingertip dexterity. Complete with pins, collars, washers, and an examiner's manual including norms.

OC-3050

G

Minnesota Dexterity Test

Measures capacity for simple but rapid eye-hand-finger movement - quick movement in handling simple tools and production materials without differentiating size and shape. The complete version has a 2nd folding board to allow the displacing, 1-hand turning, and 2-hand turning tests.

OC-3051

H

w/2 Boards

OC-3051-01

w/1 Board

Taylor Percussion Hammer

Triangular-shaped, solid rubber head for reflex testing. Designed with a chrome plated handle.

OC-3065 A



Babinski Hammer

Circular head can be adjusted to be in a perpendicular or parallel position to the handle.

OC-3007 B

Wartenberg Pinwheel

Stainless-steel aesthesiometer with sharp points to measure cutaneous sensory awareness and perception of pain.

OC-3009 D

Tuning Forks

Can be used as a screening tool to assess possible fractures.

OC-3066 F 128 cps
OC-3067 G 256 cps

Buck Neurological Hammer

Percussion head with 2 different sized rubber ends and includes point and brush for cutaneous sensation evaluation.

OC-3005 C

2 Point Discriminator

Evaluates cutaneous sensitivity and touch threshold. Measures up to 14cm discrimination.

OC-3006-2 E



360° Goniometers

Transparent plastic goniometers used to measure ROM. The 360° head has three scales calibrated to be used with the ISOM (International Standards of Measurement).

OC-3052	H	12"
OC-3060	I	6"
OC-3053	J	8"

Hi-Res 360° Goniometers

White background assures high contrast for added readability and resolution. The 360° head has three scales calibrated to be used with the ISOM (International Standards of Measurement).

OC-060250	K	12"
OC-060251	L	6"
OC-060249	M	8"

Finger Goniometers

Ideal for small joints. Measure with only one hand by moving the measurement head through 110° flexion and 40° hyperextension in 5° increments. Arm has 4" linear scale.

OC-3057	N	Stainless Steel
OC-060056	O	Plastic

Flexion-Hyperextension Finger Goniometer

Clear plastic finger goniometer measures from 30° hyperextension to 120° flexion in 1° increments. The arms have a linear scale in both inches and centimeters.

OC-060002	P
-----------	---

Bubble Inclinometer

Unique fluid-based design makes it accurate and easy to measure ROM of the spine and extremity joints. Measurement is displayed in degrees. Carrying case included.

OC-3061-01	Q
------------	---

Universal Inclinometer

For easy extremity, spinal, and postural measurements. No waiting for the needle to settle because it is fluid damped for fast accurate readings. Available with two interchangeable bases designed to fit all body surfaces.

OC-3061	R
---------	---



Tape Measure

Provides precise circumferential measurement in inches and centimeters. 6' total length.

OC-060006 A

Gulick Measurement Tape

Provides precise circumferential measurement for progressive anthropometric exams, regardless of examiner's measurement techniques.

OC-3024 B

Digital Timer

Easy-to-use, clearly displays minutes and seconds. Comes with stand, clip, and magnet attachment.

OC-060071 C

Long Ring Timer

Includes an easy-to-turn knob with a 3 second ring timer. Counts down 1 hour in 1-min intervals.

OC-3012 D

Diagnostix 2100 Fingertip Pulse Oximeter

Institutional-grade. Provides spot readings of SpO₂ and heart rate. Programmed with 6 changeable display modes and 10 display brightness settings.

OC-060161 E

Electronic Stopwatch

Offers start/stop, time out, split time, and calendar mode. Registers 1/110th for 1st 30 seconds, then 1 second for 24 hours. Battery operated programmable alarm.

OC-060140 F

Anatomical Charts

Ideal for patient education, anatomical charts offer a comprehensive and detailed visual reference of the human body and common injuries treated in practice. Include a laminated surface and eyelets for hanging. Dims 20" x 26".



Shoulder & Elbow

OC-026561



Muscular System

OC-026563




Skeletal System

OC-026565




Trigger Points (Set of 2)

OC-026569



The Spinal Nerves

OC-026594




Anatomy & Injuries of the Shoulder

OC-026656



Knee Injuries

OC-026593



Foot & Ankle

OC-026558

Flexible Skeleton

The Flexible Skeleton has a modified, flexible spinal column with soft discs that show natural deformation. It is ideal for demonstrating natural movement of the spine and thorax (flexion/extension, side flexion, breathing techniques). Model includes a spinal cord with nerve roots and arteries, and segmented sacrum. A herniated disc is shown between the fourth and fifth lumbar vertebrae.

OC-7140-FL Flexible Skeleton

All skeletons include a stand & dust cover and 5-year warranty.

Dimensions	71"H x 16"W x 10"D
Weight	24 lb



Standard Skeleton

Casted for unmatched anatomical precision, every detail of the bony surfaces has been preserved. Crafted from an incredibly durable material, it defies age-related deterioration and remains unbreakable during normal use. Where possible there is natural movement in the joints. For transport or individual demonstration, the arms, legs, and skull can be easily detached. The mandible is also removable, and the skull can be dissected further.

OC-7140-ST Standard Skeleton



Anatomical Models

Made of high-quality and durable material, the following anatomical models replicate the structure and function of each joint with accuracy and allow a level of flexibility to demonstrate natural movement. Stand included where pictured.



Shoulder

OC-7150-01



Foot

OC-7150-05



Knee

OC-7150-03



Hip

OC-7150-02



Hand

OC-7150-06



Pelvic Floor

OC-7143



**Flexible Spine with
Herniated Disc**

OC-7142-01 34" H



**Flexible Physiological
Spine**

OC-7142-02 34" H



Mini Flexible Spine

OC-7141-3 12" H

360° Showroom

Do you or your staff need product training? Would you like to “kick the tires” before investing in capital equipment? Meet with our experts in person or virtually, from the comfort of your own office, to explore equipment and clinical supplies that can meet the needs of your daily clinic operations. Book a visit today.

Located in the Ottawa/Gatineau area.

It's a convenient and easy way to:


- Meet our team of experts
- Get professional advice & personalized experience
- Learn about our products firsthand
- Discover innovative technologies





K-Taping Academy Canada

Founded by Birgit Kumbrink, author and physiotherapist, the K-Tape Academy courses are based on extensive testing and collaboration with research institutes, such as the Charité in Berlin and the Florida Hospital Innovation Lab. The courses provide experienced guidance to healthcare professionals interested in learning taping applications that will broaden treatment options and improve clinical outcomes. In person and online courses available.





Shockwave Training Canada

Presented by physiotherapist Rosen Kolev, Shockwave Training Canada courses are patient-centered and evidenced-based. The courses provide experienced guidance to healthcare professionals interested in learning techniques that will expand treatment options for a wide range of soft-tissue conditions.

- In-person workshop
- In-person advanced course
- Virtual advanced course

Shockwave Delivers Enormous Benefits for Clinic Owners

- Attract New Patients
- New Source of Income
- Improve Patient Retention



Sustainability

OrthoCanada is proud to announce that it has been awarded the Net Zero Carbon Performance certification by the Canada Green Building Council (CaGBC). This certification recognizes OrthoCanada's commitment to achieving net-zero greenhouse gas emissions in its operations.

The Net Zero Carbon Performance certification is a rigorous standard that requires organizations to measure, report, and reduce their carbon emissions to zero. OrthoCanada has demonstrated its commitment to sustainability by investing in renewable energy, implementing energy-efficient technologies, and adopting sustainable practices in its operations.

We have also implemented numerous initiatives aimed at reducing our daily environmental impact, such as:

- Offering professional grade products designed to last
- Partnering with manufacturers that have environmentally friendly and ethical practices
- Partnering with transporters that aim at reducing their carbon footprint
- Using energy efficient equipment
- Implementing a paperless work process environment
- Reducing packaging waste; and
- Recycling and composting





A photograph of a warehouse interior. In the foreground, several cardboard boxes are on a conveyor belt. The boxes have red labels with the word "ADA" in white. One box also has a barcode label. In the background, there are more boxes and blue industrial shelving units. A large red circle is overlaid on the right side of the image, containing white text.

**We Make
Shipping a
Positive
Experience**

We ship anywhere in Canada!
Our objective is to provide the best possible delivery service, at an affordable price. Getting your order to you promptly is our priority.

Free Shipping on Orders Over \$250*

Standard shipping rate for Healthcare Professionals, Institutions, and Distributors/Dealers is \$12.95. The standard shipping rate for Northwest Territories, Nunavut and Yukon Territory is \$24.95* and \$19.95* for Newfoundland & Labrador.

*Standard rates apply unless affected by weight, size, or remote destination factors. In such instances, our customer service team will reach out to confirm shipping costs before dispatch. We utilize FedEx and Canada Post for standard deliveries, with larger items sent via surface freight. Please note that OrthoCanada's shipping services are exclusive to Canadian locations. For detailed Terms & Conditions, please visit our website at orthocanada.com/en/shipping-info.[†] Dealers/Distributors are excluded from drop ship deliveries.

Terms & Conditions for Healthcare Professionals, Institutions and Distributors/Dealers

Order Policy

The methods of payment accepted are cheque, electronic funds transfer (EFT), Visa, MasterCard, or American Express. We offer Net 30-day terms for qualifying accounts. Any balance due over 30 days will be subject to a 2% service charge. A confirmation email is sent for ecommerce orders confirming your order has been placed via our online store. A separate confirmation email is sent once your order is shipped, which will include a copy of your receipt or invoice and tracking information. Shipment errors or damage must be reported to Customer Service immediately upon receipt of the order.

Pricing

Please refer to orthocanada.com or contact our team for pricing. Healthcare professionals have access to discounted pricing on applicable products. Prices are subject to fluctuation and may change without notice. Prices do not include taxes or shipping fees.

Promo codes are exclusively for healthcare professionals, clinics, institutions, and the general public. They are not valid on past orders or purchases, cannot be combined with other offers, transferred, nor exchanged for cash or credit. Use promo codes online at checkout only; they do not apply to capital equipment or quoted products. Discounts are applied pre-shipping and taxes.

Non-Returnable Items

Special or custom orders, equipment delivered by freight, as well as pillows, towels, linens, unsealed topicals and lotions, used electrotherapy, all support garments and braces worn next to the skin do not qualify for a return. Please be certain before ordering a support or brace for a patient that you have precisely measured the body part, carefully following the manufacturer's instructions that guide your size selection. A tape measure is necessary to measure accurately.

Shipping

Orders typically ship within 1-2 business days and should be delivered within an additional 1-8 business days, depending on your geographic location within Canada. OrthoCanada is unable to provide any additional updates regarding delivery times nor are we able to schedule specific delivery times for ground shipments.

If an order is not received within 10 business days of being placed, the customer agrees to notify our Customer Service by email including the Order Number and clinic information to info@orthocanada.com. Unclaimed orders shipped back to OrthoCanada are subject to a standard shipping fee. If you request that an unclaimed order be shipped to you again, the standard shipping fee will apply a second time.

Freight Delivery

Large or heavy capital equipment orders requiring a freight delivery will be quoted by a sales representative and will be subject to

freight charges. A freight delivery agreement between the customer and OrthoCanada will be provided by a sales representative at the time of purchase and must be signed and dated prior to the shipment leaving our facility. Due to the complexity of freight deliveries, we do not offer returns or exchanges.

Returns Procedure

A return authorization (RA) from Customer Service is required for all returns. Please carefully follow RA instructions provided otherwise returns may be refused. To request a return authorization, please visit www.orthocanada.com/en/returns-and-exchanges.

The customer is responsible for the courier cost of the return. Record and save the parcel's tracking number from the courier service you choose. OrthoCanada is not responsible for returns lost in transit. Once the returned merchandise has been received, inspected, and qualifies as "as-new" condition, your account will be credited (minus any restocking fee if applicable).

The returned item(s) must arrive at OrthoCanada in "as-new" condition: unused, and in undamaged, original packaging. Use extra caution when packing to protect the return product.

Returns made within 10 days of receipt are eligible for a full refund. A 15% restocking fee applies after 10 days, and a 25% restocking fee will apply after 30 days. No returns are accepted past 60 days.

If you received incorrect merchandise as a result of OrthoCanada's error, we will provide a return mail tag and no restocking fee will be applied.

Governing Laws

The Terms and all related transactions will be governed by the laws of the province of Quebec and the applicable laws of Canada. The Customer hereby agrees to the jurisdiction of the courts of the province of Quebec. The Customer acknowledges that the products sold are subject to, and Customer agrees to comply with the export control laws and regulations of Canada. OrthoCanada reserves the right to modify or change these terms and conditions at any time, without prior notice.

Terms & Conditions for the General Public

If you are not a healthcare professional and wish to purchase products from OrthoCanada, we recommend that you consult with your healthcare provider (physiotherapist, physician, doctor or therapist) first. OrthoCanada is unable to offer any product recommendations, medical diagnosis or therapeutic advice to the general public, whether from telephone or email inquiries, however, the general public is welcome to order from our website. We do not accept returns for general public orders.

Gatineau/Ottawa
Montreal
Toronto/Waterloo
Vancouver

1-800-561-0310

Fax 1-800-561-0349

info@orthocanada.com

orders@orthocanada.com

Customer Service Hours:
Monday to Friday from
8:00 am to 7:00 pm EST

Mailing Address:
1-170 Bombardier
Gatineau, QC J8R 0G5

**Our Solutions.
Your Results.**

ORTHO CANADA

