



proaudio
Catalogue 2024

Are you mixing with the right company?



Index

Apollo Series			
- APOLLO 10PD	<u>4</u>	- ARTEMIS 12SB	<u>28</u>
- APOLLO 10A	<u>5</u>	- ARTEMIS 15SB	<u>29</u>
- APOLLO 12PD	<u>6</u>	- ARTEMIS 18SB	<u>30</u>
- APOLLO 12A	<u>7</u>	- ARTEMIS 18S	<u>31</u>
- APOLLO 12	<u>8</u>	- ARTEMIS 10PM	<u>32</u>
- APOLLO 15PD	<u>9</u>	- ARTEMIS 12PM	<u>33</u>
- APOLLO 15A	<u>10</u>	- ARTEMIS 15PM	<u>34</u>
- APOLLO 15	<u>11</u>	Starship Series	
Jupiter Series		- STARSHIP PWK15	<u>35</u>
- JUPITER 10A	<u>12</u>	- STARSHIP PWK215	<u>36</u>
- JUPITER 12A	<u>13</u>	- STARSHIP PWK18S	<u>37</u>
- JUPITER 15A	<u>14</u>	- STARSHIP PWK218S	<u>38</u>
Mercury Series		Starliner Series	
- MERCURY P8	<u>15</u>	- STARLINER PWP12A	<u>39</u>
- MERCURY P10	<u>16</u>	- STARLINER PWP15A	<u>40</u>
- MERCURY P10.2	<u>17</u>	Vulcan Series	
- MERCURY P15.2	<u>18</u>	- VULCAN PWP2B 12A	<u>41</u>
- POWER 12	<u>19</u>	- VULCAN PWP2B 15A	<u>42</u>
Atlantis Series		Pegasus Series	
- ATLANTIS PA6	<u>20</u>	- PEGASUS PWB 12A	<u>43</u>
- ATLANTIS PA8	<u>21</u>	- PEGASUS PWB 15A	<u>44</u>
Artemis Series		Portable Speakers	
- ARTEMIS 8PD	<u>22</u>	- JX-15A	<u>45</u>
- ARTEMIS 10PD	<u>23</u>	- RX-15A	<u>46</u>
- ARTEMIS 12PD	<u>24</u>	- AQM-15A	<u>47</u>
- ARTEMIS 12	<u>25</u>		
- ARTEMIS 15PD	<u>26</u>		
- ARTEMIS 15	<u>27</u>		

Zethus Line Array Series

- 112BPW	<u>48</u>
- 210BPW	<u>50</u>
- 218SPW	<u>52</u>
- VX118SPW	<u>54</u>
- ACCESSORIES	<u>56</u>

R Series Mixers

- R602BT-USB	<u>58</u>
- R902BT-USB	<u>60</u>

X Series Mixers

- X10BT-UFX	<u>62</u>
- X12BT-UFX	<u>64</u>
- X1604BT-USB	<u>66</u>
- X2004BT-USB	<u>68</u>

T Series Mixers

- T-1804BT-U	<u>70</u>
--------------	-----------

MX Series Mixers

- MX2406BT-U	<u>72</u>
- MX3206BT-U	<u>74</u>
- MX4006BT-U	<u>76</u>

Multimedia Player

- PW-2CMP	<u>78</u>
-----------	-----------

Microphones

- PW58	<u>79</u>
- PW85	<u>80</u>
- SC100	<u>81</u>
- SC100USB	<u>82</u>
- SC20USB	<u>83</u>
- PDMK-7	<u>84</u>

Headphones

- HPW2000	<u>86</u>
- HPW3000	<u>87</u>
- HPW4000	<u>88</u>

Headphone Amplifier

- PW HA400	<u>89</u>
------------	-----------

Wall Mounted Speakers

- PW-4IP66BK	<u>90</u>
- PW-4IP66WK	<u>92</u>
- PW-6IP66BK	<u>94</u>
- PW-6IP66WK	<u>96</u>
- PW-SET6WH	<u>98</u>

PA Audio Transmission

- FLY-100 T+R	<u>100</u>
- FLY-100R	<u>101</u>
- PWP-1	<u>102</u>

Shuttle Accessories

- PW S100	<u>104</u>
- PW MON220	<u>104</u>
- PW P100	<u>105</u>
- PW P200	<u>105</u>
- PW WB100	<u>106</u>
- PW M100	<u>106</u>
- PW POPFILTER	<u>107</u>
- PW DMS100	<u>107</u>
- UTC 1000	<u>108</u>
- UTC 1010	<u>109</u>

APOLLO 10PD

10" 600W Peak 2-way Bi-Amp Powered
Bass Reflex Speakers with DSP Display

APOLLO Series



APOLLO PD Series speakers are part of a larger range of PowerWorks Pro Audio product line.

This cabinet delivers 600W peak power, Specially selected transducers and compression drivers with a powerful Customisable DSP Display, advanced housing material and anti-scratch black paint: all Components combined to offer the best quality and value for the most demanding Audio professionals.



Frequency Response
Max SPL
Low-freq. Transducer
High-freq. Transducer
Coverage
Low-Frequency Amplifier
High-Frequency Amplifier

55Hz - 19kHz / -10dB
132 dB
10" Woofer 2" Voice Coil
1.35" Compression Driver
90° x 90° constant directivity horn
Class-D 250W RMS - 500W Peak
Class-AB 50W RMS - 100W Peak

APOLLO 10A

10" 1200W Peak 2-way Bi-Amp Powered
Bass Reflex Speakers with DSP Display

APOLLO Series



APOLLO Series speakers are part of a larger range of PowerWorks Pro Audio product line. This cabinet delivers 1200W peak power, Specially selected transducers and compression drivers with a powerful DSP, advanced housing material and anti-scratch black paint: all Components combined to offer the best quality and value for the most demanding Audio professionals.

Built-in DSP allows you to select from 4 preset programs (Live, DJ, Speech and Monitor) to easily get your sound that you require for your event. There are three inputs with selectable inputs of Line/Mic with separate level controls.

Frequency Response
Max SPL
Low-freq. Transducer
High-freq. Transducer
Coverage
Low-Frequency Amplifier
High-Frequency Amplifier

55Hz - 19kHz / -10dB
132 dB
10" Woofer 2" Voice Coil
1.35" Compression Driver
90° x 90° constant directivity horn
Class-D 250W RMS - 1000W Peak
Class-AB 50W RMS - 200W Peak


APOLLO 12PD

12" 800W Peak 2-way Bi-Amp Powered
Bass Reflex Speakers with DSP Display

APOLLO Series



APOLLO PD Series speakers are part of a larger range of PowerWorks Pro Audio product line. This cabinet delivers 800W peak power, Specially selected transducers and compression drivers with a powerful Customisable DSP Display, advanced housing material and anti-scratch black paint: all Components combined to offer the best quality and value for the most demanding Audio professionals.



Frequency Response
Max SPL
Low-freq. Transducer
High-freq. Transducer
Coverage
Low-Frequency Amplifier
High-Frequency Amplifier

55Hz - 19kHz / -10dB
134 dB
12" Woofer 2.36" Voice Coil
1.35" Compression Driver
90° x 90° constant directivity horn
Class-D 350W RMS - 700W Peak
Class-AB 50W RMS - 100W Peak

APOLLO 12A

12" 1600W Peak 2-way Powered
Loudspeakers with DSP

APOLLO Series



APOLLO Series speakers are part of a larger range of PowerWorks Pro Audio product line. This cabinet delivers 1600W peak power, Specially selected transducers and compression drivers with a powerful DSP, advanced housing material and anti-scratch black paint: all Components combined to offer the best quality and value for the most demanding Audio professionals.

Built-in DSP allows you to select from 4 preset programs (Live, DJ, Speech and Monitor) to easily get your sound that you require for your event. There are three inputs with selectable inputs of Line/Mic with separate level controls.

Frequency Response
Max SPL
Low-freq. Transducer
High-freq. Transducer
Coverage
Low-Frequency Amplifier
High-Frequency Amplifier

55Hz - 19kHz / -10dB
132 dB
10" Woofer 2" Voice Coil
1.35" Compression Driver
90° x 90° constant directivity horn
Class-D 250W RMS - 1000W Peak
Class-AB 50W RMS - 200W Peak

APOLLO 12


12" 900W Peak 2-way
Passive Loudspeaker

APOLLO Series



APOLLO Series speakers are part of a larger range of PowerWorks Pro Audio product line.

This passive cabinet delivers 900W peak power, Specially selected transducers and compression drivers, advanced housing material and anti-scratch black paint: all Components combined to offer the best quality and value for the most demanding Audio professionals.



Frequency Response
Max SPL
Low-freq. Transducer
High-freq. Transducer
Coverage

55Hz - 19kHz / -10dB
134 dB
12" Woofer 2.36" Voice Coil
1.35" Compression Driver
90° x 60° constant directivity horn

APOLLO 15PD

15" 900W Peak 2-way Bi-Amp Powered
Bass Reflex Speakers with DSP Display

APOLLO Series



APOLLO PD Series speakers are part of a larger range of PowerWorks Pro Audio product line. This cabinet delivers 900W peak power, Specially selected transducers and compression drivers with a powerful Customisable DSP Display, advanced housing material and anti-scratch black paint: all Components combined to offer the best quality and value for the most demanding Audio professionals.

Frequency Response
Max SPL
Low-freq. Transducer
High-freq. Transducer
Coverage
Low-Frequency Amplifier
High-Frequency Amplifier

45Hz - 19kHz / -10dB
136 dB
15" Woofer 3" Voice Coil
1.35" Compression Driver
90° x 90° constant directivity horn
Class-D 400W RMS - 800W Peak
Class-AB 50W RMS - 100W Peak

APOLLO 15A


15" 900W Peak 2-way Powered
Loudspeakers with DSP

APOLLO Series



The APOLLO Series are supplied with more than enough power and I/O to handle a wide variety of applications and environments.

Its 15-inch woofer is driven by a 400W (continuous), Class D power amp, while the 1.35-inch horn receives 50W.




Frequency Response
Max SPL
Low-freq. Transducer
High-freq. Transducer
Coverage
Low-Frequency Amplifier
High-Frequency Amplifier

45Hz - 19kHz / -10dB
136 dB
15" Woofer 3" Voice Coil
1.35" Compression Driver
90° x 90° constant directivity horn
Class-D 400W RMS - 800W Peak
Class-AB 50W RMS - 100W Peak

APOLLO 15

15" 1000W Peak 2-way
Passive Loudspeaker

APOLLO Series



APOLLO Series speakers are part of a larger range of PowerWorks Pro Audio product line. This passive cabinet delivers 1000W peak power, Specially selected transducers and compression drivers, advanced housing material and anti-scratch black paint: all Components combined to offer the best quality and value for the most demanding Audio professionals.

Frequency Response
Max SPL
Low-freq. Transducer
High-freq. Transducer
Coverage

45Hz - 19kHz / -10dB
136 dB
15" Woofer 3" Voice Coil
1.35" Compression Driver
90° x 60° constant directivity horn

JUPITER 10A

Active Speaker With Dsp

JUPITER Series



Unleash the power of pristine audio with the Jupiter 10A DSP series. Crafted for performance and versatility, these speakers feature 10" 600W high-power woofers and compression drivers for exceptional sound reproduction.

Whether used as stage monitors or Front of House Cabinets, the Jupiter 10A DSP series delivers high definition audio and wide frequency response. Elevate your sound experience with the Jupiter 10A DSP series - where lightweight design meets uncompromising performance.

- Freq. Response 48Hz - 19kHz
- Power RMS/Peak 300w/600w
- Max SPL 129dB
- Coverage Angle H90° x V60° constant directivity horn
- Transducer LF 10" Woofer 2" Voice coil
- Transducer HF 1" Exit-1" Compression Driver 2.5KHz
- Crossover frequency 2.5KHz
- Material Finish PP, Matte black
- Handles Top x 1 & Side x 1
- Pole socket 35mm Pole Socket
- Amplifier Class D + Class AB

JUPITER 12A

Active Speaker With Dsp

JUPITER Series

POWER
WORKS

Unleash the power of pristine audio with the Jupiter 12A DSP series. Engineered for performance and portability, these speakers feature 12" 800W high-power woofers and compression drivers for unparalleled sound reproduction.

Whether used as stage monitors or Front of House Cabinets, the Jupiter 12A DSP series delivers high definition audio and a wide frequency response. Elevate your sound experience with the Jupiter 12A DSP series - precision engineering meets unbeatable performance.



- Freq. Response 45Hz - 19kHz
- Power RMS/Peak 400w/800w
- Max SPL 130dB
- Coverage Angle H90° x V60° constant directivity horn
- Transducer LF 12" Woofer 2.36" Voice coil
- Transducer HF 1" Exit-1" Compression Driver 2.5KHz
- Crossover frequency 2.5KHz
- Material Finish PP, Matte black
- Handles Top x 1 & Side x 1
- Pole socket 35mm Pole Socket
- Amplifier Class D + Class AB

JUPITER 15A

Active Speaker With Dsp

JUPITER Series



Introducing the Jupiter 15A DSP series - a cutting-edge speaker system engineered for exceptional performance. With its lightweight design and powerful 15" 800W woofers, these speakers deliver high-definition audio and wide frequency response.

Whether used as stage monitors or Front of House Cabinets, the Jupiter 15A DSP series offers versatility and uncompromising sound quality. Elevate your audio experience with the Jupiter 15A DSP series - where innovation meets excellence.

- Freq. Response 41Hz - 19kHz
- Power RMS/Peak 400w/800w
- Max SPL 131dB
- Coverage Angle H90° x V60° constant directivity horn
- Transducer LF 15" Woofer 3" Voice coil
- Transducer HF 1" Exit-1" Compression Driver 2.5KHz
- Crossover frequency 2.5KHz
- Material Finish PP, Matte black
- Handles Top x 1 & Side x 1
- Pole socket 35mm Pole Socket
- Amplifier Class D + Class AB

MERCURY P8


400 Watt Ultra Portable Powered
Column Loudspeaker with Mixer

MERCURY Series



The PowerWorks MERCURY series offers an enormous 1,200 watts of total output (Peak Power) with a frequency response of 50 Hz to 20 kHz and a sound-level pressure of 121 dB (peak).

With its outstanding sound properties and wide-ranging functions, this Active column PA system is perfect for musicians, DJs, Conference, Houses of Worship and solo entertainers.



Power-handling nominal (RMS)	400 W
Power-handling, program	800 W
Power-handling, peak	1200 W
Nominal impedance	4 ohms
Max SPL	121 dB
Amplification	Class D (Sub) + 1 x Class AB (Array Column)
Protection Circuits	DSP based Multi-band Limiter, Short Circuit and Overheating protection

MERCURY P10

450 Watt Active PA System with 4 Channel Mixer, DSP and Bluetooth

MERCURY Series



The PowerWorks MERCURY P10 offers an enormous 800 watts of total output (Peak Power) with a frequency response of 50 Hz to 20 kHz and a sound-level pressure of 121 dB (peak).

With its outstanding sound properties and wide-ranging functions, this compact Active column PA system is perfect for musicians, DJs, Conference, Houses of Worship, Home Hi-Fi and solo entertainers.



Power-handling nominal (RMS)	400 W
Power-handling, program	800 W
Power-handling, peak	1600 W
Nominal impedance	4 ohms
Max SPL	121 dB
Amplification	1 x Class D (Sub) + 1 x Class D (Array Column)
Protection Circuits	DSP based Multi-band Limiter, Short Circuit and Overheating protection

MERCURY P10.2

450 Watt Active 2.1 PA System with 4 Channel Mixer, DSP and Bluetooth

MERCURY Series



With its outstanding sound properties and wide-ranging functions, this compact Active column PA system is perfect for musicians, DJs, Conference, Houses of Worship, Home Hi-Fi and solo entertainers.



Power-handling nominal (RMS)	400 W
Power-handling, program	800 W
Power-handling, peak	1600 W
Nominal impedance	4 ohms
Max SPL	121 dB
Amplification	1 x Class D (Sub) + 2 x Class D (Array Columns)
Protection Circuits	DSP based Multi-band Limiter, Short Circuit and Overheating protection

MERCURY P15.2

800 Watt Active 2.1 PA System
with DSP & Bluetooth

MERCURY Series



With its outstanding sound properties and wide-ranging functions, this Active Sub/Satellite PA system is perfect for musicians, DJs, Conference, Houses of Worship, DJ and solo entertainers.

The subwoofer is fitted with 1 x 15" woofer as well as Three Amplifier modules which drives individually the Sub Woofer and 2 x passive 8" satellite Speakers.



Power-handling nominal (RMS)	800 W
Power-handling, program	1600 W
Power-handling, peak	2400 W
Nominal impedance	8 ohms
Max SPL	132 dB
Amplification	1 x Class D (Sub) + 2 x Class D (Satellite Speakers)
Protection Circuits	DSP based Multi-band Limiter, Short Circuit and Overheating protection

POWER 12

12" Active Ultra-Low Frequency
Wooden Bass Speaker

MERCURY Series




The **POWER 12** includes 6 x 3" mid frequency transducers for perfect clarity of instruments and voice.

The 1" high precision driver delivers dynamic and clear highs. The subwoofer features one professional 12" transducer for well-defined lows.

The on-board 4-channel mixer enables a wide range of applications. Connecting microphones, instruments, players or even wireless Bluetooth streaming sources:

- Self-powered 3-way system for high-definition sound (122 dB max.)
- 6 x 3" plus 1 x 1" precision transducers
- 120° x 30° ultra wide sound coverage (HxV)
- Power 12" subwoofers for deep and powerful lows
- Class-D amplifier modules for low distortion and excellent sound, powerful SMPS (100 V - 240 V)



ATLANTIS PA6

An unbeatable Multi-Position PA System All-in-One Battery Powered

ATLANTIS Series



Sound Great anywhere with this ultra portable Multi-Position PA System.

Designed specifically for musicians, DJs, and general PA use, the ATLANTIS Series is the ultimate all-in-one PA, floor monitor, practice amplifier and primary music system.

Multiple positions, supported by Auto EQ, ensure that you always sound your best. And with a 3-channel mixer, reverb, Bluetooth streaming and Mic/Guitar switch onboard, the ATLANTIS Series is ready to be your go anywhere Ultra Portable PA System

Transducer LF	1 * 6.5" subwoofer, 1" voice coil
Transducer HF	3 * 2.75", neodymium magnet, 1" voice coil
Frequency Response	(-6dB) 65 Hz - 18 kHz
Max. SPL	110 dB
Protection Circuits	Short Circuit overdrive protection
Impedance	4Ohms
Amplification	2 x Class D
Power Output (Peak)	(RMS) 200W

ATLANTIS PA8

An unbeatable Multi-Position PA System All-in-One Battery Powered

ATLANTIS Series



Sound Great anywhere with this ultra portable Multi-Position PA System.

Designed specifically for musicians, DJs, and general PA use, the ATLANTIS Series is the ultimate all-in-one PA, floor monitor, practice amplifier and primary music system.

Multiple positions, supported by Auto EQ, ensure that you always sound your best. And with a 3-channel mixer, reverb, Bluetooth streaming and Mic/Guitar switch onboard, the ATLANTIS Series is ready to be your go anywhere Ultra Portable PA System



Transducer LF
Transducer HF
Frequency Response
Max. SPL
Protection Circuits
Impedance
Amplification
Power Output (Peak)

1 * 8" subwoofer, 1" voice coil
3 * 2.75", neodymium magnet, 1" voice coil
(-6dB) 65 Hz - 18 kHz
120 dB
Short Circuit overdrive protection
4Ohms
2 x Class D
(RMS) 240W

ARTEMIS 8PD

8" 700W Peak 2-way Powered
Loudspeakers with Ease of use DSP

ARTEMIS Series

POWER
WORKS



ARTEMIS Series speakers are part of a full range of Power Works Pro Audio product line up.

Compact and lightweight, active loudspeakers provide a rich, extended low-end and natural high-frequency in a Plywood enclosure that is easily transportable.

Frequency Response	70Hz - 19kHz / -10dB
Max SPL	120 dB
Low-freq. Transducer	8" Woofer 2" Voice Coil
High-freq. Transducer	1.35" Compression Driver
Coverage	H90 x V60
Crossover Frequency	3,5kHz
Low-Frequency Amplifier	Class-D 300W RMS - 600W Peak
High-Frequency Amplifier	Class-AB 50W RMS - 100W Peak

ARTEMIS 10PD


10" 700W Peak 2-way Powered
Loudspeakers with Ease of use DSP

ARTEMIS Series



ARTEMIS Series speakers are part of a full range of PowerWorks Pro Audio product line up.

Compact and lightweight, active loudspeakers provide a rich, extended low-end and natural high-frequency in a Plywood enclosure that is easily transportable.



Frequency Response	65Hz - 19kHz / -10dB
Max SPL	120 dB
Low-freq. Transducer	10" Woofer 2" Voice Coil
High-freq. Transducer	1.35" Compression Driver
Coverage	H90 x V60
Crossover Frequency	3,2kHz
Low-Frequency Amplifier	Class-D 300W RMS - 600W Peak
High-Frequency Amplifier	Class-AB 50W RMS - 100W Peak

ARTEMIS 12PD

12" 1200W Peak 2-way Powered
Loudspeakers with Ease of use DSP

ARTEMIS Series



ARTEMIS Series speakers are part of a full range of PowerWorks Pro Audio product line up.

Compact and lightweight, active loudspeakers provide a rich, extended low-end and natural high-frequency in a Plywood enclosure that is easily transportable.

Frequency Response	50Hz - 19kHz / -10dB
Max SPL	136 dB
Low-freq. Transducer	12" Woofer 2" Voice Coil
High-freq. Transducer	1.35" Compression Driver
Coverage	H90 x V60
Crossover Frequency	2,8kHz
Low-Frequency Amplifier	Class-D 550W RMS - 1000W Peak
High-Frequency Amplifier	Class-AB 50W RMS - 100W Peak

ARTEMIS 12

1200W Peak 2-way
Passive Loudspeaker

ARTEMIS Series



ARTEMIS Series speakers are part of a full range of PowerWorks Pro Audio product line up.

Compact and lightweight, active loudspeakers provide a rich, extended low-end and natural high-frequency in a Plywood enclosure that is easily transportable.



Frequency Response
Max SPL
Low-freq. Transducer
High-freq. Transducer
Coverage
Crossover Frequency
Power Consumption

65Hz - 19kHz / -10dB
136 dB
12" Woofer 2.36" Voice Coil
1.35" Compression Driver
H90 x V60
2,8kHz
450W

ARTEMIS 15PD

15" 1200W Peak 2-way Powered
Loudspeakers with Ease of use DSP

ARTEMIS Series



ARTEMIS Series speakers are part of a full range of PowerWorks Pro Audio product line up.

Compact and lightweight, active loudspeakers provide a rich, extended low-end and natural high-frequency in a Plywood enclosure that is easily transportable.

Frequency Response	43Hz - 19kHz / -10dB
Max SPL	136 dB
Low-freq. Transducer	15" Woofer 2.36" Voice Coil
High-freq. Transducer	1.75" Compression Driver
Coverage	H90 x V60
Crossover Frequency	2,6kHz
Low-Frequency Amplifier	Class-D 550W RMS - 1000W Peak
High-Frequency Amplifier	Class-AB 50W RMS - 100W Peak

ARTEMIS 15

1100W Peak 2-way
Passive Loudspeaker

ARTEMIS Series



ARTEMIS Series speakers are part of a full range of PowerWorks Pro Audio product line up.

Compact and lightweight, active loudspeakers provide a rich, extended low-end and natural high-frequency in a Plywood enclosure that is easily transportable.



Frequency Response	45Hz - 19kHz / -10dB
Max SPL	128 dB
Low-freq. Transducer	15" Woofer 3" Voice Coil
High-freq. Transducer	1.35" Compression Driver
Coverage	H90 x V60
Crossover Frequency	2,5kHz
Power Consumption	480W

ARTEMIS 12SB

12" Active Professional Sub-Woofer

ARTEMIS Series

[← Back to Index](#)



Designed to compliment any 3rd party full-range PA loudspeaker and a perfect combination for the Power Works ARTEMIS and APOLLO series speakers. These subwoofers deliver a powerful, clear and low-end punch.

With 1600 watts (peak) of Class D power and a dual ported enclosure, it has all the Power needed for low-frequency performance audio. The custom 12-inch transducer has a 4 inch voice coil.



- Frequency Response: 40Hz - 150Hz
- Max SPL: 124 dB
- Amplifier: Class D
- Power Output: 800 Watts RMS / 1600 Watts Peak
- Inputs: 2 x Multi-combo XLR and 6.3mm TRS line-level inputs
- Outputs: 2 x XLR outputs
- Full DSP Control
- Enclosure: 18mm MDF Multi-Layered Painted Black
- Dimensions (H x W x D): 655 mm x 485 mm x 625 mm
- Weight: 32.2 kg

ARTEMIS 15SB

15" Active Professional Sub-Woofer

ARTEMIS Series



Designed to compliment any 3rd party full-range PA loudspeaker and a perfect combination for the PowerWorks ARTEMIS and APOLLO series speakers. These subwoofers deliver a powerful, clear and low-end punch.

With 2,000 watts (peak) of Class D power and a dual ported enclosure, it has all the Power needed for low-frequency performance audio.? The custom 15-inch transducer has a 4 inch voice coil.

- Frequency Response: 35Hz - 150Hz
- Max SPL: 128 dB
- Amplifier: Class D
- Power Output: 1000 Watts RMS / 2000 Watts Peak
- Inputs: 2 x Multi-combo XLR and 6.3mm TRS line-level inputs
- Outputs: 2 x XLR outputs
- Full DSP Control
- Enclosure: 18mm MDF Multi-Layered Painted Black
- Dimensions (H x W x D): 710 mm x 565 mm x 695 mm
- Weight: 45.3 kg

ARTEMIS 18SB

18" Active Professional Sub-Woofer

ARTEMIS Series



Designed to compliment any 3rd party full-range PA loudspeaker and a perfect combination for the PowerWorks ARTEMIS and APOLLO series speakers. These subwoofers deliver a powerful, clear and low-end punch.

With 2,000 watts (peak) of Class D power and a dual ported enclosure, it has all the Power needed for low-frequency performance audio. The custom 18-inch transducer has a 4 inch voice coil.




- Woofer: 18" high-excursion with 4" voice coil
- Power: 1000 Watts RMS / 2000 Watts Peak
- Amplifier: Class D
- Frequency Response: 30-150 Hz
- Maximum SPL: 130 dB
- Enclosure: 18mm plywood, black multi-layered paint
- Inputs: 2 x Multi-combo XLR and 6.3mm TRS line-level
- Outputs: 2 x XLR
- Mounting Options: 35 mm & M20 stand flange mount
- Dimensions: 775(H) x 645(W) x 765(D) mm
- Weight: 52.7 kg
- Additional Features: Optional cover, optional casters for easy transport

ARTEMIS 18S

18" Passive Professional Sub-Woofer

ARTEMIS Series



Designed to compliment any 3rd party full-range PA loudspeaker and a perfect combination for the Power Works ARTEMIS and APOLLO series speakers.

These subwoofers deliver a powerful, clear and low-end punch. The custom 18-inch transducer has a 4 inch voice coil.

Frequency Response	30Hz -200Hz
Max SPL	130 dB
Amplifier	Class D
Power Consumption	1600W

ARTEMIS 10PM

Active 2-way coaxial 10" stage monitor

ARTEMIS Series



The ARTEMIS 10PM is an active 2-way coaxial stage monitor. All wedges of the ARTEMIS monitor series feature a very sturdy front grille design, two handles integrated on the side of the plywood cabinet and a 35mm pole mount on one side panel which allow for mounting of the monitor onto a tripod speaker pole to be used as FOH (Front of House).

Frequency Response	60Hz -18dB
Max SPL	121 dB
Low-freq. Transducer	10" Woofer 2" Voice Coil
High-freq. Transducer	1.35" Compression Driver
Low-Frequency Amplifier	Class-D 200W RMS - 400W Peak
High-Frequency Amplifier	Class-AB 50W RMS - 100W Peak

ARTEMIS 12PM

Active 2-way coaxial 12" stage monitor

ARTEMIS Series



The ARTEMIS 12PM is an active 2-way coaxial stage monitor. All wedges of the ARTEMIS monitor series feature a very sturdy front grille design, two handles integrated on the side of the plywood cabinet and a 35mm pole mount on one side panel which allow for mounting of the monitor onto a tripod speaker pole to be used as FOH (Front of House).

Frequency Response

53Hz -18dB

Max SPL

123 dB

Low-freq. Transducer

12" Woofer 2,36" Voice Coil

High-freq. Transducer

1.35" Compression Driver

Low-Frequency Amplifier

Class-D 300W RMS - 600W Peak

High-Frequency Amplifier

Class-AB 50W RMS - 100W Peak

ARTEMIS 15PM

Active 2-way coaxial 15" stage monitor

ARTEMIS Series



The ARTEMIS 15PM is an active 2-way coaxial stage monitor. All wedges of the ARTEMIS monitor series feature a very sturdy front grille design, two handles integrated on the side of the plywood cabinet and a 35mm pole mount on one side panel which allow for mounting of the monitor onto a tripod speaker pole to be used as FOH (Front of House).

Frequency Response	45Hz -18dB
Max SPL	124 dB
Low-freq. Transducer	15" Woofer 3" Voice Coil
High-freq. Transducer	1.35" Compression Driver
Low-Frequency Amplifier	Class-D 200W RMS - 600W Peak
High-Frequency Amplifier	Class-AB 50W RMS - 100W Peak

PWK15

15" Passive 700W Speaker

STARSHIP Series



The PowerWorks PWK-15 is a powerful passive speaker designed for a wide range of applications, boasting a single 15" woofer with a 3" voice coil and a 1.75" compression driver.

With a robust plywood construction and 700 watts of power handling, this speaker delivers clear and dynamic sound reproduction for speeches, conferences, parties, and live performances.



- Model: PWK-15
- Type: Two-Way Passive full-range speaker
- Frequency Response: 45Hz-19kHz
- Power Output (RMS): 350W/700W
- Sensitivity (1m/w): 96dB
- Max SPL (peak): 121dB
- Impedance: 8 ohm
- LF Transducer: 15" Woofer 3" Voice coil
- HF Transducer: 1" Exit-1.75" Compression Driver
- Dispersion: 90°x 60°

PWK215

15" plywood painted
Passive Dual Speaker

STARSHIP Series



The PowerWorks PWK-215 is a passive dual speaker system featuring two 15" plywood painted speakers, each equipped with a 3" voice coil and a 1.75" compression driver.

With a total power handling of 1000 watts and two Speakon connectors for easy connectivity, this 2-way full-range speaker delivers robust and clear sound reproduction for a variety of applications.



- Model: PWK-215
- Type: Passive Dual Speaker
- Speaker Type: 2-way full-range
- Woofer Size: 15"
- Voice Coil: 3"
- Compression Driver: 1.75"
- Power Handling: 1000 watts (500W per speaker)
- Connectors: 2 Speakon
- Cabinet Material: Plywood
- Cabinet Surface: Painted

PWK18S

Passive 800watt 4" Voice Coil
Plywood Painted Bass Cabinet

STARSHIP Series



The PowerWorks PWK-18S is a powerful passive PA subwoofer designed for low-end reinforcement in any full-range PA system.

With an 800W RMS power rating and 4" voice coil, this subwoofer delivers deep bass and high SPL for DJ gigs, house parties, and live band performances.



- Type: Passive PA Subwoofer
- Frequency Response: 30Hz-200Hz
- Power Output (RMS): 800W/1600W
- Sensitivity (1m/w): 97dB
- Max SPL (Peak): 128dB
- Impedance: 8 ohm
- LF Transducer: 18" Woofer with 4" Voice Coil
- Connectors: 2 Speakon
- Cabinet Material: Plywood
- Cabinet Surface: Painting

PWK218S

Dual 18" speakers with 4" voice coil

STARSHIP Series




The PowerWorks PWK-218S is a powerful passive PA subwoofer designed for large audio applications. With dual 18" speakers featuring 4" voice coils, high SPL, and a rugged plywood enclosure, this subwoofer delivers punchy and extended low-end response, making it ideal for outdoor events and large indoor concerts.

- Type: Passive PA Subwoofer
- Frequency Response: 27Hz-200Hz
- Power Output (RMS): 500W/1000W
- Sensitivity (1m/w): 98dB
- Max SPL (Peak): 130dB
- Impedance: 4 ohm
- LF Transducer: Dual 18" Woofer with 4" Voice Coil
- Connectors: 2 Speakon
- Cabinet Material: Plywood
- Cabinet Surface: Painting

PWP 12A

12" Woofer + 1.35" Compression Driver 880
Watt Active Polypropylene Moulded Speaker

STARLINER Series



Introducing the PowerWorks new affordable range of POLYPROPYLENE MOULDED Active 12" Speakers, designed to deliver powerful and clear sound for various applications. Featuring a robust construction and versatile functionality, these speakers are ideal for venues such as Houses of Worship, Schools, Aerobics studios, Conference rooms, Gyms, Bands, DJs, and Presentations.


The Active version boasts a potent 880-watt Class AB Power amplifier, ensuring exceptional performance and reliability. The cabinet houses a 2-Way 12" Polypropylene Active PA Speaker System equipped with Bluetooth* and Mp3 Player capabilities, offering seamless connectivity and playback options for your audio sources.

- Woofer: 12" 2" Voice Coil
- Compression Driver: 1.35"
- Power: 400 Watts
- Speaker Type: Active Polypropylene Moulded Speaker
- Inputs: AUX/Bluetooth/USB/SD/XLR/3.5mm Jack
- Output: XLR

PWP 15A

15" Woofer + 1.75" Compression Driver 880
Watt Active Polypropylene Moulded Speaker

STARLINER Series



Introducing the PowerWorks new affordable range of POLYPROPYLENE MOULDED Active 15" Speakers, engineered to deliver exceptional sound quality and versatility at an accessible price point. Designed for a wide range of applications, these speakers are ideal for venues such as Houses of Worship, Schools, Aerobics studios, Conference rooms, Gyms, Bands, DJs, and Presentations.

The Active version features a robust 400-watt Class AB Power amplifier, ensuring reliable performance and powerful sound reproduction. Housed in a durable cabinet, the speaker system comprises a 2-Way 15" Polypropylene Active PA Speaker with Bluetooth* and Mp3 Player capabilities, providing seamless connectivity and playback options for various audio sources.

- Woofer: 15" 3" Voice Coil
- Compression Driver: 1.75"
- Power: 400 Watts
- Speaker Type: Active Polypropylene Moulded Speaker
- Inputs: AUX/Bluetooth/USB/SD/XLR/3.5mm Jack
- Output: XLR

PWP2B 12A

12" Active 2-Way Speaker

VULCAN Series

12" Polypropylene Active Speaker

- PWP2B-12AUB
- PWP2B-12A



AEROBICS



CONFERENCE



GYM



BANDS



DJ



PRESENTATION



Bluetooth

- Woofer: 15" 3" Voice Coil
- Compression Driver: 1.75"
- Power: 400 Watts
- Speaker Type: Active Polypropylene Moulded Speaker
- Inputs: AUX/Bluetooth/USB/SD/XLR/3.5mm Jack
- Output: XLR

PWP2B 15A

15" Active 2-Way Speaker

PEGASUS Series

15" Polypropylene Active Speaker

- PWP2B-15AUB
- PWP2B-15A



AEROBICS



CONFERENCE



GYM



BANDS



DJ



PRESENTATION



Bluetooth®

- Power supply: 230V AC, 50Hz
- Rated power: 400W RMS
- Program power: 800W (Class AB Power Amplifier)
- Frequency range: 50Hz - 20,000Hz
- Max. SPL: 126dB
- Amplifier: Class AB (400W RMS - 800W Peak)
- Media player: USB, SD, Bluetooth
- Equalizer: 2-band tone control


PWB 12A

12" Woofer + 1" Compression Driver 800 Watt
Active Polypropylene Moulded Speaker

PEGASUS Series



 **Battery Powered
Speaker System**



AEROBICS



CONFERENCE



GYM



BANDS



DJ



PRESENTATION



 **Bluetooth®**


PWB 15A

15" Woofer + 1" Compression Driver 800 Watt
Active Polypropylene Moulded Speaker

VULCAN Series



 **Battery Powered
Speaker System**



AEROBICS



CONFERENCE



GYM



BANDS



DJ



PRESENTATION



 **Bluetooth®**

JX-15A

Active 2-way Speaker with BT

ACTIVE SPEAKER



Elevate your sound experience with the PowerWorks Active 2-way 15" 600w speaker, a versatile and powerful audio solution designed for various applications. With its integrated media player and internal mixer, this speaker offers exceptional flexibility and convenience for any event or venue.

Featuring an internal mixer, the speaker allows independent control over two microphone or instrument signals (XLR, 6.3mm jack) or a stereo line source (RCA). Additionally, a stereo RCA output enables the sum signal to be output for further use, such as connecting to a subwoofer or a second active speaker.

The on-board media player supports audio playback via USB, SD card, and Bluetooth-enabled devices, providing seamless connectivity options for your music sources. The speaker's modern design includes large carrying handles integrated into its curved shape, allowing for easy transport and setup.

Equipped with a 35mm speaker flange on the underside, the speaker can be mounted on a speaker stand or wall bracket, offering versatile placement options to suit your needs.

- Speaker Type: Active 2-way
- Woofer Size: 15"
- Power: 600W
- Mixer: Internal mixer with independent control (2 microphone/instrument signals or stereo line source)
- Connectivity: USB, SD card, Bluetooth
- Output: Stereo RCA output
- Carrying Handles: Integrated
- Speaker Flange: 35mm

RX-15A

Active Speaker With BT

PORTABLE SPEAKER



Introducing the PowerWorks RX-15A - an active 2-way speaker system designed to redefine your audio experience. With its integrated media player and advanced features, the RX-15A offers unparalleled versatility and performance.

Equipped with an on-board media player, the RX-15A allows seamless audio playback via USB, SD card, and Bluetooth-enabled devices like mobile phones. Its true wireless stereo connectivity enables easy linking of two RX-15A units for a dynamic stereo experience.

The RX-15A features an internal mixer, giving you precise control over two microphone or instrument signals (XLR, 6.3mm jack) or a stereo line source (RCA). Additionally, the stereo RCA output allows for the sum signal to be output for further use, such as connecting to a subwoofer or a second active speaker.

Designed for convenience and portability, the RX-15A boasts large carrying handles integrated into its modern curved shape. Its 35mm speaker flange on the underside enables easy mounting on a speaker stand or wall bracket, making it perfect for any venue or setup.

- Speaker Type: Active 2-Way Speaker
- Woofer Size: 15"
- Power Rating: 800W
- Media Player: USB, SD card, Bluetooth
- Connectivity: True Wireless Stereo via Bluetooth
- Mixer: Internal mixer with independent control over two microphone or instrument signals (XLR, 6.3mm jack) or a stereo line source (RCA)
- Output: Stereo RCA output for sum signal
- Mounting: 35mm speaker flange for speaker stand or wall bracket

AQM-15A

Battery Active Speaker With BT

PORTABLE SPEAKER



Elevate your audio experience with the PowerWorks AQM-15A, a versatile and powerful all-in-one PA speaker system designed for a wide range of applications. With built-in Bluetooth streaming and stereo pairing capabilities, you can easily create a wireless stereo pair with another AQM-15A speaker, delivering immersive sound for any event.

Equipped with two wireless handheld microphones and a built-in media player supporting USB drives, SD cards, and FM radio, the AQM-15A provides convenient audio playback options suitable for various settings, including church services, schools, and venues. The full audio mixer gives you complete control over your sound, allowing you to customize your audio output to suit your preferences.

Featuring user-controllable lighting that flashes and changes colors to the beat of the music or can be set to glow or pulse in a single color, the AQM-15A adds a dynamic visual element to your performances. Its modern design includes integrated carrying handles for easy transport and a 35mm speaker flange for compatibility with standard speaker stands.

- Bluetooth: Yes (with stereo pairing)
- Microphones: 2 wireless handheld microphones
- Media Player: USB, SD card, FM radio
- Mixer: Full audio mixer
- Lighting: User-controllable, multi-color LEDs
- Battery Life: Up to 4 hours at full volume, up to 7 hours at 50% volume (fully charged)
- Carrying Handles: Integrated
- Speaker Flange: 35mm

With a built-in battery providing up to 4 hours of continuous playback at full volume or 7 hours at 50% volume on a single charge, the PowerWorks AQM-15A ensures uninterrupted entertainment wherever you go.

ZETHUS-112BPW **LINE ARRAY** SPEAKER

12" 2-way Line Array With DSP



The PowerWorks ZETHUS-112BPW is a dynamic 12" powered 2-way line array loudspeaker system, boasting dual 1.4" titanium diaphragms and a commanding 800W peak power output. Tailored for live sound environments, this unit is perfect for delivering high-quality audio in clubs, bars, restaurants, churches, and educational settings.



- Model: PowerWorks ZETHUS-112BPW
- Type: Powered 2-Way Line Array Loudspeaker System
- Powered: Yes
- LF Driver Size: 1 x 12"
- HF Driver Size: 2 x 1.4" Diaphragm
- Total Power: 400W Continuous / 800W Peak
- Impedance: 8 ohm
- Inputs: 2 x 1/4" & XLR Combo, 1/8" AUX, Bluetooth
- Outputs: 1 x XLR Mixed Out

ZETHUS-112BPW **LINE ARRAY** SPEAKER

12" 2-way Line Array With DSP



PowerWorks introduces the ZETHUS-112BPW, a compact yet powerful line array loudspeaker system that integrates advanced sound technologies to deliver exceptional audio performance. The system features a 12" low-frequency driver and two 1.4" high-frequency titanium compression drivers, providing a rich and detailed sound that can fill small to medium-sized venues.

Driven by an efficient Class-D amplifier, the ZETHUS-112BPW offers a substantial 400W continuous and 800W peak power handling at an 8-ohm impedance. This ensures that the speaker can deliver loud and clear sound with minimal distortion. The built-in digital signal processor (DSP) enhances the overall sound quality, allowing for precise system optimization and equalization tailored to various acoustic environments.

The speaker's sturdy construction comprises high-grade 100% birch plywood, known for its excellent natural acoustic properties and durability. The enclosure is finished with a textured coating, available in RAL colors, and is equipped with a heavy-duty metal grille, making it robust enough to withstand the demands of the road.

With its compact line array aluminum hardware, the ZETHUS-112BPW provides a multitude of mounting options, including stacking and flying capabilities. This flexibility, combined with easy integration features like multiple input and output connections, makes it a go-to solution for live sound reinforcement that requires both portability and power.

- Frequency Range: 45Hz-20kHz
- Sensitivity: 102 dB
- SPL: 130 dB
- Coverage Angle: 120 x 15 Degrees
- Enclosure Material: High-grade 100% Birch Plywood
- Enclosure Finish: Texture Coating (RAL Colors Available)
- Mounting: Compact Line Array Aluminum Hardware
- Product Dimensions: 22.4" W x 16.5" D x 14.2" H
- Product Weight: 56.2 lbs

ZETHUS-210BPW **LINE ARRAY** SPEAKER

10" Line Array With DSP



The PowerWorks ZETHUS-210BPW is an advanced dual 10" powered line array loudspeaker with onboard DSP, delivering a blend of power and precision in sound reinforcement. It's an ideal choice for professional live sound reinforcement, offering 550W continuous and 1100W peak power output.



- Model: PowerWorks ZETHUS-210BPW
- Type: Powered Line Array Loudspeaker
- Powered: Yes
- LF Driver Size: 2 x 10" Woofers
- HF Driver Size: 2 x 1.4" Titanium Compression Drivers
- Total Power: 550W Continuous / 1100W Peak
- Impedance: 4 Ohm
- Inputs: 2 x 1/4" & XLR Combo, 1/8" AUX, Bluetooth
- Outputs: 1 x XLR Mixed Out

ZETHUS-210BPW LINE ARRAY SPEAKER

10" Line Array With DSP



Introducing the PowerWorks ZETHUS-210BPW, a powerhouse of a line array loudspeaker system that combines sleek design with muscular performance. This loudspeaker system includes two 10" woofers paired with two 1.4" titanium compression drivers, all driven by an efficient Class-D power amplifier. With its ability to generate up to 550W continuous and 1100W peak power at a 4-ohm load, the ZETHUS-210BPW is engineered to deliver substantial sound levels with crystal-clear audio clarity.

The unit's professional DSP allows for intricate system optimization, providing sound engineers with the tools necessary for precise audio control, be it for live concerts, events, or fixed installations. These advanced digital processing capabilities are instrumental in enhancing the overall sound quality, allowing users to tailor the audio output to the specific requirements of any venue.

The ZETHUS-210BPW has been meticulously constructed from high-grade 100% birch plywood, known for its excellent acoustic properties and structural integrity. The robust nature of this material, along with the speaker's heavy-duty metal grille and aluminum rigging hardware, ensures that the system can withstand the demands of touring and mobile applications.

Mounting the ZETHUS-210BPW is a breeze, thanks to its compact line array aluminum hardware and multiple flying points. Whether you need to stack these speakers or fly them, the rigging hardware facilitates a secure setup, ensuring stability and safety. Up to eight units can be interconnected, making it possible to create a seamless line array configuration suitable for a diverse array of venues, including clubs, bars, restaurants, churches, and educational institutions.



(1) 1.48 ft. Neutrik PowerCON Extension Cable



(1) 5.9 ft. 3-Pin Edison to Neutrik PowerCON Cable

- Frequency Range: 47Hz-19kHz
- Sensitivity: 103 dB
- SPL: 130 dB
- Coverage Angle: 120 x 15 Degrees
- Enclosure Material: High-grade 100% Birch Plywood
- Enclosure Finish: Texture Coating (RAL Colors Available)
- Mounting: Compact Line Array Aluminum Hardware
- Dimensions: 30.3" W x 12.6" D x 16.5" H
- Weight: 69.0 lbs

ZETHUS-218SPW

LINE ARRAY SPEAKER

18" Line Array Subwoofer



The PowerWorks ZETHUS-218SPW is a dual 18-inch powered subwoofer that packs a powerful punch with its 3200W peak power capacity and dedicated DSP. Designed for line array systems, this subwoofer is housed in a robust birch plywood enclosure, ensuring clear and deep bass reproduction for professional audio applications.



- Model: PowerWorks ZETHUS-218SPW
- Type: Powered Line Array Subwoofer
- Powered: Yes
- LF Driver Size: 2 x 18" Woofers
- Total Power: 1600W Continuous / 3200W Peak
- Impedance: 2 x 8Ω Nominal (bi-amp)
- Inputs: 2 x 1/4" & XLR combo, 1/8" AUX, Bluetooth
- Outputs: 2 x XLR (Full Range/High Pass)
- Frequency Range: 27 Hz - 180 Hz

ZETHUS-218SPW

LINE ARRAY SPEAKER

18" Line Array Subwoofer



Customized High-Power Low-frequency Transducer



The PowerWorks ZETHUS-218SPW is a powerhouse in the low-frequency domain, providing sound reinforcement professionals with a formidable subwoofer that complements any line array system. With dual 18" woofers driven by a 4" voice coil and powered by a 2-channel class-D amplifier, this subwoofer can deliver continuous sound pressure levels with 1600W power and reach a peak of 3200W for those moments that require an extra impact.

Designed with the rigors of touring in mind, the ZETHUS-218SPW features a high-quality birch plywood enclosure that not only contributes to its excellent acoustic properties but also ensures durability and resilience against on-the-road wear and tear. The texture-coated finish adds to its aesthetic appeal while providing an extra layer of protection.

For audio engineers who require precise control over their sound, the built-in digital signal processor offers presets, dynamic bass enhancement, and a switchable high-pass filter. Connectivity is made simple and efficient with dual combo XLR-1/4" inputs and XLR outputs, accommodating a wide array of live sound setups.

Transport and setup are made more manageable thanks to the multiple side handles and the optional ZSCB-218S caster board. Whether it's installed in a fixed venue or used on tour, the ZETHUS-218SPW is ready to meet the demands of any event with its seamless integration and potent bass delivery.

- Sensitivity: 32 Hz - 180 Hz
- SPL: 135 dB
- Coverage Angle: Omnidirectional
- Enclosure Material: High-grade 100% birch plywood
- Enclosure Finish: Texture coating (RAL colors available)
- Mounting: Compact line array aluminum hardware
- Signal Processing: Presetting EQ (LPF), Polarity Switch
- Product Dimensions: 45.3" W x 21.7" D x 30.6" H
- Product Weight: 272.0 lbs

ZETHUS-VX118SPW **LINE ARRAY** SPEAKER

18" 1600w Subwoofer With DSP



The PowerWorks ZETHUS-VX118SPW is a robust 18" powered subwoofer designed to bring profound low-frequency impact to any live sound setting. With a peak power of 1600W and integrated DSP, this subwoofer offers both deep bass and smart sound shaping for line array configurations, ensuring an immersive audio experience.



- Model: PowerWorks ZETHUS-VX118SPW
- Type: Powered Subwoofer
- LF Driver Size: 1 x 18"
- Total Power: 800W Continuous / 1600W Peak
- Impedance: 8 ohms
- Inputs: 2 x 1/4" & XLR combo
- Outputs: 2 x XLR line out
- Frequency Range: 27 Hz - 180 Hz

ZETHUS-VX118SPW LINE ARRAY SPEAKER

18" 1600w Subwoofer With DSP



Introducing the PowerWorks ZETHUS-VX118SPW, an 18-inch powered subwoofer that serves as the foundation of a powerful and detailed sound system. It is tailored for use in line array setups, providing the necessary low-end reinforcement that live venues demand.

Equipped with a commanding 18" woofer complemented by a 4" voice coil and a 145 oz. magnet, the ZETHUS-VX118SPW offers an extraordinary 800W of continuous power and a 1600W peak output, allowing it to handle the most dynamic of audio inputs with ease. The built-in class-D amplifier ensures efficient power conversion and delivery of rich, impactful bass tones.



The subwoofer is engineered with a built-in digital signal processor (DSP), which includes dynamic bass enhancement and an RMS dynamic processor. With 4 digital EQ presets and a 2nd-order IIR filter, sound customization is intuitive and precise, enabling audio professionals to fine-tune the system to any acoustic environment.

Durability is a cornerstone of the ZETHUS-VX118SPW's design, featuring high-grade 100% birch plywood construction that naturally dampens unwanted resonance and withstands the rigors of the road. The texture-coated enclosure, along with the powder-coated marine-grade grille, not only adds to the aesthetic but ensures longevity.



This subwoofer is incredibly versatile with its mounting options. It can be flown with the appropriate hardware, pole-mounted, or stacked directly, allowing for seamless integration into existing setups. The omnidirectional coverage pattern ensures that low frequencies are evenly distributed throughout the venue.

- Sensitivity: 102 dB
- SPL: 130 dB
- Coverage Angle: Omnidirectional
- Enclosure Material: High-grade 100% birch plywood
- Enclosure Finish: Texture coating (RAL colors available)
- Mounting: Compact line array aluminum hardware
- Dimensions: 22.4" W x 21.7" D x 23.6" H
- Product Weight: 112.4 lbs

ZETHUS-SERIES


Mounting Frames

ACCESSORIES



ZETHUS-210FF

ZETHUS-210FF is a flying frame for mounting the ZETHUS-210B dual 10" line array speakers. It comes with sturdy construction, 4 quick-release safety pins and shackles for easy and secure installation



ZETHUS-SF1

ZETHUS-SF1 is a stack adapter for ZETHUS-218S line array subwoofer and ZETHUS-208BV2 / ZETHUS-210B line array PA speakers. It enables you to ground stack up to four ZETHUS-208BV2 or ZETHUS-210B line array PA speakers over a single ZETHUS-218S sub.




ZETHUS-112FF

ZETHUS Series ZETHUS-112FF is a flying frame for mounting the ZETHUS-112B / ZETHUS-112BPW line array speakers. It comes with sturdy construction, 4 quick-release safety pins and shackles for easy and secure installations.

ZETHUS-SERIES

Flight Cases & Caster Boards

ACCESSORIES



Z210BPWX2-IFC

The PowerWorks Z210BPWX2-IFC is a rugged flight case designed specifically for transporting and protecting dual ZETHUS 10" line array speakers. It includes casters for mobility, ensuring your sound equipment arrives safely at its destination.

ZZCB-VX18S

Simplify the transport of your PowerWorks ZETHUS-VX118S or ZETHUS-VX118SPW subwoofer with this dependable ZSCB-VX18S plywood caster board.

ZSCB-218S

Make it easier to move your ZETHUS-218S or ZETHUS-218SPW subwoofers with this sturdy plywood caster board ZSCB-218S.



ZETHUS-218SPW-L
Locking Wheel



ZETHUS-218SPW
Non-locking Wheel

R602BT-USB

Analogue Mixer

R SERIES MIXER



The PowerWorks R602BTU mixer is a feature-packed solution designed to meet the needs of both professionals and enthusiasts alike. With its compact size and comprehensive set of functions, this mixer offers exceptional versatility and performance in a compact package.

R602BT-USB

Analogue Mixer

R SERIES MIXER



- **4 Line Channels:** Connect multiple audio sources with ease, allowing for versatile mixing options.
- **3 Band EQ:** Fine-tune your sound with precision using the three-band equalizer on each channel.
- **1 Stereo Group Buses:** Route your audio signals efficiently with the stereo group buses, perfect for creating submixes.
- **2 Mic Inputs:** Support for up to two microphones allows for versatile vocal and speech applications.
- **16 DSP Effects:** Add depth and dimension to your sound with a selection of 16 digital signal processing effects.
- **1 Aux Send:** Integrate external effects processors or monitor mixes with the dedicated auxiliary send.
- **18W Output Power:** Enjoy ample output power for driving speakers and headphones with clarity and precision.
- **Compact Dimensions:** With dimensions of 240x207x37mm, the R602BTU mixer is compact and portable, ideal for space-conscious setups.
- **Bluetooth Connectivity:** Stream audio wirelessly from compatible devices, expanding your playback options with convenience.
- **Digital Display MP3:** Easily navigate and play MP3 files from USB drives, with additional recording capabilities for capturing performances.
- **Phantom Power:** +48V phantom power ensures compatibility with a wide range of microphones, including condenser models.
- **Karaoke Delay Function:** Enhance your karaoke experience with built-in delay effects, adding excitement and atmosphere to your performances.
- **Dual 7 Band EQ:** Fine-tune your sound further with dual seven-band equalizers, allowing for detailed frequency shaping.
- **Dual 6 Band Level Display Main Output:** Monitor your audio levels accurately with dual six-band level displays for the main output.
- **REC and Headphone Monitor Output:** Capture recordings directly from the mixer and monitor your mix privately with the dedicated headphone output.

R902BT-USB

Analogue Mixer

R SERIES MIXER



The PowerWorks R902BTU mixer is designed to elevate your audio mixing experience with its robust features and versatile functionality. Whether you're a professional sound engineer, musician, or audio enthusiast, this mixer offers unparalleled performance and flexibility to meet your needs.

R902BT-USB

Analogue Mixer

R SERIES MIXER



- **8 Line Channels:** Connect a multitude of audio sources with ease, providing extensive mixing capabilities for a variety of setups and applications.
- **3 Band EQ:** Sculpt your sound precisely using the three-band equalizer on each channel, allowing you to tailor your audio to perfection.
- **1 Stereo Group Buses:** Efficiently route your audio signals with the stereo group buses, ideal for creating submixes and managing multiple channels.
- **4 Mic Inputs:** Accommodate up to four microphones, enabling versatile vocal and speech applications with clarity and precision.
- **16 DSP Effects:** Enhance your audio with a range of 16 digital signal processing effects, adding depth and dimension to your sound.
- **1 Aux Send:** Integrate external effects processors or create monitor mixes with the dedicated auxiliary send, expanding your creative possibilities.
- **25W Output Power:** Enjoy powerful and clear audio reproduction with 25W of output power, ensuring your sound is heard with authority.
- **Compact Dimensions:** With dimensions of 240x290x37mm, the R902BTU mixer maintains a compact footprint while delivering professional-grade performance.
- **Bluetooth Connectivity:** Stream audio wirelessly from compatible devices, offering seamless integration and convenient playback options.
- **Digital Display MP3:** Navigate and play MP3 files effortlessly from USB drives, with additional recording capabilities for capturing performances with ease.
- **Phantom Power:** +48V phantom power is available on each microphone channel input, ensuring compatibility with a wide range of microphone types, including condenser models.
- **Karaoke Delay Function:** Add excitement and atmosphere to your karaoke sessions with built-in delay effects, enhancing your vocal performances.
- **Dual 7 Band EQ:** Fine-tune your sound further with dual seven-band equalizers, providing precise control over your audio's frequency response.
- **Dual 6 Band Level Display Main Output:** Monitor your audio levels accurately with dual six-band level displays for the main output, ensuring optimal signal management and control.
- **REC and Headphone Monitor Output:** Capture recordings directly from the mixer and monitor your mix privately with the dedicated headphone output, offering versatility for various audio applications.

X10BT-UFX

8 CH MIXER WITH DSP

X SERIES MIXER



Experience unmatched versatility and precision with the PowerWorks X10BT-UFX, an 8-channel mixer featuring DSP capabilities, digital effects, and USB/Bluetooth support. With its compact design and intuitive controls, this mixer is perfect for studio recording, live performances, and more.

X10BT-UFX

8 CH MIXER WITH DSP

X SERIES MIXER



Introducing the PowerWorks X10BT-UFX, a versatile 8-channel mixer with DSP capabilities designed to elevate your audio mixing experience. This multi-function mixer boasts 6 mono and 2 stereo inputs, along with 2 balanced and 2 line outputs, providing ample connectivity options for your audio sources. Equipped with a 12-segment level meter, 99 digital effects, and a 3-band EQ, the X10BT-UFX ensures precise control over your sound.


Featuring phantom power for condenser microphones, USB and Bluetooth support for seamless connectivity, and built-in recording and MP3 playback capabilities, this mixer offers unparalleled versatility. The inclusion of in-ear monitor support, 2 auxiliary outputs, and 1 return channel further enhances its functionality.

With mute functionality on all channels and 60mm high-precision logarithmic sliders, the X10BT-UFX delivers intuitive control and seamless operation. Its compact dimensions (L 40.5 * W 33 * H 5.5 inches) make it ideal for both studio and live applications, ensuring professional-grade performance in any setting.

Elevate your audio mixing experience with the PowerWorks X10BT-UFX, the ultimate solution for versatile and high-quality sound production.

Specifications:

- Channels: 8 (6 mono, 2 stereo)
- Inputs: 6 mono inputs, 2 stereo inputs
- Outputs: 2 balanced outputs, 2 line outputs
- Level Meter: 12-segment
- Digital Effects: 99 presets
- EQ: 3-band
- Phantom Power: Yes (for condenser microphones)
- Connectivity: USB, Bluetooth, recording, MP3 playback
- Additional Features: In-ear monitor support, 2 aux outputs, 1 return channel, mute on all channels
- Slider Type: 60mm high precision logarithmic
- Dimensions: L 40.5 x W 33 x H 5.5 inches



X12BT-UFX

12 CH MIXER WITH DSP

X SERIES MIXER



Experience professional-grade audio mixing with the PowerWorks X12BT-UFX, a 12-channel mixer featuring DSP capabilities, digital effects, and USB/Bluetooth support. With its extensive connectivity options and intuitive controls, this mixer is perfect for studio recording, live performances, and more.

X12BT-UFX

12 CH MIXER WITH DSP

X SERIES MIXER



Introducing the PowerWorks X12BT-UFX, a powerful 12-channel mixer with DSP capabilities designed to meet the demands of professional audio production. This multi-function mixer features 10 mono and 2 stereo inputs, along with 2 balanced and 2 line outputs, providing extensive connectivity options for a wide range of audio sources.


Equipped with a 12-segment level meter, 99 digital effects, and a 3-band EQ, the X12BT-UFX ensures precise control over your audio signals, allowing you to achieve the perfect mix every time. With phantom power for condenser microphones and support for USB, Bluetooth, recording, and MP3 playback, this mixer offers unparalleled versatility and convenience.

The inclusion of in-ear monitor support, 2 auxiliary outputs, and 1 return channel further enhances its functionality, making it ideal for both studio and live applications. With mute functionality on all channels and 60mm high-precision logarithmic sliders, the X12BT-UFX delivers intuitive control and seamless operation.

Experience professional-grade audio mixing with the PowerWorks X12BT-UFX, the ultimate solution for high-quality sound production in any setting.

Specifications:

- Channels: 12 (10 mono, 2 stereo)
- Inputs: 10 mono inputs, 2 stereo inputs
- Outputs: 2 balanced outputs, 2 line outputs
- Level Meter: 12-segment
- Digital Effects: 99 presets
- EQ: 3-band
- Phantom Power: Yes (for condenser microphones)
- Connectivity: USB, Bluetooth, recording, MP3 playback
- Additional Features: In-ear monitor support, 2 aux outputs, 1 return channel, mute on all channels
- Slider Type: 60mm high precision logarithmic
- Dimensions: L 52.5 x W 33 x H 5.5 inches



X1604BT-USB

Analogue Mixer

X SERIES MIXER



The PowerWorks X1604BTU mixer is engineered to deliver superior audio performance and versatility for a wide range of applications. With its advanced features and intuitive design, this mixer is the perfect solution for live sound reinforcement, recording studios, and multimedia presentations.

X1604BT-USB

Analogue Mixer

X SERIES MIXER



- **4 Mono Channels and 2 Sets of Stereo Channels:** Accommodate various audio sources with flexibility and precision, ensuring optimal mixing capabilities for diverse setups.
- **High-Quality Microphone Inputs:** Each mono channel features a low-noise balanced microphone input, providing exceptional clarity and fidelity for vocals and instruments.
- **Phantom Power:** +48V phantom power is available on each microphone channel input, ensuring compatibility with condenser microphones and other professional audio equipment.
- **Attenuation Switch:** Mono channels are equipped with a 26dB attenuation switch per channel, allowing for precise control over input levels to prevent distortion and optimize signal quality.
- **EQ Control:** Mono channels feature a 4-band EQ, while stereo channels offer a 3-band EQ, enabling precise tonal shaping and customization for each input source.
- **Mute Switch:** Each channel is equipped with a mute switch for quick and convenient signal management, allowing you to silence individual channels as needed.
- **Auxiliary Outputs:** 2 sets of AUX auxiliary outputs and 1 set of FX auxiliary output provide versatile routing options for external effects processing and monitor mixes, enhancing your creative possibilities.
- **AUX Send Control:** 2 groups of AUX send Pre self-locking press can be switched with channel faders, offering precise control over auxiliary sends on each channel for optimal sound shaping and customization.
- **High-Analysis Fader:** Enjoy smooth and precise mixing with 60mm stroke high analysis faders, ensuring accurate level control and smooth transitions between audio sources.
- **Built-In DSP Effects:** With 99 built-in DSP effects, add depth, dimension, and creativity to your mixes, elevating your audio productions to new heights.
- **Digital Display MP3:** Navigate and play MP3 files effortlessly from USB drives, with additional recording capabilities for capturing performances with ease, and Bluetooth playback for seamless wireless streaming.
- **Graphic Equalizer:** A 7-segment stereo graphic equalizer allows for fine-tuning of the overall sound output, ensuring optimal balance and clarity across the frequency spectrum.

X2004BT-USB

Analogue Mixer

X SERIES MIXER



The PowerWorks X2004BTU mixer is engineered to meet the demands of professional audio applications, providing exceptional sound quality and versatile functionality. With its extensive range of features and intuitive design, this mixer offers a comprehensive solution for live sound reinforcement, recording studios, and multimedia presentations.

X2004BT-USB

Analogue Mixer

X SERIES MIXER



- **8 Mono Channels and 2 Sets of Stereo Channels:** Accommodate a wide range of audio sources with flexibility and precision, ensuring optimal mixing capabilities for diverse setups and applications.
- **High-Quality Microphone Inputs:** Each mono channel features a low-noise balanced microphone input, delivering pristine sound quality and clarity for vocals and instruments.
- **Phantom Power:** +48V phantom power is available on each microphone channel input, ensuring compatibility with condenser microphones and other professional audio equipment.
- **Attenuation Switch:** Mono channels are equipped with a 26dB attenuation switch per channel, allowing for precise control over input levels to prevent distortion and optimize signal quality.
- **EQ Control:** Mono channels feature a 4-band EQ, while stereo channels offer a 3-band EQ, enabling precise tonal shaping and customization for each input source.
- **Mute Switch:** Each channel is equipped with a mute switch for quick and convenient signal management, allowing you to silence individual channels as needed.
- **Auxiliary Outputs:** 2 sets of AUX auxiliary outputs and 1 set of FX auxiliary output provide versatile routing options for external effects processing and monitor mixes, enhancing your creative possibilities.
- **AUX Send Control:** 2 groups of AUX send Pre self-locking press can be switched with channel faders, offering precise control over auxiliary sends on each channel for optimal sound shaping and customization.
- **High-Analysis Fader:** Enjoy smooth and precise mixing with 60mm stroke high analysis faders, ensuring accurate level control and smooth transitions between audio sources.
- **Built-In DSP Effects:** With 99 built-in DSP effects, add depth, dimension, and creativity to your mixes, elevating your audio productions to new heights.
- **Digital Display MP3:** Navigate and play MP3 files effortlessly from USB drives, with additional recording capabilities for capturing performances with ease, and Bluetooth playback for seamless wireless streaming.
- **Graphic Equalizer:** A 7-segment stereo graphic equalizer allows for fine-tuning of the overall sound output, ensuring optimal balance and clarity across the frequency spectrum.

T-1804BT-U

Analogue Mixer

T SERIES MIXER



Multi-functional mixer with excellent sound performance and stability. Built-in USB playback, can also be connected to a variety of external devices. Super function, suitable for a variety of small and medium-sized activities, conferences, multi-function hall, small performance requirements.

T-1804BT-U

Analogue Mixer

T SERIES MIXER



18 inputs, 12 mono microphones +3 stereo microphones

- Channel 3 parametric equalizer, independent monitor output, earphone monitor output
- COMP pressure limit, PAN sound and image positioning, mute switch, signal distortion monitoring light
- Main channel L/R, SUB grouping, PFL solo bus signal distribution button
- 60mm high precision level attenuation fader
- AUX auxiliary sending, effect FX sending function, REC recording output
- 2-way stereo auxiliary return input external electronic equipment, easy to use
- Support 24-bit/192kHz HD recording PC USB 2.0 interface
- Bluetooth, USB interface, play and save audio files
- Built-in 99 kinds of 24BIT DSP preset effect types, color display
- SUB1/2 group output, double 12-segment level monitoring, 48V phantom power supply
- Built-in 100V/240V, 50-60Hz broadband power supply

MX2406BT-U

Analogue Mixer

MX SERIES MIXER



MX2406BT-U

Analogue Mixer

MX SERIES MIXER



The series has been designed to meet the requirements of musicians and entertainers who require reliable and professional products for live shows, rehearsal rooms, schools, home recording, etc.

The architecture of these 4-Bus mixers includes 4 subgroups, 4 AUX sends (two with Pre/Post-Fader selection; two Pre-Fader operation). All channels feature 4-band EQ, MUTE, SOLO, MAIN, Group 1/2 and Group 3/4.

A 9-band graphic EQ on the main outputs with precision filters, and a 24 kHz / 24-bit Digital Effect complete the set of tools of these mixers. The Digital Effect features 99 of the most used presets (Hall-Room-Plate reverb, Delay-Echo, Pitch Shifter and various other effects).

Bluetooth
incorporated
in the mixer.



- 14 MIC Input+2 Stereo
- 4 Group Out+1 Stereo Output
- 4 Aux sends+1 Stereo return
- "AGREA" MIC Amplifier
- 4 band EQ
- 9 band EQ On Main Output
- XLR Balance Output
- 24/24-Bit DSP with USB/REC Player System
- +48V Phantom Power
- Independent Monitor Function
- DJ light
- Limiter COMP Function
- 100mm highly-precise level attenuation fader

MX3206BT-U

Analogue Mixer

MX SERIES MIXER



MX3206BT-U

Analogue Mixer

MX SERIES MIXER



The series has been designed to meet the requirements of musicians and entertainers who require reliable and professional products for live shows, rehearsal rooms, schools, home recording, etc.

The architecture of these 4-Bus mixers includes 4 subgroups, 4 AUX sends (two with Pre/Post-Fader selection; two Pre-Fader operation). All channels feature 4-band EQ, MUTE, SOLO, MAIN, Group 1/2 and Group 3/4.

A 9-band graphic EQ on the main outputs with precision filters, and a 24 kHz / 24-bit Digital Effect complete the set of tools of these mixers. The Digital Effect features 99 of the most used presets (Hall-Room-Plate reverb, Delay-Echo, Pitch Shifter and various other effects).

Bluetooth
incorporated
in the mixer.



- 22 MIC Input+2 Stereo
- 4 Group Out+1 Stereo Output
- 4 Aux sends+1 Stereo return
- "AGREA" MIC Amplifier
- 4 band EQ
- 9 band EQ On Main Output
- XLR Balance Output
- 24/24-Bit DSP with USB/REC Player System
- +48V Phantom Power
- Independent Monitor Function
- DJ light
- Limiter COMP Function
- 100mm highly-precise level attenuation fader

MX4006BT-U

Analogue Mixer

MX SERIES MIXER



MX4006BT-U

Analogue Mixer

MX SERIES MIXER



The series has been designed to meet the requirements of musicians and entertainers who require reliable and professional products for live shows, rehearsal rooms, schools, home recording, etc.

The architecture of these 4-Bus mixers includes 4 subgroups, 4 AUX sends (two with Pre/Post-Fader selection; two Pre-Fader operation). All channels feature 4-band EQ, MUTE, SOLO, MAIN, Group 1/2 and Group 3/4.

A 9-band graphic EQ on the main outputs with precision filters, and a 24 kHz / 24-bit Digital Effect complete the set of tools of these mixers. The Digital Effect features 99 of the most used presets (Hall-Room-Plate reverb, Delay-Echo, Pitch Shifter and various other effects).

Bluetooth
incorporated
in the mixer.



- 30 MIC Input+2 Stereo
- 4 Group Out+1 Stereo Output
- 4 Aux sends+1 Stereo return
- "AGREA" MIC Amplifier
- 4 band EQ
- 9 band EQ On Main Output
- XLR Balance Output
- 24/24-Bit DSP with USB/REC Player System
- +48V Phantom Power
- Independent Monitor Function
- DJ light
- Limiter COMP Function
- 100mm highly-precise level attenuation fader

PW-2CMP

2 CHANNEL All-in-one
MultiMedia Player

MultiMedia Player



The PowerWorks PW-2CMP is a 1U height 19" rack mount multimedia player that combines three essential audio sources in one convenient unit. With CD, MP3, and tuner capabilities, along with support for various audio formats and a user-friendly interface, it's perfect for DJs, presenters, and venue owners seeking versatile audio playback solutions.



- Model: PW-2CMP
- Rack Mount Design: 1U height, 19"
- Audio Sources: CD, MP3, Tuner (AM, FM, RDS)
- Display: Dual LCD English display with blue backlight
- Supported Audio Formats: CD, CD-R, CD-RW, MP3, WMA
- USB Input: Front panel USB input for MP3 playback
- Tuner Options: AM, FM, RDS
- Remote Control: Supplied with IR remote control
- Outputs: RCA (L&R), XLR (L&R)
- Additional Features: OLED screen, support for Bluetooth, DAB, DAB+, OLED screen on Channel A

PW-58

Dynamic Vocal Microphone

MICROPHONES



An excellent sounding vocal microphone for stage and live applications. Solid construction, with a metal body and removable steel mesh grill. Includes a stand mount and a 5 meter cable.

- Suited to Vocals and Speech
- Brightened midrange and bass roll-off make vocals clear
- A built-in spherical filter minimises noise from wind and breath "pop"
- Cardioid pickup pattern isolates the main sound source while minimising unwanted background noise



Element	Dynamic
Polar Pattern	Uni-directional
Frequency Response	50Hz-16kHz
Sensitivity	-54dB±3dB(0dB=1V/Pa at 1kHz)
Output impedance	500Ω±30%(at 1kHz)

PW-85


Dynamic Vocal Microphone

MICROPHONES



An excellent sounding vocal microphone for stage and live applications. Solid construction, with a metal body and removable steel mesh grill. Includes a stand mount and a 5 meter cable.

- Suited to Vocals and Speech
- Brightened midrange and bass roll-off make vocals clear
- A built-in spherical filter minimises noise from wind and breath "pop"
- Cardioid pickup pattern isolates the main sound source while minimising unwanted background noise



Element
Polar Pattern
Frequency Response
Sensitivity
Output impedance

Dynamic
Uni-directional
50Hz-16kHz
-54dB±3dB(0dB=1V/Pa at 1kHz)
500Ω±30%(at 1kHz)

SC100

Studio Condenser Microphone

MICROPHONES



Power Works's SC100 is a Studio condenser microphone designed and priced for home recording.

The condenser mic features an 18mm aluminium diaphragm with a cardioid pickup pattern that sounds great on anything from vocals to acoustic instruments.

Internal circuitry is optimised to reduce noise and distortion while retaining rich, full sound quality.

- microphone stand with 5/8 "to 3/8" thread adapter
- 1.8m XLR-XLR cable
- anti-vibration basket microphone holder
- cardboard box

SC100USB

Studio Condenser Microphone

MICROPHONES



Power Works's SC100USB is a Studio condenser microphone designed and priced for home recording.

The condenser mic features an 18mm aluminium diaphragm with a cardioid pickup pattern that sounds great on anything from vocals to acoustic instruments.

Internal circuitry is optimised to reduce noise and distortion while retaining rich, full sound quality.



- microphone stand with 5/8 "to 3/8" thread adapter
- 1.7m USB AB cable
- anti-vibration basket microphone holder
- cardboard box

SC200USB

Cardioid Condenser USB Microphone

MICROPHONES



All in one Studio Condenser Microphone with mute switch so that you can adjust the microphone and headphone volume separately.

- Versatile condenser microphone with built-in USB interface, ideal for vocals, podcasters, field recordings, home studio sessions, conference calls and more
- Plug in your SC-200USB mic into your computer and turn your PC or Mac* computer into a recording system without the need for any other hardware
- Works directly with your PC or Mac computer
- Frequency response of 30Hz - 18KHz the microphone is your perfect for voice, acoustic instruments, etc.
- Zero-latency direct monitoring with powerful phones output and level control
- Accessible Mute and Gain Control for Headphones and Microphone
- Customised desktop stand to adjust at any angle with threaded mic stand mount
- Ultra-rugged construction with metal die-cast body

- Large Diaphragm Capsule
- Headphone Output
- Mic Gain and Headphone Level Controls
- Low Pass Filter and dB Switch
- Plug and Play for MAC or WinXP/Vista/Win7/8, Windows 10 and higher

PDMK-7

7PC DRUM MIC KIT

MICROPHONES



The PowerWorks PDMK-7 is a comprehensive set of 7 microphones tailored specifically for drums and percussion instruments. Featuring a bass drum microphone, four dynamic tom/snare microphones, and two condenser microphones, along with accessories and a sturdy aluminum carrying case, this set provides exceptional sound quality and versatility for drummers and recording engineers alike.

PDMK-7

7PC DRUM MIC KIT

MICROPHONES



Elevate your drumming experience with the PowerWorks PDMK-7, a comprehensive set of 7 microphones specifically designed for drums and percussion instruments. This meticulously crafted microphone kit ensures exceptional sound quality and versatility, capturing the full range of frequencies and nuances of your drum kit with precision and clarity.

The PDMK-7 set includes a bass drum microphone, four dynamic tom/snare microphones, and two phantom-powered condenser microphones. The bass drum microphone features a robust unidirectional dynamic capsule tailored for low-frequency instruments, delivering punchy and defined bass drum sound. The dynamic microphones are perfect for capturing the low to mid frequencies of toms, snare drums, and electric guitar amps, providing clarity and impact to your drum mix. The condenser microphones, with their highly sensitive capsules, excel at capturing the intricate details and ambience of cymbals, maracas, acoustic guitars, pianos, and more.

Designed for convenience and compatibility, all microphones in the PDMK-7 set feature industry-standard XLR connectors and can easily fit onto standard stands with 3/8" or 5/8" threads. Additionally, the set includes four drum clamps and two condenser mic clamps for secure and hassle-free mounting, along with two foam windshields for condenser microphone protection against wind noise.

Transporting and storing your microphone set is made easy with the durable aluminum carrying case included in the package, ensuring your microphones are protected and ready for use wherever your music takes you.

The PDMK-7 Set Includes:

- PDMK-7 bass drum mic - 1 pcs
- PTM-7 tabour mic - 4 pcs
- PCM-70 condenser mic - 2 pcs
- PDMC-7 drum clamp - 4 pcs
- PCM-7 CLAMP condenser mic clamp - 2 pcs
- PCM-7 FOAM condenser mic foam windscreen - 2 pcs
- Packing with aluminum carrying case

HPW2000

Home Studio Closed-back
dynamic headphones

HEADPHONES



Perfect for general-purpose use and home studio applications, the HPW 2000 boasts a closed-back design that minimizes sound leakage and provides excellent isolation. With a supra-natural fashion design, these headphones combine style and functionality seamlessly.



**Headphone
Fashion
Transducer
Speaker Diameter
Impedance
Sensitivity
Frequency Response
Max. Power**

Type Closed
Supra-Natural
Type Dynamic
Ø 40mm
32Ω
95±3dB
15Hz-28kHz
400mW

HPW3000

Home Studio Closed-back
dynamic headphones

HEADPHONES



Immerse yourself in superior sound quality and lasting comfort with the PowerWorks HPW 3000 closed-back headphones. Engineered for home studio monitoring, these lightweight headphones feature a sleek design, adjustable fit, and advanced neodymium drivers for precise audio reproduction. With their closed-back design and padded headband, the HPW 3000 headphones offer exceptional isolation and comfort for extended listening sessions. Ideal for recording, mixing, and casual listening, the HPW 3000 delivers professional-grade sound performance at an affordable price.



**Headphone
Fashion
Transducer
Speaker Diameter
Impedance
Sensitivity
Frequency Response
Max. Power**

Type Closed
Supra-Natural
Type Dynamic
Ø 45mm
40Ω
98±3dB
10Hz-26kHz
800mW

HPW4000

DJ Closed-back dynamic headphones

HEADPHONES



POWER WORKS BASS HPW-4000



The HPW-4000 headphones boast a stylish foldable design and a unique appearance, crafted in accordance with ergonomics.

Featuring a retractable headband design suitable for all wearers, 90-degree swivel earpieces for easy single-ear monitoring, and convenient folding capability for portability, it comes with a leatherette carrying bag.


With its fully closed-air design and soft leatherette ear cushions made from special materials, the HPW-4000 ensures comfort and effective noise isolation even in noisy environments.

Equipped with a 53mm large driver unit capable of delivering up to 1200mW of power, the HPW-4000 reproduces clear, vivid, and precise sound across a wide dynamic range, making it an ideal monitoring headphone tailored for professional DJs and musicians.

PW-HA400

HEADPHONES AMPLIFIER

4 channel mini headphone amplifier with power supplier



PW-HA400 by PowerWorks has been conceived to satisfy musicians and audiophile needs. When up to 4 people are required to listen to the same source, as in recording sessions, PW-HA400 is a simple and effective solution. You can connect up to 4 headphones, each with its independent volume level.

- 4 channel mini headphone amplifier with noiseless premps
- Ultra compact size 110 x 57x 31 mm
- Connect 4 headphones at the same time
- Independent volume control for each channel
- 4 headphone outputs TRS 6,3mm
- Stereo input TRS 6,3 mm
- 12V DC power supplier included

PW-4IP66BK

4" weatherproof speaker

WALL MOUNT SPEAKERS



The all-weatherproof wall mount speaker shall be designed with a 4" weatherproof woofer and a 1" silk tweeter 2-way speaker system. The rated power output at 20 watts and the max power output at 40 watts.



- Model PW-4IP66BK
- Description Indoor Outdoor Wall Mount Speaker
- Rated Power Output 20W and Max. 40W
- Power Taps 20-10-5-2,5-1,25W & 8Ω
- Line Input 100V or 70V & 8Ω
- Frequency Response 80-20KHz
- SPL(@1W/m) 87dB ±3dB and Max 112dB (1m)
- IP Rate IP66

PW-4IP66BK

4" weatherproof speaker

WALL MOUNT SPEAKERS



Waterproof Rate IP66



The all-weatherproof wall mount speaker shall be designed with a 4" weatherproof woofer and a 1" silk tweeter 2-way speaker system. The rated power output at 20 watts and the max power output at 40 watts. The music loudspeakers shall support 70V/100V transformer power tapping of 20W, 10W, 5W, 2,5W & 1,25W, or as a low impedance 8 Ohm version.

The wall mount speaker shall be IP66 waterproof rate, which is made of a high-quality PP enclosure. Aluminum grille and alloy mounting bracket. The wall mount loudspeaker shall support a wide range dispersion angle up to vertical: 180° and horizontal: 180° (1KHz). The loudspeaker is designed for high SPL up to 87±3dB and Max 112dB (1m).

The wall-mount loudspeaker support all music and paging system because of its wide range frequency response of 80-20KHz. The supplied mount bracket shall support a 360° rotatable bracket for horizontal and vertical installation angle adjustment. The wall weatherproof wall mount speaker comes with black & white two color option

- Speaker Unit 4" weatherproof woofer and 1" silk tweeter 2-way speaker system
- Dispersion Vertical: 180° and Horizontal: 180° (1KHz)
- Dimension H*W*D 220×138×120mm
- Material PP enclosure, Aluminium grille & mounting bracket
- Color Black White
- Mounting Way 360° rotatable bracket for horizontal and vertical installation angle adjustment
- Net Weight 1.5kg Gross Weight 1.9kg


PW-4IP66WK

4" weatherproof speaker

WALL MOUNT SPEAKERS



The all-weatherproof wall mount speaker shall be designed with a 4" weatherproof woofer and a 1" silk tweeter 2-way speaker system. The rated power output at 20 watts and the max power output at 40 watts.



- Model PW-4IP66WK
- Description Indoor Outdoor Wall Mount Speaker
- Rated Power Output 20W and Max. 40W
- Power Taps 20-10-5-2,5-1,25W & 8Ω
- Line Input 100V or 70V & 8Ω
- Frequency Response 80-20KHz
- SPL(@1W/m) 87dB ±3dB and Max 112dB (1m)
- IP Rate IP66

PW-4IP66WH

4" weatherproof speaker

WALL MOUNT SPEAKERS



The all-weatherproof wall mount speaker shall be designed with a 4" weatherproof woofer and a 1" silk tweeter 2-way speaker system. The rated power output at 20 watts and the max power output at 40 watts. The music loudspeakers shall support 70V/100V transformer power tapping of 20W, 10W, 5W, 2,5W & 1,25W, or as a low impedance 8 Ohm version.

The wall mount speaker shall be IP66 waterproof rate, which is made of a high-quality PP enclosure. Aluminum grille and alloy mounting bracket. The wall mount loudspeaker shall support a wide range dispersion angle up to vertical: 180° and horizontal: 180° (1KHz). The loudspeaker is designed for high SPL up to 87±3dB and Max 112dB (1m).

The wall-mount loudspeaker support all music and paging system because of its wide range frequency response of 80-20KHz. The supplied mount bracket shall support a 360° rotatable bracket for horizontal and vertical installation angle adjustment. The wall weatherproof wall mount speaker comes with black & white two color option

- Speaker Unit 4" weatherproof woofer and 1" silk tweeter 2-way speaker system
- Dispersion Vertical: 180° and Horizontal: 180° (1KHz)
- Dimension H*W*D 220×138×120mm
- Material PP enclosure, Aluminium grille & mounting bracket
- Color Black White
- Mounting Way 360° rotatable bracket for horizontal and vertical installation angle adjustment
- Net Weight 1.5kg Gross Weight 1.9kg

PW-6IP66BK

6.5" weatherproof speaker

WALL MOUNT SPEAKERS



Introducing the PowerWorks PW-6IP66BK Indoor/Outdoor Wall Mount Speaker, a versatile and durable audio solution suitable for both indoor and outdoor environments. With a rated power output of 60W and a maximum power handling of 120W, this speaker delivers crisp, clear sound with robust performance. Equipped with multiple power taps ranging from 60W down to 3.75W at 8Ω, as well as line input options of 100V or 70V, it offers flexibility for various installations.

Featuring a 6.5" weatherproof woofer and 1" silk tweeter in a 2-way speaker system, the PW-6IP66BK ensures excellent sound reproduction across a wide frequency range of 70Hz to 20kHz. Its IP66 rating makes it suitable for outdoor use, providing protection against dust and water ingress. The speaker's dispersion pattern of 180° vertically and horizontally ensures optimal sound coverage in any space.

- **Model:** PW-6IP66BK
- **Speaker Type:** Wall-mounted
- **Rated Power Output:** 60W
- **Max. Power Handling:** 120W
- **Power Taps:** 60-30-15-7.5W, 3.75W & 8Ω
- **Line Input:** 100V or 70V & 8Ω
- **Frequency Response:** 70Hz-20kHz
- **SPL (@1W/m):** 89dB ±3dB
- **Max SPL:** 112dB (1m)
- **IP Rating:** IP66

PW-6IP66BK

6.5" weatherproof speaker

WALL MOUNT SPEAKERS



Waterproof Rate IP66



- Model: PW-6IP66BK
- Speaker Type: Wall-mounted
- Rated Power Output: 60W
- Max. Power Handling: 120W
- Power Taps: 60-30-15-7.5W, 3.75W & 8Ω
- Line Input: 100V or 70V & 8Ω
- Frequency Response: 70Hz-20kHz
- SPL (@1W/m): 89dB ±3dB
- Max SPL: 112dB (1m)
- IP Rating: IP66
- Speaker Unit: 6.5" weatherproof woofer and 1" silk tweeter 2-way speaker system
- Dispersion: Vertical: 180°, Horizontal: 180° (1kHz)
- Dimension (HWD): 280×150×180mm
- Material: PP enclosure, Aluminium grille & mounting bracket
- Color: Black, White
- Mounting Way: 360° rotatable bracket for horizontal and vertical installation angle adjustment
- Net Weight: 3.6kg
- Gross Weight: 4.3kg

- Speaker Unit: 6.5" weatherproof woofer and 1" silk tweeter 2-way speaker system
- Dispersion: Vertical: 180°, Horizontal: 180° (1kHz)
- Dimension (HWD): 280×150×180mm
- Material: PP enclosure, Aluminium grille & mounting bracket
- Color: Black, White
- Mounting Way: 360° rotatable bracket for horizontal and vertical installation angle adjustment
- Net Weight: 3.6kg
- Gross Weight: 4.3kg

PW-6IP66WH

6.5" weatherproof speaker

WALL MOUNT SPEAKERS



Introducing the PowerWorks PW-6IP66WH Indoor/Outdoor Wall Mount Speaker, a versatile and durable audio solution suitable for both indoor and outdoor environments. With a rated power output of 60W and a maximum power handling of 120W, this speaker delivers crisp, clear sound with robust performance. Equipped with multiple power taps ranging from 60W down to 3.75W at 8Ω, as well as line input options of 100V or 70V, it offers flexibility for various installations.

Featuring a 6.5" weatherproof woofer and 1" silk tweeter in a 2-way speaker system, the PW-6IP66WH ensures excellent sound reproduction across a wide frequency range of 70Hz to 20kHz. Its IP66 rating makes it suitable for outdoor use, providing protection against dust and water ingress. The speaker's dispersion pattern of 180° vertically and horizontally ensures optimal sound coverage in any space.

- Model: PW-6IP66WH
- Speaker Type: Wall-mounted
- Rated Power Output: 60W
- Max. Power Handling: 120W
- Power Taps: 60-30-15-7.5W, 3.75W & 8Ω
- Line Input: 100V or 70V & 8Ω
- Frequency Response: 70Hz-20kHz
- SPL (@1W/m): 89dB ±3dB
- Max SPL: 112dB (1m)
- IP Rating: IP66

PW-6IP66WH

6.5" weatherproof speaker

WALL MOUNT SPEAKERS



- Model: PW-6IP66WH
- Speaker Type: Wall-mounted
- Rated Power Output: 60W
- Max. Power Handling: 120W
- Power Taps: 60-30-15-7.5W, 3.75W & 8Ω
- Line Input: 100V or 70V & 8Ω
- Frequency Response: 70Hz-20kHz
- SPL (@1W/m): 89dB ±3dB
- Max SPL: 112dB (1m)
- IP Rating: IP66
- Speaker Unit: 6.5" weatherproof woofer and 1" silk tweeter 2-way speaker system
- Dispersion: Vertical: 180°, Horizontal: 180° (1kHz)
- Dimension (HWD): 280×150×180mm
- Material: PP enclosure, Aluminium grille & mounting bracket
- Color: Black, White
- Mounting Way: 360° rotatable bracket for horizontal and vertical installation angle adjustment
- Net Weight: 3.6kg
- Gross Weight: 4.3kg

- Speaker Unit: 6.5" weatherproof woofer and 1" silk tweeter 2-way speaker system
- Dispersion: Vertical: 180°, Horizontal: 180° (1kHz)
- Dimension (HWD): 280×150×180mm
- Material: PP enclosure, Aluminium grille & mounting bracket
- Color: Black, White
- Mounting Way: 360° rotatable bracket for horizontal and vertical installation angle adjustment
- Net Weight: 3.6kg
- Gross Weight: 4.3kg

PW-SET6WH

6" weatherproof speaker

WALL MOUNT SPEAKERS



6"+1"Active Wall-mounted Speaker Set; 25W/8 Ω ;ABS body+Metal grill System comprises 1 x 6" active speaker and 1 x 6" passive speaker Active loudspeakers eliminate the need for a separate power amp providing easier installation options than when using traditional passive speakers.

They also have the advantage of having an amp that is custom tuned to the speakers they are driving

- 6"+1"Active Wall-mounted Speaker; 25W/8 Ω ;ABS body+Metal grill
- Rated Power: 25W/8 Ω
- InputSensitivity: 0.7V
- Frequency Response: 20Hz-20KHz/1W, \pm 0.5dB
- Total harmonic distortion: 20Hz-20KHz/1W, 0.05%
- Damping coefficient: >200@8 Ω /400Hz
- Conversion rate: 30V/US
- Channel separation degree: >75dB
- Signal-to-noise ratio: >95dB
- Power amplifier: AB class

PW-SET6WH

6" weatherproof speaker

WALL MOUNT SPEAKERS



6"+1" Active Wall-mounted Speaker Set; 25W/8Ω ;ABS body+Metal grill

System comprises 1 x 6" active speaker and 1 x 6" passive speaker

Active loudspeakers eliminate the need for a separate power amp providing easier installation options than when using traditional passive speakers. They also have the advantage of having an amp that is custom tuned to the speakers they are driving.

This powered stereo loudspeaker is just such a speaker set. It consists of an active loudspeaker with a custom amp built in for one channel and a passive slave loudspeaker for the other, to complete the stereo pair. It is an ideal choice for AV applications such as meeting rooms, multi-media usage, small presentations, and even as a powered speaker for your computer or portable music player. The active loudspeaker package comes with volume and tone controls and built-in a stereo Class D 2x 20 watt amplifiers. They are also magnetically shielded to prevent interference with other devices.

- Indication: power supply and channel signal
- Protection: high temperature protection, overload protection, short circuit protection, distortion protection
- Treble control: ± 10 dB
- Bass control: ± 10 dB
- Input connection: balanced phoenix end connection, dual RCA, stereo, 3.5 earphone Input
- Power supply: 220V-240V/50Hz-60Hz
- Speaker Unit: 6" x 1 1" x 1"
- Dimension: 295 x 200x215mm
- N.W.: 10KG/pair

FLY-100 T+R

Wireless PA audio
transmission set

PA AUDIO TRANSMISSION



- **Model:** FLY-100 T+R
- **Channels:** 2x 100-channel
- **Technology:** UHF PLL
- **Receiver:** UHF DSP 1x20 Channels with digital signal processor
- **Features:**
 - **Unique ID Address**
 - **Super anti-jamming circuit design**
 - **Super-low background noise**
 - **Frequency auto-search**
 - **Microphone Compatibility:** Compatible with any receiver
 - **Microphone:** High-low adjustment
 - **Additional Features:**
 - **Wireless freedom for performers, presenters, and educators**
 - **Reliable transmission with minimal interference**
 - **Easy setup and operation**
 - **Ideal For:** Performances, presentations, lectures, and more.

The PowerWorks FLY-100 T+R is a professional-grade 2x 100-channel wireless PA audio transmission set, featuring advanced UHF PLL technology for superior sound quality and reliability. With its digital signal processor, unique ID address, and anti-jamming circuit design, this system offers unmatched performance for performers, presenters, and educators alike.

FLY-100R

Wireless PA audio
transmission Receiver

PA AUDIO TRANSMISSION



- **Model:** FLY-100R
- **Channels:** 2x 100-channel
- **Technology:** UHF PLL
- **Receiver:** UHF DSP 1×20 Channels with digital signal processor
- **Features:**
 - **Unique ID Address**
 - **Super anti-jamming circuit design**
 - **Super-low background noise**
 - **Frequency auto-search**
 - **Microphone Compatibility:** Compatible with any receiver
 - **Microphone:** High-low adjustment
- **Additional Features:**
 - **Wireless freedom for musicians, presenters, and educators**
 - **Reliable transmission with minimal interference**
 - **Easy setup and operation**
 - **Ideal For:** Live performances, presentations, lectures, and more.



The PowerWorks FLY-100R is a professional-grade 2x 100-channel wireless PA audio transmission set, featuring advanced UHF PLL technology for superior sound quality and reliability. With its digital signal processor, unique ID address, and anti-jamming circuit design, this system offers unmatched performance for musicians, presenters, and educators alike.

PWP-1

Personal In-Ear
Monitor Amplifier

IN-EAR MONITOR AMP



The PowerWorks PWP-1 Personal In-Ear Monitor Amplifier offers performers and recording artists precise control over their monitor mix. With high power, versatile inputs, and intuitive controls, it delivers exceptional performance and comfort on stage or in the studio.

PWP-1

Personal In-Ear
Monitor Amplifier

IN-EAR MONITOR AMP



The PowerWorks PWP-1 Personal In-Ear Monitor Amplifier is the ultimate solution for performers and recording artists seeking precise control over their monitor mix. Designed for both stage and studio use, the PWP-1 empowers musicians with a dependable and budget-friendly personal monitoring solution. With its robust construction and intuitive controls, it ensures optimal performance and comfort during every performance or recording session.

Equipped with high-power and “drummer-proof” headphone output, the PWP-1 delivers clear and detailed audio, even in noisy environments. Its dual XLR inputs support versatile 2-channel mono or stereo operation, accommodating various audio sources and setups. The switchable stereo/mono operation with mix function allows performers to customize their monitor mix according to their preferences.

Featuring level and balance/mix controls, the PWP-1 offers precise adjustments for achieving the perfect monitor mix. It runs for up to 12 hours on a single 9V battery (not included), ensuring uninterrupted performance throughout extended rehearsals or gigs. The battery control with dual LED indicators keeps users informed about battery status, while the integrated current limit protects ears and headphones from potential damage.

The PWP-1 includes a convenient belt-pack clip for easy attachment, allowing performers to move freely on stage. It also mounts effortlessly on a standard mic stand with 5/8” and 3/8” thread, providing versatile placement options. With its “built-like-a-tank” impact-resistant metal chassis, the PWP-1 ensures durability and reliability, even in the most demanding environments.

PW S100

Steel Tripod Speaker Stand



- Heavy-duty telescoping tripod stand
- Adjustable, from 1m - 1,8m
- 35mm fits virtually all PA speakers
- Road-ready steel construction
- 30 kg handling capacity

PW MON220 (Pair)

Studio Monitor Stands



The PW-MON220 Studio Monitor Speaker Stands (Black, Pair) from Power Works are ideal for use with small studio monitor speakers in home, or mobile studios. The low-profile bases have a triangular shape that can be positioned into small areas

SHUTTLE ACCESSORIES

Proaudio Catalogue 2024

PW P100

Speaker Stand



- Connecting Pole tube for satellite systems
- Locking screw and bolt
- Powder-coated steel version
- Height adjustable from 820 - 1350 mm
- 35 mm Pole diameter for Bass Bin
- Height adjustment by means of adjusting screw and safety pin
- 35mm Pole Diameter for Standard Speaker Flanges

PW P200

Speaker Stand



- Connecting Pole tube for satellite systems
- Locking screw and bolt
- Powder-coated steel version
- Height adjustable from 820 - 1350 mm
- 35 mm Pole diameter for standard speaker flanges
- Height adjustment by means of adjusting screw and safety pin

SHUTTLE ACCESSORIES

Proaudio Catalogue 2024

PW WB100

Speaker Wall Mount



A strong speaker bracket for wall mounting speaker boxes. Bracket provides both horizontal and vertical adjustment. Also features an adjustable back support for securing different size speaker boxes.

- Black steel
- Tilt and swivel
- Adjustable tilt, position of the speaker can be fixed
- Length: 30 cm
- Max load capacity: 30 kg
- Suitable for standard flange 35 mm

PW M100

Microphone Stand



Microphone stand tripod with boom in Black.

SHUTTLE ACCESSORIES

Proaudio Catalogue 2024

PW POPFILTER

PopFilter



The pop filter, filters out unpleasant vocal sounds called "popping". It occurs when the "B" and "P" sounds are pronounced. This is also a necessity for your studio and they are inexpensive.

PW DMS100

Microphone Stand



The black PW-DMS100 Telescoping Tabletop Microphone Stand from Power Works meets the needs of any desktop audio applications that require the use of a microphone by providing a solid, weighted round base with three nonslip rubber feet for additional stability.

SHUTTLE ACCESSORIES

Proaudio Catalogue 2024

UTC 1000

Compact 8-in-1 Folding Multi-Cart

SHUTTLE ACCESSORIES



The Power Works UTC1000 Utility Cart is a necessity for all musicians on the move. Weighing 7 Kgs, it holds up to 91 Kg of equipment and is easily adjustable to whatever size gear you're hauling.

The 4" front casters turn with smooth precision in any direction. Its 6" rear wheels are built to handle punishment - they both resist wear and have a unique texture that keeps you moving. When you need to move the cart from place to place, it conveniently folds up for compact storage.

The ultra-convenient UTC1000 makes hauling your gear the last thing you need to worry about.

- Compact, expandable cart easily moves your equipment.
- Easily adjustable to Various Sizes
- R-Trac Wheels and Brakes (Front)
- Transforms into 8 different shapes, Replacing 8 cart types
- Carries large amounts of equipment
- Foldable Cart for easy storage
- Textured Powder Coated Steel

UTC 1010

Compact 8-in-1 Folding Multi-Cart

SHUTTLE ACCESSORIES



The Power Works UTC1010 Utility Cart is a necessity for all musicians on the move. Weighing 11,79 Kgs, it holds up to 136 Kg of equipment and is easily adjustable to whatever size gear you're hauling.

The 4" front casters turn with smooth precision in any direction. Its 6" rear wheels are built to handle punishment - they both resist wear and have a unique texture that keeps you moving. When you need to move the cart from place to place, it conveniently folds up for compact storage.

The ultra-convenient UTC1010 makes hauling your gear the last thing you need to worry about.



- Compact, expandable cart easily moves your equipment.
- Easily adjustable to Various Sizes
- R-Trac Wheels and Brakes (Front)
- Transforms into 8 different shapes, Replacing 8 cart types
- Carries large amounts of equipment
- Foldable Cart for easy storage
- Textured Powder Coated Steel



The ART of SOUND TECHNOLOGY