



SEERSMEDICAL

Quality Above All Else!



Exclusive to OrthoCanada



# SEERSMEDICAL



# Quality Above All Else!

SEERS Medical is the leading UK manufacturer of physiotherapy, rehabilitation and medical tables. SEERS is dedicated to investing in technological advancements that cater to evolving healthcare applications. Their solutions consistently embody cutting-edge innovation that meets the demands of therapists and stays at the forefront of the industry. SEERS products are sold in over 90 countries worldwide, a testament to their global reach. OrthoCanada is proud to exclusively represent SEERS Medical in Canada.


## Accreditations

SEERS Medical's accreditations for quality management (ISO 9001: 2008 & ISO 13485:2016) and environmental practices (ISO 14001) demonstrate their commitment to customer satisfaction, regulatory standards, and responsible operations.

## Traceability

SEERS Medical table components have a unique serial number that enables comprehensive tracking and ensures quality control, regulatory compliance, post-market surveillance, and patient safety.

## Stock Colours



Black



Dark Grey



Deep Blue

## Infection Control

### Hinger Covers

Contains fluid for easy wiping and protects hinges from liquid seepage.

### Antibacterial Upholstery

Institutional-grade, antibacterial, waterproof, and fire-resistant. Fabric is impregnated with Sanitize, which reduces viral activity, including coronaviruses, by over 86%.

### Easy Clean

This smooth and easy-to-wipe surface is crafted from recycled material. Its backing eliminates staples along the upholstery edges, preventing bacterial growth.

### Antimicrobial Powder Coating

The framework is powder-coated with an antimicrobial additive that is evenly distributed by a static charge covering every part, and oven baked to seal before assembly.

### Insert Nuts & Caps

Insert and nut caps are fitted to the frame sealing any open sections from ingress. The nylon nut fittings are also capped for safety and infection prevention.



# Premium Clinnova 3-Section Mobilization Table

The Clinnova mobilization treatment table, designed for institutional use, has set new standards in infection control, design, and quality engineering. Its many advanced features include an Easy-Clean upholstery backing, antimicrobial powder-coated frame, antibacterial upholstery, comfort crescent cushion, a one-hand release head section, single-lever retractable wheel design, a faster actuator and a 360° perimeter footswitch. These innovative features combine to create a unique treatment table that is adaptable to requirements for a wide range of manual therapy techniques, while reducing the risk of infection and withstanding the heavy use in institutional settings. Wheelchair accessible for patient transfers with clearance beneath the frame for a mobile hoist.

|         |                  |                                 |
|---------|------------------|---------------------------------|
| V-360-B | Premium Clinnova | w/Foot Pedal                    |
| V-365-B | Premium Clinnova | w/Perimeter Footswitch          |
| V-375-B | Premium Clinnova | w/Perimeter Footswitch & Shroud |

## Warranty

|                  |          |
|------------------|----------|
| Frame            | Lifetime |
| Upholstery       | 5 years  |
| Actuator         | 5 years  |
| Other Components | 5 years  |

## Comfort Crescent Cushion

Improved patient comfort for examinations and treatments done in prone. Removable when required and replaced by the breathing hole plug (included with table).

## One-Hand Release Head Section

Features an offset German made *Stabilus* power-assisted anti-entrapment gas strut. In a prone position, the patient's view is unobscured. Refer to description of anti-entrapment gas struts.

## Adjustable Leveling Foot

Used for uneven flooring and can be easily adjusted to set all 4 legs firmly on the floor for added stability.

## Sturdy Wheels

Feature institutional-grade 3" diameter wheels have a combined load capacity of 660lb.

## Optional Base Shroud (Not Illustrated)

Improve infection control practices with the fully encapsulated shroud cover. Cleaning becomes effortless as small crevices are removed and replaced with larger, easy to wipe surfaces with antimicrobial properties.



## EasyClean

Is an innovative solution, featuring a smooth and easy-to-wipe surface. Crafted from recycled synthetic material, its unique backing eliminates visible staples along the upholstery edges, preventing bacterial growth. This design facilitates effortless cleaning and maintenance.





Comfort Crescent Cushion



Breathing Hole Plug

Seers V-365-B Premium Clinnova  
3-section Table with perimeter  
footswitch



### Antibacterial Upholstery

Institutional-grade, antibacterial, waterproof, and fire-resistant to Crib 5 standards Mundial vinyl. It is impregnated with Sanitize, an antimicrobial additive treatment that protects against viruses, bacteria, mould & fungi. Sanitized fabrics can reduce viral activity, including coronaviruses, by over 86%. Additionally, the vinyl has been rigorously tested for abrasion resistance, withstanding an impressive 150,000 cycles.

### Anti-Entrapment Gas Struts

Sections have German made *Stabilus* power-assisted anti-entrapment gas struts for safe control. The release lever is only used when "closing" the section, reducing the risk of damage to the gas strut seals.

### Self-Lubricating Bearings

Ensures the frame raises and lowers in a smooth and silent manner regularly with minimal maintenance. Seers Medical has cycle tested the frame in excess of 120,000 repetitions with a weight of 220lb.

### Retractable Wheel Design

Institutional-grade, single lever activated, is simply pushed down to raise the table on its wheels for easy transport. Pull the lever up to bring the table down onto its 4 legs.

### Faster Actuator

Changes the Clinnova table height in half the time. With the faster actuator action, the table travels from its lowest to highest in only 15 seconds.

### Treated Frames with High Load Capacity

Frames are rust proofed prior to being enamelled with an epoxy powder paint that has an antimicrobial additive for infection control and ease of cleaning. Frames are oven baked to seal paint prior to assembly. 3mm thick steel walls provide extreme strength with a safe lifting capacity of 584lb.

### Perimeter Footswitch

The 360° perimeter footswitch is motionless, with membrane sensors positioned to allow the therapist to locate and change the table height leaving hands free to treat the patient. Simple foot pressure on the top or bottom of the switch membrane will activate the table height.

Width  
27.5"

15"

20"

37.5"

+90°

+10°

-90°

Height Range 20" to 39"

584  
Weight  
Capacity (lbs.)

Accessible

Anti-  
Bacterial

Freight  
Required

Meets Canadian electrical & load  
safety standards

V-360-B/V-365-B/V-375-B





# 3-Section Mobilization Table with 90° Drop End

This exceptional 3-section mobilization treatment table is unrivalled in strength and stability. Equipped with an adjustable backrest and a convenient one-hand adjustable head section, it effortlessly adapts to various manual therapy and patient examination procedures. Its vertical movement during height adjustments, coupled with anti-bacterial upholstery, anti-entrapment gas struts, and a breathing hole, ensures unparalleled patient comfort and safety. Choose between an electric control foot pedal or perimeter footswitch for seamless operation. Wheelchair accessible for patient transfers and clearance beneath frame for a mobile hoist.

V-330 3-Section 90° Drop End w/Foot Pedal  
V-335 3-Section 90° Drop End w/Perimeter Footswitch

## Warranty

|                  |          |
|------------------|----------|
| Frame            | Lifetime |
| Upholstery       | 5 years  |
| Actuator         | 5 years  |
| Other Components | 5 years  |

### Anti-Entrapment Gas Struts

Sections have German made Stabilus® power-assisted anti-entrapment gas struts for safe control. The release lever is only used when “closing” the section, reducing the risk of damage to the gas strut seals.

### Self-Lubricating Bearings

Ensure the frame regularly raises and lowers in a smooth and silent manner with minimal maintenance.

### Sturdy Wheels

Tente institutional-grade 3” diameter wheels have a combined load capacity of 660lb.

### Adjustable Leveling Foot

Used for uneven flooring and can be easily adjusted to set all 4 legs firmly on the floor for added stability.



Width 27.5"

15"

20"

37.5"

V-330/V-335

+90°

+10°

-90°

Height Range 20" to 39"

528 Weight Capacity (lbs.)

Accessible

Anti-Bacterial

Freight Required

Meets Canadian electrical & load safety standards

SA®

PS Certified

Seers V-335 3-Section Mobilization Table with 90° drop end, perimeter footswitch and black upholstery



### Antibacterial Upholstery

Institutional-grade, antibacterial, waterproof, and fire-resistant to Crib 5 standards Mundial vinyl. It is impregnated with Sanitize, an antimicrobial additive treatment that protects against viruses, bacteria, mould & fungi. Sanitized fabrics can reduce viral activity, including coronaviruses, by over 86%. Additionally, the vinyl has been rigorously tested for abrasion resistance, withstanding an impressive 150,000 cycles.

### One-Hand Release Head Section

Features an offset German made *Stabilus* power-assisted anti-entrapment gas strut. In a prone position, the patient's view is unobscured. Refer to description of anti-entrapment gas struts.

### Retractable Wheel Design

Institutional-grade and activated at each end of the table. Simply push down to raise the table on its wheels for easy transport. Pull the lever up to bring the table down onto its 4 legs.

### Treated Frames with High Load Capacity

Frames are rust proofed prior to being enamelled with an epoxy powder paint that has an antimicrobial additive for infection control and ease of cleaning. Frames are oven baked to seal paint prior to assembly. 3mm thick steel walls provide extreme strength with a safe lifting capacity of 528lb.

### Perimeter Footswitch

The 360° perimeter footswitch is motionless, with membrane sensors positioned to allow the therapist to locate and change the table height leaving hands free to treat the patient. Simple foot pressure on the top or bottom of the switch membrane will activate the table height.

### EasyClean

Is an innovative solution, featuring a smooth and easy-to-wipe surface. Crafted from recycled synthetic material, its unique backing eliminates visible staples along the upholstery edges, preventing bacterial growth. This design facilitates effortless cleaning and maintenance.





# Sterling 3-Section Entry Level Table

The Sterling 3-Section treatment table has an outstanding simple yet quality design. It encompasses numerous top-tier features found in the coveted 3-Section Drop End and Clinnova tables, including one-hand adjustable head and back sections, Stabilus® power-assisted anti-entrapment gas struts of German craftsmanship, durable institutional-grade Mundial upholstery vinyl, and self-lubricating bearings. With a perfect blend of functionality and quality, the Sterling treatment table ensures a superior experience for both therapists and patients. Wheelchair accessible for patient transfers and clearance beneath frame for a mobile hoist.

V-333 3-Section Sterling w/Foot Pedal



Foot pedal

## Easy Clean

Is an innovative solution, featuring a smooth and easy-to-wipe surface. Crafted from recycled synthetic material, its unique backing eliminates visible staples along the upholstery edges, preventing bacterial growth. This design facilitates effortless cleaning and maintenance.

## Warranty

|                  |          |
|------------------|----------|
| Frame            | Lifetime |
| Upholstery       | 5 years  |
| Actuator         | 5 years  |
| Other Components | 5 years  |

V-333

Height Range 18" to 39"

440  
Weight Capacity (lbs.)

Accessible

Anti-Bacterial

Freight Required

Meets Canadian electrical & load safety standards



# 3-Section Classic Mobilization Table

The quality and construction of the Seers 3-Section Classic Mobilization Table is equivalent to Akron's original Continental treatment table 2232B. Its strong, rigid frame with an adjustable angle backrest and a one-hand adjustable head section is ideal for a wide range of therapeutic treatments and manual therapy techniques. With almost vertical movement during height adjustments, this hi-lo has antibacterial upholstery, anti-entrapment designed gas struts, a breathing hole, and comes with either a foot pedal or perimeter footswitch.

- V-350 3-Section Classic w/Foot Pedal
- V-355 3-Section Classic w/Perimeter Footswitch



## Warranty

|                  |          |
|------------------|----------|
| Frame            | Lifetime |
| Upholstery       | 5 years  |
| Actuator         | 5 years  |
| Other Components | 5 years  |

Width  
27.5"

20.5"

17"

36.5"

V-350/V-355

+80°

+40°

-25°

Height Range 18" to 39"

528  
Weight  
Capacity (lbs.)

Accessible

Anti-  
Bacterial

Freight  
Required

Meets Canadian electrical & load safety standards

SA  
Certified

PS  
Certified

# 3 Section Table Comparison Chart



**Premium  
Clinnova 3-Section  
Mobilization  
Table**



**3-Section  
Mobilization  
Table with 90°  
Drop End**



**Sterling  
3-Section  
Entry Level  
Table**



**3-Section  
Classic  
Mobilization  
Table**

|                            |  |  |  |  |
|----------------------------|--|--|--|--|
| Dimensions                 | 27.5"W x 76"L x 20"-39"H                                 | 27.5"W x 73"L x 18"-40"H                                 | 27.5"W x 76"L x 18"-39"H                                 | 27.5"W x 76"L x 18"-39"H                                 |
| Head Section Length        | 15"  | 15"  | 20.5"  | 20.5"  |
| Head Section Tilt          | -90°, +10°   | -90°, +10°   | -25°, +40°   | -25°, +40°   |
| Middle Section Length      | 20"  | 20"  | 17"  | 17"  |
| Foot Section Length        | 37.5"  | 37.5"  | 36.5"  | 36.5"  |
| Foot Section Tilt          | +90°   | +90°   | +80°   | +80°   |
| 1-Hand Release Sections    | Yes  | Yes  | Yes  | Yes  |
| Foam                       | 1.6" medium density                                      | 1.6" medium density                                      | 1.6" medium density                                      | 1.6" medium density                                      |
| Upholstery                 | Waterproof, antibacterial & fire retardant Mundial vinyl | Waterproof, antibacterial & fire retardant Mundial vinyl | Waterproof, antibacterial & fire retardant Mundial vinyl | Waterproof, antibacterial & fire retardant Mundial vinyl |
| Martindale Abrasion Rating | 150 000 rubs   | 150 000 rubs   | 150 000 rubs   | 150 000 rubs   |
| Perimeter Footswitch       | V-365  | V-335  | No   | V-355  |
| Lifting Capacity           | 584lb  | 528lb  | 440lb  | 528lb  |
| Travel Time                | 15 sec   | 30 sec   | 45 sec   | 30 sec   |
| Castor System              | Retractable wheel design, 1 lever                        | Retractable wheel design, 2 levers                       | Individually locking castors                             | Retractable wheel design, 2 levers                       |
| Leveling Foot              | Yes  | Yes  | No   | Yes  |
| Breathing Hole & Plug      | Yes  | Yes  | Yes  | Yes  |
| Paper Roll Holder          | Optional   | Optional   | Optional   | Optional   |
| Base Frame Cover (Shroud)  | Optional   | Optional   | N/A  | Optional   |
| Safety Marking             | QPS/CSA  | QPS/CSA  | QPS/CSA  | QPS/CSA  |
| Warranty                   | Lifetime frame, 5 yrs components                         | Lifetime frame, 5 yrs components                         | Lifetime frame, 5 yrs components                         | Lifetime frame, 5 yrs components                         |
| Code                       | V-360/V-365/V-375  | V-330/V-335  | V-333  | V-350/V-355  |



# 3-Section Hybrid Table with 90° Drop End

The Seers 3-Section Hybrid Table combines the features of our most popular treatment tables (V-330 & V-335 models) with those of a massage table. It's the optimal solution for busy practices that offer both physiotherapy and massage therapy services. It includes the same high-quality and durable frame as the other SEERS treatment tables, an adjustable backrest, and a 1-hand adjustable drop end head section. With almost vertical movement during height adjustments, this hi-lo has antibacterial upholstery, anti-entrapment designed gas struts and a breathing hole. The foam padding is thick and soft to the touch, with 2 layers of semi-firm foam plus an additional top layer of memory foam.

|             |   |                          |
|-------------|---|--------------------------|
| V-330-G-HYB | 3-Section Hybrid Table w/Foot Pedal           | 76"L x 28"W x 20-41.75"H |
| V-335-G-HYB | 3-Section Hybrid Table w/Perimeter Footswitch | 76"L x 28"W x 20-41.75"H |



Width  
27.5"

+90°

+5°

-90°

Height Range 20" to 39"

528  
Weight Capacity (lbs.)

Accessible

Anti-Bacterial

Freight Required

Meets Canadian electrical & load safety standards

SA  
Certified

PS  
Certified

## Warranty

|                  |          |
|------------------|----------|
| Frame            | Lifetime |
| Upholstery       | 5 years  |
| Actuator         | 5 years  |
| Other Components | 5 years  |



# 5-Section Treatment Table



This extremely strong and rigid 5-Section Treatment Table is a classic. It incorporates an adjustable backrest, a 25° drop end head section with a breathing hole, and two adjustable arm rests. Its design is suitable for a wide range of manual therapy and therapeutic treatments. With almost vertical movement during height adjustments, this hi-lo has antibacterial upholstery, anti-entrapment designed gas struts and comes with either a foot pedal or perimeter footswitch.

|       |  |                           |
|-------|--|---------------------------|
| V-500 | 5-Section Table w/Foot Pedal           | 76"L x 27.5"W x 18-38.5"H |
| V-505 | 5-Section Table w/Perimeter Footswitch | 76"L x 27.5"W x 18-38.5"H |



## Warranty

|                  |          |
|------------------|----------|
| Frame            | Lifetime |
| Upholstery       | 5 years  |
| Actuator         | 5 years  |
| Other Components | 5 years  |



- 528  
Weight Capacity (lbs.)
- Accessible
- Anti-Bacterial
- Freight Required

Meets Canadian electrical & load safety standards



# Sterling Change Table

The Sterling Change Table provides a variable height support surface to reduce back strain for caregivers and support staff during routine changing procedures in environments such as schools, paediatric units and long term care facilities. Fitted with large individually locking castors for easy transport, side rails and side rail cushions, antibacterial upholstery, and a hand control for height adjustment.

V-SX1057    Sterling Change Table w/Hand Control    72"L x 25"W x 18-39"H



## Features

- Institutional-grade antimicrobial Mundial vinyl
- Durable upholstery with a Martindale abrasion rating of 150 000 rubs
- Frame includes antimicrobial additive for infection control

## Warranty

|                  |          |
|------------------|----------|
| Frame            | Lifetime |
| Upholstery       | 5 years  |
| Actuator         | 5 years  |
| Other Components | 5 years  |

Width  
25"

72"

V-SX1057

Height Range 18" to 39"

440  
Weight  
Capacity (lbs.)

Accessible

Anti-  
Bacterial

Freight  
Required

Meets Canadian electrical & load  
safety standards

SA<sup>®</sup>  
Certified

PS<sup>®</sup>  
Certified



# Seers Traction Table

The SEERS Traction Table has anti-entrapment designed gas struts and centre sections that roll friction-free for more effective traction procedures. The adjustable height traction motor platform has offset positioning to adjust the traction angle if required. Head section is fitted with a breathing hole and removable plug. Retractable wheel design is standard with an adjustable foot for stability on uneven surfaces. Overall length is 103" + 4" of lateral shift from the table's lowest to highest heights. Optional perimeter footswitch available.

- Highest upholstery Martindale abrasion rating in the industry of 150 000 rubs
- Anti-entrapment gas struts
- Frame with interlocking components and robotic welding

V-800 Traction Table w/Foot Pedal 76"L x 27.5"W x 19-39"H



## Traction Accessories

- V-803 Flexion Stool
- OC-030939-A Traction Pack (Includes harnesses for lumbar traction, RB traction pillow and knee bolster set)
- OC-3116 Saunders Cervical Traction Device
- OC-3116-C Clevis for TM-400
- OC-7810 TM-400 Traction Motor

Width 27.5"

25.5"

8"

8"

32.5"

12"

10"

103"

+80°

+75°

-25°

Height Range 19" to 39"

528 Weight Capacity (lbs.)

Accessible

Anti-Bacterial

Freight Required

Meets Canadian electrical & load safety standards

SA Certified

PS Certified

## Warranty

|                  |          |
|------------------|----------|
| Frame            | Lifetime |
| Upholstery       | 5 years  |
| Actuator         | 5 years  |
| Other Components | 5 years  |



Clevis for TM-400



TM-400 Traction Motor



Saunders Cervical Traction Device



V-800 Traction Table



Traction Pack



Flexion Stool



Foot Pedal



# Bobath Table

Trusted by Canadian therapists, the Bobath Table is an excellent choice, encompassing numerous top-tier features. Crafted with institutional-grade materials, an ergonomic design, and adjustable features, the Bobath Table ensures optimal support and positioning for effective and personalized therapeutic sessions. In addition, the table provides optional side support rails, a patient limb support, and patient support loops to enhance treatment. Wheelchair accessible for patient transfers and clearance beneath frame for a mobile hoist.

|       |              |                        |                       |
|-------|--------------|------------------------|-----------------------|
| V-100 | Bobath Table | w/Foot Pedal           | 80"L x 41"W x 18-39"H |
| V-105 | Bobath Table | w/Perimeter Footswitch | 80"L x 41"W x 18-39"H |
| V-110 | Bobath Table | w/Foot Pedal           | 80"L x 49"W x 18-39"H |

## Warranty

|                  |          |
|------------------|----------|
| Frame            | Lifetime |
| Upholstery       | 5 years  |
| Actuator         | 5 years  |
| Other Components | 5 years  |

## Treated Frames with High Load Capacity

Frames are rust proofed prior to being enamelled with an epoxy powder paint that has an antimicrobial additive for infection control and ease of cleaning. Frames are oven baked to seal paint prior to assembly. 3mm thick steel walls provide extreme strength with a safe lifting capacity of 550lb.

## Self-Lubricating Bearings

Ensure the frame regularly raises and lowers in a smooth and silent manner with minimal maintenance.

## Sturdy Wheels

Tente® institutional-grade 3" diameter wheels have a combined load capacity of 660lb.

## Adjustable Leveling Foot

Used for uneven flooring and can be easily adjusted to set all 4 legs firmly on the floor for added stability.



### EasyClean

Is an innovative solution, featuring a smooth and easy-to-wipe surface. Crafted from recycled synthetic material, its unique backing eliminates visible staples along the upholstery edges, preventing bacterial growth. This design facilitates effortless cleaning and maintenance.







### Antibacterial Upholstery

Institutional-grade, antibacterial, waterproof, and fire-resistant to Crib 5 standards Mundial vinyl. It is impregnated with Sanitize, an antimicrobial additive treatment that protects against viruses, bacteria, mould & fungi. Sanitized fabrics can reduce viral activity, including coronaviruses, by over 86%. Additionally, the vinyl has been rigorously tested for abrasion resistance, withstanding an impressive 150,000 cycles.

### One-Hand Release Backrest with Anti-Entrapment Gas Strut

German made Stabilus® power-assisted anti-entrapment gas strut for safe control. The release lever is only used when "closing" the section, reducing the risk of damage to the gas strut seals.



Optional patient limb support & side support rails (shown lowered)





Optional support loops

### Retractable Wheel Design

Institutional-grade and activated at each end of the table. Simply push down to raise the table on its wheels for easy transport. Pull the lever up to bring the table down onto its 4 legs.

### Perimeter Footswitch

The 360° perimeter footswitch is motionless, with membrane sensors positioned to allow therapist to locate and change the table height leaving hands free to treat the patient. Simple foot pressure on the top or bottom of the switch membrane will activate the table height.



Meets Canadian electrical & load safety standards





# Mat Platform Table

The Seers Mat Platform Tables are almost identical to the Bobath models in terms of specifications and features but does not have the backrest. The single section top design provides a large and stable variable height surface that supports a wide range of exercises and treatment techniques. Includes a magnetic hand control that attaches to the frame. Wheelchair accessible for patient transfers and clearance beneath frame for a mobile hoist.

- Institutional-grade antibacterial Mundial vinyl
- Durable upholstery with a Martindale abrasion rating of 150 000 rubs
- Frame includes an antimicrobial additive for infection control

|       |                                   |                       |
|-------|-----------------------------------|-----------------------|
| V-150 | Mat Platform Table w/Hand Control | 78"L x 41"W x 18-37"H |
| V-151 | Mat Platform Table w/Hand Control | 78"L x 49"W x 18-37"H |
| V-152 | Mat Platform Table w/Hand Control | 78"L x 59"W x 18-37"H |

## Warranty

|                  |          |
|------------------|----------|
| Frame            | Lifetime |
| Upholstery       | 5 years  |
| Actuator         | 5 years  |
| Other Components | 5 years  |



|  |  |  |
|--|--|--|
| <p>Width<br/>41"</p> <p>78"</p> <p>V-150</p> | <p>Width<br/>49"</p> <p>78"</p> <p>V-151</p> | <p>Width<br/>59"</p> <p>78"</p> <p>V-152</p> |
|--|--|--|

Height Range 18" to 37"

550  
Weight  
Capacity (lbs.)

Accessible

Anti-  
Bacterial

Freight  
Required

B  
Bariatric

Meets Canadian electrical & load safety standards

# 3-Section Bariatric Table

The 3-Section Bariatric is the ideal choice when a high capacity lifting table with a 3 cushion configuration is needed. Its institutional-grade, antibacterial, waterproof, and fire-resistant to Crib 5 standards Mundial vinyl is valued by facilities. The Mundial vinyl is impregnated with Sanitize, an antimicrobial additive that protects against viruses, bacteria, mould & fungi. Sanitized fabrics can reduce viral activity, including coronaviruses, by over 86%. Additionally, the vinyl has been rigorously tested for abrasion resistance, withstanding an impressive 150,000 cycles. Crafted with institutional-grade materials, ergonomic design, and adjustable features, the 3-Section Bariatric Table ensures optimal support and positioning for effective and personalized therapy sessions. Wheelchair accessible for patient transfers and clearance beneath frame for a mobile hoist.

- Institutional-grade antibacterial Mundial vinyl
- Durable upholstery with a Martindale abrasion rating of 150 000 rubs
- Frame includes antimicrobial additive for infection control
- Includes electric foot and head sections

## Warranty

|                  |          |
|------------------|----------|
| Frame            | Lifetime |
| Upholstery       | 5 years  |
| Actuator         | 5 years  |
| Other Components | 5 years  |

V-SM3573      3-Section Bariatric Table w/Triple Footswitch      75"L x 33"W x 18-38"H



Triple footswitch



Width  
31.5"

V-SM3573

Height Range 18" to 38.5"

715  
Weight  
Capacity (lbs.)

Accessible

Anti-  
Bacterial

Freight  
Required

B  
Bariatric

Meets Canadian electrical & load safety standards

# Shower Trolley

Designed to provide transport to and from the showering area, this mobile hydraulic Shower Trolley features a foam padded PVC liner and support cushion for added patient comfort, a linked wheel system with central locking and steering facility, as well as fold down side support rails for patient transfers. Clearance beneath frame for mobile hoist.

- Low gradient tilt towards foot end for water drainage via integral outlet
- Bumpers can be removed to reduce the width
- Lowers to wheelchair height for patient transfers
- Clearance beneath frame for mobile hoist

V-ST7700 77"L x 29"W x 16-37"H




**Protective Bumpers**  
Bumpers fitted to all corners for protection during transport.

**Large Mobile Wheel Design**  
5" central locking castors incorporate 3 easy-to-use locking modes: free roam, directional lock, and full lock.




**Plug and Drain Hose**  
Includes plug and drain hose with storage bracket.


Width  
29"




V-ST7700

Height Range 16" to 37"







528  
Weight  
Capacity (lbs.)



Accessible





Anti-  
Bacterial



Freight  
Required

Meets Canadian electrical & load safety standards

# Tilt Table Pro

The intelligent Tilt Table Pro has been designed & developed with medical professionals to meet requirements for syncope testing. The emergency override allows therapists to return the patient to horizontal immediately, in the event of fainting or cardiac arrest. A digital hand control is included as standard, giving live feedback of the table height and angle.

- Institutional-grade antimicrobial Mundial vinyl
- Durable upholstery has a Martindale abrasion rating of 150 000 rubs
- Frame includes antimicrobial additive for infection control

|         |                               |                           |
|---------|-------------------------------|---------------------------|
| V-400-B | Tilt Table Pro                | 76"L x 27.5"W x 19-40.5"H |
| V-410-B | Tilt Table Pro w/Divided Legs | 76"L x 27.5"W x 19-40.5"H |

## Warranty

|                  |          |
|------------------|----------|
| Frame            | Lifetime |
| Upholstery       | 5 years  |
| Actuator         | 5 years  |
| Other Components | 5 years  |



### 15 Second Motors with Soft Stop

Brings patients from horizontal to vertical in 15 seconds.





### Override/Quick Release

Overrides the actuator to return the patient to horizontal within seconds for emergency CPR.



### Intelligent Software

Ensures the table is at a suitable height before tilting. CPR function included.



Weight Capacity (lbs.)    Accessible    Anti-Bacterial    Freight Required

Meets Canadian electrical & load safety standards

SA<sup>®</sup>    PS<sup>®</sup>  
Certified

# Your OrthoCanada Sales Consultants



Zach El-Shafei  
zach.elshafei@orthocanada.com  
1-800-561-0310 ext 8000



Karen Wright  
karen.wright@orthocanada.com  
1-800-561-0310 ext 1719



Razi Khaddage  
razi.khaddage@orthocanada.com  
1-800-561-0310 ext 1704



Jonathan Hamel  
jonathan.hamel@orthocanada.com  
1-800-561-0310 ext 2020

