


# Glide

## Specification

**BISLEY**



This innovative unit combines clean, unbroken lines with thoughtful details that ensure the sliding doors really do glide.

Our high-quality, sliding door storage system is an ideal, spacesaving solution for open-plan work environments. You can choose bespoke timber tops, backs and end-cladding, and we can provide a comprehensive range of optional internal fittings, including roll-out filing frames and drawers. Door options include plain, perforated and acoustic dampening - which better absorbs noise from the hustle and bustle of a busy office. Glide particularly complements our LateralFile products, but fits well with all of our ranges.





# Features

Select from wide range of steel paint colours.

Door slides lightly, precisely, and quietly.

No applied backs – 470mm (18.5”) depth as standard.

Optional perforated and foam-filled doors for acoustic damping.

Adjustable shelving.

Standard internals finished in black.

Configures with LateralFile.

Minimum ten-year guarantee.

Made in the UK.

Ten year warranty.



## Benefits

**Customisable** – Available in 6 widths and 4 heights, with this offering Glide is ideal for a number of purposes from desk end, standing height islands and positioned against the wall.

**Acoustic Damping** – with the option of perforated or foam-filled doors for acoustic damping helping absorb the noise from the hustle and bustle of a busy work environment.


**Colourful** - with a broad range of colours available, you can add a splash of colour to your workplace or reflect a brand's colours.

**Organised** – Adjustable shelving allows you to organise your belongings the way you like to enjoy an efficient and clutter free environment.

**Compatible** – Glide is built to configure with our LateralFile range, it can fit right in.

# Range Overview

All Glide units are 470mm (18.5") deep.




Available in 6 widths: 800mm (31.5"), 1000mm (39.4"), 1200mm (47.2"), 1600mm (63"), 2000mm (78.4") & 2400mm (94.5")



# Glide


W: 800mm (31.5") D: 470mm (18.5")

Product Code	Description	Height
BG20821SDSBST	Plain doors	743mm (29.2")
BG20821PDSBST	Perforated doors	743mm (29.2")
BG20821ADSBST	Acoustic doors	743mm (29.2")
BG20823SDSBST	Plain doors	807mm (31.8")
BG20823PDSBST	Perforated doors	807mm (31.8")
BG20823ADSBST	Acoustic doors	807mm (31.8")
BG20834SDSBST	Plain doors	1149mm (45.2")
BG20834PDSBST	Perforated doors	1149mm (45.2")
BG20834ADSBST	Acoustic doors	1149mm (45.2")
BG20846SDSBST	Plain doors	1529mm (60.2")
BG20846PDSBST	Perforated doors	1529mm (60.2")
BG20846ADSBST	Acoustic doors	1529mm (60.2")




W: 1000mm (39.4") D: 470mm (18.5")

Product Code	Description	Height
BG21021SDSBST	Plain doors	743mm (29.2")
BG21021PDSBST	Perforated doors	743mm (29.2")
BG21021ADSBST	Acoustic doors	743mm (29.2")
BG21023SDSBST	Plain doors	807mm (31.8")
BG21023PDSBST	Perforated doors	807mm (31.8")
BG21023ADSBST	Acoustic doors	807mm (31.8")
BG21034SDSBST	Plain doors	1149mm (45.2")
BG21034PDSBST	Perforated doors	1149mm (45.2")
BG21034ADSBST	Acoustic doors	1149mm (45.2")
BG21046SDSBST	Plain doors	1529mm (60.2")
BG21046PDSBST	Perforated doors	1529mm (60.2")
BG21046ADSBST	Acoustic doors	1529mm (60.2")




W: 1200mm (47.2") D: 470mm (18.5")

Product Code	Description	Height
BG21221SDSBST	Plain doors	743mm (29.2")
BG21221PDSBST	Perforated doors	743mm (29.2")
BG21221ADSBST	Acoustic doors	743mm (29.2")
BG21223SDSBST	Plain doors	807mm (31.8")
BG21223PDSBST	Perforated doors	807mm (31.8")
BG21223ADSBST	Acoustic doors	807mm (31.8")




Product Code	Description	Height
BG21234SDSBST	Plain doors	1149mm (45.2")
BG21234PDSBST	Perforated doors	1149mm (45.2")
BG21234ADSBST	Acoustic doors	1149mm (45.2")
BG21246SDSBST	Plain doors	1529mm (60.2")
BG21246PDSBST	Perforated doors	1529mm (60.2")
BG21246ADSBST	Acoustic doors	1529mm (60.2")




W: 1600mm (63") D: 470mm (18.5")

Product Code	Description	Height
BG21621SDSBST	Plain doors	743mm (29.2")
BG21621PDSBST	Perforated doors	743mm (29.2")
BG21621ADSBST	Acoustic doors	743mm (29.2")
BG21623SDSBST	Plain doors	807mm (31.8")
BG21623PDSBST	Perforated doors	807mm (31.8")
BG21623ADSBST	Acoustic doors	807mm (31.8")
BG21634SDSBST	Plain doors	1149mm (45.2")
BG21634PDSBST	Perforated doors	1149mm (45.2")
BG21634ADSBST	Acoustic doors	1149mm (45.2")
BG21646SDSBST	Plain doors	1529mm (60.2")
BG21646PDSBST	Perforated doors	1529mm (60.2")
BG21646ADSBST	Acoustic doors	1529mm (60.2")




W: 2000mm (78.4") D: 470mm (18.5")

Product Code	Description	Height
BG22021SDSBST	Plain doors	743mm (29.2")
BG22021PDSBST	Perforated doors	743mm (29.2")
BG22021ADSBST	Acoustic doors	743mm (29.2")
BG22023SDSBST	Plain doors	807mm (31.8")
BG22023PDSBST	Perforated doors	807mm (31.8")
BG22023ADSBST	Acoustic doors	807mm (31.8")
BG22034SDSBST	Plain doors	1149mm (45.2")
BG22034PDSBST	Perforated doors	1149mm (45.2")
BG22034ADSBST	Acoustic doors	1149mm (45.2")
BG22046SDSBST	Plain doors	1529mm (60.2")
BG22046PDSBST	Perforated doors	1529mm (60.2")
BG22046ADSBST	Acoustic doors	1529mm (60.2")



W: 2400mm (94.5") D: 470mm (18.5")

Product Code	Description	Height
BG22421SDSBST	Plain doors	743mm (29.2")
BG22421PDSBST	Perforated doors	743mm (29.2")
BG22421ADSBST	Acoustic doors	743mm (29.2")
BG22423SDSBST	Plain doors	807mm (31.8")
BG22423PDSBST	Perforated doors	807mm (31.8")
BG22423ADSBST	Acoustic doors	807mm (31.8")
BG22434SDSBST	Plain doors	1149mm (45.2")
BG22434PDSBST	Perforated doors	1149mm (45.2")
BG22434ADSBST	Acoustic doors	1149mm (45.2")
BG22446SDSBST	Plain doors	1529mm (60.2")
BG22446PDSBST	Perforated doors	1529mm (60.2")
BG22446ADSBST	Acoustic doors	1529mm (60.2")



BG22421SDSBST

#### Internal Options

Product Code	Description	Width
G2IC08SSUPS	Slotted shelf with undershelf filing	800mm (31.5")
G2IC10SSUPS	Slotted shelf with undershelf filing	1000mm (39.4")
G2IC12SSUPS	Slotted shelf with undershelf filing	1200mm (47.2")
G2IC08RFPS	Roll-out filing frame - to be used in 1600mm (63") wide units only	800mm (31.5")
G2IC10RFPS	Roll-out filing frame - to be used in 2000mm (78.7") wide units only	1000mm (39.4")
G2IC12RFPS	Roll-out filing frame includes one cross rail - to be used in 2400mm (94.5") wide units only	1200mm (47.2")
G2DB08	Drawer base (includes three drawer dividers) to fit into roll-out filing frame	800mm (31.5")
G2DB10	Drawer base (includes three drawer dividers) to fit into roll-out filing frame	1000mm (39.4")
G2DB12	Drawer base (includes three drawer dividers) to fit into roll-out filing frame	1200mm (47.2")
G2DBDVP3PS	Drawer base divider (pack of 3)	N/A
G2IC21A408SSUPS	Shelf to allow two rows of A4 filing for 734mm (29.2") high unit	800mm (31.5")
G2IC21A410SSUPS	Shelf to allow two rows of A4 filing for 734mm (29.2") high unit	1000mm (39.4")
G2IC21A412SSUPS	Shelf to allow two rows of A4 filing for 734mm (29.2") high unit	1200mm (47.2")
DSB4	Drop-in storage bin to fit into roll-out filing frame	N/A

Product Code	Description	Width
TWSHDVP4PS	Steel shelf dividers (clip on design) (pack of 4)	50mm (2")
TWISP6PS	Plastic intershelves – (pack of 6) to make pigeon hole arrangement	50mm (2")



# Specification Notes

---

## Locking options:

All Glide units are available with AB locking.


## AB




---

## Finish options:

### Palette one



Traffic White  
BA5



Chalk  
AB9



Cream  
AV6



Natural Canvas  
CJ6



Coffee  
AV5




Golden  
Sunflower Yellow  
CD1



Bisley Orange  
BN6



Cardinal Red  
AY8



Palest Pink  
CB2



Bisley Blue  
BC6



Doulton  
AN7



Oxford Blue  
AY7



Olive Green  
BX6



Regent  
AG8



Light Grey  
AV7



Goose Grey  
AV4



Silver  
ARN



Slate  
AN9



Anthracite  
Grey  
AA3



Black  
AV1

### Palette two

5% surcharge applies.



Yellow  
BP2



Dijon  
BQ5



Bisley Coral  
AB1



Seville  
BQ4



Berry  
CJ4



Fuchsia  
BE2



Bisley Lilac  
AB2



Marine Green  
CJ5



Azure  
BP5



Ocean Blue  
BZ2



Prussian  
BP7



Bisley Green  
BH2



Emerald  
DA8

---

## Additional information:

### Assembly

Glide units 1600mm (63") wide and over will require on site assembly.

### Filing capabilities

Roll out filing frames are only compatible with Glide units 1600mm (63") wide and above.

### Safety

Pull out elements should only be fitted in the lower half of the cabinet.

**BISLEY**