

LODES

arte
diffu
sione

P.	PRODUCT NAME
	Suspension lamps:
003	Cima
004	Elara
005	IVY V
007	JIM dome
008	Random Cloud
012	Kelly dome
013	Kelly sphere
014	Sky-Fall
015	Sky-Fall Round
017	Volum
	Cluster suspension lamps:
019	A-Tube
020	A-Tube Nano
022	A-Tube Nano Duo
023	Cono di Luce
024	IVY I
025	Jefferson
026	JIM
027	Kelly Cluster
028	Nostalgia
030	Rain
031	Random
032	Random Solo
035	Spider
036	Volum
	Canopies:
039	Single Systems
040	Multiple Systems
	Wall & Ceiling lamps:
047	A-Tube
048	Aile
049	Bugia
051	Kelly
052	Laser
053	Nautilus
054	Nautilus Mini
055	Nautilus Spot
056	Pin-Up
057	Puzzle
058	Puzzle Mega
061	Puzzle Round
062	Spider
063	Tidal
065	Volum
	Floor & Table lamps:
071	Blow
067	Cima
071	Cono di Luce
068	Croma
069	Flar
070	Hover
072	Easy Peasy
073	Volum
	Outdoor lamp:
076	Puzzle Outdoor
078	Accessories


Preisliste 2024

Verkaufspreise in CHF ohne MwSt.
Preisänderungen und Irrtümer vorbehalten.

Suspension lamps



Cima
P. 003



Elara
P. 004



IVYV
P. 005, 006



JIM
P. 007



NEW LAMP
Random Cloud
P. 008-011



Kelly dome
P. 012



Kelly sphere
P. 013



Sky-Fall
P. 014, 016




NEW LAMP
Sky-Fall Round
P. 015, 016



Volum
P. 017

Cima



DESIGN Marco Dessi, 2021

VAT excluded
IVA esclusa

Metal structure Montatura in metallo	Rope Corda	Code Codice	CHF
	 Silver Argento	17371 4100	388,00
	 Gold Oro	17371 5000	388,00
	 Yellow Giallo	17371 5100	388,00
 Matte Black Nero Opaco			

Light source
Sorgente luminosa

GU10 Par 16 LED W/L max 9 cm
1 × 10 W  W/L max 3,54"

Bulb and dimmer not included
Lampadina e dimmer non inclusi

VAT excluded
IVA esclusa

Description Descrizione	Metal structure Montatura in metallo	Code Codice	CHF
Additional kit (max 2 spotlights) Additional kit (max 2 spotlights)	 Matte Black Nero Opaco	17371K 2000	254,00

Light source
Sorgente luminosa

GU10 Par 16 LED W/L max 9 cm
1 × 10 W  W/L max 3,54"


Bulb and dimmer not included
Lampadina e dimmer non inclusi

Net weight 1,75 kg
Peso netto 3,86 lbs


Pack 1
Colli

CE IP20 Energy Saving  Dim  ENEC 

Adjustable light
Luce orientabile



Elara medium



DESIGN Nika Zupanc 2022		● ECODESIGN regulation P. 080		VAT excluded IVA esclusa	
Metal structure Montatura in metallo	Metal sphere Sfera in metallo	Code Codice	Code Codice	CHF	
Glossy Black Nero Lucido	Extra Matte Black Nero Extra Opaco	20621 2227	20621 2230	845,00	
Glossy Gold Oro Lucido	Matte Gold Oro Opaco	20621 5027	20621 5030	1014,00	
Light source Sorgente luminosa		Light source Sorgente luminosa			
LED		LED			
2700 K		3000 K			
32 W		32 W			
2100 lm-side I		2260 lm-side I			
800 lm-side II		845 lm-side II			
220-240 V		220-240 V			
CRI 90		CRI 90			
MacAdam 3-Step		MacAdam 3-Step			
LED and driver included LED e driver inclusi		LED and driver included LED e driver inclusi			

Net weight 1,67 kg
Peso netto 3,68 lbs

Pack Colli 1

Energy class 2700 K ▶ D+E
Classe energetica 3000 K ▶ D+F

CE

IP20

Energy Saving


Dim Triac

ERL

DALI CONTROLLABLE

● P. 082

Elara large



DESIGN Nika Zupanc 2022		● ECODESIGN regulation P. 080		VAT excluded IVA esclusa	
Metal structure Montatura in metallo	Metal sphere Sfera in metallo	Code Codice	Code Codice	CHF	
Glossy Black Nero Lucido	Extra Matte Black Nero Extra Opaco	20622 2227	20622 2230	1027,00	
Glossy Gold Oro Lucido	Matte Gold Oro Opaco	20622 5027	20622 5030	1235,00	
Light source Sorgente luminosa		Light source Sorgente luminosa			
LED		LED			
2700 K		3000 K			
32 W		32 W			
2100 lm-side I		2260 lm-side I			
800 lm-side II		845 lm-side II			
220-240 V		220-240 V			
CRI 90		CRI 90			
MacAdam 3-Step		MacAdam 3-Step			
LED and driver included LED e driver inclusi		LED and driver included LED e driver inclusi			

Net weight 1,87 kg
Peso netto 4,12 lbs

Pack Colli 1

Energy class 2700 K ▶ D+E
Classe energetica 3000 K ▶ D+F

CE

IP20

Energy Saving


Dim Triac

ERL


DALI CONTROLLABLE

● P. 082


Adjustable light
Luce orientabile



Adjustable ring
Anello orientabile



IVY V



Metal structure Montatura in metallo	Cable Cavo	Code Codice ^A	Code Codice ^B	CHF
● Matte Black –9005 Nero Opaco –9005	● Black Nero	17820 2020	17820 2035	254,00
● Extra Matte Champagne Champagne Extra Opaco	● Black Nero	17820 4520	17820 4535	267,00
● Terra Terra	● Black Nero	17820 6720	17820 6735	280,00

Light source
Sorgente luminosa ^A

LED
2700 K
5 W
450 lm
220–240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Light source
Sorgente luminosa ^B

LED
3000 K
5 W
480 lm
220–240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Netweight
Peso netto

0,58 kg
1,27 lbs

Pack
Colli

1

Energy class
Classe energetica

2700 K ▶ D
3000 K ▶ C

CE

IP20

Energy Saving

Dim Triac

EAC

P. 082


DALI CONTROLLABLE

IVY V suspension lamps must only be installed on the single and central canopies below
Le lampade a sospensione IVY V devono essere installate solamente sui rosoni singoli e centrali di seguito

CATEGORY SINGLE CANOPY

VAT excluded
IVA esclusa

Single Mini



Net weight	0,13	kg	Pack	1
Peso netto	0,28	lbs	Colli	




Description Descrizione	Methacrylate structure Struttura in metacrilato	System Sistema	Code Codice	CHF
Single ceiling bracket small size Rosone per lampada singola versione mini	Matte Black - 9005 Nero Opaco - 9005	Single	R11L01 2000	55,00

CATEGORY RECESSED CANOPY

VAT excluded
IVA esclusa

Recessed Micro



Net weight	0,015	kg	Pack	1
Peso netto	0,033	lbs	Colli	




Description Descrizione	Methacrylate structure Struttura in metacrilato	System Sistema	Code Codice	CHF
Recessed bracket for single lamp max capacity 3,5 kg - 77,16 lbs Rosone da incasso per lampada singola portata max 3,5 kg - 77,16 lbs	Matte Black Nero Opaco	Recessed	R01L01 2000	33,00

CATEGORY CENTRAL CANOPY

VAT excluded
IVA esclusa

6 Lights Central



Net weight	0,58	kg	Pack	1
Peso netto	1,27	lbs	Colli	




Description Descrizione	Metal structure Struttura in metallo	System Sistema	Code Codice	CHF
Central canopy max 6 suspension Rosone centrale max 6 sospensioni	Matte Black - 9005 Nero Opaco - 9005	Cluster Central	R07L06 2000	189,00

CATEGORY CENTRAL CANOPY

VAT excluded
IVA esclusa

12 Lights Central




Net weight	1,00	kg	Pack	1
Peso netto	2,20	lbs	Colli	



Description Descrizione	Metal structure Struttura in metallo	System Sistema	Code Codice	CHF
Central canopy max 12 suspension Rosone centrale max 12 sospensioni	Matte Black - 9005 Nero Opaco - 9005	Cluster Central	R07L12 2000	247,00

JIM dome



Net weight	2,20	kg	Pack	2
Peso netto	4,85	lbs	Colli	

Outside metal diffuser Diff. esterno in metallo	Inside metal diffuser Diff. interno in metallo	Hook methacrylate Gancio in metacrilato	Code Codice	CHF
● Matte Black – 9005 Nero Opaco – 9005	● Matte White – 9010 Bianco Opaco – 9010	● Grey Grigio	16924 2800	657,00
		● Honey Miele	16924 6600	657,00
● Matte Champagne Champagne Opaco	● Matte White – 9010 Bianco Opaco – 9010	● Grey Grigio	16924 2700	670,00
		● Honey Miele	16924 6500	670,00


Light source
Sorgente luminosa

E27 A60 LED
1× Max 25 W

Bulb not included
Lampadina non inclusa



Random Cloud 7 Lights Ø23NEW



Blown glass diffuser Diffusore in vetro soffiato	Metal canopy Rosone in metallo	Code Codice	Code Codice	CHF
Clear Trasparente		22121 0027	22121 0030	2340,00
Frosted White Bianco Satinato		22121 1327	22121 1330	3432,00
Chrome Cromo		22121 4027	22121 4030	3432,00
Glossy Smoke Fumo Lucido	Matte White - 9010 Bianco Opaco - 9010	22121 4327	22121 4330	3432,00
Glossy Bronze Bronzo Lucido		22121 4627	22121 4630	3432,00
Gold Oro		22121 5027	22121 5030	3432,00
Rose Gold Oro Rosa		22121 5527	22121 5530	3432,00
Light source Sorgente luminosa LED 2700 35 3150 220-240 CRI 90 MacAdam 3-Step LED and driver included LED e driver inclusi Light source Sorgente luminosa LED 3000 35 3360 220-240 CRI 90 MacAdam 3-Step LED and driver included LED e driver inclusi				

Net weight 8,90 kg
Peso netto 19,65 lbs


Pack 15
Colli

Energy class D
Classe energetica

● P. 082

CE IP20 Energy Saving Dim Triac ENEC DALI CONTROLLABLE

Random Cloud 7 Lights Ø28NEW



Blown glass diffuser Diffusore in vetro soffiato	Metal canopy Rosone in metallo	Code Codice	Code Codice	CHF
Clear Trasparente		22122 0027	22122 0030	2704,00
Frosted White Bianco Satinato		22122 1327	22122 1330	3796,00
Chrome Cromo		22122 4027	22122 4030	3796,00
Glossy Smoke Fumo Lucido	Matte White - 9010 Bianco Opaco - 9010	22122 4327	22122 4330	3796,00
Glossy Bronze Bronzo Lucido		22122 4627	22122 4630	3796,00
Gold Oro		22122 5027	22122 5030	3796,00
Rose Gold Oro Rosa		22122 5527	22122 5530	3796,00
Light source Sorgente luminosa LED 2700 35 3150 220-240 CRI 90 MacAdam 3-Step LED and driver included LED e driver inclusi Light source Sorgente luminosa LED 3000 35 3360 220-240 CRI 90 MacAdam 3-Step LED and driver included LED e driver inclusi				

Net weight 13,80 kg
Peso netto 30,43 lbs


Pack 15
Colli

Energy class D
Classe energetica

● P. 082

CE IP20 Energy Saving Dim Triac ENEC DALI CONTROLLABLE

Random Cloud 14 Lights Ø23 NEW

Blown glass diffuser
Diffusore in vetro soffiato

- Clear
Trasparente
- Frosted White
Bianco Satinato
- Chrome
Cromo
- Glossy Smoke
Fumo Lucido
- Glossy Bronze
Bronzo Lucido
- Gold
Oro
- Rose Gold
Oro Rosa

Light source
Sorgente luminosa

LED
2700 K
70 W
6300 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Metal canopy
Rosone in metallo

Matte White - 9010
Bianco Opaco - 9010

Code
CodiceCode
Codice

CHF

22123 0027	22123 0030	4550,00
22123 1327	22123 1330	6734,00
22123 4027	22123 4030	6734,00
22123 4327	22123 4330	6734,00
22123 4627	22123 4630	6734,00
22123 5027	22123 5030	6734,00
22123 5527	22123 5530	6734,00

Light source
Sorgente luminosa



LED
3000 K
70 W
6720 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi


Net weight 18,54 kg
Peso netto 42,31 lbs

Pack 29
Colli

Energy class D
Classe energetica



Random Cloud 14 Lights Ø28 NEW

Blown glass diffuser
Diffusore in vetro soffiato

- Clear
Trasparente
- Frosted White
Bianco Satinato
- Chrome
Cromo
- Glossy Smoke
Fumo Lucido
- Glossy Bronze
Bronzo Lucido
- Gold
Oro
- Rose Gold
Oro Rosa

Light source
Sorgente luminosa

LED
2700 K
70 W
6300 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Metal canopy
Rosone in metallo

Matte White - 9010
Bianco Opaco - 9010

Code
CodiceCode
Codice

CHF

22124 0027	22124 0030	5278,00
22124 1327	22124 1330	7462,00
22124 4027	22124 4030	7462,00
22124 4327	22124 4330	7462,00
22124 4627	22124 4630	7462,00
22124 5027	22124 5030	7462,00
22124 5527	22124 5530	7462,00

Light source
Sorgente luminosa



LED
3000 K
70 W
6720 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi


Net weight 28,34 kg
Peso netto 63,87 lbs

Pack 29
Colli

Energy class D
Classe energetica



Random Cloud 19 Lights Ø23NEW




Net weight	24,04 kg	Pack	39	Energy class	D
Peso netto	54,46 lbs	Colli		Classe energetica	

Blown glass diffuser Diffusore in vetro soffiato	Metal canopy Rosone in metallo	Code Codice	Code Codice	CHF
Clear Trasparente		22125 0027	22125 0030	6045,00
Frosted White Bianco Satinato		22125 1327	22125 1330	9009,00
Chrome Cromo		22125 4027	22125 4030	9009,00
Glossy Smoke Fumo Lucido	Matte White - 9010 Bianco Opaco - 9010	22125 4327	22125 4330	9009,00
Glossy Bronze Bronzo Lucido		22125 4627	22125 4630	9009,00
Gold Oro		22125 5027	22125 5030	9009,00
Rose Gold Oro Rosa		22125 5527	22125 5530	9009,00

Light source Sorgente luminosa	Light source Sorgente luminosa
LED 2700 K 95 W 8550 lm 220-240 V CRI 90 MacAdam 3-Step LED and driver included LED e driver inclusi	LED 3000 K 95 W 9120 lm 220-240 V CRI 90 MacAdam 3-Step LED and driver included LED e driver inclusi

CE	IP20	Energy Saving	Dim Triac	ERC	P. 082
----	------	---------------	-----------	-----	--------

Random Cloud 19 Lights Ø28NEW




Net weight	37,34 kg	Pack	39	Energy class	D
Peso netto	83,72 lbs	Colli		Classe energetica	

Blown glass diffuser Diffusore in vetro soffiato	Metal canopy Rosone in metallo	Code Codice	Code Codice	CHF
Clear Trasparente		22126 0027	22126 0030	7033,00
Frosted White Bianco Satinato		22126 1327	22126 1330	9997,00
Chrome Cromo		22126 4027	22126 4030	9997,00
Glossy Smoke Fumo Lucido	Matte White - 9010 Bianco Opaco - 9010	22126 4327	22126 4330	9997,00
Glossy Bronze Bronzo Lucido		22126 4627	22126 4630	9997,00
Gold Oro		22126 5027	22126 5030	9997,00
Rose Gold Oro Rosa		22126 5527	22126 5530	9997,00

Light source Sorgente luminosa	Light source Sorgente luminosa
LED 2700 K 95 W 8550 lm 220-240 V CRI 90 MacAdam 3-Step LED and driver included LED e driver inclusi	LED 3000 K 95 W 9120 lm 220-240 V CRI 90 MacAdam 3-Step LED and driver included LED e driver inclusi

CE	IP20	Energy Saving	Dim Triac	ERC	P. 082
----	------	---------------	-----------	-----	--------

Random Cloud 23 Lights Ø23 NEW

Blown glass diffuser
Diffusore in vetro soffiato

- ☐ Clear
Trasparente
- ☐ Frosted White
Bianco Satinato
- ☐ Chrome
Cromo
- ☐ Glossy Smoke
Fumo Lucido
- ☐ Glossy Bronze
Bronzo Lucido
- ☐ Gold
Oro
- ☐ Rose Gold
Oro Rosa

Light source
Sorgente luminosa

LED
2700 K
115 W
10350 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Metal canopy
Rosone in metallo

Matte White - 9010
Bianco Opaco - 9010

Code
CodiceCode
Codice

CHF

22127 0027	22127 0030	7241,00
22127 1327	22127 1330	10829,00
22127 4027	22127 4030	10829,00
22127 4327	22127 4330	10829,00
22127 4627	22127 4630	10829,00
22127 5027	22127 5030	10829,00
22127 5527	22127 5530	10829,00

Light source
Sorgente luminosa



LED
3000 K
115 W
11040 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Net weight 28,44 kg
Peso netto 64,18 lbs


Pack 47
Colli

Energy class D
Classe energetica



● P. 082

Random Cloud 23 Lights Ø28 NEW

Blown glass diffuser
Diffusore in vetro soffiato

- ☐ Clear
Trasparente
- ☐ Frosted White
Bianco Satinato
- ☐ Chrome
Cromo
- ☐ Glossy Smoke
Fumo Lucido
- ☐ Glossy Bronze
Bronzo Lucido
- ☐ Gold
Oro
- ☐ Rose Gold
Oro Rosa

Light source
Sorgente luminosa

LED
2700 K
115 W
10350 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Metal canopy
Rosone in metallo

Matte White - 9010
Bianco Opaco - 9010

Code
CodiceCode
Codice

CHF

22128 0027	22128 0030	8437,00
22128 1327	22128 1330	12025,00
22128 4027	22128 4030	12025,00
22128 4327	22128 4330	12025,00
22128 4627	22128 4630	12025,00
22128 5027	22128 5030	12025,00
22128 5527	22128 5530	12025,00

Light source
Sorgente luminosa



LED
3000 K
115 W
11040 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Net weight 44,54 kg
Peso netto 99,60 lbs

Pack 47
Colli


Energy class D
Classe energetica



● P. 082

CATEGORY SUSPENSION LAMP

Kelly small dome 50



Net weight 6,00 kg
Peso netto 13,23 lbs

Pack Colli 1

DESIGN Andrea Tosetto, 2015


VAT excluded
IVA esclusa

Metal structure Montatura in metallo	Glass diffuser Diffusore in vetro	Code Codice	CHF
Matte White - 9010 Bianco Opaco - 9010	Glossy White Bianco Lucido	14126 1000	728,00
Matte Black - 9005 Nero Opaco - 9005		14126 2000	728,00
Coppery Bronze Bronzo Ramato		14126 3500	774,00
Matte Champagne Champagne Opaco		14126 4500	774,00

Light source
Sorgente luminosa

E27 LED 3x 25 W W/L max 12 cm
W/L max 4,72"


Bulb not included
Lampadina non inclusa



P. 082

CATEGORY SUSPENSION LAMP

Kelly medium dome 60



Net weight 7,15 kg
Peso netto 13,23 lbs

Pack Colli 1

DESIGN Andrea Tosetto, 2015


VAT excluded
IVA esclusa

Metal structure Montatura in metallo	Glass diffuser Diffusore in vetro	Code Codice	CHF
Matte White - 9010 Bianco Opaco - 9010	Glossy White Bianco Lucido	14127 1000	1125,00
Matte Black - 9005 Nero Opaco - 9005		14127 2000	1125,00
Coppery Bronze Bronzo Ramato		14127 3500	1164,00
Matte Champagne Champagne Opaco		14127 4500	1164,00

Light source
Sorgente luminosa

E27 LED 3x 25 W W/L max 12 cm
W/L max 4,72"


Bulb not included
Lampadina non inclusa



P. 082

CATEGORY SUSPENSION LAMP

Kelly large dome 80



Net weight 11,00 kg
Peso netto 13,23 lbs

Pack Colli 1

DESIGN Andrea Tosetto, 2015


VAT excluded
IVA esclusa

Metal structure Montatura in metallo	Glass diffuser Diffusore in vetro	Code Codice	CHF
Matte White - 9010 Bianco Opaco - 9010	Glossy White Bianco Lucido	14128 1000	1404,00
Matte Black - 9005 Nero Opaco - 9005		14128 2000	1404,00
Coppery Bronze Bronzo Ramato		14128 3500	1469,00
Matte Champagne Champagne Opaco		14128 4500	1469,00

Light source
Sorgente luminosa

E27 LED 4x 25 W W/L max 12 cm
W/L max 4,72"


Bulb not included
Lampadina non inclusa



P. 082

CATEGORY SUSPENSION LAMP

Kelly small sphere 40



Net weight 5,50 kg
Peso netto 12,13 lbs

Pack 2
Colli

DESIGN Andrea Toso, 2015

VAT excluded
IVA esclusaMetal structure
Montatura in metallo

- Matte White - 9010
Bianco Opaco - 9010
- Coppery Bronze
Bronzo Ramato

Glass diffuser
Diffusore in vetro

- Glossy White
Bianco Lucido

Code
Codice

14122 1000

14122 3500

CHF


1164,00

1196,00

Light source
Sorgente luminosa

E27 LED 3x 25 W W/L max 12 cm
W/L max 4,72"


Bulb not included
Lampadina non inclusa



P. 082

CATEGORY SUSPENSION LAMP

Kelly medium sphere 50



Net weight 9,00 kg
Peso netto 19,84 lbs

Pack 2
Colli

DESIGN Andrea Toso, 2015

VAT excluded
IVA esclusaMetal structure
Montatura in metallo

- Matte White - 9010
Bianco Opaco - 9010
- Coppery Bronze
Bronzo Ramato

Glass diffuser
Diffusore in vetro

- Glossy White
Bianco Lucido

Code
Codice

14123 1000

14123 3500

CHF


1547,00

1580,00

Light source
Sorgente luminosa

E27 LED 3x 25 W W/L max 12 cm
W/L max 4,72"


Bulb not included
Lampadina non inclusa



P. 082

CATEGORY SUSPENSION LAMP

Kelly large sphere 80



Net weight 15,00 kg
Peso netto 33,07 lbs

Pack 2
Colli

DESIGN Andrea Toso, 2015

VAT excluded
IVA esclusaMetal structure
Montatura in metallo

- Matte White - 9010
Bianco Opaco - 9010
- Coppery Bronze
Bronzo Ramato

Glass diffuser
Diffusore in vetro

- Glossy White
Bianco Lucido

Code
Codice

14124 1000

14124 3500

CHF


4160,00

4238,00

Light source
Sorgente luminosa


E27 LED 4x 25 W W/L max 12 cm
W/L max 4,72"

Bulb not included
Lampadina non inclusa



P. 082

Sky-Fall medium

Metal structure
Montatura in metallo

Chrome
Cromo

Blown glass diffuser
Diffusore in vetro soffiato

Clear
Trasparente

Glossy Smoke
Fumo Lucido

Glossy Bronze
Bronzo Lucido

Golden Sage NEW
Salvia Dorata

Code
CodiceCode
Codice

CHF

14822 0027

14822 0030

741,00

14822 4327

14822 4330

904,00

14822 4627

14822 4630

904,00

14822 7127

14822 7130

904,00

Light source
Sorgente luminosa

LED
2700 K
14 W
1815 lm
220-240 V
CRI 95
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Light source
Sorgente luminosa

LED
3000 K
14 W
1870 lm
220-240 V
CRI 95
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Net weight 1,65 kg
Peso netto 3,64 lbs

Pack 2
Colli

Energy class E
Classe energetica



IP20

Energy Saving


Dim Triac



● P. 082



Sky-Fall large

Metal structure
Montatura in metallo

Chrome
Cromo

Blown glass diffuser
Diffusore in vetro soffiato

Clear
Trasparente

Glossy Smoke
Fumo Lucido

Glossy Bronze
Bronzo Lucido

Golden Sage NEW
Salvia Dorata

Code
CodiceCode
Codice

CHF

14821 0027

14821 0030

1021,00

14821 4327

14821 4330

1378,00

14821 4627

14821 4630

1378,00

14821 7127

14821 7130

1378,00

Light source
Sorgente luminosa

LED
2700 K
14 W
1815 lm
220-240 V
CRI 95
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Light source
Sorgente luminosa

LED
3000 K
14 W
1870 lm
220-240 V
CRI 95
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Net weight 3,05 kg
Peso netto 6,72 lbs

Pack 2
Colli

Energy class E
Classe energetica



IP20


Energy Saving

Dim Triac



● P. 082



Sky-Fall round medium **NEW**Metal structure
Montatura in metalloLight source
Sorgente luminosa

LED
2700 K
14 W
1815 lm
220-240 V
CRI 95
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Blown glass diffuser
Diffusore in vetro soffiato

Clear
Trasparente



Glossy Smoke
Fumo Lucido



Glossy Bronze
Bronzo Lucido



Golden Sage **NEW**
Salvia Dorata

Code
Codice

14824 0027

Code
Codice

14824 0030

CHF

774,00

14824 4327

14824 4330

949,00

14824 4627

14824 4630

949,00

14824 7127

14824 7130

949,00

Light source
Sorgente luminosa

LED
3000 K
14 W
1870 lm
220-240 V
CRI 95
MacAdam 3-Step

LED and driver included
LED e driver inclusi




Net weight 1,47 kg
Peso netto 3,24 lbs

Pack 2
Colli

Energy class E
Classe energetica



IP20

Sky-Fall round large **NEW**Metal structure
Montatura in metalloLight source
Sorgente luminosa

LED
2700 K
14 W
1815 lm
220-240 V
CRI 95
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Blown glass diffuser
Diffusore in vetro soffiato

Clear
Trasparente



Glossy Smoke
Fumo Lucido



Glossy Bronze
Bronzo Lucido



Golden Sage **NEW**
Salvia Dorata

Code
Codice

14823 0027

Code
Codice

14823 0030

CHF

1073,00

14823 4327

14823 4330

1443,00

14823 4627

14823 4630

1443,00

14823 7127

14823 7130

1443,00

Light source
Sorgente luminosa

LED
3000 K
14 W
1870 lm
220-240 V
CRI 95
MacAdam 3-Step

LED and driver included
LED e driver inclusi



Net weight 2,64 kg
Peso netto 5,82 lbs

Pack 2
Colli


Energy class E
Classe energetica



IP20



Sky-Fall double canopy




Net weight	0,56	kg	Pack	1
Peso netto	1,23	lbs	Colli	



Description Descrizione	Metal structure Montatura in metallo	System Sistema	Code Codice	CHF
Double canopy mod. Sky-Fall Rosone doppio mod. Sky-Fall	Chrome Cromo	Sky-Fall System	R99L02 4000	260,00

Wall Standard




Net weight	0,40	kg	Pack	1
Peso netto	0,88	lbs	Colli	



Description Descrizione	Metal structure Montatura in metallo	System Sistema	Code Codice	CHF
Wall bracket mod. Sky-Fall Rosone a parete mod. Sky-Fall	Chrome Cromo	Sky-Fall System	R12L01 4000	150,00

Short Lights Track




Net weight	7,33	kg	Pack	1
Peso netto	16,16	lbs	Colli	



Description Descrizione	Metal structure Struttura in metallo	System Sistema	Code Codice	CHF
Multiple linear track mod. Sky-Fall max 3 suspensions Binario lineare multiplo mod. Sky-Fall max 3 sospensioni	Matte White - 9010 Bianco Opaco - 9010 Matte Black - 9005 Nero Opaco - 9005	Track	R08L07 1000 R08L07 2000	514,00 514,00

Long Lights Track



Net weight	11,85	kg	Pack	1
Peso netto	26,12	lbs	Colli	




Description Descrizione	Metal structure Struttura in metallo	System Sistema	Code Codice	CHF
Multiple linear track mod. Sky-Fall max 5 suspensions Binario lineare multiplo mod. Sky-Fall max 5 sospensioni	Matte White - 9010 Bianco Opaco - 9010 Matte Black - 9005 Nero Opaco - 9005	Track	R08L11 1000 R08L11 2000	858,00 858,00

► WALL STANDARD Both accessories in the two available lengths are supplied in the box with the wall bracket. ► TRACK Tracks are only for Sky-Fall suspensions. Each suspension should be separated from the canopy and installed on the track. Each suspension should be installed on the track using the driver removed from the original canopy.

► WALL STANDARD Entrambi gli accessori nelle due diverse lunghezze sono inclusi nella confezione con il supporto a parete. ► TRACK I binari sono utilizzabili solo con le sospensioni Sky-Fall che dovranno essere separate dai rosone ed installate sui binari. Per ogni sospensione dovrà essere installato nel binario il rispettivo driver rimosso dal rosone originale.

Volum 42



Net weight	3,64	kg	Pack	2
Peso netto	8,02	lbs	Colli	

Methacrylate structure Struttura in metacrilato	Blown glass diffuser Diffusore in vetro soffiato	Code Codice	CHF
 Glossy White Bianco Lucido	 Glossy White Bianco Lucido	18720 1200	663,00

Light source
Sorgente luminosa

E27 LED
1× 25 W

Ø max 9,8 cm
Ø max 3,74"

Bulb not included
Lampadina non inclusa

CE

IP20

Energy Saving

Dim Triac

ERC

P. 082
DALI
CONTROLLABLE

Light source Sorgente luminosa				Bulb dimension Dimensione lampadina		Pack Colli	Code Codice	VAT excluded IVA esclusa CHF
E14 LED T18 5 W	2700 K 500 lm	CRI 90 MacAdam 3-Step		Ø 6,1 cm Ø 2,40"	W/L 1,8 cm W/L 0,70"	1	LAM-0017	30,00
E27 LED T28 10 W	2700 K 1000 lm	CRI 90 MacAdam 3-Step		Ø 11,3 cm Ø 4,44"	W/L 2,8 cm W/L 1,10"	1	LAM-0014	37,00
E27 LED T35 13 W	2700 K 1500 lm	CRI 90 MacAdam 3-Step		Ø 15 cm Ø 5,90"	W/L 3,5 cm W/L 1,37"	1	LAM-0015	50,00
E27 LED T35 21 W	2700 K 2010 lm	CRI 90 MacAdam 3-Step		Ø 15 cm Ø 5,90"	W/L 3,5 cm W/L 1,37"	1	LAM-0016	59,00

Cluster suspension lamps



A-Tube
P. 019



A-Tube Nano
P. 020, 021




A-Tube Nano Duo
P. 022




Cono di Luce
P. 023




IVY I
P. 024



Jefferson
P. 025



JIM
P. 026



Kelly Cluster
P. 027




Nostalgia
P. 028, 029




Rain
P. 030



Random
P. 031



Random Solo
P. 032-034




Spider
P. 035



Volum
P. 036, 037

A-Tube small



Net weight 1,12 kg
Peso netto 2,47 lbs

Pack 1
Colli

Light source
Sorgente luminosa

GU10 Par 16 LED W/L max 8,5 cm
1x 10 W W/L max 3,34"

Bulb not included
Lampadina non inclusa

Metal structure
Montatura in metallo

Matte White - 9010
Bianco Opaco - 9010

Matte Black - 9005
Nero Opaco - 9005

Coppery Bronze
Bronzo Ramato

Code
Codice

09622 1000

09622 2000

09622 3500

CHF


221,00

221,00

228,00



A-Tube medium



Net weight 1,42 kg
Peso netto 3,13 lbs

Pack 1
Colli

Light source
Sorgente luminosa

GU10 Par 16 LED W/L max 8,5 cm
1x 10 W W/L max 3,34"

Bulb not included
Lampadina non inclusa

Metal structure
Montatura in metallo

Matte White - 9010
Bianco Opaco - 9010

Matte Black - 9005
Nero Opaco - 9005

Coppery Bronze
Bronzo Ramato

Code
Codice

09623 1000

09623 2000


09623 3500

CHF


319,00

319,00

338,00



A-Tube large



Net weight 1,87 kg
Peso netto 4,12 lbs

Pack 1
Colli

Light source
Sorgente luminosa

GU10 Par 16 LED W/L max 8,5 cm
1x 10 W W/L max 3,34"

Bulb not included
Lampadina non inclusa

Metal structure
Montatura in metallo

Matte White - 9010
Bianco Opaco - 9010

Matte Black - 9005
Nero Opaco - 9005

Coppery Bronze
Bronzo Ramato

Code
Codice

09624 1000

09624 2000


09624 3500

CHF

442,00


442,00

468,00



Suspension lamps must be installed on a canopy ► p. 038-045
Le lampade a sospensione devono essere installate su rosone ► p. 038-045

A-Tube Nano small

Light source
Sorgente luminosaLight source
Sorgente luminosa

LED
2700 K
5 W
450 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

LED
3000 K
5 W
480 lm
220-240 V
CRI 90
MacAdam 3-Step


LED and driver included
LED e driver inclusi

Net weight Peso netto	0,22 kg 0,48 lbs	Pack Colli	2	Energy class Classe energetica	D
--------------------------	---------------------	---------------	---	-----------------------------------	---



Metal structure Montatura in metallo	Methacrylate diffuser Diffusore in metacrilato	Code Codice	Code Codice	CHF
Matte Black - 9005 Nero Opaco - 9005		15822 2020	15822 2035	195,00
Chrome Cromo		15822 4020	15822 4035	221,00
Matte Champagne Champagne Opaco		15822 4520	15822 4535	202,00
Gold Oro	Clear Trasparente	15822 5020	15822 5035	228,00
Rose Gold Oro Rosa		15822 5520	15822 5535	228,00
Terra Terra	Transparent cable Cavo trasparente	15822 6720	15822 6735	221,00
Matte Black - 9005 Nero Opaco - 9005		15826 2020	15826 2035	195,00
Chrome Cromo		15826 4020	15826 4035	221,00
Matte Champagne Champagne Opaco		15826 4520	15826 4535	202,00
Gold Oro	Clear Trasparente	15826 5020	15826 5035	228,00
Rose Gold Oro Rosa		15826 5520	15826 5535	228,00
Terra Terra	Black cable Cavo nero	15826 6720	15826 6735	221,00

A-Tube Nano medium

Light source
Sorgente luminosaLight source
Sorgente luminosa

LED
2700 K
5 W
450 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

LED
3000 K
5 W
480 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi


Net weight Peso netto	0,30 kg 0,66 lbs	Pack Colli	2	Energy class Classe energetica	D
--------------------------	---------------------	---------------	---	-----------------------------------	---



Metal structure Montatura in metallo	Methacrylate diffuser Diffusore in metacrilato	Code Codice	Code Codice	CHF
Matte Black - 9005 Nero Opaco - 9005		15823 2020	15823 2035	215,00
Chrome Cromo		15823 4020	15823 4035	247,00
Matte Champagne Champagne Opaco		15823 4520	15823 4535	228,00
Gold Oro	Clear Trasparente	15823 5020	15823 5035	260,00
Rose Gold Oro Rosa		15823 5520	15823 5535	260,00
Terra Terra	Transparent cable Cavo trasparente	15823 6720	15823 6735	247,00
Matte Black - 9005 Nero Opaco - 9005		15827 2020	15827 2035	215,00
Chrome Cromo		15827 4020	15827 4035	247,00
Matte Champagne Champagne Opaco		15827 4520	15827 4535	228,00
Gold Oro	Clear Trasparente	15827 5020	15827 5035	260,00
Rose Gold Oro Rosa		15827 5520	15827 5535	260,00
Terra Terra	Black cable Cavo nero	15827 6720	15827 6735	247,00

Suspension lamps must be installed on a canopy ► p. 038-045
Le lampade a sospensione devono essere installate su rosone ► p. 038-045

A-Tube Nano large



○ ± Ø 2 cm
Ø 0,78"

Light source
Sorgente luminosa

A

LED
2700 K
5 W
450 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Light source
Sorgente luminosa

B

LED
3000 K
5 W
480 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Metal structure
Montatura in metallo

Matte Black - 9005
Nero Opaco - 9005

Chrome
Cromo

Matte Champagne
Champagne Opaco

Gold
Oro

Rose Gold
Oro Rosa

Terra
Terra

Matte Black - 9005
Nero Opaco - 9005

Chrome
Cromo

Matte Champagne
Champagne Opaco

Gold
Oro

Rose Gold
Oro Rosa

Terra
Terra

Methacrylate diffuser
Diffusore in metacrilato

Clear
Trasparente

Transparent cable
Cavo trasparente

Clear
Trasparente

Black cable
Cavo nero

Code
Codice

A

Code
Codice

B

CHF

15824 2020

15824 2035

228,00

15824 4020

15824 4035

273,00

15824 4520

15824 4535

241,00

15824 5020

15824 5035

286,00

15824 5520

15824 5535

286,00

15824 6720

15824 6735

273,00

15828 2020

15828 2035

228,00

15828 4020

15828 4035

273,00

15828 4520

15828 4535

241,00

15828 5020

15828 5035

286,00

15828 5520

15828 5535

286,00

15828 6720

15828 6735

273,00

Net weight 0,40 kg
Peso netto 0,88 lbs

Pack 2
Colli

Energy class D
Classe energetica



IP20

Energy Saving


Dim Triac



● P. 082
DALI
CONTROLLABLE

Suspension lamps must be installed on a canopy ► P. 038-045
Le lampade a sospensione devono essere installate su rosone ► P. 038-045

A-Tube Nano Duo



Light source
Sorgente luminosa

LED
2700 K
4 W
280 lm
220-240 V
CRI 90
MacAdam 3-Step
LED and driver included
LED e driver inclusi


Net weight	0,21 kg	Pack	1	Energy class	D
Peso netto	0,46 lbs	Colli		Classe energetica	

DESIGN Studio Italia Design, 2017		● ECODESIGN regulation P. 080		VAT excluded IVA esclusa	
Metal structure Montatura in metallo	Methacrylate diffuser Diffusore in metacrilato	Code Codice		CHF	
 Matte Black –9005 Nero Opaco –9005	 Clear Trasparente	15825 2020		234,00	
 Chrome Cromo		15825 4020		267,00	
 Matte Champagne Champagne Opaco		15825 4520		247,00	
 Gold Oro		15825 5020		286,00	
 Rose Gold Oro Rosa		15825 5520		286,00	
 Terra NEW Terra	 Transparent cable Cavo trasparente	15825 6720		267,00	

● P. 082

CE IP20 Energy Saving Dim Triac ENEC DALI CONTROLLABLE

Suspension lamps must be installed on a canopy ► P. 038-045
Le lampade a sospensione devono essere installate su rosone ► P. 038-045

Cono di Luce small **NEW**Outside blown glass diffuser
Diffusore esterno in vetro soffiato Clear
TrasparenteInside PCB diffuser
Diffusore interno in PCB Grey
Grigio Gold
Oro Red
RossoCode
Codice

21010 3227

21010 5027

21010 6027

CHF

468,00

533,00

468,00

Light source
Sorgente luminosa




LED
2700 K
10 W
1307 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Net weight 0,73 kg
Peso netto 1,61 lbs

Pack 3
Colli

Energy class B
Classe energetica

Cono di Luce large **NEW**Outside blown glass diffuser
Diffusore esterno in vetro soffiato Clear
TrasparenteInside PCB diffuser
Diffusore interno in PCB Grey
Grigio Gold
Oro Red
RossoCode
Codice

21011 3227

21011 5027

21011 6027

CHF

598,00

663,00

598,00

Light source
Sorgente luminosa



LED
2700 K
10 W
1307 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Net weight 1,12 kg
Peso netto 2,47 lbs

Pack 3
Colli

Energy class B
Classe energetica



Suspension lamps must be installed on a canopy ► P. 038-045
Le lampade a sospensione devono essere installate su rosone ► P. 038-045

IVY I

Light source

Sorgente luminosa

LED

2700

5

450

220-240

CRI 90

MacAdam 3-Step

LED and driver included

LED e driver inclusi

Light source

Sorgente luminosa

LED

3000

5

480

220-240

CRI 90

MacAdam 3-Step

LED and driver included

LED e driver inclusi

Net weight

Peso netto

0,50

kg

1,10

lbs

Pack

Colli

1

Energy class

Classe energetica

2700 K ▶ D

3000 K ▶ C

CE

IP20

Energy Saving

Dim Triac

ERC

DALI

● P. 082


Metal structure Montatura in metallo	Cable Cavo	Code Codice	Code Codice	CHF
● Matte Black –9005 ● Nero Opaco –9005	● Black ● Nero	17810 2020	17810 2035	215,00
● Extra Matte Champagne ● Champagne Extra Opaco	● Black ● Nero	17810 4520	17810 4535	228,00
● Terra ● Terra	● Black ● Nero	17810 6720	17810 6735	241,00

Suspension lamps must be installed on a canopy ▶ P. 038–045
Le lampade a sospensione devono essere installate su rosone ▶ P. 038–045

024 Lodes

CATEGORY CLUSTER SUSPENSION LAMP

Jefferson mini



DESIGN Luca Nichetto, 2019

● ECODESIGN regulation P. 080

VAT excluded
IVA esclusa

Metal structure
Montatura in metallo

Black Chrome
Cromo Nero

Gold
Oro

Bohemian crystal diffuser
Diffusore in cristallo di Boemia

Clear
Trasparente

Clear
Trasparente

Code
Codice

16821 4227

16821 5027

CHF

364,00

377,00

Light source
Sorgente luminosa

LED
2700 K
5 W
450 lm
220-240 V
CRI 90
MacAdam 3-Step


LED and driver included
LED e driver inclusi

Net weight 1,40 kg
Peso netto 3,09 lbs
Pack Colli 1
Energy class Classe energetica D



CATEGORY CLUSTER SUSPENSION LAMP

Jefferson small



DESIGN Luca Nichetto, 2019

● ECODESIGN regulation P. 080

VAT excluded
IVA esclusa

Metal structure
Montatura in metallo

Black Chrome
Cromo Nero

Gold
Oro

Bohemian crystal diffuser
Diffusore in cristallo di Boemia

Clear
Trasparente

Clear
Trasparente

Code
Codice

16822 4227

16822 5027

CHF

468,00

481,00

Light source
Sorgente luminosa

LED
2700 K
5 W
450 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi


Net weight 2,10 kg
Peso netto 4,63 lbs
Pack Colli 1
Energy class Classe energetica D



Suspension lamps must be installed on a canopy ► p. 038-045
Le lampade a sospensione devono essere installate su rosone ► p. 038-045

CATEGORY CLUSTER SUSPENSION LAMP

JIM bell



Net weight	1,90 kg	Pack	2
Peso netto	4,19 lbs	Colli	

DESIGN Patrick Norguet, 2021


VAT excluded
IVA esclusa

Outside metal diffuser Diff. esterno in metallo	Inside metal diffuser Diff. interno in metallo	Hook methacrylate Gancio in metacrilato	Code Codice	CHF
Matte Black - 9005 Nero Opaco - 9005	Matte White - 9010 Bianco Opaco - 9010	Grey Grigio	16921 2800	410,00
		Honey Miele	16921 6600	410,00
Matte Champagne Champagne Opaco	Matte White - 9010 Bianco Opaco - 9010	Grey Grigio	16921 2700	423,00
		Honey Miele	16921 6500	423,00

Light source
Sorgente luminosa


E27 A60 LED
1x Max 25 W

Bulb not included
Lampadina non inclusa



CATEGORY CLUSTER SUSPENSION LAMP

JIM cone



Net weight	1,00 kg	Pack	2
Peso netto	2,20 lbs	Colli	

DESIGN Patrick Norguet, 2021

VAT excluded
IVA esclusa

Outside metal diffuser Diff. esterno in metallo	Inside metal diffuser Diff. interno in metallo	Hook methacrylate Gancio in metacrilato	Code Codice	CHF
Matte Black - 9005 Nero Opaco - 9005	Matte White - 9010 Bianco Opaco - 9010	Grey Grigio	16922 2800	351,00
		Honey Miele	16922 6600	351,00
Matte Champagne Champagne Opaco	Matte White - 9010 Bianco Opaco - 9010	Grey Grigio	16922 2700	364,00
		Honey Miele	16922 6500	364,00

Light source
Sorgente luminosa


E27 A60 LED
1x Max 25 W

Bulb not included
Lampadina non inclusa



CATEGORY CLUSTER SUSPENSION LAMP

JIM cylinder



Net weight	1,40 kg	Pack	2
Peso netto	3,09 lbs	Colli	

DESIGN Patrick Norguet, 2021

VAT excluded
IVA esclusa

Outside metal diffuser Diff. esterno in metallo	Inside metal diffuser Diff. interno in metallo	Hook methacrylate Gancio in metacrilato	Code Codice	CHF
Matte Black - 9005 Nero Opaco - 9005	Matte White - 9010 Bianco Opaco - 9010	Grey Grigio	16923 2800	371,00
		Honey Miele	16923 6600	371,00
Matte Champagne Champagne Opaco	Matte White - 9010 Bianco Opaco - 9010	Grey Grigio	16923 2700	384,00
		Honey Miele	16923 6500	384,00

Light source
Sorgente luminosa


E27 A60 LED
1x Max 25 W

Bulb not included
Lampadina non inclusa



Suspension lamps must be installed on a canopy ► P. 038-045
Le lampade a sospensione devono essere installate su rosone ► P. 038-045

Kelly Cluster



Metal structure Montatura in metallo	Glass diffuser Diffusore in vetro	Code Codice	CHF
Matte White – 9010 Bianco Opaco – 9010		14711 1027	494,00
Matte Black – 9005 Nero Opaco – 9005		14711 2027	494,00
Coppery Bronze Bronzo Ramato	Glossy White Bianco Lucido	14711 3527	514,00
Matte Champagne Champagne Opaco		14711 4527	514,00

Light source
Sorgente luminosa

AC LED
2700 K
11 W
1280 lm
350 mA
CRI 90
MacAdam 3-Step


LED and driver included
LED e driver inclusi

Net weight Peso netto	1,00 kg 2,20 lbs	Pack Colli	1	Energy class Classe energetica	C
--------------------------	---------------------	---------------	---	-----------------------------------	---



Suspension lamps must be installed on a canopy ► p. 038–045
Le lampade a sospensione devono essere installate su rosone ► p. 038–045




Nostalgia small

Light source
Sorgente luminosa

LED
2700 K
11 W
1280 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Net weight Peso netto	0,66 kg 1,46 lbs	Pack Colli	2	Energy class Classe energetica	C
--------------------------	---------------------	---------------	---	-----------------------------------	---


Metal structure
Montatura in metalloBlown glass diffuser
Diffusore in vetro soffiato

Clear Trasparente	15412 0027	403,00
Glossy Smoke Fumo Lucido	15412 4327	481,00
Glossy Bronze Bronzo Lucido	15412 4627	481,00
Gold Oro	15412 5027	481,00
Rose Gold Oro Rosa	15412 5527	481,00
Clear Trasparente	15415 0027	403,00
Glossy Smoke Fumo Lucido	15415 4327	481,00
Glossy Bronze Bronzo Lucido	15415 4627	481,00
Gold Oro	15415 5027	481,00
Rose Gold Oro Rosa	15415 5527	481,00



● P. 082




Nostalgia medium

Light source
Sorgente luminosa

LED
2700 K
11 W
1280 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Net weight Peso netto	0,75 kg 1,65 lbs	Pack Colli	2	Energy class Classe energetica	C
--------------------------	---------------------	---------------	---	-----------------------------------	---

Metal structure
Montatura in metalloBlown glass diffuser
Diffusore in vetro soffiato


Clear Trasparente	15413 0027	468,00
Glossy Smoke Fumo Lucido	15413 4327	546,00
Glossy Bronze Bronzo Lucido	15413 4627	546,00
Gold Oro	15413 5027	546,00
Rose Gold Oro Rosa	15413 5527	546,00
Clear Trasparente	15416 0027	468,00
Glossy Smoke Fumo Lucido	15416 4327	546,00
Glossy Bronze Bronzo Lucido	15416 4627	546,00
Gold Oro	15416 5027	546,00
Rose Gold Oro Rosa	15416 5527	546,00



● P. 082

Suspension lamps must be installed on a canopy ► P. 038-045
Le lampade a sospensione devono essere installate su rosone ► P. 038-045

Nostalgia large

Light source
Sorgente luminosa

LED
2700 K
11 W
1280 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Metal structure
Montatura in metallo

Chrome
Cromo

White fabric cable
Cavo bianco in tessuto

Matte Black - 9005
Nero Opaco - 9005

Black fabric cable
Cavo nero in tessuto

Blown glass diffuser
Diffusore in vetro soffiato

Clear
Trasparente

Glossy Smoke
Fumo Lucido

Glossy Bronze
Bronzo Lucido

Gold
Oro

Rose Gold
Oro Rosa

Clear
Trasparente

Glossy Smoke
Fumo Lucido

Glossy Bronze
Bronzo Lucido

Gold
Oro

Rose Gold
Oro Rosa

Code
Codice

15414 0027

15414 4327

15414 4627

15414 5027

15414 5527

15417 0027

15417 4327

15417 4627

15417 5027

15417 5527

CHF

546,00

631,00

631,00

631,00

631,00

546,00

631,00

631,00

631,00

631,00

Net weight 1,02 kg
Peso netto 2,25 lbs

Pack Colli 2

Energy class
Classe energetica C



IP20

Energy Saving


Dim Triac



● P. 082
DALI
CONTROLLABLE

Suspension lamps must be installed on a canopy ► P. 038-045
Le lampade a sospensione devono essere installate su rosone ► P. 038-045

Rain



Light source
Sorgente luminosa

A

LED
2700 K
11 W
1280 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Light source
Sorgente luminosa

B

LED
3000 K
11 W
1300 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Metal structure Montatura in metallo	Metal decor Decoro in metallo	Code Codice	Code Codice	CHF
	Matte Black - 9005 Nero Opaco - 9005	15611 2027	15611 2030	234,00
	Coppery Bronze Bronzo Ramato	15611 3527	15611 3530	241,00
	Brushed Chrome Cromo Spazzolato	15611 4727	15611 4730	254,00
	Gold Oro	15611 5027	15611 5030	254,00
	Rose Gold Oro Rosa	15611 5527	15611 5530	254,00
	Matte Black - 9005 Nero Opaco - 9005	15612 2027	15612 2030	234,00
	Coppery Bronze Bronzo Ramato	15612 3527	15612 3530	241,00
	Brushed Chrome Cromo Spazzolato	15612 4727	15612 4730	254,00
	Gold Oro	15612 5027	15612 5030	254,00
	Rose Gold Oro Rosa	15612 5527	15612 5530	254,00

Net weight
Peso netto

0,34 kg
0,75 lbs

Pack
Colli

2

Energy class
Classe energetica


C

IP20

Dim Triac

Suspension lamps must be installed on a canopy ► P. 038-045
Le lampade a sospensione devono essere installate su rosone ► P. 038-045

Random



Metal structure
Montatura in metallo



Light source
Sorgente luminosa

LED
2700 K
5 W
450 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Blown glass diffuser
Diffusore in vetro soffiato

- Clear Trasparente
- Frosted White Bianco Satinato
- Chrome Cromo
- Glossy Smoke Fumo Lucido
- Glossy Bronze Bronzo Lucido
- Gold Oro
- Rose Gold Oro Rosa

Code
Codice

16410 0027
16410 1327
16410 4027
16410 4327
16410 4627
16410 5027
16410 5527

Code
Codice

16410 0030
16410 1330
16410 4030
16410 4330
16410 4630
16410 5030
16410 5530

CHF


338,00
481,00
481,00
481,00
481,00
481,00
481,00

Net weight 1,00 kg
Peso netto 2,20 lbs
Pack 2
Energy class D
Classe energetica

CE IP20 Energy Saving Dim Triac ENEC DALI CONTROLLABLE ● P. 082

Suspension lamps must be installed on a canopy ► P. 038-045
Le lampade a sospensione devono essere installate su rosone ► P. 038-045

Random Solo 10 NEW



Blown glass diffuser Diffusore in vetro soffiato	Code Codice	Code Codice	CHF
Clear Trasparente	17110 0027	17110 0030	128,00
Frosted White Bianco Satinato	17110 1327	17110 1330	156,00
Chrome Cromo	17110 4027	17110 4030	156,00
Glossy Smoke Fumo Lucido	17110 4327	17110 4330	156,00
Glossy Bronze Bronzo Lucido	17110 4627	17110 4630	156,00
Gold Oro	17110 5027	17110 5030	156,00
Rose Gold Oro Rosa	17110 5527	17110 5530	156,00

Light source
Sorgente luminosa

LED
2700 K
3 W
150 lm
220-240 V
CRI 90
MacAdam 3-Step


LED and driver included
LED e driver inclusi

Light source
Sorgente luminosa

LED
3000 K
3 W
160 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Random Solo 12



Blown glass diffuser Diffusore in vetro soffiato	Code Codice	Code Codice	CHF
Clear Trasparente	17111 0027	17111 0030	156,00
Frosted White Bianco Satinato	17111 1327	17111 1330	189,00
Chrome Cromo	17111 4027	17111 4030	189,00
Glossy Smoke Fumo Lucido	17111 4327	17111 4330	189,00
Glossy Bronze Bronzo Lucido	17111 4627	17111 4630	189,00
Gold Oro	17111 5027	17111 5030	189,00
Rose Gold Oro Rosa	17111 5527	17111 5530	189,00

Light source
Sorgente luminosa

LED
2700 K
3 W
150 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi


Light source
Sorgente luminosa

LED
3000 K
3 W
160 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Suspension lamps must be installed on a canopy ► P. 038-045
Le lampade a sospensione devono essere installate su rosone ► P. 038-045

Random Solo 14



Blown glass diffuser Diffusore in vetro soffiato	Code Codice	Code Codice	CHF
Clear Trasparente	17112 0027	17112 0030	163,00
Frosted White Bianco Satinato	17112 1327	17112 1330	202,00
Chrome Cromo	17112 4027	17112 4030	202,00
Glossy Smoke Fumo Lucido	17112 4327	17112 4330	202,00
Glossy Bronze Bronzo Lucido	17112 4627	17112 4630	202,00
Gold Oro	17112 5027	17112 5030	202,00
Rose Gold Oro Rosa	17112 5527	17112 5530	202,00

Light source
Sorgente luminosa

LED
2700 K
3 W
150 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Light source
Sorgente luminosa



LED
3000 K
3 W
160 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Net weight 0,32 kg
Peso netto 0,71 lbs


Pack 2
Colli

Energy class D
Classe energetica



● P. 082

Random Solo 18



Blown glass diffuser Diffusore in vetro soffiato	Code Codice	Code Codice	CHF
Clear Trasparente	17113 0027	17113 0030	182,00
Frosted White Bianco Satinato	17113 1327	17113 1330	221,00
Chrome Cromo	17113 4027	17113 4030	221,00
Glossy Smoke Fumo Lucido	17113 4327	17113 4330	221,00
Glossy Bronze Bronzo Lucido	17113 4627	17113 4630	221,00
Gold Oro	17113 5027	17113 5030	221,00
Rose Gold Oro Rosa	17113 5527	17113 5530	221,00

Light source
Sorgente luminosa

LED
2700 K
3 W
150 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Light source
Sorgente luminosa



LED
3000 K
3 W
160 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Net weight 0,80 kg
Peso netto 1,76 lbs

Pack 2
Colli


Energy class D
Classe energetica



● P. 082

Suspension lamps must be installed on a canopy ► P. 038-045
Le lampade a sospensione devono essere installate su rosone ► P. 038-045

Random Solo 23



DESIGN Chia-Ying Lee, 2020

● ECODESIGN regulation P. 080

VAT excluded
IVA esclusaBlown glass diffuser
Diffusore in vetro soffiato

	Code Codice	Code Codice	CHF
Clear Trasparente	17114 0027	17114 0030	299,00
Frosted White Bianco Satinato	17114 1327	17114 1330	455,00
Chrome Cromo	17114 4027	17114 4030	455,00
Glossy Smoke Fumo Lucido	17114 4327	17114 4330	455,00
Glossy Bronze Bronzo Lucido	17114 4627	17114 4630	455,00
Gold Oro	17114 5027	17114 5030	455,00
Rose Gold Oro Rosa	17114 5527	17114 5530	455,00

Light source
Sorgente luminosa

LED
2700 K
5 W
450 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Light source
Sorgente luminosa

LED
3000 K
5 W
480 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi



Net weight 1,10 kg
Peso netto 2,43 lbs

Pack 2
Colli


Energy class D
Classe energetica



IP20



Random Solo 28



DESIGN Chia-Ying Lee, 2020

● ECODESIGN regulation P. 080

VAT excluded
IVA esclusaBlown glass diffuser
Diffusore in vetro soffiato

	Code Codice	Code Codice	CHF
Clear Trasparente	17115 0027	17115 0030	351,00
Frosted White Bianco Satinato	17115 1327	17115 1330	507,00
Chrome Cromo	17115 4027	17115 4030	507,00
Glossy Smoke Fumo Lucido	17115 4327	17115 4330	507,00
Glossy Bronze Bronzo Lucido	17115 4627	17115 4630	507,00
Gold Oro	17115 5027	17115 5030	507,00
Rose Gold Oro Rosa	17115 5527	17115 5530	507,00

Light source
Sorgente luminosa

LED
2700 K
5 W
450 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Light source
Sorgente luminosa

LED
3000 K
5 W
480 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi



Net weight 1,60 kg
Peso netto 3,52 lbs

Pack 2
Colli

Energy class D
Classe energetica




IP20



Suspension lamps must be installed on a canopy ► P. 038-045
Le lampade a sospensione devono essere installate su rosone ► P. 038-045

Spider

Light source
Sorgente luminosa

A

LED
2700 K
11 W
1280 lm
220-240 V
CRI 90
MacAdam 3-Step


LED and driver included
LED e driver inclusi

Light source
Sorgente luminosa

B

LED
3000 K
11 W
1300 lm
220-240 V
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

Adjustable light
Luce orientabile

Chrome
Cromo

Metal diffuser
Diffusore in metallo

Matte White-9010
Bianco Opaco-9010

Matte Black-9005
Nero Opaco-9005

Chrome
Cromo

Matte Champagne
Champagne Opaco

Gold
Oro

Rose Gold
Oro Rosa

Terra
Terra

Code
Codice

A

16010 1027

16010 2027

16010 4027

16010 4527

16010 5027

16010 5527

16010 6727

Code
Codice

B

16010 1030

16010 2030

16010 4030

16010 4530

16010 5030

16010 5530

16010 6730

CHF

325,00

325,00

345,00

345,00

358,00

358,00

358,00

Net weight 0,80 kg
Peso netto 1,76 lbs

Pack 2
Colli

Energy class C
Classe energetica



IP20

Energy Saving

Dim Triac




● P. 082
DALI
CONTROLLABLE

Suspension lamps must be installed on a canopy ► P. 038-045
Le lampade a sospensione devono essere installate su rosone ► P. 038-045

CATEGORY CLUSTER SUSPENSION LAMP

Volum 14



Net weight	0,90	kg	Pack	2
Peso netto	1,98	lbs	Colli	

DESIGN Snøhetta, 2022


Methacrylate structure Struttura in metacrilato	Blown glass diffuser Diffusore in vetro soffiato	Code Codice	CHF
Glossy White Bianco Lucido	Glossy White Bianco Lucido	18711 1200	221,00
Light source Sorgente luminosa			
E14 LED 1× 10 W Ø max 6 cm Ø max 2,36" W/L max 8 cm W/L max 3,14"			
Bulb not included Lampadina non inclusa			

● P. 082

CE IP20 Energy Saving Dim Triac ENEC DALI CONTROLLABLE

CATEGORY CLUSTER SUSPENSION LAMP

Volum 22



Net weight	1,30	kg	Pack	2
Peso netto	2,86	lbs	Colli	

DESIGN Snøhetta, 2022


Methacrylate structure Struttura in metacrilato	Blown glass diffuser Diffusore in vetro soffiato	Code Codice	CHF
Glossy White Bianco Lucido	Glossy White Bianco Lucido	18712 1200	332,00
Light source Sorgente luminosa			
E27 LED 1× 25 W Ø max 6 cm Ø max 2,36" W/L max 11 cm W/L max 4,33"			
Bulb not included Lampadina non inclusa			

● P. 082

CE IP20 Energy Saving Dim Triac ENEC DALI CONTROLLABLE

CATEGORY CLUSTER SUSPENSION LAMP

Volum 29



Net weight	2,12	kg	Pack	2
Peso netto	4,67	lbs	Colli	

DESIGN Snøhetta, 2022

Methacrylate structure Struttura in metacrilato	Blown glass diffuser Diffusore in vetro soffiato	Code Codice	CHF
Glossy White Bianco Lucido	Glossy White Bianco Lucido	18713 1200	416,00
Light source Sorgente luminosa			
E27 LED 1× 25 W Ø max 9,8 cm Ø max 3,74"			
Bulb not included Lampadina non inclusa			

● P. 082


CE IP20 Energy Saving Dim Triac ENEC DALI CONTROLLABLE

Suspension lamps must be installed on a canopy ► P. 038-045
Le lampade a sospensione devono essere installate su rosone ► P. 038-045


						VAT excluded IVA esclusa	
Light source Sorgente luminosa			Bulb dimension Dimensione lampadina		Pack Colli	Code Codice	CHF
E14 LED T18 5 W 	2700 K 500 lm	CRI 90 MacAdam 3-Step	Ø 6,1 cm Ø 2,40"	W/L 1,8 cm W/L 0,70"	1	LAM-0017	30,00
E27 LED T28 10 W 	2700 K 1000 lm	CRI 90 MacAdam 3-Step	Ø 11,3 cm Ø 4,44"	W/L 2,8 cm W/L 1,10"	1	LAM-0014	37,00
E27 LED T35 13 W 	2700 K 1500 lm	CRI 90 MacAdam 3-Step	Ø 15 cm Ø 5,90"	W/L 3,5 cm W/L 1,37"	1	LAM-0015	50,00
E27 LED T35 21 W 	2700 K 2010 lm	CRI 90 MacAdam 3-Step	Ø 15 cm Ø 5,90"	W/L 3,5 cm W/L 1,37"	1	LAM-0016	59,00

Lodes' Canopy Systems


Single Systems



Multiple Systems



Single Mini

Net weight 0,13 kg
Peso netto 0,28 lbsPack 1
ColliDescription
DescrizioneSingle ceiling bracket
small sizeMethacrylate structure
Struttura in metacrilatoMatte White - 9010
Bianco Opaco - 9010Matte Black - 9005
Nero Opaco - 9005Coppery Bronze
Bronzo RamatoChrome
CromoMatte Champagne
Champagne OpacoSystem
Sistema

Single

Code
Codice

R11L01 1000

R11L01 2000

R11L01 3500

R11L01 4000

R11L01 4500

CHF

55,00

55,00

63,00


71,00

63,00

CE IP20

CATEGORY RECESSED CANOPY

Recessed Micro

Net weight 0,015 kg
Peso netto 0,033 lbsPack 1
ColliDescription
DescrizioneRecessed bracket for single
lamp max capacity
3,5 kg - 7.71 lbsRosone da incasso per
lampada singola portata
max 3,5 kg - 7.71 lbsMethacrylate structure
Struttura in metacrilatoMatte White - 9010
Bianco Opaco - 9010Matte Black - 9005
Nero Opaco - 9005Chrome
CromoSystem
Sistema

Recessed

Code
Codice

R01L01 1000

R01L01 2000

R01L01 4000

CHF

33,00

33,00

39,00


CE IP20

Recessed Micro ► Suitable for ceilings up to 2,4 cm - 0,94" thickness.

Recessed Micro ► Adatta per soffitti fino a 2,4 cm - 0,94" di spessore.

CATEGORY SINGLE CANOPY

Single Standard

Net weight 0,40 kg
Peso netto 0,88 lbsPack 1
ColliDescription
DescrizioneSingle ceiling bracket
standard sizeRosone per lampada
singola versione standardMetal structure
Struttura in metalloMatte White - 9010
Bianco Opaco - 9010System
Sistema

Single

Code
Codice

R03L01 1000


CHF

81,00

CE IP20

CATEGORY WALL CANOPY

Wall Standard

Net weight 0,40 kg
Peso netto 0,88 lbsPack 1
ColliDescription
DescrizioneWall bracket for suspension
modular systemSupporto a parete per siste-
ma modulare a sospensioneMetal structure
Montatura in metalloChrome
CromoSystem
Sistema

Wall

Code
Codice

R12L01 4000

CHF


150,00

CE IP20


Wall Standard ► Both accessories in the two available lengths are supplied in the box with the wall bracket.

Wall Standard ► Entrambi gli accessori nelle due diverse lunghezze sono inclusi nella confezione con il supporto a parete.

3 Lights Round



Ø 38 cm
Ø 14,96"




Net weight	3,55	kg	Pack	1
Peso netto	7,82	lbs	Colli	




Description Descrizione	Metal structure Struttura in metallo	System Sistema	Code Codice	CHF
Round canopy for 3 suspensions	Matte White – 9010 Bianco Opaco – 9010	Cluster	R04L03 1000	351,00
Rosone circolare per 3 sospensioni	Matte Black – 9005 Nero Opaco – 9005		R04L03 2000	351,00

5 Lights Round



Ø 38 cm
Ø 14,96"




Net weight	3,55	kg	Pack	1
Peso netto	7,82	lbs	Colli	




Description Descrizione	Metal structure Struttura in metallo	System Sistema	Code Codice	CHF
Round canopy for 5 suspensions	Matte White – 9010 Bianco Opaco – 9010	Cluster	R04L05 1000	403,00
Rosone circolare per 5 sospensioni	Matte Black – 9005 Nero Opaco – 9005		R04L05 2000	403,00

7 Lights Round



Ø 38 cm
Ø 14,96"




Net weight	3,55	kg	Pack	1
Peso netto	7,82	lbs	Colli	




Description Descrizione	Metal structure Struttura in metallo	System Sistema	Code Codice	CHF
Round canopy for 7 suspensions	Matte White – 9010 Bianco Opaco – 9010	Cluster	R04L07 1000	455,00
Rosone circolare per 7 sospensioni	Matte Black – 9005 Nero Opaco – 9005		R04L07 2000	455,00

9 Lights Round



Ø 50 cm
Ø 19,68"




Net weight	5,84	kg	Pack	1
Peso netto	12,87	lbs	Colli	



Description Descrizione	Metal structure Struttura in metallo	System Sistema	Code Codice	CHF
Round canopy for 9 suspensions	Matte White – 9010 Bianco Opaco – 9010	Cluster	R04L09 1000	715,00
Rosone circolare per 9 sospensioni	Matte Black – 9005 Nero Opaco – 9005		R04L09 2000	715,00

14 Lights Round




Net weight 14,14 kg
Peso netto 31,17 lbs

Pack Colli 1

CE IP20

Description Descrizione	Metal structure Struttura in metallo	System Sistema	Code Codice	CHF
Round canopy for 14 suspensions	Matte White - 9010 Bianco Opaco - 9010	Cluster	R04L14 1000	1352,00
Rosone circolare per 14 sospensioni	Matte Black - 9005 Nero Opaco - 9005		R04L14 2000	1352,00

24 Lights Round




Net weight 23,50 kg
Peso netto 51,80 lbs

Pack Colli 1

CE IP20

Description Descrizione	Metal structure Struttura in metallo	System Sistema	Code Codice	CHF
Round canopy for 24 suspensions	Matte White - 9010 Bianco Opaco - 9010	Cluster	R04L24 1000	2327,00
Rosone circolare per 24 sospensioni	Matte Black - 9005 Nero Opaco - 9005		R04L24 2000	2327,00

36 Lights Round




Net weight 32,70 kg
Peso netto 72,09 lbs

Pack Colli 1

CE IP20

Description Descrizione	Metal structure Struttura in metallo	System Sistema	Code Codice	CHF
Round canopy for 36 suspensions	Matte White - 9010 Bianco Opaco - 9010	Cluster	R04L36 1000	2860,00
Rosone circolare per 36 sospensioni	Matte Black - 9005 Nero Opaco - 9005		R04L36 2000	2860,00

7 Lights Rectangular




Net weight 9,89 kg
Peso netto 21,80 lbs

Pack 1
Colli

Description Descrizione	Metal structure Struttura in metallo	System Sistema	Code Codice	CHF
Rectangular canopy for 7 suspensions	Matte White – 9010 Bianco Opaco – 9010	Cluster	R05L07 1000	715,00
Rosone rettangolare per 7 sospensioni	Matte Black – 9005 Nero Opaco – 9005		R05L07 2000	715,00

CE IP20

14 Lights Rectangular




Net weight 17,10 kg
Peso netto 37,80 lbs

Pack 1
Colli

Description Descrizione	Metal structure Struttura in metallo	System Sistema	Code Codice	CHF
Rectangular canopy for 14 suspensions	Matte White – 9010 Bianco Opaco – 9010	Cluster	R05L14 1000	1281,00
Rosone rettangolare per 14 sospensioni	Matte Black – 9005 Nero Opaco – 9005		R05L14 2000	1281,00

CE IP20

28 Lights Rectangular



Net weight 31,10 kg
Peso netto 68,56 lbs

Pack 1
Colli


Description Descrizione	Metal structure Struttura in metallo	System Sistema	Code Codice	CHF
Rectangular canopy for 28 suspensions	Matte White – 9010 Bianco Opaco – 9010	Cluster	R05L28 1000	2275,00
Rosone rettangolare per 28 sospensioni	Matte Black – 9005 Nero Opaco – 9005		R05L28 2000	2275,00

CE IP20

4 Lights Radial



Ø 16,5 cm
Ø 6,49"



Ø 11,2 cm
Ø 4,40"

Net weight 0,35 kg
Peso netto 0,13 lbs

Pack 1
Colli

CE IP20

Description
Descrizione

Radial canopy max
4 suspension
Radial Swag Kit not included

Rosone radiale max
4 sospensioni
Radial Swag Kit non incluso

Metal structure
Struttura in metallo

Matte White - 9010
Bianco Opaco - 9010

Matte Black - 9005
Nero Opaco - 9005

System
Sistema

Radial

Code
Codice

R10L04 1000


R10L04 2000

CHF


169,00

169,00

12 Lights Radial



Ø 25 cm
Ø 9,84"



Ø 19,2 cm
Ø 7,55"

Net weight 1,05 kg
Peso netto 2,31 lbs

Pack 1
Colli

CE IP20

Description
Descrizione

Radial canopy max
12 suspension
Radial Swag Kit not included

Rosone radiale max
12 sospensioni
Radial Swag Kit non incluso

Metal structure
Struttura in metallo

Matte White - 9010
Bianco Opaco - 9010

Matte Black - 9005
Nero Opaco - 9005

System
Sistema

Radial

Code
Codice

R10L12 1000

R10L12 2000


VAT excluded
IVA esclusa

CHF


410,00

410,00

28 Lights Radial



Ø 36 cm
Ø 14,17"



Ø 30 cm
Ø 11,81"

Net weight 3,35 kg
Peso netto 7,38 lbs

Pack 1
Colli

CE IP20

Description
Descrizione

Radial canopy max
28 suspension
Radial Swag Kit not included

Rosone radiale max
28 sospensioni
Radial Swag Kit non incluso

Metal structure
Struttura in metallo

Matte White - 9010
Bianco Opaco - 9010

Matte Black - 9005
Nero Opaco - 9005

System
Sistema

Radial

Code
Codice

R10L28 1000

R10L28 2000

VAT excluded
IVA esclusa

CHF

644,00

644,00

Swag Kit for Radial Canopy

Ø 2 cm
Ø 0,78"



Net weight 0,02 kg
Peso netto 0,04 lbs

Pack 1
Colli

VAT excluded
IVA esclusa

CHF

28,00

Description
Descrizione

Wall and ceiling anchor for
Radial System power cable
/Max Ø 7 mm - 0,27"
/Max capacity 5 kg - 11,02 lbs

Cilindro di decentramento
per Sistema Radiale cavo
elettrico /Max Ø 7 mm - 0,27"
/Portata max 5 kg - 11,02 lbs

Polycarbonate structure
Struttura in policarbonato

Clear
Trasparente

System
Sistema

Radial

Code
Codice

999A4 00

CE

CATEGORY

TRACK SYSTEM

Short Lights Track

78 cm
30,7"

13 cm
5,12"

87 cm
34,25"

5,6 cm
2,2"

90 cm
35,43"

Net weight
Peso netto

7,33 kg
16,16 lbs

Pack
Colli

1

Description
Descrizione

Multiple linear track standard
version max 7 suspensions

Binario lineare multiplo
versione standard max 7
sospensioni

Metal structure
Struttura in metallo

Matte White – 9010
Bianco Opaco – 9010

Matte Black – 9005
Nero Opaco – 9005

System
Sistema

Track

Code
Codice

R08L07 1000

Code
Codice

R08L07 2000

CHF

514,00

CHF

514,00

VAT excluded
IVA esclusa

CE

IP20

Long Lights Track

138 cm
54,33"

13 cm
5,12"

147 cm
57,87"

5,6 cm
2,2"

150 cm
59,05"

Net weight
Peso netto

11,85 kg
26,12 lbs

Pack
Colli

1

Description
Descrizione

Multiple linear track standard
version max 11 suspensions

Binario lineare multiplo
versione standard max 11
sospensioni

Metal structure
Struttura in metallo

Matte White – 9010
Bianco Opaco – 9010

Matte Black – 9005
Nero Opaco – 9005

System
Sistema

Track

Code
Codice

R08L11 1000

Code
Codice

R08L11 2000

CHF

858,00

CHF

858,00

VAT excluded
IVA esclusa

CE

IP20

044

Lodes

Suspension aligned, maximum quantity
Sospensione allineata, quantità massima



Staggered suspension, maximum quantity
Sospensione sfalsata, quantità massima



Short Lights Track		Long Lights Track		Short Lights Track		Long Lights Track	
Max 7	A-Tube	Max 11	A-Tube	Max 7	A-Tube	Max 11	A-Tube
Max 6	A-Tube Nano	Max 10	A-Tube Nano	Max 6	A-Tube Nano	Max 10	A-Tube Nano
Max 6	A-Tube Nano Duo	Max 10	A-Tube Nano Duo	Max 6	A-Tube Nano Duo	Max 10	A-Tube Nano Duo
Max 4	Cono di Luce small	Max 8	Cono di Luce small	Max 7	Cono di Luce small	Max 11	Cono di Luce small
Max 4	Cono di Luce large	Max 8	Cono di Luce large	Max 7	Cono di Luce large	Max 11	Cono di Luce large
Max 6	IVY I	Max 10	IVY I	Max 7	IVY I	Max 11	IVY I
Max 5	Jefferson	Max 8	Jefferson	Max 6	Jefferson	Max 10	Jefferson
Max 4	JIM cylinder	Max 8	JIM cylinder	Max 7	JIM cylinder	Max 11	JIM cylinder
Max 3	JIM cone	Max 5	JIM cone	Max 5	JIM cone	Max 9	JIM cone
Max 3	JIM bell	Max 5	JIM bell	Max 5	JIM bell	Max 9	JIM bell
Max 4	Kelly Cluster	Max 8	Kelly Cluster	Max 7	Kelly Cluster	Max 11	Kelly Cluster
Max 7	Nostalgia small	Max 11	Nostalgia small	Max 7	Nostalgia small	Max 11	Nostalgia small
Max 4	Nostalgia medium	Max 7	Nostalgia medium	Max 7	Nostalgia medium	Max 11	Nostalgia medium
Max 3	Nostalgia large	Max 5	Nostalgia large	Max 5	Nostalgia large	Max 9	Nostalgia large
Max 7	Rain	Max 11	Rain	Max 7	Rain	Max 11	Rain
Max 3	Random	Max 5	Random	Max 5	Random	Max 9	Random
Max 7	Random Solo 10	Max 11	Random Solo 10	Max 7	Random Solo 10	Max 11	Random Solo 10
Max 7	Random Solo 12	Max 11	Random Solo 12	Max 7	Random Solo 12	Max 11	Random Solo 12
Max 6	Random Solo 14	Max 10	Random Solo 14	Max 7	Random Solo 14	Max 11	Random Solo 14
Max 4	Random Solo 18	Max 8	Random Solo 18	Max 7	Random Solo 18	Max 11	Random Solo 18
Max 4	Random Solo 23	Max 6	Random Solo 23	Max 7	Random Solo 23	Max 11	Random Solo 23
Max 3	Random Solo 28	Max 6	Random Solo 28	Max 6	Random Solo 28	Max 10	Random Solo 28
Max 7	Spider	Max 11	Spider	Max 7	Spider	Max 11	Spider
Max 6	Volum 14	Max 10	Volum 14	Max 7	Volum 14	Max 11	Volum 14
Max 4	Volum 22	Max 7	Volum 22	Max 7	Volum 22	Max 11	Volum 22
Max 3	Volum 29	Max 5	Volum 29	Max 5	Volum 29	Max 9	Volum 29

SUSPENSION LAMP

CLUSTER SUSPENSION LAMP

CANOPY

WALL & CEILING LAMP

FLOOR & TABLE LAMP

OUTDOOR LAMP

ACCESSORY

Wall & Ceiling lamps

Wall lamps

							
Aile p. 048	Kelly p. 051	Laser p. 052	Nautilus p. 053	Nautilus Mini p. 054	Pin-Up p. 056	Puzzle p. 057	Puzzle Mega p. 058, 060

	
Puzzle Round p. 061	Volum p. 064, 065


Ceiling lamps

							
A-Tube p. 047	Bugia p. 049, 050	Nautilus p. 054	Nautilus Spot p. 055	Pin-Up p. 056	Puzzle p. 057	Puzzle Mega p. 058, 060	Puzzle Round p. 061

		
Spider p. 062	Tidal p. 063	Volum p. 065

CATEGORY CEILING LAMP

A-Tube mini



Net weight 0,20 kg
Peso netto 0,44 lbs

Pack 1
Colli

DESIGN Studio Italia Design, 2013

Light source
Sorgente luminosa

GU10 Par 16 W/L max 9 cm
1x 10 W W/L max 3,54"

Bulb not included
Lampadina non inclusa

Metal structure
Montatura in metallo

Matte White - 9010
Bianco Opaco - 9010

Matte Black - 9005
Nero Opaco - 9005

Coppery Bronze
Bronzo Ramato

Code
Codice

09631 1000

09631 2000

09631 3500


VAT excluded
IVA esclusa

CHF

150,00


150,00

156,00



CATEGORY CEILING LAMP

A-Tube small



Net weight 0,80 kg
Peso netto 1,76 lbs

Pack 1
Colli

DESIGN Studio Italia Design, 2013

Light source
Sorgente luminosa

GU10 Par 16 W/L max 9 cm
1x 10 W W/L max 3,54"

Bulb not included
Lampadina non inclusa

Metal structure
Montatura in metallo

Matte White - 9010
Bianco Opaco - 9010

Matte Black - 9005
Nero Opaco - 9005

Coppery Bronze
Bronzo Ramato

Code
Codice

09632 1000

09632 2000

09632 3500

VAT excluded
IVA esclusa

CHF

208,00

208,00

215,00



CATEGORY CEILING LAMP

A-Tube medium



Net weight 0,90 kg
Peso netto 1,98 lbs

Pack 1
Colli

DESIGN Studio Italia Design, 2013

Light source
Sorgente luminosa

GU10 Par 16 W/L max 9 cm
1x 10 W W/L max 3,54"

Bulb not included
Lampadina non inclusa

Metal structure
Montatura in metallo

Matte White - 9010
Bianco Opaco - 9010

Matte Black - 9005
Nero Opaco - 9005

Coppery Bronze
Bronzo Ramato

Code
Codice

09633 1000

09633 2000

09633 3500

VAT excluded
IVA esclusa

CHF

306,00


306,00

325,00



CATEGORY CEILING LAMP

A-Tube large



Net weight 1,50 kg
Peso netto 3,31 lbs

Pack 1
Colli

DESIGN Studio Italia Design, 2013

Light source
Sorgente luminosa

GU10 Par 16 W/L max 9 cm
1x 10 W W/L max 3,54"

Bulb not included
Lampadina non inclusa

Metal structure
Montatura in metallo

Matte White - 9010
Bianco Opaco - 9010

Matte Black - 9005
Nero Opaco - 9005

Coppery Bronze
Bronzo Ramato

Code
Codice

09634 1000

09634 2000

09634 3500


VAT excluded
IVA esclusa

CHF


429,00

429,00

455,00



Aile



Metal structure Montatura in metallo	Code Codice	A Code Codice	B Code Codice	CHF
Matte White – 9010 Bianco Opaco – 9010	17550 1027	17550 1030		215,00
Matte Champagne Champagne Opaco	17550 4527	17550 4530		247,00

Light source Sorgente luminosa	A	Light source Sorgente luminosa	B
AC LED 2700 K 16 W 1840 lm 220–240 V CRI 92 MacAdam 3-Step LED included LED incluso		AC LED 3000 K 16 W 1960 lm 220–240 V CRI 92 MacAdam 3-Step LED included LED incluso	

Net weight
Peso netto

0,55 kg
1,21 lbs

Pack
Colli

1

Energy class
Classe energetica


E

CEIP20Energy SavingDim TriacERCEC P. 082

► LED sources with direct power supply to the AC line voltage – driver not required.
Dimmable with phase cut dimmer.

► LED con alimentazione diretta a tensione di rete – non necessita di driver.
Dimmerabile con varialuce a taglio di fase.

Bugia Single

Metal structure
Montatura in metallo

Matte White – 9010
Bianco Opaco – 9010

Methacrylate diffuser
Diffusore in metacrilato

Glossy White
Bianco Lucido

Glossy Black
Nero Lucido

Chrome
Cromo

Glossy Bronze
Bronzo Lucido

Code
CodiceCode
Codice

CHF

16131 1227

16131 1230

319,00

16131 2227

16131 2230

319,00

16131 4027

16131 4030

319,00

16131 4627

16131 4630

319,00

Light source
Sorgente luminosa

AC LED
2700 K
15 W
1320 lm
220–240 V
CRI 90
MacAdam 3-Step

LED included
LED incluso

Light source
Sorgente luminosa



AC LED
3000 K
15 W
1440 lm
220–240 V
CRI 90
MacAdam 3-Step

LED included
LED incluso

Net weight 0,80 kg
Peso netto 1,76 lbs


Pack 2
Colli

Energy class
Classe energetica F



● P. 082

Bugia Double

Metal structure
Montatura in metallo

Matte White – 9010
Bianco Opaco – 9010

Methacrylate diffuser
Diffusore in metacrilato

Glossy White
Bianco Lucido

Glossy Black
Nero Lucido

Chrome
Cromo

Glossy Bronze
Bronzo Lucido

Code
CodiceCode
Codice

CHF

16132 1227

16132 1230

566,00

16132 2227

16132 2230

566,00

16132 4027

16132 4030

566,00

16132 4627

16132 4630

566,00

Light source
Sorgente luminosa

AC LED
2700 K
30 W
2640 lm
220–240 V
CRI 90
MacAdam 3-Step

LED included
LED incluso

Light source
Sorgente luminosa



AC LED
3000 K
30 W
2880 lm
220–240 V
CRI 90
MacAdam 3-Step

LED included
LED incluso

Net weight 2,05 kg
Peso netto 4,52 lbs

Pack 2
Colli

Energy class
Classe energetica F




● P. 082

► LED sources with direct power supply to the AC line voltage – driver not required.
Dimmable with phase cut dimmer.

► LED con alimentazione diretta a tensione di rete – non necessita di driver.
Dimmerabile con varialuce a taglio di fase.

Bugia Triple




Net weight 2,80 kg
Peso netto 6,17 lbs
Pack Colli 2
Energy class F
Classe energetica

DESIGN Andrea Tosetto, 2016		● ECODESIGN regulation P. 080		VAT excluded IVA esclusa	
Metal structure Montatura in metallo	Methacrylate diffuser Diffusore in metacrilato	Code Codice	A Code Codice	B Code Codice	CHF
 Matte White – 9010 Bianco Opaco – 9010	 Glossy White Bianco Lucido	16133 1227	16133 1230	741,00	
	 Glossy Black Nero Lucido	16133 2227	16133 2230	741,00	
	 Chrome Cromo	16133 4027	16133 4030	741,00	
	 Glossy Bronze Bronzo Lucido	16133 4627	16133 4630	741,00	
Light source Sorgente luminosa	A Light source Sorgente luminosa	B			
AC LED 2700 K 45 W 3960 lm 220–240 V CRI 90 MacAdam 3-Step LED included LED incluso	AC LED 3000 K 45 W 4320 lm 220–240 V CRI 90 MacAdam 3-Step LED included LED incluso				

● P. 082
CE IP20 Energy Saving Dim Triac ENEC DALI CONTROLLABLE

Bugia Mega




Net weight 4,40 kg
Peso netto 9,70 lbs
Pack Colli 2
Energy class F
Classe energetica

DESIGN Andrea Tosetto, 2020		● ECODESIGN regulation P. 080		VAT excluded IVA esclusa	
Metal structure Montatura in metallo	Methacrylate diffuser Diffusore in metacrilato	Code Codice	Code Codice	CHF	
 Matte White – 9010 Bianco Opaco – 9010	 Glossy White Bianco Lucido	16134 1227	16134 1230	1079,00	
	 Glossy Black Nero Lucido	16134 2227	16134 2230	1079,00	
	 Chrome Cromo	16134 4027	16134 4030	1079,00	
	 Glossy Bronze Bronzo Lucido	16134 4627	16134 4630	1079,00	
Light source Sorgente luminosa	Light source Sorgente luminosa				
AC LED 2700 K 45 W 3960 lm 220–240 V CRI 90 MacAdam 3-Step LED included LED incluso	AC LED 3000 K 45 W 4320 lm 220–240 V CRI 90 MacAdam 3-Step LED included LED incluso				

● P. 082
CE IP20 Energy Saving Dim Triac ENEC DALI CONTROLLABLE

► LED sources with direct power supply to the AC line voltage – driver not required. Dimmable with phase cut dimmer. ► LED con alimentazione diretta a tensione di rete – non necessita di driver. Dimmerabile con varialuce a taglio di fase.

Kelly



Metal structure
Montatura in metallo

● Matte White – 9010
● Bianco Opaco – 9010

● Coppery Bronze
● Bronzo Ramato

Code
Codice

14150 1027

CHF

351,00

14150 3527

364,00

Light source
Sorgente luminosa

AC LED
2700 K
16 W
1750 lm
220–240 V
CRI 92
MacAdam 3-Step

LED included
LED incluso


Net weight 0,80 kg
Peso netto 1,76 lbs
Pack 1
Colli
Energy class E
Classe energetica

CE IP20 Energy Saving Dim Triac P. 082 DALI CONTROLLABLE

► LED sources with direct power supply to the AC line voltage – driver not required.
Dimmable with phase cut dimmer.

► LED con alimentazione diretta a tensione di rete – non necessita di driver.
Dimmerabile con varialuce a taglio di fase.

Laser



Metal structure Montatura in metallo	Code Codice	A Code Codice	B Code Codice	CHF
● Matte White – 9010 Bianco Opaco – 9010	03652 1027		03652 1030	221,00
● Matte Black – 9005 Nero Opaco – 9005	03652 2027		03652 2030	221,00
● Champagne Champagne	03652 4527		03652 4530	234,00

Light source
Sorgente luminosa

A

AC LED
2700 K
16 W
1750 lm
220–240 V
CRI 92
MacAdam 3-Step

LED included
LED incluso

Light source
Sorgente luminosa

B

AC LED
3000 K
16 W
1850 lm
220–240 V
CRI 92
MacAdam 3-Step

LED included
LED incluso

Net weight
Peso netto

0,60 kg
1,32 lbs

Pack
Colli

1

Energy class
Classe energetica

E

● P. 082

CE

IP20

Energy Saving

Dim Triac


ERC

DALI
CONTROLLABLE

► LED sources with direct power supply to the AC line voltage – driver not required.
Dimmable with phase cut dimmer.

► LED con alimentazione diretta a tensione di rete – non necessita di driver.
Dimmerabile con varialuce a taglio di fase.

Nautilus Dim-to-Warm

Metal structure
Montatura in metallo

Matte White – 9010 Bianco Opaco – 9010	Code Codice	16553 1926	CHF 598,00
Matte Black – 9005 Nero Opaco – 9005		16553 2926	598,00
Matte Champagne Champagne Opaco		16553 4926	624,00

Light source
Sorgente luminosa

LED
Dim-to-Warm
FROM 2200 K
TO 2700 K
22 W
2000 lm
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi




Dim-to-Warm

► 10%	2200 K	160 lm
► 30%	2400 K	520 lm
► 60%	2600 K	1200 lm
► 100%	2700 K	2000 lm


Net weight 1,80 kg
Peso netto 3,96 lbs

Pack Colli 1

Energy class
Classe energetica E

Adjustable light
Luce orientabile

Nautilus

Metal structure
Montatura in metallo

Matte White – 9010 Bianco Opaco – 9010	Code Codice	16550 1927	Code Codice	16550 1930	CHF 468,00
Matte Black – 9005 Nero Opaco – 9005		16550 2927		16550 2930	468,00
Chrome Cromo		16550 4027		16550 4030	494,00
Matte Champagne Champagne Opaco		16550 4927		16550 4930	494,00

Light source
Sorgente luminosa

AC LED
2700 K
24 W
1990 lm
220-240 V
CRI 90
MacAdam 3-Step

LED included
LED incluso

Light source
Sorgente luminosa



AC LED
3000 K
24 W
2170 lm
220-240 V
CRI 90
MacAdam 3-Step

LED included
LED incluso

Net weight 1,15 kg
Peso netto 2,54 lbs


Pack Colli 1

Energy class
Classe energetica F




► LED sources with direct power supply to the AC line voltage – driver not required.
Dimmable with phase cut dimmer.

► LED con alimentazione diretta a tensione di rete – non necessita di driver.
Dimmerabile con varialuce a taglio di fase.

Adjustable light
Luce orientabile

Nautilus Mini

Metal structure
Montatura in metallo

● Matte White – 9010
Bianco Opaco – 9010

● Matte Black – 9005
Nero Opaco – 9005

● Matte Champagne
Champagne Opaco

Code
CodiceCode
Codice

CHF

16552 1027

16552 1030

325,00

16552 2027

16552 2030

325,00

16552 4527

16552 4530

338,00

Light source
Sorgente luminosa

AC LED
2700 K
12 W
950 lm
220–240 V
CRI 90
MacAdam 3-Step

LED included
LED incluso

Light source
Sorgente luminosa

AC LED
3000 K
12 W
1030 lm
220–240 V
CRI 90
MacAdam 3-Step

LED included
LED incluso

Net weight 0,75 kg
Peso netto 1,65 lbs


Pack Colli 1

Energy class
Classe energetica G

CE IP20 Energy Saving Dim Triac ENEC DALLI CONTROLLABLE ● P. 082

Adjustable light
Luce orientabile

Nautilus

Metal structure
Montatura in metallo

● Matte White – 9010
Bianco Opaco – 9010

● Matte Black – 9005
Nero Opaco – 9005

● Chrome
Cromo

● Matte Champagne
Champagne Opaco

Code
CodiceCode
Codice

CHF

16530 1027

16530 1030

325,00

16530 2027

16530 2030

325,00

16530 4027

16530 4030

371,00

16530 4527

16530 4530

345,00

Light source
Sorgente luminosa

AC LED
2700 K
12 W
995 lm
220–240 V
CRI 90
MacAdam 3-Step

LED included
LED incluso

Light source
Sorgente luminosa

AC LED
3000 K
12 W
1085 lm
220–240 V
CRI 90
MacAdam 3-Step

LED included
LED incluso

Net weight 1,10 kg
Peso netto 2,43 lbs

Pack Colli 1

Energy class
Classe energetica F


CE IP20 Energy Saving Dim Triac ENEC DALLI CONTROLLABLE ● P. 082

Adjustable light
Luce orientabile

► LED sources with direct power supply to the AC line voltage – driver not required.
Dimmable with phase cut dimmer.

► LED con alimentazione diretta a tensione di rete – non necessita di driver.
Dimmerabile con varialuce a taglio di fase.

Nautilus Spot



Metal structure Montatura in metallo	Code Codice	Code Codice	CHF
Matte White – 9010 Bianco Opaco – 9010	16560 1027	16560 1030	241,00
Matte Black – 9005 Nero Opaco – 9005	16560 2027	16560 2030	241,00
Chrome Cromo	16560 4027	16560 4030	260,00
Matte Champagne Champagne Opaco	16560 4527	16560 4530	254,00

Light source
Sorgente luminosa

AC LED
2700 K
10 W
945 lm
220–240 V
CRI 90
MacAdam 3-Step

LED included
LED incluso

Light source
Sorgente luminosa

AC LED
3000 K
10 W
950 lm
220–240 V
CRI 90
MacAdam 3-Step

LED included
LED incluso

Net weight
Peso netto

0,56 kg
1,23 lbs

Pack
Colli

1

Energy class
Classe energetica

F

● P. 082

CE

IP20

Energy Saving

Dim Triac


ERC

DALI CONTROLLABLE

► LED sources with direct power supply to the AC line voltage – driver not required.
Dimmable with phase cut dimmer.

► LED con alimentazione diretta a tensione di rete – non necessita di driver.
Dimmerabile con varialuce a taglio di fase.

Pin-Up



Metal structure Montatura in metallo	Code Codice	Code Codice	CHF
● Matte White – 9010 Bianco Opaco – 9010	15540 1027	15540 1030	299,00
● Matte Black – 9005 Nero Opaco – 9005	15540 2027	15540 2030	299,00
● Coppery Bronze Bronzo Ramato	15540 3527	15540 3530	306,00

Light source Sorgente luminosa	Light source Sorgente luminosa
AC LED 2700 K 8 W 920 lm 220–240 V CRI 92 MacAdam 3-Step LED included LED incluso	AC LED 3000 K 8 W 980 lm 220–240 V CRI 92 MacAdam 3-Step LED included LED incluso

Net weight 1,15 kg
Peso netto 2,53 lbs

Pack Colli 1

Energy class Classe energetica E

CE

IP20

Energy Saving

Dim Triac

ERC

P. 082


DALI CONTROLLABLE

Adjustable light
Luce orientabile



► LED sources with direct power supply to the AC line voltage – driver not required. Dimmable with phase cut dimmer. ► LED con alimentazione diretta a tensione di rete – non necessita di driver. Dimmerabile con varialuce a taglio di fase.

Puzzle single square

Metal structure
Montatura in metallo

● Matte White – 9016
Bianco Opaco – 9016

● Matte Black – 9005
Nero Opaco – 9005

Code
CodiceCode
Codice

CHF

14641 1027

14641 1030

260,00

14641 2027

14641 2030

260,00

Light source
Sorgente luminosa

AC LED
2700 K
16 W
1750 lm
220–240 V
CRI 92
MacAdam 3-Step

LED included
LED inclusoLight source
Sorgente luminosa



AC LED
3000 K
16 W
1850 lm
220–240 V
CRI 92
MacAdam 3-Step

LED included
LED inclusoNet weight
Peso netto1,16 kg
2,56 lbsPack
Colli


1

Energy class
Classe energetica

E



Puzzle double square

Metal structure
Montatura in metallo

● Matte White – 9016
Bianco Opaco – 9016

● Matte Black – 9005
Nero Opaco – 9005

Code
CodiceCode
Codice

CHF

14642 1027

14642 1030

416,00

14642 2027

14642 2030

416,00

Light source
Sorgente luminosa

AC LED
2700 K
32 W
3500 lm
220–240 V
CRI 92
MacAdam 3-Step

LED included
LED inclusoLight source
Sorgente luminosa



AC LED
3000 K
32 W
3700 lm
220–240 V
CRI 92
MacAdam 3-Step

LED included
LED inclusoNet weight
Peso netto2,00 kg
4,41 lbsPack
Colli


1

Energy class
Classe energetica

E



Puzzle square & rectangle

Metal structure
Montatura in metallo

● Matte White – 9016
Bianco Opaco – 9016

● Matte Black – 9005
Nero Opaco – 9005

Code
CodiceCode
Codice

CHF

14643 1027

14643 1030

494,00

14643 2027

14643 2030

494,00

Light source
Sorgente luminosa

AC LED
2700 K
32 W
3500 lm
220–240 V
CRI 92
MacAdam 3-Step

LED included
LED inclusoLight source
Sorgente luminosa



AC LED
3000 K
32 W
3700 lm
220–240 V
CRI 92
MacAdam 3-Step

LED included
LED inclusoNet weight
Peso netto2,91 kg
6,42 lbsPack
Colli

1

Energy class
Classe energetica


E



► LED sources with direct power supply to the AC line voltage – driver not required.
Dimmable with phase cut dimmer. ► Optional backplate available.

► LED con alimentazione diretta a tensione di rete – non necessita di driver.
Dimmerabile con varialuce a taglio di fase. ► Disponibile piastra a muro opzionale.

Puzzle Mega round small




Metal structure Montatura in metallo	MDF diffuser Diffusore in MDF	Code Codice	Code Codice	CHF
 Matte White – 9016 Bianco Opaco – 9016	 Matte White – 9016 Bianco Opaco – 9016	16741 1027	16741 1030	754,00
	 Matte Black – 9005 Nero Opaco – 9005	16741 2027	16741 2030	845,00
	 Taupe Grigio Caldo	16741 3927	16741 3930	845,00
	 Red Rosso	16741 6027	16741 6030	845,00
Light source Sorgente luminosa	Light source Sorgente luminosa			
AC LED 2700 K 48 W 5250 lm 220–240 V CRI 92 MacAdam 3-Step LED included LED incluso	AC LED 3000 K 48 W 5550 lm 220–240 V CRI 92 MacAdam 3-Step LED included LED incluso			

Net weight Peso netto	3,80 kg 8,38 lbs	Pack Colli	2	Energy class Classe energetica	E
--------------------------	---------------------	---------------	---	-----------------------------------	---



Puzzle Mega round large



Metal structure Montatura in metallo	MDF diffuser Diffusore in MDF	Code Codice	Code Codice	CHF
 Matte White – 9016 Bianco Opaco – 9016	 Matte White – 9016 Bianco Opaco – 9016	16744 1027	16744 1030	1274,00
	 Matte Black – 9005 Nero Opaco – 9005	16744 2027	16744 2030	1404,00
	 Taupe Grigio Caldo	16744 3927	16744 3930	1404,00
	 Red Rosso	16744 6027	16744 6030	1404,00
Light source Sorgente luminosa	Light source Sorgente luminosa			
AC LED 2700 K 64 W 7000 lm 220–240 V CRI 92 MacAdam 3-Step LED included LED incluso	AC LED 3000 K 64 W 7400 lm 220–240 V CRI 92 MacAdam 3-Step LED included LED incluso			


Net weight Peso netto	7,20 kg 15,87 lbs	Pack Colli	2	Energy class Classe energetica	E
--------------------------	----------------------	---------------	---	-----------------------------------	---



► LED sources with direct power supply to the AC line voltage – driver not required. Dimmable with phase cut dimmer. ► You can connect up to 4 Puzzle Mega to each fixture directly connected to the power supply. You can also connect up to 3 additional fixtures to each of those for maximum total of 36 fixtures on a single power outlet.

► LED con alimentazione diretta a tensione di rete – non necessita di driver. Dimmerabile con varialuce a taglio di fase. ► Ad ogni Puzzle Mega connessa al punto di alimentazione elettrica possono esserne collegate altre 4. Ad ognuna di queste possono esserne collegate fino ad altre 3 e così via. Le lampade totali collegabili su un singolo punto di alimentazione sono 36.

Puzzle Mega square small

Metal structure
Montatura in metallo

● Matte White – 9016
Bianco Opaco – 9016

MDF diffuser
Diffusore in MDF

● Matte White – 9016
Bianco Opaco – 9016

● Matte Black – 9005
Nero Opaco – 9005

● Taupe
Grigio Caldo

● Red
Rosso

Code
Codice

16742 1027

16742 2027

16742 3927

16742 6027

Code
Codice

16742 1030

16742 2030

16742 3930

16742 6030

CHF

754,00

845,00

845,00

845,00

Light source
Sorgente luminosa

AC LED
2700 K
48 W
5250 lm
220–240 V
CRI 92
MacAdam 3-Step

LED included
LED incluso

Light source
Sorgente luminosa

AC LED
3000 K
48 W
5550 lm
220–240 V
CRI 92
MacAdam 3-Step

LED included
LED incluso



Net weight 4,10 kg
Peso netto 9,04 lbs

Pack 2
Colli


Energy class E
Classe energetica



IP20



Puzzle Mega square large

Metal structure
Montatura in metallo

● Matte White – 9016
Bianco Opaco – 9016

MDF diffuser
Diffusore in MDF

● Matte White – 9016
Bianco Opaco – 9016

● Matte Black – 9005
Nero Opaco – 9005

● Taupe
Grigio Caldo

● Red
Rosso

Code
Codice

16745 1027

16745 2027

16745 3927

16745 6027

Code
Codice

16745 1030

16745 2030

16745 3930

16745 6030

CHF

1274,00

1404,00

1404,00

1404,00

Light source
Sorgente luminosa

AC LED
2700 K
64 W
7000 lm
220–240 V
CRI 92
MacAdam 3-Step

LED included
LED incluso

Light source
Sorgente luminosa

AC LED
3000 K
64 W
7400 lm
220–240 V
CRI 92
MacAdam 3-Step

LED included
LED incluso



Net weight 8,80 kg
Peso netto 19,40 lbs

Pack 2
Colli

Energy class E
Classe energetica




IP20



► LED sources with direct power supply to the AC line voltage – driver not required. Dimmable with phase cut dimmer. ► You can connect up to 4 Puzzle Mega to each fixture directly connected to the power supply. You can also connect up to 3 additional fixtures to each of those for maximum total of 36 fixtures on a single power outlet.

► LED con alimentazione diretta a tensione di rete – non necessita di driver. Dimmerabile con varialuce a taglio di fase. ► Ad ogni Puzzle Mega connessa al punto di alimentazione elettrica possono esserne collegate altre 4. Ad ognuna di queste possono esserne collegate fino ad altre 3 e così via. Le lampade totali collegabili su un singolo punto di alimentazione sono 36.

Puzzle Mega extension




Description Descrizione	Metal structure Montatura in metallo	Code Codice	CHF
Extension optional ► to be used to widen the light beam in case of ceiling installation Estensione opzionale ► da utilizzare per ampliare il fascio luminoso in caso di installazione a soffitto	Matte White –9016 Bianco Opaco –9016	16799 A200	85,00

Net weight 0,86 kg
Peso netto 1,86 lbs


Pack Colli 1



Puzzle Mega standard version
Puzzle Mega versione standard



Puzzle Mega extension optional version
Puzzle Mega versione estensione opzionale



Accessory connector



Description Descrizione	Code Codice	CHF
Connection ► to be used to connect the fixtures together in the compositions Collegamento ► da utilizzare per collegare le lampade tra loro nelle composizioni	16799 A100	50,00


Net weight 0,10 kg
Peso netto 0,22 lbs

Pack Colli 1




Accessory connector
Accessorio di collegamento

Main power connection



Puzzle Round single



Metal structure Montatura in metallo	Code Codice	Code Codice	CHF
Matte White – 9016 Bianco Opaco – 9016	15941 1027	15941 1030	280,00
Matte Black – 9005 Nero Opaco – 9005	15941 2027	15941 2030	280,00
Coppery Bronze Bronzo Ramato	15941 3527	15941 3530	293,00
Champagne Champagne	15941 4527	15941 4530	293,00

Light source Sorgente luminosa

AC LED
2700 K
16 W
1750 lm
220–240 V
CRI 92
MacAdam 3-Step

LED included
LED incluso

Light source Sorgente luminosa

AC LED
3000 K
16 W
1850 lm
220–240 V
CRI 92
MacAdam 3-Step

LED included
LED incluso


Net weight 0,60 kg
Peso netto 1,32 lbs
Pack Colli 1
Energy class Classe energetica E

CE IP20 Energy Saving Dim Triac EAC

Adjustable light Luce orientabile



Puzzle Round double



Metal structure Montatura in metallo	Code Codice	Code Codice	CHF
Matte White – 9016 Bianco Opaco – 9016	15942 1027	15942 1030	514,00
Matte Black – 9005 Nero Opaco – 9005	15942 2027	15942 2030	514,00
Coppery Bronze Bronzo Ramato	15942 3527	15942 3530	533,00
Champagne Champagne	15942 4527	15942 4530	533,00

Light source Sorgente luminosa

AC LED
2700 K
32 W
3500 lm
220–240 V
CRI 92
MacAdam 3-Step

LED included
LED incluso

Light source Sorgente luminosa

AC LED
3000 K
32 W
3700 lm
220–240 V
CRI 92
MacAdam 3-Step

LED included
LED incluso

Net weight 1,10 kg
Peso netto 2,43 lbs
Pack Colli 1
Energy class Classe energetica E

CE IP20 Energy Saving Dim Triac EAC


Adjustable light Luce orientabile



► LED sources with direct power supply to the AC line voltage – driver not required.
Dimmable with phase cut dimmer.

► LED con alimentazione diretta a tensione di rete – non necessita di driver.
Dimmerabile con varialuce a taglio di fase.

Spider



Light source
Sorgente luminosa

AC LED
2700 K
10 W
920 lm
220-240 V
CRI 90
MacAdam 3-Step

LED included
LED incluso

Light source
Sorgente luminosa

AC LED
3000 K
10 W
980 lm
220-240 V
CRI 90
MacAdam 3-Step

LED included
LED incluso

Net weight
Peso netto

0,86 kg
1,89 lbs

Pack
Colli


2

Energy class
Classe energetica

F

Metal structure Montatura in metallo	Metal diffuser Diffusore in metallo	Code Codice	Code Codice	CHF
 Chrome Cromo	 Matte White-9010 Bianco Opaco-9010	18340 1027	18340 1030	384,00
	 Matte Black-9005 Nero Opaco-9005	18340 2027	18340 2030	384,00
	 Extra Matte Champagne Champagne Extra Opaco	18340 4527	18340 4530	403,00
	 Terra Terra	18340 6727	18340 6730	416,00

Adjustable light
Luce orientabile



CE

IP20

Energy Saving


Dim Triac

EAC

► LED sources with direct power supply to the AC line voltage – driver not required.
Dimmable with phase cut dimmer.

► LED con alimentazione diretta a tensione di rete – non necessita di driver.
Dimmerabile con varialuce a taglio di fase.

Tidal



Metal structure Montatura in metallo	Code Codice	Code Codice	CHF
Matte White – 9010 Bianco Opaco – 9010	19930 1027	19930 1030	869,00
Matte Black – 9005 ^{NEW} Nero Opaco – 9005	19930 2027	19930 2030	869,00
Matte Champagne Champagne Opaco	19930 4527	19930 4530	908,00
Terra Terra	19930 6727	19930 6730	947,00

Light source
Sorgente luminosa

LED
2700 K
38 W
6840 lm
220–240 V
700 mA
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

The driver, included, is supplied with an output voltage of 700 mA but can be adjusted during installation

Il driver, incluso, è fornito con una corrente di uscita impostata a 700 mA ma può essere regolato in installazione

► 500 mA	27 W	4680 lm
► 550 mA	30 W	5400 lm
► 600 mA	33 W	5760 lm

Light source
Sorgente luminosa

LED
3000 K
38 W
6860 lm
220–240 V
700 mA
CRI 90
MacAdam 3-Step

LED and driver included
LED e driver inclusi

The driver, included, is supplied with an output voltage of 700 mA but can be adjusted during installation

Il driver, incluso, è fornito con una corrente di uscita impostata a 700 mA ma può essere regolato in installazione

► 500 mA	27 W	4700 lm
► 550 mA	30 W	5420 lm
► 600 mA	33 W	5780 lm

Net weight
Peso netto

3,90 kg
8,60 lbs

Pack
Colli

1

Energy class
Classe energetica

B

CE


IP20

Energy Saving

Dim Triac

EAC

Light emission
Emissione luminosa




- A ► 75%

Direct light emission
Emissione di luce diretta
- B ► 25%


Indirect light emission
Emissione di luce indiretta

Volum mirror 14




Net weight 0,74 kg
Peso netto 1,63 lbs
Pack 2
Colli 2

Volum mirror 22




Net weight 1,15 kg
Peso netto 2,53 lbs
Pack 2
Colli 2

Volum mirror 29




Net weight 2,16 kg
Peso netto 4,76 lbs
Pack 2
Colli 2

Volum mirror 42



Net weight 3,39 kg
Peso netto 7,47 lbs
Pack 2
Colli 2

Application
Applicazione



Silicone structure Struttura in silicone	Blown glass diffuser Diffusore in vetro soffiato	Code Codice	CHF
Translucent Traslucido	Glossy White Bianco Lucido	18741 120S	267,00

Light source
Sorgente luminosa

E14 LED
1x 15 W
Ø max 5 cm
Ø max 1,96"
W/L max 9 cm
W/L max 3,54"

Bulb not included
Lampadina non inclusa

CE IP54 Energy Saving Dim Triac ENEC

Silicone structure Struttura in silicone	Blown glass diffuser Diffusore in vetro soffiato	Code Codice	CHF
Translucent Traslucido	Glossy White Bianco Lucido	18742 120S	390,00

Light source
Sorgente luminosa

E27 LED
1x 25 W
Ø max 5 cm
Ø max 1,96"
W/L max 12,5 cm
W/L max 4,92"

Bulb not included
Lampadina non inclusa

CE IP54 Energy Saving Dim Triac ENEC

Silicone structure Struttura in silicone	Blown glass diffuser Diffusore in vetro soffiato	Code Codice	CHF
Translucent Traslucido	Glossy White Bianco Lucido	18743 120S	475,00

Light source
Sorgente luminosa

E27 LED
1x 25 W
Ø max 8,5 cm
Ø max 3,34"

Bulb not included
Lampadina non inclusa

CE IP54 Energy Saving Dim Triac ENEC

Silicone structure Struttura in silicone	Blown glass diffuser Diffusore in vetro soffiato	Code Codice	CHF
Translucent Traslucido	Glossy White Bianco Lucido	18744 120S	689,00

Light source
Sorgente luminosa


E27 LED
1x 25 W
Ø max 8,5 cm
Ø max 3,34"

Bulb not included
Lampadina non inclusa

CE IP54 Energy Saving Dim Triac ENEC

CATEGORY WALL LAMP CEILING LAMP


Volum 14



Net weight 0,74 kg
Peso netto 1,63 lbs
Pack 2
Colli

CATEGORY WALL LAMP CEILING LAMP


Volum 22



Net weight 1,15 kg
Peso netto 2,53 lbs
Pack 2
Colli

CATEGORY WALL LAMP CEILING LAMP


Volum 29



Net weight 2,16 kg
Peso netto 4,76 lbs
Pack 2
Colli

CATEGORY WALL LAMP CEILING LAMP

Volum 42



Net weight 3,39 kg
Peso netto 7,47 lbs
Pack 2
Colli

DESIGN Snøhetta, 2023

VAT excluded
IVA esclusa

Silicone structure
Struttura in silicone

Translucent
Traslucido

Blown glass diffuser
Diffusore in vetro soffiato

Glossy White
Bianco Lucido

Code
Codice

18741 1200

CHF

215,00

Light source
Sorgente luminosa

E14 LED
1x 15 W

Ø max 5 cm
Ø max 1,96"
W/L max 9 cm
W/L max 3,54"

Bulb not included
Lampadina non inclusa



DESIGN Snøhetta, 2023

VAT excluded
IVA esclusa

Silicone structure
Struttura in silicone

Translucent
Traslucido

Blown glass diffuser
Diffusore in vetro soffiato

Glossy White
Bianco Lucido

Code
Codice

18742 1200

CHF

338,00

Light source
Sorgente luminosa

E27 LED
1x 25 W

Ø max 5 cm
Ø max 1,96"
W/L max 12,5 cm
W/L max 4,92"

Bulb not included
Lampadina non inclusa



DESIGN Snøhetta, 2023

VAT excluded
IVA esclusa

Silicone structure
Struttura in silicone

Translucent
Traslucido

Blown glass diffuser
Diffusore in vetro soffiato

Glossy White
Bianco Lucido

Code
Codice

18743 1200

CHF


423,00

Light source
Sorgente luminosa

E27 LED
1x 25 W

Ø max 8,5 cm
Ø max 3,34"

Bulb not included
Lampadina non inclusa



DESIGN Snøhetta, 2023

VAT excluded
IVA esclusa

Silicone structure
Struttura in silicone

Translucent
Traslucido

Blown glass diffuser
Diffusore in vetro soffiato

Glossy White
Bianco Lucido

Code
Codice

18744 1200

CHF


637,00

Light source
Sorgente luminosa

E27 LED
1x 25 W

Ø max 8,5 cm
Ø max 3,34"

Bulb not included
Lampadina non inclusa



Light source
Sorgente luminosa

E14 LED T18 2700 K CRI 90
5 W MacAdam 3-Step

E27 LED T28 2700 K CRI 90
10 W MacAdam 3-Step

E27 LED T35 2700 K CRI 90
13 W MacAdam 3-Step

E27 LED T35 2700 K CRI 90
21 W MacAdam 3-Step

Bulb dimension
Dimensione lampadina

Ø 6,1 cm W/L 1,8 cm
Ø 2,40" W/L 0,70"

Ø 11,3 cm W/L 2,8 cm
Ø 4,44" W/L 1,10"

Ø 15 cm W/L 3,5 cm
Ø 5,90" W/L 1,37"

Ø 15 cm W/L 3,5 cm
Ø 5,90" W/L 1,37"

Pack
Colli

1

1

1

1

Code
Codice

LAM-0017

LAM-0014

LAM-0015

LAM-0016

VAT excluded
IVA esclusa

CHF

30,00


37,00

50,00

59,00

Floor & Table lamps

Floor lamps



Cima
P. 067

Croma
P. 068

Flar
P. 069

Hover
P. 070

Table lamps



Blow
P. 071

Cono di Luce
P. 071


Easy Peasy
P. 072

Flar
P. 069

Hover
P. 070

Volum
P. 073-075

Cima



DESIGN Marco Dessi, 2021

VAT excluded
IVA esclusa

Metal structure Montatura in metallo	Rope Corda	Code Codice	CHF
	Silver Argento	17371 4100	388,00
Matte Black Nero Opaco	Gold Oro	17371 5000	388,00
	Yellow Giallo	17371 5100	388,00

Light source
Sorgente luminosa

GU10 Par 16 LED W/L max 9 cm
1× 10 W W/L max 3,54"

Bulb and dimmer not included
Lampadina e dimmer non inclusi

VAT excluded
IVA esclusa

Description Descrizione	Metal structure Montatura in metallo	Code Codice	CHF
Additional kit (max 2 spotlights) Additional kit (max 2 spotlights)	Matte Black Nero Opaco	17371K 2000	254,00

Light source
Sorgente luminosa


GU10 Par 16 LED W/L max 9 cm
1× 10 W W/L max 3,54"

Bulb and dimmer not included
Lampadina e dimmer non inclusi


Net weight 1,75 kg
Peso netto 3,86 lbs Pack
Colli 1



Adjustable light
Luce orientabile



Croma



Metal structure Montatura in metallo	Code Codice	CHF
● Matte White – 9010 Bianco Opaco – 9010	17270 1000	2015,00
● Matte Black – 9005 Nero Opaco – 9005	17270 2000	2015,00
● Bronze Bronzo	17270 3400	2925,00
● Green Verde	17270 7000	2925,00


Light source
Sorgente luminosa

LED
Dim-to-Warm
FROM 2200 K
TO 3200 K
42 W
5600 lm
220–240 V
CRI 90
MacAdam 3-Step

Dim-to-Warm
► 20% 2200 K 1400 lm
► 40% 2600 K 2400 lm
► 60% 2850 K 3550 lm
► 80% 3000 K 4600 lm
► 100% 3200 K 5600 lm

LED, driver and Dim-to-warm dimmer included
LED, driver e Dim-to-warm dimmer inclusi


Flar medium



Net weight 6,77 kg
Peso netto 14,92 lbs

Pack Colli 2

Flar large



Net weight 9,89 kg
Peso netto 21,80 lbs

Pack Colli 2

Metal structure Montatura in metallo

Champagne
Champagne

Champagne
Champagne

Terra
Terra

Terra
Terra

Blown glass diffuser Diffusore in vetro soffiato

Honey
Miele

Turquoise
Turchese

Honey
Miele

Turquoise
Turchese

Code Codice

19182 6800

19182 8600

19183 6800

19183 8600

CHF

1157,00

1157,00

1313,00


1313,00

Light source Sorgente luminosa

E27 T30 W/L max 22,5 cm
Tubular LED W/L max 8,85"
1 × max 25 W

Bulb not included
Dimmer on the cord included

Lampadina non inclusa
Dimmer nel filo incluso



Metal structure Montatura in metallo

Champagne
Champagne

Champagne
Champagne

Terra
Terra

Terra
Terra

Blown glass diffuser Diffusore in vetro soffiato

Honey
Miele

Turquoise
Turchese

Honey
Miele

Turquoise
Turchese

Code Codice

19184 6800

19184 8600

19185 6800

19185 8600

CHF

1606,00

1606,00

1762,00


1762,00

Light source Sorgente luminosa

E27 T30 W/L max 30 cm
Tubular LED W/L max 11,81"
1 × max 25 W

Bulb not included
Dimmer on the cord included

Lampadina non inclusa
Dimmer nel filo incluso



			VAT excluded IVA esclusa	
Light source Sorgente luminosa	Bulb dimension Dimensione lampadina	Pack Colli	Code Codice	CHF
E27 T30 6 W	2500 K 620 lm W/L 22,5 cm W/L 8,85"	1	191A02	39,00
E27 T30 7 W	2500 K 800 lm W/L 30 cm W/L 11,81"	1	191A03	46,00

CATEGORY

FLOOR LAMP

DESIGN YOY, 2022

● ECODESIGN regulation P. 080

VAT excluded
IVA esclusa

Hover

Ø 34 cm
Ø 13,38"

149,2 cm
58,74"

Ø 22 cm
Ø 8,66"

24 cm
9,44"

Ø 34 cm
Ø 13,38"

Ø 22 cm
Ø 8,66"

Ø 34 cm
Ø 13,38"

Ø 22 cm
Ø 8,66"

Net weight
Peso netto

3,86 kg
8,51 lbs

Pack
Colli

1

Energy class
Classe energetica

C

CE

IP20

Energy Saving

Touch Dim

ErC

Metal structure
Montatura in metallo

Paper diffuser
Diffusore in carta

Code
Codice

CHF

Matte White
Bianco Opaco

Matte White
Bianco Opaco

18471 1027

631,00

Light source
Sorgente luminosa

LED
2700 K
6,5 W
1000 lm
5 V
2 A
CRI 90
MacAdam 3-Step

LED, driver and touch dimmer included
LED, driver e touch dimmer inclusi

CATEGORY

TABLE LAMP

DESIGN YOY, 2022

● ECODESIGN regulation P. 080

VAT excluded
IVA esclusa

Hover

Ø 27 cm
Ø 10,62"

51,5 cm
20,27"

Ø 14 cm
Ø 5,51"

19,3 cm
7,59"

Ø 27 cm
Ø 10,62"

Ø 14 cm
Ø 5,51"

Ø 27 cm
Ø 10,62"

Ø 14 cm
Ø 5,51"

Net weight
Peso netto

1,68 kg
3,70 lbs

Pack
Colli

1

Energy class
Classe energetica

C

CE

IP20

Energy Saving

Touch Dim

ErC

Metal structure
Montatura in metallo

Paper diffuser
Diffusore in carta

Code
Codice

CHF

Matte White
Bianco Opaco

Matte White
Bianco Opaco

18480 1027

514,00

Light source
Sorgente luminosa

LED
2700 K
6,5 W
1000 lm
5 V
2 A
CRI 90
MacAdam 3-Step

LED, driver and touch dimmer included
LED, driver e touch dimmer inclusi

Touch dimmer

070 Lodes


CATEGORY TABLE LAMP

DESIGN Pio & Tito Toso, 2005

● ECODESIGN regulation P. 080

VAT excluded
IVA esclusa

Blow

Metal structure
Montatura in metalloChrome
CromoBlown glass diffuser
Diffusore in vetro soffiatoClear
TrasparenteCode
Codice

00880 27

CHF

1365,00


Light source
Sorgente luminosa

LED
2700 K
4,5 W
500 lm
220-240 V
CRI 90
MacAdam 3-Step
LED and driver included
LED e driver inclusi

Net weight 4,00 kg
Peso netto 8,82 lbsPack
Colli 1Energy class
Classe energetica C

IP20

Energy Saving

Adjustable light
Luce orientabile


CATEGORY TABLE LAMP

DESIGN Ron Arad, 2023

● ECODESIGN regulation P. 080

VAT excluded
IVA esclusa

Cono di Luce NEW

Outside blown glass diffuser
Diffusore esterno in vetro soffiatoClear
TrasparenteInside PCB diffuser
Diffusore interno in PCBGrey
GrigioGold
OroRed
RossoCode
Codice

21080 3227

21080 5027

21080 6027

CHF

676,00

741,00

676,00

Light source
Sorgente luminosa

LED
2700 K
7,5 W
1307 lm
5V/1,5 A
CRI 90
MacAdam 3-Step

LED, driver and touch dimmer included
LED, driver e touch dimmer inclusi

Net weight 0,91 kg
Peso netto 2,00 lbsPack
Colli 2Energy class
Classe energetica B


IP20

Energy Saving

Touch Dim



Easy Peasy



Light source
Sorgente luminosa

LED
Dim-to-Warm
FROM 2200 K
TO 2700 K
5 W
380 lm
2000 mA Battery
CRI 90
MacAdam 3-Step

LED and battery included
LED e batteria inclusi

Battery charging time
Tempo di ricarica

Power supply
1A ▶ 180 min

Battery life
Durata batteria

Full power 100% ▶ 6h
Half power 50% ▶ 10h
Min power 10% ▶ 19h

Net weight 0,85 kg
Peso netto 1,87 lbs

Pack Colli 1

Energy class Classe energetica D

CE


IP20

Energy Saving

Dim-to-Warm

EAC

Easy Peasy



Light source
Sorgente luminosa

LED
Dim-to-Warm
FROM 2200 K
TO 2700 K
5 W
380 lm
2000 mA Battery
CRI 90
MacAdam 3-Step

LED and battery included
LED e batteria inclusi

Battery charging time
Tempo di ricarica

Power supply
1A ▶ 180 min

Battery life
Durata batteria

Full power 100% ▶ 6h
Half power 50% ▶ 10h
Min power 10% ▶ 19h

Net weight 0,85 kg
Peso netto 1,87 lbs

Pack Colli 1

Energy class Classe energetica D

CE

IP20

Energy Saving

Dim-to-Warm

EAC

Flamingo

Technopolymer knob Pomolo in tecnopolimero	Blown glass shade Cappello in vetro soffiato	Metal base Base in metallo	Code Codice	CHF
Pink Rosa	Grey Grigio	Brushed Bronze Bronzo Spazzolato	17081 6226	338,00

Lagoon

Technopolymer knob Pomolo in tecnopolimero	Blown glass shade Cappello in vetro soffiato	Metal base Base in metallo	Code Codice	CHF
Turquoise Turchese	Honey Miele	Brushed Gold Oro Spazzolato	17081 8126	338,00


Kelp

Technopolymer knob Pomolo in tecnopolimero	Blown glass shade Cappello in vetro soffiato	Metal base Base in metallo	Code Codice	CHF
Green Verde	Honey Miele	Brushed Rose Gold Oro Rosa Spazzolato	17081 7226	338,00

Chestnut

Technopolymer knob Pomolo in tecnopolimero	Blown glass shade Cappello in vetro soffiato	Metal base Base in metallo	Code Codice	CHF
Taupe Grigio Caldo	Grey Grigio	Brushed Palladium Palladio Spazzolato	17081 3826	338,00

Volum 14



Net weight 0,80 kg
Peso netto 1,76 lbs

Pack 2
Colli

DESIGN Snøhetta, 2023

VAT excluded
IVA esclusa

Silicone base
Base in silicone

Translucent
Traslucido

Blown glass diffuser
Diffusore in vetro soffiato

Glossy White
Bianco Lucido

Code
Codice

18781 1200

CHF

221,00


Light source
Sorgente luminosa

E14 LED 1× 15 W Ø max 6 cm
Ø max 2,36"
W/L max 9 cm
W/L max 3,54"

Bulb not included
Lampadina non inclusa
ON / OFF Switch the cord
Interuttore ON / OFF sul cavo



Volum 22



Net weight 1,26 kg
Peso netto 2,77 lbs

Pack 2
Colli

DESIGN Snøhetta, 2023

VAT excluded
IVA esclusa

Silicone base
Base in silicone

Translucent
Traslucido

Blown glass diffuser
Diffusore in vetro soffiato

Glossy White
Bianco Lucido

Code
Codice

18782 1200

CHF

338,00


Light source
Sorgente luminosa

E27 LED 1× 25 W Ø max 6 cm
Ø max 2,36"
W/L max 12,5 cm
W/L max 4,92"

Bulb not included
Lampadina non inclusa
ON / OFF Switch the cord
Interuttore ON / OFF sul cavo



Volum 29



Net weight 2,16 kg
Peso netto 4,76 lbs

Pack 2
Colli

DESIGN Snøhetta, 2023

VAT excluded
IVA esclusa

Silicone base
Base in silicone

Translucent
Traslucido

Blown glass diffuser
Diffusore in vetro soffiato

Glossy White
Bianco Lucido

Code
Codice

18783 1200

CHF

416,00


Light source
Sorgente luminosa

E27 LED 1× 25 W Ø max 9,8 cm
Ø max 3,85"

Bulb not included
Lampadina non inclusa
ON / OFF Switch the cord
Interuttore ON / OFF sul cavo



Volum 42



Net weight 3,44 kg
Peso netto 7,58 lbs

Pack 2
Colli

DESIGN Snøhetta, 2023

VAT excluded
IVA esclusa

Silicone base
Base in silicone

Translucent
Traslucido

Blown glass diffuser
Diffusore in vetro soffiato

Glossy White
Bianco Lucido

Code
Codice

18784 1200

CHF

624,00


Light source
Sorgente luminosa

E27 LED 1× 25 W Ø max 9,8 cm
Ø max 3,85"

Bulb not included
Lampadina non inclusa
ON / OFF Switch the cord
Interuttore ON / OFF sul cavo



Volum 14



Net weight	0,80 kg	Pack	2
Peso netto	1,76 lbs	Colli	

Silicone base Base in silicone	Blown glass diffuser Diffusore in vetro soffiato	Code Codice	CHF
Translucent Traslucido	Glossy White Bianco Lucido	18781 120D	312,00


Light source
Sorgente luminosa

E14 LED
1 × 15 W
Ø max 6 cm
Ø max 2,36"
W/L max 9 cm
W/L max 3,54"

Bulb not included
Lampadina non incusa
Dimmer switch on the cord
Interuttore con dimmer sul cavo

CE	IP20	Energy Saving	Dim Triac	EAR	
----	------	---------------	-----------	-----	--

Volum 22



Net weight	1,26 kg	Pack	2
Peso netto	2,77 lbs	Colli	

Silicone base Base in silicone	Blown glass diffuser Diffusore in vetro soffiato	Code Codice	CHF
Translucent Traslucido	Glossy White Bianco Lucido	18782 120D	429,00


Light source
Sorgente luminosa

E27 LED
1 × 25 W
Ø max 6 cm
Ø max 2,36"
W/L max 12,5 cm
W/L max 4,92"

Bulb not included
Lampadina non incusa
Dimmer switch on the cord
Interuttore con dimmer sul cavo

CE	IP20	Energy Saving	Dim Triac	EAR	
----	------	---------------	-----------	-----	--

Volum 29



Net weight	2,16 kg	Pack	2
Peso netto	4,76 lbs	Colli	

Silicone base Base in silicone	Blown glass diffuser Diffusore in vetro soffiato	Code Codice	CHF
Translucent Traslucido	Glossy White Bianco Lucido	18783 120D	507,00


Light source
Sorgente luminosa

E27 LED
1 × 25 W
Ø max 9,8 cm
Ø max 3,85"

Bulb not included
Lampadina non incusa
Dimmer switch on the cord
Interuttore con dimmer sul cavo

CE	IP20	Energy Saving	Dim Triac	EAR	
----	------	---------------	-----------	-----	--

Volum 42



Net weight	3,44 kg	Pack	2
Peso netto	7,58 lbs	Colli	

Silicone base Base in silicone	Blown glass diffuser Diffusore in vetro soffiato	Code Codice	CHF
Translucent Traslucido	Glossy White Bianco Lucido	18784 120D	715,00

Light source
Sorgente luminosa

E27 LED
1 × 25 W
Ø max 9,8 cm
Ø max 3,85"


Bulb not included
Lampadina non incusa
Dimmer switch on the cord
Interuttore con dimmer sul cavo

CE	IP20	Energy Saving	Dim Triac	EAR	
----	------	---------------	-----------	-----	--

						VAT excluded IVA esclusa	
Light source Sorgente luminosa			Bulb dimension Dimensione lampadina		Pack Colli	Code Codice	CHF
E14 LED T18 5 W 	2700 K 500 lm	CRI 90 MacAdam 3-Step	Ø 6,1 cm Ø 2,40"	W/L 1,8 cm W/L 0,70"	1	LAM-0017	30,00
E27 LED T28 10 W 	2700 K 1000 lm	CRI 90 MacAdam 3-Step	Ø 11,3 cm Ø 4,44"	W/L 2,8 cm W/L 1,10"	1	LAM-0014	37,00
E27 LED T35 13 W 	2700 K 1500 lm	CRI 90 MacAdam 3-Step	Ø 15 cm Ø 5,90"	W/L 3,5 cm W/L 1,37"	1	LAM-0015	50,00
E27 LED T35 21 W 	2700 K 2010 lm	CRI 90 MacAdam 3-Step	Ø 15 cm Ø 5,90"	W/L 3,5 cm W/L 1,37"	1	LAM-0016	59,00

CATEGORY WALL LAMP

Puzzle Outdoor single square



Net weight 1,34 kg
Peso netto 2,95 lbs
Pack Colli 1

DESIGN Studio Italia Design, 2019

VAT excluded
IVA esclusa

Metal structure Montatura in metallo	Code Codice	CHF
● Matte White – 9016 Bianco Opaco – 9016	14693 1030	319,00
● Anthracite Black Nero Antracite	14693 4430	319,00

Light source
Sorgente luminosa

AC LED
3000 K
16 W
1700 lm
220–240 V
CRI 92
MacAdam 3-Step


LED included
LED incluso

● P. 082

CE IP65 Energy Saving Dim Triac ENEC DALI CONTROLLABLE

CATEGORY WALL LAMP

Puzzle Outdoor double square



Net weight 2,27 kg
Peso netto 5,00 lbs
Pack Colli 1

DESIGN Studio Italia Design, 2019

VAT excluded
IVA esclusa

Metal structure Montatura in metallo	Code Codice	CHF
● Matte White – 9016 Bianco Opaco – 9016	14692 1030	501,00
● Anthracite Black Nero Antracite	14692 4430	501,00

Light source
Sorgente luminosa

AC LED
3000 K
32 W
3400 lm
220–240 V
CRI 92
MacAdam 3-Step


LED included
LED incluso

● P. 082

CE IP65 Energy Saving Dim Triac ENEC DALI CONTROLLABLE

CATEGORY WALL LAMP

Puzzle Outdoor square & rectangle



Net weight 3,24 kg
Peso netto 7,14 lbs
Pack Colli 1

DESIGN Studio Italia Design, 2019

VAT excluded
IVA esclusa

Metal structure Montatura in metallo	Code Codice	CHF
● Matte White – 9016 Bianco Opaco – 9016	14694 1030	572,00
● Anthracite Black Nero Antracite	14694 4430	572,00

Light source
Sorgente luminosa

AC LED
3000 K
32 W
3400 lm
220–240 V
CRI 92
MacAdam 3-Step


LED included
LED incluso

● P. 082

CE IP65 Energy Saving Dim Triac ENEC DALI CONTROLLABLE

► LED sources with direct power supply to the AC line voltage – driver not required. Dimmable with phase cut dimmer. ► LED con alimentazione diretta a tensione di rete – non necessita di driver. Dimmerabile con varialuce a taglio di fase.

Puzzle Outdoor round single



Net weight 0,72 kg
Peso netto 1,59 lbs

Pack 1
Colli 1

Metal structure
Montatura in metallo

● Matte White – 9016
Bianco Opaco – 9016

● Anthracite Black
Nero Antracite

Code
Codice

15991 1030

CHF


15991 4430

364,00


Light source
Sorgente luminosa

AC LED
3000 K
16 W
1700 lm
220-240 V
CRI 92
MacAdam 3-Step


LED included
LED incluso



● P. 082

Adjustable light
Luce orientabile

Puzzle Outdoor round double



Net weight 1,30 kg
Peso netto 2,86 lbs

Pack 1
Colli 1

Metal structure
Montatura in metallo

● Matte White – 9016
Bianco Opaco – 9016

● Anthracite Black
Nero Antracite

Code
Codice

15992 1030

CHF


15992 4430

637,00


Light source
Sorgente luminosa

AC LED
3000 K
32 W
3400 lm
220-240 V
CRI 92
MacAdam 3-Step

LED included
LED incluso



● P. 082


Adjustable light
Luce orientabile

► LED sources with direct power supply to the AC line voltage – driver not required.
Dimmable with phase cut dimmer.

► LED con alimentazione diretta a tensione di rete – non necessita di driver.
Dimmerabile con varialuce a taglio di fase.

Accessories

Swag Kit for Radial Canopy

Net weight
Peso netto 0,02 kg
0,04 lbsPack
Colli 1Description
Descrizione

Wall and ceiling anchor for
Radial System power cable
/Max Ø 7 mm – 0,27"
/Max capacity 5 kg – 11,02 lbs

Cilindro di decentramento
per Sistema Radiale cavo
elettrico /Max Ø 7 mm – 0,27"
/Portata max 5 kg – 11,02 lbs

Polycarbonate structure
Struttura in policarbonato

Clear
Trasparente

System
Sistema

Radial

Code
Codice


999A4 00

CHF

28,00



Back Plate Puzzle

Net weight
Peso netto 0,07 kg
1,54 lbsPack
Colli 1Description
Descrizione

Optional backplate for
Puzzle Wall and Ceiling

Piastra a muro opzionale per
Puzzle Parete e Soffitto

Metal structure
Montatura in metallo

Matte White – 9010
Bianco Opaco – 9010

System
Sistema

Puzzle Series

Code
Codice

14644 00

CHF

46,00



Kit 4 Lights Line

Net weight
Peso netto 0,37 kg
0,81 lbsPack
Colli 1Description
Descrizione

Extra Kit for decentralizing
suspension with single
powet cable

Kit extra per decentrare
sospensioni con cavo
elettrico portante

Metal structure
Montatura in metallo

Matte White – 9016
Bianco Opaco – 9016

Matte Black – 9005
Nero Opaco – 9005

System
Sistema

Line voltage
cluster
suspension
lamps

Code
Codice

999A00 1000

999A00 2000

CHF

98,00

98,00



Kit Steel

Net weight
Peso netto 0,05 kg
0,11 lbsPack
Colli 1Description
Descrizione

Extra Kit for decentralizing
suspension with steel cable

Kit extra per decentrare
sospensioni con funi d'acciaio

Metal structure
Montatura in metallo

Chrome
Cromo

System
Sistema

Kelly Series

Code
Codice



999A01 4000

CHF

123,00




Ecodesign Regulation


1 	La source lumineuse, exclusivement à LED et contenue dans cet appareil, doit être remplacée uniquement par le fabricant ou par son service après-vente ou encore par un personnel tout aussi qualifié. ● FR	2 	Le driver à LED contenu dans cet appareil doit être remplacé uniquement par le fabricant ou par son service après-vente ou encore par un personnel tout aussi qualifié. ● FR
	Das in diesem Geräte enthaltene Leuchtmittel, ausschließlich LED, darf nur vom Hersteller oder dessen Kundendienst oder vergleichbar qualifiziertes Personal ersetzt werden. ● DE		Der in diesem Gerät enthaltene LED-Treiber darf nur vom Hersteller oder dessen Kundendienst oder vergleichbar qualifiziertes Personal ersetzt werden. ● DE
	La fuente luminosa exclusivamente LED de este aparato la debe sustituir solamente el fabricante, el Servicio de Asistencia o personal igualmente cualificado. ● ES		El controlador led de este aparato lo debe sustituir solamente el fabricante, el Servicio de Asistencia o personal igualmente cualificado. ● ES
The LED-only light source contained in this fixture must only be replaced by the manufacturer, its support service or similarly qualified personnel. ● EN	Источник света, являющийся только светодиодом, который находится внутри этого светильника, должен заменяться только производителем или его службой поддержки или квалифицированным персоналом. ● RU	The LED driver contained in this fixture must only be replaced by the manufacturer, its support service or similarly qualified personnel. ● EN	Привод светодиода, находящийся внутри этого светильника, должен заменяться только производителем или его службой поддержки или квалифицированным персоналом. ● RU
La sorgente luminosa, esclusivamente LED, contenuta in questo apparecchio deve essere sostituita solo dal costruttore o dal suo servizio di assistenza o da personale altrettanto qualificato. ● IT	本照明设备中包含的全LED光源仅可由制造商、其协助服务部门或具备同等资质的合格人员进行更换。● ZH	Il driver LED contenuto in questo apparecchio deve essere sostituito solo dal costruttore o dal suo servizio di assistenza o da personale altrettanto qualificato. ● IT	本照明设备中包含的led驱动器仅可由制造商、其协助服务部门或具备同等资质的合格人员进行更换。● ZH

PAGE	PRODUCT NAME	CATEGORY	KELVIN	ENERGY CLASS	ECODESIGN	
P. 020, 021	A-Tube Nano	Cluster suspension lamp	2700 K 3000 K	D	1	2
P. 022	A-Tube Nano Duo	Cluster suspension lamp	2700 K	D	1	2
P. 048	Aile	Wall lamp	2700 K 3000 K	E	1	
P. 071	Blow	Table lamp	2700 K	C	1	2
P. 049, 050	Bugia	Ceiling lamp	2700 K 3000 K	F	1	
P. 023, 071	Cono di Luce	Cluster suspension lamp, Table lamp	2700 K	B	1	2
P. 068	Croma	Floor lamp	FROM 2700 K TO 3200 K	E	1	2
P. 072	Easy Peasy	Cordless table lamp	FROM 2200 K TO 2700 K	D	1	
P. 004	Elara	Suspension lamp	2700 K	D + E	1	2
P. 004	Elara	Suspension lamp	3000 K	D + F	1	2
P. 070	Hover	Floor lamp, Table lamp	2700 K	C	1	
P. 005, 024	IVY	Cluster suspension lamp, Suspension lamp, Central cluster suspension lamp	2700 K	D	1	2
P. 005, 024	IVY	Cluster suspension lamp, Suspension lamp, Central cluster suspension lamp	3000 K	C	1	2
P. 025	Jefferson	Cluster suspension lamp	2700 K	D	1	2
P. 051	Kelly	Wall lamp	2700 K	E	1	
P. 027	Kelly Cluster	Cluster suspension lamp	2700 K	C	1	2
P. 052	Laser	Wall lamp	2700 K 3000 K	E	1	
P. 053	Nautilus	Wall lamp	2700 K 3000 K	F	1	
P. 053	Nautilus Dim-to-Warm	Wall lamp	FROM 2200 K TO 2700 K	E	1	2
P. 054	Nautilus Mini	Wall lamp	2700 K 3000 K	G	1	
P. 054	Nautilus	Ceiling lamp	2700 K 3000 K	F	1	
P. 055	Nautilus Spot	Ceiling lamp	2700 K 3000 K	F	1	
P. 028	Nostalgia	Cluster suspension lamp	2700 K	C	1	2
P. 056	Pin-Up	Wall lamp, Ceiling lamp	2700 K 3000 K	E	1	
P. 057	Puzzle	Wall lamp, Ceiling lamp	2700 K 3000 K	E	1	
P. 058, 059	Puzzle Mega	Wall lamp, Ceiling lamp	2700 K 3000 K	E	1	
P. 061	Puzzle Round	Wall lamp, Ceiling lamp	2700 K 3000 K	E	1	
P. 030	Rain	Cluster suspension lamp	2700 K 3000 K	C	1	2
P. 031	Random	Cluster suspension lamp	2700 K 3000 K	D	1	2
P. 008-011	Random Cloud	Suspension lamp	2700 K 3000 K	D	1	2
P. 032-034	Random Solo	Cluster suspension lamp	2700 K 3000 K	D	1	2
P. 014	Sky-Fall	Suspension lamp	2700 K 3000 K	E	1	2
P. 015	Sky-Fall Round	Suspension lamp	2700 K 3000 K	E	1	2
P. 035	Spider	Cluster suspension lamp	2700 K 3000 K	C	1	2
P. 062	Spider	Ceiling lamp	2700 K 3000 K	F	1	
P. 063	Tidal	Ceiling lamp	2700 K 3000 K	B	1	2

DALI/PUSH to TRIAC Signal Converter

CATEGORY ACCESSORY		VAT excluded IVA esclusa			
		Description Descrizione	DALI Consumption Consumo DALI	Sizes (L×W×H) Dimensioni (L×W×H)	Code Codice
		Input Voltage 100–240 VAC	2 mA max	45,5 × 45 × 20,3 mm	999A02 00
		Output Voltage 100–240 VAC			
		Output Current 1,8 A max			CHF
					156,00
PAGE	PRODUCT NAME	CATEGORY	MAX CONNECTABLE PRODUCTS TO ONE CONVERTER		
P. 048	Aile	Wall lamp	12		
P. 020	A–Tube Nano	Cluster suspension lamp	25		
P. 022	A–Tube Nano Duo	Cluster suspension lamp	25		
P. 049	Bugia Single	Ceiling lamp	13		
P. 049	Bugia Double	Ceiling lamp	6		
P. 050	Bugia Triple	Ceiling lamp	4		
P. 050	Bugia Mega	Ceiling lamp	4		
P. 023, 071	Cono di Luce	Cluster suspension lamp, Table lamp	20		
P. 001	Elara	Suspension lamp	6		
P. 024	IVY	Cluster suspension lamp, Central cluster suspension lamp, Suspension lamp	25		
P. 025	Jefferson	Cluster suspension lamp	25		
P. 027	Kelly Cluster	Cluster suspension lamp	20		
P. 051	Kelly	Wall lamp	12		
P. 052	Laser	Wall lamp	12		
P. 053	Nautilus	Wall lamp	6		
P. 054	Nautilus Mini	Wall lamp	20		
P. 054	Nautilus	Ceiling lamp	16		
P. 055	Nautilus Spot	Ceiling lamp	20		
P. 028	Nostalgia	Cluster suspension lamp	20		
P. 056	Pin–Up	Wall lamp, Ceiling lamp	25		
P. 057	Puzzle single	Wall lamp, Ceiling lamp	12		
P. 057	Puzzle double	Wall lamp, Ceiling lamp	6		
P. 057	Puzzle square & rectangle	Wall lamp, Ceiling lamp	6		
P. 058, 059	Puzzle Mega large	Wall lamp, Ceiling lamp	3		
P. 058, 059	Puzzle Mega small	Wall lamp, Ceiling lamp	4		
P. 030	Rain	Cluster suspension lamp	20		
P. 031	Random	Cluster suspension lamp	25		
P. 008–011	Random Cloud	Suspension lamp	1		
P. 032, 033	Random Solo 10, 12, 14, 18	Cluster suspension lamp	25		
P. 034	Random Solo 23, 28	Cluster suspension lamp	25		
P. 014–016	Sky–Fall	Suspension lamp	12		
P. 035	Spider	Cluster suspension lamp	20		
P. 062	Spider	Ceiling lamp	20		
P. 063	Tidal	Ceiling lamp	7		
P. 047	A–Tube	Suspension lamp			
P. 026	JIM	Cluster suspension lamp, Suspension lamp			
P. 012	Kelly dome	Suspension lamp			
P. 013	Kelly sphere	Suspension lamp			
P. 017, 036, 065, 073	Volum	Cluster suspension lamp, Suspension lamp, Wall lamp, Ceiling lamp, Table lamp			
			The wattage of retrofit LED bulbs must not exceed 200W. Make sure to install only dimmable bulbs.		
			La potenza delle lampadine LED retrofit non deve superare i 200W. Assicurarsi di montare solo lampadine dimmerabili.		

DALI + Push AC Phase Cut Dimmer



Load Symbol	Load Type	Maximum Load	Remarks
	Dimmable LED lamps	200W @ 230V 100W @ 120V	Due to variety of LED lamp designs, maximum number of LED lamps is further dependent on power factor result when connected to dimmer. A causa della varietà di modelli di lampade a LED, il numero massimo di lampade a LED dipende anche dal fattore di potenza ottenuto quando questi sono collegati al dimmer.
	Dimmable LED drivers	200W @ 230V 100W @ 120V	Maximum permitted number of drivers is 200W divided by driver nameplate power rating. Il numero massimo consentito di driver è 200W diviso per la potenza nominale del driver.

Attention: the performance of the dimmer is affected by possible interferences in the power supply network or by the presence of home automation systems. Always connect loads of the same type.

Attenzione: il funzionamento del dimmer è condizionato da eventuali disturbi presenti nella rete di alimentazione o dalla presenza di sistemi di domotica. Collegare sempre carichi dello stessa tipologia.

Extended dimming solutions for low-voltage products with remote driver (NOT INCLUDED)

Soluzioni di dimmerazione estese per prodotti a bassa tensione con driver remoto (NON INCLUSO)

PRODUCT NAME	DRIVER VF (V)	DRIVER OPERATIONAL (mA)	LED POWER (W)	SUGGESTED DRIVER		MAX PRODUCTS SERIES WIRING	DRIVER POSITION	TYPE OF DIMMING
Rain								
Nostalgia	20	350 max	6,9	TCI	mod. ATON 30/250-700 DALI	2	Remote	DALI-PUSH
Spider – Cluster suspension lamp				Meanwell	mod. LCM-40DA	4		DALI-PUSH
Kelly Cluster				Meanwell	mod. LCM-40BLE	4		CASAMBI-PUSH
Random Solo 12								
Random Solo 14	3	350 max	1	TCI	mod. ATON 30/250-700 DALI	18	Remote	DALI-PUSH
Random Solo 18				Meanwell	mod. LCM-40DA	32		DALI-PUSH
A-Tube Nano Duo								CASAMBI-PUSH
	6	350 max	2	TCI	mod. ATON 30/250-700 DALI	9	Remote	DALI-PUSH
				Meanwell	mod. LCM-40DA	16		DALI-PUSH
				Meanwell	mod. LCM-40BLE	16		CASAMBI-PUSH
A-Tube Nano								
IVY								
Jefferson	9	350 max	3	TCI	mod. ATON 30/250-700 DALI	6	Remote	DALI-PUSH
Random Solo 23				Meanwell	mod. LCM-40DA	10		DALI-PUSH
Random Solo 28				Meanwell	mod. LCM-40BLE	10		CASAMBI-PUSH
Random								
	9	350 max	3	TCI	mod. ATON 30/250-700 DALI	6	Remote	DALI-PUSH
				Meanwell	mod. LCM-40DA	10		DALI-PUSH
				Meanwell	mod. LCM-40BLE	10		CASAMBI-PUSH
Elara								
	26,8	1050 max	28,1	KGP	mod. CC44W700-1050 DALI	1	Canopy	DALI-PUSH
				TCI	mod. Professionale DALI 38 127490	1		DALI-PUSH
Tidal								
	46,8	700 max	34	Meanwell	mod. Professionale DALI 38 127490	1	Built-in	DALI-PUSH
				ERP	mod. DAL50W-0850-56-T	1		DALI

► The suggested drivers are compatible with our lamps but not included. Lodes does not assume any responsibility/guarantee for their installation.

► I driver proposti sono compatibili con le nostre lampade ma non inclusi nelle certificazioni. Lodes non si assume nessuna responsabilità/garanzia sulla loro installazione.

Light sources power

Potenza fonti luminose

PAGE	PRODUCT NAME	CATEGORY	TOTAL POWER DRAW	LED QUANTITY & POWER	LED TOTAL POWER
P. 020, 021	A-Tube Nano	Cluster suspension lamp	5 w	1 × 3 w	3 w
P. 022	A-Tube Nano Duo	Cluster suspension lamp	4 w	2 × 1 w	2 w
P. 048	Aile	Wall lamp	16 w	2 × 8 w	16 w
P. 071	Blow	Table lamp	4,5 w	1 × 4,5 w	4,5 w
P. 049	Bugia Single	Ceiling lamp	15 w	1 × 15 w	15 w
P. 049	Bugia Double	Ceiling lamp	30 w	2 × 15 w	30 w
P. 050	Bugia Triple	Ceiling lamp	45 w	3 × 15 w	45 w
P. 050	Bugia Mega	Ceiling lamp	45 w	3 × 15 w	45 w
P. 023	Cono di Luce	Cluster suspension lamp	10 w	1 × 7 w	7 w
P. 071	Cono di Luce	Table lamp	7,5 w	1 × 7,5 w	7,5 w
P. 068	Croma	Floor lamp	42 w	1 × 42 w	42 w
P. 072	Easy Peasy	Cordless table lamp	5 w	1 × 5 w	5 w
P. 004	Elara	Suspension lamp	32 w	18 w + 9 w	27 w
P. 070	Hover	Floor lamp, Table lamp	6,5 w	1 × 6,5 w	6,5 w
P. 005, 024	IVY	Cluster suspension lamp, Suspension lamp, Central cluster suspension lamp	5 w	1 × 3 w	3 w
P. 025	Jefferson	Cluster suspension lamp	5 w	1 × 3 w	3 w
P. 007, 026	JIM	Cluster suspension lamp, Suspension lamp	25 w		
P. 027	Kelly Cluster	Cluster suspension lamp	11 w	1 × 7 w	7 w
P. 051	Kelly	Wall lamp	16 w	1 × 16 w	16 w
P. 052	Laser	Wall lamp, Ceiling lamp	16 w	1 × 16 w	16 w
P. 053	Nautilus	Wall lamp	24 w	2 × 12 w	24 w
P. 054	Nautilus Mini	Wall lamp	12 w	1 × 12 w	12 w
P. 054	Nautilus	Ceiling lamp	12 w	1 × 12 w	12 w
P. 055	Nautilus Spot	Ceiling lamp	10 w	1 × 10 w	10 w
P. 028	Nostalgia	Cluster suspension lamp	11 w	1 × 7 w	7 w
P. 056	Pin-Up	Wall lamp, Ceiling lamp	8 w	1 × 8 w	8 w
P. 057	Puzzle single square	Wall lamp, Ceiling lamp	16 w	1 × 16 w	16 w
P. 057	Puzzle double square	Wall lamp, Ceiling lamp	32 w	2 × 16 w	32 w
P. 057	Puzzle square & rectangle	Wall lamp, Ceiling lamp	32 w	2 × 16 w	32 w
P. 061	Puzzle Round single	Wall lamp, Ceiling lamp	16 w	1 × 16 w	16 w
P. 061	Puzzle Round double	Wall lamp, Ceiling lamp	32 w	2 × 16 w	32 w
P. 058	Puzzle Mega round small	Wall lamp, Ceiling lamp	48 w	3 × 16 w	48 w
P. 058	Puzzle Mega round large	Wall lamp, Ceiling lamp	64 w	4 × 16 w	64 w
P. 059	Puzzle Mega square small	Wall lamp, Ceiling lamp	48 w	3 × 16 w	48 w
P. 059	Puzzle Mega square large	Wall lamp, Ceiling lamp	64 w	4 × 16 w	64 w
P. 076	Puzzle Outdoor single square	Wall lamp	16 w	1 × 16 w	16 w
P. 076	Puzzle Outdoor double square	Wall lamp	32 w	2 × 16 w	32 w
P. 076	Puzzle Outdoor square & rectangle	Wall lamp	32 w	2 × 16 w	32 w
P. 077	Puzzle Outdoor round single	Wall lamp	16 w	1 × 16 w	16 w
P. 077	Puzzle Outdoor round double	Wall lamp	32 w	2 × 16 w	32 w
P. 030	Rain	Cluster suspension lamp	11 w	1 × 7 w	7 w
P. 031	Random	Cluster suspension lamp	5 w	3 × 1 w	3 w
P. 008	Random Cloud 7 Lights	Suspension lamp	35 w	7 × 3 w	21 w
P. 009	Random Cloud 14 Lights	Suspension lamp	70 w	14 × 3 w	42 w
P. 010	Random Cloud 19 Lights	Suspension lamp	95 w	19 × 3 w	57 w
P. 011	Random Cloud 23 Lights	Suspension lamp	115 w	23 × 3 w	69 w
P. 032, 033	Random Solo 10, 12, 14, 18	Cluster suspension lamp	3 w	1 × 1 w	1 w
P. 034	Random Solo 23, 28	Cluster suspension lamp	5 w	1 × 3 w	3 w
P. 014, 015	Sky-Fall, Sky-Fall Round	Suspension lamp	20 w	2 × 8,5 w	17 w
P. 035	Spider	Cluster suspension lamp	11 w	1 × 11 w	11 w
P. 062	Spider	Ceiling lamp	10 w	1 × 10 w	10 w
P. 063	Tidal	Ceiling lamp	38 w	25 w + 9 w	34 w
P. 063	Tidal	Ceiling lamp	29 w	19 w + 7 w	26 w
P. 063	Tidal	Ceiling lamp	27 w	18 w + 6 w	24 w
P. 063	Tidal	Ceiling lamp	23 w	15 w + 5,5 w	20,5 w

arte
diffu
sione

arte diffusione gmbh
Sternenstrasse 22
CH-9230 Flawil
Tel 0041 (0)71 952 78 78
info@artediffusione.ch
www.artediffusione.ch

lodes.com