




HiLook

Great Performance, Best Deals

HiLook

Looking for high performance at a great price? Look at HiLook

HiLook is aimed at providing cost-effective, user-friendly, and reliable performance products for small to medium-sized projects. With a range of network cameras, backend products, video intercoms, and transmission options. You can now manage your HiLook devices with HiLookVision, the video management software, both on PC and on mobile. HiLook offers a wide range of solutions for various needs, which have high performance at a reasonable price.



CONTENTS

Video Security

- 09 Video Security – IP**
 - 10 Value Series
 - 20 Pro Series
 - 20 PT Series
 - 20 PTZ Series
 - 21 Network Video Recorders
 - Value Series NVR
 - 22 Network Video Recorders
 - Value eNVR
 - 23 Network Video Recorders
 - Value Wi-Fi NVR

- 23 Video Security – Kit**

- 24 Video Security – Turbo HD**
 - 25 Eco Series
 - 25 Value Series
 - 31 PTZ Series
 - 32 Backend Products – DVR
 - 33 Backend Products – eDVR
 - 34 Kit

- 35 Video Security – Cable Free**
 - 37 Wi-Fi
 - 37 4G

Video Intercom

- 41 IP Kit
- 41 Hybrid Kit
- 41 4-Wire Kit

Switch

- 44 Switch Highlights**
- 45 Switch

Monitor and Cables

- 49 Monitor
- 49 Cables






Video Security

Video Security – Highlights

ColorVu

The ColorVu technology ensures 24/7 colorful imaging even in dim light conditions, providing a safer night environment, and available at affordable prices.




Smart Hybrid Light

HiLook Smart Hybrid Light Cameras offer three supplemental lighting modes: IR, white light, and smart mode. In smart mode, the camera maintains infrared light until the event triggers color imaging.




Motion Detection 2.0

Motion Detection 2.0 enhances detection capabilities with target classification. HiLook products can quickly recognize key objects of persons and vehicles, improving efficiency.



Auto Tracking Lite


Auto Tracking Lite enables the HiLook PT cameras to pan and tilt so that targets are always in the field of view. Stay in frame, stay in focus.



Video Security – Highlights

PT

Easy remote adjustment of any angle via HiLook Vision.



Two-way Audio

Two-way audio enables real-time communication, breaking the limits.




Live Guard

Proactive protection with real-time visual and audible warnings.



3K Resolution


Ultimate 3K (16:9): Ultimate visual experience without distortion.



Video Security – EUI


Easy and Efficient User Interface

Simple and concise design with only four necessary models on the dashboard header, making it easier for users.



New Startup Wizard

Unlock the new startup wizard for HiLook NVRs and DVRs. It only takes five steps to complete: Select language – Set password – Auto configuration – HiLookVision settings – Password recovery method setting, and activation complete!



Video Security – EUI

Retrieve & Reset Password in Seconds

Users can reset their HiLook NVR or DVR password using three methods:

1. Using the HiLookVision app

01

Choose "Verify with HiLookVision"



02

Scan the QR code on the GUI and get a verification code



03

Key in the verification code and reset password




Tips: The HiLookVision account needs to be bound with devices in advance, so we highly recommend binding the device to your HiLookVision app account during activation.

2. Using Email

01

Choose "Verify by Email"



02

Read and accept "Privacy Policy"




03

Key in the verification code and reset password



3. Using password hints


01



02



03





Video Security IP

HiLook IP camera is where innovation meets practicality. With ColorVu technology, you can see vivid colors even in low-light environment. The Smart Hybrid Light features three supplemental lighting modes, providing flexible lighting options. Combined with Motion Detection 2.0 for person and vehicle classification, as well as Two-way Audio for crystal-clear sound effect. The HiLook IP camera offers a comprehensive solution for video security.

Wi-Fi models feature flexible, nearly-effortless installation and quick connection for instant view. With no difficult IP setup and only one cable for power and data, the PoE feature connects cameras and NVRs quickly and easily. The NVRs ensure a smooth live view and fluid playback through reliable video recording and management. HiLook is expertly designed for small business security.



IPC-B129HA-LUF/SL

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- Water and dust resistant (IP67)



IPC-B129HA-LUF/SRB

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- Water and dust resistant (IP67)



IPC-T229HA-LUF/SL

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- Water and dust resistant (IP67)



IPC-T229HA-LUF/SRB

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- Water and dust resistant (IP67)



IPC-B429HA-LUF/SL

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- Water and dust resistant (IP67)



IPC-B429HA-LUF/SRB

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- Water and dust resistant (IP67)



IPC-B429HA-LU

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Built-in microphone for real-time audio security
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)



IPC-B149HA-LU

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67)



IPC-B169HA-LU

- High quality imaging with 6 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67)



IPC-B469HA-LU

- High quality imaging with 6 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67)



IPC-B129HA-LU

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67)



IPC-T229HA-LU

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Built-in microphone for real-time audio security
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)



IPC-B449HA-LU

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67)



IPC-D129HA-LU

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Built-in microphone for real-time audio security
- Efficient H.265+ compression technology
- Water and dust resistant (IP67) and vandal resistant (IK08)



IPC-D149HA-LU

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67) and vandal resistant (IK08)



IPC-T249HA-LU

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-D169HA-LU

- High quality imaging with 6 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Built-in microphone for real-time audio security
- Efficient H.265+ compression technology
- Water and dust resistant (IP67) and vandal resistant (IK08)



IPC-T221H-L

- High quality imaging with 2 MP resolution
- Efficient H.265+ compression technology
- Clear imaging against strong back light due to digital WDR technology
- 24/7 colorful imaging
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67)



IPC-B121H-L

- High quality imaging with 2 MP resolution
- Efficient H.265+ compression technology
- Clear imaging against strong back light due to digital WDR technology
- 24/7 colorful imaging
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67)



IPC-T220HA-LUFC/SL

- High quality imaging with 2 MP resolution
- Support Person Detection
- Efficient H.265+ compression technology
- Smart Hybrid Light: advanced technology with long range coverage
- Provide real-time security via built-in two-way audio
- Water and dust resistant (IP67)



IPC-B120HA-LUFC/SL

- High quality imaging with 2 MP resolution
- Support Person Detection
- Efficient H.265+ compression technology
- Provide real-time security via built-in two-way audio
- Smart Hybrid Light: advanced technology with long range coverage
- Water and dust resistant (IP67)



IPC-B140HA-LUFC/SL

- High quality imaging with 4 MP resolution
- Support Person Detection
- Efficient H.265+ compression technology
- Provide real-time security via built-in two-way audio
- Smart Hybrid Light: advanced technology with long range coverage
- Support on-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



IPC-T240HA-LUFC/SL

- High quality imaging with 4 MP resolution
- Support Person Detection
- Efficient H.265+ compression technology
- Smart Hybrid Light: advanced technology with long range coverage
- Provide real-time security via built-in two-way audio
- Support on-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



IPC-T280HA-LUFC/SL

- High quality imaging with 8 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- Water and dust resistant (IP67)



IPC-T260HA-LUF/SL

- High quality imaging with 6 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- Water and dust resistant (IP67)



IPC-T220HA-LUF/SL

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- Water and dust resistant (IP67)



IPC-T240HA-LUF/SL

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- Water and dust resistant (IP67)



IPC-B460HA-LUF/SL

- High quality imaging with 6 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- Water and dust resistant (IP67)



IPC-B480HA-LUF/SL

- High quality imaging with 8 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- Water and dust resistant (IP67)



IPC-B160HA-LUF/SL

- High quality imaging with 6 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- Water and dust resistant (IP67)



IPC-B180HA-LUF/SL

- High quality imaging with 8 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- Water and dust resistant (IP67)



IPC-B420HA-LUF/SL

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- Water and dust resistant (IP67)



IPC-B120HA-LUF/SL

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- Water and dust resistant (IP67)



IPC-B140HA-LUF/SL

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- Water and dust resistant (IP67)



IPC-B440HA-LUF/SL

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- Water and dust resistant (IP67)



IPC-B620HA-LZU/SL

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Clear imaging even with strong back lighting due to DWDR technology
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Water and dust resistant (IP67)



IPC-B660HA-LZU/SL

- High quality imaging with 6 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Clear imaging even with strong back lighting due to 120 dB WDR technology
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Water and dust resistant (IP67)



IPC-B640HA-LZU/SL

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Clear imaging even with strong back lighting due to 120 dB WDR technology
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Provide real-time security via built-in two-way audio
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Water and dust resistant (IP67)



IPC-B169HA

- High quality imaging with 6 MP resolution
- 24/7 colorful imaging
- Support Persons and Vehicles Detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-T269HA

- High quality imaging with 6 MP resolution
- 24/7 colorful imaging
- Support Persons and Vehicles Detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-B469HA

- High quality imaging with 6 MP resolution
- 24/7 colorful imaging
- Support Persons and Vehicles Detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-D169HA

- High quality imaging with 6 MP resolution
- 24/7 colorful imaging
- Support Persons and Vehicles Detection
- Water and dust resistant (IP67) and vandal resistant (IK08)
- Efficient H.265+ compression technology



IPC-B429HA

- High quality imaging with 2 MP resolution
- 24/7 colorful imaging
- Support Persons and Vehicles Detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-T229HA

- High quality imaging with 2 MP resolution
- 24/7 colorful imaging
- Support Persons and Vehicles Detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-D129HA

- High quality imaging with 2 MP resolution
- 24/7 colorful imaging
- Support Persons and Vehicles Detection
- Water and dust resistant (IP67) and vandal resistant (IK08)
- Efficient H.265+ compression technology



IPC-B129HA

- High quality imaging with 2 MP resolution
- 24/7 colorful imaging
- Support Persons and Vehicles Detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-D149HA

- High quality imaging with 4 MP resolution
- 24/7 colorful imaging
- Support Persons and Vehicles Detection
- Water and dust resistant (IP67) and vandal resistant (IK08)
- Efficient H.265+ compression technology



IPC-B149HA

- High quality imaging with 4 MP resolution
- 24/7 colorful imaging
- Support Persons and Vehicles Detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-T249HA

- High quality imaging with 4 MP resolution
- 24/7 colorful imaging
- Support Persons and Vehicles Detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-B449HA

- High quality imaging with 4 MP resolution
- 24/7 colorful imaging
- Support Persons and Vehicles Detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-D140HA-LUC

- High quality imaging with 4 MP resolution
- Support Person Detection
- Efficient H.265+ compression technology
- Smart Hybrid Light: advanced technology with long range coverage
- Built-in microphone for real-time audio security
- -F model supports on-board storage up to 512 GB (SD card slot)



IPC-D140HA-LUFC

- High quality imaging with 4 MP resolution
- Support Person Detection
- Efficient H.265+ compression technology
- Smart Hybrid Light: advanced technology with long range coverage
- Built-in microphone for real-time audio security
- -F model supports on-board storage up to 512 GB (SD card slot)



IPC-D120HA-LUFC

- High quality imaging with 2 MP resolution
- Support Person Detection
- Efficient H.265+ compression technology
- Smart Hybrid Light: advanced technology with long range coverage
- Built-in microphone for real-time audio security
- -F model supports on-board storage up to 512 GB (SD card slot)




IPC-B140HA-LUC

- High quality imaging with 4 MP resolution
- Support Person Detection
- Efficient H.265+ compression technology
- Smart Hybrid Light: advanced technology with long range coverage
- Built-in microphone for real-time audio security
- -F model supports on-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



IPC-B140HA-LUFC

- High quality imaging with 4 MP resolution
- Support Person Detection
- Efficient H.265+ compression technology
- Smart Hybrid Light: advanced technology with long range coverage
- Built-in microphone for real-time audio security
- -F model supports on-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



IPC-B120HA-LUC

- High quality imaging with 2 MP resolution
- Support Person Detection
- Efficient H.265+ compression technology
- Smart Hybrid Light: advanced technology with long range coverage
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67)



IPC-T220HA-LUC

- High quality imaging with 2 MP resolution
- Support Person Detection
- Efficient H.265+ compression technology
- Smart Hybrid Light: advanced technology with long range coverage
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67)



IPC-T220HA-LUFC

- High quality imaging with 2 MP resolution
- Support Person Detection
- Efficient H.265+ compression technology
- Smart Hybrid Light: advanced technology with long range coverage
- Built-in microphone for real-time audio security
- Support on-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



IPC-B120HA-LUFC

- High quality imaging with 2 MP resolution
- Support Person Detection
- Efficient H.265+ compression technology
- Smart Hybrid Light: advanced technology with long range coverage
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67)



IPC-D120HA-LUC

- High quality imaging with 2 MP resolution
- Support Person Detection
- Efficient H.265+ compression technology
- Smart Hybrid Light: advanced technology with long range coverage
- Built-in microphone for real-time audio security
- -F model supports on-board storage up to 512 GB (SD card slot)



IPC-T240HA-LUFC

- High quality imaging with 4 MP resolution
- Support Person Detection
- Efficient H.265+ compression technology
- Smart Hybrid Light: advanced technology with long range coverage
- Built-in microphone for real-time audio security
- -F model supports on-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



IPC-T240HA-LUC

- High quality imaging with 4 MP resolution
- Support Person Detection
- Efficient H.265+ compression technology
- Smart Hybrid Light: advanced technology with long range coverage
- Built-in microphone for real-time audio security
- -F model supports on-board storage up to 512 GB (SD card slot)
- Water and dust resistant (IP67)



IPC-B620HA-LZU

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Clear imaging against strong back light due to DWDR technology
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Built-in microphone for real-time audio security
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Water and dust resistant (IP67)



IPC-D640HA-LZU

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Clear imaging against strong back light due to 120 dB true WDR technology
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Built-in microphone for real-time audio security
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Water and dust resistant (IP67) and vandal proof (IK08)



IPC-B640HA-LZU

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Clear imaging against strong back light due to 120 dB true WDR technology
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Support on-board storage up to 512 GB (SD card slot)
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)
- Built-in microphone for real-time audio security



IPC-D620HA-LZU

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Clear imaging against strong back light due to DWDR technology
- Efficient H.265+ compression technology
- Support on-board storage up to 512 GB (SD card slot)
- Built-in microphone for real-time audio security
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Water and dust resistant (IP67) and vandal proof (IK08)



IPC-D140HA-LU

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67) and vandal resistant (IK08)
- Efficient H.265+ compression technology



IPC-B140HA-LU

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-D120HA-LU

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67) and vandal resistant (IK08)
- Efficient H.265+ compression technology



IPC-B120HA-LU

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-B440HA-LU

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-T240HA-LU

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-T220HA-LU

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-B420HA-LU

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Smart Hybrid Light: advanced technology with long range
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology



IPC-B141H-C

- High quality imaging with 4 MP resolution
- Easy installation with Power over Ethernet (PoE) technology
- Water and dust resistant (IP67)



IPC-D141H-C

- High quality imaging with 4 MP resolution
- Easy installation with Power over Ethernet (PoE) technology



IPC-T241H-C

- High quality imaging with 4 MP resolution
- Easy installation with Power over Ethernet (PoE) technology
- Water and dust resistant (IP67)



IPC-D121H-C

- High quality imaging with 2 MP resolution
- Easy installation with Power over Ethernet (PoE) technology



IPC-T220HA-UC

- High quality imaging with 2 MP resolution
- Support Person Detection
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67)
- Easy installation with Power over Ethernet (PoE) technology



IPC-B120HA-UC

- High quality imaging with 2 MP resolution
- Support Person Detection
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67)
- Easy installation with Power over Ethernet (PoE) technology



IPC-T221H-C

- High quality imaging with 2 MP resolution
- Water and dust resistant (IP67)
- Easy installation with Power over Ethernet (PoE) technology



IPC-B121H-C

- High quality imaging with 2 MP resolution
- Water and dust resistant (IP67)
- Easy installation with Power over Ethernet (PoE) technology



IPC-B620HA-Z

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Up to 256 GB SD card slot for storage
- Water and dust resistant (IP67)
- EXIR 2.0: advanced infrared technology with long IR range
- Clear imaging even with strong back lighting due to DWDR technology
- Efficient H.265+ compression technology



IPC-B640HA-Z

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Up to 256 GB SD card slot for storage
- Water and dust resistant (IP67)
- EXIR 2.0: advanced infrared technology with long IR range
- Clear imaging even with strong back lighting due to 120 dB WDR technology
- Efficient H.265+ compression technology



IPC-T620HA-Z

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Up to 256 GB memory card slot for storage
- Water and dust resistant (IP67)
- EXIR 2.0: advanced infrared technology with long IR range
- Clear imaging even with strong back lighting due to DWDR technology
- Efficient H.265+ compression technology



IPC-T640HA-Z

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Up to 256 GB SD card slot for storage
- Water and dust resistant (IP67)
- EXIR 2.0: advanced infrared technology with long IR range
- Clear imaging even with strong back lighting due to 120 dB WDR technology
- Efficient H.265+ compression technology



IPC-D620HA-Z

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Up to 256 GB SD card slot for storage
- Water and dust resistant (IP67), vandal proof (IK10)
- EXIR 2.0: advanced infrared technology with long IR range
- Clear imaging even with strong back lighting due to DWDR technology
- Efficient H.265+ compression technology



IPC-D640HA-Z

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring
- Up to 256 GB SD card slot for storage
- Water and dust resistant (IP67) and vandal proof (IK10)
- EXIR 2.0: advanced infrared technology with long IR range
- Clear imaging even with strong back lighting due to 120 dB WDR technology
- Efficient H.265+ compression technology



IPC-B420HA

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology to save bandwidth and storage
- Easy installation with Power over Ethernet (PoE) technology



IPC-T220HA

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology to save bandwidth and storage
- Easy installation with Power over Ethernet (PoE) technology



IPC-B120HA

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology to save bandwidth and storage
- Easy installation with Power over Ethernet (PoE) technology



IPC-D120HA

- High quality imaging with 2 MP resolution
- Support Persons and Vehicles Detection
- Water and dust resistant (IP67) and vandal resistant (IK10)
- Efficient H.265+ compression technology to save bandwidth and storage
- Easy installation with Power over Ethernet (PoE) technology



IPC-B440HA

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- Water and dust resistant (IP67)
- Clear imaging against strong back light due to 120 dB true WDR technology
- Efficient H.265+ compression technology to save bandwidth and storage
- Easy installation with Power over Ethernet (PoE) technology



IPC-D140HA

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- Water and dust resistant (IP67) and vandal resistant (IK10)
- Clear imaging against strong back light due to 120 dB true WDR technology
- Efficient H.265+ compression technology to save bandwidth and storage
- Easy installation with Power over Ethernet (PoE) technology



IPC-T240HA

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- Water and dust resistant (IP67)
- Clear imaging even with strong back lighting due to 120 dB WDR
- Efficient H.265+ compression technology
- EXIR 2.0: advanced infrared technology with long IR range



IPC-B140HA

- High quality imaging with 4 MP resolution
- Support Persons and Vehicles Detection
- Water and dust resistant (IP67)
- Clear imaging even with strong back lighting due to 120 dB WDR
- Efficient H.265+ compression technology
- EXIR 2.0: advanced infrared technology with long IR range



IPC-B420H

- High quality imaging with 2 MP resolution
- Clear imaging against strong back light due to DWDR technology
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)
- Easy installation with Power over Ethernet (PoE) technology
- 3D DNR technology delivers clean and sharp images



IPC-B440H

- High quality imaging with 4 MP resolution
- Clear imaging against strong back light due to 120 dB WDR technology
- Efficient H.265+ compression technology
- Water and dust resistant (IP67)
- Easy installation with Power over Ethernet (PoE) technology
- 3D DNR technology delivers clean and sharp images



IPC-B640H-Z

- High quality imaging with 4 MP resolution
- Efficient H.265+ compression technology to save bandwidth and storage
- Clear imaging against strong back light due to 120 dB true WDR technology
- Water and dust resistant (IP67)
- Motorized varifocal lens for easy installation and monitoring



IPC-D640H-Z

- High quality imaging with 4 MP resolution
- Efficient H.265+ compression technology to save bandwidth and storage
- Clear imaging against strong back light due to 120 dB true WDR technology
- Water and dust resistant (IP67) and vandal proof (IK10)
- Motorized varifocal lens for easy installation and monitoring



IPC-T621H-Z

- High quality imaging with 2 MP resolution
- Efficient H.265+ compression technology to save bandwidth and storage
- Clear imaging against strong back light due to DWDR technology
- Water and dust resistant (IP67)
- Motorized varifocal lens for easy installation and monitoring



IPC-T641H-Z

- High quality imaging with 4 MP resolution
- Efficient H.265+ compression technology to save bandwidth and storage
- Clear imaging against strong back light due to 120 dB true WDR technology
- Water and dust resistant (IP67)
- Motorized varifocal lens for easy installation and monitoring



IPC-D121H

- High quality imaging with 2 MP resolution
- Efficient H.265+ compression technology
- Clear imaging against strong back light due to DWDR technology
- Water and dust resistant (IP67) and vandal proof (IK10)
- Easy installation with power over Ethernet (PoE) technology



IPC-T221H

- High quality imaging with 2 MP resolution
- Efficient H.265+ compression technology
- Clear imaging against strong back light by DWDR technology
- Water and dust resistant (IP67)
- Easy installation with Power over Ethernet (PoE) technology



IPC-B121H

- High quality imaging with 2 MP resolution
- Efficient H.265+ compression technology
- Clear imaging against strong back light due to DWDR technology
- Water and dust resistant (IP67)
- EXIR 2.0: advanced infrared technology with long IR range



IPC-B140H

- High quality imaging with 4 MP resolution
- Efficient H.265+ compression technology to save bandwidth and storage
- Clear imaging against strong back light due to 120 dB true WDR technology
- Water and dust resistant (IP67)
- 3D DNR technology delivers clean and sharp images
- Easy installation with Power over Ethernet (PoE) technology



IPC-T240H

- High quality imaging with 4 MP resolution
- Efficient H.265+ compression technology to save bandwidth and storage
- Clear imaging against strong back light due to 120 dB true WDR technology
- Water and dust resistant (IP67)
- 3D DNR technology delivers clean and sharp images
- Easy installation with Power over Ethernet (PoE) technology



IPC-D140H

- High quality imaging with 4 MP resolution
- Efficient H.265+ compression technology to save bandwidth and storage
- Clear imaging against strong back light due to 120 dB true WDR technology
- Water and dust resistant (IP67) and vandal resistant (IK10)
- 3D DNR technology delivers clean and sharp images
- Easy installation with Power over Ethernet (PoE) technology

Video Security - IP — Pro Series



IPC-B140HAP-LUF/SL

- 4 MP Smart Hybrid Light Motion Detection 2.0 Fixed Bullet Network Camera
- 2.8/4 mm fixed lens
- Color: 0.01 Lux @ (F2.0, AGC ON), B/W: 0 Lux with IR
- WDR
- Smart Hybrid Light with IR and white light, up to 30 m
- IP67
- Full Metal



IPC-T240HAP-LUF/SL

- 4 MP Smart Hybrid Light Motion Detection 2.0 Fixed Turret Network Camera
- 2.8/4 mm fixed lens
- Color: 0.01 Lux @ (F2.0, AGC ON), B/W: 0 Lux with IR
- WDR
- Smart Hybrid Light with IR and white light, up to 30 m
- IP67
- Full Metal



IPC-B160HAP-LUF/SL

- 6 MP Smart Hybrid Light Motion Detection 2.0 Fixed Bullet Network Camera
- 2.8/4 mm fixed lens
- Color: 0.005 Lux @ (F1.6, AGC ON), B/W: 0 Lux with IR
- WDR
- Smart Hybrid Light with IR and white light, up to 30 m
- IP67
- Full Metal



IPC-T260HAP-LUF/SL

- 6 MP Smart Hybrid Light Motion Detection 2.0 Fixed Turret Network Camera
- 2.8/4 mm fixed lens
- Color: 0.005 Lux @ (F1.6, AGC ON), B/W: 0 Lux with IR
- WDR
- Smart Hybrid Light with IR and white light, up to 30 m
- IP67
- Full Metal



IPC-B180HAP-LUF/SL

- 8 MP Smart Hybrid Light Motion Detection 2.0 Fixed Bullet Network Camera
- 2.8/4 mm fixed lens
- Color: 0.01 Lux @ (F2.0, AGC ON), B/W: 0 Lux with IR
- WDR
- Smart Hybrid Light with IR and white light, up to 30 m
- IP67
- Full Metal



IPC-T280HAP-LUF/SL

- 8 MP Smart Hybrid Light Motion Detection 2.0 Fixed Turret Network Camera
- 2.8/4 mm fixed lens
- Color: 0.01 Lux @ (F2.0, AGC ON), B/W: 0 Lux with IR
- WDR
- Smart Hybrid Light with IR and white light, up to 30 m
- IP67
- Full Metal

Video Security - IP — PT Series



PTZ-N2404I-DE3

- 4 MP @ 25/30 fps, 2.8-12 mm lens
- Two-way audio
- Pan: 0° to 355°, tilt: 0° to 90°
- 20 m IR
- Power-over-Ethernet
- IP66, IK10



PTZ-N2C400M-DE

- 4 MP @ 25 fps, 2.8 mm/4 mm lens
- Two-way audio
- Pan: 0° to 345°, tilt: 0° to 80°
- Smart Hybrid Light
- 30 m white light and 30 m IR
- Power-over-Ethernet
- IP66



PTZ-N2C400M-D/W

- 4 MP @ 25 fps, 2.8 mm/4 mm lens
- Two-way audio
- Pan: 0° to 345°, tilt: 0° to 80°
- Smart Hybrid Light
- 30 m white light and 30 m IR
- Wi-Fi connection
- IP66



PTZ-N2D400M-DE/14

- 4 MP+4 MP @ 25 fps, 2.8 mm+6 mm lens
- Two-way audio
- Pan: 0° to 350°, tilt: -5° to 90°
- Smart Hybrid Light
- Static: 30 m white light and 30 m IR; PT: 30 m IR
- Smart Linkage
- Power-over-Ethernet
- IP66

Video Security - IP — PTZ Series



PTZ-N4215-DE3

- 1/2.8" 2 MP CMOS, 15x optical zoom
- 2 MP@25/30 fps
- Pan: 360° endless, tilt: 0° to 90°
- Power-over-Ethernet



PTZ-N4215I-DE

- 1/2.8" 2 MP CMOS, 15x optical zoom
- 2 MP@25/30 fps
- Pan: 360° endless, tilt: -15° to 90°
- 100 m IR
- Power-over-Ethernet
- IP66



PTZ-N4225I-DE

- 1/2.8" 2 MP CMOS, 25x optical zoom
- 2 MP@25/30 fps
- Pan: 360° endless, tilt: -15° to 90°
- 100 m IR
- Power-over-Ethernet
- IP66



PTZ-N5225I-DE

- 1/2.8" 2 MP CMOS, 25x optical zoom
- 2 MP@25/30 fps
- Pan: 360° endless, tilt: -15° to 90°
- 150 m IR
- Power-over-Ethernet
- IP66



NVR-104H-D(D)

4-ch 1-HDD NVR

- Up to 4-ch IP camera inputs
- Incoming/outgoing bandwidth: 40 Mbps/ 60 Mbps
- Up to 1-ch @ 6 MP/4-ch @ 1080p decoding capacity
- 1 SATA interface, up to 6 TB for each HDD
- 1 HDMI, 1 VGA
- Mini 1U case (plastic)



NVR-104H-D/4P(D)

4-ch 1-HDD PoE NVR

- Up to 4-ch IP camera inputs
- Incoming/outgoing bandwidth: 40 Mbps/ 60 Mbps
- Up to 1-ch @ 6 MP/4-ch @ 1080p decoding capacity
- 1 SATA interface, up to 6 TB for each HDD
- 1 HDMI, 1 VGA
- Mini 1U case (plastic)
- /P: PoE



NVR-108H-D(D)

8-ch 1-HDD NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 60 Mbps/ 60 Mbps
- Up to 1-ch @ 6 MP/4-ch @ 1080p decoding capacity
- 1 SATA interface, up to 6 TB for each HDD
- 1 HDMI, 1 VGA
- Mini 1U case (plastic)



NVR-108H-D/8P(D)

8-ch 1-HDD PoE NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 60 Mbps/ 60 Mbps
- Up to 1-ch @ 6 MP/4-ch @ 1080p decoding capacity
- 1 SATA interface, up to 6 TB for each HDD
- 1 HDMI, 1 VGA
- Mini 1U case (plastic)
- /P: PoE



NVR-104MH-D(D)

4-ch 1-HDD NVR

- Up to 4-ch IP camera inputs
- Incoming/outgoing bandwidth: 40 Mbps/ 60 Mbps
- Up to 1-ch @ 6 MP/4-ch @ 1080p decoding capacity
- 1 SATA interface, up to 6 TB for each HDD
- 1 HDMI, 1 VGA
- 260 1U case (metal)



NVR-104MH-D/4P(D)

4-ch 1-HDD PoE NVR

- Up to 4-ch IP camera inputs
- Incoming/outgoing bandwidth: 40 Mbps/ 60 Mbps
- Up to 1-ch @ 6 MP/4-ch @ 1080p decoding capacity
- 1 SATA interface, up to 6 TB for each HDD
- 1 HDMI, 1 VGA
- 260 1U case (metal)
- /P: PoE



NVR-108MH-D(D)

8-ch 1-HDD NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 60 Mbps/ 60 Mbps
- Up to 1-ch @ 8 MP/4-ch @ 1080p decoding capacity
- 1 SATA interface, up to 6 TB for each HDD
- 1 HDMI, 1 VGA
- 260 1U case (metal)



NVR-108MH-D/8P(D)

8-ch 1-HDD PoE NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 60 Mbps/ 60 Mbps
- Up to 1-ch @ 8 MP/4-ch @ 1080p decoding capacity
- 1 SATA interface, up to 6 TB for each HDD
- 1 HDMI, 1 VGA
- 260 1U case (metal)
- /P: PoE



NVR-104MH-C(D)

4-ch 1-HDD NVR

- Up to 4-ch IP camera inputs
- Incoming/outgoing bandwidth: 40 Mbps/ 80 Mbps
- Up to 1-ch @ 8 MP/6-ch @ 1080p decoding capacity
- 1 SATA interface, up to 8 TB for each HDD
- 1 HDMI, 1 VGA
- 260 1U case (metal)
- Up to 1-ch Motion Detection 2.0



NVR-104MH-C/4P(D)

4-ch 1-HDD PoE NVR

- Up to 4-ch IP camera inputs
- Incoming/outgoing bandwidth: 40 Mbps/ 80 Mbps
- Up to 1-ch @ 8 MP/4-ch @ 1080p decoding capacity
- 1 SATA interface, up to 8 TB for each HDD
- 1 HDMI, 1 VGA
- 260 1U case (metal)
- /P: PoE
- Up to 1-ch Motion Detection 2.0



NVR-108MH-C(D)

8-ch 1-HDD NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 80 Mbps/ 80 Mbps
- Up to 1-ch @ 8 MP/6-ch @ 1080p decoding capacity
- 1 SATA interface, up to 8 TB for each HDD
- 1 HDMI, 1 VGA
- 260 1U case (metal)
- Up to 4-ch Motion Detection 2.0



NVR-108MH-C/8P(D)

8-ch 1-HDD PoE NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 80 Mbps/ 80 Mbps
- Up to 1-ch @ 8 MP/6-ch @ 1080p decoding capacity
- 1 SATA interface, up to 8 TB for each HDD
- 1 HDMI, 1 VGA
- 260 1U case (metal)
- /P: PoE
- Up to 4-ch Motion Detection 2.0

Video Security – Network Video Recorders – Value Series NVR



NVR-116MH-C(D)

16-ch 1-HDD NVR

- Up to 16-ch IP camera inputs
- Incoming/outgoing bandwidth: 160 Mbps / 80 Mbps
- Up to 1-ch @ 8 MP/6-ch @ 1080p decoding capacity
- 1 SATA interface, up to 8 TB for each HDD
- 1 HDMI, 1 VGA
- 260 1U case (metal)
- Up to 4-ch Motion Detection 2.0



NVR-208MH-C(D)

8-ch 2-HDD NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 80 Mbps / 80 Mbps
- Up to 1-ch @ 8 MP/6-ch @ 1080p decoding capacity
- 2 SATA interface, up to 8 TB for each HDD
- 1 HDMI, 1 VGA
- 380 1U case (metal)
- Up to 4-ch Motion Detection 2.0



NVR-208MH-C/8P(D)

8-ch 2-HDD PoE NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 80 Mbps / 80 Mbps
- Up to 1-ch @ 8 MP/6-ch @ 1080p decoding capacity
- 2 SATA interface, up to 8 TB for each HDD
- 1 HDMI, 1 VGA
- 380 1U case (metal)
- /P: PoE
- Up to 4-ch Motion Detection 2.0



NVR-216MH-C(D)

16-ch 2-HDD NVR

- Up to 16-ch IP camera inputs
- Incoming/outgoing bandwidth: 160 Mbps / 80 Mbps
- Up to 1-ch @ 8 MP/6-ch @ 1080p decoding capacity
- 2 SATA interface, up to 8 TB for each HDD
- 1 HDMI, 1 VGA
- 380 1U case (metal)
- Up to 4-ch Motion Detection 2.0



NVR-216MH-C/16P(D)

16-ch 2-HDD PoE NVR

- Up to 16-ch IP camera inputs
- Incoming/outgoing bandwidth: 160 Mbps / 80 Mbps
- Up to 1-ch @ 8 MP/6-ch @ 1080p decoding capacity
- 2 SATA interface, up to 8 TB for each HDD
- 1 HDMI, 1 VGA
- 380 1U case (metal)
- /P: PoE
- Up to 4-ch Motion Detection 2.0

Video Security – Network Video Recorders – eNVR



NVR-E04MH-D(SSD 1T)

4-ch SSD NVR

- Up to 4-ch IP camera inputs
- Incoming/outgoing bandwidth: 40 Mbps / 60 Mbps
- Up to 4-ch @ 1080p decoding capacity
- 1 TB SSD (pre-installed)
- 1 HDMI



NVR-E04MH-D/4P(SSD 1T)

4-ch SSD PoE NVR

- Up to 4-ch IP camera inputs
- Incoming/outgoing bandwidth: 40 Mbps / 60 Mbps
- Up to 4-ch @ 1080p decoding capacity
- 1 TB SSD (pre-installed)
- 1 HDMI
- /P: PoE



NVR-E04MH-D(SSD 2T)

4-ch SSD NVR

- Up to 4-ch IP camera inputs
- Incoming/outgoing bandwidth: 40 Mbps / 60 Mbps
- Up to 4-ch @ 1080p decoding capacity
- 2 TB SSD (pre-installed)
- 1 HDMI



NVR-E04MH-D/4P(SSD 2T)

4-ch SSD PoE NVR

- Up to 4-ch IP camera inputs
- Incoming/outgoing bandwidth: 40 Mbps / 60 Mbps
- Up to 4-ch @ 1080p decoding capacity
- 2 TB SSD (pre-installed)
- 1 HDMI
- /P: PoE



NVR-E08MH-D(SSD 1T)

8-ch SSD NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 60 Mbps / 60 Mbps
- Up to 4-ch @ 1080p decoding capacity
- 1 TB SSD (pre-installed)
- 1 HDMI



NVR-E08MH-D/8P(SSD 1T)

8-ch SSD PoE NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 60 Mbps / 60 Mbps
- Up to 4-ch @ 1080p decoding capacity
- 1 TB SSD (pre-installed)
- 1 HDMI
- /P: PoE

Video Security – Network Video Recorders – eNVR



NVR-E08MH-D (SSD 2T)

8-ch SSD NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 60 Mbps/ 60 Mbps
- Up to 4-ch @ 1080p decoding capacity
- 2 TB SSD (pre-installed)
- 1 HDMI



NVR-E08MH-D/8P (SSD 2T)

8-ch SSD PoE NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 60 Mbps/ 60 Mbps
- Up to 4-ch @ 1080p decoding capacity
- 2 TB SSD (pre-installed)
- 1 HDMI
- /P: PoE

Video Security – Network Video Recorders – Wi-Fi NVR



NVR-104MH-D/W(C)

4-ch HDD Wi-Fi NVR

- Up to 4-ch IP camera inputs
- Incoming/outgoing bandwidth: 50 Mbps/ 40 Mbps
- Up to 1-ch @ 6 MP/4-ch @ 1080p decoding capacity
- 1 SATA interface, up to 6 TB for each HDD
- 1 HDMI, 1 VGA
- Wi-Fi Antenna Structure: 2 × 2 MIMO



NVR-108MH-D/W(C)

8-ch HDD Wi-Fi NVR

- Up to 8-ch IP camera inputs
- Incoming/outgoing bandwidth: 50 Mbps/ 40 Mbps
- Up to 1-ch @ 6 MP/4-ch @ 1080p decoding capacity
- 1 SATA interface, up to 6 TB for each HDD
- 1 HDMI, 1 VGA
- Wi-Fi Antenna Structure: 2 × 2 MIMO

Video Security – Kit



IK-4142BH-MH/P(C)

2 MP Bullet Wi-Fi Kit

- NVR: 4-ch 1-HDD Wi-Fi NVR
- IPC: 4 × 2 MP IR fixed bullet Wi-Fi camera
- One network cable and one HDMI cable
- Pre-installed 1 TB HDD
- Wi-Fi antenna structure: 2 × 2 MIMO



IK-4142BH-MH/P(C)

2 MP Bullet PoE Kit

- NVR: 4-ch 1-HDD NVR
- IPC: 4 × 2 MP fixed-lens bullet camera
- One power cable, four network cable and one HDMI cable
- Pre-installed 1 TB HDD
- 4 PoE interfaces



Video Security Turbo HD

HiLook's Turbo HD cameras feature plug-and-play capabilities using coaxial cables, and rendering superior imaging in as little light as 0.005 lux. The new Turbo HD Camera features two-way audio for crystal-clear sound effects, a pioneer in the video security industry.

Based on deep learning technology, our DVRs can identify and extract human and vehicle targets and generate high-precision alarms. Users can quickly search video footage based on the appearances of persons or vehicles during a specific period of time.

HiLook eDVRs utilize embedded solid-state drive technology to provide energy-efficient storage for video monitoring. Since there's no need to install hard disks, they are more durable and leave complex installation to the past, delivering savings in energy and costs for customers. Thanks to its compact design, it also can be placed anywhere to save on space.

Video Security – Turbo HD – Eco Series



THC-B120-PC

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- 2 MP CMOS Sensor, 20 m IR, Outdoor EXIR Bullet, ICR



THC-B120-C

- 2.8/3.6 mm fixed lens
- IP66
- Front cover: Metal
- Main body: Plastic
- Bracket: Plastic
- 2 MP CMOS Sensor, 20 m IR, Outdoor EXIR Bullet, ICR



THC-B120-MC

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- 2 MP CMOS Sensor, 20 m IR, Outdoor EXIR Bullet, ICR



THC-T120-PC

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- 2 MP CMOS Sensor, Indoor EXIR Turret, 20 m IR, ICR



THC-B127-LPC

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- 2 MP CMOS Sensor, 20 m IR+ 20 m white light Outdoor Smart Hybrid Light Bullet



THC-B127-LMC

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- 2 MP CMOS Sensor, 20 m IR+ 20 m white light Outdoor Smart Hybrid Light Bullet



THC-T127-LPC

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- 2 MP CMOS Sensor, 20 m IR+ 20 m white light Indoor Smart Hybrid Light Turret



THC-T127-LMC

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- 2 MP CMOS Sensor, 20 m IR+ 20 m white light Outdoor Smart Hybrid Light Turret



Video Security – Turbo HD – Value Series



THC-B120-P(B)

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- 2 MP CMOS Sensor, 20 m IR, Outdoor EXIR Bullet, ICR



THC-B120-M

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- 2 MP CMOS Sensor, 20 m IR, Outdoor EXIR Bullet, ICR



THC-B220

- 2.8/3.6/6 mm fixed lens
- IP66
- Front cover: Metal
- Main body: Plastic
- Bracket: Plastic
- 2 MP CMOS Sensor, 40 m IR, Outdoor EXIR Bullet, ICR



THC-B220-M

- 2.8/3.6/6 mm fixed lens
- IP66
- Full Metal
- 2 MP CMOS Sensor, 40 m IR, Outdoor EXIR Bullet, ICR



THC-T120-P

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- 2 MP CMOS Sensor, Indoor EXIR Turret, 20 m IR, ICR



THC-T120

- 2.8/3.6 mm fixed lens
- IP66
- Cover&Base: Plastic
Turret: Metal
- 2 MP CMOS Sensor, 20 m IR, Outdoor EXIR Turret, ICR



THC-T120-M

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- 2 MP CMOS Sensor, 20 m IR, Outdoor EXIR Turret, ICR



THC-T220-P

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- 2 MP CMOS Sensor, 40m IR, Outdoor EXIR Turret, ICR



THC-T220-M

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- 2 MP CMOS Sensor, 40 m IR, Outdoor EXIR Turret, ICR



THC-B320-VF

- 2.8-12 mm Vari Focal Lens
- IP66
- Front cover: Metal
Main body: Plastic
Bracket: Metal
- 2 MP CMOS Sensor, 40 m IR, Outdoor EXIR Bullet, ICR



THC-T320-VF

- 2.8-12 mm Vari Focal Lens
- IP66
- Cover&Base: Plastic
Turret: Metal
- 2 MP CMOS Sensor, 40 m IR, EXIR Turret, ICR



THC-B123-M

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- 2 MP CMOS Sensor, 30 m IR, Outdoor EXIR Bullet, ICR



THC-B223-M

- 2.8/3.6/6 mm fixed lens
- IP66
- Full Metal
- 2 MP CMOS Sensor, 50 m IR, Outdoor EXIR Bullet, ICR



THC-T123-M

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- 2 MP CMOS Sensor, 30 m IR, Outdoor EXIR Turret, ICR



THC-B120-PS

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- Built-in microphone
- 2 MP CMOS Sensor, 25 m IR, Outdoor EXIR Bullet, ICR



THC-B120-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 2 MP CMOS Sensor, 30 m IR, Outdoor EXIR Bullet, ICR



THC-T120-PS

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- Built-in microphone
- 2 MP CMOS Sensor, Indoor EXIR Turret, 20m IR, ICR



THC-T120-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 2 MP CMOS Sensor, 30 m IR, Outdoor EXIR Turret, ICR



THC-T220-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 2 MP CMOS Sensor, 40 m IR, Outdoor EXIR Turret, ICR



THC-B127-P

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- 2 MP CMOS Sensor, 20 m White light, Outdoor white light Bullet



THC-B127-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 2 MP CMOS Sensor, 20 m White light, Outdoor white light Bullet



THC-T127-P

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- 2 MP CMOS Sensor, Indoor White light Turret, 20 m White light



THC-T127-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 2 MP CMOS Sensor, 20 m White light, Outdoor White light Turret



THC-B127-LPS

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- Built-in microphone
- 2 MP CMOS Sensor, 20 m White light+20M IR Outdoor white light Bullet



THC-B127-LMS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 2 MP CMOS Sensor, 20 m white light+20M IR Outdoor Smart Hybrid Light Bullet



THC-B227-LMS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 2 MP CMOS Sensor, 20 m white light+40M IR Outdoor Smart Hybrid Light Bullet



THC-T127-LPS

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- Built-in microphone
- 2 MP CMOS Sensor, Indoor Smart Hybrid Light Turret, 20 m White light+20M IR





THC-T127-LMS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 2 MP CMOS Sensor, 20 m white light+20M IR Outdoor Smart Hybrid Light Turret



THC-T227-LMS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 2 MP CMOS Sensor, 20 m white light+20M IR Outdoor Smart Hybrid Light Turret



THC-B129-P

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- 2 MP CMOS Sensor, Outdoor Bullet, 0.001Lux/F1.0, 0 Lux with white light, 20 m



THC-B129-M

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- 2 MP CMOS Sensor, Outdoor Bullet, 0.001Lux/F1.0, 0 Lux with white light, 20 m



THC-B229-M

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- 2 MP CMOS Sensor, Outdoor Bullet, 0.001Lux/F1.0, 0 Lux with white light, 40 m



THC-T129-P

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- 2 MP CMOS Sensor, Indoor Turret, 0.001Lux/F1.0, 0 Lux with white light, 20 m



THC-T129-M

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- 2 MP CMOS Sensor, Outdoor Turret, 0.001Lux/F1.0, 0 Lux with white light, 20 m



THC-T229-M

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- 2 MP CMOS Sensor, Outdoor Turret, 0.001Lux/F1.0, 0 Lux with white light, 40 m



THC-B129-PS

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- Built-in microphone
- 2 MP CMOS Sensor, Outdoor Bullet, 0.001Lux/F1.0, 0 Lux with white light, 20 m



THC-B129-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 2 MP CMOS Sensor, Outdoor Bullet, 0.001Lux/F1.0, 0 Lux with white light, 20 m



THC-B229-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 2 MP CMOS Sensor, Outdoor Bullet, 0.001Lux/F1.0, 0 Lux with white light, 40 m



THC-T129-PS

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- Built-in microphone
- 2 MP CMOS Sensor, Indoor Turret, 0.001Lux/F1.0, 0 Lux with white light, 20 m



THC-T129-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 2 MP CMOS Sensor, Outdoor Turret, 0.001Lux/F1.0, 0 Lux with white light, 20 m



THC-T229-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 2 MP CMOS Sensor, Outdoor Turret, 0.001Lux/F1.0, 0 Lux with white light, 40 m



THC-B129-LPS

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- Built-in microphone
- 2 MP CMOS Sensor, 20 m white light+20M IR Outdoor white light Outdoor Bullet



THC-B229-LS

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- Built-in microphone
- 2 MP CMOS Sensor, 40 m white light+40M IR Outdoor white light Outdoor Bullet



THC-T129-LPS

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- Built-in microphone
- 2 MP CMOS Sensor, 20 m white light+20M IR Outdoor white light Indoor Turret



THC-T229-LMS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 2 MP CMOS Sensor, 40 m white light+40M IR Outdoor white light Outdoor Turret



THC-B150-P

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- 5 MP CMOS Sensor, EXIR Bullet, 20 m IR, ICR



THC-B150-M

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- 5 MP CMOS Sensor, EXIR Bullet, 20 m IR, ICR



THC-T150-P

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- 5 MP CMOS Sensor, Indoor EXIR Turret, 20 m IR, ICR



THC-T150-M

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- 5 MP CMOS Sensor, EXIR Turret, 20 m IR, ICR



THC-B157-LPS

- 2.8/3.6 mm fixed lens
- IP66
- Plastic
- Built-in microphone
- 3 K CMOS Sensor, 20 m white light+20M IR Outdoor white light Bullet



THC-B157-LMS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 3 K CMOS Sensor, 20 m white light+20M IR Outdoor Smart Hybrid Light Bullet



THC-B257-LMS

- 2.8/3.6/6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 3 K CMOS Sensor, 20 m white light+40M IR Outdoor Smart Hybrid Light Bullet



THC-T157-LPS

- 2.8/3.6 mm fixed lens
- Indoor
- Plastic
- Built-in microphone
- 3 K CMOS Sensor, Indoor Smart Hybrid Light Turret, 20 m white light+20M IR



THC-T157-LMS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 3 K CMOS Sensor, 20 m white light+20M IR Outdoor Smart Hybrid Light Turret



THC-T257-LMS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 3 K CMOS Sensor, 20 m White light+20M IR Outdoor Smart Hybrid Light Turret



THC-B159-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 3 K (5 MP 16:9) CMOS Sensor, 3 K @ 20 fps (Default), Outdoor Bullet, 0.001Lux/F1.0, 0 Lux with white light, 20 m



THC-B259-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 3 K (5 MP 16:9) CMOS Sensor, 3 K @ 20 fps (Default), Outdoor Bullet, 0.001Lux/F1.0, 0 Lux with white light, 40 m



THC-T159-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 3 K (5 MP 16:9) CMOS Sensor, 3 K @ 20 fps (Default), Outdoor Turret, 0.001Lux/F1.0, 0 Lux with white light, 20 m



THC-T259-MS

- 2.8/3.6 mm fixed lens
- IP66
- Full Metal
- Built-in microphone
- 3 K (5 MP 16:9) CMOS Sensor, 3 K @ 20 fps (Default), Outdoor Turret, 0.001Lux/F1.0, 0 Lux with white light, 40 m



THC-B127-LPTS

- 2 MP Smart Hybrid Light Two-Way Audio Fixed Mini Bullet Camera
- 2.8 mm, 3.6 mm fixed focal lens
- 0.01 Lux @(F1.6, AGC ON), 0 Lux with white light
- Built-in microphone
- Digital WDR
- IR: Up to 25 m
- White light: Up to 20 m
- 1 HD analog output
- IP67
- Plastic



THC-B127-LTS

- 2 MP Smart Hybrid Light Two-Way Audio Fixed Mini Bullet Camera
- 2.8 mm, 3.6 mm fixed focal lens
- 0.01 Lux @(F1.6, AGC ON), 0 Lux with white light
- Built-in microphone
- Digital WDR
- IR: Up to 30 m
- White light: Up to 20 m
- 1 HD analog output
- IP67
- Metal



THC-B227-LTS

- 2 MP Smart Hybrid Light Two-Way Audio Fixed Bullet Camera
- 2.8 mm, 3.6 mm fixed focal lens
- 0.01 Lux @(F1.6, AGC ON), 0 Lux with white light
- Built-in microphone
- Digital WDR
- IR: Up to 40 m
- White light: Up to 40 m
- 1 HD analog output
- IP67
- Plastic&Metal



THC-T227-LTS

- 2 MP Smart Hybrid Light Two Way Audio Fixed Turret Camera
- 2.8 mm, 3.6 mm fixed focal lens
- 0.01 Lux @(F1.6, AGC ON), 0 Lux with white light
- Built-in microphone
- Digital WDR
- IR: Up to 40 m
- White light: Up to 40 m
- 1 HD analog output
- IP67
- Plastic&Metal

Video Security – Turbo HD – Value Series



THC-T127-PTLTS

- 2 MP Smart Hybrid Light Two-Way Audio Fixed PT Camera
- 2.8 mm, 3.6 mm fixed focal lens
- 0.01 Lux @(F1.6, AGC ON), 0 Lux with white light
- Built-in microphone
- Digital WDR
- IR: Up to 25 m
White light: Up to 20 m
- 1 HD analog output
- Plastic



THC-B159-LPS

- 3 K Smart Hybrid Light ColorVu Fixed Mini Bulluet Camera
- 2.8 mm, 3.6 mm fixed focal lens
- 0.001 Lux @(F1.0, AGC ON), 0 Lux with white light
- Built-in microphone
- Digital WDR
- IR: Up to 20 m
White light: Up to 20 m
- Switchable TVI/AHD/CVI/CVBS
- IP66
- Plastic



THC-B259-LS

- 3 K Smart Hybrid Light ColorVu Fixed Bulluet Camera
- 2.8 mm, 3.6 mm fixed focal lens
- 0.001 Lux @(F1.0, AGC ON), 0 Lux with white light
- Built-in microphone
- Digital WDR
- IR: Up to 40 m
White light: Up to 40 m
- Switchable TVI/AHD/CVI/CVBS
- IP66
- Plastic&Metal



THC-T159-LPS

- 3 K Smart Hybrid Light ColorVu Fixed Mini Turret Camera
- 2.8 mm, 3.6 mm fixed focal lens
- 0.001 Lux @(F1.0, AGC ON), 0 Lux with white light
- Built-in microphone
- Digital WDR
- IR: Up to 20 m
White light: Up to 20 m
- Switchable TVI/AHD/CVI/CVBS
- IP66
- Plastic



THC-T259-LMS

- 3 K Smart Hybrid Light ColorVu Fixed Turret Camera
- 2.8 mm, 3.6 mm fixed focal lens
- 0.001 Lux @(F1.0, AGC ON), 0 Lux with white light
- Built-in microphone
- Digital WDR
- IR: Up to 40 m
White light: Up to 40 m
- Switchable TVI/AHD/CVI/CVBS
- IP66
- Metal

Video Security – Turbo HD – PTZ Series



PTZ-T4215-D3

- 1/2.8" 2 MP CMOS, 15x optical zoom
- 2 MP @25/30 fps
- Pan: 360° endless, tilt: -5° to 90°
- TVI/AHD/CVI/CVBS video output



PTZ-T4215I-D

- 1/2.8" 2 MP CMOS, 15x optical zoom
- 2 MP @25/30 fps
- Pan: 360° endless, tilt: -15° to 90°
- 100 m IR
- TVI/AHD/CVI/CVBS video output
- IP66



PTZ-T4225I-D

- 1/2.8" 2 MP CMOS, 25x optical zoom
- 2 MP @25/30 fps
- Pan: 360° endless, tilt: -15° to 90°
- 100 m IR
- TVI/AHD/CVI/CVBS video output
- IP66



PTZ-T5225I-A

- 1/2.8" 2 MP CMOS, 25x optical zoom
- 2 MP @25/30 fps
- Pan: 360° endless, tilt: -15° to 90°
- 150 m IR
- TVI/AHD/CVI/CVBS video output
- IP66



DVR-104G-K1

4-ch 1-HDD DVR

- 4-ch analog video inputs
- Up to 5-ch IP camera inputs (up to 1080p)
- Up to 1080p Lite@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 4 TB for each HDD
- Mini case (plastic)
- Motion Detection 2.0 on all 4 channels



DVR-108G-K1

8-ch 1-HDD DVR

- 8-ch analog video inputs
- Up to 10-ch IP camera inputs (up to 5 MP)
- Up to 1080p Lite@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 4 TB for each HDD
- Mini case (plastic)
- Motion Detection 2.0 on all 8 channels



DVR-116G-K1

16-ch 1-HDD DVR

- 16-ch analog video inputs
- Up to 18-ch IP camera inputs (up to 5 MP)
- Up to 1080p Lite@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 10 TB for each HDD
- Mini case (plastic)
- Motion Detection 2.0 on all 16 channels



DVR-204G-M1

4-ch 1-HDD DVR

- 4-ch analog video inputs
- Up to 5-ch IP camera inputs (up to 1080p)
- Up to 1080p Lite@30 fps encoding capability
- Audio via coaxial cable
- 1 HDDs, up to 4 TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 4 channels



DVR-208G-M1

8-ch 1-HDD DVR

- 8-ch analog video inputs
- Up to 10-ch IP camera inputs (up to 5 MP)
- Up to 1080p Lite@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 4 TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 8 channels



DVR-216G-M1

16-ch 1-HDD DVR

- 16-ch analog video inputs
- Up to 18-ch IP camera inputs (up to 5 MP)
- Up to 1080p Lite@15 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 10 TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 16 channels



DVR-204Q-M1

4-ch 1-HDD DVR

- 4-ch analog video inputs
- Up to 6-ch IP camera inputs (up to 6 MP)
- Up to 3K/5 MP Lite@12 fps, 1080p@15fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 10 TB for each HDD
- 260 1U case (Metal)
- Motion Detection 2.0 on all 4 channels



DVR-208Q-M1

8-ch 1-HDD DVR

- 8-ch analog video inputs
- Up to 12-ch IP camera inputs (up to 6 MP)
- Up to 3K/5 MP Lite@12 fps, 1080p@15fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 10 TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 8 channels



DVR-216Q-M1

16-ch 1-HDD DVR

- 16-ch analog video inputs
- Up to 24-ch IP camera inputs (up to 6 MP)
- Up to 3K/5 MP Lite@12 fps, 1080p@15fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 10 TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 16 channels



DVR-216Q-M2

16-ch 2-HDD DVR

- 16-ch analog video inputs
- Up to 24-ch IP camera inputs (up to 6 MP)
- Up to 3K/5 MP Lite@12 fps, 1080p@15fps encoding capability
- Audio via coaxial cable
- 2 HDD, up to 10 TB for each HDD
- 380 1U case (metal)
- Motion Detection 2.0 on all 16 channels



DVR-232Q-M2

32-ch 2-HDD DVR

- 32-ch analog video inputs
- Up to 40-ch IP camera inputs (up to 6 MP)
- Up to 3K/5 MP Lite@12 fps, 1080p@15fps encoding capability
- Audio via coaxial cable
- 2 HDD, up to 10 TB for each HDD
- 380 1U case (metal)
- Motion Detection 2.0 on all 32 channels



DVR-204U-M1

4-ch 1-HDD DVR

- 4-ch analog video inputs
- Up to 8-ch IP camera inputs (up to 8 MP)
- Up to 8 MP@8fps, 3K/5 MP@12 fps encoding capability (8 MP@8 fps is only available for channel 1)
- Audio via coaxial cable
- 1 HDD, up to 10 TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 4 channels

Video Security – Turbo HD Backend Products – DVR



DVR-208U-M1

8-ch 1-HDD DVR

- 8-ch analog video inputs
- Up to 16-ch IP camera inputs (up to 8 MP)
- Up to 8 MP@8fps, 3K/5 MP@12 fps encoding capability
- Audio via coaxial cable
- 1 HDD, up to 10 TB for each HDD
- 260 1U case (metal)
- Motion Detection 2.0 on all 8 channels



DVR-216U-M2

16-ch 2-HDD DVR

- 16-ch analog video inputs
- Up to 32-ch IP camera inputs (up to 8 MP)
- Up to 8 MP@8fps, 3K/5 MP@12 fps encoding capability
- Audio via coaxial cable
- 2 HDDs, up to 10 TB for each HDD
- 380 1U case (metal)
- Motion Detection 2.0 on all 16 channels

Video Security – Turbo HD Backend Products – eDVR



DVR-E04G-XB

4-ch DVR with eSSD

- 4-ch analog video inputs
- Up to 1-ch IP camera inputs (up to 1080p)
- Up to 1080p Lite@30 fps encoding capability
- Audio via coaxial cable
- Built-in 330 GB eSSD (300 GB available)
- Motion Detection 2.0 on all 4 channels



DVR-E04G-XD

4-ch DVR with eSSD

- 4-ch analog video inputs
- Up to 1-ch IP camera inputs (up to 1080p)
- Up to 1080p Lite@30 fps encoding capability
- Audio via coaxial cable
- Built-in 512 GB eSSD (480 GB available)
- Motion Detection 2.0 on all 4 channels



DVR-E04G-XE

4-ch DVR with eSSD

- 4-ch analog video inputs
- Up to 1-ch IP camera inputs (up to 1080p)
- Up to 1080p Lite@30 fps encoding capability
- Audio via coaxial cable
- Built-in 1024 GB eSSD (960 GB available)
- Motion Detection 2.0 on all 4 channels



DVR-E08G-XB

8-ch DVR with eSSD

- 8-ch analog video inputs
- Up to 2-ch IP camera inputs (up to 5 MP)
- Up to 1080p Lite@15 fps encoding capability
- Audio via coaxial cable
- Built-in 512 GB eSSD (480 GB available)
- Motion Detection 2.0 on all 8 channels



DVR-E08G-XD

8-ch DVR with eSSD

- 8-ch analog video inputs
- Up to 2-ch IP camera inputs (up to 5 MP)
- Up to 1080p Lite@15 fps encoding capability
- Audio via coaxial cable
- Built-in 1024 GB eSSD (960 GB available)
- Motion Detection 2.0 on all 8 channels



DVR-E16G-XB

16-ch DVR with eSSD

- 16-ch analog video inputs
- Up to 2-ch IP camera inputs (up to 5 MP)
- Up to 1080p Lite@15 fps encoding capability
- Audio via coaxial cable
- Built-in 1024 GB eSSD (960 GB available)
- Motion Detection 2.0 on all 16 channels



DVR-E04Q-XB

4-ch DVR with eSSD

- 4-ch analog video inputs
- Up to 1-ch IP camera inputs (up to 6 MP)
- Up to 3K/5 MP Lite@12 fps, 1080p@15fps encoding capability
- Audio via coaxial cable
- Built-in 512 GB eSSD (480 GB available)
- Motion Detection 2.0 on all 4 channels



DVR-E04Q-XD

4-ch DVR with eSSD

- 4-ch analog video inputs
- Up to 1-ch IP camera inputs (up to 6 MP)
- Up to 3K/5 MP Lite@12 fps, 1080p@15fps encoding capability
- Audio via coaxial cable
- Built-in 1024 GB eSSD (960 GB available)
- Motion Detection 2.0 on all 4 channels



DVR-E08Q-XB

8-ch DVR with eSSD

- 8-ch analog video inputs
- Up to 2-ch IP camera inputs (up to 6 MP)
- Up to 3K/5 MP Lite@12 fps, 1080p@15fps encoding capability
- Audio via coaxial cable
- Built-in 1024 GB eSSD (960 GB available)
- Motion Detection 2.0 on all 8 channels



DVR-E04U-XB

4-ch DVR with eSSD

- 4-ch analog video inputs
- Up to 2-ch IP camera inputs (up to 8 MP)
- Up to 8 MP@8fps, 3K/5 MP@12 fps encoding capability (8 MP@8 fps is only available for channel 1)
- Audio via coaxial cable
- Built-in 1024 GB eSSD (960 GB available)
- Motion Detection 2.0 on all 4 channels



TK-4142BH-MM

4-ch 2 MP Bullet Kit

- DVR: 4-ch 1-HDD DVR (DVR-204Q-K1)
- Up to 1080p@15fps encoding capability
- Camera: 4 × 2 MP bullet cameras (THC-B120-M)
- Cable: 4 × 18.3 m (60 ft) video and power cables
- 1 HDD, up to 6 TB for each HDD



TK-4142BH-MP

4-ch 2 MP Bullet Kit

- DVR: 4-ch 1-HDD DVR (DVR-204Q-K1)
- Up to 1080p@15fps encoding capability
- Camera: 4 × 2 MP bullet cameras (THC-B120-P(B))
- Cable: 4 × 18.3 m (60 ft) video and power cables
- 1 HDD, up to 6 TB for each HDD



TK-4142MH-MH

4-ch 2 MP Mix Kit

- DVR: 4-ch 1-HDD DVR (DVR-204Q-K1)
- Up to 1080p@15fps encoding capability
- Camera: 2 × 2 MP bullet cameras (THC-B120-M) + 2 × 2 MP turret cameras (THC-T120)
- Cable: 4 × 18.3 m (60 ft) video and power cables
- 1 HDD, up to 6 TB for each HDD



TK-4142TH-MH

4-ch 2 MP Turret Kit

- DVR: 4-ch 1-HDD DVR (DVR-204Q-K1)
- Up to 1080p@15fps encoding capability
- Camera: 4 × 2 MP turret cameras (THC-T120)
- Cable: 4 × 18.3 m (60 ft) video and power cables
- 1 HDD, up to 6 TB for each HDD



TK-4144BH-MM

4-ch 4 MP Lite Bullet Kit

- DVR: 4-ch 1-HDD DVR (DVR-204Q-K1)
- Up to 4 MP Lite@15 fps encoding capability
- Camera: 4 × 4 MP bullet cameras (THC-B140-M)
- Cable: 4 × 18.3 m (60 ft) video and power cables
- 1 HDD, up to 6 TB for each HDD



TK-4144MH-MH

4-ch 4 MP Lite Mix Kit

- DVR: 4-ch 1-HDD DVR (DVR-204Q-K1)
- Up to 4 MP Lite@15fps encoding capability
- Camera: 2 × 4 MP bullet cameras (THC-B140-M) + 2 × 4 MP turret cameras (THC-T140)
- Cable: 4 × 18.3 m (60 ft) video and power cables
- 1 HDD, up to 6 TB for each HDD



Video Security Cable Free

HiLook IP cameras render up to 8 MP, super-HD imaging with optimized bandwidth via the highly efficient H.265+ video compression. Using deep learning technology, our cameras add smart human detection to make security systems intelligent.

Wi-Fi models feature flexible, nearly-effortless installation and quick connection for instant view. With no difficult IP setup and only one cable for power and data, the PoE feature connects cameras and NVRs quickly and easily. The NVRs ensure a smooth live view and fluid playback through reliable video recording and management. HiLook is expertly designed for small business security.

Video Security


Cable Free Highlights

Wi-Fi

Safe Storage: The Wi-Fi camera adopts separate storage; the video is stored in the SD card of NVS, which is more hidden and safer.

Easy Linkage: Cable-Free series Wi-Fi camera can automatically connect to Wi-Fi, eliminating the process of network connection, and the configuration can be completed by scanning the code once for the scenario of using multiple cameras together.


Wi-Fi 6: Supports Wi-Fi 6 technology, faster speed, lower latency, higher bandwidth and more secure.



4G

Support 4G LTE data transmission

Significantly increased communication speeds, wide network spectrum and communication flexibility.



Video Security – Cable Free – Wi-Fi



IPC-B120HA-LDF/W(B)

- 2 MP Outdoor Wi-Fi Fixed Bullet Network Camera
- Fixed focal lens, 2.8, 4, and 6 mm optional
- Color: 0.01 Lux @ (F2.0, AGC ON), B/W: 0 Lux with IR
- Digital WDR
- White light distance: up to 30 m, IR distance: up to 30 m
- IP66
- Plastic



IPC-B140HA-LDF/W(B)

- 4 MP Outdoor Wi-Fi Fixed Bullet Network Camera
- Fixed focal lens, 2.8, 4, and 6 mm optional
- Color: 0.005 Lux @ (F1.6, AGC ON), B/W: 0 Lux with IR
- Digital WDR
- White light distance: up to 30 m, IR distance: up to 30 m
- IP66
- Plastic



IPC-F120-LDF/W(B)

- 2 MP Indoor Wi-Fi PT Turret Camera
- Fixed focal lens, 2.8, 4 mm optional
- Color: 0.03 Lux @ (F2.2, AGC ON), B/W: 0.015Lux @(F2.2, AGC ON), 0 Lux with IR
- Digital WDR
- White light distance: up to 15 m, IR distance: up to 20 m
- IP54
- Plastic



IPC-F140-LDF/W(B)

- 4 MP Indoor Wi-Fi PT Turret Camera
- Fixed focal lens, 2.8, 4 mm optional
- Color: 0.01 Lux @ (F2.0, AGC ON), B/W: 0.005Lux @(F2.0, AGC ON), 0 Lux with IR
- Digital WDR
- White light distance: up to 15 m, IR distance: up to 20 m
- IP54
- Plastic

Video Security – Cable Free – 4G



IPC-B120HA-LDUF/4G/SL

- 2 MP Outdoor 4G Fixed Bullet Network Camera
- Fixed focal lens, 2.8, 4, and 6 mm optional
- Color: 0.01 Lux @ (F2.0, AGC ON), B/W: 0 Lux with IR
- Digital WDR
- White light distance: up to 30 m, IR distance: up to 30 m
- IP67
- Plastic



IPC-B140HA-LDUF/4G/SL

- 4 MP Outdoor 4G Fixed Bullet Network Camera
- Fixed focal lens, 2.8, 4, and 6 mm optional
- Color: 0.005 Lux @ (F1.6, AGC ON), B/W: 0 Lux with IR
- Digital WDR
- White light distance: up to 30 m, IR distance: up to 30 m
- IP67
- Plastic



Video Intercom



Video Intercom



HD image quality

2 MP camera, offering more details



One-press to call

One-press to call the indoor station via the door station



Remote control

Answer video call from the door station
Unlock doors remotely from your mobile phone



Plug & play

Easy installation with no additional configuration for the hybrid kit and 4-wire kit



HiLookVision

Front Yard Motion Detection Alarm

Users can always check the camera view of the door station via their mobile app, keeping track of the front door dynamics anytime, anywhere

Video Intercom

HiLook Video Intercom system - Enhance your home security with HiLook's exceptional performance and budget-friendly prices. Our products feature high-definition imaging, easy one-touch calling, real-time video previews, and more to give you peace of mind in your daily life.

Choose from our versatile product range:

IP Kit: IP65 waterproof rating, superior image quality, mobile control support, and user-friendly touch screen interface.

Hybrid Kit: Plug-and-play, high-definition imaging and convenient mobile app support.

4-Wire Kit: Simple plug-and play operation for added user convenience.



Video Intercom — IP Kit



VI-K43P

Door Station: VI-V400W

- 2 MP camera, H:131°, V:78°
- One-press to call
- IR supplement, WDR
- IP65, PoE
- Built-in card reader module
- Convenient app mobile control

Indoor Station: VI-H460W

- 7" touch screen, 1024 x 600
- Wi-Fi
- Convenient mobile control
- 8-ch alarm inputs and 2-ch alarm outputs
- Support voice messages
- Elevator access control



VI-K46P

Door Station: VI-V400W

- 2 MP camera, H:131°, V:78°
- One-press to call
- IR supplement, WDR
- IP65, PoE
- Built-in card reader module
- Convenient app mobile control

Indoor Station: VI-H440W

- 4.3" touch screen, 480 x 272
- Wi-Fi
- Convenient mobile control
- Easy and quick set-up

Protective shield: VI-V400-RS

Video Intercom — Hybrid Kit



VI-K23P

Door Station: VI-B101

- 2 MP camera
- IR supplement
- One-press to call
- 4-wire plug & play analog interfaces
- IP65, Anti-oxidant aluminium alloy

Indoor Station: VI-H460WD

- 7" touch screen, 1024 x 600
- 2-ch alarm inputs and 2-ch alarm outputs
- TCP/IP, Wi-Fi
- Convenient mobile control
- Support voice messages
- Elevator access control

Video Intercom — 4-Wire Kit



DS-K13P

Door Station: VI-B101

- 2 MP camera
- IR supplement
- One-press to call
- 4-wire plug & play analog interfaces
- IP65, Anti-oxidant aluminium alloy

Indoor Station: VI-H150

- 7" colorful TFT screen, 800 x 480
- 4-wire plug & play analog interfaces
- Supports monitoring door station and external analog cameras



DS-K12P

Door Station: VI-B100

- 2 MP camera
- IR supplement
- One-press to call
- 4-wire plug & play analog interfaces
- IP65, Aluminum Alloy

Indoor Station: VI-H150

- 7" colorful TFT screen, 800 x 480
- 4-wire plug & play analog interfaces
- Supports monitoring door station and external analog cameras

A large, light blue, semi-transparent graphic of the letter 'S' is centered on the page. It is composed of three concentric, semi-circular bands that form the shape of the letter. The word "Switch" is written in white, bold, sans-serif font across the middle of the 'S' graphic.

Switch

Switch

HiLook switches offer excellent performance at an affordable price. The switches support Power-over-Ethernet (PoE) and can cover a distance of up to 250 meters. This helps to reduce both network investment and maintenance costs.


Moreover, HiLook switches with 6 KV surge protection prevent sudden high-voltage energy pulses. This feature significantly extends the service life of devices and ensures an uninterrupted power supply to keep IP cameras running smoothly.



Switch Highlights

6 KV Surge Protection

It can protect the switches from high-voltage energy pulses, extending their lifespan.



For common office scenarios, the equipment is deployed indoors and there is less need for surge protection.




In the field of video security cameras are mostly used outdoors. During thunderstorms, voltage overload or instability can occur.



Surge Protection

Long-Distance Transmission

In extended mode, the transmission distance extends up to 250 meters with smooth and stable video streaming, which can save labor and wiring costs.



Note :

Meeting the following conditions to achieve long-distance transmission:

- HiLook cameras
- Extend mode
- CAT5e and above network cables



NS-0105D
5 Port Fast Ethernet Unmanaged Desktop Switch

- 5 x 10/100 Mbps ethernet ports
- Support ADI/ADIX
- Store-and-forward switching
- MAC address auto-learning and aging
- Simple and compact body design
- Desktop and wall-mounting installation
- Plug & play, easy to use



NS-0108D
8 Port Fast Ethernet Unmanaged Desktop Switch

- 8 x 10/100 Mbps ethernet ports
- Support ADI/ADIX
- Store-and-forward switching
- MAC address auto-learning and aging
- Simple and compact body design
- Desktop and wall-mounting installation
- Plug & play, easy to use



NS-0505D
5 Port Gigabit Unmanaged Desktop Switch

- 5 x 10/100/1000 Mbps ethernet ports
- Support ADI/ADIX
- Store-and-forward switching
- MAC address auto-learning and aging
- Simple and compact body design
- Desktop and wall-mounting installation
- Plug & play, easy to use



NS-0508D
8 Port Gigabit Unmanaged Desktop Switch

- 8 x 10/100/1000 Mbps ethernet ports
- Supports ADI/ADIX
- Store-and-forward switching
- MAC address auto-learning and aging
- Simple, compact body design
- Desktop and wall-mounting installation
- Plug & play, easy to use



NS-0505
5 Port Gigabit Unmanaged Switch

- 5 x Gigabit RJ45 ports
- 1000 M network access
- Wire-speed forwarding and non-blocking design
- Store-and-forward switching
- Solid high-strength metal shell



NS-0508
8 Port Gigabit Unmanaged Switch

- 8 x Gigabit RJ45 ports
- 1000 M network access
- Wire-speed forwarding and non-blocking design
- Store-and-forward switching
- Solid high-strength metal shell



NS-0516R
16 Port Gigabit Unmanaged Switch

- 16 x 10/100/1000 Mbps RJ45 ports
- Easy plug-and-play installation
- Rack-mounting
- Rugged metal case, exquisite and beautiful design



NS-0524R
24 Port Gigabit Unmanaged Switch

- 24 x 10/100/1000 Mbps RJ45 ports
- Easy plug-and-play installation
- Rack-mounting
- Rugged metal case, exquisite and beautiful design



NS-0105P-35
4 Port Fast Ethernet Unmanaged POE Switch

- 4 x 100 Mbps PoE ports, 1 x 100 Mbps uplink port
- 35 W PoE power budget
- MAC address auto learning and auto aging



NS-0106P-35
4 Port Fast Ethernet Unmanaged PoE Switch

- 4 x 10/100 Mbps PoE ports, 2 x 10/100 Mbps RJ45 ports
- 35 W PoE power budget
- IEEE 802.3, IEEE 802.3u, and IEEE 802.3x standard
- Wire-speed forwarding
- Store-and-forward switching
- Solid high-strength metal shell



NS-0109P-60
8 Port Fast Ethernet Unmanaged PoE Switch

- 8 x 100 Mbps PoE ports, 1 x 100 Mbps RJ45 port
- 60 W PoE power budget
- MAC address auto learning and auto aging



NS-0310P-60
8 Port Fast Ethernet Unmanaged PoE Switch

- 8 x 10/100 Mbps PoE ports, 2 x Gigabit RJ45 ports
- 35 W PoE power budget
- IEEE 802.3, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z and IEEE 802.3ab standard
- Wire-speed forwarding
- Store-and-forward switching
- Solid high-strength metal shell



NS-0318P-130

16 Port Fast Ethernet Unmanaged PoE Switch

- 16 x 100 Mbps PoE ports, 1 x 1000 Mbps RJ45 port, 1 x 1000 Mbps SFP port
- 130 W PoE power budget
- MAC address auto learning and auto aging



NS-0326P-230

24 Port Fast Ethernet Unmanaged PoE Switch

- 24 x 100 Mbps PoE ports, 1 x 1000 Mbps RJ45 port, 1 x 1000 Mbps SFP port
- 230 W PoE power budget
- MAC address auto learning and auto aging



NS-0505P-35

4 Port Gigabit Unmanaged PoE Switch

- 4 x Gigabit PoE ports, 1 x Gigabit RJ45 port
- IEEE 802.3at/af standard
- IEEE 802.3, IEEE 802.3u, IEEE 802.3x, IEEE 802.3ab, and IEEE 802.3z standard
- Wire-speed forwarding and non-blocking design
- Store-and-forward switching
- Solid high-strength metal shell



NS-0510P-58

8 Port Gigabit Unmanaged PoE Switch

- 8 x Gigabit PoE ports, 1 x Gigabit RJ45 port, 1 x Gigabit SFP port
- IEEE 802.3at/af standard
- IEEE 802.3, IEEE 802.3u, IEEE 802.3x, IEEE 802.3ab, and IEEE 802.3z standard
- Wire-speed forwarding and non-blocking design
- Store-and-forward switching
- Solid high-strength metal shell



NS-0518P-125

16 Port Gigabit Unmanaged PoE Switch

- 16 x Gigabit PoE ports, 2 x Gigabit SFP ports
- IEEE 802.3at/af standard
- IEEE 802.3, IEEE 802.3u, and IEEE 802.3x standard
- Wire-speed forwarding
- Store-and-forward switching
- Solid high-strength metal shell



NS-0526P-225

24 Port Gigabit Unmanaged PoE Switch

- 24 x Gigabit PoE ports, 2 x Gigabit SFP ports
- IEEE 802.3at/af standard
- IEEE 802.3, IEEE 802.3u, IEEE 802.3x, IEEE 802.3ab, and IEEE 802.3z standard
- Wire-speed forwarding
- Store-and-forward switching
- Solid high-strength metal shell



Monitor and Cables



Monitor and Cables

HiLook monitors have exquisite design, a wider field of view, and superior dual-screen splicing. They also offer full HD imaging to ensure exceptional color with clear details. You can enjoy optimal imaging with the wide, 178-degree viewing angle when you use the monitors.

HiLook monitors comply with VESA mounting standards, and provide multiple interface options. All mainstream interface options are available to meet any need.

HiLook offers Cat5e and Cat6 network cables, with stable electrical performance:

- Compliant with ANSI/TIA-568.2-D, IEC61156, ISO/IEC11801
- Excellent performance in the Fluke 80-meter permanent link test while working continuously at 50° C high temperature
- Solid-Bare copper conductor with less resistance
- Compliant with RoHS 2.0

Monitor and Cables — Monitor



Hi-D22F2V2F

- 21.45 inch, 1080P, 100HZ
- Interface: HDMI/VGA audio out
- Panel type: VA
- View angle: 178°/178°
- VESA bracket



Hi-D22F2P2F

- 21.45 inch, 1080P, 100HZ
- Interface: HDMI/VGA audio out
- Panel type: IPS
- View angle: 178°/178°
- VESA bracket



Hi-D24F2V2F

- 23.8 inch, 1080P, 100HZ
- Interface: HDMI/VGA audio out
- Panel type: VA
- View angle: 178°/178°
- VESA bracket



Hi-D24F2P2F

- 23.8 inch, 1080P, 100HZ
- Interface: HDMI/VGA audio out
- Panel type: IPS
- View angle: 178°/178°
- VESA bracket

Monitor and Cables — Cables



NC-1LN6UZCO

- UTP Cat6 305m
- Solid-Bare Copper (99.95%)
- Core diameter: 24AWG
- CPR Fca
- Sheath Material: PVC
- Sheath Color: Grey



NC-1LN5EUECO

- UTP Cat5E 305m
- Solid-Bare Copper (99.95%)
- Core diameter: 25AWG
- CPR Fca
- Sheath Material: PVC
- Sheath Color: Grey

HiLook

Great Performance, Best Deals



www.hikvision.com
support@hikvision.com



HIKVISION®