






TOOL CATALOGUE 2025



WHO ARE WE?

At Vaunt, we know what tradespeople have come to expect when it comes to the tools they use, and with over 100 years of combined tool experience ourselves, we know we can deliver just that.

Working closely with our customers, we continue to develop a range of products that showcases our passion in providing the best user experience and exceptional quality standards to satisfy every trades persons needs.

Our Research & Development teams around the world are continuously pushing the boundaries of product innovation to enhance our range and ensure we are providing you professional tools at affordable prices!

OVER 150 NEW PRODUCTS ADDED!



Look out for the NEW icon on all our new products scattered throughout the catalogue!



PROFESSIONAL TOOLS AT AFFORDABLE PRICES!

Our wide range of professional quality tools, designed for professional work site environments. We provide an extensive range of products, so whether you need large site equipment, or a durable drill bit, we've got you covered. Utilising our years of hands-on experience using tools and accessories, we have sourced and developed a range of tools ideal for the professional tradesperson no matter the job.



PREMIUM TOOLS FOR EXTREME PERFORMANCE AND ENDURANCE!

CHECK OUT OUR PREMIUM
VAUNT X PRODUCTS
THROUGHOUT THE CATALOGUE!

Our premium range of professional quality tools for ultimate durability and longevity. Designed and manufactured using industry leading techniques with the highest quality materials, this selection of elite products will provide you with exceptional results in any situation.



EVERYDAY ESSENTIAL TOOLS YOU ALWAYS NEED!

A range of essential tools you will always need throughout the day. This helpful selection of tools are our 'toolbag vitals', that are ideal backup solutions for if your first choice tool breaks or goes missing and need a substitute that doesn't break the bank!

need a substitute that doesn't break the bank! Also ideal for those starting out in the trade or for kitting out the apprentice!

CHECK OUT OUR RANGE OF ESSENTIALS ON PAGES 77-79!

LOOK OUT FOR SOME OF OUR SPECIAL FEATURES:



Manufactured to be durable, providing longer lasting life than standard equivalents



Our 1/4" hex shank allows you to quickly switch from chuck to impact driver to holder with ease and speed



MATE

Designed to be strong and tough.
Built using high quality materials to
offer exceptional performance in
the harshest environments

WHY VAUNT?

WE DEVELOP

With our product team offering over 100 years of combined construction industry experience, we know what tradespeople come to expect with their tools and we strive to deliver just that. Using our breadth of knowledge, we ensure our product ranges provide the quality and reliability expected in the professional environment.

WE UNDERSTAND

Alongside our product development team, our marketing & sales team offer their own 100 years and more worth of combined experience within the professional tool market! Our team can build a product selection and service to suit all retailer needs, from an extensive range with indepth stock and order management to a simple highlight range with ad hoc service.

WE PROVIDE

Vaunts core values are to always provide affordable, professional quality tools you can trust, and we extend that ethos through to our services as well. We provide exceptional service from beginning to end, supporting our retailers, whether in the form of product enquiries, sales & delivery advice, aftersales care, or in the form of marketing support, such as retail POS, online content or even help with your Amazon listings! Our staff are fully trained in all areas of our products and industry, and we are ready to support you today!

OUR ETHOS:

NO SINGLE USE PLASTIC

We are designing & developing our packaging to remove all single use plastic and replacing with environmentally sustainable options!

PAPERLESS OFFICES

In this digital age we use processes and software to remove the need to print, even in our design and packaging departments!

SUSTAINABLE SOURCES

We check our products are made from sustainable and ethically sourced materials, and using environmentally friendly processes.

LEGAL LABOUR

We investigate and check all aspects of our supply chain conform to our ethical standards, ensuring a legal workforce, ethical practises & safe working environments.

COMMUNITY SUPPORT

We regularly participate in local and national community events, also supporting trade charities and individuals alike.

CONTENTS:



Check out our entry evel essentials "price point" range...

Pages 75-79

| | FIXINGS Screws Nails | 04-05 |
|---------------------------------------|---|---|
| | POWER TOOL ACCESSORIES | THE PERSON NAMED IN COLUMN TO SERVICE AND ADDRESS OF THE PERSON NAMED AND ADDRESS OF |
| | HSS Drill Bits | |
| | Flat & Auger Drill Bits | . 08-09 |
| | Accessory Set Holesaw & Arbors | ·· 10 |
| | 1/4" Hex Shank Accessories | |
| | Circular Saw Blades | · 12-15 |
| | Clamp Guides, Jigsaw & Recip Blades Routing | ·· 16-18 |
| | Multi Tool Blades & Accessories | |
| | Sanding & Abrasive ····· | |
| | Diamond Blades Tile Drill Bits & Cores | |
| | Diamond Drill Bits & Holesaws | |
| | SDS+ Drill Bits | |
| | SDS Accessories Multi Construction Drill Bits | |
| | | 34-47 |
| <u></u> | Screwdrivers, Chisels & Hex Keys (Vaunt X) | |
| | Prybars & Sockets (Vaunt X) | 35 |
| | Clamps ····· | 36 |
| | Chisels & Sharpening | 37 |
| | Levels & Angles | 38 |
| | Tape Measures & Squares ····· | 40 |
| OTD | Pencils & Marking | |
| To le D | Pliers & Screwdrivers Hex Keys, Wrenches & Spanners | |
| | Snips & Saws | |
| | Hammers & Punches · · · · · · · · · · · · · · · · · · · | ·· 45 |
| | Surform, Stapler & Pipe Cutters | |
| | | |
| N/a | Tiling Tools | |
| * | INTELLIGENT MEASURING — | 48-50 |
| * | Muse | -48-50 48 |
| * | INTELLIGENT MEASURING — Crossline Lasers | -48-50 48 49 |
| O * | INTELLIGENT MEASURING Crossline Lasers Distance Measures | -48-50 48 49 50 |
| * | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner | 48-50 48 49 50 51-52 |
| * | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner POWERED EQUIPMENT | -48-50 -48 -49 -50 -51-52 |
| •* • • | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner POWERED EQUIPMENT Paddle Mixer, Heater & Dust Extractor | -48-50 -48 -49 -50 -51-52 -51 |
| * * * | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner POWERED EQUIPMENT Paddle Mixer, Heater & Dust Extractor Dehumidifier, Air Con & Fans STANDS & SUPPORTS Stands, Saw Horses & Trestles | -48-50 -48 -49 -50 -51-52 -51 -52 -53-57 -53-55 |
| * * A | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner POWERED EQUIPMENT Paddle Mixer, Heater & Dust Extractor Dehumidifier, Air Con & Fans STANDS & SUPPORTS Stands, Saw Horses & Trestles Board Lifters, Trollies & Straps | -48-50 -48 -49 -50 -51-52 -51 -52 -53-57 -53-55 -56 |
| * * * * * * * * * * * * * * * * * * * | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner POWERED EQUIPMENT Paddle Mixer, Heater & Dust Extractor Dehumidifier, Air Con & Fans STANDS & SUPPORTS Stands, Saw Horses & Trestles Board Lifters, Trollies & Straps Props & Air Wedges | -48-50 -48 -49 -50 -51-52 -51 -52 -53-57 -53-55 -56 -57 |
| * * * * * * * * * * * * * * * * * * * | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner POWERED EQUIPMENT Paddle Mixer, Heater & Dust Extractor Dehumidifier, Air Con & Fans STANDS & SUPPORTS Stands, Saw Horses & Trestles Board Lifters, Trollies & Straps Props & Air Wedges LADDERS & PLATFORMS | -48-50 -48 -49 -51-52 -51-52 -53-57 -53-55 -56 -57 -58-60 |
| * A A IIII | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner POWERED EQUIPMENT Paddle Mixer, Heater & Dust Extractor Dehumidifier, Air Con & Fans STANDS & SUPPORTS Stands, Saw Horses & Trestles Board Lifters, Trollies & Straps Props & Air Wedges LADDERS & PLATFORMS Multi-purpose Extending, Telescopic & Fibreglass | -48-50 -48 -49 -50 -51-52 -51 -52 -53-57 -53-55 -56 -57 -58-60 -58 -59 |
| * * * * * * * * * * * * * * * * * * * | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner POWERED EQUIPMENT Paddle Mixer, Heater & Dust Extractor Dehumidifier, Air Con & Fans STANDS & SUPPORTS Stands, Saw Horses & Trestles Board Lifters, Trollies & Straps Props & Air Wedges LADDERS & PLATFORMS | -48-50 -48 -49 -50 -51-52 -51 -52 -53-57 -53-55 -56 -57 -58-60 -58 -59 |
| * * * * * * * * * * * * * * * * * * * | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner POWERED EQUIPMENT Paddle Mixer, Heater & Dust Extractor Dehumidifier, Air Con & Fans STANDS & SUPPORTS Stands, Saw Horses & Trestles Board Lifters, Trollies & Straps Props & Air Wedges LADDERS & PLATFORMS Multi-purpose Extending, Telescopic & Fibreglass Steps & Platforms GARDEN & OUTDOOR | -48-50 -48 -49 -50 -51-52 -51 -52 -53-57 -58-60 -58 -59 -60 -61-65 |
| * * * * * * * * * * * * * * * * * * * | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner POWERED EQUIPMENT Paddle Mixer, Heater & Dust Extractor Dehumidifier, Air Con & Fans STANDS & SUPPORTS Stands, Saw Horses & Trestles Board Lifters, Trollies & Straps Props & Air Wedges LADDERS & PLATFORMS Multi-purpose Extending, Telescopic & Fibreglass Steps & Platforms GARDEN & OUTDOOR Sack Trucks | -48-50 -48 -49 -50 -51-52 -51-52 -53-57 -53-55 -56 -57 -58-60 -61-65 |
| * A A IIII ** | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner POWERED EQUIPMENT Paddle Mixer, Heater & Dust Extractor Dehumidifier, Air Con & Fans STANDS & SUPPORTS Stands, Saw Horses & Trestles Board Lifters, Trollies & Straps Props & Air Wedges LADDERS & PLATFORMS Multi-purpose Extending, Telescopic & Fibreglass Steps & Platforms GARDEN & OUTDOOR Sack Trucks Carts & Trolleys | -48-50 -48 -49 -50 -51-52 -51-52 -53-57 -53-55 -56 -57 -58-60 -61-65 -61 |
| * * * * * * * * * * * * * * * * * * * | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner POWERED EQUIPMENT Paddle Mixer, Heater & Dust Extractor Dehumidifier, Air Con & Fans STANDS & SUPPORTS Stands, Saw Horses & Trestles Board Lifters, Trollies & Straps Props & Air Wedges LADDERS & PLATFORMS Multi-purpose Extending, Telescopic & Fibreglass Steps & Platforms GARDEN & OUTDOOR Sack Trucks Carts & Trolleys Wheelbarrows Gazebos | -48-50 -48 -49 -50 -51-52 -51-52 -53-57 -53-55 -56 -57 -58-60 -61-65 -61 -62-63 -63 -64-65 |
| | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner POWERED EQUIPMENT Paddle Mixer, Heater & Dust Extractor Dehumidifier, Air Con & Fans STANDS & SUPPORTS Stands, Saw Horses & Trestles Board Lifters, Trollies & Straps Props & Air Wedges LADDERS & PLATFORMS Multi-purpose Extending, Telescopic & Fibreglass Steps & Platforms GARDEN & OUTDOOR Sack Trucks Carts & Trolleys Wheelbarrows Gazebos WORKWEAR | -48-50 -48 -49 -50 -51-52 -51-52 -53-57 -58-60 -58 -59 -61-65 -61 -62-63 -64-65 -66-68 |
| | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner POWERED EQUIPMENT Paddle Mixer, Heater & Dust Extractor Dehumidifier, Air Con & Fans STANDS & SUPPORTS Stands, Saw Horses & Trestles Board Lifters, Trollies & Straps Props & Air Wedges LADDERS & PLATFORMS Multi-purpose Extending, Telescopic & Fibreglass Steps & Platforms GARDEN & OUTDOOR Sack Trucks Carts & Trolleys Wheelbarrows Gazebos WORKWEAR Safety Boots | -48-50 -48 -49 -50 -51-52 -51-52 -53-57 -58-60 -58 -61 -62-63 -64-65 -66-68 |
| | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner POWERED EQUIPMENT Paddle Mixer, Heater & Dust Extractor Dehumidifier, Air Con & Fans STANDS & SUPPORTS Stands, Saw Horses & Trestles Board Lifters, Trollies & Straps Props & Air Wedges LADDERS & PLATFORMS Multi-purpose Extending, Telescopic & Fibreglass Steps & Platforms GARDEN & OUTDOOR Sack Trucks Carts & Trolleys Wheelbarrows Gazebos WORKWEAR Safety Boots Gloves | -48-50 -48 -49 -50 -51-52 -51-52 -53-57 -58-60 -58 -59 -61-65 -61 -62-63 -63 -64-65 -66-68 |
| | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner POWERED EQUIPMENT Paddle Mixer, Heater & Dust Extractor Dehumidifier, Air Con & Fans STANDS & SUPPORTS Stands, Saw Horses & Trestles Board Lifters, Trollies & Straps Props & Air Wedges LADDERS & PLATFORMS Multi-purpose Extending, Telescopic & Fibreglass Steps & Platforms GARDEN & OUTDOOR Sack Trucks Carts & Trolleys Wheelbarrows Gazebos WORKWEAR Safety Boots Gloves Belts & Pouches | -48-50 -48 -49 -50 -51-52 -51-52 -53-57 -53-55 -56 -57 -58-60 -61-65 -61 -62-63 -63 -64-65 -66-68 -66-68 |
| | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner POWERED EQUIPMENT Paddle Mixer, Heater & Dust Extractor Dehumidifier, Air Con & Fans STANDS & SUPPORTS Stands, Saw Horses & Trestles Board Lifters, Trollies & Straps Props & Air Wedges LADDERS & PLATFORMS Multi-purpose Extending, Telescopic & Fibreglass Steps & Platforms GARDEN & OUTDOOR Sack Trucks Carts & Trolleys Wheelbarrows Gazebos WORKWEAR Safety Boots Gloves Belts & Pouches STORAGE | -48-50 -48 -49 -50 -51-52 -51-52 -53-57 -58-60 -58 -59 -60 -61-65 -61 -62-63 -64-65 -66-68 -68 -69 -68 |
| | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner POWERED EQUIPMENT Paddle Mixer, Heater & Dust Extractor Dehumidifier, Air Con & Fans STANDS & SUPPORTS Stands, Saw Horses & Trestles Board Lifters, Trollies & Straps Props & Air Wedges LADDERS & PLATFORMS Multi-purpose Extending, Telescopic & Fibreglass Steps & Platforms GARDEN & OUTDOOR Sack Trucks Carts & Trolleys Wheelbarrows Gazebos WORKWEAR Safety Boots Gloves Belts & Pouches STORAGE Storage Bags & Totes | -48-50 -48 -49 -50 -51-52 -51-52 -53-57 -58-60 -58 -59 -60 -61-65 -61 -62-63 -64-65 -66-68 -66-68 -68 -69 -68 |
| | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner POWERED EQUIPMENT Paddle Mixer, Heater & Dust Extractor Dehumidifier, Air Con & Fans STANDS & SUPPORTS Stands, Saw Horses & Trestles Board Lifters, Trollies & Straps Props & Air Wedges LADDERS & PLATFORMS Multi-purpose Extending, Telescopic & Fibreglass Steps & Platforms GARDEN & OUTDOOR Sack Trucks Carts & Trolleys Wheelbarrows Gazebos WORKWEAR Safety Boots Gloves Belts & Pouches STORAGE Storage Bags & Totes Shelving | -48-50 -48 -49 -50 -51-52 -51-52 -53-57 -58-60 -58 -59 -60 -61-65 -61 -62-63 -64-65 -66-68 -66-68 -68 -69 -68 -69 |
| | INTELLIGENT MEASURING Crossline Lasers Distance Measures Wall Bracket/Scanner POWERED EQUIPMENT Paddle Mixer, Heater & Dust Extractor Dehumidifier, Air Con & Fans STANDS & SUPPORTS Stands, Saw Horses & Trestles Board Lifters, Trollies & Straps Props & Air Wedges LADDERS & PLATFORMS Multi-purpose Extending, Telescopic & Fibreglass Steps & Platforms GARDEN & OUTDOOR Sack Trucks Carts & Trolleys Wheelbarrows Gazebos WORKWEAR Safety Boots Gloves Belts & Pouches STORAGE Storage Bags & Totes | -48-50 -48 -49 -50 -51-52 -51-52 -53-57 -58-60 -61-65 -61 -62-63 -63 -64-65 -66-68 -68 -69 -68-69 -70-74 |

Site Lighting & Flood Lighting






All Purpose Wood Screws












- Durable and self countersinking head
- Electro-galvanised for rust prevention
- Self-drilling tip provides fast and straight fastening in woods, without the need of a pilot hole
- Sharp point for accuracy and stability
- Spiral thread end for secure hold in materials
- Long cutting groove creates a cutting edge at the tip
- Thick reinforced collar carries a strong driving force
- Strong C1022 carbon steel
- Ideal for use both indoors and outdoors





| CODE | BARCODE | QTY | SIZE | Ø |
|----------|---------------|------|-------|-------|
| V1106000 | 5055284468058 | 1500 | 20mm | 3.5mm |
| V1106001 | 5055284468065 | 1000 | 30mm | 3.5mm |
| V1106002 | 5055284468072 | 1000 | 40mm | 3.5mm |
| V1106003 | 5055284468089 | 1000 | 25mm | 4.0mm |
| V1106004 | 5055284468096 | 1000 | 30mm | 4.0mm |
| V1106005 | 5055284468102 | 750 | 40mm | 4.0mm |
| V1106006 | 5055284468119 | 500 | 50mm | 4.0mm |
| V1106007 | 5055284468126 | 500 | 40mm | 5.0mm |
| V1106008 | 5055284468133 | 400 | 50mm | 5.0mm |
| V1106009 | 5055284468140 | 400 | 60mm | 5.0mm |
| V1106010 | 5055284468157 | 250 | 70mm | 5.0mm |
| V1106011 | 5055284468164 | 250 | 80mm | 5.0mm |
| V1106012 | 5055284468171 | 250 | 100mm | 5.0mm |
| V1106013 | 5055284468188 | 150 | 80mm | 6.0mm |
| V1106014 | 5055284468195 | 150 | 100mm | 6.0mm |


Angled Framing Nails



- *50mm, 63mm & 75mm Ringed Shank
- *50mm, 63mm & 75mm Ringed Shank 90mm - Smooth Shank

- Electro-galvanised for rust prevention
- Clipped D-head for optimal loading
- 'Diamond' shaped point for maximum penetration
- Ring shank for a secure hold (50mm - 75mm)
- Smooth shank for easy drive with minimal force (90mm)
- Strong Q235 carbon steel
- 'Dipped' ends to protect the coating when being fired into the material
- Suitable for most angled framing guns
- 34° angle allows access to hard to reach places





| CODE | BARCODE | QTY | SIZE | Ø | ANGLE |
|----------|---------------|------|------|-------|-------|
| V1105000 | 5055284468201 | 1716 | 50mm | 2.8mm | 34° |
| V1105001 | 5055284468218 | 3300 | 50mm | 2.8mm | 34° |
| V1105002 | 5055284468225 | 1716 | 63mm | 2.8mm | 34° |
| V1105003 | 5055284468232 | 3300 | 63mm | 2.8mm | 34° |
| V1105004 | 5055284468249 | 1100 | 75mm | 3.1mm | 34° |
| V1105005 | 5055284468256 | 2200 | 75mm | 3.1mm | 34° |
| V1105006 | 5055284468263 | 1100 | 90mm | 3.1mm | 34° |
| V1105007 | 5055284468270 | 2200 | 90mm | 3.1mm | 34° |

XL TRADE PACK SIZES





| CODE | BARCODE | QTY | SIZE | Ø | ANGLE |
|----------|---------------|------|------|-------|-------|
| V1105008 | 5055284468287 | 1700 | 32mm | 1.6mm | 20° |
| V1105009 | 5055284468294 | 1700 | 38mm | 1.6mm | 20° |
| V1105010 | 5055284468300 | 1700 | 45mm | 1.6mm | 20° |
| V1105011 | 5055284468317 | 1700 | 50mm | 1.6mm | 20° |
| V1105012 | 5055284468324 | 1700 | 63mm | 1.6mm | 20° |

Angled 16G Brad Nails



- Electro-galvanised for rust prevention
- T-head for concealed finishing
- V-tip designed for maximum penetration and to prevent material splitting
- Smooth shank for easy drive with minimal force
- Strong carbon steel
- Suitable for most 16 gauge angled brad guns
- 20° angle allows access to hard to reach places

Straight 16G Brad Nails



- Electro-galvanised for rust prevention
- T-head for concealed finishing
- V-tip designed for maximum penetration and material splitting prevention
- Smooth shank for easy drive with minimal force
- Strong carbon steel
- Suitable for all 16 gauge brad guns





| CODE | BARCODE | QTY | SIZE | Ø | ANGLE |
|----------|---------------|------|------|-------|----------|
| V1105013 | 5055284468331 | 2500 | 19mm | 1.6mm | Straight |
| V1105014 | 5055284468348 | 2500 | 25mm | 1.6mm | Straight |
| V1105015 | 5055284468355 | 2500 | 32mm | 1.6mm | Straight |
| V1105016 | 5055284468362 | 2500 | 38mm | 1.6mm | Straight |
| V1105017 | 5055284468379 | 2500 | 45mm | 1.6mm | Straight |
| V1105018 | 5055284468386 | 2500 | 50mm | 1.6mm | Straight |
| V1105019 | 5055284468393 | 2500 | 63mm | 1.6mm | Straight |



HSS DRILL BITS



Self-centering tip ensure an accurate start

Split point tip for quick, accurate drilling and clean finish

Ground forged manufacturing process ensures additional strength and durability

High quality HSS (high speed steel)

- Available in various lengths and sizes
- Ideal for woods, metals and plastics
- Conforms to DIN338 standard

















| CODE | BARCODE | QTY | Ø | LENGTH |
|----------|---------------|-----|--------|--------|
| V1324000 | 5055284451654 | 10 | 2.0mm | 49mm |
| V1324001 | 5055284451753 | 10 | 2.5mm | 57mm |
| V1324002 | 5055284452040 | 10 | 2.75mm | 61mm |
| V1324003 | 5055284452057 | 10 | 3.0mm | 61mm |
| V1324004 | 5055284452064 | 10 | 3.25mm | 65mm |
| V1324005 | 5055284452071 | 10 | 3.5mm | 70mm |
| V1324006 | 5055284452088 | 10 | 4.0mm | 75mm |
| V1324007 | 5055284452095 | 10 | 4.5mm | 80mm |
| V1324008 | 5055284452101 | 10 | 5.0mm | 86mm |
| V1324009 | 5055284453771 | 10 | 5.5mm | 93mm |
| V1324010 | 5055284453788 | 10 | 6.0mm | 93mm |
| V1324011 | 5055284453795 | 10 | 7.0mm | 109mm |
| V1324012 | 5055284453801 | 10 | 8.0mm | 117mm |

| LONG LENGTH SERIES | | | | | |
|--------------------|---------------|----|-------|-------|--|
| V1324030 | 5055284453818 | 10 | 3.0mm | 100mm | |
| V1324031 | 5055284453825 | 10 | 3.5mm | 112mm | |
| V1324032 | 5055284453832 | 10 | 4.0mm | 119mm | |
| V1324033 | 5055284453849 | 10 | 4.5mm | 126mm | |
| V1324034 | 5055284453856 | 10 | 5.0mm | 132mm | |
| V1324035 | 5055284453863 | 10 | 6.0mm | 139mm | |

20 Piece HSS Pilot Drill Bit Packs



19 Piece HSS Drill Bit Set



HSS M2 Drill Bits

135° split point tip for quick, accurate drilling and clean finish

Self-centering tip ensures an accurate start

Black and gold oxide coating for maximum corrosion resistance and to prevent burs

Coating reduces friction, resulting in less battery drain when used in cordless drills

Fully ground metal construction for extra strength and durability

High quality M2 grade HSS (high speed steel)

Specially ground tri shanks (over 3mm) ensure the bit will not slip in the chuck

- Suitable for woods and plastics, ideal for alloy steel, carbon steel, cast iron and most non-ferrous metals
- Available in various lengths and sizes
- Conforms to DIN338





Durable M2 steel body and tip ensures the bit will stay sharper for approximately 25% longer than standard HSS bits





Greater performance drilling metal compared to standard HSS bits











| CODE | BARCODE | QTY | Ø | LENGTH |
|----------|---------------|---------|--------|--------|
| V1324070 | 5055284469451 | 10 | 2.0mm | 49mm |
| V1324071 | 5055284469468 | 10 | 2.5mm | 57mm |
| V1324072 | 5055284469475 | 10 | 2.75mm | 61mm |
| V1324073 | 5055284469482 | 10 | 3.0mm | 61mm |
| V1324074 | 5055284469499 | 10 | 3.25mm | 65mm |
| V1324075 | 5055284469505 | 10 | 3.5mm | 70mm |
| V1324076 | 5055284469512 | 10 | 4.0mm | 75mm |
| V1324077 | 5055284469529 | 10 | 4.5mm | 80mm |
| V1324078 | 5055284469536 | 10 | 5.0mm | 86mm |
| V1324080 | 5055284469550 | 10 | 6.0mm | 93mm |
| | LONG LEN | NGTH SI | ERIES | |
| V1324085 | 5055284469604 | 10 | 3.0mm | 100mm |
| V1324086 | 5055284469611 | 10 | 3.5mm | 112mm |
| V1324087 | 5055284469628 | 10 | 4.0mm | 119mm |
| V1324088 | 5055284469635 | 10 | 4.5mm | 126mm |
| V1324089 | 5055284469642 | 10 | 5.0mm | 132mm |
| HEX SH | ANK SERIES | | | |
| V1324090 | 5055284469659 | 5 | 2.0mm | 69mm |
| V1224001 | E0EE29447E667 | _ | 2 Emm | 77mm |

| V1324065 | 3033264403042 | 10 | 5.0111111 | 132111111 | |
|----------|---------------|----|-----------|-----------|--|
| HEX SH | ANK SERIES | | | | |
| V1324090 | 5055284469659 | 5 | 2.0mm | 69mm | |
| V1324091 | 5055284475667 | 5 | 2.5mm | 77mm | |
| V1324092 | 5055284475674 | 5 | 3.0mm | 81mm | |
| V1324093 | 5055284475681 | 5 | 3.5mm | 93mm | |
| V1324094 | 5055284475698 | 5 | 4.0mm | 100mm | |
| V1324095 | 5055284475704 | 5 | 5.0mm | 106mm | |
| V1324096 | 5055284475711 | 10 | Mixed | Mixed | |



Hex shank for α

20 Piece HSS M2 Pilot Drill Bit Set





CONTENTS 4x 2.0mm 4x 2.5mm 3x 3.0mm 3x 3.5mm 3x 4.0mm

3x 5.0mm

CODE BARCODE V1324060 5055284469437

19 Piece HSS M2 Drill Bit Set





1x 1.0mm 1x 5.5mm 1x 1.5mm 1x 6.0mm 1x 2.0mm 1x 6.5mm 1x 2.5mm 1x 7.0mm 1x 3.0mm 1x 7.5mm 1x 3.5mm 1x 8.0mm 1x 4.0mm 1x 8.5mm 1x 4.5mm 1x 9.0mm 1x 5.0mm 1x 10mm 1x Plastic Storage Case

CONTENTS

CODE BARCODE

V1324061 5055284469444



FLAT & AUGER DRILL BITS



Flat Drill Bits









10 Piece Flat Drill Bit Set



1x 10mm x 152mm 1x 13mm x 152mm 1x 16mm x 152mm 1x 19mm x 152mm 1x 22mm x 152mm 2x 25mm x 152mm 2x 32mm x 152mm 1x 40mm x 152mm 1x Storage Roll

CONTENTS

- High quality, ground tri-point flat bits
- Ground tip and breaker reduces splintering by removing waste debris, which also reduces heat build up and friction leading to increased drilling speed, durability and lifespan
- 1/4" hex shank for a more secure grip in a chuck



A DUICK SW TCH



| | CODE | BARCODE | PACK | WIDTH | LENGTH |
|-----------|----------|---------------|------|------------------------|--------|
| | V1321001 | 5055284469666 | 3 | 13mm | 152mm |
| | V1321002 | 5055284469673 | 3 | 16mm | 152mm |
| | V1321003 | 5055284469680 | 3 | 19mm | 152mm |
| | V1321004 | 5055284469697 | 3 | 22mm | 152mm |
| | V1321005 | 5055284469703 | 3 | 25mm | 152mm |
| | V1321006 | 5055284469710 | 3 | 32mm | 152mm |
| | V1321007 | 5055284469727 | 3 | 40mm | 152mm |
| mixed set | V1321008 | 5055284472284 | 3 | 22mm, 25mm, 32mm | 152mm |
| | | | | | |

Auger Drill Bits





- General purpose auger drill bits
- Auger bits drill holes easily into both soft and hard wood
- Corkscrew tip for easy bite and accurate straight, guided starts
- Hex shank for better chuck grip and secure fitting

| | CODE | BARCODE | PACK | WIDTH | LENGTH | SHANK |
|------------|----------|---------------|------|------------------------|--------|----------------------------|
| | V1315010 | 5055284469765 | 2 | 20mm | 110mm | 9.5mm |
| | V1315011 | 5055284469772 | 2 | 25mm | 110mm | 9.5mm |
| | V1315012 | 5055284469789 | 2 | 32mm | 110mm | 12.5mm |
| | V1315015 | 5055284469796 | 2 | 20mm | 235mm | 9.5mm |
| | V1315016 | 5055284469802 | 2 | 25mm | 235mm | 9.5mm |
| | V1315017 | 5055284469819 | 2 | 32mm | 235mm | 12.5mm |
| mixed sets | V1315013 | 5055284475995 | 3 | 20mm, 25mm, 32mm | 110mm | 9.5mm, 9.5mm, 12.5mm |
| d sets | V1315018 | 5055284476008 | 3 | 20mm, 25mm, 32mm | 235mm | 9.5mm, 9.5mm, 12.5mm |
| | | | | | | |

7 Piece 110mm Stubby Auger Drill Bit Set



5055284453993

CONTENTS 1x 10mm 1x 12mm 1x 14mm 1x 16mm 1x 18mm 1x 20mm 1x 25mm in a canvas storage roll

7 Piece 235mm Auger Drill Bit Set



V1315000 5055284409136

1x 10mm

1x 12mm

1x 14mm

1x 16mm

1x 18mm

1x 20mm

1x 25mm

in a canvas

storage roll



CONTENTS in a canvas storage roll

7 Piece 460mm Auger Drill Bit Set



1x 10mm 1x 12mm 1x 14mm 1x 16mm 1x 18mm 1x 20mm 1x 25mm in a canvas storage roll

CONTENTS

7 Piece Stubby 110mm SDS+ Auger Drill Bit Set



7 Piece 235mm SDS+ Auger Drill Bit Set



CONTENTS 1x 10mm 1x 12mm 1x 14mm 1x 16mm

1x 18mm 1x 20mm 1x 25mm in a canvas



Flat Drill Bits

- Fully hardened, precision ground carbon steel point and shoulders give a superior clean cut
- Ground power chip breaker and tip help to reduce splintering and remove debris to give a faster, cleaner hole, while reducing heat build up and friction which increases the overall lifetime of the bit
- 1/4" hex shank for use in impact drivers and for a more secure hold in a chuck

QUICK SW TCH

- Ideal for drilling softwood, hardwood, chipboard, plasterboard and plastics
- For use with drills, drivers and hand braces















| BARCODE | WIDTH | LENGTH |
|---------------|--|---|
| 5055284452903 | 16mm | 152mm |
| 5055284452910 | 19mm | 152mm |
| 5055284452927 | 22mm | 152mm |
| 5055284452934 | 25mm | 152mm |
| 5055284452941 | 32mm | 152mm |
| | 5055284452903 5055284452910 5055284452927 5055284452934 | 5055284452903 16mm 5055284452910 19mm 5055284452927 22mm 5055284452934 25mm |

4 Flute Auger Drill Bits



- Four flute design for faster, cleaner drilling through rapid chip ejection
- Premium quality carbon steel construction prevents bit cracking and extends life
- Four cutting tips and screw point allows bit to self feed for greater accuracy
- 1/4" hex shank for quick change into drills and impact drivers
- Ideal for most wood types



ADUICK SW TCH 7 STUBBY

| CODE | BARCODE | WIDTH | LENGTH |
|----------|---------------|-------|--------|
| X1315022 | 5055284456482 | 20mm | 120mm |
| X1315024 | 5055284456505 | 25mm | 120mm |
| X1315026 | 5055284459629 | 32mm | 120mm |
| X1315000 | 5055284456345 | 10mm | 165mm |
| X1315001 | 5055284456352 | 12mm | 165mm |
| X1315002 | 5055284456369 | 13mm | 165mm |
| X1315006 | 5055284456406 | 20mm | 165mm |
| X1315008 | 5055284456420 | 25mm | 165mm |
| X1315010 | 5055284456444 | 32mm | 165mm |
| | | | |

4 Piece 4 Flute 165mm Auger Drill Bit Set CONTENTS 2x 25mm x 165mm 2x 32mm x 165mm 1x Storage Roll CODE BARCODE









79 Piece Drill Accessory Set and Tool Bag



- Comprehensive selection of drill bits, screwdriver bits and nut drivers
- Heavy duty tool bag for convenient transportation to keep your bits together

CODE

V1326003

 Bits stored in cases for protection and easy organisation





| Wood | Masonry |
|-----------|------------|
| Flat Bits | Drill Bits |
| CONTENTS | CONTENTS |
| 1x 12mm | 1x 4mm |
| 1x 14mm | 1x 5.5mm |
| 1x 16mm | 1x 6mm |
| 1x 18mm | 1x 7mm |
| 1x 20mm | 1x 8mm |
| | 1x 10mm |



BARCODE

5055284436019

Brad Point Nut Drivers Drill Bits CONTENTS CONTENTS 1x 3mm 1x 5mm 1x 3/16" 2x 4mm 1x 6mm 1x 1/4" 1x 5mm 1x 7mm 1x 9/32" 1x 5.5mm 1x 8mm 1x 5/16" 1x 6mm 1x 9mm 1x 11/32" 1x 6.5mm 1x 10mm 1x 3/8" 1x 7mm 1x 11mm 1x 7/16"



| Screwdriver Bits | | | | | | | |
|---|----|--|--|--|--|--|--|
| 2x PZ0 1x PH1 1x 3mm 1x T8 1x 3 3x PZ1 1x PH2 1x 4mm 1x T10 1x 4 | mm | | | | | | |



HSS Drill Bits CONTENTS 2x 1.5mm 1x 5mm 1x 5.5mm 1x 2mm 1x 6mm 1x 2.5mm 1x 3mm 1x 6.5mm 1x 3.2mm 1x 7mm 1x 3.5mm 1x 8mm 1x 10mm 1x 4mm 1x 4.5mm

1x 1/2"

Bi-Metal Impact Holesaw



- 0.6mm thin walls with 10.5mm cut depth
- Bi-metal with 8% Cobalt, for durability
- Fitted sping to release cut plugs
- 1/4" hex shank for easy fitting
- Reduced drag to prolong drill battery life

| CODE | BARCODE | DIA. | LENGTH |
|----------|---------------|------|----------|
| V1323010 | 5055284471249 | 20mm | 65mm |
| V1323011 | 5055284471256 | 25mm | 65mm |
| V1323012 | 5055284471263 | 32mm | 65mm |
| | | | |
| V1323015 | 5055284471270 | PACK | OF ALL 3 |







Holesaw Arbors

- Compatible with most brands of standard fitting hole saws
- Standard screw fitting
- Replaceable pilot drill

| CODE | BARCODE | FITS |
|----------|---------------|--------------|
| V1323000 | 5055284464746 | 14mm - 31mm |
| V1323001 | 5055284432844 | 32mm - 152mm |

Quick Change Holesaw Arbor Sets NEW



- Increases productivity
- Durable steel construction
- Strong thread connection





5 x 1/2" Adaptors fits 14mm - 30mm Hoesaws

| CODE | BARCODE |
|----------|---------------|
| X1323071 | 5055284492916 |



5/8" Adaptor Set



5 x 5/8" Adaptors fits 32mm - 200mm Hoesaws

| CODE | BARCODE | | |
|----------|---------------|--|--|
| X1323072 | 5055284492923 | | |

Step 1 - Attach the applicable adaptors onto the required holesaws (check sizes)

Step 2 - Insert the arbor into your drill

Step 3 - Simply connect & disconnect each holesaw to the arbor via the quick change system!

Mixed Adaptor Set



2 x 1/2" Adaptors 3 x 5/8" Adaptors

| CODE | BARCODE |
|----------|---------------|
| X1323073 | 5055284492930 |

Arbor & Adaptor Set



X1323070 5055284492909

6 Piece Screw Remover Set



CONTENTS

2x #0 2x #1 2x #2 1x storage case

- Can be used on rusted, painted over and damaged screws
- Canvas case for storage and organisation
- HSS head bores into the screw, allowing easy extraction
- Extracts stubborn 5-9mm screws



BARCODE V1311000 5055284409280

CONTENTS

1x 2.0mm

1x 2.5mm

1x 2.75mm

1x 3.25mm

1x 3.5mm

1x Hex Key

1x Storage Case

Helps remove

stubborn bolts

Can be used on rusted,

Canvas case for storage

and organisation

painted over and rounded bolts

• Interchangeable 1/4" hex shaft

CODE BARCODE V1311003 5055284433124

6 Piece Bolt Remover Set

CONTENTS 1x 10mm

1x 11mm 1x 12mm 1x 13mm 1x 14mm 1x Arbor 1x storage case

Interchangeable 1/4" hex shaft

Robust and durable construction

A DUICK SW TCH

- Magnetic head nut setters
- Square drive with secure locking head

6 Piece Nut Setter and

Sauare Drive Set

CONTENTS

1x 8mm Nut Setter

1x 10mm Nut Setter

1x 12mm Nut Setter

1x 1/4" Square Drive

1x 3/8" Square Drive

1x 1/2" Square Drive

1x storage case

 Supplied in a canvas case for protection and organisation



CODE BARCODE

V1328000 5055284450473

5 Piece Countersink Drill Set



• Heat-treated steel

- Replaceable HSS pilot drill bits
- Depth adjustable for different length screws
- Can produce counter bore holes for wood plugs
- 1/4" hex shank
- Canvas wallet for protection and storage

CODE **BARCODE** V1318001 5055284467952

NEW 5 Piece TCT Countersink Orill Set



- Tungsten carbide drills bits for increased durability and longevity
- Can produce a counter bore hole for wood plugs
- Hex shank design prevents slipping
- Replaceable drill bit can be adjusted
- Ideal for hard woods & laminates



1x 2.0mm (No. 5) 1x 2.5mm (No. 6) 1x 2.75mm (No. 8) 1x 3.25mm (No. 10) 1x 3.5mm (No. 12) 1x Hex Key 1x Storage Case



X1318001 5055284489596

Keyring 1/4" Hex Holder



- Quick, convenient access to your bits
- Holds any standard 1/4" hex shank bit

CODE BARCODE V1307015 5055284468423

Locking Carabiner



- Quick clip allows for easy attachment and removal
- Attach to any loop, including belts, backpacks and tool bags
- Screw lock provides a secure hold and prevents clip from opening

CODE BARCODE V2315000 5055284468430

Hex Holder - Pack of 5 with Carabiner



5x Keyring 1/4"

Hex Holder 1x Locking Carabiner



BARCODE 5055284489466

CODE V1307020



TCT CIRCULAR SAW BLADES

FINDING THE RIGHT CUT:

COARSE CUT

Fewer teeth in relation to the diameter.

Designed to cut fast, particularly rip cutting.

Leaves a rougher finish, ideal for first fix work.

MEDIUM CUT

General use blade.
Designed to cut
relatively fast with an
finer finish.
Requires a little more
tidying if on show.

FINE CUT

More teeth in relation to the diameter. Provides a slightly slower cutting speed. Produces a great finish for materials on show.

EXTRA FINE CUT

Even more teeth in relation to the diameter. For precise and clean cuts. Produces a smooth finish ideal for delicate materials like laminates.

TOOTH PITCH:

POSITIVE PITCH

The higher the angle the more aggressive the cut, which pulls the blade into the material faster, positive rake blades are used for wood cutting and the greater the angle the rougher the finish



NEGATIVE PITCH

The least aggressive blade with a gradual tooth feed, generally used on aluminium cutting blades and mitre saw blades as they reduce material pick up and snatching



ALWAYS ENSURE YOU ARE USING THE CORRECT PITCH FOR YOUR SAW TO PREVENT KICKBACKS AND KEEP YOU SAFE
PITCH SHOWN AS (P) = POSITIVE & (N) = NEGATIVE NEXT TO TEETH



High quality long lasting tungsten carbide teeth

Superb performance and durability

Laser-cut slits reduce noise and vibration, ensuring professional cuts

Manufactured under the highest standards and latest safety compliance



VARIOUS BLADES FOR YOUR SAW!



TABLE SAW



MITRE SAW




CIRCULAR SAW



Blades for your CORDLESS CIRCULAR SAW

















| CODE | BARCODE | SIZE | BORE | KERF | TEETH | CUT |
|----------|---------------|-------|---------|-------|--------|--------|
| V1310000 | 5055284437436 | 136mm | 10/20mm | 1.7mm | 24 (P) | coarse |
| V1310001 | 5055284437443 | 136mm | 10/20mm | 1.7mm | 36 (P) | medium |
| V1310002 | 5055284437450 | 165mm | 20mm | 2.0mm | 24 (P) | coarse |
| V1310003 | 5055284437467 | 165mm | 20mm | 2.0mm | 36 (P) | medium |
| V1310004 | 5055284437474 | 165mm | 20mm | 2.0mm | 52 (P) | fine |
| V1310005 | 5055284437481 | 184mm | 16mm | 2.4mm | 16 (P) | coarse |
| V1310006 | 5055284437498 | 184mm | 16mm | 2.4mm | 24 (P) | medium |
| V1310007 | 5055284437504 | 184mm | 16mm | 2.4mm | 48 (P) | fine |
| V1310008 | 5055284437511 | 190mm | 30mm | 2.0mm | 16 (P) | coarse |
| V1310009 | 5055284437528 | 190mm | 30mm | 2.0mm | 24 (P) | medium |
| V1310010 | 5055284437535 | 190mm | 30mm | 2.0mm | 48 (P) | fine |
| V1310011 | 5055284437542 | 190mm | 30mm | 2.0mm | 56 (P) | x-fine |
| V1310012 | 5055284437559 | 216mm | 30mm | 2.4mm | 24 (N) | coarse |
| V1310013 | 5055284437566 | 216mm | 30mm | 2.4mm | 32 (N) | coarse |
| V1310014 | 5055284437573 | 216mm | 30mm | 2.4mm | 48 (N) | medium |
| V1310015 | 5055284437580 | 216mm | 30mm | 2.4mm | 60 (N) | fine |
| V1310017 | 5055284437603 | 235mm | 30mm | 2.6mm | 24 (P) | coarse |
| V1310018 | 5055284437610 | 235mm | 30mm | 2.6mm | 48 (P) | medium |
| V1310019 | 5055284437627 | 250mm | 30mm | 3.0mm | 36 (N) | coarse |
| V1310020 | 5055284437634 | 250mm | 30mm | 3.0mm | 80 (N) | fine |
| V1310022 | 5055284437658 | 260mm | 30mm | 3.0mm | 32 (N) | coarse |
| V1310023 | 5055284437665 | 260mm | 30mm | 3.0mm | 48 (N) | medium |
| V1310024 | 5055284437672 | 260mm | 30mm | 3.0mm | 80 (P) | fine |
| V1310026 | 5055284437696 | 305mm | 30mm | 2.8mm | 48 (N) | coarse |
| V1310027 | 5055284437702 | 305mm | 30mm | 2.8mm | 96 (N) | fine |

SPECIALISED FOR ALUMINIUM CUTTING











Each sequential tooth cuts a different part of the metal: Left Corner > Centre > Right Corner > Centre (etc.) This ensures the metal is cut accurately, cleanly and without heat build up or snagging.

| | | 70.00 | | | | |
|----------|---------------|-------|------|-------|-------|--------|
| CODE | BARCODE | SIZE | BORE | KERF | TEETH | CUT |
| V1310016 | 5055284437597 | 216mm | 30mm | 2.4mm | 60 | medium |
| V1310021 | 5055284437641 | 250mm | 30mm | 3.0mm | 80 | medium |
| V1310025 | 5055284437689 | 260mm | 30mm | 3.0mm | 80 | medium |
| V1310028 | 5055284437719 | 305mm | 30mm | 2.8mm | 80 | medium |

TRADE TIP

DID YOU KNOW ALUMINIUM CUTTING BLADES ARE ALSO AN IDEAL SUBSTITUTE FOR CUTTING LAMINATE AND VENEER WOOD?!

Due to the triple tooth configuration, the cutting technique is ideal for sensitive wood materials if you find yourself without a specialised blade to hand!







CIRCULAR SAW BLADES



Premium - Circular Saw Blades

- Oversized teeth stay sharper for longer, also allowing blades to be resharpened for longer
- Robust, precisely engineered teeth for clean cuts
- Vibration dampening slots reduce blade wobble, which increases accuracy
- Strong plate for increased durability
- Low friction coating eliminates drag and burn





| | —— WOOD — | | AMANA MARANAMANA | - PLASTIC - | 100 |
|---------------------|-----------|-----------------|------------------|-------------|-----|
| SOFT WOODS HARD WOO | PLYWOOD | SANDWICH PANELS | FIBREBOARD | PLASTIC | |

| CODE | BARCODE | SIZE | BORE | KERF | TEETH | CUT |
|----------|---------------|-------|------|-------|-------|------|
| X1310000 | 5055284449729 | 165mm | 20mm | 2.0mm | 40 | fine |
| X1310001 | 5055284449736 | 184mm | 16mm | 2.4mm | 48 | fine |
| X1310003 | 5055284437757 | 216mm | 30mm | 2.4mm | 60 | fine |
| X1310004 | 5055284449750 | 250mm | 30mm | 2.4mm | 80 | fine |
| X1310005 | 5055284449767 | 260mm | 30mm | 2.4mm | 80 | fine |
| X1310006 | 5055284449774 | 305mm | 30mm | 2.4mm | 96 | fine |


Multi-Purpose - Circular Saw Blades

- Reinforced tooth bed for tough materials
- Durable carbide teeth
- Uniquely designed tooth and blade geometry help to resist impact damage and breakage and allows the blade to cut a variety of materials that a standard saw blade could not, from wood to aluminium to sheet steel!
- Strong plate for increased durability
- Low friction coating eliminates drag and burn



| SOFT WOODS HARD WOODS SANDWICH WOOD WITH NAILS PLASTIC | ALUMINIUM SHEET STEEL |
|--|-----------------------|

| CODE | BARCODE | SIZE | BORE | KERF | TEETH |
|----------|---------------|-------|------|-------|-------|
| X1310010 | 5055284449668 | 160mm | 20mm | 2.0mm | 30 |
| X1310011 | 5055284449675 | 190mm | 30mm | 2.2mm | 38 |
| X1310012 | 5055284449682 | 216mm | 30mm | 2.2mm | 40 |
| X1310014 | 5055284449705 | 250mm | 30mm | 2.2mm | 48 |
| X1310015 | 5055284449712 | 305mm | 30mm | 2.2mm | 80 |





- Unique carbide teeth provide clean cuts and exceptionally long life in heavy duty applications, like cutting wood with hidden nails
- Alternative Top Bevel with Innovative Point-Tip tooth design for extreme cutting efficiency and tracking control
- Non-stick coating reduces friction, reducing heat build up













Lasts 6x longer when cutting wood with nails than conventional saw blades

| CODE | BARCODE | SIZE | BORE | KERF | TEETH |
|----------|---------------|-------|------|-------|-------|
| X1310050 | 5055284477449 | 160mm | 20mm | 1.5mm | 24 |
| X1310051 | 5055284477456 | 165mm | 20mm | 1.5mm | 24 |
| X1310052 | 5055284477463 | 165mm | 20mm | 1.7mm | 42 |
| X1310053 | 5055284477470 | 190mm | 30mm | 2.0mm | 42 |
| X1310055 | 5055284477494 | 216mm | 30mm | 2.2mm | 48 |
| X1310056 | 5055284477500 | 250mm | 30mm | 2.2mm | 60 |
| X1310057 | 5055284477517 | 305mm | 30mm | 3.2mm | 72 |



Plunge Saw - Circular Saw Blades


Ideal for use with Festool TS55/TSC55, Mafell MT55C, Scheppach PL55 & more



- High quality tungsten carbide teeth for increased durability
- Neutral rake and thinner kerf specialised for plunge saws
- Blade geometry designed to reduce noise and vibration which allows the blade to produce minimal chippage and breakout







| CODE | BARCODE | SIZE | BORE | KERF | TEETH | CUT |
|----------|---------------|-------|------|-------|-------|--------|
| X1310020 | 5055284449781 | 160mm | 20mm | 2.2mm | 36 | coarse |
| X1310021 | 5055284449798 | 160mm | 20mm | 2.2mm | 48 | medium |
| X1310022 | 5055284449804 | 160mm | 20mm | 2.2mm | 60 | fine |
| X1310026 | 5055284456017 | 162mm | 20mm | 2.2mm | 48 | medium |
| X1310023 | 5055284455980 | 165mm | 20mm | 2.2mm | 24 | coarse |
| X1310024 | 5055284455997 | 165mm | 20mm | 2.2mm | 48 | medium |
| X1310025 | 5055284456000 | 210mm | 30mm | 2.4mm | 52 | medium |

Thin Kerf - Circular Saw Blades



- High quality tungsten carbide teeth for increased durability
- Thinner plate and teeth allow for a more accurate and clean cut
- The overall thin nature of the blade reduces the drag and friction of the blade which in turn will increase the battery life of cordless saws














MAXI/i

| CODE | BARCODE | SIZE | BORE | KERF | TEETH |
|-----------------|-------------------|-------|---------|-------|-------|
| X1310030 | 5055284456024 | 136mm | 10/20mm | 1.5mm | 20 |
| X1310031 | 5055284456031 | 136mm | 10/20mm | 1.5mm | 32 |
| X1310033 | 5055284456055 | 165mm | 20mm | 1.6mm | 24 |
| X1310034 | 5055284456062 | 165mm | 20mm | 1.6mm | 48 |
| X1310035 | 5055284456079 | 190mm | 30mm | 1.8mm | 24 |
| X1310036 | 5055284460021 | 190mm | 30mm | 1.8mm | 48 |
| specialised for | metal cutting ——— | | | | |
| X1310032 | 5055284456048 | 136mm | 10/20mm | 2.0mm | 30 |

PCD - Circular Saw Blades



- Extra hard polycrystalline diamond tipped blade
- PCD by design produce less dust than a standard TCT blade
- Lasts up to 30 times longer than standard TCT








| CODE | BARCODE | SIZE | BORE | KERF | TEETH |
|----------|---------------|-------|------|-------|-------|
| X1310040 | 5055284456086 | 160mm | 20mm | 1.8mm | 4 |
| X1310041 | 5055284456093 | 165mm | 20mm | 1.8mm | 4 |
| X1310042 | 5055284456109 | 184mm | 20mm | 1.8mm | 4 |
| X1310043 | 5055284456116 | 190mm | 30mm | 2.4mm | 6 |
| X1310044 | 5055284456123 | 216mm | 30mm | 2.4mm | 6 |
| X1310046 | 5055284458080 | 250mm | 30mm | 2.4mm | 6 |
| X1310048 | 5055284458103 | 305mm | 30mm | 2.4mm | 8 |

NOTE — PCD blades should not be set more than 1mm below the bottom of the material, this will end up weakening the tooth and eventually detaching it from the blade





Aluminium Clamp Guide

Premium Heavy Duty Aluminium Clamp Guide



- Integrated quick-release lever for rapid locking/unlocking
- · One-handed sliding lock for easy use
- For guiding straight cuts when sawing and routing

| CODE | BARCODE | LENGTH |
|----------|---------------|--------|
| V1340000 | 5055284409198 | 600mm |
| V1340001 | 5055284409204 | 1270mm |

V1340001 will clamp 4ft boards • Extra wide 70mm body, that is 15mm thick to ensure stability, prevents twisting and bowing and to eliminate slipping while cutting

- · Ideal for use with circular saws, jigsaws, routers and plunge saws
- Ensures a straight edge without the need for additional clamps
- Easy to adjust clamp pressures using simple handles before firmly locking into place

V1340006

4ft boards

vill clamp

- Low profile, smooth clamp surface for uninterrupted use
- Single handed clamp action (once positioned)
- Strong 1200N clamping force

| CODE | BARCODE | LENGTH |
|----------|---------------|--------|
| V1340005 | 5055284472260 | 600mm |
| V1340006 | 5055284472277 | 1250mm |

MATERIALS

Jigsaw Blades

Durable & reliable jigsaw blades with universal T-shank fitting, making these suitable for most jigsaws.

T144D S VAUNT Coarse Cutting Fo Ideal for a fast straight cut through wood

T101B Y VAUNT Fine Cutting For Wood & Plastic

Ideal for a clean straight cut through wood

Ideal for a clean curved cut in wood with a narrow blade

T101BR 💆 VAUNT Fine Down Cutting For Wor Ideal for clean straight cuts in wood and laminate due to downward facing teeth

T118A S VAUNT Fine Cutting For Metal Ideal for cutting sheet metals

T144DP 2 VAUNT Procision Cutting For Wood

Ideal for fast precision straight cuts in wood

T234X VAUNT TERM Progressive Feet Cutting For Wood Ideal for varying wood thickness and density, including plunge tip feature

Ideal for fast straight cuts in wood with an extra long blade

| 1 | FINISH/CUT | TPI | LENGTH | QTY | BARCODE | BLADE | CODE |
|---------------|----------------------|------|--------|-----|---------------|--------|----------|
| SOFT WOODS | Coarse/Fast | 6 | 100mm | 25 | 5055284451531 | T144D | V1343000 |
| SOFT WOODS | Fine | 10 | 100mm | 25 | 5055284451555 | T101B | V1343001 |
| SOFT WO | Fine/Curve | 20 | 76mm | 25 | 5055284451579 | T101AO | V1343002 |
| SOFT WO | Fine/Down | 10 | 100mm | 25 | 5055284451593 | T101BR | V1343003 |
| IOI ALUMIN | Fine | 21 | 76mm | 25 | 5055284451630 | T118A | V1343004 |
| SOFT WO | Fine/ Precision | 6 | 100mm | 25 | 5055284457304 | T144DP | V1343005 |
| SOFT WO | Progressive/ Fast | 8-12 | 117mm | 25 | 5055284457311 | T234X | V1343006 |
| | Deep/ Fast | 6 | 152mm | 25 | 5055284457328 | T344D | V1343007 |

10 Piece Jigsaw Blades Mixed Pack



V1343012

5055284490066

25 Piece Mixed Wood Cutting Jigsaw Blade Pack

| T101B - Wood (Fine) | CONTENTS | |
|-----------------------------------|-------------------------------|---|
| T344D - Wood (Long/Co. 1284 | ive) arse) vn Cut/Fine) | 5x T101B 2x T344D 3x T234X 5x T144D 3x T101BR 2x T101AO 5x T144DP |
| T144DP - Wood (Precision/Fine) | BARCODE | |
| | V1343010 | 5055284457335 |

30 Piece Mixed Cutting Jigsaw Blade Pack



RECIP BLADES

Durable & reliable reciprocating saw blades with universal fitting making these suitable for most recip saws. Available in various pack sizes and variations.



Ideal for a fast cut through wood



Ideal for an accurate cut through metal

| CODE | BLADE | BARCODE | QTY | LENGTH | TPI | CUT | MATERIALS |
|----------|--------|---------------|-----|--------|-------|--------|------------------------|
| V1353000 | S1531L | 5055284457410 | 5 | 249mm | 5 | Course | BRANCHES FIREWOOD |
| V1353005 | S1531L | 5055284451487 | 15 | 249mm | 5 | Coarse | BRANCHES FIREWOOD |
| V1353001 | S922VF | 5055284459735 | 5 | 150mm | 10-14 | Fine | WOODS WOOD WITH MALS |
| V1353006 | S922VF | 5055284451494 | 15 | 150mm | 10-14 | Fine | WOODS WOODS WITH NAILS |







Our demolition blades are made with 8% cobalt, making them incredibly tough and durable compared to standard recip blades!



Demolition Blades

Demolition recip blades are designed and strengthened to cut through the most extreme materials, often used by fire & rescue services in extreme scenarios.



Tooth design optimised for soft & hard wood along with nail embedded wood



Tooth design optimised for general metals, sheet & profile metals

| CODE | BLADE | BARCODE | QTY | LENGTH | TPI | CUT | MATERI |
|----------|---------|----------------|-----|--------|------|------------|--------|
| V1353020 | S610VF | 5055284459759 | 3 | 152mm | 5-8 | Demolition | woods |
| V1353021 | S1210VF | 5055284459766 | 3 | 300mm | 5-8 | Demolition | WOODS |
| V1353025 | S920CF | 5055284459773 | 3 | 152mm | 8-10 | Demolition | METAL |
| V1353026 | S110CE | 505528///50780 | 2 | 228mm | Q_1∩ | Demolition | METAL |

| CODE | | Binioobl | Q | 11110111 | | | 1-11111111111111 |
|----------|---------|---------------|---|----------|------|------------|----------------------|
| V1353020 | S610VF | 5055284459759 | 3 | 152mm | 5-8 | Demolition | WOODS WOO WITH NAILS |
| V1353021 | S1210VF | 5055284459766 | 3 | 300mm | 5-8 | Demolition | WOODS WOO WITH NAILS |
| V1353025 | S920CF | 5055284459773 | 3 | 152mm | 8-10 | Demolition | METAL |
| V1353026 | S110CF | 5055284459780 | 3 | 228mm | 8-10 | Demolition | METAL |







JIGSAW & RECIP BLADES



Specialist Jigsaw Blades

• Premium quality heavy duty blades

• T-shank fitting is compatible with most jigsaws



Diamond coated cutting edge



Tungsten carbide Tipped teeth for additional strength T341HM \$5



Bi-material - flexible body with rigid, strong teeth

| | CODE | BLADE | BARCODE | QTY | LENGTH | TPI | PITCH | GRIT | MATERIALS | MAX. MATERIAL THICKNESS |
|------------------------------|----------|----------|---------------|-----|--------|-----|---------------|------|-------------------------------|----------------------------|
| SPECIALIZED TILE CUTTING | X1343000 | T150RIFF | 5055284457342 | 3 | 75mm | - | - | 50 | CERAMIC | 10mm |
| SPECIALIZED FIBRE/PLASTER | X1343001 | T141HM | 5055284457359 | 3 | 100mm | 6 | 4.3 mm | - | FIBRE CEMENT BOARD | 5-50mm |
| SPECIALIZED FIBRE/PLASTER | X1343002 | T341HM | 5055284457366 | 3 | 132mm | 6 | 4.3mm | - | FIBRE CEMENT BOARD PLYWOOD | 5-50mm |
| SPECIALIZED METAL CUTTING | X1343003 | T118EHM | 5055284459728 | 3 | 85mm | 18 | 4.3 mm | - | ALUMINIUM SHEET STEEL | 5-50mm |

Specialist Reciprocating Saw Blades

- Premium quality carbide blades
- Shank fitting is compatible with most recip saws
- Tungsten carbide Tipped teeth for additional strength







| CODE | BLADE | BARCODE | QTY | LENGTH | TPI | MATERIALS | MAX. MATERIAL THICKNESS |
|----------|---------|---------------|-----|--------|-----|----------------|----------------------------|
| X1353010 | S1543HM | 5055284459797 | 3 | 240mm | 2 | STONE CONCRETE | 150mm |
| X1353011 | S1243HM | 5055284459803 | 3 | 304mm | 2 | STONE CONCRETE | 215mm |



Demolition Reciprocating Saw Blades

Our demolition blades are made with 8% cobalt, making them incredibly tough and durable ompared to standard recip blades



- Premium quality carbide blades
- · Shank fitting is compatible with most recip saws
- Tungsten carbide Tipped teeth for additional strength



| CODE | BLADE | BARCODE | QTY | LENGTH | TPI | MATERIALS | MAX. MATERIAL THICKNESS |
|----------|--------|---------------|-----|--------|-----|-----------------------------------|----------------------------|
| X1353000 | S641HM | 5055284459827 | 3 | 152mm | 6 | WOOD WITH MALLS WOODS EPOXY RESIN | 100mm |
| X1353001 | 2930HM | 5055284459810 | 3 | 152mm | 8 | MODO WITH NAMES | 10mm |







| | | CONTENTS 2x S641HM (Wood) 1x S930HM (Metal) |
|----|----------|--|
| 4. | CODE | BARCODE |
| | X1353005 | 5055284459834 |
| _ | | |



Curved Reciprocating Saw Blades

- Curved design increases contact with surface area
- Up to 30% faster than standard blades
- Durable curved aggressive blade





Fast cutting blade for wood

| | CODE | BARCODE | QTY | LENGTH | TPI | MATERIALS |
|---|----------|---------------|-----|--------|-----|----------------------------|
| | X1353020 | 5055284492749 | 5 | 200mm | 14 | METAL WOOD WOOD WITH MALE. |
| е | X1353021 | 5055284492756 | 5 | 200mm | 14 | METAL WOOD WITH HALLS |
| • | X1353025 | 5055284492763 | 2 | 380mm | 6 | wood |




Router Cutters

5 Piece 1/2" Shank Worktop Router Cutter Set

3 Piece Router Cutter 1/4" Shank Set

Example Cuts




CONTENTS 12.7mm x 50mm cutters in either singles or pack of 5

CODE BARCODE QTY

V1355000 5055284452637 1

V1355002 5055284489541

5 Piece 1/4" Shank Hinge Router Cutter Set





V1355015

CODE

V1355006

CONTENTS 5x 12mm x 19mm

5055284489534

CONTENTS

1x 45° x 19mm

1x 45° x 32mm

1x 60° x 19.1mm

BARCODE

5055284489480

CODE **BARCODE**

3 Piece Chamfer Router Cutter 1/4" Shank Set

3 Piece Router Cutters 8.0mm/10mm/12mm



3 Piece Router Cutters 6.0mm/l2mm/l8mm Straight 1/4" Shank Set







CONTENTS 1x 6mm x 25mm

1x 12mm x 25mm 1x 18mm x 25mm

BARCODE CODE V1355009 5055284489510




CONTENTS

1x 8mm x 25mm 1x 10mm x 25mm 1x 12mm x 25mm

BARCODE CODE V1355010 5055284489527

3 Piece Router Cutters Top & Bottom Bearing Guided 1/4" Shank Set







V1355008

CONTENTS

1x 12mm x 25mm Top Bearing 1x 12mm x 25mm **Bottom Bearing** 1x 10mm x 25mm **Top Bearing**

CODE **BARCODE**

5055284489503

3 Piece Router Cutters V Groove, Roundnose and Straight 1/4" Shank Set








CODE **BARCODE** V1355007 5055284489497

700mm Laminate MDF Worktop Jig





700mm Worktop Jig





- Includes 30° and 45° angles
- Includes 4 x positioning pegs

CODE BARCODE V1356000 5055284432066



- Suitable for all 700mm Jigs
- Durable case for protection

CODE BARCODE V1356001 5055284432073







service life

• 82mm length


CODE BARCODE PACK V1351000 5055284454891






MULTI TOOL BLADES

Fine Finish Multi Tool Blade



- General purpose wood cutting blade
- Small, detailed teeth for accurate cuts
- Ideal for wood and plastic
- Compatible with Fein, Bosch, Makita, Dewalt and many more (excluding Starlock fitting)










| CODE | BARCODE | QTY | WIDTH | MAX. CUTTING DEPTH | LENGTH | CUT/ FINISH |
|----------|---------------|-----|-------|--------------------------|--------|----------------|
| V1349062 | 5055284470129 | 3 | 34mm | 40mm | 87mm | Fine |
| V1349063 | 5055284470136 | 3 | 68mm | 40mm | 87mm | Fine |

Japanese Tooth Multi Tool Blade



- Rapid, aggressive cutting wood blade
- Long, sharp teeth for fast cuts
- Ideal for wood, timber overlay flooring and plastic
- Compatible with Fein, Bosch, Makita, Dewalt and many more (excluding Starlock fitting)







| CODE | BARCODE | QTY | WIDTH | MAX. CUTTING DEPTH | LENGTH | CUT/ FINISH |
|----------|---------------|-----|-------|--------------------|--------|----------------|
| V1349060 | 5055284470105 | 3 | 34mm | 40mm | 87mm | Fast/Coarse |
| V1349061 | 5055284470112 | 3 | 68mm | 40mm | 87mm | Fast/Coarse |

Bi-Metal Multi Tool Blade



- Flexible body combined with a row of HSS teeth for strength and durability into multiple materials
- Strong, tough teeth for accurate, reliable cuts
- Ideal for wood, wood with nails, non-ferrous metals and plastics
- Compatible with Fein, Bosch, Makita, Dewalt and many more (excluding Starlock fitting)






| CODE | BARCODE | QTY | WIDTH | MAX. CUTTING DEPTH | LENGTH | CUT/ FINISH |
|----------|---------------|-----|-------|--------------------------|--------|----------------|
| V1349064 | 5055284470143 | 3 | 34mm | 50mm | 95mm | Fine |
| | 5055284470150 | 3 | 44mm | 50mm | 95mm | Fine |

Bi-Metal Segmented Multi Tool Blade



- Flexible body combined with a row of HSS teeth for strength and durability into multiple materials
- Strong, tough teeth for accurate, reliable
- Ideal for wood, wood with nails, non-ferrous metals and plastics
- Compatible with Fein, Bosch, Makita, Dewalt and many more (excluding Starlock fitting)





| CODE | BARCODE | QTY | WIDTH | MAX. CUTTING DEPTH | LENGTH | CUT/ FINISH |
|----------|---------------|-----|-------|--------------------------|--------|----------------|
| V1349066 | 5055284470167 | 3 | 88mm | 30mm | 64mm | Fine |

4 Piece Assorted Multi Tool Blade Pack



CONTENTS

1x V1349062 34mm x 87mm Fine Tooth Blade 1x V1349064 34mm x 95mm Bi-Metal Fine Tooth Blade 1x V1349060 34mm x 87mm Japanese Tooth Blade 1x V1349061 68mm x 87mm Japanese Tooth Blade

CODE BARCODE V1349080 5055284470198

8 Piece Assorted Multi Tool Blade Pack



CONTENTS

1x V1349062 34mm x 87mm Fine Tooth Blade
1x V1349063 68mm x 87mm Fine Tooth Blade
1x V1349064 34mm x 95mm
Bi-Metal Fine Tooth Blade
1x V1349065 44mm x 95mm
Bi-Metal Fine Tooth Blade
2x V1349060 34mm x 87mm Japanese Tooth Blade


CODE BARCODE
V1349081 5055284470204

2x V1349061 68mm x 87mm Japanese Tooth Blade

Rigid Scraper Multi Tool Blade



- Perfect for the removal of grout, adhesive removal, paint, silicone and other soft material compounds, as well as aiding in the removal of linoleum and carpet tiles
- Tapered edge for clean cuts
- Strong HCS material
- Compatible with Fein, Bosch, Makita, Dewalt and many more






| CODE | BARCODE | QTY | SIZE | MAX. BLADE DEPTH | LENGTH | CUT/ FINISH |
|----------|---------------|-----|------|------------------------|--------|----------------|
| V1349067 | 5055284470174 | 3 | 52mm | 26mm | 72mm | Scraping |

Heavy Duty Scraper Multi Tool Blade



- Perfect for tougher scraping tasks including stubborn silicone and adhesive removal, as well as paint, flooring glues and heavier applications including chewing gum
- Tapered edge for clean cuts
- Strong CRV material
- Compatible with Fein, Bosch, Makita, Dewalt and many more





26mm



Titanium Coated Multi Tool Blades



52mm



Scraping

72mm







- Bi-metal construction provides a superior cut and resistance to breakage
- Bi-metal combines a flexible body with rigid hard HSS teeth for the best cutting experience

V1349068 5055284470181

- Titanium coating ensures durability and cutting performance, ensuring a long life
- Includes measure markings on side of blade to gauge cutting depth with ease
- Ideal for cutting wood, nails, screws, copper and plastic

NUL

Compatible with Fein, Bosch, Makita, Dewalt and many more (excluding Starlock fitting)













| CODE | BARCODE | SIZE | CUT | QTY |
|----------|---------------|------|------|-----|
| X1349025 | 5055284489053 | 34mm | Fine | 3 |
| X1349026 | 5055284489060 | 44mm | Fine | 3 |
| X1349027 | 5055284489077 | 65mm | Fine | 3 |
| | | | | |

MULTI TOOL SANDING & MESH SANDING



80mm Sanding Sheets



- Strong paper structure for heavy duty use
- Hook and loop fastening
- Minimal clogging surface
- Ideal for most wood surfaces
- Non-perforated
- Compatible with 80mm sanding pad

80mm Sanding Pad






| CODE | BARCODE |
|----------|---------------|
| V1349070 | 5055284457076 |

35mm Sanding Sheets



- Strong paper structure for heavy duty use
- Hook and loop fastening
- Minimal clogging surface
- Ideal for most wood surfaces
- Non-perforated
- Compatible with finger sanding pad

Finger Sanding Pad



| V1349093 | 5055284457168 | 20 | 120 |
|----------|---------------|----|-----|
| V1349094 | 5055284457175 | 20 | 180 |
| V1349095 | 5055284457182 | 20 | 240 |



CODE BARCODE V1349090 5055284457083

80mm Sanding Pad & Sheet Pack



CONTENTS

1x 80mm

Sanding Pad

10x 60G

10x 80G

10x 120G

10x 180G

10x 240G

35mm Sanding Pad & Sheet Pack

USE TOGETHER

GRIT

60

80

OTY

20



2 CONTENTS

1x Finger

Sanding Pad

10x 60G

10x 80G

10x 120G

10x 180G

10x 240G

HAVE YOU TRIED MESH SANDING?

Ceramic Sanding Discs



Anti-clog open net structure for almost dust free sanding when used with an extractor for increased productivity and longevity


- Ideal for the most demanding of sanding jobs
- Extra tough and durable ceramic sanding mesh
- Smooth finish, even on tough surfaces like metal
- Secure attachment to hook & loop surfaces
- Fits 125mm Random Orbit Sanders
- No need to line up extraction holes
- Rinse, dry and re-use

Maximise Performance with Ceramic Sanding

All the benefits of Mesh Sanding but with faster material removal and a smoother finish! Designed for durability, the extra tough ceramic grain reduces wear, ensuring longer-lasting performance. Perfect for heavy-duty jobs, these discs enhance productivity and deliver exceptional results with every use.

Ceramic Sanding Rolls





- Ideal for the most demanding of sanding jobs
- Ideal for hand sanding or cut to size for most orbital sanders
- Smooth finish, even on tough surfaces like metal
- Secure attachment to hook & loop surfaces
- No need to line up extraction holes
- Rinse, dry and re-use



| Disc | CODE | BARCODE | QTY | SIZE | GRIT |
|--------|----------|---------------|-----|-------|------------------------------|
| 0 | X1357015 | 5055284492817 | 25 | 125mm | 80 |
| Ē | X1357016 | 5055284492824 | 25 | 125mm | 120 |
| Sandin | X1357021 | 5055284492831 | 25 | 125mm | 80, 120, 180, 240, 400 |

| 園 | CODE | BARCODE | QTY | SIZE | GRIT |
|------|----------|---------------|-----|------------|------|
| je j | X1357071 | 5055284492848 | 1 | 115mm x 5m | 120 |
| 量 | X1357072 | 5055284492855 | 1 | 115mm x 5m | 180 |
| Sar | X1357073 | 5055284492862 | 1 | 115mm x 5m | 240 |
| | X1357074 | 5055284492879 | 1 | 115mm x 5m | 400 |
| | X1357075 | 5055284492886 | 1 | 115mm v 5m | 800 |



Unrivalled efficiency compared to traditional paperback sanding sheets!

With perforation throughout the area, it makes them compatible with all sanders and results in more dust collection when used with an extractor. The mesh construction reduces clogging and can be washed clean to use again and again!



Sanding Discs

Available in 125mm (5") & 150mm (6") sizes across various grits & pack size options (see table).



Anti-clog open net structure for almost dust free sanding when used with an extractor for increased productivity and longevity

- Rinse, dry and re-use
- Extra tough and durable sanding mesh
- Exceptionally high performance
- Secure attachment to hook & loop surfaces
- Suitable for circular saw and random orbit sanders with hook and loop fitting
- No need to line up extraction holes







Sanding Rolls



Anti-clog open net structure for almost dust free sanding when used with an extractor for increased productivity and longevity

- Rinse, dry and re-use
- Extra tough and durable sanding mesh
- Exceptionally high performance
- Secure attachment to hook & loop surfaces
- Ideal for hand sanding or cut to size for most orbital sanders
- No need to line up extraction holes







Delta Sanding Sheets





Anti-clog open net structure for almost dust free sanding when used with an extractor for increased productivity and longevity

- Rinse, dry and re-use
- Extra tough and durable sanding mesh
- Exceptionally high performance
- Secure attachment to hook & loop surfaces
- Suitable to fit all 93mm Delta Sanders
- No need to line up extraction holes









| | CODE | BARCODE | QTY | SIZE | GRIT |
|--|----------|---------------|-----|-------|---------------------------|
| ֓֞֜֜֜֜֜֜֜֜֓֓֓֓֜֜֜֜֓֓֓֓֓֓֜֜֜֜֓֓֓֓֜֜֜֓֓֓֡֓֜֜֡֓֡֓֜֡֓֓֡֓֜֡֓֡֓֡֡֡ | X1357000 | 5055284466191 | 5 | 125mm | 80 |
| | X1357001 | 5055284466207 | 5 | 125mm | 120 |
| | X1357002 | 5055284466214 | 5 | 125mm | 180 |
| | X1357003 | 5055284466221 | 5 | 125mm | 240 |
| | X1357004 | 5055284466238 | 5 | 125mm | 400 |
| | X1357005 | 5055284466245 | 5 | 125mm | 800 |
| | X1357007 | 5055284466269 | 25 | 125mm | 80 |
| | X1357008 | 5055284466276 | 25 | 125mm | 120 |
| | X1357009 | 5055284466283 | 25 | 125mm | 180 |
| | X1357010 | 5055284466290 | 25 | 125mm | 240 |
| | X1357011 | 5055284466306 | 25 | 125mm | 400 |
| | X1357012 | 5055284466313 | 25 | 125mm | 800 |
| ı | X1357030 | 5055284466337 | 5 | 150mm | 80 |
| Ī | X1357031 | 5055284466344 | 5 | 150mm | 120 |
| Ī | X1357032 | 5055284466351 | 5 | 150mm | 180 |
| | X1357033 | 5055284466719 | 5 | 150mm | 240 |
| Ī | X1357034 | 5055284466368 | 5 | 150mm | 400 |
| | X1357035 | 5055284466375 | 5 | 150mm | 800 |
| ı | X1357037 | 5055284466399 | 25 | 150mm | 80 |
| | X1357038 | 5055284466405 | 25 | 150mm | 120 |
| | X1357039 | 5055284466412 | 25 | 150mm | 180 |
| | X1357040 | 5055284466429 | 25 | 150mm | 240 |
| | X1357041 | 5055284466436 | 25 | 150mm | 400 |
| | X1357042 | 5055284466443 | 25 | 150mm | 800 |
| | X1357006 | 5055284466252 | 5 | 125mm | 80, 120, 180, 240, 400 |
| mixer | X1357013 | 5055284466320 | 25 | 125mm | 80, 120, 180, 240, 400 |
| Spts | X1357036 | 5055284466382 | 5 | 150mm | 80, 120, 180, 240, 400 |
| | X1357043 | 5055284466450 | 25 | 150mm | 80, 120, 180, 240, 400 |
| | | | | | |

| | CODE | BARCODE | QTY | SIZE | GRIT |
|---|----------|---------------|-----|------------|------|
| 5 | X1357060 | 5055284466610 | 1 | 115mm x 5m | 80 |
| | X1357061 | 5055284466627 | 1 | 115mm x 5m | 120 |
| | X1357062 | 5055284466634 | 1 | 115mm x 5m | 180 |
| | X1357063 | 5055284466641 | 1 | 115mm x 5m | 240 |
| | X1357064 | 5055284466658 | 1 | 115mm x 5m | 400 |
| | X1357065 | 5055284466665 | 1 | 115mm x 5m | 800 |

| et | CODE | BARCODE | QTY | SIZE | GRIT |
|-------------|----------|---------------|-----|------|---------------------------|
| 둙 | X1357090 | 5055284466467 | 5 | 93mm | 80 |
| T | X1357091 | 5055284466474 | 5 | 93mm | 120 |
| 9 | X1357092 | 5055284466481 | 5 | 93mm | 180 |
| | X1357093 | 5055284466498 | 5 | 93mm | 240 |
| | X1357094 | 5055284466504 | 5 | 93mm | 400 |
| | X1357095 | 5055284466511 | 5 | 93mm | 800 |
| | X1357100 | 5055284466535 | 25 | 93mm | 80 |
| | X1357101 | 5055284466542 | 25 | 93mm | 120 |
| | X1357102 | 5055284466559 | 25 | 93mm | 180 |
| | X1357103 | 5055284466566 | 25 | 93mm | 240 |
| | X1357104 | 5055284466573 | 25 | 93mm | 400 |
| | X1357105 | 5055284466580 | 25 | 93mm | 800 |
| —mixed sets | X1357096 | 5055284466528 | 5 | 93mm | 80, 120, 180, 240, 400 |
| sets | X1357106 | 5055284466597 | 25 | 93mm | 80, 120, 180, 240, 400 |



SANDING DISCS

IDEAL FOR












Red Oxide Sanding Discs

Available in 125mm (5") & 150mm (6") sizes across various grits & pack size options (see table).




- Strong tear resistance
- Hard wearing longevity
- Easy attach hook and loop backing
- Punched holes for dust extraction





Yellow Oxide Sanding Discs

Available in 125mm (5") size across various grits & pack size options (see table).



- Aluminium Oxide material
- Heavy duty backing for increased tear resistance
- Strong bonding agent
- Hard wearing longevity
- Easy attach hook and loop backing
- Punched holes for dust extraction





Red Oxide Sanding Disc

| | iou on | ide Sanain | , 2100 | | | | |
|-----------|----------|---------------|--------|-------|-------|------------------------------|-------|
| | CODE | BARCODE | QTY | SIZE | OXIDE | GRIT | HOLES |
| | V1357000 | 5055284465750 | 10 | 125mm | Red | 40 | 8 |
| | V1357001 | 5055284432271 | 10 | 125mm | Red | 60 | 8 |
| | V1357002 | 5055284432288 | 10 | 125mm | Red | 80 | 8 |
| | V1357003 | 5055284432301 | 10 | 125mm | Red | 120 | 8 |
| | V1357004 | 5055284465767 | 10 | 125mm | Red | 180 | 8 |
| | V1357005 | 5055284432318 | 10 | 125mm | Red | 220 | 8 |
| | V1357007 | 5055284465781 | 50 | 125mm | Red | 40 | 8 |
| | V1357008 | 5055284465798 | 50 | 125mm | Red | 60 | 8 |
| | V1357009 | 5055284465804 | 50 | 125mm | Red | 80 | 8 |
| | V1357010 | 5055284465811 | 50 | 125mm | Red | 120 | 8 |
| | V1357011 | 5055284465828 | 50 | 125mm | Red | 180 | 8 |
| | V1357012 | 5055284465835 | 50 | 125mm | Red | 220 | 8 |
| | V1357006 | 5055284465774 | 10 | 125mm | Red | 40, 60, 80, 120, 180, 220 | 8 |
| ed sets | V1357013 | 5055284465842 | 50 | 125mm | Red | 40, 60, 80, 120, 180, 220 | 8 |
| mixed | V1357014 | 5055284465859 | 150 | 125mm | Red | 60, 80, 120 | 6 |
| l, | V1357015 | 5055284465866 | 150 | 125mm | Red | 40, 60, 80, 120, 180, 220 | 6 |
| | V1357030 | 5055284465873 | 10 | 150mm | Red | 40 | 6 |
| | V1357031 | 5055284432370 | 10 | 150mm | Red | 60 | 6 |
| | V1357032 | 5055284432387 | 10 | 150mm | Red | 80 | 6 |
| | V1357033 | 5055284432394 | 10 | 150mm | Red | 120 | 6 |
| | V1357034 | 5055284465880 | 10 | 150mm | Red | 180 | 6 |
| | V1357035 | 5055284432400 | 10 | 150mm | Red | 220 | 6 |
| | V1357037 | 5055284465903 | 50 | 150mm | Red | 40 | 6 |
| | V1357038 | 5055284465910 | 50 | 150mm | Red | 60 | 6 |
| | V1357039 | 5055284465927 | 50 | 150mm | Red | 80 | 6 |
| | V1357040 | 5055284465934 | 50 | 150mm | Red | 120 | 6 |
| | V1357041 | 5055284465941 | 50 | 150mm | Red | 180 | 6 |
| | V1357042 | 5055284465958 | 50 | 150mm | Red | 220 | 6 |
| <u> </u> | V1357036 | 5055284465897 | 10 | 150mm | Red | 40, 60, 80, 120, 180, 220 | 6 |
| ixed sets | V1357043 | 5055284465965 | 50 | 150mm | Red | 40, 60, 80, 120, 180, 220 | 6 |
| HIX | V1357044 | 5055284465972 | 150 | 150mm | Red | 60, 80, 120 | 8 |
| | V1357045 | 5055284465989 | 150 | 150mm | Red | 40, 60, 80, 120, 180, 220 | 8 |

Yellow Oxide Sanding Disc

| | CODE | BARCODE | QTY | SIZE | OXIDE | GRIT | HOLES |
|-------|----------|---------------|-----|-------|--------|------------------------------|-------|
| | V1357060 | 5055284466139 | 10 | 125mm | Yellow | 40 | 8 |
| | V1357061 | 5055284432325 | 10 | 125mm | Yellow | 60 | 8 |
| | V1357062 | 5055284432332 | 10 | 125mm | Yellow | 80 | 8 |
| | V1357063 | 5055284432356 | 10 | 125mm | Yellow | 120 | 8 |
| | V1357064 | 5055284466146 | 10 | 125mm | Yellow | 180 | 8 |
| sets | V1357065 | 5055284432363 | 10 | 125mm | Yellow | 240 | 8 |
| mixed | V1357066 | 5055284466153 | 10 | 125mm | Yellow | 40, 60, 80, 120, 180, 240 | 8 |

SANDING

115mm Wide Sanding Roll



- Aluminium Oxide material
- Strong tear resistance
- · Ideal for power and hand sanding
- Fits 1/2", 1/3" and 1/4" sheet sanders and are easily cut down to fit as required



100mm Wide Sanding Belt



- Aluminium Oxide material
- Strong tear resistance
- Designed for powered belt sanders



Delta Sanding Sheets



- Aluminium Oxide material
- Strong tear resistance
- Designed to fit 93mm delta sanders
- Easy attach hook and loop backing
- Punched holes for dust extraction





ALL IDEAL FOR











Roll

| CODE | BARCODE | QTY | SIZE | GRIT | TYPE | |
|----------|---------------|-----|-------------|------|------|--|
| V1357090 | 5055284454358 | 1 | 115mm x 10m | 40 | Roll | |
| V1357091 | 5055284454365 | 1 | 115mm x 10m | 60 | Roll | |
| V1357092 | 5055284454372 | 1 | 115mm x 10m | 80 | Roll | |
| V1357093 | 5055284454396 | 1 | 115mm x 10m | 120 | Roll | |
| V1357094 | 5055284454419 | 1 | 115mm x 10m | 180 | Roll | |
| V1357095 | 5055284454426 | 1 | 115mm x 10m | 240 | Roll | |
| V1357096 | 5055284466603 | 1 | 115mm x 10m | 400 | Roll | |
| | | | | | | |

Belt

| CODE | BARCODE | QTY | SIZE | GRIT | TYPE |
|----------|---------------|-----|---------------|------|------|
| V1357110 | 5055284452569 | 10 | 610mm x 100mm | 40 | Belt |
| V1357111 | 5055284452576 | 10 | 610mm x 100mm | 60 | Belt |
| V1357112 | 5055284452583 | 10 | 610mm x 100mm | 80 | Belt |
| V1357113 | 5055284452606 | 10 | 610mm x 100mm | 120 | Belt |
| V1357114 | 5055284452620 | 10 | 610mm x 100mm | 180 | Belt |
| V1357115 | 5055284466672 | 10 | 610mm x 100mm | 240 | Belt |
| | | | | | |

Delta

| CODE | BARCODE | QTY | SIZE | GRIT | TYPE |
|----------|---------------|-----|------|----------------------------|-------------|
| V1357130 | 5055284465996 | 10 | 93mm | 40 | Delta Sheet |
| V1357131 | 5055284466009 | 10 | 93mm | 60 | Delta Sheet |
| V1357132 | 5055284466016 | 10 | 93mm | 80 | Delta Sheet |
| V1357133 | 5055284466023 | 10 | 93mm | 120 | Delta Sheet |
| V1357134 | 5055284466030 | 10 | 93mm | 180 | Delta Sheet |
| V1357135 | 5055284466047 | 10 | 93mm | 220 | Delta Sheet |
| V1357137 | 5055284466061 | 50 | 93mm | 40 | Delta Sheet |
| V1357138 | 5055284466078 | 50 | 93mm | 60 | Delta Sheet |
| V1357139 | 5055284466085 | 50 | 93mm | 80 | Delta Sheet |
| V1357140 | 5055284466092 | 50 | 93mm | 120 | Delta Sheet |
| V1357141 | 5055284466108 | 50 | 93mm | 180 | Delta Sheet |
| V1357142 | 5055284466115 | 50 | 93mm | 220 | Delta Sheet |
| V1357136 | 5055284466054 | 10 | 93mm | 40, 60, 80, 120, 180 | Delta Sheet |
| V1357143 | 5055284466122 | 50 | 93mm | 40, 60, 80, 120, 180 | Delta Sheet |
| | | | | | |

WHAT GRIT DO I NEED?





DIAMOND BLADES



General Purpose Turbo Diamond Blade



- General purpose trade diamond blade
- Perfect for wet and dry cutting
- 7mm continuous rim edge enables fast cutting
- Provides a quality finish
- Best with lowdensity material
- Cooling holes reduce heat build up













| CODE | BARCODE | SIZE | BORE | QTY |
|----------|---------------|-------|--------|-----|
| V1312000 | 5055284437887 | 115mm | 22.2mm | 1 |
| V1312001 | 5055284437894 | 230mm | 22.2mm | 1 |
| V1312002 | 5055284437900 | 300mm | 20mm | 1 |
| V1312003 | 5055284488681 | 115mm | 22.2mm | 2 |
| V1312004 | 5055284488698 | 230mm | 22.2mm | 2 |



LOCK FITTING

• Compatible with all X-lock & standard grinders of the correct size



| CODE | BARCODE | SIZE | BORE |
|----------|---------------|-------|--------|
| V1312015 | 5055284467815 | 115mm | 22.2mm |
| V1312016 | 5055284467822 | 125mm | 22.2mm |



CONTENTS

2 x 115mm General Purpose **Diamond Blades** (see above) 1 x 115mm Tile Diamond Blade (see below)

CODE **BARCODE** 5055284488711 V1312025







Tile Diamond Blade

- Diamond blade specialised for tile
- Perfect for wet and dry cutting
- Provides a quality finish
- Continuous rim edge enables fast cutting
- Laser cut slits for anti-vibration













| CODE | BARCODE | SIZE | BORE | QTY |
|----------|---------------|-------|--------|-----|
| V1312005 | 5055284467969 | 115mm | 22.2mm | 1 |
| V1312007 | 5055284488704 | 115mm | 22.2mm | 2 |



LOCK FITTING

 Compatible with all X-lock & standard grinders of the correct size



| CODE | BARCODE | SIZE | BORE |
|----------|---------------|-------|--------|
| V1312010 | 5055284467792 | 115mm | 22.2mm |
| V1312011 | 5055284467808 | 125mm | 22.2mm |





General Purpose Turbo Diamond Blade

- Premium quality diamond blade
- Perfect for wet or dry cutting
- 10mm continuous rim edge enables fast cutting and extra durability
- Provides a high quality finish in high density materials
- Ideal even in the toughest materials
- Reduced heat build up with cooling holes













| CODE | BARCODE | SIZE | BORE |
|----------|---------------|-------|--------|
| X1312000 | 5055284450633 | 115mm | 22.2mm |
| X1312001 | 5055284450640 | 230mm | 22.2mm |
| X1312002 | 5055284450657 | 300mm | 20.0mm |





Multi-Purpose Diamond Blade

- High quality blade capable of cutting multiple materials including Concrete, Brick. Ceramics and even metal
- Premium quality vacuum brazed diamond edge ensures longer lasting performance
- Reduced sparks and heat build up with cooling holes
- 10mm continuous rim edge enables fast cutting





| CODE | RCONF | CITE | RNRF |
|------|-----------|------|------|
| | | | |





Tile Cutting Diamond Blade











- Continuous cutting blade creates smooth finish
- Raised centre for stability and accuracy
- Long life durability



| CODE | BARCODE | SIZE | BORE |
|----------|---------------|-------|--------|
| X1312020 | 5055284456222 | 115mm | 22.2mm |
| X1312021 | 5055284456239 | 125mm | 22.2mm |
| X1312022 | 5055284456246 | 180mm | 22.2mm |
| X1312023 | 5055284456253 | 200mm | 22.2mm |
| X1312024 | 5055284456260 | 230mm | 22.2mm |
| X1312025 | 5055284459551 | 250mm | 22.2mm |



Metal Cutting Diamond Blade

- Heat resistant blades for superior speed and accuracy when cutting in metal
- Outperforms standard abrasive discs when cutting
- Reduced sparks and heat build up with cooling holes
- Vacuum brazed for incredibl performance and strength w superior durability















| le | |
|------|--|
| with | |
| | |

| CODE | BARCODE | SIZE | BORE |
|----------|---------------|-------|--------|
| X1312015 | 5055284456185 | 115mm | 22.2mm |
| X1312016 | 5055284456192 | 125mm | 22.2mm |
| X1312017 | 5055284456208 | 230mm | 22 2mm |



Mortar Raking Blade

- 7mm segment height for increased lifespan
- Removes mortar without damaging masonry
- Key hole gullets to aid stock removal and clear debris from the surface
- Tougher standard for longer life
- Perfect for wet or dry cutting





| CODE | BARCODE | SIZE | BORE |
|----------|---------------|-------|--------|
| X1312027 | 5055284450572 | 115mm | 22.2mm |






Tile & Glass Cross Tip Drill Bits VAUNT

Tapered point distributes pressure for cleaner holes without chipping or breaking

4 point 'cross-tipped' head provides quicker, smoother cutting action







| CODE | BARCODE | QTY | Ø | LENGTH |
|----------|---------------|-----|-------|--------|
| V1332011 | 5055284488902 | 2 | 4.0mm | 60mm |
| V1332012 | 5055284488919 | 2 | 5.0mm | 70mm |
| V1332013 | 5055284488926 | 2 | 5.5mm | 75mm |
| V1332014 | 5055284488933 | 2 | 6.0mm | 75mm |
| V1332015 | 5055284488940 | 2 | 7.0mm | 80mm |
| V1332016 | 5055284488957 | 2 | 8.0mm | 80mm |



- Suitable for both wet and dry drilling
- Designed for use at low speed with no impact setting
- Ideal for delicate materials

6 Piece Tile & Glass Drill Bit Set



CONTENTS

1x 5mm 2x 5.5mm 2x 6mm 1x 7mm

CODE BARCODE

V1332020 5055284492954

Diamond Cores



- strength with no segment loss
- Unique grooves carry dust away from the grinding area
- Extended angled slots for easy core removal



















CONTENTS

1x 38mm-3T Diamond Core 1x 52mm-4T Diamond Core 1x 117mm-5T Diamond Core 1x Nrift Kev 1x 225mm Tapered Pilot 1x Short SDS+ Adaptor 1x Short Hex Adaptor

1x 300mm Extension Bar

| CODL | DARCODL |
|----------|---------------|
| X1319011 | 5055284488988 |

| CODE | BARCODE | QTY | Ø | LENGTH | MIN RPM | MAX RPM |
|----------|---------------|-----|-------|--------|---------|---------|
| X1319000 | 5055284453542 | 1 | 32mm | 160mm | 1195 | 2405 |
| X1319001 | 5055284453559 | 1 | 38mm | 160mm | 1005 | 2012 |
| X1319002 | 5055284453566 | 1 | 48mm | 160mm | 800 | 1592 |
| X1319003 | 5055284453573 | 1 | 52mm | 160mm | 735 | 1470 |
| X1319004 | 5055284453580 | 1 | 65mm | 160mm | 588 | 1176 |
| X1319005 | 5055284453597 | 1 | 78mm | 160mm | 490 | 980 |
| X1319006 | 5055284453603 | 1 | 107mm | 160mm | 358 | 714 |
| X1319007 | 5055284453610 | 1 | 117mm | 160mm | 327 | 653 |
| X1319008 | 5055284453627 | 1 | 127mm | 160mm | 300 | 602 |
| X1319009 | 5055284453634 | 1 | 152mm | 160mm | 280 | 550 |

10 Piece 160mm Diamond Core Set



CONTENTS

1x 38mm-3T Diamond Core 1x 52mm-4T Diamond Core 1x 65mm-4T Diamond Core 1x 117mm-5T Diamond Core 1x 127mm-6T Diamond Core 1x Drift Key

1x 225mm Tapered Pilot 1x Short SDS+ Adaptor 1x Short Hex Adaptor 1x 300mm Extension Bar

BARCODE X1319010 5055284488971

VAUNT 13 Piece 160mm Diamond Core Set with Case



CONTENTS

1x 38mm-3T Diamond Core 1x 52mm-4T Diamond Core 1x 65mm-4T Diamond Core 1x 117mm-5T Diamond Core 1x 127mm-6T Diamond Core

1x 240mm Hex adaptor 1× 85mm Hex adaptor

1× 240mm SDS adaptor 1×80mm SDS adaptor

1× A-taper pilot drill 1x 300mm Extension Bar

1x Drift Key 1x Aluminium case

M14 DIAMOND HOLESAWS



ACHIEVING A CLEAN CUT WITH DIAMOND DRILL BITS



Align the grinder bit at 30° to the surface



At a slow speed, create a groove and slowly rotate the bit



Once a groove has developed, hold the bit straight and apply gentle down pressure



Cut at full speed until fully through

Wax Filled Diamond Tile Drill Bits



Integrated wax centre allows for self cooling, protecting the material and prolonging bit life

MAXI/if

Diamond coating with vacuum brazed technology, creating a superior bond for the diamond coating, increasing durability and longevity















5 Piece Wax Filled Diamond Tile Drill Bit Set



CONTENTS 1x 5.5mm x 70mm 2x 6.0mm x 75mm 2x 7.0mm x 80mm 1x Canvas Storage Case

BARCO X1332015 5055284493012

MAXI/i

Outstanding performance and accuracy

- Suitable for both wet and dry drilling
- Ideal even in the toughest materials

| CODE | BARCODE | QTY | WIDTH | LENGTH |
|----------|---------------|-----|-------|--------|
| X1332006 | 5055284492985 | 2 | 5.5mm | 68mm |
| X1332007 | 5055284492992 | 2 | 6.0mm | 68mm |
| X1332008 | 5055284493005 | 2 | 7.0mm | 68mm |
| X133ZUU8 | 5055284493005 | 2 | 7.Umm | 68mm |

M14 Diamond Holesaws



High diamond count

- Outstanding performance and accuracy
- Suitable for both wet and dry drilling
- Ideal even in the toughest materials

Vacuum brazed construction ensures a permanent bond of the diamonds













6 Piece Diamond Holesaw Set

6 - 12mm only

Integrated wax centre allows

for self cooling, protecting the

material and prolonging bit life



1x Hex to M14 adaptor 1x Guide 1x Carry Case

| X1332040 | 5055284459667 |
|----------|---------------|

8 Piece Diamond Holesaw Set



10 Piece Diamond Holesaw Set



X1332041

BARCODE

5055284459674




SDS+ DRILL BITS

SDS+ Drill Bits



WHY CHOOSE TO USE SDS+ DRILL BITS?

Ideal for heavy duty, high impact SDS+ machines with secure shank connection, specialised bits for drilling hard materials such as brick, stone and concrete!



Good guidance whilst drilling

Hardened steel body reduces breakages

- Designed for endurance and durability
- Ideal for drilling into hard materials









| CODE | BARCODE | QTY | Ø | LENGTH |
|----------|---------------|-----|-------|--------|
| V1329020 | 5055284454280 | 1 | 5.0mm | 160mm |
| V1329021 | 5055284454297 | 1 | 5.5mm | 160mm |
| V1329022 | 5055284454303 | 1 | 6.0mm | 160mm |
| V1329023 | 5055284454310 | 1 | 6.5mm | 160mm |
| V1329024 | 5055284454327 | 1 | 7.0mm | 160mm |
| V1329025 | 5055284454334 | 1 | 8.0mm | 160mm |
| V1329026 | 5055284454341 | 1 | 10mm | 160mm |
| V1329030 | 5055284454211 | 5 | 5.0mm | 160mm |
| V1329031 | 5055284454228 | 5 | 5.5mm | 160mm |
| V1329032 | 5055284454235 | 5 | 6.0mm | 160mm |
| V1329033 | 5055284454242 | 5 | 6.5mm | 160mm |
| V1329034 | 5055284454259 | 5 | 7.0mm | 160mm |
| V1329035 | 5055284454266 | 5 | 8.0mm | 160mm |
| V1329036 | 5055284454273 | 5 | 10mm | 160mm |

Premium SDS+ Cross Tip Black Oxide Drill Bits







up to 50% longer use life

drill hits

than traditional

Self-centring tip for easy, clean drill starts

4-Way 'Cross Point' tip increases drilling accuracy

Black Oxide coating offers superior anti-corrosion protection

- Engineered to minimize jamming and breakage for smooth drilling and optimal results
- Full carbide head tip offers superior cutting performance and longevity
- Ideal for hammer drilling in super hard materials such as reinforced concrete












| CODE | BARCODE | QTY | Ø | LENGTH |
|----------|---------------|-----|-------|--------|
| X1329045 | 5055284489008 | 2 | 5.5mm | 160mm |
| X1329046 | 5055284489015 | 2 | 6.0mm | 160mm |
| X1329047 | 5055284489022 | 2 | 7.0mm | 160mm |
| X1329048 | 5055284489039 | 2 | 8.0mm | 160mm |
| X1329049 | 5055284489046 | 2 | 10mm | 160mm |
| | | | | |



SDS+ Endurance Cross Tip Drill Bits



• Ideal for drilling into extra hard materials

easy, clean drill starts

4 way TCT 'cross-tip' tips are more efficient and hard-wearing

U-shaped flute design for quick and efficient debris removal

Hardened steel body reduces breakages

Premium steel core increases the lifespan compared to standard SDS+ bits





5 Piece SDS+ Endurance Cross Tip Drill Bit Set





1x 6.5mm x 110mm 1x 5.5mm x 160mm 1x 6.5mm x 160mm 1x 7mm x 160mm

CODE BARCODE V1329120 5055284459841

10 Piece SDS+ Endurance Cross Tip Drill Bit Set





CONTENTS

2x 5.5mm x 160mm 2x 6.5mm x 160mm 2x 7.0mm x 160mm 2x 8.0mm x 160mm 2x 10mm x 160mm 1x canvas storage roll

CODE BARCODE

V1329121 5055284459858

16 Piece SDS+ Endurance Cross Tip Drill Bit Set



CONTENTS

1x 5.5mm x 110mm 2x 5.5mm x 160mm 1x 6.0mm x 110mm 2x 6.0mm x 160mm 1x 6.5mm x 110mm 2x 6.5mm x 160mm 1x 7.0mm x 110mm 2x 7.0mm x 160mm 1x 8.0mm x 110mm 2x 8.0mm x 160mm 1x 10mm x 160mm 1x canvas storage roll

CODE BARCODE

5055284459872











| CODE | BARCODE | QTY | Ø | LENGTH |
|---------------------------|---------------|-----|-------|--------|
| V1329040 | 5055284457564 | 1 | 5.0mm | 110mm |
| V1329041 | 5055284457571 | 1 | 5.5mm | 110mm |
| V1329042 | 5055284483938 | 1 | 6.0mm | 110mm |
| V1329051 | 5055284457632 | 1 | 5.5mm | 160mm |
| V1329052 | 5055284457649 | 1 | 6.0mm | 160mm |
| V1329053 | 5055284457656 | 1 | 6.5mm | 160mm |
| V1329054 | 5055284457663 | 1 | 7.0mm | 160mm |
| V1329055 | 5055284457670 | 1 | 8.0mm | 160mm |
| V1329056 | 5055284457687 | 1 | 10mm | 160mm |
| V1329057 | 5055284457694 | 1 | 12mm | 160mm |
| V1329060 | 5055284457700 | 1 | 5.5mm | 210mm |
| V1329061 | 5055284457717 | 1 | 6.0mm | 210mm |
| V1329062 | 5055284457724 | 1 | 6.5mm | 210mm |
| V1329063 | 5055284457731 | 1 | 7.0mm | 210mm |
| V1329064 | 5055284457748 | 1 | 8.0mm | 210mm |
| V1329065 | 5055284457755 | 1 | 10mm | 210mm |
| V1329066 | 5055284457762 | 1 | 12mm | 210mm |
| V1329067 | 5055284457779 | 1 | 14mm | 210mm |
| V1329068 | 5055284457786 | 1 | 16mm | 210mm |
| V1329070 | 5055284457793 | 1 | 8.0mm | 260mm |
| V1329071 | 5055284457809 | 1 | 10mm | 260mm |
| V1329091 | 5055284457922 | 1 | 18mm | 460mm |
| V1329092 | 5055284457939 | 1 | 25mm | 460mm |
| V1329096 | 5055284457953 | 1 | 18mm | 1000mm |
| V1329097 | 5055284457960 | 1 | 25mm | 1000mm |
| CODE | BARCODE | QTY | Ø | LENGTH |
| V1329100 | 5055284459889 | 5 | 5.0mm | 160mm |
| V1329101 | 5055284459896 | 5 | 5.5mm | 160mm |
| V1329102 | 5055284459902 | 5 | 6.0mm | 160mm |
| V1329103 | 5055284459919 | 5 | 6.5mm | 160mm |
| V1329104 | 5055284459926 | 5 | 7.0mm | 160mm |
| V1329105 | 5055284459933 | 5 | 8.0mm | 160mm |
| V1329106 | 5055284459940 | 5 | 10mm | 160mm |
| V1329107 | 5055284459957 | 5 | 12mm | 160mm |
| V1329110 | 5055284459964 | 5 | 5.5mm | 210mm |
| V1329111 | 5055284459971 | 5 | 6.0mm | 210mm |
| V1329112 | 5055284459988 | 5 | 6.5mm | 210mm |
| V1329113 | 5055284459995 | 5 | 7.0mm | 210mm |
| V1329114 | 5055284460007 | 5 | 8.0mm | 210mm |
| The state of the state of | | | | |



SDS+ CHISELS & ACCESSORIES



| | | CODE | BARCODE | TYPE | DESCRIPTION | WIDTH | LENGTH | | |
|-------------------------------|---|----------|---------------|------|---|---------------|--------|-------------|---|
| | perfect for breaking through hard materials | V1329000 | 5055284454068 | SDS+ | Chisel | 20mm | 250mm | SDS plus | |
| | perfect for breaking through hard materials | V1329001 | 5055284454075 | SDS+ | Bolster | 40mm | 250mm | SDS plus | |
| perfect for break | ing through brick and concrete with precision | V1329002 | 5055284454167 | SDS+ | Point | - | 250mm | SDS plus | |
| perfect fo | or cutting channels through concrete and brick | V1329003 | 5055284454174 | SDS+ | Gouge | - | 250mm | SDS plus | 1 |
| | perfect for breaking through hard materials | V1329004 | 5055284457458 | SDS+ | Wide Bolster | 50mm | 250mm | SDS plus | |
| p | erfect for removing tiles from walls and floors | V1329005 | 5055284457465 | SDS+ | Angled Tile Chisel | 75mm | 160mm | SDS plus | |
| perfect for cleaning concrete | , removing scale, rust and other imperfections | V1329007 | 5055284457489 | SDS+ | Scaling Chisel | 40mm | 250mm | SDS plus | |
| | NEW S | V1329010 | 5055284488896 | SDS+ | Chisel Set - Chisel, Bolster, Point | 20mm, 40mm | 250mm | SDS plus | WALLING STATES OF THE PARTY OF |

SDS MAX CHISELS & ACCESSORIES



| | CODE | BARCODE | TYPE | DESCRIPTION | WIDTH | LENGTH | |
|---|----------|---------------|------------|--------------|-------|--------|------------|
| perfect for cleaning concrete, removing scale, rust and other imperfections | V1330000 | 5055284457496 | SDS MAX | Point | - | 400mm | SDS Max |
| perfect for breaking through hard materials | V1330001 | 5055284457502 | SDS MAX | Chisel | 25mm | 400mm | SDS max |
| perfect for breaking through hard materials | V1330002 | 5055284457519 | SDS MAX | Bolster | 50mm | 400mm | SDS max |
| perfect for breaking through hard materials | V1330003 | 5055284457526 | SDS MAX | Wide Bolster | 75mm | 400mm | SDS |

Multi-Construction Drill Bit Sets





High Grade Tungsten Tips

Revolutionary tip design stays sharper for longer

Self-centering tip for clean entry and fast accurate starts



no hammer l/4" hex shank for quick required and secure fastening **ARY ONLY**









| CODE | BARCODE | QTY | Ø | LENGTH |
|----------|---------------|-----|-----------------------|---------------------------|
| V1327005 | 5055284488742 | 3 | 4.0mm | 90mm |
| V1327006 | 5055284488759 | 3 | 5.0mm | 100mm |
| V1327007 | 5055284488766 | 3 | 5.5mm | 100mm |
| V1327008 | 5055284488773 | 3 | 6mm | 100mm |
| V1327009 | 5055284488780 | 3 | 6mm | 150mm |
| V1327010 | 5055284488797 | 3 | 6.5mm | 100mm |
| V1327011 | 5055284488803 | 3 | 7mm | 100mm |
| V1327012 | 5055284488810 | 3 | 7mm | 150mm |
| V1327013 | 5055284488827 | 3 | 8mm | 120mm |
| V1327014 | 5055284488834 | 3 | 4mm, 5mm, 6mm | 90mm, 100mm, 100mm |
| V1327015 | 5055284488841 | 3 | 5.5mm, 6mm, 7mm | 100mm, 100mm, 100mm |

10 Piece Multi-Construction Drill Bit Set



CONTENTS

1x 4mm x 75mm 2x 5mm x 100mm 2x 5.5mm x 100mm 2x 6mm x 100mm 2x 7mm x 100mm 1x 8mm x 100mm

BARCODE CODE 5055284492947 V1327020



M Groove Premium Multi Hard Material Drill Bits



THE BEST FOR SUPER FAST DRILLING IN EXCEPTIONALLY HARD MATERIALS!





M-Grooved Carbide Tip designed to 10x be faster and up to 10x more durable than traditional multi-material drill bits





. no hammer

required















- Sharp cutting tip for efficient drilling through various materials by rotation
- · Avoids loosening brick or mortar, ensuring clean and precise drilling
- Reduced risk of damaging the substrate
- 1/4" hex shank for quick and secure fastening







3 Piece M Groove Premium Multi Hard Material Drill Bit Set



1x 5.5mm x 100mm 1x 6.0mm x 100mm 1x 7.0mm x 150mm

CONTENTS

BARCOD X1327045 5055284488995





HEX KEYS, SCREWDRIVERS & CHISELS



9 Piece Metric Ball End Diamond Tipped Hex Key Set



- Diamond coated tips for superior grip, reducing cam-outs and effort
- Ball shaped ends provides good connection in any position or angle with diamond coating that bites slightly into the bolt
- Hex shaped ends provides perfect fit and productivity
- Strong S2 carbon steel material with rust resistant coating
- Sturdy, easy access storage case with storage clip provides quick access, while keeping them all together



Hex

CONTENTS

1x 1.5mm x 92mm x 15mm
1x 2.0mm x 102mm x 17mm
1x 2.5mm x 115mm x 19mm
1x 3.0mm x 129mm x 22mm
1x 4.0mm x 144mm x 28mm
1x 5.0mm x 165mm x 32mm
1x 6.0mm x 186mm x 36mm
1x 8.0mm x 208mm x 42mm
1x 10mm x 234mm x 48mm
1x Storage Case



| CODE | BARCODE |
|----------|---------------|
| X1422000 | 5055284470815 |

8 Piece Locking Hex Key Set



POSITION LOCKING FOR SECURE USE



- Black phosphate finish protects against rust
- Fold up feature allows for easy storage
- Non-slip grip holder for comfort
- Covers the most commonly used sizes
- Locking feature allows keys to be set in a fixed position when in use
- Allows locking in multiple angles: 90°, 135°, 180°, 225°, 270°





CONTENTS

1x 1.5mm

1x 2.0mm

1x 2.5mm

1x 3.0mm

1x 4.0mm

1x 5.0mm 1x 6.0mm

1x 8.0mm

5055284484928

CODE BARCODI

X1422005

8 Piece Diamond Tipped Screwdriver Set



- Diamond coated tips for superior grip, reducing cam-outs and effort
- Magnetised strong carbon steel S2 tips for easier screw positioning
- Heavy duty rubber grip handles increase comfort and reduce hand fatique
- Driver size and type printed on end cap for easy identification
- Rust resistant manganese phosphate coating
- Precision tips compatible with ASME/DIN dimensions
- Includes storage wrap with carabiner and hanging hook for ultimate convenience





CONTENTS

1x PH1 x 75mm
1x PH2 x 100mm
1x PZ1 x 75mm
1x PZ2 x 100mm
1x PZ3 x 150mm
1x PZ3 x 150mm
1x SL 4.0mm x 75mm x 1mm
1x SL 5.5mm x 100mm x 1mm
1x SL 6.5mm x 150mm x 1mm
1x SL 6.5mm x 150mm x 1





| CODE | BARCODE |
|----------|---------------|
| X1442000 | 5055284471201 |

4 Piece Heavy Duty Chisel Set



- Strong heavy-duty acetate handle built to withstand tough impacts
- Reinforced oversized metal cap for greater striking impact
- Continuous internal metal spine directs force to tip, allowing clean, precise cuts with minimal effort
- Resharpenable blade tips for long-lasting performance
- Rubber grip for comfort and a secure hold
- Includes heavy duty canvas storage wrap



CONTENTS

1x 6mm (1/4") 1x 12mm (1/2") 1x 19mm (3/4") 1x 25mm (1")

| CODE | BARCODE |
|----------|---------------|
| X1414000 | 5055284491384 |

34 Hand Tools

Prybars

Premium quality, drop forged hardened and tempered construction pry bars, in a range of styles and sizes. Each including integrated nail pullers and angled necks for increased leverage power, all protected with a weather resistant coating.

Utility Bar



| CODE | BARCODE | SIZE |
|----------|---------------|------|
| X1433000 | 5055284451043 | 7" |
| X1433001 | 5055284451050 | 15" |
| X1433002 | 5055284451067 | 18" |

Claw Bar

BARCODE

5055284451081

5055284449811

5055284408603

X1433015

X1433016

X1433017

- Lightweight design whilst still offering high leverage
- Multi-functional and suitable for a range of light prying
- Ideal to use in tight areas
- Perfect to lift floorboards and open crates and boxes



- Designed to remove nails, staples and other fasteners
- Claw shaped end grips nails securely without damaging the surrounding material
- Nail puller head suitable for striking with a hammer for extra leverage



Moulding Bar



| CODE | BARCODE | SIZE |
|----------|---------------|------|
| X1433010 | 5055284451074 | 8" |
| X1433011 | 5055284498352 | 10" |

- Designed to remove moulding, trim and baseboards without damaging surroundings
- Thin end slides behind moulding with ease
- Nail puller head suitable for striking with a hammer for extra leverage



Wrecking Bar



| CODE | BARCODE | SIZE |
|----------|---------------|------|
| X1433020 | 5055284498284 | 36" |
| X1433021 | 5055284451036 | 48" |

- Designed for heavy duty demolition and construction tasks
- Angled edges for optimal power when breaking through materials like wood, concrete and drywall
- Long length increases leverage





8"

10"

12"



5 Piece Multi Bar Pack

1x 7" Utility Bar 1x 15" Utility Bar 1x 12" Wrecking Bar 1x 18" Wrecking Bar 1x 24" Aligning Bar

CONTENTS

X1433026 5055284437795

3/8" Anti-Slip Impact Socket Sets

- Strong CrMo material for durability and stability while working
- Matt black phosphate finish for corrosion and wear resistance
- Hex design offers better grip on fasteners and prevents rounding even in high torque
- Internal grooves prevent slipping
- Easy size identification with laser markings on each socket
- Convenient socket rail keeps sockets organised and secure
- The longer length means the socket can reach lug nuts and bolts that standard sockets are unable to reach

3/8" 8 Piece Anti-Slip Impact Socket Sets 1x 8mm, 1x 10mm, 1x 12mm, 1x 13mm, 1x 14mm, 1x 15mm, 1x 17mm, 1x 19mm, 1x Rail BARCODE CODE 63mm Lona X1446000 5055284490509

3/8" 8 Piece Anti-Slip Impact Deep Socket Sets



1x 8mm, 1x 10mm, 1x 12mm, 1x 13mm, 1x 14mm, 1x 15mm, 1x 17mm, 1x 19mm, 1x Rail

X1446001 5055284490516

BARCODE



Clamping Capacity

Spreading Capacity

Clamping Force Throat Depth

Rail Thickness

Rail Width

Maximum Spread

1000mm

1212mm

5880Nm

90_{mm}

9mm

29mm

1212mm

1000mm Parallel Jaw Bar Clamps





- Powerful precise clamping with an anti-slip system ensuring the jaws will not slip on the bar and slide backward
- Large contact surface allows for a multitude of different clamping variations
- · Equally distributed clamping forces with soft, non-marking pads protect from damage and marking
- Working supports on the bar allow for the clamp to stand upright unaided as well as allowing for the workpiece to be kept out of contact with the bars
- The 29mm wide C45 hardened steel rail prevents the clamp from bending or flexing under load
- Ergonomic, comfort grip handles
- Easily converts to a spreader





200mm Screw F Clamps



- Perfect for smaller applications
- Strong construction and powerful clamping pressure allows for use with heavy duty wood working
- The serrated bar, constructed from C45 hardened steel, allows for higher clamping force and gives extra grip, ensuring that the jaws will not slip or slide backwards
- Featuring a tilting jaw to allow for gripping to tapered or slightly angled workpieces
- Soft, non-marking pads to prevent marking or damage to the clamped material of work
- Ergonomic, comfort grip handles

| Clamping Capacity | 200mm |
|--------------------------|--------|
| Clamping Force | 2646Nm |
| Throat Depth | 80mm |
| Rail Thickness | 6mm |
| Rail Width | 22mm |





4 Piece Sliding Body Bar & Cast Iron Screw Clamp Set



CONTENTS


2x 1000mm Parallel Jaw Bar Clamps 2x 200mm Screw F Clamps 4x Work-piece Supports

| CODE | BARCODE | |
|----------|---------------|--|
| V1415035 | 5055284472536 | |

8 Piece Sliding Body Bar & Cast Iron Screw Clamp Set



One-Handed Clamp



- Quick release clamp
- Non-marking plastic pads to protect your material



| CODE | BARCODE | LENGTH | MAX. CAPACITY |
|----------|---------------|--------|------------------|
| V1415001 | 5055284434176 | 330mm | 150mm |



- Fast action one-handed pistol grip operation
- Easy conversion from clamp to spreader
- Quick release trigger mechanism
- Non-marking plastic pads
- Strong metal bar



Quick Clamps



| CODE | BARCODE | LENGTH | MAX. CAPACITY |
|----------|---------------|--------|------------------|
| V1415002 | 5055284451432 | 370mm | 155mm |
| V1415000 | 5055284409228 | 520mm | 300mm |
| V1415003 | 5055284451456 | 1135mm | 920mm |

Wood Chisels



- Solid base-to-tip chrome vanadium steel
- Soft, slip resistant rubber grip
- Impact resistant steel striking cap
- Sharpened and ready to use
- Thick, shock absorbing neck
- Split resistant handle






| CODE | BARCODE | SIZE |
|----------|---------------|------|
| V1414001 | 5055284454914 | 10mm |
| V1414002 | 5055284454921 | 13mm |
| V1414003 | 5055284454938 | 16mm |
| V1414004 | 5055284454945 | 19mm |
| V1414005 | 5055284454952 | 22mm |
| V1414006 | 5055284454969 | 25mm |
| V1414007 | 5055284454976 | 32mm |
| V1414008 | 5055284454983 | 38mm |
| V1414009 | 5055284454990 | 51mm |





Sharpening Stones





Pocket

- Innovative 'diamond cut' cleaning channels that remove waste build up and allow a full diamond coating
- Full mono crystalline diamond coating
- Use dry or with water
- Includes storage pouch and non-slip mat

| | CODE | BARCODE | SIZE | (SIDE 1) | (SIDE 2) |
|--------------|----------|---------------|--------------|----------------------|--------------------|
| | V1444012 | 5055284448517 | 200mm x 75mm | 300 COARSE | 600 MEDIUM |
| donble sided | V1444013 | 5055284448524 | 200mm x 75mm | 600 MEDIUM | 1000 FINE |
| | V1444014 | 5055284448531 | 200mm x 75mm | 1000 FINE | 1200 EXTRA FINE |
| | V1444015 | 5055284448548 | 200mm x 75mm | 300 COARSE | 1000 FINE |
| | V1444020 | 5055284448555 | 75mm x 50mm | 300 COARSE | 600 MEDIUM |

Honing Guide



CODE BARCODE V1444000 5055284449644

- For use with both oil and diamond stones
- Ensures the perfect sharpening angle
- Steel guides for α smooth running action
- 3mm 67mm chisel capacity

Diamond Stone Dock



- Takes most sizes of diamond stone
- Non-slip feet
- Creates a perfectly flat surface
- 6mm deep recess
- 79mm 216mm length adjustment

Hand Tools



Lockable Folding Dual Utility Knife



Blades not included so ID on delivery is not required

- Locking folding knife with quick release button
- Doubles as utility knife and safe strap cutter
- Quick release blade change with easy to use slide button
- Strong zinc-alloy construction
- Ergonomic, comfort grip nylon and fibreglass handle
- Secure lock stops accidental opening for maximum safety
- Integrated belt clip



| CODE | BARCODE |
|----------|---------------|
| V1423003 | 5055284471515 |

Lockable Folding Utility Knife



Blades not included so ID on delivery is not required

- Locking folding knife with quick release button
- Quick release blade change with easy to use slide button
- Strong zinc-alloy construction
- Ergonomic, comfort grip nylon and fibreglass handle
- Secure lock stops accidental opening for maximum safety
- Integrated belt clip




CODE BARCODE V1423004 5055284471522

Lockable Folding Knife with Quick Release Holster



 Locking folding knife with quick release holster adaptor



Attach easily to your belt, tool tote or tool bag

Blades not included so ID on delivery is not required







Retractable Utility Knife



Blades not included so ID on delivery is not required

- Retractable blade for safe transport
- 3 locking blade length positions
- Simple and easy blade change
- Strong and lightweight aluminium construction
- Ample blade storage inside



| CODE | BARCODE | QTY |
|----------|---------------|-----|
| V1423005 | 5055284471539 | 1 |
| V1423006 | 5055284471553 | 5 |

Utility SK5 Knife Blades



- Dual sided cutting trapezoid blade design
- Fits all standard utility knives
- For carpet, vinyl & other sheet materials
- Hardened and tempered for greater sharpness
- Handy dispenser
- Pack of 100

| CODE | BARCODE | PCS |
|----------|---------------|-----|
| V1423001 | 5055284451463 | 100 |



NEW Heavy Duty SK2H Knife Blades

- Made from tough SK2H, stays sharper for longer • Black surface finish protects against corrosion
- Dual sided cutting trapezoid blade design
- Perfect for use on carpet, vinyl & other sheet material
- Fits all standard utility knives
- Pack of 50 in a handy dispenser











| CODE | BARCODE | PCS |
|----------|---------------|-----|
| V1423015 | 5055284490493 | 50 |

Easy view side edge

vial windov

Multi-View Box Beam Spirit Level

- · Heavy duty, durable 1.5mm steel profile body
- Easy-view side profile window for awkward spaces
- ullet 180°, 90° and 45° level vials
- Accurate to 0.5mm/m
- · Large, convex easy-read vials
- Anti-static & UV resistant vials
- 2° slope markers on the horizontal vial
- Precision milled base surface
- Removable, shock absorbing TPR end caps



• () VAUNT SCHADURE !!!!

VAUNT STREET, STREET

 CODE
 BARCODE
 LENGTH

 V1424015
 5055284472307
 600mm

 V1424016
 5055284472314
 1200mm

 V1424017
 5055284472321
 1800mm



Pocket Level

VALUE VIDEO VIDEO



- Heavy duty, durable aluminium body
- Enlarged convex easy read vial
- Accurate to 0.5mm/m
- Strong integrated magnets in base
- Handy pocket size for quick checks
- Anti-static & UV resistant vial

| CODE | BARCODE | LENGTH |
|----------|---------------|--------|
| V1424019 | 5055284472352 | 100mm |

Torpedo Level



- · Heavy duty, die cast aluminium body
- 180° and 90° level vials
- Accurate to 0.5mm/m
- Strong rare-earth magnets in base
- Anti-static & UV resistant vials
- Precision milled base surface

| V1424018 | 5055284472338 | 250mm |
|----------|---------------|--------|
| CODE | BARCODE | LENGTH |

Padded Bag

- Heavy duty, durable padded body
- Pockets for 250mm, 600mm, 1200mm & 1800mm levels
- Centre divider prevents levels from rubbing together
- Zipped torpedo level compartment
- Padded shoulder strap and carry handle for easy transportation
- Accommodates most brands of levels

CODE BARCODE v1424020 5055284472345

Digital Angle Rule

CODE BARCODE V1501000 5055284453658

- Measures up to 360°
- Accurate and reliable
- Accuracy of 0.3°
- 200mm opens to 400mm length
- Clear metric and imperial scales
- Durable stainless steel construction
- Easy to read digital display
- 2 button operation
- Automatic shut off

Digital Angle Rule Case



- Hard-wearing
- Belt loop and carry strap
- Quick release buckle
- Spare battery pocket
- Suitable for Vaunt V1501000 and most 200mm digital angle rules

CODE BARCODE V1501001 5055284453665

Hand Tools



Compact Premium Tape Measure



| Blade Width | 25mm |
|-----------------|----------|
| Standout | 2.2m |
| Drop Tested | 2m |
| Accuracy Rating | Class II |
| Measurements | Metric |

- Ergonomic compact design
- Strong ABS casing
- White on black markings
- Black diamond clear 3D printed markings
- Reverse printed 'vertical' measuring orientation
- Double magnet metal hook
- Strong carbon steel blade
- Durable nylon coated blade
- Rust resistant
- Secure sliding thumb lock
- Belt clip and wrist strap





| CODE | BARCODE | QTY | SIZE |
|----------|---------------|-----|------|
| V1456013 | 5055284475766 | 1 | 5m |
| V1456010 | 5055284475728 | 3 | 5m |
| V1456014 | 5055284475773 | 1 | 8m |
| V1456011 | 5055284475735 | 3 | 8m |

Heavy Duty Premium Tape Measure



| Blade Width | 25mm |
|-----------------|----------|
| Standout | 2.6m |
| Drop Tested | 5m |
| Accuracy Rating | Class II |
| Measurements | Metric |

- Ultra ABS shock absorbing casing
- White on black markings
- Black diamond clear 3D printed markings
- Reverse printed 'vertical' measuring orientation
- Reversible metal hook
- Strong carbon steel blade
- Durable nylon coated blade
- Rust resistant
- Secure sliding thumb lock
- Belt clip and wrist strap





| CODE | BARCODE | QTY | SIZE |
|----------|---------------|-----|------|
| V1456018 | 5055284475780 | 1 | 5m |
| V1456015 | 5055284475742 | 3 | 5m |
| V1456019 | 5055284475797 | 1 | 8m |
| V1456016 | 5055284475759 | 3 | 8m |

Speed Squares



- Clear laser etched metric measurement markings
- Strong yet lightweight thick cast aluminium
- Wide base for stable alignment
- High visibility, rust proof coating
- Use as a protractor, try square, mitre square, framing square or for quick and easy 90° and 45° angles



| CODE | BARCODE | SIZE | QTY |
|------------------------------|-----------------|-------|-----|
| V1149009 | 5055284487172 | 125mm | 1 |
| V1149010 | 5055284471706 | 180mm | 1 |
| V1149011 | 5055284471713 | 300mm | 1 |
| — Pack of 180mm & 300mm: — | | | |
| Pack of 18 | 80mm & 300mm: • | | |

Combination Squares



- Precision machined body
- Metric measurements
- Stainless steel blade
- Rust resistant
- Integrated brass scribe for easy marking
- Impact resistant high visibility vial for accurate levelling
- Use for quick and easy 90° and 45° angles, with a range of adjustments making it perfect for a range of jobs





| CODE | BARCODE | SIZE | QTY |
|--------------------|---------------|----------------------------|--------------|
| V1449001 | 5055284434190 | 150mm | 1 |
| V1449002 | 5055284434206 | 300mm | 1 |
| V1449003 | 5055284434213 | 400mm | 1 |
| Pack of all sizes: | | | |
| V1449000 | 5055284434183 | 150mm, 300mm & 400mm | 1 of each |

40 Hand Tools

Carpenters Pencils



- High grade carbon
- Square body design prevents pencil rolling away on uneven surfaces



Carpenters Pencil Sharpener



| CODE | BARCODE | QTY |
|----------|---------------|-----|
| V1428001 | 5055284409303 | 10 |
| V1428005 | 5055284477524 | 50 |

Deep Hole Construction Pencil



CONTENTS

1x Deep Hole Pencil

4x Graphite Replacement Leads

- Can easily mark through beams & joints
- Strong body and site holster to prevent loss or damage
- Lead can be fully extended allowing for mark depths of up to 100mm in α 3mm hole or 145mm in α 6mm hole
- 145mm interchangeable lead
- Detachable pencil sharpener in cap to keep your points accurate

| CODE | BARCODE | QTY |
|----------|---------------|-----|
| V1428010 | 5055284486113 | 1 |

NEW Replacement Leads


- Graphite Colour
- Suitable for marking: Wood, Paper, Ceramic, Leather, Plastic, Metal & Glass

| | CODE | BARCODE | COLOUR | PCS |
|---|----------|---------------|----------|-----|
| ĺ | V1428012 | 5055284489183 | Graphite | 6 |
| | V1428011 | 5055284489176 | Graphite | 60 |


- Red & Yellow Colour
- Suitable for marking: Wood, Paper, Ceramic, Leather, Plastic, Metal & Glass

| CODE | BARCODE | COLOUR | PCS |
|----------|---------------|--------------|-----|
| V1428015 | 5055284489213 | Red & Yellow | 6 |
| V1428014 | 5055284489206 | Red & Yellow | 60 |

2x Yellow Replacement Leads V1428010







- Integrated vial has accuracy of +/-1.0mm for precision when marking
- Versatile adjustment and multi angle dial for working precisely
- Integrated bubble vial for level measuring

Deep Hole Marking Ultimate Bundle



CONTENTS

1x Vaunt Deep Hole Pencil 1x Vaunt Scribe Tool 6x Vaunt Graphite Leads 3x Vaunt Red Leads 2x Vaunt Yellow Leads

| CODE | BARCODE |
|----------|---------------|
| V1428017 | 5055284490530 |

String Reels

BARCODE

5055284490523




CODE

V1426005

- Fluorescent colour for added visibility
- 1.5mm thick durable braided polypropylene line
- Rewind hand crank for easy operation
- Great for staking out sites, concrete work and landscaping
- 100m length

| CODE | BARCODE | COLOUR |
|----------|---------------|--------|
| V1413000 | 5055284417209 | Yellow |
| V1413001 | 5055284417216 | Pink |

Aluminium Chalk Reel Set



- Durable 100ft cotton/poly twisted line
- Heavy duty metal casing
- Wide double prong hook for secure hooking or hammering into materials with hole to hook screw heads
- Easy hinge locking system allows for quick chalk refills
- Release and locking button holds string securely
- Includes 4oz blue chalk powder

| CODE | BARCODE | COLOUR |
|----------|---------------|--------|
| V1413005 | 5055284491438 | Blue |

Hand Tools

NEW



11-in-1 Multi Tool Plier

• Perfect for odd jobs around the home and work



TOOLS

1x Long Nose Plier (doubles as curved jaw plier and wire cutter) 3x Flat Screwdriver Sizes 1x PH Screwdriver Sizes 2x File Directions 1x Knife 1x Saw 1x Ruler 1x Can Opener 1x Bottle Opener 1x Fish scaler

1x Hook Remover





| CODE | BARCODE |
|----------|---------------|
| V1427000 | 5055284455829 |

3 Piece Plier Set



- Constructed from strong CR-V steel using drop-forging technique
- Heat treated surface that enhances toughness, hardness and durability
- Extra wide TPR handles provide comfortable, non-slip grip
- Optimised pivot positioning enables better leverage and cutting power, requiring 30% less effort compared to regular pliers for experience efficient and effortless cutting with every use
- Ideal for a range of applications including cutting, pulling and general repairs





7" Diagonal **Cutting Pliers**

 Ideal for cutting in awkward positions

8" Long Nose Pliers

 Precision gripping and bending

8" Combination Pliers

 Ideal for gripping, bending or cutting

| CODE | BARCODE | PCS |
|----------|---------------|-----|
| V1431010 | 5055284491469 | 3 |

Water Pump Pliers



- Perfect tool for getting to nuts, bolts and pipes in hard to reach places
- Heavy duty chrome vanadium steel construction head for the ultimate durability
- Non-slip plastic coated handle provides a firm grip and straightforward handling
- Instant adjustment at the touch of a button for flexibility when working
- Quick locking on the workpiece for effortless use with low force required
- Non-slip even on smooth surfaces
- Ideal for turning, pulling, gripping, holding and screwing

| CODE | BARCODE | SIZE |
|----------|---------------|-------------|
| V1431005 | 5055284488582 | 175mm (7") |
| V1431006 | 5055284488599 | 250mm (10") |
| V1431007 | 5055284488605 | 400mm (16") |

200mm Quick Adjusting Wrench



Simply pull the adjusting thread down and then easily slide the jaw to the desired size required.

- Maximum opening size of 33mm
- Easy one-handed adjusting thread jaw effortlessly opens & closes
- Clear laser markings on the jaw for accurate & simple size setting
- Thin head allows for easy access in tight spaces

accommodates a wide range of nuts and bolts

- Ergonomic handle design for comfortable use
- Convenient hanging hole



| V1462000 | 5055284492145 |
|----------|---------------|
| CODE | BARCODE |

Hand Tools 42

HEX KEYS, SCREWDRIVERS & SPANNERS

2 Piece Folding Hex/Torx Key Set



- Phosphate finish protects against rust
- Fold up feature allows for easy storage
- Non-slip soft grip holder
- Covers most commonly used sizes
- Markings for easy identification
- l set of Hex and l set of Torx









CONTENTS

1x T9
1x T10
1x T15
1x T20
1x T25
1x T27
1x T30
1x T40



CONTENTS

1x 1.5mm 1x 2.0mm 1x 2.5mm 1x 3.0mm 1x 4.0mm

1x 5.0mm 1x 6.0mm 1x 8.0mm

CODE BARCODE
V1422002 5055284484935

Colour Coded Hex Key Set



- Colour coded system for easy identification
- Ball end makes it easier to slide the key into the receiving slot
- Reach the bolt at an offset of 30 degrees
- Perfect for tight or blind spaces
- S2 chrome plated satin nickel construction for durability and reliability
- Handy locking case for easy organisation

NEW



CONTENTS

1x 1.5mm x 91mm 1x 2.0mm x 102mm 1x 2.5mm x 114mm 1x 3.0mm x 129mm 1x 4.0mm x 144mm 1x 5.0mm x 165mm 1x 6.0mm x 186mm 1x 8.0mm x 208mm 1x 10mm x 234mm

CODE BARCODE PCS V1422005 5055284488629 9

9 Piece Screwdriver Set







- Laser etched anti-slip head tip allows driver to sit securely in the screw
- Chrome Vanadium steel shaft provides great strength against bending and snapping
- Extremely tough ABS & TBA handle for ultimate impact resistance and durability
- Coated finish offers added protection
- Easy size identification on the bottom of the handles for practical use
- Hanging hole in handle allows easy organization and storage

CONTENTS

1x PH1 x 75mm
1x PH2 x 100mm
1x PZ1 x 75mm
1x PZ2 x 100mm
1x PZ3 x 150mm
1x SL 4mm x 75mm
1x SL 5.5mm x 100mm
1x SL 6.5mm x 150mm
1x SL 6.5mm x 150mm
1x SL 6.5mm x 150mm

CODE BARCODE PCS

V1442000 5055284488575 9

Dounle Ended Ratchet Spanners





- 12 spanners in 3
- Reversible ratchet action
- Chrome Vanadium Steel
- Canvas storage case



CONTENTS

1x Small Spanner
8mm / 9mm - 10mm / 11mm
1x Medium Spanner
12mm / 13mm - 14mm / 15mm
1x Large Spanner
16mm / 17mm - 18mm / 19mm
1x Carry Wallet

CODE BARCODE V1448000 5055284408610

Hand Tools 43



Straight Aviation Tin Snips



- Made of forged and heat treated chrome steel for extra durability
- Two-tone rubber grip for greater comfort
- One handed locking feature prevents damage to the blade when in storage
- Ideal for short, straight cuts
- Flush, slimline design reduces snagging
- Straight cut identification on handle (yellow)



| CODE | BARCODE |
|----------|---------------|
| V1445000 | 5055284484911 |

Heavy-Duty Straight Aviation Snips NEW



- Chrome molybdenum steel construction for additional strength and durability
- Forged chrome steel blades give up to 10 times more cutting capacity than cast blades
- Blades resist wear and maintain their sharpness over time
- Dark chrome plated finish protects against rust and wear ensuring longevity
- Flush pivot bolt eliminates hang-ups on material
- One-handed metal lock
- Easy cut-colour identification on handle

| CODE | BARCODE |
|----------|---------------|
| V1445005 | 5055284492640 |

6" / 152mm Jabsaws





- Induction-hardened tri-ground teeth for fast, smooth cuts
- Specially designed teeth for aggressive cutting performance
- Pointed tip ideal for plunge cuts into plasterboard
- Robust 1.5mm thick blade provides exceptional stability and strength
- Handle provides maximum grip, minimising fatigue during extended use
- Double edge design for versatile cutting, increasing productivity and flexibility







| CODE | BARCODE | EDGE |
|----------|---------------|--------|
| V1440005 | 5055284491360 | Single |
| V1440006 | 5055284491377 | Double |
| | | |

12" Tension Hacksaw





- Durable tubular construction designed to withstand tough cutting tasks with optimal performance
- Quick-release mechanism for ultra-fast blade changes
- Ergonomic cushioned handle for a comfortable grip and reduced fatigue, allowing for better control & precise cuts
- \bullet Built-in storage for up to 5 replacement blades
- Equipped with 12"/300mm blade (accepts all standard 12"/300mm hacksaw blades)









| V1410010 | 5055284491445 |
|----------|---------------|
| CODE | BARCODE |

Hacksaw Blades



- Suitable for metals
- Bi metal construction
- Built for durability and flexibility

| CODE | BARCODE | LENGTH | TPI |
|----------|---------------|--------|-----|
| V1440000 | 5055284457427 | 300mm | 18 |
| V1440001 | 5055284457434 | 300mm | 24 |
| V1400002 | 5055284457441 | 300mm | 32 |

2.5lb Club Hammer



- · High quality hardened steel
- · Anti-slip, comfort long handle
- Shock absorbing
- Smooth double striking face
- Corrosion resistant
- Suitable for light demolition work, driving masonry nails and stakes, and works well along with cold chisels





| CODE | BARCODE | SIZE |
|----------|---------------|-------|
| V1421000 | 5055284486144 | 2.5lb |


Rubber Mallets



- Dual head features one soft black face and one non-marking white face
- Solid rubber head delivers a softened, positive strike
- High strength fibreglass handle core helps absorb vibrations
- Exterior poly jacket protects handle core from missed strikes
- Soft non-slip rubber grip allows for maximum comfortability







Ultra RIP Claw Hammers



- Magnetic nail rest in head for easy one handed start
- Sharpened claw providing maximum nail pulling force
- Forged from one piece of steel for strength and durability
- Textured rubber grip for secure handling







 CODE
 BARCODE
 SIZE

 V1421010
 5055284492732
 16oz

 V1421011
 5055284491407
 20oz

Graphite Curved Claw Hammers



- Magnetic nail rest in head for easy one handed start
- Sharpened claw providing maximum nail pulling force
- Graphite core for improved strength and durability
- Textured rubber grip for secure handling







| CODE | BARCODE | SIZE |
|----------|---------------|------|
| V1421015 | 5055284491414 | 16oz |
| V1421016 | 5055284492725 | 20oz |

Nail Punches



- Allows nails to be driven flush or below the surface
- Carbon steel construction
- Textured grip for secure hold
- Hardened point for added durability

CONTENTS

1x 1/32" (0.8mm) 1x 1/16" (1.6mm) 1x 3/32" (2.4mm)



CODE BARCODE PCS V1434000 5055284437429 3

Hand Tools

SURFORM, STAPLES, PIP CUTTERS



Surform Metal Block Plane & Blades Set





- Perfect tool for wood working on edges and confined spaces
- Strong, heavy-duty zinc body for increased durability
- Practical single handed use
- Thumb screw for quick blade release
- Two replaceable precision cutting blades included
- Direction identifier for straightforward use
- Curved precision cutting blades are perfect for fine finish on hardwood, end grain and some soft metals

CONTENTS

1x 155mm Metal Surform Body 2x Surform Blades









CODE

BARCODE

Pot Magnets

220N / 22kg weight capacity with full

magnet contact on a smooth surface

Nickel plated for rust resistance

solution when working on site

Ideal temporary hanging


V1454000

5055284488612

115mm

Heavy Duty Staple Gun





- Depth adjustment knob to customize staple depth for different materials, ensuring a secure and professional finish every time
- Spring loaded slide strip magazine for hasslefree reloading and quick staple changes
- Palm squeeze trigger for comfortable, controlled stapling and trigger latch for safe storage
- Quick & efficient jam release mechanism and visual refill window
- Pack of 200 staples included $(11.3 \times 8 \times 0.7 \text{mm})$

CODE **BARCODE** V1450000 5055284491391



for secure attachment

CODE BARCODE V1108001 5055284471232



Welded eyelet for strength

CODE BARCODE V1108000 5055284471225



Strong hook for easy hang

| CODE | BARCODE | QTY |
|----------|---------------|-----|
| V1108005 | 5055284488667 | 1 |
| V1108006 | 5055284488674 | 3 |

Copper Pipe Cutters



- HSS (High Speed Steel) blade maintains sharpness for long-lasting performance
- Zinc pressure die cast body for heavy duty construction
- Slim-line body design allows for use in tight spaces, providing versatility
- Textured edge for increased grip makes twisting easy & comfortable
- Direction identifier for straightforward use
- Effortless, accurate pipe cutting
- Cuts through copper pipes with ease

| Cutt Pacl | ζ n | Sunt Sunt Sunt Sunt Sunt Sunt Sunt Sunt |
|-----------------|--------|---|
| CODE 1429000 | | RCODE 84489343 |
| | | |

NEW

| CODE | BARCODE | SIZE |
|----------|---------------|----------|
| V1429001 | 5055284489350 | 15mm |
| V1423001 | 3033284483330 | 13111111 |

Plastic Pipe Cutters





- Strong and sharp SK5 steel blade for clean and accurate cuts
- Blade surface coated with PTFE (Teflon) to prevent rust and wear
- Spring loaded, one-handed operation makes pipe cutting simple
- · Locking hatch keeps blade protected whilst in storage or not in use
- Ratchet design increases work efficiency by enhancing the bite force whilst ensuring safety
- Non-slip TPR grip for comfortable use



CODE **BARCODE** V1429005 5055284490486



600mm Manual Tile cutter with Laser Guide





- For parallel and angled cuts
- 200mm aluminum alloy gauge
- Replaceable bearing cutting blades (22 x 6 x 6mm)
- Can support up to 1200mm length tiles
- Side extension bars to support large tiles
- Cuts up to a 24 inch (600mm) tile and up to 12mm thick
- Robust 1.8mm steel base provides excellent support and durability
- Built in laser guide for cutting assistance
- Perfect for both professionals and DIY enthusiasts

Pump Action Suction Lifter





- Diameter of suction cup 8" / 210mm
- Integrated pressure gauge
- Ideal for large porcelain or stone tiles and glass and slightly textured surfaces







V1458000 5055284492411

Heavy Duty Sealant Gun





- Concealed pin inside
- Takes 310ml and 410ml carts
- Smooth squeeze action
- Extra pull trigger

CODE **BARCODE** V1205000 5055284409297

NEW

Sealant Stripper





- Three adjustable angles on each end provides a range of positions
- Easy turn thumb screws hold the scraper ends securely in place

| CODE | BARCODE |
|----------|---------------|
| V1205006 | 5055284490547 |

8 Piece Caulk & Silicone Tool Set





- Durable ABS plastic
- Produces multiple profile and size finishes
- Ideal for use in small or large areas
- Convenient washable net storage bag
- Everything you need for scraping, smoothing and removing silicone, caulking and grout
- Easy to clean using a damp cloth

CODE **BARCODE** V1205005 5055284475599





CONTENTS

lx Caulking Scraper designed for both forward and backward use when removing old

lx Caulk Tip Applicator applies and smooths caulk in one easy step

lx Dual Applicator smooths caulk in narrow or wide joints for the ideal finish

lx Caulk & Silicon Remover to remove caulk and silicon from inside and outside corners

4x Grout Scrapers/Finishers 4 different shaped tools that are useful for the smoothing and sealing of caulking and sealant lines for any edge, corners and joints. Saves on wasted sealant without the need for masking tape

Hand Tools



LASER LEVELS

Green Cross Line Laser



CONTENTS


1x Green Cross Line Laser 1x L-Shape Magnetic Bracket

1x Padded Carry Bag

CODE

V1503005

 Control vertical and horizontal lines independently at the push of a button



- Pendulum lock protects the internal electronics, ensuring safe transport and reliable projection
- L-Shape strong magnetic bracket for stability also features hanging holes for non metallic surfaces
- Hard-wearing, secure bag with dense foam insert for safe and protected
- Compact size and lightweight for easy portability

storage during transit

 Requires 3x AA batteries (not included)

| Laser Type | Green 520nm |
|------------------|-------------|
| Laser Class | Class 2 |
| Visibility | 20m |
| Accuracy per 10m | +/- 3mm |
| Protection | IP54 |
| Self levelling | 3 degrees |











Green Multi Line Laser

BARCODE

5055284467891



- Multiple lines can be switched on or off for various layout requirements
- Strong and durable casing protects from knock
- Pendulum lock protects the internal electronics, ensuring safe transport and reliable projection
- Heavy-duty L-Shape adjustable bracket with interchangeable 1/4" and 5/8" connectors
- Bracket offers flexible angle adjustment with top or bottom laser mounting and can also be mounted to a tripod
- Bracket features extended length for extra support with screw holes for hanging and strong rare earth magnets holding up to 10lbs
- Hard-wearing, secure bag with dense foam insert

for safe and protected storage during transit

- Compact size and lightweight for easy portability
- Rechargeable (2x batteries, charger and USB cable included)

| Laser Type | Green 520nm |
|------------------|-------------|
| Laser Class | Class 2 |
| Visibility | 20m |
| Accuracy per 10m | +/- 2mm |
| Protection | IP54 |
| Self levelling | 3 degrees |
| | |


CONTENTS

1x Multi Line Laser 1x L-Shape Magnetic Bracket 2x Rechargeable Batteries 1x Battery Charger 1x USB Charging Cable 1x Durable Carry Case

| CODE | BARCODE |
|----------|---------------|
| V1503006 | 5055284467907 |

WHY GREEN LIGHT?

Green lasers are visible in a much wider range of lightings than red lasers, allowing for more accurate and precise work



Red Laser Distance Measure with Scroll Wheel



| Laser Type | Red 630-670nm |
|------------------|---------------|
| Laser Class | Class 2 |
| Distance Range | 0.2m-40m |
| Accuracy per 10m | +/- 3mm |
| Measuring Units | m/ft/in |
| Auto Laser Off | 30 secs |
| Auto Switch Off | 180 secs |
| Memory | 20 |
| Protection | IP65 |
| Charging | USB C |

CODE

V1501005

BARCODE

5055284467914

CONTENTS

1x Distance Measure

and Curve Measure

1x USB Cable

1x Laser Pouch

1x Wrist Strap







- Scroll wheel allows for curved measuring
- Easy to use simple 3 button design
- White on black display for better visibility
- · Compact design for easy transportation
- Internal rechargeable battery (cable included)
- Durable pouch with belt loop for protection and portability







Green Laser Distance Measures

GREEN LASER DOT FOR GREATER ISIBILITY



















| Laser Type | Green 500-800nm |
|------------------|--------------------|
| Laser Class | Class 2 |
| Accuracy per 10m | +/- 2mm |
| Measuring Units | m/ft/in |
| Auto Laser Off | 20 secs |
| Auto Switch Off | 150 secs |
| Battery | 3.7V 850mAh Li-ion |
| Storage Temp. | -20°C - 60°C |
| Working Temp. | 0°C - 40°C |
| Thread | 1/4" |
| Charging | USB C |
| Measures | 5000 (full charge) |
| Max. Storage | 99 |
| Angle Indicator | Yes |
| Start Positions | 3 |
| | |

| CODE | BARCODE | DISTANCE |
|----------|---------------|----------|
| V1501010 | 5055284490844 | 50m |
| V1501011 | 5055284490851 | 100m |

- Perfect for measuring distances indoors and outdoors, volumes, areas and much more
- Anti-shock system protects the internal electronics
- Internal inclinometer displays the angle to ensure precise measurements
- Internal rechargeable battery (USB cable included)
- Black & white display for better visibility in bright light
- Durable pouch with belt loop for protection and portability

Premium Laser Distance Measure



GREEN ·DUAL= I ASFRS



MEASURES UP START POSITIONS TO A MAX OF **100M IN EITHER** DIRECTION





| Laser Type | Green 500-800nm |
|------------------|--------------------|
| Laser Class | Class 2 |
| Accuracy per 10m | +/- 2mm |
| Measuring Units | m/ft/in |
| Auto Laser Off | 20 secs |
| Auto Switch Off | 180 secs |
| Battery | 3.7V 850mAh Li-ion |
| Storage Temp. | -20°C - 60°C |
| Working Temp. | 0°C - 40°C |
| Thread | 1/4" |
| Charging | USB C |
| Measures | 5500 (full charge) |
| Max. Storage | 100 |
| Angle Indicator | Yes |

- Perfect for measuring distances indoors and outdoors, volumes, areas and much more
- Anti-shock system protects the internal electronics
- Internal inclinometer displays the angle to ensure precise measurements
- Internal rechargeable battery (USB cable included)
- Colour LCD Display for easy visibility
- Durable pouch with belt loop for protection and portability
- Magnetic back allows mounting to any magnetic surface for hands free use
- Max range 200m (max of 100m in either direction)







CONTENTS

1x Distance Measure

1x USB Cable 1x Laser Pouch

1x Wrist Strap

UKC€

















CONTENTS

1x Distance Measure 1x USB Cable 1x Stroage Case 1x Wrist Strap



| BARCODE |
|---------------|
| 5055284490868 |
| |

VACUUM BRACKET & WALL SCANNER



Vacuum Mounting Dust Collector & Laser Level Bracket

- Perfect for use on surfaces without the worry of marking (No need to mount with fixings or magnets)
- Powerful base unit suctions effortlessly against a variety of indoor, non-textured surfaces, including glass or metal
- Rechargeable battery with up to a 5 hour battery life (may vary due to surface texture & holding weight)
- Hefty 5kg maximum holding weight (battery decreases with increased weight)
- Audible low battery indicator and LED battery display to ensure it never falls without warning, protecting your product
- Unit projects a laser for use as a straight guide
- Use the integrated horizontal and vertical bubble levels to get a straight and level line to easily hang pictures, mirrors and level cupboards, worktops etc.
- Woven bag to keep items together























| Laser Colour | Red 650nm |
|-----------------------|------------|
| Laser Work Distance | 2m |
| Laser Accuracy | 0002/1m |
| Protection | IP54 |
| Work Time | 5 hours |
| Anti-fall Height | 1.2m |
| Working Noise | <60db |
| Working Pressure | -55Kpa |
| Operation Temperature | -20 - 70°C |
| Battery Capacity | 1800mAh |

CONTENTS

1x Vacuum Wall Bracket 1x Dust Collector Attachment 1x Bracket Attachment 1x 1/4" Thread Adaptor 1x 5/8" Thread Adaptor 1x Charging Cable 1x Spare Foam Seal 1x Woven Bag 1x Manual

| CODE | BARCODE |
|----------|---------------|
| V1502001 | 5055284476749 |

Laser Level Bracket Attachment









- Bracket with 1/4" screw thread included, ideal for mounting lasers, cameras and more
- 5/8" adaptor included to fit more attachments

Dust Collector Attachment







- Dust falls into dust collecting bin, allowing mess free drilling and easy clean up
- Dust collector attachment allows up to a 16mm drill bit to pass through, ideal for most projects and jobs

Digital Wall Scanner



- Ideal for finding elements behind walls without making inspection holes
- Highlights the centre of detected target and depth of target
- Portable and fits nicely within your hand
- Anti-shock casing protects the internal instruments when knocked
- Sturdy carry case
- Light & sound indicators
- Battery level indicator



easy read white on black display


| Wood detection | 20mm |
|-----------------------------|--------|
| Live wire detection | 50mm |
| Non ferrous metal detection | 80mm |
| Ferrous metal detection | 120mm |
| Screen size | 2.4" |
| Auto Switch Off | 5 mins |
| Protection | IP54 |
| Battery (not included) | 9V |
| | |



CONTENTS 1x Multi-detector wall scanner 1x Storage Pouch 1x Wrist Strap

| $C \in$ | V1504000 | 5055284476282 |
|---------|----------|---------------|
| CA | CODE | BARCODE |

Wet & Dry 20L Dust Extractor



- H13 HEPA filter with cotton and sponge filter (for water) offer a high particle capture to limit exposure to harmful dust
- Powerful full copper 1200W motor delivers ample suction power
- Stainless steel barrel body with quick release locking latches
- Quiet 76db motor for minimal disruption whilst vacuuming
- Large stable wheel base with 4x 360° castors for effortless transportation and manoeuvrability without it tipping over
- Easy drainage with bottom emptying port for liquids
- Easy on board tool and cable storage for simple organisation
- 4.5m extra long reach power cable
- 1.5m hose with hose lock to stop it being pulled out the unit
- Durable, extending metal floor attachment with multi-head setting

• Includes brush and crevice nozzle attachments

Ideal for home and work

CODE ϵ 5055284483419 V0648000







FEATURE HIGHLIGHTS

Filter tap function taps the filter to unclog it of debris using a simple lever outside the unit, keeping the filter clear and maintaining suction and efficiency without having to open the drum which would re-release dust particles into the air and compromise your safety.

Blower function with on/off switch 240V power take off simultaneously provides power to your tool up to 2000W



V1335004 5055284486823



CONTENTS

1x Vaunt Dust Extractor

1x 1.5m Hose Assembly

1x Metal Telescopic Tube


1x Advanced Floor Brush 1x Crevice Nozzle


1x Round Brush


1x H13 HEPA Filter

1x Cotton Filter 1x Sponge Filter (wet)

1600W Paddle Mixer







- Anti-lock switch function
- Dual ergonomic soft grip handles
- Handy trigger control on handle
- 6 speed settings within each mode
- Strong 140mm steel paddle

| Max No load speed (low) | 500rpm/min |
|--------------------------|-----------------|
| Max No load speed (high) | 800rpm/min |
| Diameter | 140mm |
| Shank Connection | M14 |
| Rated Voltage | 220V- 240V/50Hz |
| Power Input | 1600W |



CODE BARCODE V0631002 5055284492510

2000W Electric Fan Heater





- Two heat power settings 1000W (half) or 2000W (full)
- Fan setting (heater off)
- Adjustable speed control
- Steel base robust and stable stand
- Carry handle
- Easy to manoeuvre compact size
- Overheat protection with auto reset



| CODE | BARCODE |
|----------|---------------|
| V1713000 | 5055284492503 |









High-Velocity Drum Fan



- Ideal site solution for regulating area temperature & increasing air displacement
- Heavy-duty all-metal construction
- Tough wheels for easy transportation





 $C \in$





| Size | 24" | 36" | 42" | 48" |
|-----------------|--------|--------|--------|--------|
| Fan Blades | 3 | 3 | 4 | 4 |
| Motor | 250W | 380W | 660W | 660W |
| Air moved m³/hr | 12,000 | 27,600 | 28,800 | 30,600 |
| Speeds | 2 | 2 | 2 | 2 |
| Power Cord | 1.8m | 1.8m | 2.9m | 2.9m |

| CODE | BARCODE | SIZE |
|----------|---------------|------|
| V1709000 | 5055284461394 | 24" |
| V1709001 | 5055284461400 | 36" |
| V1709002 | 5055284461387 | 42" |
| V1703003 | 5055284461417 | 48" |

Dehumidifier



- Dehumidifier removes moisture from the air, helping to dry rooms quickly and reduce the chance of mould growth
- Ideal for speeding up plaster and paint drying
- Programmable timer up to 24 hours
- Fan with 2 speed settings
- Minimal working noise to ensure minimal disruption when in use
- Ideal for use on site and at home
- R290 with GWP value 3 which is F-gas quote free

- Premium dehumidifier removes 0.8L of moisture per hour
- Removes moisture from rooms as big as 430 square foot
- 6 litre removable water tank for easy water disposal
- 'Hidden' display shows current room humidity
- Practical wheels and recessed handle for easy transportation and manoeuvrability





| | CODE | BARCODE |
|---|---------|---------------|
| V | 1714000 | 5055284483624 |

FEATURE HIGHLIGHTS



Water tank full alarm with



Power off memory function remembers previous settings as soon as power is back on



Laundry function heats air and uses highest fan setting to blow air upwards whilst simultaneously dehumidifying, ideal for drying work clothes

Automatic defrosting function stops the compressor automatically if it becomes too cold, continuing the fan until the temperature of the evaporator rises again



Child lock function locks settings with the press of a button to prevent children changing them




Continuous drain function when connected to a drain hose removes the need for frequent emptying

Ideal for drying out rooms and reducing the presence of dampness and prevent the growth of mould

Air Conditioning Units

- Air Conditioner, Dehumidifier & Fan All In One
- Ideal for staying cool in the warm
- Designed for rooms 12-18m perfect for offices, homes and more



CONTENTS

1x Main Unit 1x 1.5m Exhaust hose 1x Remote control 1x Sliding window kit 1x Housing adaptor 1x Window connector 1x Water hose pipe



CODE BARCODE AREA H1709001 5055284470907 9000 12-18M²

- Air Con, Fan & dehumidify modes
- 12000 BTU Cooling Capacity with double mesh filter layers
- Designed for rooms 15-25m2 with 3 speed settings
- Remote Controlled & able to be 'programmed' for a 24 cycle
- Features auto-swing, anti-frost, sleep mode & castor wheels

CONTENTS 1x Main Unit

1x 1.5m Exhaust hose 1x Remote control 1x Sliding window kit 1x Housing adaptor 1x Window connector 1x Water hose pipe



| CODE | BARCODE | BTU | AREA |
|----------|---------------|-------|---------------------|
| H1709002 | 5055284471645 | 12000 | 15-25M ² |

AVAILABLE

3m Hose Extension



BARCODE H1709011 5055284471294

Window Sealing Kit



H1709012 5055284471669

Universal Extendable Mitre Saw Stand



Adjustable supports extend to 1.6m -supporting up to 3m Smooth gliding chrome

rollers allow easy working

Fold in legs and heavy duty wheels for portability

Integrated organiser tray for fixings and accessories

Easy carry handle for easy transportation

CODE BARCODE V1358000 5055284467518

- Durable aluminium construction
- Provides quick, tool-less attachment for almost all mitre saws
- 150kg max load









4 in 1 Multi-Purpose Workbench, Creeper, Platform & Saw Stand



Integrated organiser tray for hand tools and accessories

Worktop marked with metric rule and 180° measurements

- Functions as a workbench, saw stand, creeper or work platform
- Adjustable to 3 different heights
- Switch between MDF and plastic worktop surface
- Folds flat for compact storage and portability

| Max. Load at 56cm | 330kg |
|-------------------|-------|
| Max. Load at 66cm | 200kg |
| Max. Load at 76cm | 150kg |





CODE BARCODE V1358020 5055284467631









Adjustable Roller Stand



Chrome rollers for smooth glide action

Adjustable side guards to hold materials on the roll

Easy locking handle for quick extension

Rubber plastic feet that provide stability and fine screw foot adjustment for uneven ground





Available as a single or a pair

• Durable lightweight aluminium construction

• 68cm to 110cm adjustment

• Folds flat for compact storage and easy transport

• 60kg max load

| CODE | BARCODE | QTY | WEIGHT CAPACITY |
|----------|---------------|-----|--------------------|
| V2003020 | 5055284467600 | 1 | 60kg |
| V2003021 | 5055284486533 | 2 | 120kg |

Stands & Trestles



Universal Power Tool Stand



Pre cut slot grid that allows for secure tool fastening

Screw leg adjustment for stability on uneven ground

- Multi-purpose workstation that can accommodate a wide range of tabletop machinery
- Adjustable to 6 different heights
- Folds flat for compact storage and portability
- Durable aluminium construction
- 150kg max load









CODE BARCODE V1358010 5055284467594

Adjustable Saw Horse Twinpack



- Impressive weight capacity
- Strong and durable steel body
- High grade, robust steel legs

Easy carry handle

Non-slip grip surface for material stability

Quick-release, unfolding legs for compact storage









Available as a pair

| CODE | BARCODE | QTY | WEIGHT CAPACITY |
|----------|---------------|-----------|--------------------|
| V2003006 | 5055284467617 | Twin Pack | 150kg |

Heavy Duty Adjustable Height Saw Horse



Rubber Feet

- Impressive weight capacity
- Strong and durable steel body
- High grade, robust steel legs
- 2 saw horses can be converted to a job site table using materials

Topped with a tough non-marking plastic grid shaped surface, ideal for pipes and angle holds

Integrated material shelf arm on legs

Quick-release, unfolding legs for compact storage













Available as a single or a pair

| CODE | BARCODE | QTY | WEIGHT CAPACITY |
|----------|---------------|-----------|--------------------|
| V2003012 | 5055284467563 | Single | 590kg |
| V2003013 | 5055284467549 | Twin Pack | 1180kg |

Portable Trolley Saw Stand



High traction rubber wheels for mobility

- Easily transport and deploy your machine
- Durable tubular aluminium construction
- Folds flat for compact storage and portability
- 150kg max load





CODE BARCODE V1358030 5055284467624

Heavy Duty Saw Horse



- Impressive weight capacity
- Strong and durable steel body
- High grade, robust steel leas
- 2 saw horses can be converted to α job site table using materials

Easy carry handle

Non-slip grip surface for securing material

Quick-release, unfolding legs for compact storage









Available as a single or a pair

| CODE | BARCODE | QTY | WEIGHT CAPACITY |
|----------|---------------|-----------|--------------------|
| V2003010 | 5055284467587 | Single | 500kg |
| V2003011 | 5055284467570 | Twin Pack | 1000kg |

Heavy Duty Fully Adjustable Leg & Arm Saw Horse



- Impressive weight capacity
- Strong and durable steel body
- High grade, robust steel legs
- 2 saw horses can be converted to a job site table using materials

Topped with antislip, grip textured surface for a secure hold of material

Independent leg height adjustment with locking latch for uneven ground

Unfolding legs for compact storage













Available as a single or a pair

| CODE | BARCODE | QTY | WEIGHT CAPACITY |
|----------|---------------|-----------|--------------------|
| V2003014 | 5055284470990 | Single | 590kg |
| V2003015 | 5055284471003 | Twin Pack | 1180kg |



BOARD LIFTERS & SUPPORTS

Drywall Carrier



- Heavy duty drywall cart with strong and sturdy welded steel structure
- All-steel frame is corrosion resistant and treated to prevent rust, offering long term use
- Ideal for transporting multiple sheets of material or material bags in one go, increasing work efficiency
- Holds up to a hefty 1000kg
- Large 6" caster wheels for complete 360 degree manoeuvrability, with brakes to secure the trolley when loading or off-loading
- · Raised edge on footbed to prevent material sliding off, providing a secure journey
- Extra large, sloped footbed to prevent material tipping off over trolley for better balance when loaded
- Various gripping points on frame to ensure comfortable use
- Extended base bars to strap to other trolleys or assistant vehicles
- Frame easily disassembled for convenient storage and transport



| CODE | BARCODE |
|----------|---------------|
| V1704012 | 5055284486038 |

Drywall Lifter



- · Heavy duty board lifter with strong and sturdy welded steel structure
- Ideal for holding sheet material while fastening, allowing easy board application without the assistance of a second person
- Large 4" caster wheels for complete 360 degree manoeuvrability, with brakes for added security
- Triple foot base for enhanced stability and balance
- Effortless tilt between horizontal and vertical with extending arm support
- Support arms featuring non-marking rubber caps for slip resistant grip
- Easy to use pulley system with quick release brake
- Top part of frame rotates 360 degrees for perfect positioning
- Collapsing structure for convenient storage and transport UK CF V1704005 5055284486



| CODE | BARCODE | LIFT | HEIGHT |
|----------|---------------|---------------|--------|
| V1704004 | 5055284486014 | 1.42m - 3.35m | 11ft |
| V1704005 | 5055284486021 | 1.9m - 4.86m | 16ft |

Ratchet Straps



- Pack of 2 heavy duty ratchet straps
- Reinforced 4.5m by 25mm wide weather resistant strap
- 750kg breaking strain
- 400kg safe working load
- Easy to use, full metal, automatic locking latch
- Deep tooth ridges to ensure α secure hold
- Quick release spring loaded catch for fast unfastening
- Non-slip plastic coated handle for comfortable use
- Durable plastic coated S hooks for a secure, non-marking grip
- Conforms to EN12195-2





| CODE | BARCODE |
|----------|---------------|
| V1425020 | 5055284483570 |

Telescopic Drywall Support



- Heavy duty, lightweight, aluminium frame
- One handed clamp operation for easy placement
- Non-slip rubberised foot plates
- Adjustment from 1140mm to 2895mm
- 30kg max load







| CODE | BARCODE | PCS |
|----------|---------------|-----------|
| V1453000 | 5055284432059 | Single |
| V1453001 | 5055284464739 | Twin pack |


Heavy Duty Telescopic Drywall Support



- Specifically for drywall ceiling construction, as well as planks, battens, panel and more
- Supports weights above your head whilst working
- Adjustment from 1600mm 2900mm
- Steel body for ultimate strength
- Strong and stable non-slip rubberised foot plates
- \bullet Foot plates can be angles +/- 45° to aid angles roof construction
- · Quick release for speedy retracting and storage
- 60kg max load









CODE BARCODE V1453005 5055284475803

Support Carry Bag



- · Carry bag keeps props safe and protected
- Tear resistant canvas material with double stitching
- Handy shoulder strap
- Carries up to 2 supports measuring 2900mm long

CODE BARCODE V1453015 5055284475827

Heavy Duty Drywall Support Twinpack Set



Pump Air Wedges



- Versatile lifting for use with door and window frames, adjusting heavy appliances and more
- \bullet One way valve for secure inflation and easy deflation
- Non-marking











MULTI-PURPOSE LADDERS





4x3 Multi-purpose Ladder



to unlock hinge

CODE

V2002005

- \bullet Strong yet lightweight aluminium body with rust resistant coating
- Ideal for home and site use
- Comfortable tread with slip-resistant texture
- Sturdy feet with slip-resistant soles
- Stabilizer bar for additional support and safety
- Collapsible, ideal for storage and easy transportation
- Slip resistant detachable work platform
- Robust, heavy duty hinges with secure locking mechanism










| Max. Height | 3503mm |
|-----------------------|--------|
| Scaffold Mode Height | 937mm |
| Stabiliser Bar Length | 806mm |
| Step Rise | 280mm |
| Weight | 15.9kg |
| Weight Capacity | 150kg |
| Steps | 4 x 3 |



4x4 Multi-purpose Ladder

BARCODE

5055284476091



- Strong yet lightweight aluminium body with rust resistant coating
- Ideal for home and site use
- Comfortable tread with slip-resistant texture
- Collapsible, ideal for storage and easy transportation
- Telescopic adjustment for simple adaptation and uneven terrain
- Sturdy feet with slip-resistant soles
- Stabilizer bar for additional support and safety
- Extra wide flared bottom for increased safety
- Robust, heavy duty hinges with secure locking mechanism
- Heavy duty metal 'J' locks for quick height adjustment
- Welded steps with riveted colour caps for long lasting durability










| Max. Height | 4134mm |
|-----------------------|--------|
| Stabiliser Bar Length | 926mm |
| Step Rise | 280mm |
| Weight | 13.1kg |
| Weight Capacity | 150kg |
| Steps | 4 x 4 |
| | |



3-Way Extending Ladder



- Strong yet lightweight aluminium body with rust resistant coating
- Ideal for home and site use
- Comfortable tread with slip-resistant texture
- Sturdy feet with slip-resistant soles
- Stabilizer bar for additional support and safety
- Collapsible, ideal for storage and easy transportation
- Stabilising straps to prevent over expansion














Telescopic Ladder



- Strong yet lightweight aluminium body with rust resistant coating
- Ideal for home and site use
- Sturdy feet with slip-resistant soles
- Comfortable tread with slip-resistant texture
- Stabilizer bar for additional support and safety*
- Collapsible, ideal for storage and easy transportation
- Telescopic adjustment for simple height adaptation
- Secure locking rungs with status lock indicators
- Doodro looming rungs with status look malout
- One-action soft close functions for safe and reliable closing



*11 & 13 tread only



NEW



Non-slip, rubber stand off top caps



Extend to the height you need (start at base)

| CODE | BARCODE | STEPS | EXT. HEIGHT |
|----------|---------------|-------|-------------|
| V2002030 | 5055284483631 | 9 | 2.69m |
| V2002031 | 5055284483648 | 11 | 3.29m |
| V2002032 | 5055284484874 | 13 | 3.89m |
| | | | |

Fibreglass Ladder




- 8 layer fibreglass construction
- Ideal for home and site use
- Comfortable tread with slip-resistant texture
- Wide, sturdy feet with slip-resistant soles
- Extra cross frame brackets for extra rigidity and stability
- Handy tool shelf for ease of use when working at height







| CODE | BARCODE | STEPS |
|----------|---------------|-------|
| V2002003 | 5055284484867 | 3 |
| V2002000 | 5055284421398 | 4 |
| V2002001 | 5055284421404 | 6 |
| V2002002 | 5055284421411 | 8 |





Step Ladders




Weight Capacity

- Strong yet lightweight aluminium body with strong steel top step
- Ideal for home and site use
- Large top step provides platform allowing greater safety and movement
- Comfortable tread with slip-resistant texture
- Sturdy feet with slip resistant soles
- Extra cross frame brackets for extra rigidity and stability
- Collapsible, ideal for storage and easy transportation
- Tool caddy for simple tool storage and organisation, reducing trips up and down the ladder



| CODE | BARCODE | STEPS |
|----------|---------------|-------|
| V2002020 | 5055284476121 | 3 |
| V2002021 | 5055284476138 | 5 |
| V2002022 | 5055284476145 | 7 |



| | V2002020 | V2002021 | V2002022 |
|---|----------|----------|----------|
| Α | 1247mm | 1684mm | 2070mm |
| В | 676mm | 983mm | 1530mm |
| С | 409mm | 457mm | 580mm |
| D | 618mm | 618mm | 605mm |
| Е | 630mm | 1070mm | 1500mm |
| F | 1365mm | 1829mm | 2244mm |
| G | 117mm | 117mm | 117mm |





Double Sided Step Ladders

150kg




Weight Capacity

- Strong yet lightweight aluminium body
- Ideal for home and site use
- Collapsible, ideal for storage and easy transportation
- Comfortable tread with slip-resistant texture
- Sturdy feet with slip resistant soles

| (v | A STATE OF S |
|---------|--|
| BARCODE | STEPS |

| CODE | BARCODE | STEPS |
|----------|---------------|-------|
| V2002025 | 5055284476152 | 2 |
| V2002026 | 5055284476169 | 3 |







Aluminium Work Platforms

150kg



- Strong yet lightweight aluminium construction
- Large workspace for added stability
- Reduce the number of times you need to reposition compared to step ladders
- Locking hinge for security
- Folds flat for easy transport





BARCODE **DEPTH** HEIGHT CODE WIDTH V2006005 5055284452668 600mm 600mm 500mm 300mm V2006006 5055284452651 825mm 600mm V2006007 5055284416974 1200mm 300mm 600mm

Folding Sack Truck



- One button telescopic handle with soft grip for easy opening and closing
- Foldaway base for easy storage
- Durable 7" PP+TPR wheels for smooth and stable movement on most terrain
- Strong and tough construction
- Maximum load capacity of 70kg
- Efficiently transports heavy items



Heavy Duty Folding Sack Truck



- Quick release telescopic frame allows opening and closing using the handle
- Foldaway solid base for sturdy support and easy storage
- Durable 10" rubber wheels with wheel guards for protection
- Strong and tough steel construction, resistant to corrosion and wear
- Maximum load capacity of 200kg
- Convenient tool for transporting heavy materials, large items or equipment





CODE BARCODE V1704021 5055284477074

Heavy Duty 3-in-l Sack Truck



- 3 different modes: sack truck, trolley and flatbed
- Extra long base for a stable, spacious platform
- A versatile and powerful tool for transporting heavy materials, large items or equipment
- Foldaway base for easy storage
- Durable 10" rubber wheels with guards for protection
- Strong and tough steel construction, resistant to corrosion
- Foldaway castor wheels' first action allows easy transformation between sack truck and trolley modes
- Foldaway castor wheels' second action allows easy transformation to a flatbed, for longer, heavier loads
- Maximum load capacity of 250kg





CODE BARCODE V1704026 5055284486120

Heavy Duty 3 Wheeled Sack Truck



- A unique and innovative tool for transporting heavy materials, large or equipment up and down stairs
- \bullet Strong & tough steel construction, resistant to corrosion
- Extra long solid base for a stable platform for your loads
- Durable 6" rubber wheels with wheel guards for protection
- Foldaway base for easy storage
- Maximum load capacity of 250kg
- Triple rotating wheels allow you to go upstairs or on extreme terrain quickly







Metal Garden Carts





- · A handy and practical tool for transporting heavy materials, rubble or equipment
- Strong, durable metal construction, built to withstand harsh weather and heavy loads
- Foldaway sides allow transformation into a flatbed for more extended items
- Durable rubber wheels withstand rough terrain
- Long ergonomic steering handle makes it easy to manoeuvre





245 Litre model has adaptable handle, which can be changed to a tow, enabling it to be pulled by a vehicle

| CODE | BARCODE | CAPACITY | MAX. LOAD | WHEELS |
|----------|---------------|----------|-----------|--------|
| V1712000 | 5055284477135 | 82L | 200kg | 10" |
| V1712001 | 5055284477142 | 245L | 200kg | 10" |

Heavy Duty Metal Garden Cart



- Heavy duty construction with high chassis for ground clearance
- Extra large, load bearing wheels withstand rough terrain
- Foldaway sides allow transformation into a flatbed for more extended items
- Adjustable handle can be hand pulled or attached to a vehicle and towed as a trailer

| CODE | BARCODE | CAPACITY | MAX. LOAD | WHEELS |
|----------|---------------|----------|-----------|--------|
| V1712002 | 5055284477159 | 166L | 450kg | 13" |

Folding Garden Trolley



- A versatile and practical tool for transporting materials, tools or equipment
- Robust metal folding frame makes it easy to store and transport
- Large storage area with multiple pockets, providing ample storage space



- Tear resistant 600D fabric ensures durability and longevity
- Telescopic ergonomic handle ensures comfortable and easy manoeuvrability

| CODE | BARCODE | MAX. LOAD |
|----------|---------------|-----------|
| V1712010 | 5055284477180 | 80kg |

Folding Garden Trolley with Brakes



- A versatile and practical tool for transporting materials, tools or equipment
- Robust metal folding frame makes it easy to store and transport
- Wheel brakes allowing you to secure the trolley in place
- Large storage area with multiple pockets, providing ample storage space





- Tear resistant 600D fabric ensures durability and longevity
- Telescopic ergonomic handle ensures comfortable and easy manoeuvrability

| CODE | BARCODE | MAX. LOAD |
|----------|---------------|-----------|
| V1712011 | 5055284477197 | 80kg |

Folding Garden Trolley with Large Wheels




- A versatile and practical tool for transporting materials, tools or equipment
- Robust metal folding frame makes it easy to store and transport
- Extra large wheels for durability and smooth movement on loose terrain
- Large storage area with multiple pockets, providing ample storage space
- Tear resistant 600D fabric ensures durability and longevity
- Telescopic ergonomic handle ensures comfortable and easy manoeuvrability

| V1712012 | 5055284477203 | 100kg |
|----------|---------------|-----------|
| CODE | BARCODE | MAX. LOAD |

Heavy Duty Reinforced Wheelbarrow NEW 120kg







Plastic (unbranded) Tray:

| CODE | COLOUR |
|----------|----------|
| V1924060 | Black |
| V1924061 | Blue 🔵 |
| V1924062 | Purple 🛑 |
| V1924063 | Yellow 🛑 |
| V1924064 | Green 🛑 |
| V1924065 | Red 🛑 |
| V1924066 | Orange 🛑 |



reliable performance every time

100L (plastic tray) / 85L (metal tray) capacity

- Strong and lightweight 32mm diameter steel frame
- Wide profile treaded tyre and angled feet rests
- Adjustable wheel positioning with squared tipping nose for quick and easy unloading
- Ergonomic comfort grip handles
- Strong 4mm HDPE, noise dampening plastic tray or durable anti-split metal tray
- Ideal for all site conditions

150кс

MAX LOAD

CODE

X1924005

X1924006

Heavy Duty Single Frame Wheelbarrow



Single piece, fully welded frame for



- additional flexibility, reducing splits & breaks • Strong 32mm diameter frame made with thick steel
- Extra plating on various stress-points
- · Adjustable wheel positioning with squared tipping nose for quick and easy unloading
- Ergonomic, non-slip rubber handles
- Includes heavy duty XL, wide tread wheel
- Ideal for all site conditions



• Thicker tread helps reduce punctures or damage

Heavy Duty XL

Rubber Wheel

Wide, complex tread aids grip in all weather conditions

High profile improves manoeuvrability in rough site conditions



CODE BARCODE V1924017 5055284471119

Heavy Duty Pneumatic Wheel

Oranne

Black



- Professional wheel with thick rubber material
- Tread pattern allows for grip in dry and wet conditions

BARCODE V1924015 5055284467440

Heavy Duty Puncture **Proof Wheel**



- Solid internal structure (no air) ensures tyre will not go flat from screws, nails, debris etc.
- Tread pattern allows for grip in dry and wet conditions

CODE BARCODE V1924016 5055284467532



Heavy Duty XXL Rubber Wheel



MAX LOAD

- Extra thick tread helps reduce punctures or damage
- Very deep tread helps bite into loose or soft terrain ground
- Ideal for boggy, wet environments


BARCODE

V1924017 5055284471119

Plastic Garden Dump Carts



- A strong and reliable tool for transporting heavy materials, rubble or equipment
- Resilient metal frame, built to withstand harsh weather and heavy loads
- Robust plastic liftable tray
- Designed with a raised undercarriage, the cart glides smoothly over obstacles
- Effortlessly tilt and dump the tray using the convenient lever on the handle
- Ergonomic steering handle makes it easy to manoeuvre
- Durable rubber wheels to withstand rough terrain



| CODE | BARCODE | CAPACITY | MAX. LOAD | WHEELS |
|----------|---------------|----------|-----------|--------|
| V1712005 | 5055284477166 | 75L | 272kg | 10" |
| V1712006 | 5055284477173 | 125L | 544kg | 13" |



Gazebo (frame, canopy & bag)



- Simple and easy concertina folding action for compact storage
- Strong steel frame for reliable performance
- Easy push button to adjust frame
- Canopies with easy hook & loop attachment to the gazebo frames
- Strong 420D fabric canopies with durable weather resistant PVC lining
- Wheels and ergonomic rubber handle on gazebo bag for easy transportation

(wheels on 4.5m and 6m only)








Each gazebo includes a sturdy 600D fabric full zip bag





| CODE | COLOUR | CODI |
|----------|---------|---------|
| /1903200 | Black | V190320 |
| /1903204 | Green 🛑 | V19032 |

| 1.0111 | |
|----------|---------|
| CODE | COLOUR |
| V1903208 | Black |
| V1903212 | Green 🧶 |

 $4.5 \text{m} \times 3 \text{m}$

| 0111 21 0111 | | | |
|--------------|-------|---|--|
| CODE | COLOU | R | |
| V1903216 | Black | | |
| V1903220 | Green | | |

 $6m \times 3m$

Side Panels

- Strong 210D fabric side panels
- Hook and loop strip for secure fastening to top canopy
- Hook and loop edges to secure other side panels together
- Fits Vaunt gazebo frames 3m, 4.5m and 6m

Half Side Panel

• Creates a wall for your gazebo with an exposed top for convenient access

| CODE | BARCODE | SIZE | COLOUR |
|----------|---------------|-----------|---------|
| V1903004 | 5055284417049 | 3.0m x 1m | Black 🛑 |
| V1903005 | 5055284417056 | 3.0m x 1m | Green 🛑 |
| V1903099 | 5055284473250 | 4.5m x 1m | Black |
| V1903102 | 5055284473281 | 4.5m x 1m | Green 🛑 |

Full Side Panel

• Creates a wall for your gazebo protecting contents from the elements



| CODE | BARCODE | SIZE | COLOUR |
|----------|---------------|-------------|---------|
| V1903006 | 5055284417063 | 3.0m x 1.9m | Black |
| V1903007 | 5055284417070 | 3.0m x 1.9m | Green 🛑 |
| V1903091 | 5055284473175 | 4.5m x 1.9m | Black |
| V1903094 | 5055284473205 | 4.5m x 1.9m | Green 🛑 |
| V1903008 | 5055284417087 | 6.0m x 1.9m | Black |
| V1903009 | 5055284417094 | 6.0m x 1.9m | Green 🛑 |
| | | | |



Half Panel Support Bar

| 11 | | | | |
|----------|---------------|------|--|--|
| CODE | BARCODE | SIZE | | |
| V1903146 | 5055284475438 | 3m | | |
| V1903147 | 5055284475445 | 4.5m | | |

For use with Vaunt half side panels above. The support bar clamps to the legs of the gazebo and provides a straight support, to prevent panel drooping.







Premium Sand Bag/Gazebo Weights



- · Heavy duty and long lasting polyester
- Can be filled with either sand or stones
- · Secure opening mouth with zip fastening
- Hook and loop fastening provides straightforward attachment to gazebo
- Cylinder shape for stability
- Perfect for securing gazebos or parasols
- Folds flat when not in use for easy storage
- Ideal for use on ground where pegs cannot be used



64













- Heavy duty and long lasting polyester
- Can be filled with either sand or water
- Secure opening with leak proof screw cap
- Carry handle for easy transportation
- External hook and loop fastening provides straightforward attachment to gazebo legs
- Cylinder shape for stability
- Perfect for securing gazebos or parasols
- Folds flat when not in use for easy storage
- Ideal for use on ground where pegs cannot be used

| LOAD | V1903016 | 5055284468461 | 2 |
|------|----------|---------------|------|
| Ока | CODE | BARCODE | PCS. |





Heavy Duty Gazebo (frame, canopy & bag)



- Pop-up concertina design for speedy set up
- Durable, thick nylon hinges
- Lightweight and strong 1.2mm thick aluminium framework
- Easy push button to adjust frame
- Simple and easy folding for compact storage
- Hexagonal legs to ensure rigidity and increase strength
- Strong 420 D fabric canopies easily attaches to the gazebo frames
- Double hook & loop strips for secure fastening of canopy to side panels
- Top vent to allow for air flow and reduce condensation
- Durable weather resistant PVC lining on fabric
- Wheels & ergonomic rubber handle on gazebo bag for easy transportation
- Reinforced seams to ensure durability







| CODE | COLOUR |
|----------|---------|
| X1903170 | Black |
| X1903171 | Green 🛑 |

4.5m x 3m

| CODE | COLOUR |
|----------|---------|
| X1903178 | Black |
| X1903179 | Green 🛑 |

6m x 3m


| CODE | COLOUR |
|----------|---------|
| X1903186 | Black |
| X1903187 | Green 🛑 |

Each gazebo includes a sturdy 600D fabric full zip bag



Premium Heavy Duty "Full Metal" Gazebo (frame & canopy)





- Thicker, 1.8mm aluminium frame for increased strength & toughness
- Solid, full metal hinges offers incredible service life & durability





| CODE | COLOUR | CODE | COLOUR | |
|----------|---------|--------|------------|---|
| X1903194 | Black | X19032 | 02 Black (| • |
| X1903195 | Green 🛑 | X19032 | 03 Green | |
| | | | | |



6m x 3m

| CODE | COLOUR |
|----------|---------|
| X1903210 | Black |
| X1903211 | Green 🛑 |

Side Panels

- Strong 420D fabric side panels
- Hook and loop strip for secure fastening to top canopy
- Zipped sides to secure side panels together



| Creates a wall for your gazebo with an exposed top for convenient access | | | | | 100 |
|--|----------------|----|----|-----|-----|
| CODE | BARCODE | SI | ZE | COL | OU |
| V1000140 | E05500 4 47550 | | ٠, | D. | 7 |

3m x 3m

| CODE | BARCODE | SIZE | COLOUR |
|----------|---------------|-----------|---------|
| X1903140 | 5055284475520 | 3.0m x 1m | Black 🛑 |
| X1903141 | 5055284475537 | 3.0m x 1m | Green 🛑 |
| X1903085 | 5055284474486 | 4.5m x 1m | Black |
| X1903088 | 5055284474516 | 4.5m x 1m | Green 🛑 |
| | | | |

Full Side Panel

• Creates a wall for your gazebo protecting contents from the elements



| CODE | BARCODE | SIZE | COLOUR |
|----------|---------------|-------------|---------|
| X1903138 | 5055284475506 | 3.0m x 1.9m | Black |
| X1903139 | 5055284475513 | 3.0m x 1.9m | Green 🛑 |
| X1903077 | 5055284474400 | 4.5m x 1.9m | Black |
| X1903080 | 5055284474431 | 4.5m x 1.9m | Green 🛑 |
| X1903142 | 5055284475544 | 6.0m x 1.9m | Black |
| X1903143 | 5055284475551 | 6.0m x 1.9m | Green 🛑 |

FOR USE WITH VAUNT X HEAVY DUTY GAZEBOS ONLY

Half Panel Support Bar

| CODE | BARCODE | SIZE |
|----------|---------------|------|
| X1903132 | 5055284474950 | 3m |
| X1903133 | 5055284474967 | 4.5m |

For use with Vaunt X half side panels above. The support bar clamps to the legs of the gazebo and provides a straight support, to prevent panel drooping.


NB: Will not fit the Vaunt X Premium Full Metal Gazebo Frame











Dublin Safety Boots



- Protective steel toecap to 200J
- Protective steel midsole
- Durable, water resistant leather upper
- Slip resistant PU sole
- Cushioned insole with padded, shock absorbing heel
- Breathable mesh lining
- Anti-bacterial insole with moisture wicking functionality
- Padded ankle support
- Gusseted tongue catches loose debris
- Resistance to fuel oil

CF

| CODE | BARCODE | SIZE |
|----------|---------------|-------|
| V2306001 | 5055284474981 | UK 7 |
| V2306002 | 5055284474998 | UK 8 |
| V2306003 | 5055284475001 | UK 9 |
| V2306004 | 5055284475018 | UK 10 |
| V2306005 | 5055284475025 | UK 11 |
| V2306006 | 5055284475032 | UK 12 |
| | | |

Lisbon Safety Boots



- Protective steel toecap to 200J
- Protective kevlar midsole
- Durable, water resistant action nubuck leather upper
- Slip resistant EVA/RB sole
- Cushioned insole with padded, shock absorbing heel
- Breathable mesh lining
- Anti-bacterial insole with moisture wicking functionality
- Padded ankle support
- Gusseted tongue catches loose debris
- Resistance to fuel oil



UK

| CODE | BARCODE | SIZE |
|----------|---------------|-------|
| V2306011 | 5055284475049 | UK 7 |
| V2306012 | 5055284475056 | UK 8 |
| V2306013 | 5055284475063 | UK 9 |
| V2306014 | 5055284475070 | UK 10 |
| V2306015 | 5055284475087 | UK 11 |
| V2306016 | 5055284475094 | UK 12 |
| | | |

Berlin Safety Boots



- Protective steel toecap to 200J
- Protective steel midsole
- Durable, water resistant action nubuck leather upper
- Anti-slip and anti-static PU sole with oil resistance
- Cushioned insole with padded, shock absorbing heel
- Breathable mesh lining
- Anti-bacterial insole with moisture wicking functionality
- Padded ankle support
- Gusseted tongue catches loose debris
- Resistance to fuel oil



ζÀ

| CODE | BARCODE | SIZE |
|----------|---------------|-------|
| V2306021 | 5055284475100 | UK 7 |
| V2306022 | 5055284475117 | UK 8 |
| V2306023 | 5055284475124 | UK 9 |
| V2306024 | 5055284475131 | UK 10 |
| V2306025 | 5055284475148 | UK 11 |
| V2306026 | 5055284475155 | UK 12 |
| | | |

Athens Safety Boots



- Protective steel toecap to 200J
- Protective steel midsole
- Durable, water resistant action nubuck leather & Oxford fabric upper
- Slip resistant EVA/RB/TPU sole
- Cushioned insole with padded, shock absorbing heel
- Breathable mesh lining
- Anti-bacterial insole with moisture wicking functionality
- Padded ankle support
- Gusseted tongue catches loose debris
- Resistance to fuel oil



Â

| CODE | BARCODE | SIZE |
|----------|---------------|-------|
| V2306031 | 5055284475162 | UK 7 |
| V2306032 | 5055284475179 | UK 8 |
| V2306033 | 5055284475186 | UK 9 |
| V2306034 | 5055284475193 | UK 10 |
| V2306035 | 5055284475209 | UK 11 |
| V2306036 | 5055284475216 | UK 12 |

Madrid Safety Boots



- Protective steel toecap to 200J
- Protective steel midsole
- Durable, water resistant action crazy horse leather upper
- Slip, acid & oil resistant PU sole
- Cushioned insole with padded, shock absorbing heel
- Breathable mesh lining
- Anti-bacterial insole with moisture wicking functionality
- Back ankle support
- Durable, elasticated sides
- Resistance to fuel oil



| CODE | BARCODE | SIZE |
|----------|---------------|-------|
| V2306041 | 5055284475223 | UK 7 |
| V2306042 | 5055284475230 | UK 8 |
| V2306043 | 5055284475247 | UK 9 |
| V2306044 | 5055284475254 | UK 10 |
| V2306045 | 5055284475261 | UK 11 |
| V2306046 | 5055284475278 | UK 12 |

Tokyo Safety Trainers



- Protective steel toecap to 200J
- Protective kevlar midsole
- Durable, water resistant flyknit upper
- Slip resistant EVA/RB sole
- Cushioned insole with padded, shock absorbing heel
- Breathable mesh lining
- Anti-bacterial insole with moisture wicking functionality
- Lightweight design
- Resistance to fuel oil



CA

| CODE | BARCODE | SIZE |
|----------|---------------|-------|
| V2306051 | 5055284475285 | UK 7 |
| V2306052 | 5055284475292 | UK 8 |
| V2306053 | 5055284475308 | UK 9 |
| V2306054 | 5055284475315 | UK 10 |
| V2306055 | 5055284475322 | UK 11 |
| V2306056 | 5055284475339 | UK 12 |

Prague Safety Wellington Boots



- Protective steel toecap to 200]
- Protective steel midsole
- Durable, waterproof PVC upper
- Slip resistant PU sole
- Cushioned insole with padded, shock absorbing heel
- Padded ankles with back heel support
- Flexible yet strong and durable
- Resistance to fuel oil



UK CA

| CC | DDE | BARG | CODE | SIZE |
|-----|-------|--------|---------|-------|
| V23 | 06061 | 505528 | 4475346 | UK 7 |
| V23 | 06062 | 505528 | 4475353 | UK 8 |
| V23 | 06063 | 505528 | 4475360 | UK 9 |
| V23 | 06064 | 505528 | 4475377 | UK 10 |
| V23 | 06065 | 505528 | 4475384 | UK 11 |
| V23 | 06066 | 505528 | 4475391 | UK 12 |
| | | | | |

Workwear



Gripper Gloves

EN388 4131X









PU Flex Gloves







Nitrile Flex Gloves



- Designed for high grip & control
- Secure hold & control when wet
- Elasticated cuffs for close, secure fit
- Machine washable
- Fabric Content 34% Nylon, 15% Spandex, 1% Polyester, 50% Nitrile

| CODE | BARCODE | SIZE | PCS |
|----------|---------------|-------|--------|
| V2307010 | 5055284485420 | Large | 1 Pair |

- PU palm and finger coating allows for high levels of dexterity
- Ideal for general use
- Elasticated cuffs for close, secure fit
- Orange colour for greater visibility
- Fabric Content 70% Polyester, 30% PU

| CODE | BARCODE | SIZE | PCS |
|----------|---------------|-------|----------|
| V2307025 | 5055284485475 | Large | 1 Pair |
| V2307027 | 5055284495016 | Large | 10 Pairs |

- Abrasion resistant black nitrile palm
- Oil repellent coating
- Elasticated cuffs for close, secure fit
- Machine washable
- Fabric Content 36% Nylon, 18% Spandex, 1% Polyester, 45% Nitrile

| CODE | BARCODE | SIZE | PCS |
|----------|---------------|-------|----------|
| V2307020 | 5055284485451 | Large | 1 Pair |
| V2307022 | 5055284495009 | Large | 10 Pairs |

Nitrile Textured Disposable Gloves (6 mils Thick)





- Reduced tearing compared to standard disposable gloves
- Easy access storage box for storing in tight spaces
- Resistant to chemicals and abrasions
- High dexterity in all environments
- Raised texture for better grip

| CODE | BARCODE | SIZE | PCS |
|----------|---------------|-------|----------------|
| V2307030 | 5055284485604 | Large | 100 (50 Pairs) |

Insulated Lunch Bag



- Heavy duty polyester construction
- Eco friendly PEVA insulated lining
- Webbed front pocket to carry additional items
- Large insulated central compartment
- 2 way dual zip and wide opening to allow easy access to your items

| CODE | BARCODE |
|----------|---------------|
| V2206000 | 5055284461226 |





TNUM



Canvas Tool Bag 16"

- Wide opening for easy access
- Multiple internal & external pockets for ample storage
- Heavy duty zip fastening
- Strong double stitching and tear resistant material for long life and durability
- Impact absorbing rubber feet for all-round protection

| CODE | BARCODE |
|----------|---------------|
| V2202000 | 5055284452644 |

Storage Tote Set



Set includes one of each type:

| WIDTH | DEPTH | HEIGHT | SIZE |
|-------|-------|--------|--------------|
| 400mm | 300mm | 175mm | Compact |
| 400mm | 300mm | 280mm | Compact Deep |
| 600mm | 400mm | 175mm | Standard |
| 600mm | 400mm | 340mm | Deep |
| | | | |



- Heavy-duty, durable, flexible plastic construction
- Stable and sturdy organisations
- Comfortable grip handles make it easy to lift heavy loads
- Stackable to maximise storage space
- Perfect for storing your power tools, hand tools or accessories










BARCODE V2202100 5055284486731



All our Vaunt Leather range has double-stitched edges secured with large metal rivets for maximum strength and durability

Work Belts







2" single prong leather belt strap Manufactured from high-quality oil tan leather

- Large capacity multistorage pouch set
- 4 open pouches, 6 pocket pouches, 2 hammer loops, 1 knife holster and 1 tape holder
- Fits waist 30"-45"

| CODE | BARCODE | LEATHER |
|----------|---------------|---------|
| V2208000 | 5055284417322 | Suede |
| V2208030 | 5055284421299 | Oil Tan |





Oil Tan Leather Belts







- Fits waist 30"- 45"
- Stylish and practical

Blended with a variety of oils and waxes to ensure it lasts longer as well as dealing with any weather condition

| CODE | BARCODE | CLASP | COLOUR |
|----------|---------------|-----------------|--------|
| V2301000 | 5055284421305 | 2" Single Prong | Brown |
| V2301001 | 5055284421312 | 2" Double Prong | Brown |
| V2301005 | 5055284421329 | 2" Double Prong | Black |

Suede Leather Hammer Holders




- Cradle loop holder keeps the hammer head in place
- Use on belt width up to 2.5"
- Double slot belt fitting for stability

| CODE | BARCODE | TYPE |
|----------|---------------|--------|
| V2208010 | 5055284424016 | Fixed |
| V2208011 | 5055284424023 | Swivel |

Suede Leather 9 Pocket Pouch





• Tunnel loop belt fittings for use on belt widths up to 2.5"

CODE BARCODE V2208005 5055284421251



 Large capacity multi-storage pouch for storage of fasteners, nails, screws and more

Suede Leather Fixings Pouch

• Tunnel loop belt fittings for use on belt widths up to 2.5"

| CODE | BARCODE |
|----------|---------------|
| V2208006 | 5055284421268 |


Suede Leather Chisel Rolls




• Quick
clip nylon
fastening
strap
holds the
roll closed
securely

| CODE | BARCODE | HOLDS |
|----------|---------------|-------|
| V2208015 | 5055284421275 | 8 |
| V2208016 | 5055284421282 | 16 |

900mm Shelving Unit





- Quick and easy to assemble
- 900 x 400 x 1800mm full size
- Provides ample space to store your belongings

CODE BARCODE V2207008 5055284477357







- Heavy Duty 900mm Shelving Unit
 - Strong metal 1.3mm thick frame
 Durable 6.8mm thick MDF shelves
 - Quick and easy to assemble
 - 900 x 450 x 1800mm full size
 - Provides ample space to store your belongings

| CODE | BARCODE |
|----------|---------------|
| V2207009 | 5055284477364 |





TORCHES

Spot & Floodlight Headband Torch



| Spot Light | 10W COB LED |
|-------------------------|---------------------|
| Flood Light | 10W XPG LED |
| Lumens | 350 |
| Battery (low settings) | 7 hours |
| Battery (high settings) | 3 hours |
| Battery | 3.7v 1200mAh Li-ion |
| Rating | IP44 |
| | |





- Shock resistant ABS construction
- Hand motion sensor turns on and off light (motion sensors can be activated or deactivated)
- Spot (high & low) / Flood (high & low) light modes
- Press and hold for Strobe mode
- Adjustable, super flexible wide headband for extra comfort
- USB-C charging port (charging cable included)

KK (€

| CODE | BARCODE |
|----------|---------------|
| V1612022 | 5055284470938 |

Inspection Pen Torch with Laser Point







| Lights | s | 3W COB SST40 LED 5W CREE XTE LED |
|--------------------|--------|-------------------------------------|
| | Lumens | 130 |
| Inspection mode | Reach | 46m |
| mouc | Lasts | 1.5 hours |
| High | Lumens | 120 |
| floodlight | Reach | 15m |
| mode | Lasts | 1.5 hours |
| Low | Lumens | 55 |
| floodlight | Reach | 11m |
| mode | Lasts | 3 hours |
| Batter | у | 4.2v 300mAh Li-ion |

Lights

Torch

mode

Floodlight

mode

Flexible

torch mode

Battery

Lumens

Lasts (high)

Lasts (low)

Lumens

Lasts (high)

Lasts (low)

Lumens

Lasts (high)

Lasts (low)

- Strong yet lightweight aluminium construction
- High and low floodlight modes
- On/off inspection torch light
- Press and hold button for laser pen
- Ergonomic triangular body design for easy grip and stops light from rolling
- Magnetic pocket click for multipositioning
- Fabric wrist loop for secure working
- Covered usb-c charging port

C € CK

| CODE | BARCODE |
|----------|---------------|
| V1612008 | 5055284470525 |

Magnetic 3-in-l Hand Torch Kit







3W COB SST40 LED

5W CREE XTE LED

350

3 hours

6 hours

350

2 hours

4 hours

220

3 hours

6 hours

3.7v 2000mAh Li-ion

- Strong yet lightweight aluminium construction
- Simply screw on the head you wish to use
- Micro USB charging port and strong magnetic base
- Torch / Floodlight / Flexible torch modes
- Complete with cushioned storage case



Hand Torch



| Lights | | 3W COB CREE XP-G3 LED |
|--------------|--------|-----------------------|
| | Lumens | 350 |
| High mode | Reach | 213m |
| mode | Lasts | 3 hours |
| | Lumens | 110 |
| Low mode | Reach | 112m |
| mode | Lasts | 10 hours |
| Battery | | 3x AAA |

- Strong yet lightweight aluminium construction
- High / Low and Strobe light modes
- Large, easy press button at the torch base
- Fabric wrist loop for convenient working







| | UK C€ |
|----------|---------------|
| CODE | BARCODE |
| V1612005 | 5055284470495 |

Heavy Duty Hand Torch



| Lights | | 3W COB CREE XP-G3 LED |
|--------------|--------|-----------------------|
| | Lumens | 550 |
| High mode | Reach | 133m |
| illoue | Lasts | 7 hours |
| Lumens | | 35 |
| Low mode | Reach | 31m |
| | Lasts | 24 hours |
| Battery | | 3.7v 2000mAh Li-ion |

- Strong yet lightweight aluminium construction
- High / Low and Strobe light modes
- Large, easy press button at the torch base
- Fabric wrist loop for convenient working
- Protected USB-C charging port









Heavy Duty Sliding Focus Hand Torch



| Lights | | 3W COB SST40 LED |
|----------------|--------|---------------------|
| | Lumens | 1000 |
| High mode | Reach | 350m |
| mode | Lasts | 7 hours |
| Medium mode | Lumens | 550 |
| | Reach | 230m |
| | Lasts | 7 hours |
| Lumens | | 35 |
| Low mode | Reach | 75m |
| | Lasts | 24 hours |
| Battery | | 3.7v 2000mAh Li-ion |

- Strong yet lightweight aluminium construction
- High / Low and Strobe light modes
- Large, easy press button at the torch base
- Sliding focus function
- Fabric wrist loop for convenient working
- Protected USB-C charging port







CODE BARCODE

V1612007 5055284470518

Lighting 71



Cordless Site Lights



Lights

High mode

Medium mode

Low mode

Speaker

Bluetooth connectivity

Battery

Rating

Lumens

Reach

Life

Lumens

Reach

Life

Lumens

Reach

Life

Life

Decibels

Power



V1611000

10W COB LED

1000

35m

4 hours

500

25m

7 hours

250

15m

10 hours

3.7v 4400mAh Li-ion



30W COB LED

3000

60m

2 hours

2100

45m

5 hours

1300

30m

8 hours

15 hours

75dB (max)

6W

10m

3.7v 4400mAh Li-ion











- Strong yet lightweight ABS and TPE construction
- · High, medium and low light modes
- 180° back & forth swivel with 360° base rotation for perfect positioning
- Double magnetic base for strong hold on metal surfaces
- Holes in base for connecting to a tripod or attaching to a wall
- · Rubber grip handle for easy carry or hanging
- Protected USB-C charging port with battery level indicator (charging cable included)
- 5V USB output port for phone or small device charging

| CODE | BARCODE | WATTS |
|----------|---------------|-------|
| V1611000 | 5055284470655 | 10W |
| V1611001 | 5055284470662 | 30W |

KKCE

Cordless Dual Flood/Site Lights


















- Folding floodlight with dual lighting panels
- Strong yet lightweight PC construction
- Large carry handle at the top
- Built in insulated housing to safely dispense the heat while protecting the lights
- Dimmable light panels to fine tune brightness required, simply press & hold power button to dim to the required level
- Multi-positional lights for easy light coverage wherever you need
- Locking catch protects light panels when in transit
- Attaches easily to tripods (tripod adaptor included)
- Protected 240V plug charging port (charging cable included) & battery level indicator display



| - | 100 | |
|----------|---------------|-------|
| CODE | BARCODE | WATTS |
| V1607010 | 5055284470693 | 20W |
| V1607011 | 5055284470709 | 30W |

| | | V1611000 | V1611001 |
|-----------|--------|---------------------|---------------------|
| Lights | | 2x 10W SMD LEDs | 2x 15W SMD LEDs |
| Light Spr | ead | 120° | 120 ° |
| High | Lumens | 2000 | 3000 |
| (2-light) | Reach | 60m | 60m |
| mode | Life | 2 hours | 3 hours |
| Low | Lumens | 600 | 900 |
| (2-light) | Reach | 25m | 30m |
| mode | Life | 6 hours | 8 hours |
| High | Lumens | 1000 | 1500 |
| (1-light) | Reach | 35m | 40m |
| mode | Life | 4 hours | 5 hours |
| Chargir | ng | 240V | 240V |
| Charge T | ime | 4 hours | 5 hours |
| Batter | у | 7.4v 4400mAh Li-ion | 7.4v 8800mAh Li-ion |
| Rating | | IP65 | IP65 |

烙(€

Dual Temperature Site Light



| Lights | 22W SMD LED |
|--------------------|---------------|
| Light temperatures | 5700K & 3000K |
| Lumens | 1600 |
| Reach | 40m |
| Rating | IP54 |

- Strong yet lightweight aluminium and plastic construction
- · Cool light for bright, natural illumination for general use
- Warm light ideal for surface inspections and decorating
- Adjustable support bracket with 130° pivot and secure locking nuts
- Support bracket for floor use or can be screwed to a wall/surface
- Insulated plastic housing dispenses heat and protects the light
- Large, durable carry handle can also be used as a hanging hook
- Tripod compatible (tripod adaptor included)
- Insulated BS 240V plug with 2m cable





TRIPOD
COMPATIBLE

use with code
V1616000 for a
secure tripod
attachment

CODE BARCODE

5055284470686

V1611005

CODE

Under-hood Site Lights

Cordless Light Bar



| Lights | | 10W COB LED | |
|-------------|--------|---------------------|--|
| | Lumens | 1200 | |
| High mode | Reach | 30m | |
| | Life | 3 hours | |
| Lumer | | 600 | |
| Medium mode | Reach | 20m | |
| | Life | 7 hours | |
| Battery | | 3.7v 4400mAh Li-ion | |
| Rating | | IP54 | |
| | | | |

- Strong yet lightweight ABS and TPE construction
- Double magnetic base for strong hold on metal surfaces
- ullet Will connect directly to 1 1/4" bars ideal for use with hanging support bar (below)
- 180° back & forth swivel with 360° base rotation for perfect positioning
- Protected USB-C charging port (charging cable included)
- 5V USB output port for phone or small device charging and battery indicator
- Balances perfectly on flat surfaces



Magnetic



Hanging Light Bar Set (2x Lights & Bracket)

CONTENTS

UK (€ V1607020



2x Rechargeable 10W
Magnetic LED Light Bar
1x USB Charging Cable
1x Support Bar

BARCODE

5055284470754

CODE BARCODE V1607021 5055284470778

Extending Hanging Support Bar



| Beam Thickness | 1 1/4" |
|----------------|-----------------|
| Extension | 1250mm - 1950mm |
| Weight | 1.24kg |

- \bullet Durable 1 1/4" thick beam of lightweight aluminium construction
- Folds in half for easy transport and storage with robust oversized centre hinge
- Large handle hooks for easy clamping with rubber silica ends for a secure, non-slip grip
- Spring loaded, auto-retracting arms ensures a tight hold
- Shock absorbing rubber stops protect the frame when arms retract
- Ideal for indoor and outdoor use
- Ideal for use with the Vaunt light bar (V1607020) & Vaunt Gazebos (sold separately)

CODE BARCODE V1616005 5055284470761

Lighting



2000 Lumens LED 20W Work Light







COMPATIBLE use with code V1616000 for a secure tripod attachment with

tripod adapter V1616001

KK C E

CODE BARCODE

V1611002 5055284489725

- Strong & robust ABS housing dispenses heat and protects the light
- Three seperate lights (2x front & 1 x back) with protected power buttons
- LED Light produces 150, 500, 1000 or 2000
- 2700K, 3500K, 4500K & 6500K light temperature modes with quick change setting button
- Red light on front & safety red light display on back for safety
- 180° Swivel bracket with strong magnets, locking hanging clip & 1/4" thread
- Swivel bracket stands on floor or can be screwed to a tripod/support bracket
- Run time lasts up to 5 hours on hight and 8 hours on low, with 4 hours recharge time
- Protected USB-C charging port with battery level indicator & 5v USB output port
- Long lasting 5.2v 6000m Ah Li-ion battery





| Colours | 4 |
|--------------|------|
| Lumens total | 2200 |
| Rating | IP44 |
| Modes | 22 |
| Distance | 50m |

NEW

M6 to M8 Tripod Mount Adaptor

- M6 (1/4") & M8 (3/8") ends
- Allows devices with M6 1/4" thread to connect to Vaunt tripod



CODE **BARCODE**

5055284489886 V1616001

0.65m - 1.5m Tripod

- Quick action adjustable screws
- Non-slip feet
- Cable tidy
- 3/8" thread top

CODE **BARCODE** V1616000 5055284470723

Double Flood Light with Tripod



| Lights | 2x 20W COB LED |
|------------------|----------------|
| Light spread | 120 ° |
| Lumens per light | 1800 |
| Lumens total | 3600 |
| Rating | IP65 |
| Height expansion | 650mm-1500mm |
| Beam spread | 60m |

- Strong yet lightweight aluminium light construction with durable steel tripod
- Slimline, small head design for working in confined spaces and easy storage during transit
- 360° back & forth swivel with 360° base rotation for perfect positioning and coverage
- Quick adjust screws and latch
- Heat dispensing back to prevent build-up
- 2m long power cable
- Easy to adjust telescopic pole
- 3-way legs with non slip feet and support brackets for ultimate sturdiness
- Lights can be independently angled
- Integrated cable tidy for the loose mains power cable
- Quick release, detachable top bar with handle can be caried and positioned on floor







| CODE | BARCODE | VOLTS | QTY | |
|----------|---------------|-------|-----|--|
| V1607015 | 5055284489305 | 110V | 2 | |
| V1607016 | 5055284489312 | 240V | 2 | |
| V1607017 | 5055284489893 | 110V | 2 | |
| V1607018 | 5055284489909 | 240V | 2 | |

1000 Lumen Flexible Strip Light

- Adjustable, super flexible wide band for comfort when wearing
- Shock resistant silicone construction
- Weather resistant ideal for outside environments
- Bright 15W COB LED Light producing 1200 Lumens
- Flood (high & low) light modes
- Lasts 6 hours on low and 3 hours on high settings
- USB-C charging port & charge indicator
- Long lasting 2400mAh Li-ion battery
- Hook & loop backing can be fastened to other hook & loop surfaces
- Magnetic ends can be securely attached to metal surfaces
- Includes two adjustable straps, each with hook & loop plus magnets to securely hold the light
- Includes a belth clip strap for wearing the light and one hanging strap for hooking on fixtures





| | | _ |
|--------------|------|-----|
| Lumens total | 1000 | |
| Rating | IP20 | |
| Modes | 2 | CE |
| Distance | 35m | UK |
| | | |
| CODE | DXDC | ODE |

| CODE | BARCODE |
|----------|---------------|
| V1612023 | 5055284489275 |







- 120 Lumen
- · Belt Clip and Hanging Hook
- · 10m Beam Range
- · Magnetic Base
- · 2m Drop Resistant
- · IPX5 Protected







Hand Torch with Floodlight

- 300 Lumen
- 80m Beam Distance
- · LED Bulb & 2 Power Modes
- Magnetic Hold & Drop Resistant · Ergonomic Soft Grip









E1612007 5055284470532

Rechargeable LED Multi Light Torch

- · 800 Lumens multi setting torch with 26cm flexible arm
- Made with Shock Resistant Materials
- Long Lasting Internal Battery
- · Belt Clip, Hanging Hook & Magnet for versatile placing
- · USB C Charging Port









E1611003 5055284489701

Adjustable Triple Panel Magnetic Site Light

- 1500 Lumens Illumination with 3 light panels
- · Shock Resistant Construction
- · Independently Angled Lighting Panels • Magnetic Base, Large Durable Hanging Hook
- USB Charging & Output Socket
- 1/4" Thread for attaching to the Vaunt Tripod (V1616000) via the Vaunt Mount Adaptor (V1616001)









E1611001 5055284489688

NEW

Rechargeable LED Work Light & Torch

- 1000 Lumens Work Light & Torch
 Shock Resistant ABS, PC & TPR construction
 Floodlight mode with 3 LED COB panels and
- spotlight torch on end
- Magnetic Base, Tripod Ready & Integrated Hanging Hooks
- · USB Output & USB Charging
- 1/4" Thread can attach to the Vaunt Tripod (V1616000) via the Mount Adaptor (V1616001)









E1611002 5055284489695

Keyring Light

- · 4 Power Modes including 505 mode
- · Easy to use carabiner style clip
- 2m drop resistance





E0116000 5055284470617

Cordless Bluetooth Speaker Light



- 15m Beam Range
- · 10m Bluetooth Range
- 7 Hour Light Runtime
- 24hr Speaker Runtime
 IPX5 Protected
- USB Charging Port

E1611000 5055284470563





Solar Work Light & Torch

- · Multi Light Options producing up to 300 Lumens
- 3 Power Modes including Strobe
- · Can be charged with by USB or by Solar Power
- Long lasting internal battery
 USB Output for charging devices







E1611004 5055284489718

Mixed Hand Tool Sets



Contents:

- 31 Piece Screwdriver Bit Set
- Angled ratchet Holder Handle 7" Pliers
- Fibreglass Hammer
- Boat Level
- Ball end Hex Key Set
- 5m Tape Measure Pro Utility Knife
- 7" Quick SquarePencils and Fine Marker Pen
- · Drawstring bag

Contents:

- Set of 6 Screwdrivers
- 31 Piece Screwdriver set Angled Ratchet Holder Handle
- Long Nose Pliers
 7" Pliers
- Ball end Hex Key Set
- Fibreglass Hammer Combi Square
- Boat Level 5m Tape Measure Mini Saw
- Pro Utility Knife 16" Tool Bag

Large Hand Tool Kit





E1443010 5055284476916



Contents:

- Set of 6 Screwdrivers31 Piece Screwdriver set

- 31 Piece Screwariver set
 Angled Ratchet Holder Handle
 Long Nose Pliers
 7" Pliers
 Ball end Hex Key Set
- Fibreglass Hammer
- · Combi Square
- Boat Level5m Tape MeasureMini Saw

- Pro Utility Knife 10, 12, 13, 17, 19, 21mm
- Socket on Bar
 1/2" Ratchet Handle
- 6 Piece Instrument Screwdriver Set
- Torch
 7" Quick Square
 1/2" and 1" Bevel Edge Chisel
 Jabsaw

- Jabsaw
 Rubber Mallet
 15" Utility Bar
 Pencils and a Fine Marker Pen
 Straight Tin Snips
 Circuit Tester Screwdriver

- · 18" Tool Bag

Dual Auto Lock Tape Measure

Medium Hand Tool Kit

E1443005

5055284476909



Automatic locking and dual release button, with a belt clip and wrist strap and 2 metre drop protection



Pack

E1456009

5055284486878

E1456006

Dual Lock Tape Measure



Dual lock design with standard thumb lock and second finger quick hold, with a belt clip and wrist strap and 2 metre drop protection



Pack

Pack

E1456008

E1456005

5055284486861

ABS Quick Squares

- Strong ABS construction · Clear black markings
- · High visibility colour

180mm E1149025 5055284492794

180mm & 300mm E1149030

5055284492800











Screwdriver Sets

- · Chrome Vanadium steel shaft
- Soft grip handle
- Easy size identification on bottom of handle
- Strong magnetic tips Perfect for site and home



Contents:

- 1x SL 5.5 x 100mm 1x 5L 5.5 x 100m 1x 5L4 x 100mm 1x PZ2 x 125mm 1x PH2 x 100mm 1x PZ1 x 100mm

E1442001 5055284488568



Contents:

- 1x 5L3 x 75mm
- 1x SL3 x 100mm 1x SL4 x 100mm
- 1x SL5 x 150mm 1x SL6 x 38mm
- 1x 5L6 x 100mm 1x 5L8 x 200mm
- 2x PH0 x 75mm 1x PH1 x 75mm
- 2x PH2 x 100mm 1x PH3 x 150mm

- 1x PH3 x 150mm 1x PZ1 x 100mm 1x PZ2 x 100mm 1x TX10 x 100mm 1x TX20 x 100mm 1x Plain Slot/Cross
- Slot Angle

E1442002

Ratchet Strap & Bungee Cord Set



- Strong 4.5m x 25mm strap
- 400kg SWL Capacity
- 800kg Breaking Strain Strong metal J hooks Full metal durable ratchet latch
- Cords: · Thick M8 diameter cords
- 80N / 40Kg breaking capacity
- · Strong metal hook ends
- · Durable elastic material





E1425000

5055284495580

Contents:

2x 4·5m x 25mm Ratchet Straps 1x 40cm Bungee Cord 1x 60cm Bungee Cord 1x 80cm Bungee Cord 1x 100cm Bungee Cord 1x 150cm Bungee Cord





Sealant Gun

- · Non-drip switch for controlled material application
- · Built-in sealant cartridge tip cutter for easy opening
- · Integrated unblocking pin for clearing nozzle blockages
- Compatible with 310ml cartridges



Titanium Coated Flat Bit Set

- · Titanium coating for increased durability
 • 1/4" hex shank
- · Easy access









Contents:

1 x 24mm 1 x 6mm 1 x 26mm 1 x 28mm 1 x 10mm 1 x 12mm 1 x 30mm 1 x 14mm 1 x 16mm 1 x 32mm 1 x 35mm 1 x 18mm 1 x 20mm 1 x 38mm x Canvas

Mixed Screwdriver Rit Set

- · Easy identifiable colour coded bits
- Storage case with belt clip







Piece

Contents:

| 1 x PH1 | 3 x Slotted |
|---------|-------------|
| 5 x PH2 | 5 x Torx |
| 1 x PH3 | 5 x Hex |
| 2 x PZ1 | 1 x 50mm |
| 5 x PZ5 | Bit Holder |
| 3 v D73 | |

HSS Drill Bit Set

- · Ideal or wood, metal & plastics
- · Strong metal storage case





E1324041

5055284471324 Piece

Contents:

| 1 x 2·0mm | 1 x 6·0mm |
|-----------|-----------|
| 1 x 2·5mm | 1 x 6·5mm |
| 1 x 3·0mm | 1 x 7·0mm |
| 1 x 3·5mm | 1 x 7·5mm |
| 1 x 4·0mm | 1 x 8·0mm |
| 1 x 4·5mm | 1 x Metal |
| 1 x 5·0mm | case |
| 1 x 5·5mm | |

HSS Titanium Coated Drill Bit Set

- · Titanium coating for increased durability
- · Ideal or wood, metal & plastics
- · Strong metal



HSS Cobalt Coated Drill Bit Set

- · Cobalt HSS bits for optimum heat dissipation
- · Strong metal storage case
- Longer life than standard HSS bits





Piece





Contents:

| 1 x 1mm | 1 x 6mm |
|-----------|------------|
| 1 x 1·5mm | 1 x 6·5mm |
| 1 x 2mm | 1 x 7mm |
| 1 x 2·5mm | 1 x 7. 5mr |
| 1 x 3mm | 1 x 8mm |
| 1 x 3·5mm | 1 x 8·5mm |
| 1 x 4mm | 1 x 9mm |
| 1 x 4·5mm | 1 x 10mm |
| 1 x 5mm | 1 x Metal |
| 1 v 5.5mm | caca |







5055284470914

Contents: 10 x 6·5mm 10 x 7mm 10 x 1·5mm 10 x 2mm 10 x 7·5mm 10 x 8mm 10 x 2·5mm 10 x 3mm 10 x 3·5mm 5 x 8·5mm 10 x 4mm 5 x 9mm 10 x 4.5mm 5 x 9·5mm 5 x 10mm 1 x Case

Demolition TCT Circular Saw Blades

- · For cutting through wood with hidden elements like nails
- Skeleton plate reduces weight, saving battery power on cordless machines
- High-Density tungsten carbide Teeth with tough steel plate
- Teflon coating to reduce friction and prevents rust
- Advanced cutter head design offers precision cutting with minimal vibration





| 1 | No. of the last of | | | | |
|----------|--|-------|------|-------|-------|
| CODE | BARCODE | Ø | BORE | KERF | TEETH |
| E1310050 | 5055284489565 | 160mm | 20mm | 1·5mm | 24 |
| E1310051 | 5055284489572 | 165mm | 20mm | 1·5mm | 24 |
| F1310052 | 5055284489589 | 190mm | 20mm | 1.5mm | 24 |

SDS+ Drill Bit Set

- SDS+ fitting
- Hardened steel body
- Extra strength & reduced breakage
- Centring tip for a precise drilling start
- · Suitable for masonry, concrete, or brick



12 days of Christmas Gift Box





E1329005

NEW

Day 1 - 1x 5m Tape Measure Day 2 - 1x 5m Tape Measure
Day 2 - 2x 25mm Auger Drill Bits
Day 3 - 3x Screwdrivers
(PZ1, PH1 & SL5)
Day 4 - 4x Flat Drill Bits


(22, 26, 28 & 32mm)

Day 5 - 5x Multitool Blades

DayS - 5x Multitool Blades
(Assorted Cuts)
Day6 - 5x Hex Shank Quick Holders
& 1x Heavy Duty Carabiner
Day7 - 7x H55 Drill Bits
(4, 5, 5-5, 6, 6-5, 8 & 10mm)
Day8 - 8x Jigsaw Blades (Assorted Cuts)
Day9 - 9x Ball End Hex Keys (1-5, 2-0, Day 10 - 10x 120 mm Screwdriver Bits
(3xPZ, 3xPH, 4xSL & Holder)

& 1x Carabiner Quick Storage Strip

Day 12 - 11 x Carpenter Pencils 1x Sharpener







5055284489381





DAY 2

























Dust Extractor

A wet and dry dust extractor, featuring a 76db 1000W motor, a 10L plastic drum with cloth filter system, 4 casters and a blower function, at a lightweight 3.7kg

Contents:

- 1x 1.5m Hose Assembly
- 3x Piece plastic tube set 1x Basic floor brush
- Crevice nozzle
- 1x Round brush 1x Standard cloth filter
- 1x Sponge filter (Wet)


E0648000 5055284483426



Wheelbarrows



Strong and lightweight steel frame, equipped with comfortable grips, durable tyres and an angled footrest to create stability when fully loaded. Various tray sizes available in either plastic or metal.





Heavy Duty Folding Sack Truck

- Strong & tough construction
 Durable 6" Steel + TPR Wheels
- · Fold-away base for easy storage · One-button telescopic handle



Folding Sack Truck

- · One-button telescopic handle with soft arip
- Fold-away base for easy storage
 Durable 5" PP + TPR Wheels
- · Strong and tough construction



Pop-up Garden Waste Bag

- Maximum Load Capacity 180 Litre
 Made from durable 150g/m2 plastic
- Coil spring action auto opens when released
 Collapse for quick & easy storage
 Includes carry handles & 210D carry bag



5055284477326

Sand Bag Gazebo Weights - Pack of 4

- Can be filled with sand or rocks
 Opening mouth with hook and loop fastening
 Ideal for use on hard ground where

- pegs cannot be used Folds flat for easy storage when not in use





Canvas Tool Bags

A range of sizes of our handy canvas tool bags, made of tear resistant 600D nylon fabric with double strength stitching for the site conditions

| E2202005 | 5055284463961 | 13" | 320mm x 220mm x 220mm | 6 pockets |
|----------|---------------|-----|-----------------------|------------|
| E2202010 | 5055284463978 | 18" | 440mm x 280mm x 260mm | 14 pockets |
| F2202015 | 5055284463985 | 24" | 620mm x 280mm x 260mm | 14 nackets |





Compact Green Cross Line Laser



Accurate and reliable laser with horizontal and vertical lines which can be switched on and off, pendulum lock and in a compact size, perfect for many projects around the home and jobsite, protected in a padded case

Contents:

1x Compact Cross Line Laser 1x Foldable wall bracket with 1/4" to 5/8" adaptor 1x EVA storage bag

E1503000

5055284486045



Technical Data:

| LASER TYPE | GREEN 520NM |
|---------------------|----------------------|
| LASER CLASS | CLASS 2 |
| INDOOR RANGE | 7.5m |
| ACCURACY | +/- 5mm per 10m |
| LASER WIDTH | 5mm per 10m |
| AUTO LEVELLING | +/-3 |
| PENDULUM LOCK | Yes |
| WORKING TEMPERATURE | -10°C - 40°C |
| PROTECTION | IP54 |
| LINE PROJECTION | Horizontal/vertical |
| DIMENSIONS | 75 x 70 x 80mm |
| BATTERY TYPE | 3x AA (not included) |

Compact Green Multi Line Laser



Accurate and reliable laser with 4x 360° beams which can each independently be switched on and off, pendulum lock for safe transport, rechargeable battery and in a compact size, perfect for many projects around the home and job-site, protected in a padded case

Contents:

- 1x Compact multi line laser

- 1x Wall bracket with 1/4"to 5/8" adaptor 1x Battery & Charging Cable 1x EVA storage bag

E1503008 5055284494057



Technical Data:

| LASER TYPE | GREEN 520NIVI |
|---------------------|---------------------|
| LASER CLASS | CLASS 2 |
| INDOOR RANGE | 20m |
| ACCURACY | +/- 3mm per 10m |
| LASER WIDTH | 5mm per 10m |
| AUTO LEVELLING | +/- 3 |
| PENDULUM LOCK | Yes |
| WORKING TEMPERATURE | -10°C - 40°C |
| PROTECTION | IP54 |
| LINE PROJECTION | Horizontal/vertical |
| BATTERY TYPE | 4000mAh |
| | |

WORK HARD, PLAY HARD WITH A SELECTION OF ITEMS TO HELP MAKE THOSE LONG HARD DAYS A BIT MORE BEARABLE!

Childrens Wheelbarrow

Strong metal frame wheelbarrow with 20L plastic tray. Holds up to 10kg weight, ideal for little ones helping around the garden!





Atom Toy Car











Remote Control Stunt Vehicles

Enjoy these fast action RC stunt action toys flipping, spinning, rotating and twisting around the circuit! Wide rubber tyres for great grip and control, and integrated lights for exciting displays in the dark!





Remote Control Transforming Vehicles

RC construction vehicles that transform into robots and still drivable in both modes! Transforming quickly by simple one button press or by waving your hand! Integrated light and sound modes add to the experience (with a turn off option for the parents)!







Deluxe Die Cast Metal Remote Control Vehicles

Super strong and durable, these quality remote control toys are made with premium plastic and die cast metal for an accurate, detailed and authentic resemblance. Fully controllable including actions such as arms and bucket control, with demo mode for a little auto-performance!

Keyring Bottle Opener

Bottle Opener

Perfect for opening bottles and difficult cans, sitting neatly on your keyring or in your work bag



V0410001 5055284464029



V0410000 5055284463992

? ≤

Insulated 500ml Thermal Flask

Strong and durable stainless steel 500ml thermal flask, with lockable, spring hinged lid and rubber sealed cap

V0405000 5055284467785

Workwear Socks

3 pairs of work socks with rib knit, soft cushioned lining and a durable material for long lasting wear resistance and comfort





Cordless Toy Tool Set

A 5 piece power tool set that lets little ones live their constructive imaginations to the full, with slide on batteries just like real power tools. All tools come with specialised features like forward and reverse settings, speed settings and high and low light settings!



HAVE YOU JOINED THE VAUNT



DEALS & PROMOTIONAL EVENTS
PRODUCT TESTING OPPORTUNITIES
NEW PRODUCT NOTIFICATIONS
COMPETITION & PRIZE ENTRIES

Receive the latest info on our upcoming promotions and news on future events first!

Help us continue to develop & improve our products and have a say in our future range!

Receive the latest details on our new products and when they are available before anyone else!

Enter into our ongoing competitions for a chance to win impressive prizes and offers!

For full details and to become a member of the Vaunt X Club today, visit www.vaunt.co.uk/x-club

GET INVOLVED AND #FLAUNTTHEVAUNT





@vaunttools



@vaunttools



/vaunttools



@vaunttools



@vaunttools



We love to see Vaunt out and about on the job so please share with us your experiences through our social media pages and make sure to follow us to keep up to date with our latest news, offers, events, stockists and giveaway competitions!

BECOME A STOCKIST TODAY!

Simply visit our website and fill in a few details, or alternatively email us at sales@vaunt.co.uk

We are always eager to team up with new partners who are looking for more than to simply sell a tool. Our experienced team are ready to support you in your Vaunt journey, and ready to provide you with:

- Knowledgeable and experienced UK customer service team
- Bespoke range selection, ideal for your market demographic
- Dedicated marketing support for your various online channels
- Customised marketing materials for your retail outlets
- Quality and swift aftersales support



01279 969146

for sales requests — sales@vaunt.co.uk
for general enquiries — info@vaunt.co.uk

www.vaunt.co.uk

Issue release date - April 2025. Items listed are subject to availability and Vaunt terms & conditions, visit www.vaunt.co.uk/terms-and-conditions for full details. All details within this document are correct at date of release. All photographs and text are as a guide only and do not necessarily represent the products available. The contents of this document are for the sole use of Vaunt UK customers and may not be duplicated without consent. Packaging may vary depending on stock and availability. Trademarks represented in this document are registered trademarks under ownership by Vaunt. Vaunt reserve the right to withdraw any product or offer at any time.



THE PRODUCTION AND DELIVERY OF THIS CATALOGUE IS CARBON NEUTRAL!

We donated to a certified climate project with additional commitments 'Woodland UK' to offset the carbon used in making and delivering these catalogues.

CLIMATE PROJECT + TREE PLANTING (WCC)

1 t CO2 (VER) + 1 t CO2 (PIU)

INTERNATIONAL + UK