

Sunmight UK



Product Catalogue 2025



About Us

Sunmight UK Ltd


Established in the UK in 2012, exclusive distributor of Sun Abrasives Co. Ltd
Established in 1961.

Sunmight UK supply a wide range of high quality coated abrasive products to the UK market. Our abrasive products are made with premium grain, strong phenol resin and high quality latex paper for the best combination of performance, reliability and value.

Over 12 years we have grown our business and continue to grow every year, growth in both the number of our Customers, the strength of the relationship we have with each of them and continued rapid expansion of the products we offer. We supply our abrasive products to the leading distributors of automotive industry.

We are proud and confident of our quality, and truly believe our products are among the best in the market.

Get In Touch With Us




Main Address

4 Drakes Drive,
Crendon Industrial Park
Long Crendon, Buckinghamshire
HP18 9FE



Email Address

info@sunmightuk.co.uk



Phone Us

01844 321045



Opening Times

Monday To Friday
9:00 – 17:00




Advantages



Supply high quality abrasives to the UK market




Offer the best value for money on the market




Provide excellent customer service at all times


Table of Contents




SunGold 3-5



SunFilm 6




Ceramic Film 7




SunNet 8-9



SunDisc 10




SunFoam 11



Waterproof 12



Scuff Pads 13



Belts 14



RJ Products 15-21


SunGold

SunGold is made with premium grade aluminium oxide grain, high quality latex paper and strong phenol resin. If you are looking for the best combination of performance, reliability and value our SunGold is your answer.

TECHNICAL SPECIFICATIONS

Grain	Premium Aluminum Oxide
Backing	Latex Paper
Bond	Phenolic Resin
Coating	Open Coat

APPLICATION



Velcro Gold Discs 15/H 150mm

GRADE	SIZE mm	DISC PER INNER	DISC PER OUTER	MOQ	PART NO.
P40	150	50	400	400	44303
P60	150	50	400	400	44305
P80	150	100	800	800	44306
P100	150	100	800	800	44307
P120	150	100	800	800	44308
P150	150	100	800	800	44309
P180	150	100	800	800	44310
P240	150	100	800	800	44312
P320	150	100	800	800	44314
P400	150	100	800	800	44316
P500	150	100	800	800	44317
P600	150	100	800	800	44318
P800	150	100	800	800	44319
P1000	150	100	800	800	44320



Velcro Gold Discs 15/H 150mm

GRADE	SIZE mm	DISC PER INNER	DISC PER OUTER	MOQ	PART NO.
P80	150	50	400	400	44306/50
P100	150	50	400	400	44307/50
P120	150	50	400	400	44308/50
P150	150	50	400	400	44309/50
P180	150	50	400	400	44310/50
P240	150	50	400	400	44312/50
P320	150	50	400	400	44314/50
P400	150	50	400	400	44316/50
P500	150	50	400	400	44317/50
P600	150	50	400	400	44318/50
P800	150	50	400	400	44319/50



Velcro Gold Discs 9/H 125mm

GRADE	SIZE mm	DISC PER INNER	DISC PER OUTER	MOQ	PART NO.
P40	125	50	400	400	44003
P60	125	50	400	400	44005
P80	125	100	800	800	44006
P120	125	100	800	800	44008
P180	125	100	800	800	44010
P240	125	100	800	800	44012
P320	125	100	800	800	44014
P400	125	100	800	800	44016
P500	125	100	800	800	44017
P600	125	100	800	800	44018
P800	125	100	800	800	44019




Velcro Gold Discs N/H 75mm

GRADE	SIZE mm	DISC PER INNER	DISC PER OUTER	MOQ	PART NO.
P80	75	50	400	400	43506
P120	75	50	400	400	43508
P180	75	50	400	400	43510
P240	75	50	400	400	43512
P320	75	50	400	400	43514
P400	75	50	400	400	43516
P500	75	50	400	400	43517
P600	75	50	400	400	43518
P800	75	50	400	400	43519
P1000	75	50	400	400	43520



Velcro Soft Flex Roll 114 x 25m

GRADE	SIZE mm x M	ROLL PER INNER	BOX PER OUTER	MOQ	PART NO.
P120	114 x 25	1	4	4	32108
P150	114 x 25	1	4	4	32109
P180	114 x 25	1	4	4	32110
P240	114 x 25	1	4	4	32112
P320	114 x 25	1	4	4	32114
P400	114 x 25	1	4	4	32116
P500	114 x 25	1	4	4	32117
P600	114 x 25	1	4	4	32118
P800	114 x 25	1	4	4	32119
P1000	114 x 25	1	4	4	32120
P1200	114 x 25	1	4	4	32121



Velcro Gold Strips 70 x 420mm

GRADE	SIZE mm	STRIPS PER INNER	STRIPS PER OUTER	MOQ	PART NO.
P40	70 x 420	50	400	400	17603
P80	70 x 420	50	400	400	17606
P120	70 x 420	50	400	400	17608
P150	70 x 420	50	400	400	17609
P180	70 x 420	50	400	400	17610
P240	70 x 420	50	400	400	17612
P320	70 x 420	50	400	400	17614



Velcro Gold Strips 70 x 198mm

GRADE	SIZE mm	STRIPS PER INNER	STRIPS PER OUTER	MOQ	PART NO.
P40	70 x 198	50	400	400	64903
P80	70 x 198	100	800	800	64906
P120	70 x 198	100	800	800	64908
P150	70 x 198	100	800	800	64909
P180	70 x 198	100	800	800	64910
P240	70 x 198	100	800	800	64912
P320	70 x 198	100	800	800	64914



Gold Roll 115 x 50m

GRADE	SIZE mm x M	ROLL PER INNER	ROLL PER OUTER	MOQ	PART NO.
P40	115 x 50	1	1	1	30303
P80	115 x 50	1	1	1	30306
P120	115 x 50	1	1	1	30308
P150	115 x 50	1	1	1	30309
P180	115 x 50	1	1	1	30310
P240	115 x 50	1	1	1	30312
P320	115 x 50	1	1	1	30314

SunFilm

SunFilm is a premium product with strong and even surface film backing that allows better surface finish and longer life. It is also great for corner and edge sanding without problems with tearing.

TECHNICAL SPECIFICATIONS

Grain	Premium Aluminum Oxide
Backing	Polyester Film
Bond	Phenolic Resin
Coating	Open Coat

APPLICATION



Automotive



Aerospace



Marine



Metal



Wood



Velcro Film Discs 15/H 150mm

GRADE	SIZE mm	DISC PER INNER	DISC PER OUTER	MOQ	PART NO.
P800	150	50	400	400	53019
P1000	150	50	400	400	53020
P1200	150	50	400	400	53021
P1500	150	50	400	400	53022
P2000	150	50	400	400	53023

Perfect Sanding Surface

With uniform mineral coating on perfectly even surface, film works better than paper. The result is outstanding finish without deep scratch marks.

Film Backing
(Even Surface)




Paper Backing
(Uneven Surface)



Excellent Cutting and Long Lasting

Sunmight Film's premium grain and strong resin bond provide faster and sharper cutting performance and longer life than competitors products.



Ceramic Film

Sunmight Ceramic Multi-hole Disc is engineered with premium ceramic grains and the world best film technology for fast cutting and extra-long life. The new multi-hole pattern collects dust more efficiently for a cleaner working environment

TECHNICAL SPECIFICATIONS

Grain	Premium Aluminum Oxide
Backing	Polyester Film
Bond	Phenolic Resin
Coating	Open Coat

APPLICATION



Automotive



Aerospace



Marine



Metal



Wood




Velcro Ceramic Film Discs M/H 150mm


GRADE	SIZE mm	DISC PER INNER	DISC PER OUTER	MOQ	PART NO.
P80	150	50	500	500	76506
P120	150	50	500	500	76508
P180	150	50	500	500	76510
P240	150	50	500	500	76512
P320	150	50	500	500	76514
P400	150	50	500	500	76516
P500	150	50	500	500	76517



Strong Premium Ceramic Grain



Best Cutting & Life



New Multi Hole pattern with more holes for better dust extraction

SunNet

SunNet is the ultimate solution for dust-free sanding. Its unique net construction allows full surface dust extraction. Sunmight's special abrasive coatings technology applied to our net backing provides not only excellent cutting performance but results in less clogging problems.

TECHNICAL SPECIFICATIONS

Grain	Premium Aluminum Oxide
Backing	Knitted Fabric
Bond	Resin over Resin
Coating	Closed Coat

APPLICATION




Velcro Net Discs 150mm

GRADE	SIZE mm	DISC PER INNER	DISC PER OUTER	MOQ	PART NO.
P80	150	50	400	400	82206
P120	150	50	400	400	82208
P150	150	50	400	400	82209
P180	150	50	400	400	82210
P240	150	50	400	400	82212
P320	150	50	400	400	82214
P400	150	50	400	400	82216
P500	150	50	400	400	82217
P600	150	50	400	400	82218



Velcro Net Discs 125mm

GRADE	SIZE mm	DISC PER INNER	DISC PER OUTER	MOQ	PART NO.
P120	125	50	400	400	82108
P180	125	50	400	400	82110
P240	125	50	400	400	82112
P320	125	50	400	400	82114
P400	125	50	400	400	82116
P500	125	50	400	400	82117
P600	125	50	400	400	82118




Velcro Net Strips 70 x 420mm


GRADE	SIZE mm	STRIPS PER INNER	STRIPS PER OUTER	MOQ	PART NO.
P80	70 x 420	50	400	400	82306
P120	70 x 420	50	400	400	82308
P180	70 x 420	50	400	400	82310
P240	70 x 420	50	400	400	82312
P320	70 x 420	50	400	400	82314
P400	70 x 420	50	400	400	82316
P600	70 x 420	50	400	400	82318

Dust Free Sanding with Better Life

- Dust-free sanding allows clean and healthy working environment
- Special abrasive coating method prevents clogging problem



Maximum Dust Extraction



Special grain coating on net

SunDisc

SunDisc is a revolutionary new product that replaces fibre discs. SunDiscs are made with a multi-layer structure that eliminates warping problems during storage. Ceramic Sundiscs are a premium product designed for superior performance and longer life.

TECHNICAL SPECIFICATIONS

Grain	Premium Aluminum Oxide
Backing	Polyester Film
Bond	Phenolic Resin
Coating	Open Coat

APPLICATION




Velcro Ceramic Fibre Discs 115mm

GRADE	SIZE mm	DISC PER INNER	DISC PER OUTER	MOQ	PART NO.
P24	115	25	200	200	74201
P36	115	25	200	200	74202
P50	115	25	200	200	74204
P60	115	25	200	200	74205
P80	115	25	200	200	74206
P100	115	25	200	200	74207
P120	115	25	200	200	74208


Strong Multi-Layer Structure

Special multi-layer structure provides better cutting performance and longer life than regular Fibre Discs.



No Warping Problems

- Remains consistently flat in humid conditions
- Easy to lock on tool



Sundisc

Fibre Discs

Warping comparison test in humid conditions between Sundisc and Fibre Discs. (77 F, Humidity 45% - after 24 hours)


SunFoam

SunFoam is made utilising a fabric and foam structure to provide outstanding finish and even surface pressure. Special abrasive coatings on the fabric allows sanding and polishing at the same time to finish your work much faster. Ideal for working on curved and contour surfaces and web sanding.

TECHNICAL SPECIFICATIONS

Grain	Sunfoam – Aluminium Oxide, Sunfoam SC – Silicon Carbide
Backing	Fabric on Foam
Bond	Resin over Resin Coating Special coating on fabric

APPLICATION



Velcro Foam Red Discs 150mm

GRADE	SIZE mm	DISC PER INNER	DISC PER OUTER	MOQ	PART NO.
P1000	150	10	80	80	96220
P1500	150	10	80	80	96222
P2000	150	10	80	80	96223
P3000	150	10	80	80	96225
P5000	150	10	80	80	96227



Velcro Foam Green Discs 150mm

GRADE	SIZE mm	DISC PER INNER	DISC PER OUTER	MOQ	PART NO.
P1000	150	10	80	80	97220
P1500	150	10	80	80	97222
P2000	150	10	80	80	97223
P3000	150	10	80	80	97225

Fabric and foam structure

- Better finish without deep scratch
- Provide even surface pressure
- Good for wet sanding
- Good for contour or curved sanding



Fabric sanding surface structure



- Fabric + abrasives
- Foam
- Grip

Waterproof

Sunmight Waterproof is made with a high quality, water resistant paper backing for flexibility and outstanding finish. Special resin technology reduces possible curling problems during wet sanding operations.

TECHNICAL SPECIFICATIONS

Grain	Grit 220~800 Aluminium Oxide, Grit 1000~3000 Silicon Carbide
Backing	Latex Paper
Bond	Resin over Resin
Coating	Closed Coat

APPLICATION



Automotive



Aerospace



Marine



Metal



Wood



Waterproof Sheets 230 x 280mm

GRADE	SIZE mm	SHEETS PER INNER	SHEETS PER OUTER	MOQ	PART NO.
P360	230 x 280	50	250	250	08114
P400	230 x 280	50	250	250	08116
P600	230 x 280	50	250	250	08118
P800	230 x 280	50	250	250	08119
P1000	230 x 280	50	250	250	08120
P1200	230 x 280	50	250	250	08121
P1500	230 x 280	50	250	250	08122
P2000	230 x 280	50	250	250	08123
P2500	230 x 280	50	250	250	08124
P3000	230 x 280	50	250	250	08125

Waterproof Sheets


- Excellent surface finish
- Excellent absorbency for minimal scratch
- Suitable for wet or dry application
- Does not curl or tear during use

Scuff Pads & Rolls

Flex Scuff Pads have a thinner and very flexible structure. They work great on corners and contoured surfaces. They are all suitable for automotive refinishing and industrial applications.

TECHNICAL SPECIFICATIONS		APPLICATION				
--------------------------	--	-------------	--	--	--	--

Grain	Maroon Aluminium Oxide, Gray Silicon Carbide
Backing	N/A
Bond	Phenolic Resin
Coating	Special Coating on Non-Woven



Maroon Scuff Pads 115 x 230mm

GRADE	SIZE mm	SHEETS PER INNER	SHEETS PER OUTER	MOQ	PART NO.
VERY FINE	115 x 230	25	16	400	74201



Grey Scuff Pads 115 x 230mm

GRADE	SIZE mm	SHEETS PER INNER	SHEETS PER OUTER	MOQ	PART NO.
ULTRA FINE	115 x 230	25	16	400	74201



Maroon Scuff Rolls 100mm x 10m

GRADE	SIZE mm	ROLL PER INNER	ROLL PER OUTER	MOQ	PART NO.
VERY FINE	100 x 10m	1	16	16	74201



Grey Scuff Rolls 100mm x 10m

GRADE	SIZE mm	ROLL PER INNER	ROLL PER OUTER	MOQ	PART NO.
ULTRA FINE	100 x 10m	1	16	16	74201

Sanding Belts

Sunmight Ceramic belt is designed to get into tight spots and remove spot welds. It runs much cooler, cuts faster and lasts longer. Zirconia has outstanding free-cutting ability with excellent durability. Fast grinding speed and ability to suppress heat, makes it great in dry applications.

TECHNICAL SPECIFICATIONS

Grain	Ceramic, Aluminium Oxide
Backing	Ywt / Xwt cloth
Bond	Resin over Resin
Coating	Closed / Open Coat
Grit range	24 – 80

APPLICATION




Automotive



Aerospace



Marine



Metal



Wood



Ceramic Belts 10 x 330mm

GRADE	SIZE mm	BELTS PER INNER	BELTS PER OUTER	MOQ	PART NO.
P36	10 x 330	10	-	10	963S/36
P40	10 x 330	10	-	10	963S/40
P60	10 x 330	10	-	10	963S/60
P80	10 x 330	10	-	10	963S/80

TECHNICAL SPECIFICATIONS

Mineral	Alumina Zirconia
Backing	Ywt, Xwt 100% P.E
Bonding	Resin over Resin
Coating	Closed Coat
Grit range	36-80

APPLICATION




Automotive



Aerospace




Marine



Metal



Wood



Zirconia Belts 20 x 520mm

GRADE	SIZE mm	BELTS PER INNER	BELTS PER OUTER	MOQ	PART NO.
P36	20 x 520	10	-	10	RN4-R203/36
P40	20 x 520	10	-	10	RN4-R203/40
P60	20 x 520	10	-	10	RN4-R203/60
P80	20 x 520	10	-	10	RN4-R203/80



Clear Coats



RJ E10 Easy kit

SIZE L	KIT PER INNER	KIT PER OUTER	MOQ	PART NO.
5 + 2.5 Hardener	1	4	1	RJE10/KIT
1 + 0.5 Hardener	1	12	1	RJE10/KIT 1.5L

- Fast drying
- Easy application
- Easy to polish
- Good gloss
- Good resistance to UV rays and weather conditions
- Yellowing resistant
- Great value for money



RJ S20 Scratch Resistant kit

SIZE L	KIT PER INNER	KIT PER OUTER	MOQ	PART NO.
5 + 2.5 Hardener	1	4	1	RJS20/KIT
1 + 0.5 Hardener	1	12	1	RJS20/KIT 1.5L

- High gloss
- Good resistance to stone chips
- Fast drying & Easy application
- Easy to polish
- Good resistance to UV rays and weather conditions
- Yellowing resistant
- Very good durability



RJ CP30 Premium kit

SIZE L	KIT PER INNER	KIT PER OUTER	MOQ	PART NO.
5 + 2.5 Hardener	1	4	1	RJCP30/KIT
1 + 0.5 Hardener	1	12	1	RJCP30/KIT 1.5L

- Very high gloss
- Good transparency, high body and color depth effect
- Very high resistant to scratches
- Very good flow, levelling even in thin layers
- Very good resistance to UV rays and weather conditions
- Yellowing resistant
- Very good durability



RJ X40 Express kit

SIZE L	KIT PER INNER	KIT PER OUTER	MOQ	PART NO.
5 + 2.5 Hardener	1	4	1	RJX40/KIT
1 + 0.5 Hardener	1	12	1	RJX40/KIT 1.5L

- High solid clear coat
- Extremely fast drying times (oven & air)
- Long open times for painting large elements and entire cars
- Excellent gloss
- High hardness and scratch resistance
- High hardness and scratch resistance
- Excellent durability



RJ X50 Express VHS kit

SIZE L	KIT PER INNER	KIT PER OUTER	MOQ	PART NO.
5 + 2.5 Hardener	1	4	1	RJX50/KIT
1 + 0.5 Hardener	1	12	1	RJX40/KIT 1.5L

- Very high solid
- Extremely short curing times
- Can be polished after 3 hours at 20°C or 5 minutes at 60°C
- Excellent gloss level
- Very high hardness
- Very high scratch resistance



RJ M11 Matt kit

SIZE L	KIT PER INNER	KIT PER OUTER	MOQ	PART NO.
1 + 0.5 Hardener	1	12	1	RJMAT/KIT

- High content of solids
- Reduced gloss to 50% giving the entire surface silky matt appearance
- Stone impact resistant
- Resistant to weather conditions and UV rays
- Used for interior painting, engine and luggage chambers of vehicles



RJ Fast Universal Hardener

SIZE L	KIT PER INNER	KIT PER OUTER	MOQ	PART NO.
0.5	1	12	1	RJHAUNI/F/0.5L
1	1	12	1	RJHAUNI/F/1L



RJ Extra Fast Universal Hardener

SIZE L	KIT PER INNER	KIT PER OUTER	MOQ	PART NO.
0.5	1	12	1	RJHAUNI/EF/0.5L
1	1	12	1	RJHAUNI/EF/1L
2.5	1	4	1	RJHAUNI/EF/2.5L

- For hardening acrylic and polyurethane varnishes
- Composition of solvents and resins for 2K paint systems
- Coating gets a high gloss and excellent hardness



Thinners & Degreasers



RJ Universal Thinner

TYPE	SIZE L	TIN PER INNER	TIN PER OUTER	MOQ	PART NO.
T30 SLOW	5	1	4	1	RJTH/S
T20 STANDARD	5	1	4	1	RJTH/U
T20 STANDARD	1	1	12	1	RJTH/U/1
T10 FAST	5	1	4	1	RJTH/F
T10 FAST	1	1	12	1	RJTH/F/1



RJ 2K Thinner

TYPE	SIZE L	TIN PER INNER	TIN PER OUTER	MOQ	PART NO.
2K SLOW	5	1	4	1	RJTH2K/S
2K FAST	5	1	4	1	RJTH2K/F



RJ Base Coat Thinner

TYPE	SIZE L	TIN PER INNER	TIN PER OUTER	MOQ	PART NO.
BC STANDARD	5	1	4	1	RJTHBC



RJ Degreaser

TYPE	SIZE L	TIN PER INNER	TIN PER OUTER	MOQ	PART NO.
STANDARD	5	1	4	1	RJPW
FAST	5	1	4	1	RJPW/F

Masking Tape



Yellow Masking Tape

SIZE	DESCRIPTION	PART NO.
1"	80° 50m 36/box	RJMY/1
1.5"	80° 50m 24/box	RJMY/1.5
2"	80° 50m 20/box	RJMY/2




Orange Masking Tape

SIZE	DESCRIPTION	PART NO.
1"	80° 50yd 36/box	RJMO/1
1.5"	80° 50yd 24/box	RJMO/1.5
2"	80° 50yd 20/box	RJMO/2

- Ideal for: Automotive / Joineries / Wood workshops
- Numerous decorating, painting and general DIY applications
- Heat resistant
- Waterproof
- Solvent and Waterbase suitable
- Doesn't leave adhesive on the surface




Filler, Fibreglass Nitrile Gloves, Paint Strainers



RJ Max Lightweight Body Filler

SIZE	DESCRIPTION	PART NO.
3L	Lightweight Body filler + hardener 4/box	RJF/MAX



RJ Fibreglass

SIZE	DESCRIPTION	PART NO.
1.2kg	Polyester body filler + hardener 10/box	RJFG/1.2



RJ Paint Strainers

SIZE	DESCRIPTION	PART NO.
190 mic	Paint strainers 1000/box	RJ1018



RJ Nitrile Examination Gloves

SIZE	DESCRIPTION	PART NO.
Medium	Powder Free 100/box	RJNG/M
Large	Powder Free 100/box	RJNG/L
Extra Large	Powder Free 100/box	RJNG/XL



Masking Film, Cutters, Paint Mixing Cups



RJ Masking Film Roll

SIZE	MOQ	PART NO.
10mic x 5m x 120m	1	RJ1013
10mic x 4m x 150m	1	RJ1014
10mic x 6m x 150m	1	RJ1016



RJ Masking Film Cutter

SIZE	MOQ	PART NO.
10 pcs/pack	1	RJ1015




RJ 600cc Paint Mixing Cups

SIZE	MOQ	PART NO.
600cc - 1000/box	1	RJ1012



RJ 1300cc Paint Mixing Cups


SIZE	MOQ	PART NO.
1300cc - 200/box	1	RJ1010



RJ 2240cc Paint Mixing Cups


SIZE	MOQ	PART NO.
2240cc - 200/box	1	RJ1011

Sanding Products



RJ Quality Backing Pad

SIZE	DESCRIPTION	PART NO.
150mm - 5/16"	1/box	RJ1001
150mm - Universal	1/box	RJ1002



RJ Quality Interface Pad

SIZE	DESCRIPTION	PART NO.
150 x 10 mm	Velcro 1/box	RJ1003



RJ Long Sanding Block

SIZE	DESCRIPTION	PART NO.
70 x 420mm	Velcro 1/box	RJ1004



RJ Hand Sanding Pad

SIZE	DESCRIPTION	PART NO.
150 mm	Velcro 1/box	RJ1005



RJ Hand Sanding Pads Kit

SIZE	DESCRIPTION	PART NO.
150 mm	Velcro 1/box	RJ1006



Presta Products



Presta **Scuff Stuff**

SIZE	DESCRIPTION	PART NO.
946ml	Paste for surface prep. & restoration	131732

- Ensures paint adhesion in blend and hard-to-reach areas
- Removes waxes, sealers, road film and soils from auto finishes
- Does not cause scratch swelling in blend areas
- Rinses away completely
- Reduces panel and vehicle prep time
- Helps prep plastic bumpers




Presta **Fast Wax**

SIZE	DESCRIPTION	PART NO.
946ml	Fast high gloss finish VOC compl. wax	134132

- Provides brilliant, high-gloss shine
- Adds paste wax protection with liquid wax ease
- Contains premium natural and synthetic ingredients
- Great for automotive and marine applications
- Treat the entire vehicle before wiping off!

Experience Sunmight

Premium Abrasive Technology



Sunmight UK

4 Drakes Drive,
Crendon Industrial Park
Buckinghamshire
HP18 9FE

info@sunmightuk.co.uk

01844 321045