


IRD-SW-H8G-PW-B | Switch PoE de 8 portas Gigabit Ethernet Gerenciável por Web (10/100/1000 Mbps)

- 8 portas 10/100/1000 Mbps RJ45 com suporte PoE (IEEE 802.3af/at).
- Orçamento total PoE de 120W, com até 30W por porta.
- Gerenciamento via Web, Telnet e CLI.
- Suporte a VLAN, QoS, Port Mirroring e Link Aggregation.
- Tabela de endereços MAC com capacidade para 8K entradas.
- Capacidade de comutação de 16 Gbps.
- Taxa de encaminhamento de 11,9 Mpps.
- Proteção contra surtos elétricos de 4KV nas portas.
- Diagnóstico de cabo e monitoramento de tráfego.
- Gerenciamento em nuvem via aplicativo.
- Estrutura metálica resistente com resfriamento por ventilação.



8 x 1GE **Caixa de Metal**

Gerenciável **PoE**



Introdução

O **IRD-SW-H8G-PW-B** é um switch PoE gerenciável em nuvem, projetado para fornecer alta performance em redes empresariais de pequeno e médio porte. Com 8 portas Gigabit PoE e suporte ao padrão IEEE 802.3af/at, ele oferece um orçamento de energia total de **120W**, sendo ideal para alimentar dispositivos como câmeras IP, pontos de acesso sem fio e telefones VoIP. Equipado com recursos avançados de gerenciamento Layer 2, como VLAN, QoS, IGMP Snooping e gerenciamento PoE, o **IRD-SW-H8G-PW-B** garante desempenho, segurança e flexibilidade no controle da rede.

Especificações Técnicas

Hardware

- Portas Ethernet: 8 x 10/100/1000 Mbps RJ45 PoE.
- Padrões IEEE: 802.3, 802.3u, 802.3x, 802.3ab, 802.1Q, 802.1p.
- Capacidade de Comutação: 16 Gbps.
- Taxa de Encaminhamento: 11,9 Mpps.
- Buffer de Pacotes: 4 Mbits.
- Tabela MAC: 8K entradas.
- Proteção contra surtos: 4KV nas portas.
- Dimensões do produto (bare metal): 200 mm x 118 mm x 44 mm.
- Dimensões do produto (embalado): 230 mm x 190 mm x 70 mm.
- Peso (sem embalagem): 650g ± 5%.
- Peso (embalado): 950g ± 5%.

Energia

- Tensão de Entrada: AC 110 ~ 240V, 50/60 Hz.
- Consumo em Standby: 6W.
- Corrente Máxima: 2.5A.
- Pinos PoE: 1/2 (+) e 3/6 (-).
- Distância máxima PoE: 250 metros.
- Orçamento total PoE: 120W.
- Cabo de Alimentação Padrão Brasileiro NBR 14136.

Ambiente Operacional

- Temperatura de Operação: -10°C a 55°C.
- Temperatura de Armazenamento: -40°C a 85°C.
- Umidade Relativa em Operação: 10% a 90% (sem condensação).
- Umidade Relativa em Armazenamento: 5% a 95% (sem condensação).
- Altitude Máxima em Operação: 2000m.
- Resfriamento: Ventilação natural.

Certificação: CE, RoHS e FCC

Recursos de Software e Gestão

Gerenciamento

- Interface Web (HTTPS).
- Telnet e CLI.
- Suporte a SNMP v1/v2c, com envio de traps para eventos (start, up/down de portas, falha de autenticação).

L2 Switching

- VLANs: Port VLAN, 802.1Q VLAN, VLAN de Voz e VLAN de Vigilância.
- Link Aggregation: Até 4 grupos com até 8 portas cada.
- Spanning Tree Protocols: STP, RSTP.
- LLDP (Link Layer Discovery Protocol).

QoS

- Classificação 802.1p (COS), DSCP e por porta.
- Estratégias de agendamento: SP, WRR, WFQ.

Segurança

- Controle de acesso por MAC Address.
- Limite de aprendizagem de MAC por porta.
- Proteção contra tempestades de broadcast, multicast e unicast.
- Proteção contra loopback.

PoE

- Configuração individual de portas PoE.
- Monitoramento de consumo de energia por porta.
- Configuração de prioridade PoE.

Diagnósticos

- Teste de cabo.
- Monitoramento de tráfego.
- Ping e Traceroute.
- Certificações e Compatibilidade:
- Compatível com os padrões IEEE 802.3, 802.3u, 802.3x, 802.3ab, 802.3af/at.
- Resistência a descargas eletrostáticas: 4KV (contato) e 8KV (ar).

IRD.Net – Inovação em Redes Digitais

Room 303, Building 1, No.316, Renzhou Road,
Shatian Town, Dongguan City, Guangdong Province
www.junantest.com



CERTIFICATE OF CONFORMITY

No: JAT25051502804EC-1

Applicant : IRD Produtos de Informática Ltda
Address : RUA MARIA LOPES BORBA, 474, NAVEGANTES-SC 88370340,
BRAZIL
Manufacturer : IRD Produtos de Informática Ltda
Address : RUA MARIA LOPES BORBA, 474, NAVEGANTES-SC 88370340,
BRAZIL
EUT : Unmanaged/Managed Ethernet Switches
Trade Mark : IRD.Net
M/N : See Model list:

The submitted sample of the above equipment has been tested and found to comply with the following European Directive:

Electromagnetic Compatibility Directive 2014/30/EU

The standard(s) used for showing compliance with the essential requirements:

Applicable Standard(s)	Test Report(s) Number
EN 55032:2015+A11:2020 EN 55035:2017+A11:2020 EN IEC 61000-3-2:2019+A1:2021 EN 61000-3-3:2013+A2:2021+AC:2022-01	JAT25051502804ER-1

This certificate is part of the full test report(s) and should be read in conjunction with it. This certificate is based on an evaluation of one sample of above mentioned product. It does not imply assessment of the production of the product. Without the written approval of Dongguan Jun'an Testing & Certification Co., Ltd., this certificate is not permitted to be reproduced, except in full. It is not permitted to use the test lab's logo. The CE marking may only be used if all the relevant and effective European Directive are applicable.



(Manager)
May 13, 2025

Room 303, Building 1, No.316, Renzhou Road,
Shatian Town, Dongguan City, Guangdong Province
www.junantest.com



Model list:

IRD-SW-H24G4U4S-PM2-A, IRD-SW-H24G4U4S-PM2-B, IRD-SW-H24G4U4S-PM2-C,
IRD-SW-H16G2S-PM2-A, IRD-SW-H16G2S-PM2-B, IRD-SW-H16G2S-PM2-C, IRD-SW-H8G2S-PM2-A,
IRD-SW-H8G2S-PM2-B, IRD-SW-H24G2U2S-PW-A, IRD-SW-H24G2U2S-PW-B,
IRD-SW-H24G2U2S-PW-C, IRD-SW-H24G2U1S-PW-A, IRD-SW-H24G2U1S-PW-B,
IRD-SW-H24G2U1S-PW-C, IRD-SW-H16G2U2S-PW-A, IRD-SW-H16G2U2S-PW-B,
IRD-SW-H16G2U2S-PW-C, IRD-SW-H8G-PW-A, IRD-SW-H8G-PW-B, IRD-SW-H8G-PW-C,
IRD-SW-H4G2U-PW-A, IRD-SW-H4G2U-PW-B, IRD-SW-H4G2U-PW-C, IRD-SW-H4G1U1S-PW-A,
IRD-SW-H4G1U1S-PW-B, IRD-SW-H4G1U1S-PW-C, IRD-SW-H5G-W, IRD-SW-H5G1S-W,
IRD-SW-H8G-W, IRD-SW-H16G-W, IRD-SW-H24G-W, IRD-SW-H525G210S-W, IRD-SW-H825G210S-W,
IRD-SW-H425G210S, IRD-SW-H425G210U, IRD-SW-H525G210S, IRD-SW-H825G110S,
IRD-SW-H825G210S, IRD-SW-H610G210S, IRD-SW-H425G2S10-P-A, IRD-SW-H425G2S10-P-B,
IRD-SW-H825G210S-P-A, IRD-SW-H825G210S-P-B, IRD-SW-2008GP, IRD-SW-H4FE2UFE-PSB,
IRD-SW-H8FE2UFE-PSBB, IRD-SW-H8FE2UFE-PSBC, IRD-SW-H16FE2U-PSBA,
IRD-SW-H16FE2UFE-PSBB, IRD-SW-H24FE2U-PSMA, IRD-SW-H24FE2U-PSMB,
IRD-SW-H4FE2UFE-PMCU, IRD-SW-H8FE2UFE-PMCU, IRD-SW-H6FE2UFE-PMCU-A,
IRD-SW-H6FE2UFE-PMCU-B, IRD-SW-H9FE2UFE-PMCU-A, IRD-SW-H9FE2UFE-PMCU-B,
IRD-SW-H8FE2U-PMCU-A, IRD-SW-H8FE2U-PMCU-B, IRD-SW-H16FE2U-PMCU-A,
IRD-SW-H16FE2U-PMCU-B, IRD-SW-H24FE2U-PMCU-A, IRD-SW-H24FE2U-PMCU-B,
IRD-SW-H4G1U-P-A, IRD-SW-H4G1U-P-B, IRD-SW-H4G1U-P-C, IRD-SW-H4G1U1S-A,
IRD-SW-H4G1U1S-B, IRD-SW-H4G1U1S-C, IRD-SW-H8G2U-P, IRD-SW-H8G2U1S-A,
IRD-SW-H8G2U1S-B, IRD-SW-H8G2U1S-C, IRD-SW-H8G2U2S-A, IRD-SW-H8G2U2S-B,
IRD-SW-H8G2U2S-C, IRD-SW-H16G2U-P-A, IRD-SW-H16G2U-P-B, IRD-SW-H16G2U-P-C,
IRD-SW-H24G2U2S-P, IRD-SW-H48G2S, IRD-SW-H4FE2U-P-A, IRD-SW-H4FE2U-P-B,
IRD-SW-H4FE2U-P-C, IRD-SW-H8FE2UFE-P-A, IRD-SW-H8FE2UFE-P-B, IRD-SW-H8FE2UFE-P-C,
IRD-SW-H8FE2U-P-A, IRD-SW-H8FE2U-P-B, IRD-SW-H8FE2U-P-C, IRD-SW-H8FE2U2S-P-A,
IRD-SW-H8FE2U2S-P-B, IRD-SW-H8FE2U2S-P-C, IRD-SW-H16FE2U-P-A, IRD-SW-H16FE2U-P-B,
IRD-SW-H16FE2U-P-C, IRD-SW-H16FE2U1S-P-A, IRD-SW-H16FE2U1S-P-B, IRD-SW-H16FE2U1S-P-C,
IRD-SW-H24FE2U-P-A, IRD-SW-H24FE2U-P-B, IRD-SW-H24FE2U-P-C, IRD-SW-H24FE2U2S-P-A,
IRD-SW-H24FE2U2S-P-B, IRD-SW-H24FE2U2S-P-C, IRD-SW-H4FE2UFE-WTPR,
IRD-SW-H8FE2UFE-WTPR, IRD-SW-H8FE2U-WTPR, IRD-SW-H4G1U-WTPR, IRD-SW-H8G2U-WTPR,
IRD-SW-1X, IRD-SW-2X, IRD-SW-3X

Room 303, Building 1, No.316, Renzhou Road,
Shatian Town, Dongguan City, Guangdong Province
www.junantest.com



CERTIFICATE OF CONFORMITY

No: JAT25051502804SC-1

Applicant : IRD Produtos de Informática Ltda
Address : RUA MARIA LOPES BORBA, 474, NAVEGANTES-SC 88370340,
BRAZIL
Manufacturer : IRD Produtos de Informática Ltda
Address : RUA MARIA LOPES BORBA, 474, NAVEGANTES-SC 88370340,
BRAZIL
EUT : Unmanaged/Managed Ethernet Switches
Trade Mark : IRD.Net
M/N : See model list

The submitted sample of the above equipment has been tested and found to comply with the following European Directive:

Low Voltage Directive 2014/35/EU

The standard(s) used for showing compliance with the essential requirements:

Applicable Standard(s)	Test Report(s) Number
EN IEC 62368-1:2020+A11:2020	JAT25051502804SR-1

This certificate is part of the full test report(s) and should be read in conjunction with it. This certificate is based on an evaluation of one sample of above mentioned product. It does not imply assessment of the production of the product. Without the written approval of Dongguan Jun'an Testing & Certification Co., Ltd., this certificate is not permitted to be reproduced, except in full. It is not permitted to use the test lab's logo. The CE marking may only be used if all the relevant and effective European Directive are applicable.



(Manager)
May 13, 2025

Room 303, Building 1, No.316, Renzhou Road,
Shatian Town, Dongguan City, Guangdong Province
www.junantest.com



Model list:

IRD-SW-H24G4U4S-PM2-A, IRD-SW-H24G4U4S-PM2-B, IRD-SW-H24G4U4S-PM2-C,
IRD-SW-H16G2S-PM2-A, IRD-SW-H16G2S-PM2-B, IRD-SW-H16G2S-PM2-C,
IRD-SW-H8G2S-PM2-A, IRD-SW-H8G2S-PM2-B, IRD-SW-H24G2U2S-PW-A,
IRD-SW-H24G2U2S-PW-B, IRD-SW-H24G2U2S-PW-C, IRD-SW-H24G2U1S-PW-A,
IRD-SW-H24G2U1S-PW-B, IRD-SW-H24G2U1S-PW-C, IRD-SW-H16G2U2S-PW-A,
IRD-SW-H16G2U2S-PW-B, IRD-SW-H16G2U2S-PW-C, IRD-SW-H8G-PW-A,
IRD-SW-H8G-PW-B, IRD-SW-H8G-PW-C, IRD-SW-H4G2U-PW-A, IRD-SW-H4G2U-PW-B,
IRD-SW-H4G2U-PW-C, IRD-SW-H4G1U1S-PW-A, IRD-SW-H4G1U1S-PW-B,
IRD-SW-H4G1U1S-PW-C, IRD-SW-H5G-W, IRD-SW-H5G1S-W, IRD-SW-H8G-W,
IRD-SW-H16G-W, IRD-SW-H24G-W, IRD-SW-H525G210S-W, IRD-SW-H825G210S-W,
IRD-SW-H425G210S, IRD-SW-H425G210U, IRD-SW-H525G210S, IRD-SW-H825G110S,
IRD-SW-H825G210S, IRD-SW-H610G210S, IRD-SW-H425G2S10-P-A,
IRD-SW-H425G2S10-P-B, IRD-SW-H825G210S-P-A, IRD-SW-H825G210S-P-B,
IRD-SW-2008GP, IRD-SW-H4FE2UFE-PSB, IRD-SW-H8FE2UFE-PSBB,
IRD-SW-H8FE2UFE-PSBC, IRD-SW-H16FE2U-PSBA, IRD-SW-H16FE2UFE-PSBB,
IRD-SW-H24FE2U-PSMA, IRD-SW-H24FE2U-PSMB, IRD-SW-H4FE2UFE-PMCU,
IRD-SW-H8FE2UFE-PMCU, IRD-SW-H6FE2UFE-PMCU-A, IRD-SW-H6FE2UFE-PMCU-B,
IRD-SW-H9FE2UFE-PMCU-A, IRD-SW-H9FE2UFE-PMCU-B, IRD-SW-H8FE2U-PMCU-A,
IRD-SW-H8FE2U-PMCU-B, IRD-SW-H16FE2U-PMCU-A, IRD-SW-H16FE2U-PMCU-B,
IRD-SW-H24FE2U-PMCU-A, IRD-SW-H24FE2U-PMCU-B, IRD-SW-H4G1U-P-A,
IRD-SW-H4G1U-P-B, IRD-SW-H4G1U-P-C, IRD-SW-H4G1U1S-A, IRD-SW-H4G1U1S-B,
IRD-SW-H4G1U1S-C, IRD-SW-H8G2U-P, IRD-SW-H8G2U1S-A, IRD-SW-H8G2U1S-B,
IRD-SW-H8G2U1S-C, IRD-SW-H8G2U2S-A, IRD-SW-H8G2U2S-B, IRD-SW-H8G2U2S-C,
IRD-SW-H16G2U-P-A, IRD-SW-H16G2U-P-B, IRD-SW-H16G2U-P-C, IRD-SW-H24G2U2S-P,
IRD-SW-H48G2S, IRD-SW-H4FE2U-P-A, IRD-SW-H4FE2U-P-B, IRD-SW-H4FE2U-P-C,
IRD-SW-H8FE2UFE-P-A, IRD-SW-H8FE2UFE-P-B, IRD-SW-H8FE2UFE-P-C,
IRD-SW-H8FE2U-P-A, IRD-SW-H8FE2U-P-B, IRD-SW-H8FE2U-P-C,
IRD-SW-H8FE2U2S-P-A, IRD-SW-H8FE2U2S-P-B, IRD-SW-H8FE2U2S-P-C,
IRD-SW-H16FE2U-P-A, IRD-SW-H16FE2U-P-B, IRD-SW-H16FE2U-P-C,
IRD-SW-H16FE2U1S-P-A, IRD-SW-H16FE2U1S-P-B, IRD-SW-H16FE2U1S-P-C,
IRD-SW-H24FE2U-P-A, IRD-SW-H24FE2U-P-B, IRD-SW-H24FE2U-P-C,
IRD-SW-H24FE2U2S-P-A, IRD-SW-H24FE2U2S-P-B, IRD-SW-H24FE2U2S-P-C,
IRD-SW-H4FE2UFE-WTPR, IRD-SW-H8FE2UFE-WTPR, IRD-SW-H8FE2U-WTPR,
IRD-SW-H4G1U-WTPR, IRD-SW-H8G2U-WTPR, IRD-SW-1X, IRD-SW-2X, IRD-SW-3X

Room 303, Building 1, No.316, Renzhou Road,
Shatian Town, Dongguan City, Guangdong Province
www.junantest.com



SDoC's Compliance Information Statement

No: JAT25051502804FC-1

Applicant : IRD Produtos de Informática Ltda
Address : RUA MARIA LOPES BORBA, 474, NAVEGANTES-SC 88370340,
BRAZIL
Manufacturer : IRD Produtos de Informática Ltda
Address : RUA MARIA LOPES BORBA, 474, NAVEGANTES-SC 88370340,
BRAZIL
EUT : Unmanaged/Managed Ethernet Switches
Trade Mark : IRD.Net
M/N : See model list

The submitted sample of the above equipment has been tested and found to comply with the following requirement of 47 CFR of PART 15.

The assessment of compliance of the product with the requirements relating to FCC rules was based on the following standards and procedure:

Applicable Standard(s)	Test Report(s) Number
FCC Part 15, Subpart B:2017 ANSI C63.4:2014	JAT25051502804FR-1

This verification is part of the full test report(s) and should be read in conjunction with it. This verification is based on an evaluation of one sample of above mentioned product. It does not imply assessment of the production of the product. Without the written approval of Dongguan Jun'an Testing & Certification Co., Ltd., this verification is not permitted to be reproduced, except in full. It is not permitted to use the test lab's logo.



(Manager)

May 13, 2025

Room 303, Building 1, No.316, Renzhou Road,
Shatian Town, Dongguan City, Guangdong Province
www.junantest.com



Model list:

IRD-SW-H24G4U4S-PM2-A, IRD-SW-H24G4U4S-PM2-B,
IRD-SW-H24G4U4S-PM2-C, IRD-SW-H16G2S-PM2-A, IRD-SW-H16G2S-PM2-B,
IRD-SW-H16G2S-PM2-C, IRD-SW-H8G2S-PM2-A, IRD-SW-H8G2S-PM2-B,
IRD-SW-H24G2U2S-PW-A, IRD-SW-H24G2U2S-PW-B, IRD-SW-H24G2U2S-PW-C,
IRD-SW-H24G2U1S-PW-A, IRD-SW-H24G2U1S-PW-B, IRD-SW-H24G2U1S-PW-C,
IRD-SW-H16G2U2S-PW-A, IRD-SW-H16G2U2S-PW-B, IRD-SW-H16G2U2S-PW-C,
IRD-SW-H8G-PW-A, IRD-SW-H8G-PW-B, IRD-SW-H8G-PW-C,
IRD-SW-H4G2U-PW-A, IRD-SW-H4G2U-PW-B, IRD-SW-H4G2U-PW-C,
IRD-SW-H4G1U1S-PW-A, IRD-SW-H4G1U1S-PW-B, IRD-SW-H4G1U1S-PW-C,
IRD-SW-H5G-W, IRD-SW-H5G1S-W, IRD-SW-H8G-W, IRD-SW-H16G-W,
IRD-SW-H24G-W, IRD-SW-H525G210S-W, IRD-SW-H825G210S-W,
IRD-SW-H425G210S, IRD-SW-H425G210U, IRD-SW-H525G210S,
IRD-SW-H825G110S, IRD-SW-H825G210S, IRD-SW-H610G210S,
IRD-SW-H425G2S10-P-A, IRD-SW-H425G2S10-P-B, IRD-SW-H825G210S-P-A,
IRD-SW-H825G210S-P-B, IRD-SW-2008GP, IRD-SW-H4FE2UFE-PSB,
IRD-SW-H8FE2UFE-PSBB, IRD-SW-H8FE2UFE-PSBC, IRD-SW-H16FE2U-PSBA,
IRD-SW-H16FE2UFE-PSBB, IRD-SW-H24FE2U-PSMA, IRD-SW-H24FE2U-PSMB,
IRD-SW-H4FE2UFE-PCMU, IRD-SW-H8FE2UFE-PCMU,
IRD-SW-H6FE2UFE-PCMU-A, IRD-SW-H6FE2UFE-PCMU-B,
IRD-SW-H9FE2UFE-PCMU-A, IRD-SW-H9FE2UFE-PCMU-B,
IRD-SW-H8FE2U-PCMU-A, IRD-SW-H8FE2U-PCMU-B,
IRD-SW-H16FE2U-PCMU-A, IRD-SW-H16FE2U-PCMU-B,
IRD-SW-H24FE2U-PCMU-A, IRD-SW-H24FE2U-PCMU-B, IRD-SW-H4G1U-P-A,
IRD-SW-H4G1U-P-B, IRD-SW-H4G1U-P-C, IRD-SW-H4G1U1S-A,
IRD-SW-H4G1U1S-B, IRD-SW-H4G1U1S-C, IRD-SW-H8G2U-P,
IRD-SW-H8G2U1S-A, IRD-SW-H8G2U1S-B, IRD-SW-H8G2U1S-C,
IRD-SW-H8G2U2S-A, IRD-SW-H8G2U2S-B, IRD-SW-H8G2U2S-C,
IRD-SW-H16G2U-P-A, IRD-SW-H16G2U-P-B, IRD-SW-H16G2U-P-C,
IRD-SW-H24G2U2S-P, IRD-SW-H48G2S, IRD-SW-H4FE2U-P-A,
IRD-SW-H4FE2U-P-B, IRD-SW-H4FE2U-P-C, IRD-SW-H8FE2UFE-P-A,
IRD-SW-H8FE2UFE-P-B, IRD-SW-H8FE2UFE-P-C, IRD-SW-H8FE2U-P-A,
IRD-SW-H8FE2U-P-B, IRD-SW-H8FE2U-P-C, IRD-SW-H8FE2U2S-P-A,
IRD-SW-H8FE2U2S-P-B, IRD-SW-H8FE2U2S-P-C, IRD-SW-H16FE2U-P-A,
IRD-SW-H16FE2U-P-B, IRD-SW-H16FE2U-P-C, IRD-SW-H16FE2U1S-P-A,
IRD-SW-H16FE2U1S-P-B, IRD-SW-H16FE2U1S-P-C, IRD-SW-H24FE2U-P-A,
IRD-SW-H24FE2U-P-B, IRD-SW-H24FE2U-P-C, IRD-SW-H24FE2U2S-P-A,
IRD-SW-H24FE2U2S-P-B, IRD-SW-H24FE2U2S-P-C, IRD-SW-H4FE2UFE-WTPR,
IRD-SW-H8FE2UFE-WTPR, IRD-SW-H8FE2U-WTPR, IRD-SW-H4G1U-WTPR,
IRD-SW-H8G2U-WTPR, IRD-SW-1X, IRD-SW-2X, IRD-SW-3X

Room 303, Building 1, No.316, Renzhou Road,
Shatian Town, Dongguan City, Guangdong Province
www.junantest.com



CERTIFICATE OF CONFORMITY

No: JAT25051502804RC-1

Applicant : IRD Produtos de Informática Ltda
Address : RUA MARIA LOPES BORBA, 474, NAVEGANTES-SC 88370340,
BRAZIL
Manufacturer : IRD Produtos de Informática Ltda
Address : RUA MARIA LOPES BORBA, 474, NAVEGANTES-SC 88370340,
BRAZIL
EUT : Unmanaged/Managed Ethernet Switches
Trade Mark : IRD.Net
M/N : See model list

The submitted sample of the above equipment has been tested and found to comply with the following European Directive:

RoHS Directive 2011/65/EU & (EU) 2015/863 & (EU) 2017/2102

The standard(s) used for showing compliance with the essential requirements:

Applicable Standard(s)	Test Report(s) Number
IEC 62321-1:2013, IEC 62321-2:2013 IEC 62321-3-1:2013, IEC 62321-3-2:2020 IEC 62321-4:2013, IEC 62321-5:2013 IEC 62321-6:2015, IEC 62321-7-1: 2015 IEC 62321-7-2:2017, IEC 62321-8:2017	JAT25051502804RR-1

This certificate is part of the full test report(s) and should be read in conjunction with it. This certificate is based on an evaluation of one sample of above mentioned product. It does not imply assessment of the production of the product. Without the written approval of Dongguan Jun'an Testing & Certification Co., Ltd., this certificate is not permitted to be reproduced, except in full. It is not permitted to use the test lab's logo.

RoHS



(Manager)

May 13, 2025

Room 303, Building 1, No.316, Renzhou Road,
Shatian Town, Dongguan City, Guangdong Province
www.junantest.com



Model list:

IRD-SW-H24G4U4S-PM2-A, IRD-SW-H24G4U4S-PM2-B,
IRD-SW-H24G4U4S-PM2-C, IRD-SW-H16G2S-PM2-A, IRD-SW-H16G2S-PM2-B,
IRD-SW-H16G2S-PM2-C, IRD-SW-H8G2S-PM2-A, IRD-SW-H8G2S-PM2-B,
IRD-SW-H24G2U2S-PW-A, IRD-SW-H24G2U2S-PW-B, IRD-SW-H24G2U2S-PW-C,
IRD-SW-H24G2U1S-PW-A, IRD-SW-H24G2U1S-PW-B, IRD-SW-H24G2U1S-PW-C,
IRD-SW-H16G2U2S-PW-A, IRD-SW-H16G2U2S-PW-B, IRD-SW-H16G2U2S-PW-C,
IRD-SW-H8G-PW-A, IRD-SW-H8G-PW-B, IRD-SW-H8G-PW-C,
IRD-SW-H4G2U-PW-A, IRD-SW-H4G2U-PW-B, IRD-SW-H4G2U-PW-C,
IRD-SW-H4G1U1S-PW-A, IRD-SW-H4G1U1S-PW-B, IRD-SW-H4G1U1S-PW-C,
IRD-SW-H5G-W, IRD-SW-H5G1S-W, IRD-SW-H8G-W, IRD-SW-H16G-W,
IRD-SW-H24G-W, IRD-SW-H525G210S-W, IRD-SW-H825G210S-W,
IRD-SW-H425G210S, IRD-SW-H425G210U, IRD-SW-H525G210S,
IRD-SW-H825G110S, IRD-SW-H825G210S, IRD-SW-H610G210S,
IRD-SW-H425G2S10-P-A, IRD-SW-H425G2S10-P-B, IRD-SW-H825G210S-P-A,
IRD-SW-H825G210S-P-B, IRD-SW-2008GP, IRD-SW-H4FE2UFE-PSB,
IRD-SW-H8FE2UFE-PSBB, IRD-SW-H8FE2UFE-PSBC, IRD-SW-H16FE2U-PSBA,
IRD-SW-H16FE2UFE-PSBB, IRD-SW-H24FE2U-PSMA, IRD-SW-H24FE2U-PSMB,
IRD-SW-H4FE2UFE-PMCU, IRD-SW-H8FE2UFE-PMCU,
IRD-SW-H6FE2UFE-PMCU-A, IRD-SW-H6FE2UFE-PMCU-B,
IRD-SW-H9FE2UFE-PMCU-A, IRD-SW-H9FE2UFE-PMCU-B,
IRD-SW-H8FE2U-PMCU-A, IRD-SW-H8FE2U-PMCU-B,
IRD-SW-H16FE2U-PMCU-A, IRD-SW-H16FE2U-PMCU-B,
IRD-SW-H24FE2U-PMCU-A, IRD-SW-H24FE2U-PMCU-B, IRD-SW-H4G1U-P-A,
IRD-SW-H4G1U-P-B, IRD-SW-H4G1U-P-C, IRD-SW-H4G1U1S-A,
IRD-SW-H4G1U1S-B, IRD-SW-H4G1U1S-C, IRD-SW-H8G2U-P,
IRD-SW-H8G2U1S-A, IRD-SW-H8G2U1S-B, IRD-SW-H8G2U1S-C,
IRD-SW-H8G2U2S-A, IRD-SW-H8G2U2S-B, IRD-SW-H8G2U2S-C,
IRD-SW-H16G2U-P-A, IRD-SW-H16G2U-P-B, IRD-SW-H16G2U-P-C,
IRD-SW-H24G2U2S-P, IRD-SW-H48G2S, IRD-SW-H4FE2U-P-A,
IRD-SW-H4FE2U-P-B, IRD-SW-H4FE2U-P-C, IRD-SW-H8FE2UFE-P-A,
IRD-SW-H8FE2UFE-P-B, IRD-SW-H8FE2UFE-P-C, IRD-SW-H8FE2U-P-A,
IRD-SW-H8FE2U-P-B, IRD-SW-H8FE2U-P-C, IRD-SW-H8FE2U2S-P-A,
IRD-SW-H8FE2U2S-P-B, IRD-SW-H8FE2U2S-P-C, IRD-SW-H16FE2U-P-A,
IRD-SW-H16FE2U-P-B, IRD-SW-H16FE2U-P-C, IRD-SW-H16FE2U1S-P-A,
IRD-SW-H16FE2U1S-P-B, IRD-SW-H16FE2U1S-P-C, IRD-SW-H24FE2U-P-A,
IRD-SW-H24FE2U-P-B, IRD-SW-H24FE2U-P-C, IRD-SW-H24FE2U2S-P-A,
IRD-SW-H24FE2U2S-P-B, IRD-SW-H24FE2U2S-P-C, IRD-SW-H4FE2UFE-WTPR,
IRD-SW-H8FE2UFE-WTPR, IRD-SW-H8FE2U-WTPR, IRD-SW-H4G1U-WTPR,
IRD-SW-H8G2U-WTPR, IRD-SW-1X, IRD-SW-2X, IRD-SW-3X