



**Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
Business: overseasbusiness@hikvision.com  
Technical Support: support@hikvision.com

**HIKVISION AUSTRALIA**  
T +61-2-8599-4233  
salesau@hikvision.com

**HIKVISION AZERBAIJAN**  
T +994 50 369 81 57  
Azerbaijan.CATC@hikvision.com

**HIKVISION BRAZIL**  
T +55-11-3318-0050  
Latam.support@hikvision.com

**HIKVISION CANADA**  
T +1-866-200-6690  
sales.canada@hikvision.com

**HIKVISION COLOMBIA**  
sales.colombia@hikvision.com

**HIKVISION CZECH**  
T +420 29 6182640  
info.cz@hikvision.com

**HIKVISION EGYPT**  
T +20223066117  
sales.eg@hikvision.com

**HIKVISION EUROPE**  
T +31 23 5542770  
sales.eu@hikvision.com

**HIKVISION FRANCE**  
T +33(0)1 85 330 450  
info.fr@hikvision.com

**HIKVISION GERMANY**  
sales.dach@hikvision.com

**HIKVISION HONG KONG , CHINA**  
sales.hk@hikvision.com

**HIKVISION HUNGARY KFT**  
info.hu@hikvision.com

**HIKVISION INDIA**  
T +91-22-6855 9944  
sales@pramahikvision.com

**HIKVISION INDONESIA**  
T +6221 2933 9366  
Sales.Indonesia@hikvision.com

**HIKVISION ISRAEL**  
T +972 79 5555590  
sales.israel@hikvision.com

**HIKVISION ITALY**  
T +39 0438 6902  
info.it@hikvision.com

**HIKVISION KAZAKHSTAN**  
T +7 (727) 291-75-88  
support@hikvision.kz

**HIKVISION KENYA**  
wangchengbin@hikvision.com

**HIKVISION KOREA**  
T +82-1661-8138  
sales.korea@hikvision.com

**HIKVISION MALAYSIA**  
T +60327224000  
sales.my@hikvision.com

**HIKVISION MEXICO**  
T +52 55 2624 0110  
sales.mexico@hikvision.com

**HIKVISION NEW ZEALAND**  
T 09 217 3127  
salesnz@hikvision.com

**HIKVISION NEW PANAMA**  
Sales.centralamerica  
@hikvision.com

**HIKVISION PAKISTAN**  
T +92-2135147526  
support.pk@hikvision.com

**HIKVISION PHILIPPINES**  
support.ph@hikvision.com

**HIKVISION POLAND**  
T +48 22 460 01 50  
info.pl@hikvision.com

**HIKVISION RUSSIA**  
T +7-495-669-67-99  
saleru@hikvision.com

**HIKVISION ROMANIA**  
marketing.ro@hikvision.com

**HIKVISION SINGAPORE**  
T +65 6684 4718  
sg@hikvision.com

**HIKVISION SOUTH AFRICA**  
T +27 877018113  
sale.africa@hikvision.com

**HIKVISION SPAIN**  
T +34 91 737 16 55  
info.es@hikvision.com

**HIKVISION TASHKENT**  
T +99-87-1238-9438  
uzb@hikvision.ru

**HIKVISION THAILAND**  
sales.thailand@hikvision.com

**HIKVISION TURKEY**  
T +90 216 521 70 70  
support.tr@hikvision.com

**HIKVISION UAE**  
T +971-4-4432090  
salesme@hikvision.com

**HIKVISION UK & IRELAND**  
T +44(0)1628 902 140  
info.uk@hikvision.com

**HIKVISION UZBEKISTAN**  
T +998-71-233-55-50  
uzbekistan@hikvision.com

**HIKVISION USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**HIKVISION VIETNAM**  
T +84 24 7300 7586  
sale.vn@hikvision.com

Follow us on social media to get the latest product and solution information



# COMMERCIAL DISPLAY SOLUTIONS FOR ENTERPRISES







# COMMERCIAL DISPLAY SOLUTIONS FOR ENTERPRISES

Today, high-quality displays are an integral part of the modern working environment. Enterprises, customers, employees all require versatile displays to bridge each other with expanded collaboration and efficient communication, from enterprise image demonstrations to critical information sharing, and from fluid coloration to convenient management.

Hikvision's Commercial Displays provide tailored solutions that contribute to success for enterprises around the world. Lineups consist of various professional displays demonstrating brilliance, strength, and economy of design.

Read on to learn more.



## 01

### AN EXCELLENT IMPRESSION STARTS AT THE **FRONT DESK**

The front desk is where customers get their first impressions. A grand demonstration with clear, bright, and realistic backgrounds can help communicate the company's vision and philosophy more effectively.

#### LED Video Wall

With completely seamless splicing and true-to-life visuals, Hikvision's LEDs are powerfully designed for large front desk displays in spacious halls, providing a captivating and stunning visual experience for various display size.



# 02 KEEP WELL-INFORMED IN EVERY INTERSECTION & WAYFINDING AREA

For some key entrances and intersections in the company buildings, an efficient information sharing system can conveniently boost internal communications and promotions, such as important notices, policies, and announcements.

Hikvision's LED poster displays and digital signage establish an effective internal messaging system with HikCentral FocSign, keeping pleasantly staff well-informed.



### LED Poster Display

- Built-in LED controller
- Information sharing system
- Flexible mounting
- Support up to 10 self-splicing units with only HDMI cables for an expansive view



### Digital Signage

- Floor-standing and wall-mounted models available
- Convenient central program design and sharing



### Central Management

With HikCentral FocSign, operators can easily access remote terminals from the control center to design and release programs to them, as well as remotely control devices.

# 03 MAKE COLLABORATION EVER EASIER IN MEETING ROOMS

Meeting rooms create a collaborative environment where great ideas are discovered, nurtured, and discussed. Where creative imaginations get a space to come to life. Where exciting possibilities get sketched out on scratchpads. And today's technology has the media to help make it happen. To boost communication efficiency, Hikvision developed various commercial display packages for conference room scenarios, such as ample screen size and multi-screen wireless projection for efficient content sharing and discussion, smart interaction for more impressive presentations, and more.



### Small Size Meeting Rooms Interactive Flat Panel

Integrated design & flexible interaction

Conventional meeting rooms often require a projector and all the right cables, a whiteboard and writing utensils, and other items – and everything must be available and working properly when you need them.

But now, Hikvision Interactive Flat Panels provide the all-in-one solution to replace all of that. These panels support wireless projection, smart whiteboard, free annotation, remote meeting, scanning code sharing, and more, meeting every demand of a small size conference room.



### Advanced Industrial Design

- 4K anti-glare, 0-gap bonding screen
- Anodizing, 150-mesh sandblasted metal frame
- Slim body with thinnest part only 22.8 mm
- Linear pen slot with magnetic holding points



### Easy Projection

- Supports cable, Wi-Fi, and Airplay projection
- Supports simultaneous projection from 4 signal sources
- Supports HDMI loop out to establish simultaneous, multiple-IFP projection



### Smart Whiteboard

- 45-point IR touch for multiple people drawing simultaneously
- Mohs level 7 hardness glass, resistant to fingerprints and scratches
- Supports inserting images, tables, flow charts, etc.



### Remote Conferencing

With built-in 8 MP camera and 6-microphone array, users can hold remote conferences with ease



**Small Size Meeting Rooms**  
**LED All-in-one Display**

Quick deployment with easy use

Hikvision's all-in-one LED displays offer ample screen sizes for small size conference-use, up to 162". Featuring built-in LED controller, information sharing system and wireless projection, users will enjoy pleasant viewing and convenient deployment at once, sharing multiple forms of content from a PC or mobile phone to the screen with ease for unlimited inspiration.



**Quick Deployment**

With up to 162" screens, users will very quickly establish a versatile large size video wall with multiple functions.



**Wireless Projection**

PCs & mobile phones can project to the display conveniently via Wi-Fi.

**Medium Size Meeting Rooms**  
**LED Video Wall**

Sufficient view with excellent display effect

In medium-sized meeting rooms, immersive and sufficient viewing experiences are important. Hikvision's LEDs harness the power of various unique and superb technologies to help users to build up a hassle-free, large video wall, with the most vivid and realistic display performance, making presentations and sharing more fluid and immersive.



**True-to-life Display**

- Unique PixMaster image enhancement technology.
- Up to 22-bit top gray level.
- Different display modes and color modes optional
- Minimum P0.9 pixel pitch available



**Friendly Experience**


- Users can use remote adjust the screen's parameters conveniently.
- Hikvision LED can adjust brightness automatically according to ambient brightness.



**Large Size Meeting Rooms**  
**Dual-screen Interactive Solution**

Spacious view with simultaneous interaction

In large conference rooms, convenient content annotation and interaction are always pain points for creators. Fortunately, Hikvision's fine pitch LEDs can create a spectacular picture with seamless splicing, tailor-made for spacious indoor displays. More importantly, the smart interaction also helps synchronize annotations for more effective presentations. Plus, our Blue Light Filtering also reduces eye strain during prolonged use.



04

DEMONSTRATE YOUR STRENGTH SPLENDIDLY IN EXHIBITION HALLS

The exhibition hall is the ideal method to let customers and partners learn about a company's background and technical strengths. Hikvision's creative LEDs can help companies create a captivating exhibition hall to demonstrate their products and technologies vividly.



**Entrances**  
**Arched LEDs**

Hikvision can contribute to the construction of an LED arch to cover the left, right, and top of an entrance or corridor, which will give visitors a sense of modernity and technology upon entering the space.



**Central Exhibition Rooms**  
**Curved and isolated LEDs**

In a central exhibition room, an enormous screen is recommended to display the enterprise's ideas and concepts. Curved shapes are more suitable for large-scale views.



**Central Exhibition Rooms**  
**Naked-Eye 3D LED**

The naked-eye 3D solution can achieve stereoscopic visual effects without the need for external tools such as polarized glasses. Using such technology, video walls can better attract customers' attention and hit commercial targets.





**Pillars**  
Columns, Cylinders, and Tree LEDs

Pillars create memorable structures in exhibition halls. With tailor-made LED screens, they can also be excellent places to convey a company's ideas and vision.



Column LED

- 45-degrees cut-edge LED**  
With specially tailored 45-degree cut-edge LED splicing, it can realize a perfect square column LED screen without vertical seams.



Cylinder and tree LED

- LED soft module**  
LED soft modules are highly flexible. It can be bent and spliced freely, and can realize various creative screens, such as cylinder LED, tree LED, etc.

**Floors**  
In-ground LEDs

Floor LEDs feature ultra-high structural strength and lamp firmness, and can be deployed on or in the ground for people to walk over. As people walk on the surface, the screen can provide feedback such as haloes and ripples, providing a highly immersive and interactive experience.



High protection levels

- Fully sealed light panel design prevents water infiltration
- High-quality outdoor LED lamps are used
- Die-cast back and waterproof design for wiring
- Low moisture absorption material prevents moisture absorption




Anti-skid and wear-resistant

- A matte surface increases friction and improves safety
- Features V0-grade flame retardant materials, along with UV and high-temperature resistance
- Made of first-class PC materials with high wear resistance and flexibility



High load capacities

- Unique, multi-point support and protection
- Load capacity up to 3,000 kg/m²




**Non-interactive Floor LED**  
The solution is just like a normal LED, composed of LED cabinets, LED controllers, video wall controller, and video source.


**Interactive Floor LEDs**  
Three updates based on the non-interactive floor LED solution:  
1. Must use interactive floor LED cabinets  
2. Requires special interactive LED controllers  
3. The video processing system gives out a video source, as well as an interaction feedback signal when people step on the screen

**Glass Wall**  
Transparent LED


Glass walls can be built to delineate large areas, and transparent LED screens can be installed inside the walls. They can display video content while at the same time allowing the audience's sight to penetrate the screen, achieving a remarkable effect.



- Translucent display**
- LED lamps are installed on the light bars with ample space between, giving the screen a translucent appearance.



- Easy installation**
- The transparent LEDs can either be embedded into the window frame with better display quality, or fixed to the ceiling and floors with higher environmental adaptability.




- Convenient maintenance**
- Independent light bar and driver modules: The light bar and driver modules can be replaced to quickly solve problems.
  - Quick connection: Quick connections for power and signal cables.



**Immersive Experience Room**

Immersive experience rooms can create a walk-in 3D visual space by using LED screens mounted on all sides with vision-corrected video sources.

- Especially helpful for design institutes to display their representative studies & samples





### Creatively Mount LEDs

Hikvision LED products are actually very flexible. In addition to traditional wall mounted LEDs, they can also be mounted on ceilings, floors or corners for refreshing visual effects.



#### Top Mounting

LEDs mount on the ceiling




#### Floor Mounting

LEDs can go on the floor with protective glass or use specialized floor LEDs



#### Corner Mounting

Easily achieved directly with baseline LED cabinets




### Creative Splicing LEDs

LED screens are not restricted to rectangular shapes. The CGFx Series LEDs from Hikvision are compatible with dislocation splicing to create a unique screen shape.



• Supports dislocation splicing with a unit of 250 mm to make creative shaped screens.




• The LED cabinet supports rotating 90° installation, and the LED module supports rotating 90° as well to ensure that the light emitting angle of the LED lamp remains consistent.

• Offer 5 product sizes, and the narrowest is 250mm wide and suitable for shop fronts. Those of the same pixel pitch but in different sizes support mixed splicing.

### Irregularly Shaped LED

By splicing an ordinary screen with baseline LED cabinets, and then covering a part of the area with decorative materials, users can realize various irregularly shaped screens.



#### LED Video Wall

Each cell represents an LED cabinet

#### Orange Zone

The area covered by decorative materials

#### Blue Zone

The actual displayed part



## COMMERCIAL DISPLAY SOLUTION KEY PRODUCTS

### Indoor Fixed LED

Model	DS-D4209CI-ZWDH(B)	DS-D4212FI-CWF	DS-D4226FI-CGFC
Image			
LED Lamp	P0.9 Flip-chip COB	P1.2 SMD LED	P2.6 SMD LED
Brightness	1,000 nits	800 nits	800 nits
Cabinet Size	600 x 3375 mm	600 x 3375 mm	1,000 x 250 mm

### Special LED

Model	DS-D4414FI-CTF	DS-D4412FI-CBF	DS-D4425FI-CGFP
Image			
LED Lamp	P1.499 SMD LED	P1.25 SMD LED	P2.5 SMD LED
Brightness	500 nits	500 nits	600 nits
Cabinet Size	Outer right angle LED	Soft LED	Floor LED

### Ultra-high Resolution Server

Model	DS-MPCS-UH01	DS-MPCS-UH02	DS-MPCS-UH04
Image			
Load Capacity	1 x 4K	2 x 4K	4 x 4K
Hardware Configuration	2U / i5-9400 / GTX1650ti / 8 GB RAM / 240 GB SSD	3U / i5-9400 / M2000 / 8 GB RAM / 240GB SSD	4U / i7-10700 / P2200 / 16 GB RAM / 512 GB SSD

### Interactive Flat Panel

Model	DS-D5B75RB/C	DS-D5B86RB/D
Image		
Memory & Storage	4 GB + 64 GB	4 GB + 64 GB
Android Version	11.0	11.0
Built-in Microphone & Speaker	No	Yes

### LED Poster Display

Model	DS-D4212MI-070H(B)
Image	
Size	70"
Brightness	600 nits
Resolution	480 x 1,350

### LED All-in-one Display

Model	DS-D4215FI-135(B)
Image	
Pixel Pitch	1.5 mm
Size	135"
Resolution	1920 x 1,080

### Digital Signage

Model	DS-D6043UN-B	DS-D6055UL-B/S	DS-D60C-B
Image			
Size	43"	55"	-
Brightness	500 nits	500 nits	-
Type	Wall-mounted	Floor-standing	Digital Signage Box