


ACCENT LIGHTING  
**TOUCHSTONE®**



**Personalize Your Property**  
TouchStoneLights.com



TouchStone manufactures premium landscape lighting fixtures that are built to last. We have developed a comprehensive line of outdoor fixtures designed to enhance the unique features of your home, including architectural elements, gardens, trees, fences, dock, decks and outdoor living spaces. With over 35 years of experience in designing and installing custom lighting for residential and commercial projects of all scales and budgets, we specialize in solutions that beautifully illuminate the outdoors.

Our approach utilizes indirect dark skylighting techniques, professional-grade U.S. fixtures, and mounting systems to ensure you enjoy your outdoor space at night. From deck lighting to path lighting, flood lights and hardscape lighting, our energy efficient are designed for longevity. Let us help you expand your living space from dusk to dawn.

Our team of expert illuminologists is ready to elevate your yard to the next level. We offer exclusive visual lighting plans and full-service installation, backed by a proven track record of success and longevity in the outdoor lighting industry. Contact an illuminologist today for a free consultation and discover the best lighting ideas to brighten your outdoor spaces. Consultations are available in person or via email.



**TouchStone fixtures are designed, finished and Made in Minnesota, USA.**



# More Outdoor Enjoyment.

● <b>Garden &amp; Walkway</b> series Coppertino, Commino, Centini, Centino, Del Otero, Loo, Maxwell 9, Zumbra	<b>3</b>
● <b>Flood</b> series BrassFloods, MiniFlood, SMALLFlood, ColorFlood, PARFlood, WideFlood, WellFlood	<b>16</b>
● <b>Hardscape</b> series Hardscape   WellFlood series, Bullet series, Ledge series	<b>24</b>
● <b>Outdoor Living</b> series Dakota, Post & Pipe, LEDGE BAR, Hanging Copper, Fence & Sconce, Donovan, Light My Grill, BistroLight, TapeLight, Moon series	<b>28</b>
● <b>Water</b> series BrassSubmersible, WATERRACK, SNAIL	<b>37</b>
● <b>Commercial</b> series CommercialBollard, Maxwell 11, UNIFlood, MAXFlood, Tubelle, Commander, ChainLink	<b>40</b>
● <b>Replacement Parts</b>	<b>46</b>
● <b>Transformers</b>	<b>47</b>
● <b>Timers, Cables, Connectors &amp; Accessories</b>	<b>48</b>
● <b>LED</b> S MR8, MR11, MR16, PAR36, Miniature, Colored LEDs	<b>49</b>





Sidewalk Lighting with Coppertinos



Flower Garden Lighting with Maxwells



Boulder Lighting with Comminos



Walkway and Step Lighting with Coppertinos



Sidewalk Lighting with Loos



Stairway Lighting with Comminos

Having a well-lit sidewalk is important for the safety and security of your home. TouchStone offers quality American-made fixtures with styles that will beautifully complement your landscape and home providing indirect light at night.


**Garden Lighting | Walkway Lighting | Accenting Boulders & Landscapes**

## Features

- 12 volt AC/DC
- Changeable 2w, 2700K, G4, 9v-17v, Ceramic **LED**
- Housing options: copper, stainless-steel/powder coat or RustSteel
- Stainless-steel fasteners
- 8" SuperStake
- 24" 18/2 fixture leads
- Solid aluminum riser boot with dual set screws
- Casts up to 15 ft. dia. of light
- Horizontal mounted LED, no light pollution
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- Lifetime housing warranty
- Made in U.S.A.



Includes 2 watt Ceramic **LED**  
2700K warm white, 180 lumen



**Walkways & Landscapes**



- Dimensions 4" dia. hood, x 3/8" x 24" tall riser stem



**Pool Areas & Boulders**



**Steps & Stairways**



**Flower Gardens**



**Copper**



**SandStone**



**Rust-Steel**



**BlackTex**

Sleek and simple styling casts up to 15 ft. dia. of light. One-piece construction requires no assembly. Features our "Off-set/Open face" design for greater downward illumination and no light pollution. Removable riser boot allows for optional riser heights. Available in raw copper, stainless-steel, stainless with powder coat with aluminum riser boot (limited-lifetime warranty), steel with Rust/Steel finish (10 year limited warranty) or the extra heavy-duty G584**HD** Copper featuring a 5/8" dia. x 28" tall riser stem that casts up 22 ft. dia. of light. For larger flower gardens, the G384/ADJ series adjusts from 24" to 48" tall.

# Coppertino **G384** series

Made in USA 

Garden Lighting | Walkway Lighting | Accenting Boulders & Landscapes



**G384C**  
Copper/C  
3/8" X 24" riser



**G384C/ADJ**  
Adjusts 24" -48"



**Copper**

**RedRock/RR**

**ArchBronze/ARBZ**

**RustSteel/RS**

**Stainless-Steel/SS**

**G584C-HD**  
5/8" x 28" riser



LadyBUG 

Lemon

Blueberry

Grape

Apple

Watermelon

Lime

Orange



Includes 2 watt Ceramic **LED**  
2700K warm white, 180 lumen



888.475.2112

**TouchStone**Lights.com

**Garden Lighting | Walkway Lighting | Accenting Boulders & Landscapes**

Durable and inconspicuous, the Commino is an excellent choice for illuminating larger landscape areas, boulders and taller plants. Features our exclusive "Off-set/Open face" design for greater downward illumination and no light pollution. Features interchangeable LEDs for maximum nighttime effects and design flexibility. Great for commercial applications too!

## Features

- 12 volt AC/DC
- Changeable ip65, 3w, 2700K, G4 Ceramic **LED**
- Housing options: copper, stainless-steel/ powder coat or RS/RustSteel
- Stainless-steel fasteners
- 8" SuperStake, Optional 18" SuperStake
- 24", 18/2 SPT-1W fixture leads
- Solid aluminum riser boot
- Casts up to 22ft. dia of light
- Horizontal mounted LED, no light pollution
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- Lifetime housing warranty, 10 year RS series
- Made in U.S.A.

- Dimensions 6" dia. hood, 5/8" x 28" tall



Standard 3 watt, 280lm Ceramic **LED**,  
4 watt, 320lm optional



**Casts up to 22ft. dia. of light. Recommended spacing: 20'-30'**



**Steps & Stairways**



**Gardens**




**Boulder Outcroppings**



**Walkways**

Garden Lighting | Walkway Lighting | Accenting Boulders & Landscapes




**G586C Copper/C**



Includes 3 watt Ceramic **LED**  
2700K warm white, 280 lm  
4 watt, 320lm Ceramic **LED**  
upgrade



**Natural Metal and Powder Coat Color Options**



**Fixture Ground Stakes**

**Standard  
PS8-F SuperStake**



For maximum fixture support, the SuperDuty SS2A 12" and 16" Aluminum SuperStakes.

**Optional  
Metal SuperStakes**

PART **SS2A12**  
PART **SS2A16**

**Walkways | Landscapes & Gardens | Driveways**

The Centini 484 series is a great choice for lighting low or no vegetation areas, smaller patios, walkways and driveways. The compact size is great for smaller areas that need accent lighting. Features 2 watt interchangeable ceramic LED for maximum nighttime effects and design flexibility.

**Features**

- 12 volt AC/DC
  - Interchangeable G4, 2w ceramic LED
  - 304 stainless steel hood with powder coat finish
  - Stainless-steel finial & fasteners
  - 6063 Aluminum Riser Boot and Yoke
  - 8" SuperStake
  - 24", 18/2 SPT fixture leads
  - Casts up to 12ft. dia of light
  - Tool-less hood removal
  - GX5.3 bi-pin porcelain lamp socket
  - Accepts 1/2" NPT hardware
  - Lifetime housing warranty
  - Made in USA
- Dimensions 4" dia. hood, 1/2" dia. x 13" tall riser stem



**GC484**  
**BKTX/BlackTex**



**Tool-less  
Top Removal**



**G4LED**  
1 or 2 watt Ceramic LED  
2700K warm white,  
110 or 180 lumen



**ARBZ/ArchBronze**



**BKTX/BlackTex**



**BS/BlueStone**



**BZT/BronzeTex**



**GG/GravelGray**



**RR/RedRock**



**SS/SandStone**



**C/Raw Copper**



Landscape Lighting | Walkway Lighting | Pool Areas

The Centino **HD** series is the perfect fixture for pool areas, any high traffic landscape areas and commercial applications. Features interchangeable 2w or 3w Ceramic **LED** for maximum nighttime effects.

**Powder Coat Color Options**



BlackTex/BKTX



SandStone/SS



RedRock/RR



BlueStone/BS



GravelGray/GG



ArchBronze/ARBZ



BronzeTex/BZT



GC106/ARBZ



Includes 3 watt Ceramic **LED**  
2700K warm white, 280 lm



GC106/BKTX  
TwoTone

**Features**

- 12 volt AC/DC
- Changeable G4 bi-pin 2 or 3 watt Ceramic **LED**
- Stainless steel hood & riser with aluminum finial & yoke
- Variety of EarthTone powder coat finishes
- Stainless-steel set screws
- 8" SuperStake
- 36", 18/2 SPT fixture leads
- Adjustable riser boot
- Casts up to 12ft. dia of light
- Sealed lens housing
- Tool-less hood removal
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- Lifetime housing warranty
- Made in USA

- Dimensions 6" dia. hood,  
1" x 20" tall riser stem



**Fixture Ground Stakes**

**Standard PS8-F SuperStake**



**Optional Metal SuperStakes**

- PART **SS2A12**
- PART **SS2A16**



For maximum fixture support, the SuperDuty SS2A 12" and 16" Aluminum SuperStakes.



### Walkways | Landscapes & Gardens | Driveways

TouchStone Centino series fixtures are constructed of machine spun aluminum yokes and risers with a heavy-duty stainless steel hood. Available in your choice of a variety earth tone powder coat finishes. The Centino series blends great with any landscape setting. Perfect for illuminating walkways, steps and landscapes. Interchangeable 2 or 3 watt Ceramic **LED** for maximum nighttime effects and design flexibility.

#### Features

- 12 volt AC/DC
- Interchangeable G4 bi-pin 2w Ceramic **LED** included
- Stainless steel hood, aluminum riser, finial & yoke
- Variety of powder coat finishes or raw copper
- Stainless-steel set screws
- 8" SuperStake
- 36", 18/2 SPT fixture leads
- Adjustable riser boot
- Casts up to 12ft. dia of light
- Sealed lens housing
- Tool-less hood removal
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- Lifetime housing warranty
- 3 year warranty LED

#### Dimensions

GC586-6" dia. hood, 5/8" x 20" tall riser stem  
GC585F-5" dia. hood, 5/8" x 20" tall riser stem



**Tool-less  
Top Removal**



**ARBZ/ArchBronze**



**BKTX/BlackTex**



**BS/BlueStone**



**BZT/BronzeTex**



**GG/GravelGray**



**RR/RedRock**



**SS/SandStone**



**C/Raw Copper**

**GC586**  
BKTX/BlackTex



**GC585F**  
BKTX/BlackTex



## Classic Garden Lighting & Walkway Lighting

Classic styling casts up to a 12-ft. diameter of light. One-piece construction requires no assembly. Features our "Off-set/Open face" design for greater downward illumination, easier lamp replacement and no light pollution.



**G390/C**  
Copper

**Natural Copper**

### Features

- 12 volt AC/DC
- Changeable G4 bi-pin 2w Ceramic **LED**
- Raw copper
- 8" SuperStake
- 24", 18/2 SPT fixture leads
- Casts up to 12 ft. dia of light
- Recessed mounted LED, no light pollution
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- 10 year housing warranty
- Dimensions 6" dia.hood, x 1/2" x 22" tall riser stem



**Naturally Patinas**

**Standard PS8-F SuperStake**



### G4**LED**

premium 2 watt Ceramic **LED**  
ip65, 2700K warm white, 180 lumen



# Loo GL246 series

Made in USA

Contemporary

Walkways | Landscapes & Gardens | Driveways



The Loo series features a sealed lens compartment with interchangeable LED. Constructed from 6063 aluminum and stainless steel fasteners make the Loo fixtures extremely durable. For high traffic areas you might want to consider using our 12" SuperStakes for superior fixture mounting and stability.

## GL246

### Features

- 12 volt AC/DC
- Interchangeable G4, 3w Ceramic LED, 2700K
- Clear poly lens
- Stainless-steel fasteners
- 6063 Aluminum housing
- Aluminum end cap, coupler block & riser
- 36", 18/2 SPT fixture leads
- 8" SuperStake
- 5 year warranty LED
- Lifetime housing warranty



3w Ceramic LED  
280 lumens/2700K



ARBZ/ArchBronze



BKTX/BlackTex



BS/BlueStone



BZT/BronzeTex



GG/GravelGray



RR/RedRock



SS/SandStone



GL246  
ARBZ/ArchBronze

GL246  
BKTX/BlackTex

Standard  
PS8-F SuperStake



For maximum fixture support, the SuperDuty SS2A 12" and 16" Aluminum SuperStakes.

### Metal SuperStakes

- PART SS2A12
- PART SS2A16



# Maxwell 9 GC910 series

Gardens | Walkways | Accenting Landscapes

The heavy-duty Maxwell GC910 series is a great choice for lighting in tall vegetated garden areas and large landscaped areas. Features changeable 3 watt or 4 watt ceramic LED for maximum nighttime effects and design flexibility.


### Features

- 12 volt AC/DC
- Interchangeable G4 bi-pin 3w ceramic LED
- Raw copper top, or RustSteel
- Stainless-steel set screws
- 12" SuperStake
- 1" O.D. x 28" aluminum riser
- 24", 18/2 SPT fixture leads
- Aluminum riser boot for custom fixture height options
- Casts up to 20ft. dia of light
- Tool-less hood removal
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- Lifetime housing warranty-copper, 10 year on RS series
- Dimensions 9" dia. hood, 1" x 28" tall riser stem
- Made in USA and global sourced.



**G4LED Standard**  
3 watt ceramic LED-std  
2700K warm white, 280 lumen

**Optional**  
4 watt LED ceramic LED-optional  
2700K warm white, 320 lumen



**Gardens | Walkways | Accenting Landscapes**

The heavy-duty Maxwell GC910 series is a great choice for lighting in tall vegetated garden areas and large landscaped areas. Features changeable 3 watt or 4 watt ceramic LED for maximum nighttime effects and design flexibility.

**Features**

- 12 volt AC/DC
- Interchangeable G4 bi-pin 3 or 4 watt LED ceramic **LED**
- Raw copper with raw brass finial & yoke
- 7 powder coat finishes
- Stainless-steel fasteners
- 8" SuperStake
- 24", 18/2 SPT fixture leads
- Adjustable riser boot
- Casts up to 18ft. dia of light
- Sealed lens housing
- Tool-less hood removal
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- Lifetime housing warranty

**Dimensions:**

model **GC710**-7" dia. hood, 1" x 20" riser stem  
 model **GC9510**-9-1/2" di. hood, 1" x 32" riser stem



**Standard**  
**3 watt ceramic LED**-std  
 2700K warm white, 280 lumen

**G4LED**  
 -Optional **4 watt LED**  
 2700K warm white,  
 320 lumen



**Standard**  
**PS8-F SuperStake**



**Optional**  
**SS12A SuperStake**



Walkways | Driveways | Yard Art | Residential and Commercial

The **ShadowBollard** series fixtures are designed to accent your landscape with stunning shadow designs while adding a focal point of interest in your landscape during the day and night! Constructed from steel, the **ShadowBollards** feature our mission lantern design. Each fixture is laser cut with precision to create these extremely durable fixtures.



## ShadowBollards

### Features

- 12v 2w Ceramic G4in models 2x2, 4x4
- 5w, 100° MR16 LED in model 6x6
- 2700K, warm white
- Mounting tube stake on 2" and 4" models
- RustSteel/RS or Black/BK or Bronze/BZ powder coat finish
- Includes mounting hardware
- Lifetime warranty housing
- 3 years LED

### Dimensions

- 2x2- 2"w x 2"d x 24"t
- 4x4- 4"w x 4"d x 25"t
- 6x6- 6"w x 6"d x 42"t

### Color Options

Available in RustSteel, BlackTex or ArchBronze



**MR16LED**  
MR16, 7 watt, 100°, warm white/2700K, 720 lumen

ACCENT LIGHTING  
**TOUCHSTONE**<sup>®</sup>



# FLOOD series



**Downlight driveways, A212- 3w 100°**



**Wall Wash, A233- 5w 100° , Uplighting A224- 7w 60°**



**Hardscape Uplighting HS240/F- 3w 100°**



**Color Change PAR36 LED in A236 & A216**



**Sport Court Lighting A216- 17w 100° 4000k**



**Wall Wash A233- 5w 100°**

TouchStone's Flood series fixtures are constructed of solid cast brass with patina or aluminum with a variety of powder coat finishes. All of our Flood series fixtures feature interchangeable premium quality LED bulbs for maximum design flexibility and serviceability. We offer fixtures suitable for a wide range of applications, including wall washing, sport court lighting, hardscape lighting and color changing options. Our complete series of flood fixtures, ranging from Mini Floods to PAR Floods is designed to make your project shine brightly at night.

# MiniFlood/MR11 **A195** series

Assembled in USA 

**Accent Lighting | Uplighting | Outdoor Living Areas**

The **MiniFlood** fixture offers powerful lighting in a compact size. Ideal for address marking, signs, pergolas, cactus, columns, flags and small trees. Versatile mounting accessories allow for surface mounting and fixture elevation. Our **MiniFlood** series features interchangeable MR11 LED 2.5w maximum nighttime effects and design flexibility.

## Features

- 12 volt AC/DC
- Interchangeable MR11 LED 2.5w 30°, 60° or 120° options
- Aluminum housing with 8 powder coat finishes
- Stainless-steel & brass fasteners
- 8" SuperStake
- 36", 18/2 SPT fixture leads
- Glass lens
- Adjustable visor
- Silicone gaskets
- GX5.3 bi-pin lamp socket
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- 10 year housing warranty
- Dimensions 1-5/8" dia. x 5" tall



**MR11LED**  
premium grade  
2.5w 2700K  
30°, 60° or 120° options



**A195/BZT**  
BronzeTex

Locking knuckle



Standard  
PS8-F SuperStake



# ColorFlood **A213** series

**Accent Lighting | Uplighting | Architectural Lighting**

The **ColorFlood** fixture offers powerful lighting with easy to use color change and dimming capabilities. Download the apple/android app and your in control! Sync multiple fixtures as a group or individually. flexibility.

## Features

- 12 volt AC/DC
- 0-15w integrated WWRGB tunable LED
- Aluminum housing with BlackTex powder coat finish
- Bluetooth smart control with fixture reset
- 8" SuperStake
- 36", 18/2 SPT fixture leads
- Glass lens
- Adjustable visor
- 0-800lm dimming
- 24/36/60° beam lens options
- Accepts 1/2" NPT hardware
- 5 year warranty LED
- 10 year housing warranty
- Dimensions 2-7/8" dia. x 8" tall



**A213/BKTX**  
BlackTex



# SMALLFlood/MR16 **A212** series

Assembled in USA 



**Walkways | Landscapes & Gardens | Driveways**

The SmallFlood series is great for uplighting trees, home architecture and sculptures. Versatile mounting accessories allow for optional tree mounting, surface mounting and fixture elevation. Our SmallFlood series features interchangeable LEDs for maximum nighttime effects and design flexibility. Choose from 7 different earthtone powder coat color options to blend best with your landscape.

## Features

- 12 volt AC/DC
- Locking knuckle with 15° increments
- Interchangeable MR16-3w, 5w or 7w LEDs
- Cast aluminum, powder coat finish
- Stainless-steel fasteners
- Threaded front end assembly
- 7" SuperStake
- 36", 18/2 SPT fixture leads
- Domed front glass lens
- Adjustable & extendable visor
- O-Ring gasket
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- 5 year housing warranty
- Assembled in USA



**Standard PS7-F SuperStake**



**MR16LED**  
premium grade



- 3w/220lm, 5w/550lm, 7w/750lm
- 30°, 60° or 100° beam angle options

**A212/ARBZ**  
ARBZ/ArchBronze



**Tool-less Top Removal**

## DOWNLight series

model **A212TK/50**



**ArchBronze/ARBZ**  
Tree mount fully assembled with 50' leads, UV tie straps, S/S screws. Includes 3w, 100° WW/2700K LED

**SS/SandStone**



**BKTX/BlackTex**



**RR/RedRock**



**ARBZ/ArchBronze**



**BZT/BronzeTex**



**GG/GravelGray**



**BS/BlueStone**



# MiniBrassFlood/MR8

Architectural | Sculptures & Signage

**A185BR**  
series

The MiniBrassFlood/8 series is available in 2 compact sizes. Both models produce bright, warm effects with our premium grade LEDs. These fixtures are designed for highlighting smaller trees, shrubs and architectural features, pergolas and address markings.

**Features**

- 12 volt AC/DC
- MR8 2.5w, 2700K LED
- 38°, 60° Or 120° beam options
- Solid Brass with dark patina
- Tool-less adjustment knobs
- 8" SuperStake
- 36", 18/2 SPT fixture leads
- Operating voltage 9v-17v
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- Lifetime housing warranty
- Dimensions 2" dia. x 6" tall



**A185BR MiniBrassFlood/8**

Solid brass dark patina  
MR8 2.5watt LED, 160lm



**MR8LED**

premium grade  
2.5watt MR8 LED, 160lm



**Part #PGMK**

Gutter fixture mount bracket  
great for dormer and peak lighting

**Standard  
PS8-F SuperStake**



# MiniBrassFlood/MR11

Uplight Small Trees & Cactus | Wall Washing | Architectural | Sculptures & Signage

**A195BR**  
series

**Features**

- 12 volt AC/DC
- MR11 2.5w, 2700K LED
- 38°, 60° Or 120° beam angle options
- Solid Brass with dark patina
- Tool-less adjustment knobs
- 8" SuperStake
- 36", 18/2 SPT fixture leads
- Operating voltage 9v-17v
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- Lifetime housing warranty
- Dimensions 2-1/4" dia. x 6" tall



**A195BR MiniBrassFlood/11**

Solid brass dark patina  
MR11 2.5watt LED, 180lm



**MR11LED**

premium grade  
MR11 2.5watt LED, 180lm

# BRASSFlood/MR16

**A214**  
series



Accent Lighting | Uplighting | Architectural

The **BrassFlood** series is great for uplighting trees, home architecture, and sculptures. Versatile mounting accessories allow for surface mounting, fixture risers, "L" coupler for walkways and stairways or the "T" coupler for dual fixture mounting on signage and washing larger tree lines. Our **BrassFlood** series features interchangeable MR16 LEDs.

**A214**  
Brass  
Dark Brown Patina



Standard  
PS8-F SuperStake



### Features

- 12 volt AC/DC
  - Interchangeable MR16-3w, 5w or 7w LEDs
  - Solid Brass with dark patina
  - Stainless-steel fasteners
  - Threaded front end assembly
  - 8" SuperStake
  - 36", 18/2 SPT fixture leads
  - Domed Glass lens
  - Adjustable visor
  - Silicone gaskets, seals & bug plug
  - GX5.3 bi-pin porcelain lamp socket
  - Accepts 1/2" NPT hardware
  - 3 year warranty LED
  - Lifetime housing warranty
- Dimensions 2-1/2" dia. 7-1/8" tall



**MR16LED**  
premium grade



- 3 watt/220lm, 2700k
  - 5 watt/550lm, 2700k
  - 7 watt/750lm, 2700k
- 30°, 60° or 100° beam angle options



A233 with 18" Riser & Coupler

## Fixture Mounting Accessories for A185, A195, A212, A214, A216, A224, A233 series

part **P214C**  
Brass Coupler



part **PGMK-BR**  
Gutter Mount Bracket



part **FMB2BR**  
2" Brass surface



part **P214LC**  
Brass "L" coupler



part **P214TC**  
Brass "T" coupler



part **P212R18-AL**  
1" x 18" aluminum with riser boot and powder coat finish. For A212/A195 series.



part **P214R18-BR**  
1" x 18" brass with dark brown finish. For A214/A216/A233 series.





# PARFlood A216 series

Up Lighting Large Trees | Wall Washing | Architectural | Flags, Sculptures and Signs | Sport Lighting

The PARFlood series is great for uplighting large trees, large architecture, flags, signage and sculptures. Allows for use with our PAR36 ColorChange WRGB LED option.

### Features

- 12 volt AC/DC
  - Dimming-10%-100% settings
  - Solid Brass with dark patina
  - Stainless steel fasteners
  - 8" SuperStake
  - 36", 18/2 SPT AWG fixture leads
  - Glass front
  - 10w/500lm 2700k, 13w /700lm, 17w/950lm 2700k or 17w 1150lm 4000k for flag poles
  - Operating voltage 12v-17v
  - Optional Bluetooth WRGB LED controlled as a group or individually
  - Accepts 1/2" NPT hardware
  - 3 year warranty LED
  - Lifetime housing warranty
- Dimensions 4-3/4" dia. x 7-3/4" tall

### A216/BR

Solid brass dark patina



### PAR36 LED Options

- 10w/800lm/2700k/4000K
- 13w/1130lm/2700k/4000K
- 17w/1300lm/2700k or 5000k
- 10watt WRGB Bluetooth



shown 17w, 38°, 2700K

part **FMB2BR**  
2" Brass surface

part **P214C**  
Brass Coupler

part **R15BR**  
1" x 15" brass or powder coated riser

**Metal SuperStakes**  
PART **SS2A12**  
PART **SS2A16**  
For maximum fixture support, the SuperDuty SS2A 12" and 16" Aluminum SuperStakes.

**Standard PS8-F SuperStake**



# WideFlood **A233** series



**Wall Wash Lighting | Uplighting | Architectural Lighting**

The natural design shape of the **WideFlood** allows the fixture to virtually disappear in your landscape. The **WideFlood's** solid, cast brass housing ensures for a lifetime of durability. Versatile mounting accessories allow for surface mounting and fixture elevation. Features interchangeable super wide beam angle LEDs for maximum wall washing beam spread, nighttime effects and design flexibility.

## Features

- 12 volt AC/DC
- Includes interchangeable MR16-3w, 5w or 7w LED
- Super wide 100° beam angle
- Solid brass with patina or 6 EarthTone powder coat finishes
- Stainless-steel fasteners
- 8" SuperStake
- 36", 18/2 SPT fixture leads
- Glass lens
- Built in visor
- Silicone gaskets
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- Lifetime housing warranty
- Dimensions: oval shaped 3-1/2" dia. 5" tall



**A233/BR**  
Solid Brass w/Patina

## Powder Coat Options



## MR16LED

- 3w/220lm, 2700k
- 5w/550lm, 2700k
- 7w/750lm, 2700k



**Standard PS8-F SuperStake**



Shown with 3w 100° warm white



Shown with 5w 100° warm white



Shown with 5w 100° warm white

**Up Lighting | Wall Washing Lighting | Architectural Lighting**

The Landscape Well series is great for uplighting trees, flags, home architecture, wall washing and sculptures. Features interchangeable LEDs and 3 different front face options for maximum nighttime effects and design flexibility.

model **LW510** series

model **LWi510** series

models **LW340 FF/L/HM**

**Flat Front**



**Incline Front**



**25° Angle Adjustability**



**PAR36LED**

10w 38°, 60° or 120°, 2700K  
13w 38° or 60°, 2700K  
17w 38°, 60° or 120°, 2700K  
17w 15° 5000k



**LW510 & LWi510 Features**

- 12 volt AC/DC
- PAR36 10w, 13w or 17w LED
- Includes glass lens for the flat end and plastic lens for angled end of the fixture
- Stainless-steel fasteners & brackets
- PVC housing
- Adjustable LED lamp bracket
- 36", 18/2 SPT fixture leads with spade terminals
- 3 year warranty LED
- Lifetime housing warranty
- Dimensions 5-1/2" dia. x 10" tall



**Louvered Front**



**Flat Front**



**Half Moon**

premium grade

**MR16LED**

3w, 5w or 7w, 2700K  
38°, 60° or 100° beam angle options



- 3w/220lm/, 5w/550lm, 7w/750lm
- 30°, 60° or 100° beam angle options



**LW340 Features**

- 12 volt AC/DC
- MR16 3w, 5w or 7w LED
- Glass lens (LW340) choice of flat "FF", louvered "L" top or "HM" half moon
- GX5.3 bi-pin porcelain lamp socket
- Adjustable LED lamp bracket
- Rubber gaskets/seals, (LW340)
- 36", 18/2 SPT fixture leads
- PVC housing
- Stainless-steel fasteners
- GX5.3 bi-pin porcelain lamp socket
- Lifetime housing warranty
- Dimensions 4-3/4" dia. x 7" tall

# Hardscape | WELLFlood

Made in USA



**In-ground Lighting | Up Lighting | Architectural Lighting**

The HardScape Well series fixtures allow for a variety of lighting techniques; wall washing, architecture, uplighting trees, flags, driveways and sculptures. Available in either flat, domed or louvered front options. Features a removable fixture with hardscape mounting kit. Features interchangeable LEDs for maximum nighttime effects and design flexibility.

## Features

- 12 volt AC/DC
- Interchangeable water-proof MR16 3w LED
- Raw brass housing
- Stainless-steel fasteners
- Hardscape mounting kit
- 25', 16/2 SJ-W fixture leads
- Glass lens
- Flat, Domed or Louvered front options
- Silicone gaskets
- GX5.3 bi-pin porcelain lamp socket
- Rubber expansion ring collar
- 3 year warranty **LED**
- Lifetime housing warranty
- Dimensions 4-1/2" O.D. dia. x 9" tall



**MR16LED**  
 3w, 220lm/, 2700K  
 5w/550lm, 7w/750lm  
 38°, 60° or 100°  
 beam angle options



**HS240/F** with flat front



**In Concrete**



**HS240/D** with domed front



**In Pavers**



**HS240/L** with louvered front



## COLOR OPTIONS



**ARBZ/ArchBronze**



**BKTX/BlackTex**



**BS/BlueStone**



**BZT/BronzeTex**



**GG/GravelGray**



**RR/RedRock**



**SS/SandStone**

**Paver Lighting | Walkway and Driveway Marking | Highlighting Steps | Wall Lighting**

The micro **BulletSquare** series is excellent for accent lighting in pavers and walls. For paver lighting simply notch a square out of the desired paver corner. For wall mounting, drill a 1" mounting hole. Features a solid 1" dia. machined 6063 aluminum housing with a screw off front lens for LED access. The water-proof design and durable components provide for maximum fixture life.

**PAVERMount FlatFront**

model **BL-PM/SQFF** for paver mount uplighting

**BL-SQFF Square FlatFront**

**Features**

- 12 volt AC/DC
- G4 1w, 2700k, Ceramic LED
- Frosted glass lens with flat front
- 1-1/4" PVC mounting sleeve
- Machined aluminum housing & front
- O-Ring front gasket
- 36", 18/2 SPT fixture leads
- 3 year warranty LED
- Lifetime housing warranty
- Patented
- Dimensions: Housing 1" dia x 3" long, Face Cover 1-1/2" dia square. x .25" deep



G4 1w, 2700k Ceramic LED

**WallMount HalfMoon front**

model **BL-WM/SQHM** for recessed mount wall washing

**BL-SQHM Square HalfMoon**

**Features**

- 12 volt AC/DC
- G4 1w, 2700k, Ceramic LED
- Frosted glass lens with Halfmoon front
- 36", 18/2 SPT fixture leads
- Machined aluminum housing & front
- O-Ring front gasket
- Lifetime housing warranty
- 3 year warranty LED
- Patented
- Dimensions: Housing 1" dia x 3" long, Face Cover 1-1/2" dia square. x .25" deep



**PaverMount FlatFront**



Includes 1-1/2" O.D. PVC mounting sleeve for in mounting pavers



**Half Moon option front cover for more in-direct lighting effects**



**WallMount HalfMoon Front**



**PaverMount with Flat Front**



**WallMount with HalfMoon Front**



**PaverMount with HalfMoon Front**

**COLOR OPTIONS**



**ARBZ/ArchBronze**



**BKTX/BlackTex**



**BS/BlueStone**



**BZT/BronzeTex**



**GG/GravelGray**



**RR/RedRock**



**SS/SandStone**

**Up Lighting | Walkway and Driveway Marking | Highlighting Steps**

The micro **BulletRound** series is excellent for uplighting and side lighting in concrete and wood surfaces. Features a small 1" dia. machined aluminum housing with a screw off front lens for LED access. The water-proof design and durable components provide for maximum fixture life.



**BL-R/FF & BL-R/HM**

**Features**

- 12 volt AC/DC
- 1w, G4, 2700K, Ceramic LED
- Frosted glass lens with flat front
- Machined 6063 aluminum housing & front
- O-Ring front gasket
- 36", 18/2 SPT fixture leads
- 3 year warranty LED
- Lifetime housing warranty
- Patented

- Dimensions:  
 Housing 1" dia x 3" long,  
 Face Cover 1-1/2" dia square. x .25" deep



1w, G4, 2700K, Ceramic LED



**COLOR OPTIONS**



**ARBZ**/ArchBronze



**BKTX**/BlackTex



**BS**/BlueStone



**BZT**/BronzeTex



**GG**/GravelGray



**RR**/RedRock



**SS**/SandStone

**Hardscape Wall Lighting | Step Lighting | Address Lighting | Deck & Fence Lighting**

The **LEDGE** series is great for accenting hardscape columns, walls and address numbers. The versatile mounting chassis and mortar plate allow for mounting on steps, under existing top caps and walls. Features interchangeable 2w Ceramic LEDs for maximum nighttime effects and design flexibility. Choose from copper, black patina or 8 different powder coat color options to blend best with your project.

**Features**

- 12 volt AC/DC
- 3 size width options 5", 10" or 15"
- Choice of 1w or 2 watt Ceramic **LED**
- Stainless-steel housing and mortar plate
- G4 bi-pin porcelain socket
- Raw copper or stainless-steel with 8 powder coat color options
- 60" 18/2 SPT fixture lead
- Frosted glass lens
- Casts 5-8ft. dia. of light
- Lifetime housing warranty
- Made in USA



**DL1511-MP** series  
15" W x 1" T x 1" D  
6w (3x 1w or 2w, G4 **LED**),  
Ceramic **LED**, 2700K



**DL1011-MP** series  
10" W x 1" T x 1" D  
4w (2x 1w or 2w, G4 **LED**),  
Ceramic **LED**, 2700K



**DL511-MP** series  
5" W x 1" T x 1" D  
1w or 2w, G4,  
Ceramic **LED**, 2700K

**G4LED**  
1 or 2 watt Ceramic **LED**  
2700K warm white,  
110 or 180 lumen



**Color Options**

- BS**/BlueStone
- BZT**/BronzeTex
- WH**/White
- ARBZ**/ArchBronze
- SS**/SandStone
- BKTX**/BlackTex
- RR**/RedRock
- GG**/GravelGray
- C**/Raw Copper
- BSST**/Black Patina Stainless Steel



Top Cap Lighting on Columns



Highlight Stairways & Walls



Great for addresses



10" & 15" models for larger addresses



Requires 1" overhang



Accent Sitting Walls



Highlight Architectural Features

ACCENT LIGHTING  
**TOUCHSTONE**<sup>®</sup>



**Fence & Sconce** series


**ODL** series  
OUTDOOR LIVING



**UniFlood 7w 60° & LandscapeWellFlood with Half Moon fronts**



**BistroLighting**



**Post & Pipe** series



**Hanging Copper** series



**Ledge** series

Outdoor living spaces have never been more popular. Extend your enjoyment with family and friends during nighttime gatherings with TouchStone Lighting's Outdoor Living series fixtures. These fixtures are the perfect addition to pool areas, outdoor kitchens, fireplaces, grilling stations, deck, docks and patios, enhancing safety, security and beauty for your home at nighttime.

**Deck & Stairway Lighting | Fence Lighting | Hardscape Walls**

The **Dakota** series is great for deck railing posts, stairways, walls and address numbers. The Dakota surface mount fixtures can add great in-direct perimeter lighting or accent your outdoor living area in a soft inviting setting. Includes interchangeable 1w Ceramic LEDs for maximum nighttime effects and design flexibility.

**Features**

- 12 volt AC/DC
- Interchangeable 1 watt ceramic **LED**
- Solid copper or aluminum with powder coat finish
- Surface mounts to any type of surface
- Recommended spacing on decks and stairways (5-7ft.)
- Recommended spacing on fences (8-12ft.)
- Casts up to an 8ft. dia. of light
- 60", 18/2 SPT fixture lead
- G4 bi-pin porcelain lamp socket
- Lifetime housing warranty

● Dimensions 3-3/4" W x 2-1/2" T x 2-1/4" D



C/Copper



N/Nickel



BKTX/BlackTex



WH/White



ARBZ/ArchBronze




**G4LED**

Includes 1 watt Ceramic **LED**  
2700K warm white, 110 lumen



Bottom View



Deck Stairways



Mid Wall & Steps



Surface Mounts



Privacy Fences



Above Garage Doors




Split Rail Fences

**Deck & Stairway Lighting | Fence & Gate Lighting | Spiral Stairway Lighting**


The **POST & PIPE** series is great for creating in-direct lighting effects on deck railings, stairways, addresses and spiral stairways. The small housing allows for surface mounting on 2" or wider wood, vinyl, concrete or metal surfaces. The optional radius bracket allows for mounting on tubular railings and posts. Features interchangeable 1w ceramic LED for maximum nighttime effects and durability. Choose from brass patina, nickel plate or 4 powder coat color options to blend best with your deck or project.

**Features**

- 12 volt AC/DC
  - Raw brass with patina, nickel plated or powder coat finish
  - Interchangeable 1 watt **Ceramic** LED
  - Solid brass housing
  - Surface mounts
  - Optional 2" pipe bracket
  - 60", 18/2 SPT fixture lead
  - Casts up to an 8ft. dia. of light
  - G4 bi-pin porcelain lamp socket
  - Lifetime housing warranty
  - Finished and assembled in USA
- Dimensions 2" W x 1-3/4" T x 1-1/4" D



Raw brass-BR with optional 2" radius bracket shown



# LEDGE BAR LB511/LB1011/LB1511 series

Made in USA

**Hardscape Wall Lighting | Step Lighting | Address Lighting | Deck & Fence Lighting**

The LEDGE**BAR** series is great for lighting addresses, architectural, steps and walls. The versatile mounting chassis allows for surface mounting. Features interchangeable 2w Ceramic LEDs for maximum nighttime effects and design flexibility. Choose from 8 different powder coat color options.

### Features

- 12 volt AC/DC
- 3 size width options 5", 10" or 15"
- Choice of 1w or 2 watt Ceramic **LED**
- Stainless-steel chassis and front cover
- G4 bi-pin porcelain socket
- 8 powder coat color options
- 60" 18/2 SPT fixture lead
- Frosted glass lens
- Casts 5-12ft. dia. of light
- Lifetime housing warranty
- Made in USA



**G4LED**  
1 or 2 watt Ceramic **LED**  
2700K warm white,  
110 or 180 lumen



**LB1511** series  
15" W x 1" T x 1" D  
6w (3x 1w or 2w, G4 **LED**),  
Ceramic **LED**, 2700K

**LB1011** series  
10" W x 1" T x 1" D  
4w (2x 1w or 2w, G4 **LED**),  
Ceramic **LED**, 2700K

**LB511** series  
5" W x 1" T x 1" D  
1w or 2w, G4,  
Ceramic **LED**, 2700K

### Color Options



Highlight Architectural Features



# HANGING COPPER HC125 series

**Down Lighting from Trees | Pergola & Arbor Lighting | Outdoor Living Areas**

### Features

- 12 volt AC/DC
  - Interchangeable **MR8 LED**, 2.5 watt
  - Solid copper with brass top housing
  - Stainless-steel set screw
  - Adjustable copper visor
  - 25 ft., 18/2 SPT fixture lead
  - Brass mounting hook and 8" UV strap (standard)
  - G4 bi-pin porcelain lamp socket
  - Lifetime housing warranty
- Dimensions 1-1/4" Dia. X 5" T



**MR8LED**  
MR8, 2.5 watt, 120° beam,  
warm white/2700K  
110 lumen,

### Mounting Options

- 24" chain with 2 hooks
- 12" stainless-steel cable with 2 hooks



**Columns | Fences | Pergolas | Gazebos & Outdoor Living Areas**

The **FENCE | SCONCE** series is great for accenting under deck columns, fences, walls and pergolas. The narrow mounting plate allows for surface mounting on 2" or wider posts. Features dual lamp sockets for your choice of up/down or both. Uses interchangeable 3w G4, 2700K ceramic LEDs. Includes 2 clear lens and 1 color match cover. Choose from 3 different powder coat color options to blend best with your deck or project.

**Features**

- 12 volt AC/DC
- Interchangeable 3w, G4 LEDs
- Aluminum with powder coat finish
- Stainless-steel fasteners
- Surface mounts
- 60" fixture leads
- Top and bottom lens
- Includes color matched top cover
- Choose from either 1 or 2 LEDs for up/down illumination
- Dual GX5.3 porcelain lamp sockets
- Cast 4-6ft. diameter of light
- 10 year housing warranty
- Dimensions 3"W x 2"D x 5"T

FS235 **FENCE | SCONCE**



**FS235/BKTX**  
BlackTex




**FS235/WHTX**  
WhiteTex



**FS235/ARBZ**  
ArchBronze



Surface mounts to wood, metal & masonry



Under Deck Areas and Outdoor Living Areas



**G4LED**  
G4, 3 watt, ceramic LED, warm white/2700K, 280 lumen,



Outdoor Kitchens Areas



Pergolas



Aluminum Fences

**Pergola Lighting | Overhead Lighting | Counter Top Lighting**

Outdoor rated, modern styling, casts up to a 12-ft. diameter of light. Set screw fittings, heavy duty construction requires no assembly. Features an off-set design for greater downward illumination, screw off lens for easy LED lamp access. Available in wall mount & hanging mount models.

**Features**

- 12 volt AC/DC
- Machined aluminum fittings
- Stainless steel hood
- 2w ceramic LED, 2700K
- 18", 18/2 W-SPT fixture lead
- Clear screw on lens
- Mounts on 3" round junction boxes
- BlackTex, WhiteTex, BronzeTex powder coat finishes
- Lifetime warranty
- Dimensions: hood 6" dia x riser 1/2" dia. x 5" tall x 7" long



**Donovan WallMount**



**G4LED**  
1 or 2 watt Ceramic LED  
2700K warm white,  
110 or 180 lumen



**Color Options**

**Donovan WallMount**  
**DW126-WHTX/ WhiteTex**

**Donovan WallMount**  
**DW126-BKTX/BlackTex**

**Donovan WallMount**  
**DW126-BZTX/BronzeTex**

**Great For**

- Pergolas
- Pool Houses
- Cabana's
- Fences
- Doorways
- Exterior Walls

**Donovan** series **HangingMount**

**Features**

- 12 volt AC/DC
- Machined aluminum fittings
- Stainless steel hood
- 2w ceramic LED, 2700K
- 18", 18/2 W-SPT fixture lead
- Clear screw on lens
- Mounts on 3" round junction boxes
- BlackTex, WhiteTex, BronzeTex powder coat finishes
- Lifetime warranty
- Dimensions: hood 6" dia x riser 1/2" dia. x 16" long standard
- Optional Riser lengths 6", 12", 24" or 36"
- Optional RubberMount for fixture flex. Part UMRM



**Donovan HangingMount with 36"riser**



**rubbermount**  
Knock it. Lean on it. Run into it.  
Enables fixture flexibility and reduced maintenance. Made from tough durable rubber, RubberMounts are suitable with any fixture with a 1/2 NPT fitting.



**Donovan HangingMount**  
**DH126/16-WHTX/WhiteTex**



**Donovan HangingMount**  
**DH126/16-BZTX/BronzeTex**



**Donovan HangingMount**  
**DH126/16-BKTX/BlackTex**

# Light My Grill GR100F series



Grill Lighting | Outdoor Kitchens

The "Light My Grill" is for great outdoor grilling areas and countertops. Available in kit form with transformer or without. Features a ON/OFF switch and flex neck.

## Features

- 12 volt AC/DC
- Interchangeable 7w, 4000K, 780 lm, MR16 LED
- Nickel plated finish
- Push button ON/OFF switch
- Adjustable "goose neck" with UV shrink wrap
- 60", 18/2 SPT fixture lead
- Adjustable visor
- Surface mounts with 3 hole, 3" surface mount
- G4 bi-pin porcelain lamp socket
- Does NOT include mounting screws/hardware
- 5 year housing warranty
- Dimensions 5/8" x 28" T x 3" dia.

**GR100F**  
nickel plated



**Tool-less  
Top Removal**



**MR16LED**  
MR16, 7 watt, 100°,  
white/4000K,  
780 lumen



# TubeSconce TS350/TS380 series

Accent Lighting | Outdoor Living Areas

## Features

- 12 volt AC/DC
- Interchangeable 3w, 2700K, 220 lm, MR16 LED
- Machined brass with BlackTex finish
- Stainless-steel fasteners
- 18/2 SPT fixture lead
- Choose either dual or single LED
- Surface mounts round J-box
- Bi-pin porcelain lamp socket
- Sealed glass lens
- 5 year housing warranty
- Dimensions **TS350** 3" dia. x 8" tall.
- Dimensions **TS380** 3" dia. x 12" tall.

**TS380**  
dual direction



**TS350**  
single direction



**MR16LED**  
MR16, 3 watt, 60°,  
warm white/2700K,  
220 lumen



# 12v LED BistroLight series

Commercial | Outdoor Living Areas | Residential

The 12v **BISTRO**Light series operates from a 12v transformer, so it's safer to install and more cost effective to operate than 120v lighting. Great for accenting outdoor living areas and restaurants. Optional dimmer, stainless-steel cable supports and mounting post accessories available.



Optional mounting post and cable hardware

### Features

#### BistroLight string light

- 12 volt AC/DC
- Heavy-duty, commercial grade, non suspended
- Soft UV resistant PVC, water-tight
- E26 medium base
- 2w per LED bulb
- 24" bulb spacing
- 330ft. per roll, can be custom cut to order
- 3 year warranty



e26-base  
medium base

### 12 volt e26 LED Bulbs



#### premium grade E26LED bulbs

- 12 volt AC/DC
- S14 Globe
- E26 base
- 2 watt
- .62 power factor
- COB type LED
- CRI>80
- 110lm/2700K
- 360° light radius
- 2 year warranty



Shown with wood support blocks



Provides a warm white tone

## BISTROLight ACCESSORY PARTS

### BL2/10-SQMP

SQUARE POLE  
Standard powder coat colors

- Square aluminum pole
- Mounting sleeve
- 2" dia x 10ft.
- Stainless-steel eyebolt

### BL SS-CHK POLE

100ft.Stainless-Steel Cable and  
tension clamp kit



### part TRMD Dimmer

- 12v AC
- 120w max.
- Works with all LEDs

### part MDBX Dimmer Outdoor Mounting Box

- Rain-tight cover
- Easy access door



# TapeLight

**TL1.45/2700**  
series



**Under Edge Lighting | Step Lighting | Wall Lighting | Architectural Lighting**

**TapeLight** is for highlighting continuous lengths. Great for accenting steps, walls and architectural features. Operates from a standard 12v transformer.

## Features

- 12 volt AC/DC
- 2700K LED
- Connect up to 3 reels
- Adhesive tape backing
- 1.45W per ft./25w reel
- 6" fixture pigtail leads on each end
- Silicone encapsulated/waterproof
- Cuttable every 4".
- 1 year housing warranty
- Dimensions 1/2" wide x 16.5ft. reel



Stairways and Steps



Under Wall Top Caps

# MOON

**D225 | D226**  
series

**Dock Lighting | Step Lighting | Fence Lighting**

## Features

- 12 volt AC/DC
- Interchangeable 2 watt Ceramic LED
- Cast aluminum housing
- Powder coat ARBZ, BKTX, BZT, WH finishes
- Surface mounts
- Sealed housing with glass lens
- 60" 18/2 SPT fixture lead
- Casts up to a 5 ft. dia. of light
- Silicone housing gaskets
- G4 bi-pin porcelain lamp socket
- Stainless-steel screws
- 10 year housing warranty
- Dimensions 4" Dia x 2" Deep



**D225 Half Moon**



16 ft. Spacing



**D226 Louvered**



Recessed mount using 4" hole saw



**G4LED**  
2 watt Ceramic LED  
2700K warm white, 180 lumen



**ARBZ/ArchBronze**



**BKTX/BlackTex**

**BZT/BronzeTex**

Available in ArchBronze/ARBZ, BlackTex/BKTX, BZT/BronzeTex, White/WH

# BrassSubmersible

**Water Feature Lighting | Fountain Lighting | Waterfall Lighting**

The **BrassSubmersible** fixture allows for a variety of uplighting and submersible lighting effects. Available in either visor or flat front models. Features a solid brass housing, front rings and removable fixture stand. Great for water features, fountains, waterfalls, and small ponds. Our **BrassSubmersible** series features interchangeable MR16 LEDs for maximum nighttime effects and design flexibility.

**Features**

- 12 volt AC/DC
  - Interchangeable MR16 3w LED std., 5w or 7w optional
  - Raw brass
  - Stainless-steel fasteners
  - 25' fixture leads
  - Glass lens
  - Visor or flat front
  - Silicone gaskets
  - GX5.3 bi-pin porcelain lamp socket
  - Removable brass stand
- Dimensions 3-3/4" dia. x 5-3/4" tall



**W240/V**  
with Visor front



**MR16LED**  
MR16, 3 watt, 38°, warm white/2700K, 220 lumen



**W240/F**  
with Flat front



**WATERRACK | WR448**  
2700k, 5000K or ColorChange LED




**BrassSubmersible/5w 60°**



**FLOATING WATERRACK**



**Can operate in or out of water**



**Submerge up to 36"**



**BrassSubmersible/3w 38°**

# SNAIL series SUL6/15/30



**Streams | Under Rocks | Shallow Areas | Bubbling Rocks | Night Putting**

The **Snail** is for great accenting shallow water areas, bubbling rocks and golf cups. Available in warm white, red, green or blue LED. suitable for water locations to 12" deep. Available in 3 lengths, 6', 15', and 30'.

## Features

- 12 volt AC/DC
- 2w Ceramic LED, 2700K, or Red, Green, Blue LED
- 18/2 W-SPT fixture lead
- Tempered Glass Lens
- Suitable in or out of water
- IP68, mastic/heat shrink
- 2 year warranty
- Made in USA

- SUL/6** ● Dimensions 3/4" dia. x 2" L x 6ft. long
- SUL/15** ● Dimensions 3/4" dia. x 2" L x 15ft. long
- SUL/30** ● Dimensions 3/4" dia. x 2" L x 30ft. long

## SUL/15

**SNAIL**-warm white, or colored LED  
Available in 6ft., 15ft., 30ft.



**G4LED**  
1 or 2 watt Ceramic **LED**  
2700K warm white,  
110 or 180 lumen



Under water stream boulders and ledges



Available warm white, blue, green or red LED



Great for nighttime putting



Putting Green Cups

ACCENT LIGHTING  
**TOUCHSTONE**



Walkway Lighting with Loo series

# Commercial series




Wall Wash, A233- 5w 100° , Uplighting A224- 7w 60°



Hardscape, Uplighting & Bistro Lighting



Color Change PAR36 LED in A236 and A216



Churches, 17w MaxFlood series



Wall Wash, HS240- 5w 100° ,

Our robust commercial fixtures are constructed from solid brass and aluminum, featuring a durable powder coat finish. All commercial fixtures are equipped with interchangeable, premium-quality LEDs for maximum design flexibility and serviceability. Although they operate on just 12V, these fixtures are extremely bright, providing illumination equivalent to high powered, high voltage fixtures, while also allowing for easier installation techniques.

# Commercial Bollard series



## Sidewalk Lighting | Area Lighting

Great for commercial walkways and landscapes. The 12volt **Commercial**Bollard shines bright white light in a 12 ft. radius. Requires a concrete footing for secure mounting.

### Features

- 12 volt AC/DC
  - 5 or 7 watt, MR16 LED, 2700K, 4000K
  - Cast aluminum housing
  - 5 EarthTone powder coat color options
  - Surface mounts
  - Sealed housing with glass lens
  - 60" 18/2 SPT fixture lead
  - Casts up to a 12 ft. dia. of light
  - Stainless-steel screws
  - Housing tube can be cut to any height
  - 3 year housing warranty
  - Assembled, finished in USA
- Dimensions 6" Dia. x 36" Tall



### MR16LED

MR16, 7 watt, 100°, warm white/4000K, 780 lumen



### CB636

ArchBronze/ARBZ  
36" tall



### CB636

GravelGray/GG  
20" tall



Surface mounts to concrete surfaces



SandStone/SS



BlackTex/BKTX



BronzeTex/BZT



### Walkways | Landscapes & Gardens | Driveways

The Tubelle series is a great choice for modern commercial and estate lighting, larger patios, walkways and driveways. The heavy-duty size is great for larger areas that need accent lighting. Features two 4 watt interchangeable ceramic LEDs. 1 mounted for downward illumination and 1 mounted for outward illumination to create maximum nighttime effects no light pollution.

#### Features

- 12 volt AC/DC
- 2-Interchangeable G4, 4w ceramic LEDs
- Option of 2700K or 4000K LED
- Sealed lens housing
- 3" aluminum tubing with powder coat finish
- Stainless-steel finial & fasteners
- 6063 Aluminum Riser Boot and components
- 24" SuperStake
- 24", 18/2 SPT fixture leads
- Casts up to 12ft. dia of light
- GX5.3 bi-pin porcelain lamp sockets
- Lifetime housing warranty
- Made in USA

● Dimensions 3" dia., x 16" long. x 36" tall



#### G4LED

Two 4 watt Ceramic LEDs  
2700K warm white,  
320 lumen each.



ARBZ/ArchBronze



BKTX/BlackTex



GG/GravelGray



RR/RedRock



BZT/BronzeTex



SS/SandStone



TL336  
BKTX/BlackTex



#### Includes SuperStake part SS2A24

For maximum fixture support,  
the SuperDuty SS2A 24"  
Aluminum SuperStake.



# Commander

Walkways | Landscapes & Gardens | Driveways

Made in USA



**Gcd109/24**

**Gcd1259/24 Commercial** series

**Gcd1259/36 Commercial** series

The Commander series is a great choice for commercial and estate lighting, larger patios, walkways, pool areas and driveways. The heavy-duty size is available in either 1" or 1.25" dia. risers. Available in 7 powder coat options or copper.

## Features

- 12 volt AC/DC
- Interchangeable G4, 4w ceramic LED
- Copper hood with powder coat finish
- 1" dia. x 24" riser with powder coat finish
- Stainless-steel finial & fasteners
- 6063 Aluminum Riser Boot and Yoke
- 8" SuperStake
- 24", 18/2 SPT fixture leads
- Casts up to 18ft. dia of light
- Tool-less hood removal
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- Lifetime housing warranty
- Made in USA
- Dimensions: **Gcd109/24** 9" dia. hood, 1" dia. x 24" tall riser stem
- Dimensions: **Gcd1259/24** 9" dia. hood, 1.25" dia. x 24" tall riser stem
- Dimensions: **Gcd1259/36** 9" dia. hood, 1.25" dia. x 36" tall riser stem



**Tool-less  
Top Removal**



**G4LED**

4w/320lm or 3w/280lm Ceramic LED  
2700K warm white



**ARBZ/ArchBronze**



**BKTX/BlackTex**



**BS/BlueStone**



**BZT/BronzeTex**



**GG/GravelGray**



**RR/RedRock**



**SS/SandStone**



**C/Raw Copper**

**Standard  
PS8-F SuperStake**



**Gcd1259/24 shown**

**TouchStone**Lights.com

888.475.2112

**Includes SuperStake**  
part **SS2A12**

For maximum fixture support,  
the SuperDuty SS2A 12" and 16"  
Aluminum SuperStakes.

# Maxwell 11 GC11/125 Commercial series

Made in USA 

**Walkways | Landscapes & Gardens | Driveways**

Designed for larger residential and commercial landscape and garden areas. The heavy-duty Maxwell 11 features a beefy 1-1/4" riser stem with an 11" diameter hood. The "clean" design of the Maxwell 11 fixture looks elegant in any landscape. Features tool-less hood removal for access to changeable hi-performance 4 watt ceramic LEDs.

## Features

- 12 volt AC/DC
- Interchangeable G4 bi-pin 4 watt Ceramic **LED**
- Raw copper, or copper with powder coat finish
- Stainless-steel fasteners
- Includes 12" metal SuperStake
- 24", 18/2 SPT fixture leads
- Removable riser boot for custom fixture height options
- Casts up to 20ft. dia of light
- Tool-less hood removal
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- Lifetime housing warranty
- 3 year warranty LED
- Dimensions 11" dia. hood, 1-1/4" x 28" tall riser stem



### G4LED

4 watt LED ceramic **LED**  
2700K warm white, 320 lumen



**GC11/125**  
**BKTX/BlackTex**



**ARBZ/ArchBronze**



**BKTX/BlackTex**



**BS/BlueStone**



**BZT/BronzeTex**



**GG/GravelGray**



**RR/RedRock**



**SS/SandStone**



**C/Raw Copper**



### Includes SS2A12

#### **SuperStake**

For maximum support,  
the SuperDuty SS2A 12"  
Aluminum SuperStake



# UNI Flood/MR16

Commercial Made in USA 



Accent Lighting | Uplighting | Architectural

The USA made commercial series **UNI**Flood MR16 is great for uplighting trees, architecture, wall washing and sculptures. Versatile mounting accessories allow for surface mounting, fixture risers, "L" coupler for walkways and stairways or the "T" coupler for dual fixture mounting on signage and washing larger tree lines. The **UNI**Flood series features interchangeable MR16 LEDs bulbs for maximum nighttime effects and design flexibility.

## Features

- 12 volt AC/DC
- Locking knuckle with 15° increments
- Interchangeable MR16-3w, 5w or 7w LEDs
- Machined 6063 aluminum with powder coat finish
- Stainless-steel fasteners
- Threaded front end assembly
- 8" SuperStake
- 36", 18/2 SPT fixture leads
- Domed or flat front glass lens
- Adjustable & extendable visor
- O-Ring gasket
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- Lifetime housing warranty
- Made in USA

● Dimensions 2-1/2" dia. 7-1/2" tall



ArchBronze/ARBZ



BronzeTex/BZT



RedRock/RR



BlackTex/BKTX



SandStone/SS



A224/BKTX  
BlackTex

Locking knuckle



Screw off front housing with adjustable visor

## Fixture Ground Stakes



Optional Metal SuperStakes  
PART SS2A12  
PART SS2A16

Standard PS8-F SuperStake



For maximum fixture support, the SuperDuty SS2A 12" and 16" Aluminum SuperStakes.



premium grade MR16 LED

- 3w/220lm, 2700k
- 5w/550lm, 2700k
- 7w/750lm, 2700k
- 30°, 60° or 100° beam angle options

## part P224/R18AL

1" x 18" powder coated riser  
ARBZ finish shown



# MAXFlood/PAR36

**Commercial** Assembled in USA

Architectural Lighting | Uplighting | Wall Wash Lighting

The super duty **MAXFlood** commercial series is great for uplighting large trees, large architecture, signage, sculptures and walls. Allows for use of our PAR36 ColorChange WWRGB LED option.

## Features

- 12 volt AC/DC
- Locking knuckle
- Interchangeable PAR36-10w, 13w or 17w LEDs
- Brass/patina or powder coat finish
- Stainless-steel fasteners
- Threaded front end assembly
- 12" SS2A Metal SuperStake
- 36", 18/2 SPT fixture leads
- Flat front glass lens with visor
- Silicone gasket
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- Lifetime housing warranty
- Assembled in USA
- Dimensions 7-3/4" dia. x 8-3/4" tall



**ARBZ**/ArchBronze



**BKTX**/BlackTex



**BS**/BlueStone



**BZT**/BronzeTex



**GG**/GravelGray



**RR**/RedRock



**SS**/SandStone



Locking knuckle

**A236/ARBZ**  
ArchBronze



premium grade

### PAR36LED

- 10w/800lm/2700k/4000k
- 13w/1130lm/2700k/4000k
- 17w/1300lm/2700k/4000k
- 17w/1430lm/5000k
- 10w WWRGB Bluetooth
- 15°, 30°, 60° or 100° beam angle options



Includes SuperStake SS2A12

For maximum fixture support, the SuperDuty SS2A 12" and 16" Aluminum SuperStakes.



**Perimeter Lighting | Kennel Lighting**

The **ChainLink** Perimeter series is great for adding in-direct perimeter lighting on chain link fencing and kennels. Space fixtures every 12-15ft. Radius bracket allows for secure mounting on any 2" tubing.

**Features**

- 12 volt AC/DC
  - 1 watt ceramic LED, 2700K
  - Raw aluminum housing
  - 2" nickel plated pipe bracket
  - 60", 18/2 SPT fixture lead
  - Casts up to an 10ft. dia. of light
  - Accepts 1/2 NPT hardware
  - G4 bi-pin porcelain lamp socket
  - Stainless-steel screws
  - Lifetime housing warranty
  - Made in USA
- Dimensions: 2" wide x 2" deep x 3" tall

PP173AL/PB  
w/pipe bracket



2" pipe bracket allows for easy, durable fixture mounting



1 watt ceramic  
LED, 2700K



genuine  
**PARTS**  
REPLACEMENT

**Fixture Sockets**

PART **P384-LS**

For G384, G486 series fixtures  
● 36" lead with S/S bracket



PART **P224-LS**

For A224, A195 series fixtures  
● 36" lead with S/S bracket



PART **P212-LS**

For A212 series fixtures  
● 36" lead with screws



PART **PDL-LS**

For DL series fixtures  
● 60" lead with S/S bracket



PART **PPP-LS**

For PP173 series fixtures  
● 60" lead with S/S bracket



PART **PGC-LS**

For GC578, GC778, GC978, GC11125  
GR100, D225/D226, A232 series fixtures  
● 36" lead with S/S bracket



**Fixture Ground Stakes**

PART **PS8-F SuperStake**

- Plastic stake-standard with most fixtures
- 1/2" NPT thread
- 2" dia x 8"
- Made in USA

For maximum fixture support, the SuperDuty SS2A SuperStakes accept any fixture with 1/2" NPT mounting.

**Metal SuperStakes**

PART **SS2A12**

PART **SS2A16**

- Machined Aluminum Top Cap
- Earthtone powder coated
- 1/2" NPT thread
- 2" dia. aluminum pipe
- PVC bottom spear
- Stainless-steel set screws
- 2 size length options 12" or 16"
- Made in USA




# Transformers

Our Universal series transformers allow for customization of timer control devices. Choose from 75w to 900w models. Each unit includes mounting hardware and 3/4" conduit.

## Universal series

### Features

- Outdoor/Indoor rated, suitable for wet location
- 12-15 VAC tap setting options (standard)
- 15-22v VAC long distance 600w model
- Steel housing with black powder coat
- Stainless-steel fasteners
- Stainless-steel locking buckle
- Side hinged access door
- Epoxy encapsulated toroidal core
- Allows for optional timer and photo-cell
- 12v magnetic circuit breakers
- 6ft. grounded plug cord
- Bottom plate with terminal knock-outs
- 18" of 3/4" conduit and terminal adapter
- Assembled in USA 



model **TR75Usc**

models **TR150U, TR300u, TR600 & TR900 series**  
stainless steel or black powder coat housing options

### Transformer Specifications

MODEL	WATTAGE	AMPS CIRCUITS /BREAKERS/COMMONS		DIMENSIONS
<b>Universal <small>series</small></b>				
TR75Usc	75	.625	1	6"W x 11-1/2"T x 5-1/2"D
TR75Usc-SS	75	.625	1	6"W x 11-1/2"T x 5-1/2"D
TR150U	150	1.25	1	6"W x 17-1/2"T x 5-1-2"D
TR150-SS	150	1.25	1	6"W x 17-1/2"T x 5-1-2"D
TR300	300	2.50	1	6-1/2"W x 16-1/2"T x 6"D
TR300-SS	300	2.50	1	6-1/2"W x 16-1/2"T x 6"D
TR600	600	5.00	2	8"W x 18"T x 7-1/4"D
TR600/15-22v	600	5.00	2	8"W x 18"T x 7-1/4"D
TR900	900	7.50	3	8"W x 18"T x 7-1/4"D
<b>PowerPack <small>series</small></b>				
TR60-PT-P	60	.50	1	4"W x 6"T x 5-1/2"D
TR150PT-P	150	1.25	1	5"W x 6"T x 5-1/2"D

### Universal Transformer Mounting Stand

- Adjusts to any size Universal transformer
- No more holes in houses
- No more rotten posts
- Includes all hardware



### PowerPack series

with built in photo-cell and 4, 6, 8 hr, D/D timer

models

**TR150PT-P TR60PT-P**



Plugs into any 120v GFI protected outlet.

# Transformer ACCESSORIES



part **TRAT** Astronomical timer  
 ●Allows for auto dusk/timer settings  
 ●Battery backup



part **TRST** SMART Timer  
 ●BlueTooth  
 ●APPLE/ANDROID APP



part **TRMT** Mechanical timer  
 ●easy to operate



part **TRSPC**  
 Short Photo-cell



part **TRLPC 10FT.**  
 Extended Photo-cell



part **TRMD** Dimmer  
 ●12v AC/DC  
 ●100w max.  
 ●Dims all 12v LEDs

## Cables, Connectors & Accessories

### Landscape Lighting Cable

- Sequentially numbered by the foot
- UV black outer jacket
- Stranded copper
- UL listed
- 500ft. spools or by the foot
- Made in USA



### Cable Connectors



part **SSTC10**  
 small size  
 Silicone filled  
 twist connector  
 200 per tube



part **SSTC20**  
 medium size  
 Silicone filled  
 twist connector  
 tube  
 100 per tube



part **LV95**  
 medium size  
 Silicone filled  
 connector  
 12 per bag



**Knock it. Lean on it. Run into it.**  
 Enables fixture flexibility and reduced maintenance. Made from tough durable rubber, RubberMounts are suitable with any fixture with a 1/2 NPT fitting.



part **UMRM**



Features molded 1/2" NPT female brass inserts on each end with stainless-steel set screws.

Maintain the performance and nighttime beauty with genuine TouchStone LEDS.

## MR8LED

**Wattage/Lumens**  
●2.5w/160lm



**Part#**

MR8-2.5w/38°/2700k  
MR8-2.5w/60°/2700k  
MR8-2.5w/100°/2700k

MR8LED for  
A185, HC125 & FS235 series

- 12 volt AC/DC
- 38°, 60° or 120° lens
- 25mm x 37mm
- CRI>85
- G4 bi-pin base
- 9-17 voltage
- .53 power factor
- 160lm/2700K
- 5 year warranty

## MR11LED

**Wattage/Lumens**  
●2.5w/180lm



**Part#**

MR11-2.5w/38°/2700k  
MR11-2.5w/60°/2700k  
MR11-2.5w/100°/2700k

MR11LED for  
A195, A195BR, FS235 series

- 2.5 watt, 12 volt AC/DC
- 30°, 60°, 120° lens
- 34mm x 46mm
- CRI>85
- G4 bi-pin base
- 9-17 voltage
- .53 power factor
- 180lm/2700K
- 5 year warranty

## MR16LED

**3w/5w/7w**

**Wattage/Lumens**  
●3w220lm/  
●5w/550lm  
●7w/750lm



**Part#**

MR16-3w/38°/2700k  
MR16-3w/60°/2700k  
MR16-3w/100°/2700k

MR16-5w/38°/2700k  
MR16-5w/60°/2700k  
MR16-5w/100°/2700k

MR16-7w/38°/2700k  
MR16-7w/60°/2700k  
MR16-7w/100°/2700k

MR16LED for  
A212, A214, A224, A233, LW240,  
HS240, LW340, GR100 series

- 3, 5 or 7 watt, 12 volt AC/DC
- 30°, 60°, 100° lens
- Dimmable
- CRI>85
- Rated for outdoor enclosed fixtures
- 50mm x 51mm
- 9-17 voltage
- 2700K
- 5 year warranty

## PAR36LED for A216, A236 & LW510

**Wattage/Lumens**  
●10w/800lm  
●13w/1130lm  
●17w/1300lm



**Part#**

PAR36-10w/38°/2700k  
PAR36-10w/60°/2700k  
PAR36-10w/100°/2700k

PAR36-13w/38°/2700k  
PAR36-13w/60°/2700k  
PAR36-13w/100°/2700k

PAR36-17w15°/4000k  
PAR36-17w/38°/2700k  
PAR36-17w/60°/2700k  
PAR36-17w/100°/2700k

PAR36LED for  
A216, A236 & LW510

- 9-17 volt AC/DC
- Dimmable
- 10 watt, 13 watt, 17 watt
- 2700K, warm white or 4000K white
- CRI>85
- IP67 rated
- 38°, 60° or 100° beam angle
- 5 year warranty

**Lumens**

●10w800lm/, 13w/1130lm, 17w/1300lm

# miniatureLEDs



**Premium Grade LEDs Water-proof, 12volt AC/DC Outdoor Rated LEDs**  
 Our LEDs feature ceramic bases providing maximum heat dissipation with encapsulated LEDs suitable for outdoor use.



### 1 watt Ceramic LED

- 12 volt AC/DC
- 110 lumens
- G4 bi-pin base
- 1 watt
- .62 power factor
- SMD type LED
- CRI>85
- 2700K
- 360° light radius
- 10mm x 36mm
- 3 year warranty

#### For models

G384, G586 series  
 GC578, GC710, GC910, GC9510 series  
 GL246, D225, D226, DL511 series



### 2 watt Ceramic LED

- 12 volt AC/DC
- 180 lumens
- G4 bi-pin base
- 2 watt
- .62 power factor
- SMD type LED
- CRI>85
- 2700K
- 360° light radius
- 10mm x 36mm
- 3 year warranty

#### For models

G384, G586 series  
 GC578, GC710, GC910, GC9510 series  
 GL246, D225, D226, DL511 series



### 3 watt Ceramic LED

- 12 volt AC/DC
- 280 lumens
- G4 bi-pin base
- 3 watt
- .62 power factor
- SMD type LED
- CRI>85
- 2700K
- 360° light radius
- 10mm x 43mm
- 3 year warranty

#### For models

G486/G586, GL246  
 GC578, GC710, GC910, GC9510  
 11125 and 10936 series



### 4 watt Ceramic LED

- 12 volt AC/DC
- 320 lumens
- G4 bi-pin base
- 4 watt
- .62 power factor
- SMD type LED
- CRI>85
- 2700K
- 360° light radius
- 10mm x 44mm
- 3 year warranty

#### For models

G486/G586, G1259,  
 GC578, 778, 978, 9578  
 11125 and 10936 series

# ColoredLEDs



### 2 watt Ceramic COLORED LED

available in RED, GREEN or BLUE

- PART **G4/2w/RED**
- PART **G4/2w/GREEN**
- PART **G4/2w/BLUE**

- 12 volt AC/DC
- G4 bi-pin base
- 2 watt
- .62 power factor
- SMD type LED
- CRI>80
- 180lm/2700K
- 360° light radius
- 10mm x 36mm
- 3 year warranty

Fits all Touchstone fixtures



PART **MR11-2.5w/38°**/ RED, GREEN, BLUE

PART **MR16-5w/30°**/ RED, GREEN, BLUE

PART **MR16-5w/60°**/ RED, GREEN, BLUE

PART **MR16-7w/100°**/ RED, GREEN, BLUE

- 12 volt AC/DC
- G4 bi-pin base
- 9-17 volt AC/DC
- 3 year warranty



**Bluetooth Repeater**  
 increases range, works up 260ft radius.  
 ●12 volt AC/DC

### PAR36LED RGBW Color Change



PART **PAR36/RGBW**  
 apple/android app control  
 10w/38° or 60°



ACCENT LIGHTING  
**TOUCHSTONE**<sup>®</sup>



**More Outdoor Enjoyment.**

**TouchStone**Lights.com

2425 W. Industrial Blvd., Long Lake, MN, USA 55356

©2025 TouchStone Accent Lighting, Inc. Patents Pending. All Rights Reserved. Subject to Change Without Notice.