



KALYMNOS

Fuel Engineering



OEM Catalogue

We are an innovative company that operates in the wider fuel sector & in particular the mechanical equipment of tankers. We believe that our work has maximum value when it protects us and the environment and makes everyone's lives safer.





KALYMNOS
Fuel Engineering


Few Words for Us...

KALYMNOS was founded in 1975 by Savvas I. Kalymnos. The dream and source of inspiration of its founder was to provide quality solutions that meet and overcome with excellence the challenges of engineering.

With methodical moves and careful planning from its very first steps, the company grew rapidly and soon entered the field of production of tanker equipment, petrol stations, installation, storage and distribution of petroleum products, as well as their components and spare parts.

Since the beginning of 2000, the company has focused on the production and export of ADR products, a move that has led it to rapid growth. In 2013, the company with a vehicle of high know-how, establishes its dynamic presence in an industry with ever-increasing demands, establishing long-term trade agreements in Greece and abroad.

Today, KALYMNOS FUEL ENGINEERING is charting a steadily rising trend and continues its export activities, framed by a strong and ever-expanding network of leading partners from around the world.






Table of contents

06_	Manhole cover assemblies
07_	Emergency bottom valves
08_	Dipsticks & diptubes
09_	Vapour recovery
10_	Bottom loading adaptors
11_	Manifold collectors
12_	Tank welding neckrings
13_	Tank & pipe welding flanges
14_	Installation gaskets & bolt kits
15_	Pneumatic control cabinets
16_	Overfill prevention
18_	Safety equipment ADR
20_	General terms and conditions of sales
21_	Important notes
21_	Abbreviations

Manhole Cover

Assemblies

Manhole Cover Assemblies

ADR Series EN 13317, 13314, 14596

All Manhole Cover Assemblies include PV-Vent and Installation Gasket



Part Num.	Description
11.45.1002	SK4500St/C Manhole Cover Assy ADR, Ø500mm, St, 20", 0-1 Ports
11.45.1001	SK4500St Manhole Cover Assy ADR, Ø500mm, St, 20", 2-3 Ports
11.45.1005	SK4500St/UK Manhole Cover Assy ADR, Ø500mm, St, 20", UK Ports
11.45.1102	SK4500Al/C Manhole Cover Assy ADR, Ø500mm, Alum, 20", 0-1 Ports
11.45.1101	SK4500Al Manhole Cover Assy ADR, Ø500mm, Alum, 20", 2-3 Ports
11.45.1103	SK4500Al/UK Manhole Cover Assy ADR, Ø500mm, Alum, 20", UK Ports

Manhole Cover Assemblies - DOT Series

All Manhole Cover Assemblies include PV-Vent and Installation Gasket and Fixing Clump (if applicable)




Part Num.	Description
11.34.0030	SK3400Ca Manhole Cover Assy DOT, Ø400mm, Galv Steel, 16", Clump, 0-1 Ports
11.34.0031	SK3400Cb Manhole Cover Assy DOT, Ø400mm, Galv Steel, 16", Clump, 2-3 Ports
11.34.0020	SK3400Ba Manhole Cover Assy DOT, Ø400mm, Galv Steel, 16", 24bolts, 0-1 Ports
11.34.0023	SK3400Bb Manhole Cover Assy DOT, Ø400mm, Galv Steel, 16", 24bolts, 2-3 Ports
11.34.0022	SK3400B/St/UK Manhole Cover Assy DOT, Ø400mm, Galv Steel, 16", 24bolts, UK Ports
11.34.0122	SK3400B/Al/UK Manhole Cover Assy DOT, Ø400mm, Aluminum, 16", 24bolts, UK Ports
11.35.0001	SK3500Ca Manhole Cover Assy DOT, Ø500mm, Galv Steel, 20", Clump, 0-1 Ports
11.35.0002	SK3500Cb Manhole Cover Assy DOT, Ø500mm, Galv Steel, 20", Clump, 2-3 Ports
misc	Stainless 304 Price Adder, Stainless 304 Base Plate

Manhole Cover Accessories

Part Num.	Description
misc	Installation Bolt Kit, 24xM8 DIN6921 Galvanized
misc	Flange Kit for TW1 Port, Galvanized Steel
misc	Flange Kit for Sensor Port, Galvanized Steel
misc	Flange Kit for Dipstick Port, Galvanized Steel
misc	Plug, 2" MBSP for Breather Vent Opening

Emergency

Bottom Valves



Emergency Bottom Valves 4"

Non Pressure Balanced - EN 13308


Emergency bottom valves include installation gasket(s) and air connection fitting

Part Num.	Description
12.31.0100	KLM4HP Emergency Bottom Valve, Pneumatic, 4", High Profile
12.31.1100	KLM4LP Emergency Bottom Valve, Pneumatic, 4", Low Profile
12.31.2100	KLM4ULP Emergency Bottom Valve, Pneumatic, 4", Ultra Low Profile

Emergency Bottom Valves 4"

Pressure Balanced - EN 13316

Emergency bottom valves include installation gasket(s) and air connection fitting



Part Num.	Description
12.32.0100	KLM4HP/B Emerg. Bottom Valve, Pneumatic, 4", High Profile, Balanced
12.32.1100	KLM4LP/B Emerg. Bottom Valve, Pneumatic, 4", Low Profile, Balanced
12.32.2100	KLM4ULP/B Emerg. Bottom Valve, Pneumatic, 4", Ultra Low Profile, Balanced
misc	EBV-PRV Emerg. Bottom Valve, Internal Pressure Relief Valve

Emergency Bottom Valves 3" - EN 16257

Emergency bottom valves include installation gasket(s) and air connection fitting



Part Num.	Description
12.11.1000	SK3"P Emergency Bottom Valve, Pneumatic, 3"
12.10.1000	SK3"M Emergency Bottom Valve, Manual, 3"


Mechanical Operators with ESD Function



Part Num.	Description
12.70.0012	SK21030 Bottom Valve Mechanical Operator 3 compartment
12.70.0013	SK21040 Bottom Valve Mechanical Operator 4 compartment
12.70.0014	SK21050 Bottom Valve Mechanical Operator 5 compartment

Dipstics

& Diptubes



Dipstick Assemblies DSA - EU Type

Dipstick Assemblies are available to lengths from 1,0m to 2,5m

Part Num.	Description
13.10.1200	SK2200B/T-120 Dipstick Assembly Bolt/Backnut Fixing - 120cm
13.10.1400	SK2200B/T-140 Dipstick Assembly Bolt/Backnut Fixing - 140cm
13.10.1600	SK2200B/T-160 Dipstick Assembly Bolt/Backnut Fixing - 160cm
13.10.1800	SK2200B/T-180 Dipstick Assembly Bolt/Backnut Fixing - 180cm
13.10.2000	SK2200B/T-200 Dipstick Assembly Bolt/Backnut Fixing - 200cm
13.10.2200	SK2200B/T-220 Dipstick Assembly Bolt/Backnut Fixing - 220cm

Price Adder, Welded Diptube

EU Dipstick Assembly Accessories & Replacement Parts

Part Num.	Description
13.27.0031	Dipstick Assembly - Base (B/T) with Holder
13.40.1000	Dipstick Assembly - Stick Only, 1m
13.27.0009	Dipstick Assembly - Holder Only
13.50.0032	Dipstick Assembly - Base Only B/T
13.27.0004	Dipstick Assembly - Dipstick Spacer

Diptube Assemblies DTA - UK Type

Diptube Assemblies are available to lengths from 1,0m to 2,5m

Part Num.	Description
13.30.1800	SK3200B-180 Diptube Assembly UK type, Bolt Fixing - 180cm
13.30.2000	SK3200B-200 Diptube Assembly UK type, Bolt Fixing - 200cm
13.30.2200	SK3200B-220 Diptube Assembly UK type, Bolt Fixing - 220cm

UK Diptube Assembly Accessories & Replacement Parts

Part Num.	Description
13.27.0010	Diptube Assy UK, Mandrel and Cap, Mesh Screen
13.27.0021	Diptube Assy UK, Mandrel Only
13.27.0022	Diptube Assy UK, Replacement Cap

Vapour Recovery Adaptors

SK1976 - EN 13081

Vapour recovery valves include installation gasket(s) and air connection fitting(s)



Part Num.	Description
14.41.1100	SK1976/Set Vapour Recovery Adaptor c/w Dust Cap and Interlock Valve
14.41.0000	SK1976 Vapour Recovery Adaptor only
14.42.0001	Vapour Recovery Adaptor, Orange Dust Cap 4"
14.42.0002	Vapour Recovery Adaptor, Pneumatic Interlock Valve (PIV)

Vapour Transfer Valves

SK1977 - EN 13082

Vapour transfer valves include installation gasket(s) and air connection fitting(s)



Part Num.	Description
14.22.0000	SK1977 Vapour Transfer Valve, 8 bolt fixing, TW1
14.21.0000	SK1977S Vapour Transfer Valve, thread fixing cw Backnut
14.60.0006	VDH-25 Vapour Duct Hose DN90 - 25cm
14.60.0007	VDH-35 Vapour Duct Hose DN90 - 35cm
misc	SK105 Vapour Duct Hose Fixing Clump 3¾"

Vapour Manifold (Coaming) Vent Valves

SK1975 - EN 17110

Vapour transfer valves include installation gasket(s) and air connection fitting(s)



Part Num.	Description
14.31.0000	SK1975NC Vapour Manifold (Coaming) Vent Valve, Normal Close (NC)
14.32.0000	SK1975NO Vapour Manifold (Coaming) Vent Valve, Normal Open (NO)
22.20.0080	CVF080St Coaming Vent Installation Flange 3" - Steel
22.21.0080	CVF080Al Coaming Vent Installation Flange 3" - Aluminum

Breather Devices (PV Vents)

SK3100 - EN 14595



Part Num.	Description
14.12.0000	SK3100-1¼" Breather Device (PV Vent) 1¼" MBSP thread - EN14595
14.12.0001	SK3100-2" Breather Device (PV Vent) 2" MBSP thread - EN14595

Bottom Loading

Adaptors

Bottom Loading Adaptors - (API's) - EN 13803

Bottom Loading Adaptors include installation gasket(s) and air connection fitting(s)



Part Num.	Description
15.11.0000	SK10600/Set Bottom Loading Adaptor (API) with Handle and S. Glass c/w Cap K2
15.01.0000	SK10600/H/S Bottom Loading Adaptor (API) with Handle and Sight Glass
15.01.0001	SK10600/H Bottom Loading Adaptor (API) with Handle without Sight Glass
15.01.0010	SK10600/S Bottom Loading Adaptor (API) without Handle, with Sight Glass
15.01.0011	SK10600 Bottom Loading Adaptor (API) without Handle, without Sight Glass
15.20.0000	K2 Bottom Loading Adaptor Dust Cap, Alum. EN 16249
15.20.0001	K20 Bottom Loading Adaptor Dust Cap, Alum. w Side Handle EN 16249
15.90.0036	BLA-SG Bottom Loading Adaptor Sight Glass Replacement Kit
misc	GPI Grade Product Indicator



Gravity Discharge Couplers

EN 13315

Part Num.	Description
15.40.0200	K4-4x2" API Gravity Discharge Coupler K4 with 2" Male Camlock
15.40.0250	K4-4x2½" API Gravity Discharge Coupler K4 with 2½" Male Camlock
15.40.0300	K4-4x3" API Gravity Discharge Coupler K4 with 3" Male Camlock
15.40.0310	K4-4x3"-T API Gravity Discharge Coupler with 3" MBSP Thread
15.40.0400	K4-4x4" API Gravity Discharge Coupler with 4" Male Camlock
15.60.0300	K6-4x3" API Gravity Discharge Coupler K6 with 3" Female Camlock
misc	Price Adder, ½" Fuel Sampling Cock



Gravity Discharge Couplers

with Actuator Handle

Part Num.	Description
15.30.0300	K3-4x3" API Gravity Discharge Coupler c/w Handle with 3" Male Camlock
15.50.0300	K5-4x3" API Gravity Disch Coupler K5 with Actuator Hndl and 3" Fem. Camlock

Manifold

Collectors



Manifold Collectors 4"x 4"

300mm spacing

Part Num.	Description
16.10.0300	SK10403 Manifold Collector Assembly 4"x 4", 300mm Spacing, 3 Compartments
16.10.0400	SK10404 Manifold Collector Assembly 4"x 4", 300mm Spacing, 4 Compartments
16.10.0500	SK10405 Manifold Collector Assembly 4"x 4", 300mm Spacing, 5 Compartments
misc	SK10400 Manifold Collector Single Valve 4"x 4" - 300mm Spacing
misc	PA-PR Price Adder, Product Return 2", per Compartment



Manifold Collectors 4"x 3"

280mm spacing

Part Num.	Description
16.11.0300	SK10303 Manifold Collector Assy 4"x3", 280mm Spacing, 3 Compartments (2+1)
16.11.0400	SK10304 Manifold Collector Assy 4"x3", 280mm Spacing, 4 Compartments (3+1)
16.11.0500	SK10305 Manifold Collector Assy 4"x3", 280mm Spacing, 5 Compartments (4+1)
misc	SK10300 Manifold Collector Single Valve 4"x3", 280mm Spacing
misc	SK10300/E Manifold Collector Single Valve 4"x3", 280mm Spacing, Bottom Exit
misc	PA/PR Price Adder, Product Return 2", per Compartment

Manifold Collectors Options, Replacement Parts & Accessories

Part Num.	Description
16.30.0x00	SK10100 Lower Guard Bar Assembly - Price Per Compartment
16.40.0x00	SK10200 Product Return Guard Bar Assembly - Price per Compartment
misc	SK10400-FK Flange Kit 4" - 3 flanges including one with Sight Glass
misc	SK10300-FK Flange Kit 3" - 3 flanges including one with Sight Glass
24.05.0011	MCL-AIV Manifold Air Intake Valve ½" for Installation at Tanker Top
24.05.0001	MCL-PIV Manifold Interlock Valve for Locking Guard Bar

Tank Welding

Neckrings

Weld Neckrings

Clamp Fixing



Part Num.	Description
21.20.0400	SK2340St Weld Neckring, Ø400mm (16"), Clamp, Mild Steel
21.21.0400	SK2340Al Weld Neckring, Ø400mm (16"), Clamp, Aluminum
21.22.0400	SK2340SS Weld Neckring, Ø400mm (16"), Clamp, Stainless Steel 304
21.20.0500	SK2350St Weld Neckring, Ø500mm (20"), Clamp, Mild Steel
21.21.0500	SK2350Al Weld Neckring, Ø500mm (20"), Clamp, Aluminum
21.22.0500	SK2350SS Weld Neckring, Ø500mm (20"), Clamp, Stainless Steel 304
misc	Weld/Al Price Reducer, no welding on Aluminum neckrings
misc	Weld/St Price Reducer, no welding on Steel neckrings

Fixing Clamps

Part Num.	Description
11.66.0001	MCC40St Clamp, Manhole Cover Fixing, Ø400mm, Mild Steel
11.66.0003	MCC40SS Clamp, Manhole Cover Fixing, Ø400mm, Stainless Steel
11.66.0002	MCC50St Clamp, Manhole Cover Fixing, Ø500mm, Mild Steel
11.66.0004	MCC50SS Clamp, Manhole Cover Fixing, Ø500mm, Stainless Steel



Weld Neckrings

24 Bolt Fixing Manhole Cover

Part Num.	Description
21.30.0400	SK3340St Weld Neckring, Ø400mm, 24-Bolts, Mild Steel
21.31.0400	SK3340Al Weld Neckring, Ø400mm, 24-Bolts, AL-AW6061
21.31.0400	SK3340SS Weld Neckring, Ø500mm, 24-Bolts, Stainless Steel 304
21.40.0500	SK4350St Weld Neckring, Ø500mm, 24-Bolts, St-S235JR, EN13094
21.41.0500	SK4350Al Weld Neckring, Ø500mm, 24-Bolts, AL-AW5182H111, EN13094
21.42.0500	SK4350SS Weld Neckring, Ø500mm, 24-Bolts, Stainless Steel 304, EN13094

Tank & Pipe

Welding Flanges

Emergency Bottom Valves

Tank Installation Sumps



Part Num.	Description
22.00.0100	BVS100St Sump, Tank Welding, Bottom Valve, 4", 8xM12, Steel
22.01.0100	BVS100Al Sump, Tank Welding, Bottom Valve, 4", 8xM12, Aluminum
22.02.0100	BVS100SS Sump, Tank Welding, Bottom Valve, 4", 8xM12, Stainless Steel
22.00.0080	BVS080St Sump, Tank Welding, Bottom Valve, 3", 6xM12, Steel
22.01.0080	BVS080Al Sump, Tank Welding, Bottom Valve, 3", 6xM12, Aluminum
22.02.0080	BVS080SS Sump, Tank Welding, Bottom Valve, 3", 6xM12, Stainless Steel
misc	Price Reducer, No Prewelded Studs on Aluminum Sumps

Emergency Bottom Valves

Tank Installation Flanges



Part Num.	Description
22.10.0100	BVF100St Flange, Tank Welding, Bottom Valve, 4", 8xM12, Steel
22.11.0100	BVF100Al Flange, Tank Welding, Bottom Valve, 4", 8xM12, Aluminum
22.12.0100	BVF100SS Flange, Tank Welding, Bottom Valve, 4", 8xM12, Stainless Steel
22.10.0080	BVF080St Flange, Tank Welding, Bottom Valve, 3", 6xM12, Steel
22.11.0080	BVF080Al Flange, Tank Welding, Bottom Valve, 3", 6xM12, Aluminum
22.12.0080	BVF080SS Flange, Tank Welding, Bottom Valve, 3", 6xM12, Stainless Steel

Pipe

Welding Flanges



Part Num.	Description
misc	TFA100St Flange, Round, Pipe Welding, TTMA 4", Steel (SK10600, SK1976, KLM4HP)
misc	TFA100Al Flange, Round, Pipe Welding, TTMA 4", Aluminum (SK10600, KLM4HP)
misc	TQFA100St Flange, Square, Pipe Welding, TQFA 4", Steel (KLM4LP, KLM4ULP)
misc	TQFA100Al Flange, Square, Pipe Welding, TQFA 4", Aluminum (KLM4LP, SK4ULP)
misc	TQFA080St Flange, Square, Pipe Welding, TQFA 3", Steel (SK3"P, SK3"M)
misc	TQFA080Al Flange, Square, Pipe Welding, TQFA 3", Aluminum (SK3"P, SK3"M)

Installation Gaskets

& Bolt Kits

Manhole Cover

Installation Gaskets



Part Num.	Description
GMC-B50C	GMC-B50C Gasket, Manhole Cover, Ø500mm, 24-Bolts, Compounded Cork/NBR
GMC-B40C	GMC-B40C Gasket, Manhole Cover, Ø400mm, 24-Bolts, Compounded Cork/NBR
GMC-B50N	GMC-B50N Gasket, Manhole Cover, Ø500mm, 24-Bolts, NBR
GMC-B40N	GMC-B40N Gasket, Manhole Cover, Ø400mm, 24-Bolts, NBR
GMC-C50	GMC-C50 Gasket, Manhole Cover, Ø500mm, Clamp, NBR
GMC-C40	GMC-C40 Gasket, Manhole Cover, Ø400mm, Clamp, NBR
GFH-25KN	GFH-25KN Gasket, Fill Hole Cover, KALYMNOS, Ø250mm, Nitrile NBR
GFH-25KV	GFH-25KV Gasket, Fill Hole Cover, KALYMNOS, Ø250mm, Viton FKM

Service Equipment

Installation Gaskets

Part Num.	Description
GPC-100C/TTMA	GPC-100C/TTMA Gasket, Pipe Connection, TTMA 4", Cork/NBR (SK10600, SK1976, KLM4HP)
GPC-080C/TTMA	GPC-080C/TTMA Gasket, Pipe Connection, TTMA 3", Cork/NBR (Inline Filiter)
GPC-100C/TQFA	GPC-100C/TQFA Gasket, Pipe Connection, TQFA100, Cork/NBR (KLM4"LP)
GPC-080C/TQFA	GPC-080C/TQFA Gasket, Pipe Connection, TQFA080, Cork/NBR (SK3"P/M)
GPC-100C/TW3	GPC-100C/TW3 Gasket, Pipe Connection, TW3, Cork/NBR (SK10600, SK1976, KLM4HP)
GPC-080C/TW1	GPC-080C/TW1 Gasket, Pipe Connection, TW1, Cork/NBR (SK1977, SK1975NO/NC)
GBV-100C/EN	GBV-100C/EN Gasket, Tank Installation, Bottom Valve EN, 4", Cork/NBR
GBV-080C/EN	GBV-080C/EN Gasket, Tank Installation, Bottom Valve EN, 3", Cork/NBR

Installation Bolt Kits

Part Num.	Description
	BK-TTMA Bolt Kit, 4" TTMA Flange, 8xM10 Bolts & Nuts (SK10600, KLM4HP etc)
	BK-TQFA Bolt Kit, 4" TTMA Flange, 4xM10 Bolts & Nuts (KLM4LP)
	BK-TW1 Bolt Kit, TW1 Flange, 8xM10 Bolts & Nuts (SK1977 etc)

Pneumatic Control

Cabinets



Pneumatic Control Cabinets

BLVR/GB - Series SK240x1 & SK250x1

Part Num.	Description
24.24.0031	SK2x031 Pneumatic Control Cabinet 3 Comp BLVR/GB
24.24.0041	SK2x041 Pneumatic Control Cabinet 4 Comp BLVR/GB
24.24.0051	SK2x051 Pneumatic Control Cabinet 5 Comp BLVR/GB
24.24.0061	SK2x061 Pneumatic Control Cabinet 6 Comp BLVR/GB

Pneumatic Control Cabinets

BLVR/GB/M - Series SK240x2 & SK250x2

Part Num.	Description
24.24.0032	SK2x032 Pneumatic Control Cabinet 3 Comp BLVR/GB/M
24.24.0042	SK2x042 Pneumatic Control Cabinet 4 Comp BLVR/GB/M
24.24.0052	SK2x052 Pneumatic Control Cabinet 5 Comp BLVR/GB/M
24.24.0062	SK2x062 Pneumatic Control Cabinet 6 Comp BLVR/GB/M

Pneumatic Control Cabinets

BLVR/GB/M/PR - Series SK250x3

Part Num.	Description
24.25.0033	SK25033 Pneumatic Control Cabinet 3 Comp BLVR/GB/M/PR
24.25.0043	SK25043 Pneumatic Control Cabinet 4 Comp BLVR/GB/M/PR
24.25.0053	SK25053 Pneumatic Control Cabinet 5 Comp BLVR/GB/M/PR

Pneumatic Accessories

Part Num.	Description
24.01.0001	PCA-CVL Valve, Compartment, Replacement c/w Knob
misc	PCA-RKB Knob, Replacement (Black, Red, Green, Yellow, Blue)
24.90.0002	CAB Cabinet, Stainless Steel, Enclosure Only c/w Lock & Key
24.02.0003	PCA-ESD/UK Emergency Shut Down Valve UK Type
misc	PP68 Pneumatic Pipe, Rilsan 6-8mm, Spool of 100m

Overfill

Prevention

Overfill Equipment

Scully® Sensors



Part Num.	Description
SCL-09048L1E	SP-FU/MHCE Five-Wire Optic Sensor, w BSP Holder, 15" (375mm)
SCL-09049L1E	SP-FU Five-Wire Optic Probe Only, 15" (375mm)
SCL-09044L1	SP-TO/MHCE Two-Wire Optic Sensor, BSP Holder, 15" (375mm)
SCL-09045L1	SP-TO Two-Wire Optic Probe, 15" (375mm)
SCL-09376L1E	FGE "E" Sensor Probe, 5-wire optic, 3/4" NPT, Chemical (SS)
SCL-09477	FGE SP-MHCS Sensor Holder Chemical (SS), 3/4" NPT, 2" BSPT, M20

Overfill Equipment

Scully® Sockets



Part Num.	Description
SCL-08509	SJ-OB 5-Wire Optic Socket, 10 Pin, 4 J-Slots, Blue Cap
SCL-08813	SJ-6W 5-Wire Optic Socket, 6 Pin, 3 J-Slots, Blue Cap
SCL-09364	SJ-OB 5-Wire Optic Socket, 10 Pin, 4 J-Slots, Black Cap, Pressure Switch
SCL-09361	SJ-6W 5-Wire Optic Socket, 6 Pin, 3 J-Slots, Blue Cap, Pressure Switch
SCL-08646	SJ-8OB 2-Wire Optic Socket, 10 Pin, 4 J-Slots, Green Cap

Overfill Equipment

Accessories



Part Num.	Description
SCL-28042E	PXE Optic Cable, 5-Conductor, Blue, 100' (30m)
SCL-09011	FGE Ground Bolt
SCL-08938	Universal Track Tester, Base Unit
SCL-08926	PCAM 10-Pin Plug & Cable for UTT
SCL-08927	PCAM 6-Pin Plug & Cable for UTT
PPS	Pneumatic Pressure Switch 1/4" Kit
GRL	ATEX Grounding Reel, Manual, 10m Cable & Grip



EMERGENCY RELIEF VALVE
SK3250
S.N. 14996-2005
EN 12214-2002
MWP 22 bar
VENTING CAPACITY: 6500m³/h at 25kPa
DEN DROP TEST APPROVED

S. KALIN
MADE IN
EMERGENCY
RELIEF VALVE
SK3250

KALYMNOS
FUEL ENGINEERING
EN 12214-2002
MWP 22 bar
SK3250

197510-02

Safety Equipment

ADR

KALY-26 ADR Safety Equipment

Provided Safety Equipment Meets the Requirements of ADR 2019 Paragraph 8.1.5 "General equipment and personal protective equipment"



Tank Truck Personal Crew Protective Equipment

ADR

Part Num.	Description
HS-HVV-AS	High Visibility Vest Antistatic acc. EN471
HS-TorchATEXzone1	Torch ADR ATEX zone 1
HS-DDG11	Safety Green Gloves
HS-SG01	Safety Goggles
HS-CR-Set	Crew Protective Equipment kit

Provided Safety Equipment Meets the Requirements of ADR 2019 Paragraph 8.1.5 "General equipment and personal protective equipment"



Dangerous Transport Vehicle Equipment Class 3

ADR

Part Num.	Description
HS-Wedge	Wheel Chock Plastic - Medium
HS-WedgeBase	Base for Wheel Chock
HS-FWT01	Folding Warning Triangle
HS-SafetyCone	Safety Cone
HS-EW500	Eye Wash Bottle 500mL
HS-EWBH	Eye Wash Bottle Holder
HS-SHV01	ADR Shovel Premium Antistatic
HS-DC	ADR Drain Cover
KFE-BCKT-GRND	Fuel Drainage Bucket, Aluminum w grounding
HS-VH-Set	Vehicle Equipment kit (except the base and wheel chock)

Safety Equipment

ADR

ALY-26 ADR Safety Equipment

Provided Safety Equipment Meets the Requirements of ADR 2019 Paragraph 8.1.5 "General equipment and personal protective equipment"



Orange Plate ADR



Enviromental
Hazardous Label



Flammable liquid Label



Sorbent Boom



ADR Orange bag



Absorbing Towels

Leakage Protection

Other Equipment

Κωδικός	Περιγραφή
HS-AbsorbTowels	Absorbing Towels (set of 50pcs, 60x40cm)
HS-SSN	Absorber Boom (pc)
HS-SBM12	Sorbent Boom Φ12cm x 300cm (pc)
HS-EVHD	Enviromental Hazardous Label
HS-CL3LB	Flammable liquid Label Class 3
HS-FirstAidKit	First Aid kit
HS-SafetyHelmet	Safety Helmet c/w Glasses
HS-ADR-bag-net	ADR Orange bag net
HS-HazTape	Hazard Tape

General Terms And Conditions Of Sales

The Purchaser expressly agrees with these General Terms and Conditions which form an integral part and shall govern any Supplier's Offer, Buyer's Order, and/or Contract between Supplier and Buyer, except in the event of an explicit agreement or Special Terms otherwise.

The contract shall be considered as concluded as soon as the Supplier receives the Offer from the Buyer in writing or upon acceptance/confirmation of the Order in writing, in accordance with Chapter 3 of the General Terms and Conditions of Sales.

The Products shall be invoiced at the price agreed upon at the conclusion of the Contract. Prices reported are in Euro (€), excluding VAT, but they include fixed unit packaging costs. The dispatch fee for the Products shall be established in accordance with the International Commercial Terms (Incoterms 2020) and shall be borne by the Buyer.

The Supplier shall have the right to retain ownership of the Products, in whole or in part, until the Buyer has fulfilled all obligations arising out of the Contract and/or Confirmation of Order.

Unless otherwise agreed, the Products shall be delivered in accordance with the terms of International Commercial Transactions and the place of delivery shall be the place where the Supplier has its registered office.

The Supplier shall be entitled to make changes to the Products displayed on his list, or to other printed or electronic material, as well as to remove or add Products thereof.

In the event that the Purchaser's Order cannot be completed/executed due to events of force majeure, delivery dates shall be automatically extended for an equal period of time to that of force majeure.

Receipt of the Products by the Purchaser shall automatically be considered as acceptance and completion of the Order and/or Contract if the Buyer does not make any complaint to the Supplier clearly phrased in writing within eight (8) days from the date of delivery of the Products. The warranty for the Products shall be valid for one (1) year from the date of delivery to the Purchaser.

The Supplier shall not be liable for any damage or loss of the Products from the time the Products were supplied to the Buyer. All Products returned to the Supplier shall require the issue of a return authorization for goods by the Supplier and shall travel at the risk of the Buyer.

The Buyer and/or Supplier reserves the right to cancel the Order if the other party fails to fulfill one or more terms of the Contract.

All relevant or non-relevant information that the Supplier provides to the Buyer is strictly personal and confidential. The Buyer acknowledges that the personal data of its affiliates and employees may be collected and processed by the Supplier under the Contract and the General Terms and Conditions and in accordance with the GDPR Policy.

If any condition in the General Terms and Conditions or in the Contract is invalid or void, the other conditions in the General Terms and Conditions and in the Contract shall remain in force. The Parties shall replace the invalid and/or non-applicable term with a new one that is as close as possible to the content and spirit of the original term.

The General Terms and Conditions, all proposals, Offers and Contracts between the Buyer and the Supplier shall be governed by the Greek law and all disputes and adversary proceedings arising herefrom or relating hereto shall be brought before the competent courts of Thessaloniki.

For the full text of our General Terms and Conditions of Sales visit our website

<https://www.kalymnos-fuel.com/sales-terms>

Important Notes:

Due to continuous efforts for product development, the Company reserves the right to change the specifications and availability of its products without prior notice.

The general terms of sale of the company apply as they are posted on the Website of our company

www.kalymnos-fuel.com

WARNING

The maximum operating pressure (WP) of an assembled hose is not determined by the pipe, but by the pipe-tip combination limited to the smaller of the two.

NOTE

All operating pressures for the hoses have been calculated at ambient temperature.

Data and information contained in this edition of Kalymnos Fuel Engineering Ltd. and its authorized representatives, provide product system options for further research by users with technical training.

The user, with his own analysis and testing, is solely responsible for the final selection of the system and components and for ensuring that all performance, durability, maintenance, safety, and warning parameters are met. The user should analyze all the parameters of the application, follow the standards, and use the information given for each product in this directory and in any other material provided as a guide by Kalymnos Fuel Engineering Ltd. or the authorized representatives.

Where Kalymnos Fuel Engineering Ltd. and its authorized representatives provide components or product systems based on data or explanations provided by the user, the user is responsible for determining that such data and explanations are appropriate and sufficient for all applications and predictable uses of the equipment.

WARNING – USER RESPONSIBILITY

IMPROPER SELECTION, USE OR FAILURE OF THE PRODUCTS DESCRIBED WITHIN THIS PUBLICATION OR RELATED ITEMS CAN CAUSE DEATH, PERSONAL INJURY AND PROPERTY DAMAGE



ABBREVIATIONS

MCA: Manhole Cover Assembly

EPRV: Emergency Pressure Relieve Valve

FHC: Fill Hole Cover

MWR: Manhole Weld NeckRing

MCG: Manhole Cover Gasket

EBV: Emergency Bottom Valve

BVS: Bottom Valve Sump

BVF: Bottom Valve Flange

BVG: Bottom Valve Gasket

TQFA: Pipe Welding Flange Square 4 holes

TFA: Pipe Welding Flange Round 8 holes

PFG: Pipe Flange Gasket

VRA: Vapour Recovery Adaptor

VRC: Vapour Recovery Coupler

VTV: Vapour Transfer Valve

CVV: Coaming Vent Valve

PVV: Pressure & Vacuum Breather Vent

BLA: Bottom Loading Adaptor

BLC: Bottom Loading Coupler

GDC: Gravity Discharge Coupler

Certifications



Kalymnos Fuel Engineering is working closely with MIRTEC S.A. an ESYD accredited certification body for monitoring the quality control program, for this reason, is one of the brands on ADR equipment that is supplying its customers not only with Type Examination certification but also with Annual Conformity to Type Certificates proving the commitment of the brand to the quality of its Products.



MIRTEC
ANASTASIOU LEONIDAS, BOURNANAKIS SYRINAKIS, TERNITZIOPOULOS ANASTASIOU
ANASTASIOU LEONIDAS, BOURNANAKIS SYRINAKIS, TERNITZIOPOULOS ANASTASIOU
PATRIAS INDUSTRIAL RESEARCH TECHNOLOGY CENTER S.A.

**CERTIFICATE OF CONFORMITY
OF MANAGEMENT SYSTEM**

No. of Certificate :
MIRTEC1-01-8209CER11.110200341

MIRTEC S.A. certifies that the Quality Management System of the company :

**KALYMNOS FUEL ENGINEERING
S.M. Ltd**

In relation to the following field(s) of activities :

- ✓ Manufacturing of Service Equipment for Road Tankers
- ✓ Manufacturing of Equipment for Fuel Service Stations
- ✓ Assembly & Testing of Flexible Hose Assemblies for Fuel & Chemical Products
- ✓ Production of Tank Provers

applied at
12, Athanasio Diakou Str., GR-570 09 Kalochori, Thessaloniki

has been evaluated during an audit (No. of audit report: 1586/19/20)
and was found to conform to the requirements of the standard :

ELOT EN ISO 9001:2015

This Certificate is issued according to the General Regulation for the Certification of MS of MIRTEC S.A. and is
governed by the terms of the relevant contract between MIRTEC S.A. and the Company.

Period of validity from 1st of October 2020 to 1st of November 2022

For MIRTEC S.A. Valid: 1st of October 2020

General Director of Inspection and Certification: Vasilios Christodoulou
Authorized Signatory: Vasilios Christodoulou

replacing the: MIRTEC1-01-8209CER11.110200341 - 01/21/2019

CP CERTIFICAT (EN) 01/21/2020

ESYD
No. of Certificate 01

IQNET
certification

Page 1/5
IBEXU/AT/2020/01/21

IBEXU Institut für Sicherheitstechnik GmbH
An-Institut der TU Bergakademie Freiberg

EU-TYPE EXAMINATION CERTIFICATE - Translation

(1) Equipment or protective systems
intended for use in potentially explosive atmospheres, Directive 2014/34/EU

(2) EU-type examination certificate number **IBEXU16ATEX2020 X1** (Issue 1)

(3) Product:
End-of-Line deflagration flame arrester
Type Coaming Vent Valve SK197/202
Type Pressure & Vacuum Breather Vent SK151/10
Type Coaming Vent Valve SK197/202
Type Pressure & Vacuum Breather Vent SK151/10

(4) Manufacturer:
KALYMNOS FUEL ENGINEERING LTD

(5) Address:
12 Ath. Diakou Str.
57009 Kalochori Thessaloniki
GREECE

(6) This product and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(7) IBEXU Institut für Sicherheitstechnik GmbH, notified body number 0637 in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that the product has been found to comply with the essential health and safety requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in the confidential test report IB-20-2-0069 of 27 July 2020.

(8) Compliance with the essential health and safety requirements has been assured by compliance with:
EN 16852-2016 and EN 1127-1:2019
except in respect of those requirements listed at item (16) of the schedule.

(9) If the sign "X" is placed after the certificate number, it indicates that the product is subject to the specific conditions of use specified in the schedule to this certificate.

(10) This EU-type examination certificate relates only to the design and construction of the specified product. Further requirements of the Directive apply to the manufacturing process and supply of the product. These are not covered by this certificate.

(11) The marking of the product shall include the following:

© G I A

IBEXU Institut für Sicherheitstechnik GmbH
Fuchsmühlweg 7
09599 Freiberg, Germany

By order:
Dariusz Winiarski

Tel: +49 (0) 37 31 38 05 0
Fax: +49 (0) 37 31 38 05 10

Certificates without signature and seal are not valid. Certificates may only be reproduced completely and unchanged in print or electronic form. Reproduction or alteration is prohibited.

Freiberg, 2020-08-05

Page 1/5
IBEXU/AT/2020/01/21

TUV NORD

(1) Production Quality Assurance Notification

(2) Equipment and protective systems
intended for use in potentially explosive atmospheres, Directive 2014/34/EU

(3) Notification Number: **TUV CY 17 ATEX 0205937 Q**

(4) Product category: Protective principle:
Protective system: End-of-line deflagration flame arrester
Type Service Station Vent SK17021 with pressure/vacuum valve
Type Service Station Vent SK1702 without pressure/vacuum valve

(5) Applicant: **KALYMNOS FUEL ENGINEERING LTD**
12 Ath. Diakou Str.
57009 Kalochori Thessaloniki
GREECE

(6) Manufacturer: Same as applicant Manufacturing location: Same as applicant

Order number: 0205937
Date of issue: 2020-09-25
First certification: 2017-08-23
Valid to: 2023-08-23

(7) TUV CYPRUS Ltd, notified body No. 2291 in accordance with Article 17 of the Council Directive 2014/34/EU of February 26, 2014, notifies the applicant that the manufacturer has a production quality system which complies with Annex IV of the Directive.

(8) This notification is based on audit report No. 20 0205937 issued on 2020-09-24. This notification can be withdrawn if the manufacturer no longer submits to the requirements of Annex IV. Results of periodical production quality assessments are a part of the notification.

(9) In accordance with Article 16 (3) of the Directive 2014/34/EU the CE marking shall be followed by the identification number 2291 of the notified body TUV CYPRUS LTD.

The EU-Type Examination Certificates based on this notification are listed by the notified body.

TUV CYPRUS Ltd (TUV NORD Group).


The hereinafter marked body:

D. [Signature]

TUV CYPRUS LTD (TUV NORD Group)
5, St. George's Road, 2020, Nicosia, Cyprus
Tel: +357 22 44 41 41 Fax: +357 22 44 41 42 Email: info@tuv-cyprus.com
www.tuv-cyprus.com

This notification may only be reproduced without any change.
Reproduction or change shall be allowed by the TUV NORD Ltd.

Page 1/1



Europe

Italy // United Kingdom // Ireland // France // Portugal // Spain // Germany // Belgium // Finland // Romania *etc.*

Africa

Morocco // South Africa

Middle East

Turkey // Israel // Lebanon // Jordan





KALYMNOS
Fuel Engineering

GAMA

12, Ath. Diakou Str.
P.O. Box: 1099
570 09 Kalohori
Thessaloniki, Greece

T. +30 2310 755 418

sales@kalymnos-fuel.com
accounting@kalymnos-fuel.com
support@kalymnos-fuel.com

www.kalymnos-fuel.com