



CALL 800.449.9606



CLICK jendcosafety.com



STOP BY 1303 Alum Creek Dr
Columbus, OH 43209

J E N D C O

SAFETY SUPPLY



SAFETY & INDUSTRIAL SUPPLIES

Family Owned and Operated for Over 30 Years!





Discover
even more at
JENDCOSAFETY.COM

**Looking for more safety
and industrial supplies?**

Stay safe and productive this season
with our deep product selection and
discounts. Available online 24/7.



PayPal



Ordering Information

To place orders, ask questions, receive information and find solutions:



Order by Phone

1.800.449.9606
8:00AM – 5:00PM EST
Monday through Friday



Order Online

www.jendcosafety.com
24 hours a day, every day!



Order by Fax

614.449.9605
24 hours a day, every day!



Order by Email

websales@jendcosafety.com
24 hours a day, every day!



Family owned
and operated
since 1989


















J E N D C O

SAFETY SUPPLY



TABLE OF CONTENTS

Hand Protection	2-10	
Eye & Face Protection	11-17	
Head Protection	18	
Hearing Protection	19-20	
Protective Clothing	21-28	
Respiratory Protection	29-38	
Fall Protection	39-54	
Gas Detection	55	
Vacuums	56-57	
Equipment	58-59	
Containment	60-67	
Tools	68-70	
Spill Control	71-73	
Electrical Lockout	74	
First Aid	75-76	

HAND PROTECTION

Pigskin Drivers, Fleece Lined Pigskin Drivers, Premium Goatskin Drivers, Cotton Gloves

Hand Protection



330-1000-001

Leather Palm Gloves

- Cowhide leather construction provides comfort, durability, excellent abrasion resistance and breathability
- Wing thumb increases comfort in open-handed work

CUFF/PALM OPTIONS:

Knit Wrist

- Knit wrist helps prevent dirt and debris from entering the glove

Safety Cuff

- Rubberized fabric safety cuff helps protect wrist, allows for fast removal and water resistance

Double Palm Safety Cuff

- Rubberized fabric safety cuff helps protect wrist, allows for fast removal and water resistance
- Double palm offers comfort, insulation and heat protection

Gauntlet Cuff

- Rubberized gauntlet cuff for added forearm protection, allows for fast removal and water resistance



330-1001-003



330-1001-001

Part #	Description	Qty./Cs.
330-1000-001	Leather Palm Knit Wrist Gloves	12/Dz.
330-1001-001	Leather Palm Safety Cuff Gloves	12/Dz.
330-1001-003	Leather Double Palm Safety Cuff Gloves	12/Dz.
330-1001-002	Leather Palm Gauntlet Cuff Gloves	12/Dz.

*Contact us for additional styles, sizes and options!



Pigskin Drivers

- Standard grain pigskin • Keystone thumb
- Shirred elastic back • Sold in dozens
- Available in S-2XL

Part #	Description	Qty./Cs.
330-1003-00	Pigskin Drivers (Small-2XL)	10/Dz.



Fleece Lined Pigskin Drivers

- Standard grain pigskin • Red fleece lined
- Keystone thumb • Rolled cuff • Shirred elastic back
- Available in S-2XL

Part #	Description	Qty./Cs.
330-1003-01	Fleece Lined Pigskin Drivers (Small-2XL)	10/Dz.



Premium Goatskin Drivers

- Top grain goatskin leather construction is the softest, most abrasion-resistant leather and is highly recommended for applications requiring tactile sensitivity
- Keystone thumb • Shirred elastic back
- Available in S-2XL

Part #	Description	Qty./Cs.
330-1004-00	Premium Goatskin Drivers (Small-2XL)	10/Dz.



330-2000-001

Standard String Knit Gloves

- Medium weight natural white cotton/polyester string knit
- Reversible • Use as a glove or as a liner

Part #	Description	Dz./Cs.
330-2000-001	Standard String Knit	25/Dz.
330-2000-002	Standard String Knit – Ladies	25/Dz.



330-2000-011



330-2000-012

String Knit with Dots

- Seamless knit shell is comfortable and flexible
- Knit wrist helps prevent dirt and debris from entering the glove
- Single-sided PVC dots
 - Provide enhanced grip and extra cut and abrasion resistance
- Double-sided PVC dots
 - Double-sided PVC dots provide enhanced grip and extra cut and abrasion resistance

Part #	Description	Dz./Cs.
330-2000-011	Seamless Knit Cotton with Single-Sided PVC Dots	25/Dz.
330-2000-012	Seamless Knit Cotton with Double-Sided PVC Dots	25/Dz.



330-2020-001

Canvas Cotton Gloves

- 8 oz. cotton canvas • Clute pattern
- Straight thumb • Knit wrist

Part #	Description	Dz./Cs.
330-2020-001	Canvas Cotton 8 oz. Gloves	25/Dz.



330-2000-021

String Knit with Double-Sided Blue PVC Blocks

- Natural white cotton/polyester knit
- Elastic knit wrist • Reversible

Part #	Description	Dz./Cs.
330-2000-021	String Knit with Double-Sided Blue PVC Blocks	25
330-2000-022	String Knit with Double-Sided Blue PVC Blocks – Ladies	25



330-2010-001

Brown Jersey Gloves

- 10 oz. brown jersey • Clute pattern • Knit wrist

Part #	Description	Dz./Cs.
330-2010-001	Brown Jersey 10 oz. Gloves	25/Dz.
330-2000-001.2	Brown Jersey 10 oz. Gloves – Ladies	25/Dz.



330-2010-002

Brown Jersey Dotted Gloves

- Premium weight brown jersey
- Mini PVC dots on palm, index finger and thumb
- Clute pattern • Knit wrist

Part #	Description	Dz./Cs.
330-2010-002	Brown Jersey Gloves with Mini PVC Dots	25/Dz.



330-2010-003

Fleece Lined Brown Jersey Gloves

- Red fleece lined brown jersey
- Full fashion • Straight thumb • Slip on style

Part #	Description	Dz./Cs.
330-2010-003	Fleece Lined Brown Jersey Gloves	25/Dz.



MEMPHIS GLOVES
An MCR Safety Brand

JUST TRY TO OUTWORK US

N9680 Ninja Flex Latex Coated Palm and Fingertips

- 15 gauge 100% nylon shell
- Crinkle latex coating providing superb flexibility, elasticity and durability
- Excellent for dry grip applications
- Treated with Actifresh to kill bacteria and promote freshness
- Available in S–XL



Part #	Description	Dz./Cs.
N9680	15 Gauge Nylon, Latex Coated	12/Dz.

N9699 Ninja HPT (Hydropellent Technology™) Coated Palm and Fingertips

- 15 gauge athletic grade nylon shell for increased comfort
- Proprietary HPT coating
- Treated with Actifresh to kill bacteria and promote freshness
- CE score 4131
- Available in S–XL



Part #	Description	Dz./Cs.
N9699	15 Gauge Nylon, HPT Coated	12/Dz.

9680 NGX Work Gloves Latex Palm and Fingertips

- 10 gauge white cotton and polyester shell
- Blue latex dip on the palm and fingertips
- Improves grip
- Excellent comfort and fit
- High quality work gloves



Part #	Description	Dz./Cs.
9680	10 Gauge Cotton Poly, Latex Palm	12/Dz.

9669 Memphis Economy Polyurethane Coated Gloves

- 13 gauge black nylon shell
- Black PU coated palm and fingertips
- Color coded to identify size
- Available in S–2XL



Part #	Description	Qty./Cs.
9669	Memphis Economy Polyurethane Coated Gloves	12/Dz.

N9690 Ninja Ice Winter Gloves

- 7 gauge acrylic terry liner on the inside and a 15 gauge nylon liner with HPT coating on the outside
- Also available in Hi-viz
- Available S–2XL



Part #	Description	Qty./Cs.
N9690	Ninja Ice Winter Gloves	12/Dz.
N9690HV	Ninja Ice Winter Gloves Hi-Viz	12/Dz.

96731 Memphis Flex Blue Foam Palm Coated Gloves

- Memphis flex seamless gray nylon shell with blue foam latex dipped palm/fingertips
- 13 gauge
- CE 3131
- Available S–XL



Part #	Description	Qty./Cs.
96731	Memphis Flex Blue Foam Palm Coated Gloves	12/Dz.

9673 Memphis Economy Foam Nitrile Gloves

- 13 Gauge Gray Nylon Shell
- Black Foam Nitrile Palm and Fingers
- Knit Wrist
- Cool and Comfortable
- Easy to wear
- Available in S - 2XL



Part #	Description	Qty./Cs.
9673	13 Gauge Nylon, Black Foam Nitrile Dipped Palm/Fingers	12/Dz.

905 MCR Synthetic Multi-Task Gloves

- Features black synthetic leather palm with gray "G" shape foam palm padding
- Comfortable blue nylon/spandex back, knuckle protection and vented finger sidewall
- Adjustable hook and loop wrist closure
- Available in S–2XL



Part #	Description	Qty./Cs.
905	MCR Synthetic Multi-Task Glove	12/Dz.

906 MCR Goatskin Multi-Task Gloves

- Features white grain goatskin palm with yellow patch palm and fingertips
- Foam knuckle protection
- Nylon/spandex back is breathable, flexible and comfortable
- Available in S–2XL



Part #	Description	Qty./Cs.
906	MCR Goatskin Multi-Task Glove	12/Dz.

HAND PROTECTION

PIP Palm Dipped Gloves



PROTECTIVE INDUSTRIAL PRODUCTS

Typical Uses:

In applications that require a high degree of dexterity and sensitivity, especially where grip is important. Handling small parts and components, general assembly, machining, micro-engineering, automotive components, painting, horticulture, and maintenance.



PIP G-Tek GP Economy Grade Nitrile Coated Grip Gloves 34-C232

- Seamless knit nylon glove with nitrile coated foam grip on palm and fingers - economy grade
- Ideal for manufacturing and assembly applications where abrasion, cut and puncture resistance is required
- Knit wrist helps prevent dirt and debris from entering the glove
- Available in XS–XL

Part #	Description	Dz./Cs.
34-C232	PIP G-Tek GP Economy Grade Nitrile Coated Grip Gloves	25/Dz.

PIP G-Tek GP Knit Nylon with PU Smooth Coated Grip Gloves 33-G125

- Seamless knit nylon glove with polyurethane coated smooth grip on palm and fingers
- Polyurethane (PU) coatings offer great puncture and abrasion resistance while offering excellent tactile sensitivity
- Seamless knit nylon shell offers increased comfort, finger dexterity and breathability
- Available in XS–3XL



Part #	Description	Dz./Cs.
33-G125	G-Tek Knit Nylon Gloves	25/Dz.

PIP G-Tek GP Hi-Vis Knit Polyester with PU Coated Grip Gloves 33-425LY

- Hi-vis seamless knit polyester glove with polyurethane coated smooth grip on palm and fingers
- Hi-vis coloring makes this product very easy to see
- Breathable back for comfort
- Available in XS–2XL



Part #	Description	Dz./Cs.
33-425LY	G-Tek GP Hi-Vis Gloves	25/Dz.

PIP MaxiFlex A3 Cut Gloves 34-8743

- Touchscreen compatible
- Form, fit and feel - mimics the "hand at rest"
- Reinforcement between the thumb and forefinger, improves cut resistance
- Optimized grip delivered through our micro-cup finish
- Latest knitting technology - utilized to produce smooth and rounded fingertips, improving fingertip sensitivity
- Available in S–2XL



Part #	Description	Dz./Cs.
34-8743	MaxiFlex A3 Cut Gloves	12/Dz.

PIP G-Tek Neofoam® Coated Touchscreen Gloves 34-600

- Seamless nylon glove with neofoam coated palm and fingers - touchscreen compatible
- Neofoam coated palm and fingertips offer great abrasion resistance and outstanding wet/dry grip
- Touchscreen compatible to allow the user to operate a touch screen phone or device without removing gloves
- Available in XS–2XL



Part #	Description	Dz./Cs.
34-600	G-Tek Neofoam Coated Gloves	12/Dz.

PIP ATG Seamless Knit Nylon / Lycra Glove 34-875

- Knit Wrist helps prevent dirt and debris from entering the glove
- 100% Silicone-free
- Patented micro-foam nitrile coating offers 360 degree breathability, making it the most breathable glove on the market today
- 25% Thinner than most foam nitrile gloves on the market
- Form, Fit and Feel - Mimics the "hand at rest", reducing hand fatigue and increasing comfort
- Available in S–2XL



Part #	Description	Dz./Cs.
34-875	PIP ATG Gloves	12/Dz.

PIP MaxiFlex Ultimate Palm Dipped Gloves 34-874

- Dark gray seamless knit nylon with black micro foam nitrile coated palm and fingertips
- Ultra cool, breathable
- Gray color for industrial applications
- Excellent dry grip
- Excellent dexterity, sensitivity, tactility
- 5 sizes with color-coding on the cuff of each glove
- Available in S–2XL



Part #	Description	Dz./Cs.
34-874	MaxiFlex Ultimate Gloves	12/Dz.

PIP G-Tek 3GX 19-D326

- Seamless knit Dyneema diamond blended glove with polyurethane coated smooth grip on palm and fingers
- Seamless construction offers increased comfort and breathability
- Washable, resistant to chemicals, water and ultraviolet light
- CE Score 4442/ANSI Cut A3
- Available in XS-2XL



Dyneema is 15 times stronger than steel on a weight for weight basis!

PIP G-Tek PolyKor 16-665

- Seamless construction offers increased comfort and breathability
- PolyKor blended shell with Aramid PolyKor is lightweight and provides excellent dexterity, tactile sensitivity, and cut resistance
- Polyurethane coatings provide a tactile grip in dry and slightly oily conditions
- Knit Wrist helps prevent dirt and debris from entering the glove
- CE Score 4X42E/ANSI Cut A5
- Available in S-2XL



Part #	Description	Dz./Cs
19-D326	PIP G-Tek 3GX	6/Dz.

Part #	Description	Dz./Cs
16-665	PIP G-Tek PolyKor	6/Dz.

PIP MaxiCut 18-570

- Seamless knit engineered yarn glove with nitrile coated microfoam grip on palm and fingers
- Designed and developed as a breathable cut resistant glove, MaxiCut combines cut protection with comfort, flexibility and dexterity for dry environments
- Microfoam nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance
- CE Score 4331BX/ANSI Cut A2
- Available in XS-3XL



PIP MaxiCut Ultra 44-3745

- Seamless knit engineered yarn glove with premium nitrile coated microfoam grip on palm and fingers
- Reinforcement between the thumb and forefinger improves cut resistance and extends glove life in an inherently weak area
- ATG sources their base ingredients to develop their own unique high performance yarns and fibers that offer cut protection while maintaining high levels of comfort
- CE Score 4542CX/ANSI Cut A3
- Available in XS-3XL



PIP G-Tek PolyKor PU Coated 16-530

- Seamless knit PolyKor blended glove with polyurethane coated smooth grip on palm and fingers
- PolyKor blended shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance
- Polyurethane coated palm and fingertips for great abrasion resistance, excellent puncture resistance and outstanding wet/dry grip
- CE Score 4343BX/ANSI Cut A2
- Available in XS-2XL



Part #	Description	Dz./Cs
18-570	PIP MaxiCut	6/Dz.

Part #	Description	Dz./Cs
44-3745	PIP MaxiCut Ultra	6/Dz.

Part #	Description	Dz./Cs
16-530	PIP G-Tek® PolyKor™ PU Coated	6/Dz.

PIP G-Tek® PolyKor Nitrile Coated 16-350

- Seamless knit PolyKor blended glove with nitrile coated microsurface grip on palm and fingers
- PolyKor blended shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance
- Double-dipped nitrile "micro-surface" coated palm and fingertips help extend the life of the glove and provide excellent abrasion resistance
- CE Score 4543DX/ANSI Cut A4
- Available in XS-2XL



PIP G-Tek PolyKor X7 16-377

- Seamless knit PolyKor blended glove with polyurethane coated smooth grip on palm and fingers
- PolyKor blended shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance
- CE Score 4343BX/ANSI Cut A2
- Available in XS-2XL



PIP G-Tek x7 16-399

- Seamless construction offers increased comfort and breathability
- High cut resistance and durability
- NeoFoam offers an incredibly secure grip in dry conditions
- ANSI Cut Level 9/ CE Score 4X43F
- Available in S-2XL



Part #	Description	Dz./Cs
16-350	PIP G-Tek PolyKor Nitrile Coated	6/Dz.

Part #	Description	Dz./Cs
16-377	PIP G-Tek PolyKor X7	6/Dz.

Part #	Description	Dz./Cs
16-399	PIP G-Tek PolyKor X7	6/Dz.

HAND PROTECTION

HexArmor Cut Resistant Gloves

Hand Protection

HexArmor 2000 Series Cut Level 4 Gloves

- Knit: 13-gauge aramid and steel blend shell offering 360° degree cut protection
- Coating: Flexible foam nitrile palm coating provides superior grip and abrasion resistance
- EN407 tested for Contact Heat Level 1
- Knit wrist helps prevent dirt and debris from entering the glove
- Available in S–2XL



Part #	Description	Pkg. Qty.
2080	HexArmor 2080 Palm Dip Cut 4 Gloves	12/Pr.
2081	HexArmor 2081 ¾ Hand Dip Cut 4 Gloves	12/Pr.

HexArmor ThornArmor 3092

- Three layers of SuperFabric brand material in the palm providing ANSI/ISEA Level A9 cut protection
- Reinforced index finger wrap extending the puncture-resistant area
- Breathable HexVent panel on the back-of-hand helps keep you cool
- Durable TP-X palm provides superior grip and abrasion resistance
- CE Score 4X33F/ANSI Cut A9
- ANSI/ISEA Level 5 needlestick
- Available in XXS–2XL



Part #	Description	Pkg. Qty.
3092	HexArmor ThornArmor 3092	Sold by pair

HexArmor Chrome SLT 4061

- Arc Flash Level 4 Rating: Lab tested in accordance with HRC ATPV at 46 Cal/cm2
- EN407 tested for Burning Behavior Level 4, Contact Heat Level 2, Convective Heat Level 2, Radiant Heat Level 2, Small Splashes of Molten Metal Level 4, and Large Splashes of Molten Metal Level 1
- SlipFit cuff assists a quick on and off between tasks
- CE Score 2X23E/ANSI Cut A5
- Available in XXS–2XL



Part #	Description	Pkg. Qty.
4061	HexArmor Chrome SLT 4061	Sold by pair

HexArmor Helix 2085 Gloves

- Knit: 13-gauge HPPE and fiberglass blend shell offering 360° degree cut protection
- Coating: Flexible polyurethane palm coating provides superior grip and abrasion resistance
- Knit wrist helps prevent dirt and debris from entering the glove
- Silicone-free
- CE Score 4X43C/ANSI Cut A4
- Available in XXS–3XL



Part #	Description	Pkg. Qty.
2085	HexArmor Helix 2085	

HexArmor Chrome Series Goatskin Gloves

- Made with SuperFabric
- Goatskin leather palm provides a traditional style of comfort and grip
- 4080 - Hi-vis impact protection on hand
- 4081 - full goatskin leather
- CE Score 4513/ANSI Cut A8
- Available in XS–2XL



Part #	Description	Pkg. Qty.
4080/4081	HexArmor Chrome Series Goatskin Gloves	Sold by pair

HexArmor Chrome Oasis 4030

- SuperFabric material palm provides ANSI/ISEA level A8 cut resistance
- Advanced HexVent technology allows for a breathable heat-release system
- Printed PVC synthetic leather palm provides reliable grip in dry or light oil situations
- Superior back-of-hand impact protection system utilizes an advanced design to dissipate forceful blows over a large area
- Reinforced index finger and thumb crotch extends glove life
- CE Score 4X21FP/ANSI Cut A8
- Available in S–3XL



Part #	Description	Pkg. Qty.
4030	HexArmor Chrome Oasis 4030 Gloves	Sold by pair

HexArmor Chrome Series 360° Gloves

- Made with SuperFabric
- TP-X palm enhances grip in dry and light oil applications while providing dexterity to utilize tools and equipment
- 360° Level A8 cut resistance
- CE Score 4521/ANSI Cut A8
- Available in S–3XL



Part #	Description	Pkg. Qty.
4023	HexArmor Chrome Series 360° Gloves	Sold by pair

HexArmor RigLizard Cut Level 3 Impact Gloves

- Full impact exoskeleton with high-performance IR-X smash guards provides greater impact protection
- Durable TP-X palm utilizes the highest-level abrasion resistance while maintaining oil-resistant grip
- ANSI Cut Level 3/CE Score 4243
- Available in S–3XL



Part #	Description	Pkg. Qty.
2021	HexArmor Rig Lizard 2021 Cut 3 Gloves	Sold by pair
2023	HexArmor Rig Lizard Arctic 2023 Cut 3 Winter Gloves (Shown)	Sold by pair

HexArmor Chrome Series 4026 Cut Level 5 Gloves

- HexArmor Mud Grip palm provides reliable grip in dry or light oil situations, while increasing abrasion resistance
- Hi-vis color scheme increases visual awareness
- ANSI Cut Level 5/CE Score 4521
- Available in XS–3XL



Part #	Description	Pkg. Qty.
4026	HexArmor Chrome Series 4026 Cut Level 5 Gloves	Sold by pair



S18TAFGFN



MXVSB



RWGD106S



RWG532



73-7088



73-7150



110

Superior TenActiv 18-Gauge Gloves

- World's first 18-gauge ANSI cut-level A4 work glove with 1617 grams of cut protection
- Designed with silicone-free materials to eliminate risk of contamination of any paintline parts
- Touch screen compatible
- CE Score 4542/ANSI Cut A4
- Available in S-2XL

Part #	Description	Pkg. Qty.
S18TAFGFN	Superior TenActiv 18-Gauge Gloves	12/Dz.

Superior Clutch Gear Anti-Impact Mechanics Gloves

- Features impact protection, dense, thermo-plastic foam rubber patches at the back of the hand
- Kevlar thumb patch extends the life of the glove in the highest wear area
- PVC Sure Grip palm patches offer durable grip in just the right places
- CE Score 2121/ANSI Cut A3
- Available in S-3XL

Part #	Description	Pkg. Qty.
MXVSB	Superior Clutch Gear Anti-Impact Mechanics Gloves	Sold by pair

Radians Axis D2 Gloves

- Dyneema Diamond Technology fibers are thinner than generic HMPE fibers and less dense than aramid fibers, making them more comfortable, thinner and cooler to the touch, while still providing advanced cut protection
- Features a 13 gauge white and back nylon shell with Dyneema Diamond Technology
- Black nitrile microfoam palm coating to provide significant protection against abrasion and cuts
- CE Score 4544/ANSI Cut A4
- Available in S-2XL

Part #	Description	Pkg. Qty.
RWGD106S	Radians Axis D2 Gloves	12/Dz.

Radians Axis Touchscreen Work Gloves

- 13 gauge High Performance Polyethylene (HPPE) provides cut resistance
- Polyurethane palm dip provides protection from abrasion in wet or dry conditions
- Touchscreen capabilities in all fingers
- CE Score 4343/ANSI Cut A2
- Available in S-2XL

Part #	Description	Pkg. Qty.
RWG532	Radians Axis Touchscreen Work Gloves	12/Dz.

PIP Shoulder Split Cowhide Leather Welder's Glove

- Made from premium select shoulder leather
- Cotton lined for extra comfort
- Wing thumb increases comfort in open-handed work
- Available in S-XL

Part #	Description	Pkg. Qty.
73-7088	PIP Shoulder Split Cowhide Welding Gloves	1/Dz.

PIP Side Split Cowhide Leather Welder's Glove

- Stitched with Kevlar for strength and burn resistance
- Cotton lined for extra comfort
- Wing thumb increases comfort in open-handed work

Part #	Description	Pkg. Qty.
73-7150	PIP Shoulder Split Cowhide Welding Gloves	1/Dz.

Revco Select Shoulder Split Cowhide Stick Gloves

- Reliably consistent quality for standard stick welding protection
- Select shoulder split cowhide
- Kevlar stitching provides spark and abrasion resistance
- Available in S-XL

Part #	Description	Pkg. Qty.
110	Revco Select Shoulder Split Cowhide Stick Gloves	Sold by pair

HAND PROTECTION

Cut Resistant Gloves, Liners, Sleeves and Aprons

Cut Resistant Kevlar Gloves



MCR9365



MCR9370



MCR9366

Cut Resistant Sleeves



9318DT510



HEX1010



HEXAS019



10-KS18TO



KGC1T18

Cut Resistant Apron



HEX321

Kevlar String Knit Gloves

- DuPont Kevlar brand fiber for high tensile strength relative to its weight—up to five times stronger than steel
- Will not melt, ignite or conduct electricity • High comfort level
- Allows manual dexterity • Use as gloves or glove liners • Available in S–2XL

Part #	Description	Qty./Cs.
MCR9370	7 Gauge 100% Kevlar Gloves	20/Dz.
MCR9390	10 Gauge 100% Kevlar Gloves	20/Dz.
MCR9397	13 Gauge 100% Kevlar Gloves	20/Dz.

Kevlar String Knit Dotted Gloves

- DuPont Kevlar brand fiber for high tensile strength relative to its weight—up to five times stronger than steel
- Will not melt, ignite or conduct electricity • High comfort level
- Black PVC dots on one or two sides • Available in S–2XL

Part #	Description	Qty./Cs.
MCR9365	100% Kevlar Gloves with One Side PVC Dots	20/Dz.
MCR9366	100% Kevlar Gloves with Two Side PVC Dots	20/Dz.

MCR Safety Cut Pro Cut Resistant Sleeve

- 18 inch 10 gauge blue DSM Dyneema Diamond Technology
- ANSI Cut Level 5/ EN 388 Tear 3

Part #	Description	Qty./Cs.
9318DT510	MCR Safety Cut Pro	Each

HexArmor PentaArmor Protective Sleeve 1010

- SuperFabric brand material, 8x the cut resistance of Kevlar
- Lightweight breathability • ANSI Cut Level 5/CE Score 4521
- Available in S–2XL

Part #	Description	Sold By Qty.
HEX1010	HexArmor 1010 Cut Level 5 Sleeve	Each

HexArmor 19" Protective Sleeve AS019

- Made with SuperFabric brand material for the highest cut resistance available on the market, exceeds ISEA/CE Level 5
- Innovative industrial puncture protection from wires, metal, wood and glass from wrist to bicep
- Won't fall down like knit sleeves, lightweight and cooler than knit or leather alternatives
- ANSI Cut Level 5/CE Score 4532 • Available in S–3XL

Part #	Description	Sold By Qty.
HEXAS019	HexArmor 1010 Cut Level 5 Sleeve	Each

PIP Kut Gard 18" 2-Ply Cut Resistant Sleeve

- 2-ply Kevlar sleeve with thumb hole
- Seamless knit for comfort and flexibility • ANSI Cut A3 • Available in 6"–24"

Part #	Description	Qty./Cs.
10-KS18TO	PIP Kut Gard 18" 2-Ply Cut Resistant Sleeve	Sold by Pair

Superior Contender Cut & Flame-Resistant Sleeve

- Contender sleeves feature an outer composite-knit layer, consisting of cut-resistant, aramid-encased, composite filament fiber yarn
- Material will not will not burn, melt or drip
- ANSI Cut A4 • Available in 18" & 22"

Part #	Description	Qty./Cs.
KGC1T18	Superior Contender Cut & Flame-Resistant Sleeve	Sold by Pair


HexArmor Protective Apron

- Made with SuperFabric brand material for the highest cut resistance available on the market, exceeds ISEA/CE Level 5 (in noted enhanced areas)
- Innovative industrial puncture protection on enhanced areas from wires, metal, wood, glass • ANSI Cut Level 5/CE Score 4534

Part #	Description	Sold By Qty.
HEX321	24" x 30" Single Layer Apron	Each
HEXAP382	24" x 30" Double Layer Apron	Each



330-MCR6710FS



Cut-Away to show Foam Lining

PVC Smooth Finish Orange Gloves

- Premium foam lined
- single dipped PVC
- Fluorescent orange
- Smooth finish
- Safety cuff

Part #	Description	Qty./Cs.
330-MCR6710FS	Foam Lined PVC Safety Cuff Gloves	Pairs



330-3020-020



330-3020-0200

PVC Smooth Finish Black PVC Gloves

- Black PVC fully coated
- Single dipped
- Smooth finish
- Interlock lined

Part #	Description	Qty./Cs.
330-3020-020	PVC Smooth Black Knit Wrist Gloves	10/Dz.
330-3020-0200	PVC Smooth Black 10" Gauntlet Cuff	10/Dz.
330-3020-0201	PVC Smooth Black 18" Gauntlet Cuff	5/Dz.



330-3020-0190



330-3020-019

PVC Semi-Rough Finish Black PVC Gloves

- Fully coated black PVC
- Single dipped
- Semi-rough finish
- Interlock lined

Part #	Description	Qty./Cs.
330-3020-0190	PVC Semi-Rough Knit Wrist Gloves	10/Dz.
330-3020-019	PVC Semi-Rough 12" Gauntlet Cuff	10/Dz.
330-3020-0191	PVC Semi-Rough 14" Gauntlet Cuff	10/Dz.



Orange Double Dipped PVC Gloves

- 12" orange double dipped PVC
- Seamless cotton lined
- Rough grip

Part #	Description	Qty./Cs.
330-SH0620-10	Orange Double Dipped PVC Gloves	Pairs



Green Nitrile 15mil Flock Lined Gloves

- Green nitrile 15 mil
- Flock lined
- Embossed grip on palm and fingers
- 13" length

Part #	Description	Qty./Cs.
330-3010-005	Green Nitrile 15mil Flock Lined Gloves	12/Dz.



Yellow 12" Latex Flock Lined Gloves

- Yellow natural latex 18 mil
- Flock lined
- Embossed grip on palm and fingers
- 12" length

Part #	Description	Qty./Cs.
330-3000-001	Yellow 13" Latex Flock Lined Gloves	12/Dz.

HAND PROTECTION

Disposable Gloves

Hand Protection



331-LT2800W



331-LT2810W



331-N2016BK



331-N2018W



6016B



PIP-63-230PF

DuraSkin Latex Disposable Gloves

- 5 mil industrial grade latex gloves
- Ambidextrous
- Available in powdered or powder free
- Textured fingertips
- 100 gloves per dispenser
- Available S–XL

Part #	Description	Qty./Cs.
331-LT2800W/S	Latex Powdered Gloves – Small	10 Bx./Cs.
331-LT2800W/M	Latex Powdered Gloves – Medium	10 Bx./Cs.
331-LT2800W/L	Latex Powdered Gloves – Large	10 Bx./Cs.
331-LT2800W/XL	Latex Powdered Gloves – Extra Large	10 Bx./Cs.
331-LT2810W/S	Latex Powder-Free Gloves – Small	10 Bx./Cs.
331-LT2810W/M	Latex Powder-Free Gloves – Medium	10 Bx./Cs.
331-LT2810W/L	Latex Powder-Free Gloves – Large	10 Bx./Cs.
331-LT2810W/XL	Latex Powder-Free Gloves – Extra Large	10 Bx./Cs.

*Sold by the box

DuraSkin Nitrile Disposable Gloves

- 4 mil industrial grade nitrile gloves
- Ambidextrous
- Available S–XL
- Textured fingertips
- 100 gloves per dispenser

Part #	Description	Qty./Cs.
331-NT2010WS	Nitrile Disposable Gloves – Small	10 Bx./Cs.
331-NT2010WM	Nitrile Disposable Gloves – Medium	10 Bx./Cs.
331-NT2010WL	Nitrile Disposable Gloves – Large	10 Bx./Cs.
331-NT2010WXL	Nitrile Disposable Gloves – Extra Large	10 Bx./Cs.

Liberty Glove 6 Mil Black Nitrile Gloves

- 6 mil industrial grade gloves
- Non-sterile
- Food handling certified in North America and Europe
- 100 gloves per dispenser
- Textured fingertips
- Powder-free to minimize the drying effects of powder on skin
- Available S–2XL

Part #	Description	Qty./Cs.
331-N2016BK/S	Liberty Glove 6ML Black Nitrile Gloves – Small	10 Bx./Cs.
331-N2016BK/M	Liberty Glove 6ML Black Nitrile Gloves – Medium	10 Bx./Cs.
331-N2016BK/L	Liberty Glove 6ML Black Nitrile Gloves – Large	10 Bx./Cs.
331-N2016BK/XL	Liberty Glove 6ML Black Nitrile Gloves – Extra Large	10 Bx./Cs.
331-N2016BK/2XL	Liberty Glove 6ML Black Nitrile Gloves – 2X Extra Large	10 Bx./Cs.

Liberty Glove 8 Mil Blue Nitrile Gloves

- 8 mil industrial grade gloves
- Non-sterile
- Food handling certified in North America and Europe
- Powder-free to minimize the drying effects of powder on skin
- 50 gloves per dispenser
- Textured fingertips for better grip

Part #	Description	Qty./Cs.
331-N2018W/M	Liberty Glove 8ML Blue Nitrile Gloves – Small	10 Bx./Cs.
331-N2018W/M	Liberty Glove 8ML Blue Nitrile Gloves – Medium	10 Bx./Cs.
331-N2018W/L	Liberty Glove 8ML Blue Nitrile Gloves – Large	10 Bx./Cs.
331-N2018W/XL	Liberty Glove 8ML Blue Nitrile Gloves – Extra Large	10 Bx./Cs.
331-N2018W/2XL	Liberty Glove 8ML Blue Nitrile Gloves – 2X Extra Large	10 Bx./Cs.

MCR Nitrishield Grippaz Black Nitrile Disposable

- The unique fish-scale pattern of these gloves provides unsurpassed grip and durability
- Ergonomically designed not only for wet grip on the outside but also to reduce hand slippage on the inside
- Available in S–2XL

Part #	Description	Qty./Cs.
6016B	MCR Nitrishield Grippaz Black Nitrile Disposable	10 Bx./Cs.

PIP Ambi-Dex Octane Blue Nitrile Disposable

- 3 mil industrial grade gloves
- Textured grip provides a good grip in wet or dry environments
- Rolled cuffs
- 100 gloves per dispenser
- Available in M–XL

Part #	Description	Qty./Cs.
PIP-63-230PF	PIP Ambi-Dex Octane Blue Nitrile Disposable	10 Bx./Cs.



28GB80

28CM5M

Gateway Conqueror

- Conqueror protective eyewear defends against impact hazards with a durable one-piece polycarbonate wraparound lens that meets and exceeds ANSI Z87.1+. For special defense against damaging light, Conqueror also blocks more than 99.9% of UV-A, B, and C rays
- A soft, rubber nosepiece and ergonomic, contoured temple tips for all-day wearability

Part #	Description	Qty./Bx.
28GB80	Glossy Black/Clear	10/Bx.
28GB83	Glossy Black/Gray	10/Bx.
28GB79	Glossy Black/Clear fX2 Anti-Fog	10/Bx.
28GBX9	Glossy Black/Clear fX3 Premium Anti-Fog	10/Bx.
28GB0M	Glossy Black/Clear In/Out Mirror	10/Bx.
28GB8M	Glossy Black/Silver Mirror	10/Bx.
28GB9M	Glossy Black/Blue Mirror	10/Bx.
28CM79	Camo/Clear Anti-Fog	10/Bx.
28CM78	Camo/Gray Anti-Fog	10/Bx.
28CM88	Camo/Amber Anti-Fog	10/Bx.
28CM5M	Camo/Bronze Mirror	10/Bx.

Sold by pair.



19GB80

19GY83

Gateway Luminary

- Distinctive style, with attractive translucent temple insets
- Ultra-lightweight, with super-flexible temples
- One-piece wraparound polycarbonate lens with integrated brow guard

Part #	Description	Qty./Bx.
19GB80	Black Temple/Clear Lens/Clear Inset	10/Bx.
19GY83	Silver Temple/Gray Lens/Gray Inset	10/Bx.
19GB77	Black Temple/Orange Lens/Orange Inset	10/Bx.
19GB0M	Black Temple/Clear Mirror Lens/Clear Inset	10/Bx.
19GY8M	Silver Temple/Silver Mirror Lens/Gray Inset	10/Bx.
19GB9M	Black Temple/Blue Mirror Lens/Blue Inset	10/Bx.

Sold by pair.



6980

6983

Gateway Cover2 Over-The-Glass

A contemporary over-the-glasses solution, Cover2 is more compact and lightweight than the traditional bulky OTG eyewear

Part #	Description	Qty./Bx.
6980	Gateway Cover2 Over-The-Glass, Clear	10/Bx.
6983	Gateway Cover2 Over-The-Glass, Black Temples/Gray Lens	10/Bx.

Sold by pair.



4680

4683

469M

Gateway StarLite

- Popular, innovative design provides all-around impact protection
- Ultra-lightweight, easy to wear all day
- Deep, universal-fit temples provide complete side protection
- Available in standard size or small size

Part #	Description	Qty./Bx.
4680	Clear Temple/Clear Lens	10/Bx.
4683	Gray Temple/Gray Lens	10/Bx.
4686	Mocha Temple/Mocha Lens	10/Bx.
4675	Amber Temple/Amber Lens	10/Bx.
4676	Pacific Blue Temple/Pacific Blue Lens	10/Bx.
4679	Clear Temple/Clear Anti-Fog Lens	10/Bx.
4678	Gray Temple/Gray Anti-Fog Lens	10/Bx.
4664	Green Temple/IR Shade 3.0 Lens	10/Bx.
4666	Green Temple/IR Shade 5.0 Lens	10/Bx.
460M	Clear Temple/Clear Mirror Lens	10/Bx.
468M	Gray Temple/Silver Mirror Lens	10/Bx.
469M	Gray Temple/Blue Mirror Lens	10/Bx.

Sold by pair.

Additional lens colors are available, please contact us for details.



21GB80

21GB78

Gateway SWAP Foam

- Glasses to goggles in just a snap ... change your safety eyewear to meet your needs
- Foam-lined frame helps block dust and debris, with venting channels to minimize fogging

Part #	Description	Qty./Bx.
21GB80	Black/Clear	10/Bx.
21GB79	Black/Clear fX2 Anti-Fog	10/Bx.
21GB78	Black/Gray fX2 Anti-Fog	10/Bx.
21GB88	Black/Amber fX2 Anti-Fog	10/Bx.
21GB0F	Black/Clear In-Out Mirror fX2 Anti-Fog Lens	10/Bx.
21GB9F	Black/Blue Mirror fX2 Anti-Fog Lens	10/Bx.
21GBX9	NEW! Black/Clear fX3 Premium Anti-Fog	10/Bx.

Sold by pair.

Gateway Technician Goggles

A classic impact and splash goggle line, Technician is a style that already has the confidence of many workers



32022

Part #	Description	Qty./Bx.
32022	Gateway Technician Goggles	10/Bx.

Sold by pair.

EYE & FACE PROTECTION

Pyramex Eyewear



Pyramex ITEK

Newly designed ventilated nosepiece allows heat to dissipate from nose bridge to reduce fogging. Soft dual injected rubber temple tips and flexible nosepiece provide non-slip comfort. 9.75 base curve lens provides excellent side protection against airborne particles. Lightweight, frameless protection is ideal for all-day wear. Lenses provide 99% protection against harmful UV rays.

Part #	Description	Qty./Bx.
S5810S	Clear Temples/Clear Lens	12/Bx.
S5810ST	Clear Temples/Clear Anti-Fog Lens	12/Bx.
S5820S	Gray Temples/Gray Lens	12/Bx.
S5820ST	Gray Temples/Gray Anti-Fog Lens	12/Bx.
S5830S	Amber Temples/Amber Lens	12/Bx.
S5860S	Infinity Blue Temples/Infinity Blue Lens	12/Bx.
S5870S	Gray Temples/Silver Mirror Lens	12/Bx.
S5875S	Gray Temples/Blue Mirror Lens	12/Bx.
S5880S	I/O Mirror Temples/I/O Mirror Lens	12/Bx.

Sold by pair.



Pyramex OTS Over-The-Glass Eyewear

Lightweight nylon temples adjust for length and pitch. Designed to better fit today's prescription eyewear. Single lens encapsulates the eye for superb protection. Exceeds the ANSI Z87.1 High Velocity Impact Standards. Scratch-resistant lenses provide 99% protection from harmful UV-A and UV-B rays and offer protection from excessive glare. 100% polycarbonate lenses.

Part #	Description	Qty./Bx.
S3510SJ	Black Frame/Clear Anti-Fog Lens	12/Bx.
S3520SJ	Black Frame/Gray Anti-Fog Lens	12/Bx.
S3580SJ	Black Frame/Indoor/Outdoor Anti-Fog Lens	12/Bx.
S3550SFJ	Black Frame/5.0 IR Filter Lens	12/Bx.
S3540SFJ	Black Frame/3.0 IR Filter Lens	12/Bx.

Sold by pair.

Pyramex V2G

Foam padding forms a perfect seal to keep out dust and airborne particles. Lenses are treated to prevent fogging and self seals small scratches. 9.75 base curved lens provides full side protection. Headband features quick fit retainer. Lenses provide 99% protection against harmful UV rays. Exceeds ANSI Z87.1 - 2003 High Impact requirements.



GB1810ST

Part #	Description	Qty./Bx.
GB1810ST	Black Frame/Clear Anti-Fog Lens	12/Bx.
GB1820ST	Black Frame/Gray Anti-Fog Lens	12/Bx.
GB1830ST	Black Frame/Amber Anti-fog Lens	12/Bx.
GB1880ST	Black Frame/Indoor/Outdoor Anti-fog Lens	12/Bx.

Sold by pair.



SB1810ST

SB1820S

Pyramex Venture II

- Temples adjust to four different lengths
- Scratch-resistant polycarbonate lens provides 99% UVA/B/C protection

Part #	Description	Qty./Bx.
SB1810S	Clear	12/Bx.
SB1810ST	Clear H2X Anti-Fog	12/Bx.
SB1820S	Gray	12/Bx.
SB1820ST	Gray H2X Anti-Fog	12/Bx.
SB1830S	Amber	12/Bx.
SB1870S	Silver Mirror	12/Bx.
SB1875S	Blue Mirror	12/Bx.
SB1880ST	Indoor/Outdoor Mirror Anti-Fog	12/Bx.
SB1890S	Gold Mirror	12/Bx.
SB1850SF	5.0 IR Filter	12/Bx.
SB1860SF	3.0 IR Filter	12/Bx.

Sold by pair.



SB6320STP



SB6370SP



SB6310STP

Pyramex PMXTREME

- Anti-fog lens technology
- Scratch resistant polycarbonate lens
- Includes black lanyard
- Rubber temple tips
- Built-in rubber nose piece

Part #	Description	Qty./Bx.
SB6320STP	Black Frame/Gray Anti-Fog Lens	12/Bx.
SB6370SP	Black Frame/Silver Anti-Fog Lens	12/Bx.
SB6310STP	Black Frame/Clear Anti-Fog Lens	12/Bx.

Sold by pair.



3M Virtua AP

- Economy-rated glasses merge style, fit, lightweight comfort and affordability
- Integrated side shields provide additional protection

Part #	Description	Qty./Bx.
11815	Gray Hard Coat Lens	20/Bx.
11816	Light Blue Hard Coat Lens	20/Bx.
11817	Amber Hard Coat Lens	20/Bx.
11818	Clear Anti-Fog Lens	20/Bx.
11819	Clear Hard Coat Lens	20/Bx.
11847	Indoor/Outdoor Mirror Hard Coat Lens	20/Bx.
11848	Gray Anti-Fog Lens	20/Bx.
11849	Amber Anti-Fog Lens	20/Bx.
11870	Light Blue Anti-Fog Lens	20/Bx.
11871	Blue Mirror Lens	20/Bx.
11872	Clear Anti-Fog Lens With Foam Gasket	20/Bx.
11873	Gray Anti-Fog Lens With Foam Gasket	20/Bx.
11874	I/O Mir Anti-Fog Lens With Foam Gasket	20/Bx.



3M SecureFit 200

- 3M's innovative temple design features slotted ribs that provide comfortable pressure equalization, allowing the temples to flex and self-adjust to the size of the wearer's head
- Curved temples apply pressure to the less sensitive back of the head, instead of the temples, for a comfortable fit even during rapid head movement

Part #	Description	Qty./Bx.
SF201AS	Clear Rugged Anti-Scratch Lens	20 Ea./Cs.
SF201AF	Clear Anti-Fog Lens	20 Ea./Cs.
SF202AS	Grey Rugged Anti-Scratch Lens	20 Ea./Cs.
SF602RAS	Grey Rugged Anti-Scratch Lens	20 Ea./Cs.
SF202AF	Grey Anti-Fog Lens	20 Ea./Cs.
SF203AF	Amber Anti-Fog Lens	20 Ea./Cs.
SF203AS	Amber Anti-Scratch Lens	20 Ea./Cs.



3M SecureFit 400

- 3M Pressure Diffusion Technology allows temples to naturally adjust to individual head sizes reducing the need to stock multiple frame sizes at work sites
- Padded temple touch points and soft nose pads provide added comfort for long term wear

Part #	Description	Qty./Bx.
SF401AF	Clear Anti-Fog Lens	20/Bx.
SF402AF	Gray Anti-Fog Lens	20/Bx.
SF410AS	Indoor/Outdoor Mirror Lens	20/Bx.
SF415AF	Clear Lens, +1.5 Diopter	20/Bx.
SF420AF	Clear Lens, +2.0 Diopter	20/Bx.
SF425AF	Clear Lens, +2.5 Diopter	20/Bx.



3M GoogleGear 6000 Series

- The 3M Solus 1000 Series safety glasses feature a low profile, black and green frame and clear lenses with Scotchgard anti-fog coating
- Workers may enjoy reliable, clearer sight longer, because the coating, with its active ingredient, is bonded to the lens

Part #	Description	Qty./Bx.
GG6001SGAF-LENS	Clear Scotchgard Anti-Fog Lens	30 Ea./Cs.
GG6002SGAF-BLK	Black Scotchgard Anti-Fog Lens	10 Ea./Cs.
GG6001SGAF-BLK	Black Shroud Scotchgard Anti-Fog Lens	10 Ea./Cs.
GG6001SGAF-GRN	Green Shroud Scotchgard Anti-Fog Lens	10 Ea./Cs.
GG6001NSGAF-BLU	Blue Shroud Scotchgard Anti-Fog Lens	10 Ea./Cs.
GG6001SGAF-RED	Red Shroud Scotchgard Anti-Fog Lens	10 Ea./Cs.
GG6001AF-GRY	Grey Shroud Traditional Anti-Fog Lens	10 Ea./Cs.

HexArmor®



11-15002-05



11-15001-04

HexArmor VS250 Series

- Soft, non-slip, adaptive side arms for optimum comfort
- The contoured lens delivers a wide field of vision
- Extra soft, adjustable nose piece provides a comfortable and customized fit
- LTX® Lens Technology for premium optical clarity
- 100% UV protection
- Compliant with ANSI Z87.1.2020, High Impact Rated Z87+, CE EN166, and CSA Z94.3

Part #	Description	Qty./Bx.
11-15005-08	HexArmor VS250, TruShield Variomat (blue) AF Eyewear	12/Bx.
11-15003-04	HexArmor VS250 TruShield S Grey AF Eyewear	12/Bx.
11-15001-04	HexArmor VS250 TruShield S Clear AF Eyewear	12/Bx.
11-15002-05	HexArmor VS250 TruShield 2SF Clear AF Eyewear	12/Bx.
11-15007-05	HexArmor VS250 TruShield 2S Grey AF Eyewear	12/Bx.
11-15004-03	HexArmor VS250 TruShield 2F Clear AF Eyewear	12/Bx.



11-11003-05

HexArmor MX200 Series

- Rimless lens design with wide field of vision
- Dual-injection soft-grip side arms for comfort and non-slip fit
- Integrated channel for eye ventilation
- Beveled lens edge for additional upper eye protection
- Contoured nose bridge for comfort and fit
- LTX® Lens Technology for premium optical clarity
- 100% UV protection

Part #	Description	Qty./Bx.
11-10003-04	HexArmor MX200S TruShield 2S Clear AF Eyewear	12/Bx.
11-12004-06	HexArmor MX200S TruShield 2S Silver Mirror 53% AF Eyewear	12/Bx.
11-11003-05	HexArmor MX200S TruShield 2SF Clear AF Eyewear	12/Bx.
11-11001-02	HexArmor MX200S TruShield Clear AF Eyewear	12/Bx.
11-10004-05	HexArmor MX200 TruShield 2SF Clear AF Eyewear	12/Bx.
11-10001-02	HexArmor MX200 TruShield Clear AF Eyewear	12/Bx.
11-10006-02	HexArmor MX200 TruShield Grey 23% AF Eyewear	12/Bx.
11-12002-05	HexArmor MX200G TruShield 2SF Foam Clear Eyewear	12/Bx.
11-12001-04	HexArmor MX200G TruShield S Foam Clear AF Eyewear	12/Bx.
11-12003-04	HexArmor MX200G TruShield S Foam Gray AF Lens Eyewear	12/Bx.



17-12050



12-50001-00

HexArmor Fluid-Resistant Disposable Series

- Protects by blocking liquid splash and dust
- Meets D3 liquid splash protection and ANSI/ISEA Z87.1-2015 standard for impact, optical clarity, and haze (internal testing)
- Quick and easy to don and doff
- Wide field of vision

Part #	Description	Qty./Bx.
12-50001-00	HexArmor Fluid-resistant disposable goggle	Each
17-12050	HexArmor Fluid-resistant full face shield protector	Each



11-25001-02



11-27002-02

HexArmor VS300 Series

- Soft ear pieces guarantee a stable and low-pressure fit
- Brow guard provides protection from flying particles, dirt, and dust
- Flexible side arms with seven inclination levels
- Replaceable foam gasket for multi-application use
- Unique dual-injection hard and soft components

Part #	Description	Qty./Bx.
11-25001-02	HexArmor VS300G TrueShield Foam Clear AF Eyewear	10/Bx.
11-27001-02	HexArmor VS300SG Slim Fit TrueShield Foam Clear AF	10/Bx.
11-27002-02	HexArmor VS300SG Slim Fit TrueShield Foam Gray AF	10/Bx.
11-19007-02	HexArmor VS300 BK/Yellow Frame, TruShield Grey 23% AF	10/Bx.
11-19005-09	Gray Frame/I/O Silver Lens, Anti-Scratch Coating	10/Bx.
11-19008-06	Clear Frame/Clear Lens, Fog-Ban Anti-Fog Coating	10/Bx.
11-19002-03	Clear Frame/Clear Lens, Fog-Ban Anti-Fog Coating	10/Bx.
11-19001-02	Clear Frame/Clear Lens, Fog-Ban Anti-Fog Coating	10/Bx.



11-25001-02



11-25002-02

HexArmor VS300 Series

- Soft ear pieces guarantee a stable and low-pressure fit
- Brow guard provides protection from flying particles, dirt, and dust
- Flexible side arms with seven inclination levels
- Replaceable foam gasket for multi-application use

Part #	Description	Qty./Bx.
11-25001-02	HexArmor VS300G TrueShield Foam Clear AF Eyewear	12/Bx.
11-27001-02	HexArmor VS300SG Slim Fit TrueShield Foam Clear AF	12/Bx.
11-27002-02	HexArmor VS300SG Slim Fit TrueShield Foam Clear AF	12/Bx.

Honeywell

UVEX®



S3400X

Flex Seal

- Lightweight, silicone body conforms to face to assure the highest level of comfort and eye protection
- Cured silicone body stays soft and supple in extreme temperatures
- Provides exceptional chemical splash and impact resistance
- Low profile and optically correct polycarbonate lens provides full field of vision
- Fits over most prescription eyewear
- Pivoting clips permit the wearer to position the goggle on a hard at or position the headband above the ears
- Meets the ANSI Z87.1+ and Z94.3 standards
- Made in USA • Replacement lens available

Part #	Description	Qty./Bx.
S3400X	Navy Body/Clear, Uvextreme AF Lens, Neoprene Headband	10/Bx.
S3405X	Navy Body/Clear, Uvextreme AF Lens, Fabric Headband	10/Bx.
S3430X	Navy Body/Shade 3.0 Infra-dura, Uvextreme AF Lens, Neoprene Headband	10/Bx.
S3435X	Navy Body/Shade 5.0 Infra-dura, Uvextreme AF Lens, Neoprene Headband	10/Bx.
Sold by pair.		



S2500

Astro OTG

- Protects against impact, dust and chemical splash
- Fits over most prescription eyewear
- Designed for lasting comfort and protection.
- Meets the ANSI Z87.1+ standard

Part #	Description	Qty.
S2500	Uvex Astro 3001 OTG Clear Eyewear	2/pair
S2500C	Uvex Astro 3001 OTG Clear AF Eyewear	2/pair
Sold by pair.		



S3700X

Genesis S3700X

- Protects against impact
- Available in high-performance Uvextreme anti-fog
- Padded temples and tips for all day comfort
- Meets the ANSI Z87.1+ standard

Part #	Description	Qty./Bx.
S3700X	Uvex Genesis Slim Clear AF Eyewear	10/Bx.
Sold by pair.		



S3960C

Uvex Stealth

- Futuristic, low profile design for chemical splash and impact
- Toric lens provides superior optics and peripheral vision
- Indirect ventilation system and high-performance lens coatings minimize fogging
- Meets the ANSI Z87.1+ and Z94.3 standards
- Made in USA • Replacement lens available • Rx insert available

Part #	Description	Qty./Bx.
S3960C	Gray and Gray/Clear, Uvextreme AF Lens, Neoprene Band	10/Bx.
S3960D	Gray and Gray/Clear, Dura-Streme HC/AF Lens, Neoprene Band	10/Bx.
S3960CI	Gray and Gray/Clear, Uvextreme AF Lens, Fabric Headband	10/Bx.
S3961C	Gray and Gray/Gray, Uvextreme AF Lens, Neoprene Band	10/Bx.
S3962C	Gray and Gray/Amber, Uvextreme AF Lens, Neoprene Band	10/Bx.
Sold by pair.		



S3970D

Uvex Stealth OTG (Over-the-Glass)

- Fits comfortably over most prescription eyewear
- High quality elastomer body conforms to facial contours for a secure, customized, gap-free fit
- Low-profile, wraparound style provides complete coverage designed for all-day wear
- Pivoting headband clip and wide adjustable-slide headband provide a range of adjustment
- Ideal for impact, airborne particles, chemical splash, and optical radiation (UV and welding/heat radiation)
- Available with Dura-streme dual anti-fog/anti-scratch coating
- Meets the ANSI Z87.1+ and Z94.3 standards • Replacement lenses available

Part #	Description	Qty./Bx.
S3970D	Navy/Clear, Dura-Streme HC/AF Lens, Neoprene Band	10/Bx.
S3971D	Navy/Standard Gray, Dura-Streme HC/AF Lens, Neoprene Band	10/Bx.
S3973D	Navy/Shade 3.0, Dura-Streme HC/AF Lens, Neoprene Band	10/Bx.
S3975D	Navy/Shade 5.0, Dura-Streme HC/AF Lens, Neoprene	10/Bx.
Sold by pair.		

EYE & FACE PROTECTION

Face Shields



GAT679



Gateway Venom Face Shield

- Contemporary, contoured visor design creates a more complete seal to block debris
- Three-part comfort adjustment system makes it easy to wear for all-day applications
- Extra soft brow pad and nape strap delivers superior comfort

Part #	Description	Qty./Cs.
GAT677	Gateway Venom Headgear	10/Cs.
GAT679	Gateway Venom Headgear + Clear Visor	10/Cs.
GAT675	8" x 15.5" Clear Visor	10/Cs.
GAT678	8" x 15.5" Gray Visor	10/Cs.
GAT683	8" x 15.5" IR Filter 3.0 Visor	10/Cs.
GAT685	8" x 15.5" IR Filter 5.0 Visor	10/Cs.

Eye & Face Protection



10194818

10194819

10194820

10217333

10190357

MSA V-Gard H1 Accessories

Delivers enhanced comfort and top-of-the-line performance with upgrades in fit and style—all without compromising the quality expected from the legendary V-Gard brand.

Part #	Description	Qty./Cs.
Faceshields		
10194818	Clear Faceshield for MSA V-Gard H1 Helmets	Ea.
10194819	Mesh/Forestry Faceshield for MSA V-Gard H1 Helmets	Ea.
Spectacles		
10194820	V-Gard H1 Half-Face Spectacles - Clear	Ea.
10217333	V-Gard H1 Half-Face Spectacles - Smoke	Ea.
Earmuffs		
10190356	V-Gard H1 Helmet-mounted Hearing Protection, Low Attenuation	Ea.
10190357	V-Gard H1 Helmet-mounted Hearing Protection, Med Attenuation	Ea.
10190358	V-Gard H1 Helmet-mounted Hearing Protection, High Attenuation	Ea.
Earmuff Pad Replacement Kits		
10193450	Hygiene kit for V-Gard helmet-mounted hearing protection, Low Attenuation	Ea.
10193451	Hygiene kit for V-Gard helmet-mounted hearing protection, Med Attenuation	Ea.
10193452	Hygiene kit for V-Gard helmet-mounted hearing protection, High Attenuation	Ea.



MSA V-Gard Forestry Kit

V-Gard accessory kits are designed to offer easy customer solutions for a variety of needs, in one convenient box

Part #	Description	Qty./Cs.
10118694	MSA V-Gard Forestry Kit	Ea.



MSA V-Gard Accessory Kit

Includes V-Gard Universal Frame (10115822), V-Gard Clear Polycarbonate Visor (10115836) - Attaches to any MSA V-Gard Cap

Part #	Description	Qty./Cs.
10118697	MSA V-Gard Accessory Kit	Ea.



3M Speedglas G5-02 Curved ADF Welding Helmet

- The world's first curved auto-darkening filter that follows the curved shape of your head and is more in line with the range of your peripheral vision
- 5.9" x 2.9"
- 1,500 hours of Battery Life

Part #	Description	Sold By Qty.
08-0100-50iC	3M Speedglas G5-02 Curved ADF Welding Helmet	Ea.



3M Speedglas Welding Filter 9100XXi

- Improved optics in the new 3M Speedglas Welding Filter 9100XXi provide more contrast and natural-looking color
- 2.8" x 4.2"
- 1,800 Hours of Battery Life

Part #	Description	Sold By Qty.
06-0100-30i	9100XXi with ADF	Ea.
06-0100-30iSW	9100XXi with ADF & Side Windows	Ea.



3M Speedglas 9100 Series Welding Helmet

The 9100 is designed for optimal comfort and protection. The 9100 helmets have a smooth up-and-down pivot action that gently locks in the "up" position, and the suspension keeps the helmet closer to user's head — making the helmet feel lighter, more stable and balanced at all times. The 9100 helmet is also available with Shade 5 side windows, to allow you to see others working around you.

- Ergonomically designed head suspension
- Shade 5 side windows that help increase your field of view
- Air deflectors inside the helmet to help direct exhaled air out
- Sensitivity adjustment that allows use with all stick, MIG and TIG welding processes, with grinding and torch modes
- Available in 9100 FX with a clear visor to give welders wider field of view in all directions

Speedglas 9100 Auto-Darkening Filter (ADF) options:

The Speedglas 9100 series filters come in three different sizes. All three feature a built-in mag plate holder and seven user selectable dark shades.



9100FX



9100V

- 1.8" x 3.7" viewing area
- 2,800 hours of battery life



9100X

- 2.1" x 4.2" viewing area
- 2,500 hours of battery life



9100XX

- 2.8" x 4.2" viewing area
- 2,000 hours of battery life

Part #	Description
06-0100-10	9100V with ADF
06-0100-10SW	9100V with ADF & Side Windows
06-0100-10HHSW	9100V with ADF, Side Windows and Hard Hat
06-0100-10HASW	9100V with ADF, Side Windows and Hard Hat Adapter

Part #	Description
06-0100-20	9100X with ADF
06-0100-20SW	9100X with ADF & Side Windows
06-0100-20HHSW	9100X with ADF, Side Windows and Hard Hat
06-0100-20HASW	9100X with ADF, Side Windows and Hard Hat Adapter

Part #	Description
06-0100-30	9100XX with ADF
06-0100-30SW	9100XX with ADF & Side Windows
06-0100-30HHSW	9100XX with ADF, Side Windows and Hard Hat
06-0100-30HASW	9100XX with ADF, Side Windows and Hard Hat Adapter

HEAD PROTECTION

Hard Hats



10194783



10194791

MSA V-Gard H1 Tri-Vent Safety Helmet

Part #	Description	Qty./Cs.
10194783	Tri-Vent - White - Fas-Trac III Pivot	Ea.
10194784	Tri-Vent - Red - Fas-Trac III Pivot	Ea.
10194785	Tri-Vent - Blue - Fas-Trac III Pivot	Ea.
10194787	Tri-Vent - Yellow - Fas-Trac III Pivot	Ea.
10194788	Tri-Vent - Hi Vis Yellow/Green - Fas-Trac III Pivot	Ea.
10194789	Tri-Vent - Orange - Fas-Trac III Suspension	Ea.
10194790	Tri-Vent - Black - Fas-Trac III Suspension	Ea.
10204346	Tri-Vent - Gray - Fas-Trac III Pivot Suspension	Ea.
10194786	Tri-Vent - Green - Fas-Trac III Pivot Suspension	Ea.

MSA V-Gard H1 No Vent Safety Helmet

Part #	Description	Qty./Cs.
10194791	No Vent - White - Fas-Trac III	Ea.
10194792	No Vent - Red - Fas-Trac III Pivot Suspension	Ea.
10194794	No Vent - Green - Fas-Trac III Pivot Suspension	Ea.
10194795	No Vent - Yellow - Fas-Trac III Pivot Suspension	Ea.
10194797	No Vent - Orange - Fas-Trac III Pivot Suspension	Ea.
10194798	No Vent - Black - Fas-Trac III Pivot Suspension	Ea.
10204347	No Vent - Gray - Fas-Trac III Pivot Suspension	Ea.
10194793	No Vent - Blue - Fas-Trac III Pivot Suspension	Ea.
10194796	No Vent - Hi-Viz Y/G - Fas-Trac III Pivot Suspension	Ea.

Head Protection



475358

V-Gard Standard Cap, Fas-Trac III Ratchet Suspension

Part #	Description	Qty./Cs.
475358	White	Ea.
475359	Blue	Ea.
475360	Yellow	Ea.
475361	Orange	Ea.
475363	Red	Ea.
815565	Bright Lime Green	Ea.
10061512	Hi-Viz Yellow/Green	Ea.



10061512



454617

Skullgard Protective Hats and Caps

Features heavy-duty construction for use in steel mills and other heavy industries where elevated temperatures are common. Natural tan. Meets all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2014 (Class G). Also meets the ANSI/ISEA Z89.1-2014 voluntary standard for low temperature [LT].

Part #	Description	Qty./Cs.
454617	Cap w/Staz-On Pinlock Suspension	Ea.
475395	Cap w/Fas-Trac III Ratchet Suspension	Ea.
454664	Full brim hat w/Staz-On Pinlock Suspension	Ea.
475407	Full brim hat w/Fas-Trac III Ratchet Suspension	Ea.

V-Gard Protective Full-Brim Hard Hats

Constructed of durable, high-density polyethylene (HDPE) shell with choice of Staz-On pinlock or Fas-Trac III ratchet suspension system. Also includes sweatband and adjustable crown straps. Meets ANSI Z89.1-2014, Type 1, Class E, CSA Z94.1-2015 (Class E) and voluntary standard for low temperature [LT] and reverse donning.

V-Gard Full-brim Hat, Fas-Trac III Ratchet

Part #	Description	Qty./Cs.
475366	Yellow	Ea.
475367	Gray	Ea.
475368	Blue	Ea.
475369	White	Ea.
475370	Green	Ea.
475371	Red	Ea.
815570	Bright Lime Green	Ea.
10021292	Hi-Viz Orange	Ea.



475369

Replacement Suspensions for V-Gard Caps and Hats

MSA's line of hard hat suspensions are available in a variety of sizes. Hard hat sold separately.

- Fas-Trac III suspension is a 4-point webbed system with a large knob for easy adjustment
- Staz-On suspension is a comfortable, 4-point webbed system

Part #	Description	Qty./Cs.
10153385	Fas-Trac III Suspension for Skullgard & Comfo-Cap Helmets	Ea.
10148708	Fas-Trac III Suspension, 4-pt. for V-Gard & V-Gard 500	Ea.
10087218	Staz-On Suspension for V-Gard Cap or Hat	Ea.



10153385

3M



3M E-A-R Classic and Classic Plus

Classic Earplugs - Soft polymer foam is moisture-resistant, non-flammable and non-irritating. Foam expands in the ear for a custom fit. It also has a slow recover period to provide comfort with low pressure. Bright yellow color is easy to spot in compliance checks. Fits a wide range of ear canals.

Classic Plus Earplugs - Classic Plus is longer in length than the Classic and fits deeper in the ear canal to achieve increased attenuation.

Part #	Description	Qty./Cs.
310-1001	Classic Uncorded Earplugs, Pillow Pack, NRR 29 dB	200 Pr./Bx., 2000 Pr./Cs.
311-1101	Classic Corded Earplugs, Poly Bag, NRR 29 dB	200 Pr./Bx., 2000 Pr./Cs.
312-1201	Classic Uncorded Earplugs, Poly Bag, NRR 29 dB	200 Pr./Bx., 2000 Pr./Cs.
310-1101	Classic Plus Uncorded Earplugs, Pillow Pack, NRR 33 dB	200 Pr./Bx., 2000 Pr./Cs.
312-1082	Classic Uncorded Earplugs, Econopack, NRR 29 dB	1000 Pr./Bx., 3000 Pr./Cs.
311-1081	Classic Corded Earplugs, Econopack Dispenser Box, NRR 29 dB	500 Pr./Bx., 1500 Pr./Cs.

3M E-A-R UltraFit

Premolded, triple-flange design inserts easily and hugs the ear canal. No rolling or sizing needed to get a comfortable, protective fit. UltraFit earplugs are washable and reusable. Optional carrying case keeps plugs clean and accessible for re-use.

Part #	Description	Qty./Cs.
340-4004	UltraFit Corded Earplugs, Poly Bag, NRR 25 dB	100 Pr./Bx., 400 Pr./Cs.
340-4014	UltraFit Corded Earplugs, Econopack, NRR 25 dB	200 Pr./Bx., 2000 Pr./Cs.
340-4002	UltraFit Corded Earplugs with Carrying Case, NRR 25 dB	50 Pr./Bx., 200 Pr./Cs.
340-4003	UltraFit Uncorded Earplugs, Poly Bag, NRR 25 dB	100 Pr./Bx., 400 Pr./Cs.
340-4001	UltraFit Uncorded Earplugs with Carrying Case, NRR 25 dB	50 Pr./Bx., 200 Pr./Cs.

Honeywell

HOWARD LEIGHT



Howard Leight Max

- The world's most-used polyurethane foam earplug
- Contoured bell-shape is easier to insert, resists tendency to back-out of ear canal
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant closed-cell foam skin prevents dirt build-up

Part #	Description	Qty./Cs.
MAX-1	Uncorded Earplugs, Polybag, NRR33 dB	200 Pr./Bx., 2000 Pr./Cs.
MAX-LS4-REFILL	Uncorded Earplugs, Refill Bag for Leight® Source 400, NRR33 dB	200 Pr./Bx., 2000 Pr./Cs.
MAX-1-D	Uncorded Earplugs, Refill Box for Leight® Source 500, NRR33 dB	200 Pr./Bx., 2000 Pr./Cs.
MAX-30	Corded Earplugs, Polybag, NRR33 dB	100 Pr./Bx., 1000 Pr./Cs.



Howard Leight Max Lite

- Ideal size for workers with smaller ear canals
- Low pressure polyurethane foam expands gently for comfortable long-term wear
- Contoured T-shape for easy handling and wear
- Smooth, soil-resistant closed-cell foam skin prevents dirt build-up

Part #	Description	Qty./Cs.
LPF-1	Uncorded Earplugs, Polybag, NRR30 dB	200 Pr./Bx., 2000 Pr./Cs.
LPF-LS4-REFILL	Uncorded Earplugs, Refill Bag for Leight Source 400, NRR30 dB	200 Pr./Bx., 2000 Pr./Cs.
LPF-1-D	Uncorded Earplugs, Refill Bag for Leight Source 500, NRR30 dB	500 Pr./Bx., 2000 Pr./Cs.
LPF-30	Corded Earplugs, Polybag, NRR30 dB	100 Pr./Bx., 1000 Pr./Cs.



Howard Leight Quiet

- Patented "no-roll" design is easy to handle and fit
- Contoured shape comfortably matches contours of the ear canal
- Smooth, non-irritating skin provides all-day comfort, easy to clean for long-term use
- Built-in insertion stem makes insertion quick and easy

Part #	Description	Qty./Cs.
QD1	Uncorded Earplugs, Polybag, 26NRR dB	100 Pr./Bx., 1000 Pr./Cs.
QD1-DS	Uncorded Earplugs, Refill Box for Leight® Source 500, NRR26 dB	200 Pr./Bx., 2000 Pr./Cs.
QD1-SM	Small/Uncorded Earplugs, Polybag, NRR26 dB	100 Pr./Bx., 1000 Pr./Cs.
QD1-RC-SM	Small/Uncorded Earplugs, Reusable Case, NRR26 dB	50 Pr./Bx., 500 Pr./Cs.
QD30	Corded Earplugs, Polybag, NRR26 dB	100 Pr./Bx., 1000 Pr./Cs.
QD30-RC	Corded Earplugs, Reusable Case, NRR26 dB	50 Pr./Bx., 500 Pr./Cs.
QD30-SM	Small Corded Earplugs, Polybag, NRR26 dB	100 Pr./Bx., 1000 Pr./Cs.
QD30-RC-SM	Small/Corded Earplugs, Reusable Case, NRR26 dB	50 Pr./Bx., 500 Pr./Cs.

Honeywell

HOWARD
LEIGHT



3302152

Honeywell Howard Leight Headband Earmuffs

This Howard Light earmuff is an ultra-lightweight, multiple position, dielectric earmuff designed for extended wear at an affordable price. Multiple position headband for over-the-head, behind-the-head, or under-the-chin wearing. It's a good alternative to cap-mounted earmuffs when using other PPE, and the dielectric construction makes it suitable for electrical environments. Noise Reduction Rating is 25.

Part #	Description	Color	NRR	Qty./Cs.
3302152	QM24+	Red/Black	25	Ea.



10129327



10061272

MSA SoundControl Earmuffs

MSA introduces Sound Control SH, a compatible ear muff that is designed to fit snugly into the new accessory slots on the MSA V-Gard Slotted Hard Hat. Sound Control SH ear muffs have been tested and evaluated for quality, attenuation and effectiveness in combating workplace noise.

Part #	Description	Color	NRR	Qty./Cs.
10129327	25 dBA Earmuffs	Light Blue	25	Ea.
10061272	27 dBA Earmuffs	Dark Blue	27	Ea.

3M



X5A



X3A

3M Peltor X Series Earmuffs

Electrically insulated (dielectric) wire headband on over-the-head models. Features earcup tilt for optimum comfort and efficiency. Twin headband design helps reduce heat buildup with good fit and balance. Wire headband offers comfortable pressure during prolonged usage. Offers ear cushion foam technology for an effective acoustic seal and reliable protection. Spacer design on X3, X4 and X5 models improves attenuation without excess bulk or weight. Despite larger earcups, the X5 is lightweight with excellent balance and comfort; features NRR 31 dB; provide high noise reduction in both standard headband and hard hat-attached models; and unique attenuation from combination of foam in the earcups, cushions and spacer and cup design. 10/Case.

Part #	Description	NRR	Qty./Cs.
X1A	Peltor X1, Over-the-Head	22	Ea.
X2A	Peltor X2, Over-the-Head	24	Ea.
X3A	Peltor X3, Over-the-Head	28	Ea.
X4A	Peltor X4, Over-the-Head	27	Ea.
X5A	Peltor X5, Over-the-Head	31	Ea.
X5P3E	Peltor X5, Cap-Mount	31	Ea.



H6B/V

3M PELTOR Optime 95 Behind-the-Head Earmuffs

3M Peltor Optime 95 behind-the-head earmuffs feature low-profile earcups that fit well with most helmets, eyewear and other safety equipment. Provides effective hearing protection against high-frequency noise. For noise levels up to 95 dBA, the lightweight and comfortable behind-the-head earmuffs feature low-profile earcups that fit well with most helmets, eyewear, and other safety equipment.

Part #	Description	NRR	Qty./Cs.
H6B/V	3M PELTOR Optime 95 Behind-the-Head Earmuffs	21	Ea.



Add Your Company's Logo!

Call 800.449.9606 for details.

Class 2 Safety Vests

ANSI/ISEA 107-2010 CLASS 2: Background Fabric: 775 Square Inches; Reflective Material: 201 Square Inches; Minimum Reflective Width: 1.375 Inches.

WHO IS IT FOR: Ideal for workers who require greater visibility under inclement weather conditions — or when work backgrounds are complex — or when tasks divert attention from approaching vehicle traffic.



RADS2G



RADS2O

Radians Class 2 Economy Safety Vest with Zipper

- Closure: zipper • 2" silver tape reflective material, 1 horizontal stripe
- Pockets: 1 upper left front, 1 lower right inside
- Materials: 100% polyester solid knit, 100% polyester mesh
- Available in Hi-Viz orange and green
- 3rd party certified – Meets ANSI/ISEA 107-2010 standards
- Available in fire retardant
- Sizes: S–5XL

Part #	Description	Qty./Cs.
RADSV2G	Class 2 Green Safety Vest	24/Cs.
RADSV2O	Class 2 Orange Safety Vest	24/Cs.
RADSV25-2ZGM	Class 2 FR Green Safety Vest	24/Cs.
RADSV25-2ZOM	Class 2 FR Orange Safety Vest	24/Cs.

*Sold individually



RADS6G



RADS6O

Radians Class 2 Surveyor Safety Vest

- Closure: zipper • 2" silver tape reflective material, 1 horizontal stripe
- Pockets: 1 split pad/pencil, 1 radio, 2 each lower flap covered, 2 each deep inside pockets
- Mic tab on both shoulders
- Materials: 100% polyester solid front and mesh back or 100% polyester mesh
- Colors: Hi-Viz green, Hi-Viz orange
- 3rd party certified – Meets ANSI/ISEA 107-2010 standards
- Sizes: S–5XL

Part #	Description	Qty./Cs.
RADSV6G	Class 2 Green Surveyors Safety Vest	24/Cs.
RADSV6O	Class 2 Orange Surveyors Safety Vest	24/Cs.

*Sold individually

Class 3 Safety Vests

ANSI/ISEA 107-2010 CLASS 3: Background Fabric: 1240 Square Inches; Reflective Material: 310 Square Inches; Minimum Reflective Width: 2 Inches.

WHO IS IT FOR: Ideal for workers and vehicle operators whose heavy task loads place them in danger — or the wearer must be conspicuous through the full range of body motions at a minimum of 1,280 ft. — or when wearer must be identifiable as a person.



RADS83G



RADS83O

Radians Class 3 Standard Safety Vest

- Closure: zipper
- 2" silver tape reflective material
- 2 horizontal stripes for enhanced night visibility
- Pockets: 2 each upper outside, 2 each lower inside, 2 each upper inside
- Materials: 100% polyester solid knit, 100% polyester mesh
- Sizes: M–5XL

Part #	Description	Qty./Cs.
RADSV83G	Class 3 Standard Green Safety Vest	24/Cs.
RADSV83O	Class 3 Standard Orange Safety Vest	24/Cs.

*Sold individually



Tingley Bomber Premium Class 3 Jacket

Made to provide superior warmth, comfort and safety in the harshest conditions.

- ANSI/ISEA 107 Class 3 compliant, 100% waterproof jacket for high visibility
- Loaded with premium features for multipurpose applications
- Fluorescent yellow-green background material for excellent daytime visibility
- Fleece body lining and quilted polyester sleeve lining provide warmth and comfort
- 300 denier polyester shell for excellent durability and performance
- 2" silver reflective tape reflects light for 360° nighttime conspicuity
- 5 exterior and 3 interior pockets for added convenience
- Available in S-5XL

Part #	Description	Sold By Qty.
TINJ26002	Tingley Bomber Premium Class 3 Jacket	1 Ea.



Tingley Phase 3 Hi-Viz Jacket

A revolutionary 3 layer material that keeps you warm and dry, yet cool and comfortable for 3 season protection. Offers amazing warmth-to-weight ratio in a breathable, wind and water resistant system.

- ANSI/ISEA 107 Class 3 compliant jacket
- Athletic apparel design and performance adapted for work environments
- Inner fleece layer provides warmth and comfort
- Breathable to ASTM E96
- Fluorescent yellow-green background material for excellent daytime visibility
- 2" silver reflective tape reflects light for 360° nighttime conspicuity
- Thrives in diverse weather conditions
- Available in S-5XL

Part #	Description	Sold By Qty.
TINJ25022	Tingley Phase 3 Hi-Viz Jacket	1 Ea.



Removable Fleece Liner

Tingley Bomber 3.1 Class 3 Jacket with Removable Fleece Liner

The removable quilted liner system provides warmth, comfort and versatility for varying weather and work conditions.

- ANSI/ISEA 107 Class 3 compliant, 100% waterproof jacket for high visibility
- Fluorescent yellow-green background material for excellent daytime visibility
- 2" silver reflective tape reflects light for 360° nighttime conspicuity
- 140 gram removable black quilted polyester liner provides warmth, and can be worn as a standalone work jacket
- Shell is made of 210 denier polyester for great wear
- There are 5 exterior and 3 interior pockets in the shell, while the liner jacket has 2 exterior pockets for added convenience
- Available in S-5XL

Part #	Description	Sold By Qty.
TINJ26172	Tingley Bomber 3.1 Class 3 Jacket	1 Ea.



J24172



Tingley Icon 3.1 Class 3 Winter Jacket with Removable Liner

- ANSI/ISEA 107 Type R Class 3 compliant jacket for high visibility and breathability
- Fluorescent yellow-green background for excellent daytime visibility
- 2 inch silver reflective tape reflects light for 360° nighttime conspicuity
- Waterproof and breathable fabric for all season comfort
- Stitched and taped sealed seams for 100% waterproof protection
- 2-way Zipper/storm fly front with throat guard, seals out wind and rain
- Sizes S-5XL

Part #	Description	Sold By Qty.
TINJ24172	Tingley Icon 3.1 Class 3 Winter Jacket with Removable Liner	1 Ea.



Radians General Purpose Rain Jacket

Radians RW30-3Z1Y is a Class 3, general purpose rain jacket with Reflectivz weatherproof and high visibility technology. The 300 Denier PU coated, high visibility oxford material provides excellent protection. The vented back cape will keep you cool and comfortable, while the D-ring pass through will keep you protected in tough environments.

- Works great with Radians RW30-3Z1 Bib Pants!
- Available in M-5X

Part #	Description	Sold By Qty.
RW30-3Z1	Radians General Purpose Rain Jacket	1 Ea.



Radians General Purpose Rain Bib Pants

Radians RW30-ES1Y is a Class E, general purpose rain bib pant with Reflectivz weatherproof and high visibility technology. The 300 Denier PU coated, high visibility oxford material provides excellent protection. The adjustable suspender straps and side waist zipper expansion will keep you cool and comfortable, while still protecting you in tough environments.

- Available in M-5X

Part #	Description	Sold By Qty.
RW30-ES1Y	Radians General Purpose Rain Bib Pants	1 Ea.



Radians Lightweight Class 3 Waterproof Rain Jacket

Built to provide defense against the harsh environments, this RipStop Waterproof Polyester Raincoat is durable, lightweight and comfortable. Feature rich, it blocks the wind and wet at multiple points. The front hook and loop wind/rain guard over zipper closure with bottom snap and pull tight adjustable waistline, Hook and Loop cuffs and high neck hood with extended visor all help to block the elements the job throws at you.

- Segmented Lightweight Reflective Tape. Even on the hood, increasing visibility.
- Available in M-5X

Part #	Description	Sold By Qty.
RW11-3ZGR	Radians Rain Jacket	1 Ea.



Stay Safe, Dry & Visible This Season!

Radians Heavy Duty Rip Stop Waterproof Rain Jacket

Radians RW32 is a Class 3, heavy duty rain jacket with Reflectivz waterproof and high visibility technology. The 300D PU coated, high visibility rip stop oxford material provides extra durability. With the addition of 3M silver reflective tape, you can feel confident you will be protected in tough environments.

- Works Great with Radians RW32-EZ1Y Pants with Bib!
- Available in M-5X

Part #	Description	Sold By Qty.
RW32-3Z1Y	Radians Heavy Duty Rip Stop Waterproof Rain Jacket	1 Ea.



Radians Heavy Duty Rip Stop Waterproof & Breathable Pants w/Bib

Radians RW32-EZ1Y is a Class E, heavy duty pant bib with Reflectivz waterproof and high visibility technology. The 300D PU coated, high visibility rip stop oxford material provides extra durability. With the addition of 3M silver reflective tape and reinforced knee areas, you can feel confident you will be protected in tough environments.

- Available in M-5X

Part #	Description	Sold By Qty.
RW32-EZ1Y	Radians Heavy Duty Rip Stop Waterproof & Breathable Pants W/Bib	1 Ea.



Radians Lightweight Rain Pants

A Class E, lightweight rain pant with Reflectivz® weatherproof and high visibility technology. The 150 Denier PU coated, high visibility oxford material provides excellent protection. The lightweight pants with adjustable cuffs will keep you cool and comfortable, while still protecting you in tough environments.

- 2" Silver Reflective Tape - Two Horizontal Stripes on Each Leg
- Slash Pockets
- Adjustable Cuffs with Snaps
- Elastic Waist
- Double Stitched Seams
- 25 Wash Max
- Available in M-5X

Part #	Description	Sold By Qty.
RW10-ES1Y	Radians Rain Pants	1 Ea.



PROTECTIVE CLOTHING

Arc-Flash/Welding



PROTECTIVE INDUSTRIAL PRODUCTS

PIP HRC 2 ARC Flash Coverall Kit

- 8 Cal/cm² or 12 Cal/cm²
- Contains coverall, balaclava, hard hat with arc shield, safety glasses and carry bag
- S-4XL



Part #	Description	Sold By Qty.
9150-5388E	PIP HRC 2 ARC Flash Coverall Kit - 8 Cal/cm ²	Ea.
9150-5488E	PIP HRC 2 ARC Flash Coverall Kit - 12 Cal/cm ²	Ea.

PIP HRC 2 ARC Flash Backpack Kit - 12 Cal/cm²

- 12 Cal/cm²
- Contains jacket, overall, hard hat with arc shield, balaclava, safety glasses and back pack
- S-4XL



Part #	Description	Sold By Qty.
9150-53871	PIP HRC 2 ARC Flash Coverall Kit - 12 Cal/cm ²	Ea.

PIP HRC 3 ARC Flash Coverall Kit

- 25 Cal/cm² or 33 Cal/cm²
- Contains coverall, arc hood, safety glasses, hard hat and carry bag
- S-6XL



Part #	Description	Sold By Qty.
9150-52815	PIP HRC 3 ARC Flash Coverall Kit - 25 Cal/cm ²	Ea.
9150-52917	PIP HRC 3 ARC Flash Coverall Kit - 33 Cal/cm ²	Ea.

PIP HRC 3 ARC Flash Backpack Kit - 25 Cal/cm²

- 25 Cal/cm²
- Contains coverall, arc hood, safety glasses, hard hat and back pack
- S-6XL



Part #	Description	Sold By Qty.
9150-52821	PIP HRC 3 ARC Flash Coverall Kit - 25 Cal/cm ²	Ea.

PIP HRC 4 ARC Flash Kit

- 75 Cal/cm² or 100 Cal/cm²
- Contains jacket, overall, arc hood, safety glasses, hard hat and carry bag
- M-5XL



Part #	Description	Sold By Qty.
9150-75050	PIP HRC 3 ARC Flash Coverall Kit - 75 Cal/cm ²	Ea.
9150-52730	PIP HRC 3 ARC Flash Coverall Kit - 100 Cal/cm ²	Ea.

NOVAX Class 0 & 00 Electrical Safety Gloves Kit

- Class 0 or class 00
- 1 pair ESP gloves—orange (147-0-11)
- 1 goatskin protector (148-1000)
- 11-inch nylon glove bag (148-2136)
- Sizes: 7 to 11
- Packed: 1/case



Part #	Description	Sold By Qty.
147-SK-0	NOVAX Class 0 Electrical Safety Gloves Kit	Ea.
147-SK-00	NOVAX Class 00 Electrical Safety Gloves Kit	Ea.

NOVAX Class 1 Electrical Safety Gloves Kit

- 1 pair ESP gloves—black (150-1-14)
- 1 pair cowhide protectors (148-4000)
- 14-inch nylon glove bag (148-2142)
- Sizes: 7 to 11
- Packed: 1/case



Part #	Description	Sold By Qty.
150-SK-1	NOVAX Class 1 Electrical Safety Gloves Kit	Ea.

NOVAX Class 2 Electrical Safety Gloves Kit

- 1 pair ESP gloves—black (150-2-14)
- 1 pair cowhide protectors (148-4000)
- 14-inch nylon glove bag (148-2142)
- Sizes: 7 to 12
- Packed: 1/case



Part #	Description	Sold By Qty.
150-SK-2	NOVAX Class 2 Electrical Safety Gloves Kit	Ea.



Black Stallion 10 Cal Deluxe FR Navy Cotton Coverall with Reflective Stripe

- Constructed of durable FR treated cotton and tested to retain protection through 100 washes. They meet or exceed industry standards for FR and Arc Flash (NFPA 2112 and NFPA 70E - ARC 2 ATPV 10cal/cm²)
- Durable 9 oz. flame-resistant treated cotton with 2" reflective tape
- Arc Rating: 10 cal/cm²/HRC 2
- Available in S-5XL

Part #	Description	Sold By Qty.
CF2216-NV	Black Stallion 10 Cal Deluxe FR Navy Cotton Coverall with Reflective Stripe	1 Ea.

NSA 8.6 Cal Navy FR Contractor Coverall

The FR Contractor Coverall is constructed from 7 ounce FR twill, a blend of 88% cotton and 12% nylon. This flame resistant coverall offers the protection you need and the USA made quality craftsmanship you deserve!

- Convenient side pass-through pockets for access to pant pockets
- Arc Rating: 8.6 cal/cm²/HRC 2
- Available in S-4XL

Part #	Description	Sold By Qty.
C88EJCZ	NSA 8.6 Cal Navy FR Contractor Coverall	1 Ea.

NSA 21 Cal TEGEN FR Jeans

TEGEN 5 pocket denim jeans offer exceptional durability and comfort in a classic denim jean. Only flame-resistant denim jean is so comfortable it will make you feel like you are wearing your favorite pair of jeans.

- Arc Rating: 21 cal/cm²/HRC 2
- Available in 28"-52" Waist

Part #	Description	Sold By Qty.
PNTJGJ	NSA 21 Cal TEGEN FR Jeans	1 Ea.

NSA 8 Cal TEGEN Select FR Work Shirt

TEGEN SELECT FR work shirt will keep you comfortable and protected on your job with moisture wicking technology built in the carbon blended fabric.

- Arc Rating: 8 cal/cm²/HRC 2
- Available in S-5X - Long sizes also available!

Part #	Description	Sold By Qty.
TCG011602	NSA 8 Cal TEGEN Select FR Work Shirt	1 Ea.

NSA 4 Cal FR Control 2.0 Long Sleeve T-Shirt

- Inherently flame resistant - will not melt or drip
- Proactively regulates skin temperature (+/-) 3 degrees by helping with moisture wicking and dry rate
- Arc Rating: 4 cal/cm²/HRC 1
- Available in S-5X

Part #	Description	Sold By Qty.
C52FKSRLS	NSA 4 Cal FR Control 2.0 Long Sleeve T-Shirt	1 Ea.

NSA 10 Cal FR Long Sleeve Class 3 Hi-Viz Reflective T-Shirt

This high visibility flame resistant T-shirt comes standard with FR segmented reflective trim for increased breathability and flexibility.

- 3M Scotchlite FR Silver Segmented Material
- Arc Rating: 10 cal/cm²/HRC 2
- Available in S-5X - Long sizes also available!

Part #	Description	Sold By Qty.
C54HYLSC3	NSA 10 Cal FR Long Sleeve Class 3 Hi-Viz Reflective T-Shirt	1 Ea.





CTL414

CTL412

Lakeland MicroMax NS Coverall

- MicroMax® NS Coverall for the protection you need from dirt, dust, grease, grime and light chemical splash.
- Economical
- Lightweight
- Features high MVTR (Moisture Vapor Transmission Rate)
- Available in S-5X

Part #	Description	Qty./Cs.
CTL412	Zipper closure, Collar, Open wrists & ankles	25/Cs.
CTL414	Attached hood, Attached boots, Elastic wrist, Zipper closure	25/Cs.
CTL417	Zipper closure, Elastic wrists and ankles, Collar	25/Cs.
CTL428	Attached hood, Zipper closure, Elastic wrists and ankles	25/Cs.

Sold by case.

Lakeland Pyrolon Plus 2 FR Coverall

- Pyrolon® Plus 2 Disposable FR Coverall for the protection your primary FR/ARC clothing needs from dirt, grease, oil and other harmful contaminants.
- Meets the NFPA 2113 2020 edition requirements for section 5.1.10.
- ANSI/ISEA 203 Certified
- Pyrolon® Plus 2 is breathable, making this a cool and comfortable garment to wear.
- Available in White or Blue (Remove B for White on Part #)

Part #	Description	Qty./Cs.
7412B	Zipper closure, Open wrists & ankles	25/Cs.
7414B	Attached hood, Attached boots, Elastic wrist, Zipper closure	25/Cs.

Sold by case.

White Poly Spun Coveralls

- Polypropylene coveralls are an ideal solution for non-hazardous, grimy work environments where a low-cost disposable garment is needed. The sewn-in zippers make them a snap to slip into and out of with ease
- These lightweight, spun-poly garments are constructed with a longer lasting material than most and an economy weight—they're stronger than paper but almost as light to wear
- Polypropylene is breathable, which makes it perfect for the workplace where constant dirt and grime are encountered
- Coverall has attached hood and boots
- Available in 2XL-5XL

Part #	Description	Qty./Cs.
295-1125	Poly Spun Coveralls with Hood & Boot - 2X	25/Cs.
295-1130	Poly Spun Coveralls with Hood & Boot - 3X	25/Cs.
295-1135	Poly Spun Coveralls with Hood & Boot - 4X	25/Cs.

Sold by case.



295-1135



C1S414Y

C1S428Y

Lakeland ChemMax 1 Chemical Coverall

- ChemMax® 1 chemical protection for general industry, environmental cleanup and chemical handling.
- Polyethylene coated Polypropylene fabric
- Good hold out to acids and bases
- Economical and lightweight
- Available with Serged or Bound Seams
- Bound Seams provides increased holdout of liquids and dry particulates

Part #	Description	Qty./Cs.
C1S414Y	Attached hood, Attached boots, Elastic wrist, Storm flap over zipper - Serged seam	25/Cs.
C1B414Y	Attached hood, Attached boots, Elastic wrist, Storm flap over zipper - Bound Seam	25/Cs.
C1S428Y	Attached hood, Elastic wrists and ankles, Storm flap over zipper - Serged Seam	25/Cs.
C1B428Y	Attached hood, Elastic wrists and ankles, Storm flap over zipper - Bound Seam	25/Cs.

Sold by case.



CPE

PPB-SCNS

Disposable Shoe Covers

- Disposable shoe covers help prevent unwanted dust, dirt, and grime from being tracked into sensitive work areas.
- Available in Breathable Polypropylene & Liquid Resistant Polyethylene (Plastic)
- 150 Pair per Case

Part #	Description
295-PPB-SCNS-L	Blue Polypropylene Anti Skid Shoe Cover Large
295-PPB-SCNS-XL	Blue Polypropylene Anti Skid Shoe Cover XL
295-PPB-SCNS-2X	Blue Polypropylene Anti Skid Shoe Cover 2XL
295-CPE-XL	Blue Polyethylene Shoe Cover - XL
295-CPE-2X	Blue Polyethylene Shoe Cover - 2X

Sold by case.



DuPont Proshield 10 SMS Coverall



PB125SB

- DuPont™ ProShield® 10, spunbond meltblown spunbond (SMS) garments, are made to the high quality standards you have come to expect from DuPont
- Elastic Wrists and Ankles
- Economical
- Lightweight
- Elastic Waist
- Serged Seams
- Blue
- Available in S-7X

Part #	Description	Qty./Cs.
PB125SB	Collar. Elastic Wrists and Ankles. Elastic Waist. Serged Seams. Blue.	25/Cs.

Sold by case.



TM127SB

DuPont Proshield 6 SFR Coverall

- ProShield® 6 SFR is a Lightweight, disposable overgarment designed to help protect and preserve primary flame-resistant garments
- Elastic Wrists and Ankles
- Attached hood with elastic around face opening.
- Elastic opening for tighter fit at wrist
- Elastic opening for tighter fit at ankle
- Stormflaps.
- Available in S-7X

Part #	Description	Qty./Cs.
TM127SB	Standard Fit Hood. Stormflap. Elastic Wrists and Ankles. Serged Seams. Blue.	25/Cs.

Sold by case.

DuPont Tyvek 400 Coverall

- Tyvek® 400 garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont. Tyvek® 400 provides an ideal balance of protection, durability and comfort of any limited use fabric technology. Tyvek® 400 fabric offers an inherent barrier against particles (down to 1.0 micron in size).
- Applications include: lead and asbestos abatement/remediation, general maintenance/operations, spray painting, general clean-up
- Front zipper closure with storm flap
- Serged seams and elastic waist
- White
- Available in S-7X



TY120SWH



TY122SWH



TY127SWH

Part #	Description	Qty./Cs.
TY120SWH	Collar. Open Ankles. Elastic Waist. Serged Seams Size S-7X	25
TY122SWH	Hood. Attached Boots. Elastic Waist. Serged Seams Size S-7X	25
TM127SWH	Hood. Elastic Ankles, Wrist & Waist. Serged Seams Size S-7X	25

Sold by case.



Tyvek Coveralls

Look for the "blue label" on Tyvek ProtectiveWear.

It's your assurance of everything you need in protective apparel. Safety you can Wear.

Sizing charts

Sizing for protective garments



PROTECTIVE CLOTHING

Protective Footwear



Yellow HazMat Booties

- Men's heavy weight latex shoe & boot cover
- Sanded and grooved sole for extra traction

Part #	Description	Qty./Cs.
391-BN70-LG	Yellow HazMat Booties – LG	50 Pr.
391-BN70-XL	Yellow HazMat Booties – XL	50 Pr.
391-BN70-2X	Yellow HazMat Booties – 2X	50 Pr.
391-BN70-3X	Yellow HazMat Booties – 3X	50 Pr.

*Sold by the pair or by the case.



PVC 16" Steel Toe Rubber Boots

- Black 16" PVC boots with steel safety toe
- Reinforced shank
- Cleated outsole
- Available in size 8–14

Part #	Description	Qty./Cs.
391-LIBN1551-#SIZE	PVC 16" Steel Toe Rubber Boot	6 Pr.

*Replace #SIZE with desired shoe size.



Rubber 17" Slush Boots

- Yellow rubber 17" slush boots
- Fabric line, bar-tread outsole, over-the-shoe, top strap & buckle
- Available in size 9–18

Part #	Description	Qty./Cs.
391-LIB1510-#SIZE	Rubber 17: Slush Boots	1 Pr.

*Replace #SIZE with desired shoe size.



Muck Boot Classic Steel Toe Chore HI Work Boot

Muck Boot's bestselling Chore Series provides dry, comfortable footwear that's built to handle the toughest job.

- Durable, lightweight rubber outsole
- Steel toe
- Meets ASTM F2413-11 M I/75 C/75 EH
- Available in size 6–14

Part #	Description	Qty./Cs.
390-MUCKCHS	Muck Boot Classic Steel Toe Chore HI Work Boot	1 Pr.
390-MUCKACP-STL	Muck Boot Fleece Lined Artic Steel Toe HI Work Boot	1 Pr.



Servus CT - Comfort Technology PVC 16" Knee Boots

- Seamless 100% waterproof PVC molded construction
- Unique Trac10 anti-skid sole and heel
- Washable foot form cushion insoles
- Meets ASTM F2413-11 M I/75 C/75 EH
- Available in sizes 8 - 13

Part #	Description	Qty./Cs.
390-18821-SIZE#	Servus CT - Comfort Technology PVC 16" Knee Boot	1 Pr.

*Replace #SIZE with desired shoe size.



Disposable Polypropylene Shoe Covers With Skid Resistant Bottom

- 42 gr Polypropylene Material
- Blue Color
- Elastic Opening
- Bottoms Come With Non Skid Low Rise Treads
- Available in size L - 2XL

Part #	Description	Qty./Cs.
295-PPB-SCNS	Shoe Cover With Skid Resistant Bottom	1 Pr.

Shoe Cover



Disposable Blue Polyethylene Plastic Shoe Covers

- Disposable shoe cover
- Made from polyethylene
- Color: Blue
- Size XL & 2XL

Part #	Description	Qty./Cs.
295-CPE-XL	Blue Polyethylene Plastic Shoe Covers - XL	500/CS
295-CPE-2XL	Blue Polyethylene Plastic Shoe Covers - 2XL	150/CS



Polyspun Blue Shoe Cover

- Polypropylene shoe covers
- Anti-skid
- Size XL

Part #	Description	Qty./Cs.
295-6000-0100	Polyspun Blue Shoe Cover	150 Pr./Cs.

Boot Cover

DuPont Tyvek 400 White Shoe/Boot Cover

Tyvek 400 garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont. Tyvek 400 provides an ideal balance of protection, durability and comfort of any limited use fabric technology.

Part #	Description	Qty./Cs.
TY454S WH	DuPont Tyvek B" Ankle Boot Covers	200/CS
TY450SLG	DuPont Tyvek 400 White Shoe Cover - LG Size	200/CS



3M Particulate Respirators, N95

Designed to help provide comfortable, reliable worker respiratory protection against certain non-oil based particles in suggested applications including grinding, sanding, sweeping, bagging and other dusty operations. Lightweight construction helps promote greater worker acceptance and comfort. Features 3M's Advanced Electret Media, welded strap attachment, soft nose foam and adjustable noseclip to help provide a custom and secure seal. NIOSH Approval TC-84A-0007.



8210

Part #	Description	Qty./Cs.
8210	Particulate Respirator 8210, N95	20/Bx., 160/Cs.

3M Particulate Respirator 8511, N95 with 3M Cool Flow Valve

This 3M 8511 with exhalation valve is a disposable N95 particulate respirator which features the proprietary 3M™ Cool Flow™ Valve and helps provide comfortable, reliable worker respiratory protection. It is ideally suited for hot/dusty work settings that require long periods of wear.



8511

Part #	Description	Qty./Cs.
8511	Particulate Respirator 8511 with Cool Flow Valve	10/Bx., 80/Cs.

3M Particulate Respirator 8233, N100

Excellent choice for lead abatement, pharmaceutical manufacturing, welding, metal pouring and work involving select OSHA substance-specific particle exposures in concentrations up to 10x the OSHA PEL, excluding those containing oil aerosols and asbestos. Features 3M Cool Flow Exhalation Valve, comfortable foam face seal, adjustable straps and lightweight construction. Respirators are individually packaged. NIOSH Approval TC-84A-1298.



8233

Part #	Description	Qty./Cs.
8233	Particulate Respirator N100	Ea.

Gateway TruAir N95 Particulate Respirator

Respirators help protect from exposures to harmful particulates such as those created during cutting or sanding wood, installing fiberglass insulation, or sanding drywall. Latex free and hypo-allergenic; these high grade respirators have a soft nose pad and latex free straps. Approved by NIOSH as an N95 respirator, meeting the NIOSH 42 CFR 84 respirator certification regulations; tested to a 95 percent filter efficiency level.



80301

Part #	Description	Qty./Cs.
80301	Gateway TruAir N95 Particulate Dust Disposable Respirator	20/Bx., 240/Cs.

3M Aura N95 Particulate Dust Mask 9205+

3M™ Particulate Respirator 9205+, N95 is a disposable particulate respirator that is designed to help provide reliable respiratory protection of at least 95 percent filtration efficiency against certain non-oil based particles. The lightweight, three-panel designed respirator helps provide quality, reliable, and convenient worker respiratory protection. 3M uses a variety of innovative technologies and features to help you meet your respiratory protection and comfort needs. NIOSH TC-84A-8590.



9210

Part #	Description	Qty./Cs.
9205+	Particulate Respirator N95	440/Cs.

Gateway TruAir Vented N95 Particulate Respirator

TruAir's tried-and-true, traditional design is widely accepted, helping increase compliance, while answering the call for cost-effective disposable respiratory protection. Large molded shells with vented exhalation valve allows for easier breathing, and latex-free straps provide a comfortable fit and feel for workers. NIOSH approved N95 Protection; 95% filtration against aerosols free of oils.



80302V

Part #	Description	Qty./Cs.
80302V	Gateway TruAir N95 Particulate Dust Disposable Respirator	10/Bx., 60/Cs.

IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, and the user instructions, warnings and limitations accompanying each product.

RESPIRATORY PROTECTION

3M Half Mask and Full Face Respirators



See page 31 for cartridges and filters.



329-3M6501QL

3M Rugged Comfort Quick Latch 6500 Series

This facepiece combines comfort, durability and stability. The proprietary quick latch design offers an easy, one-hand touch drop-down mechanism for putting the facepiece on and/off while moving in and out of contaminated areas.

- Resilient silicone face seal provides comfort, durability and stability with a soft but firm seal
- Quick Latch mechanism makes it easy to drop down the respirator from face without removing head straps
- Proprietary 3M Cool Flow valve helps reduce heat and moisture to make breathing easier

Part #	Description	Qty./Cs.
3M6501QL	3M Rugged Comfort Quick Latch – Small	Ea.
3M6502QL	3M Rugged Comfort Quick Latch – Medium	Ea.
3M6503QL	3M Rugged Comfort Quick Latch – Large	Ea.

3M Half Facepiece Respirator 7500 Series

This respirator uses an advanced silicone material that provides a softer feel on the face. A unique adjustment design helps reduce pressure points on the face for even more comfort. The 3M™ Cool Flow™ Valve helps make breathing easier and can offer cooler and drier comfort for the wearer. Head harness may be adjusted to drop down when not in active use (allows respirator to be removed without taking off hard hat). The exhalation valve cover directs exhaled breath and moisture downward while helping protect the valve area from debris while also making for easier cleaning.



329-7500

Part #	Description	Qty./Cs.
329-3M7501	Half Facepiece Reusable Respirator 7501, Small	Ea.
329-3M7502	Half Facepiece Reusable Respirator 7502, Medium	Ea.
329-3M7503	Half Facepiece Reusable Respirator 7503, Large	Ea.

3M Full Facepiece Respirator 6000 Series

Face seal is made of silicone rubber, making it comfortable, soft and lightweight. Features large, hard-coated lens providing user a wide field of view. Low-maintenance design minimizes time required to maintain the product. Clean as directed between uses and reduce the need for expensive repair.



6800

Part #	Description	Qty./Cs.
6700	Full Facepiece Reusable Respirator 6700, Small	Ea.
6800	Full Facepiece Reusable Respirator 6800, Medium	Ea.
6900	Full Facepiece Reusable Respirator 6900, Large	Ea.

3M Half Facepiece Respirator 6000 Series

Lightweight, easy-to-adjust headstraps. Low maintenance, reusable facepiece for economical use. Made from soft thermoplastic elastomer. Cartridges and filters can be easily replaced; simply twist on and off. Low-profile design helps improve balance and visibility. 3M cartridges and filters sold separately.



6100

Part #	Description	Qty./Cs.
6100	Half Facepiece Reusable Respirator 6100, Small	Ea.
6200	Half Facepiece Reusable Respirator 6200, Medium	Ea.
6300	Half Facepiece Reusable Respirator 6300, Large	Ea.



6300

IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, and the user instructions, warnings and limitations accompanying each product.



3M Filters, Cartridges, Filter/Cartridge Combos and Accessories


These interchangeable filters, cartridges and filter/cartridge combos can be used on any 3M facepiece. They are versatile enough to meet current and future respiratory protection needs and offer unique benefits, without limiting wearer comfort. The 2200 Series Advanced Particulate Filters are engineered for easier breathing, making them ideal for tough work environments. Their new netting construction technology also increases durability for a longer lasting filter.

Part #	Description	Qty./Cs.
2076HF	Particulate Filter, Hydrogen Fluoride, P95, Nuisance Level** Acid Gas Relief	2/Bx., 100/Cs.
2091	Particulate Filter, P100	2/Bx., 100/Cs.
2096	Particulate Filter, P100, Nuisance Level** Acid Gas Relief	2/Bx., 100/Cs.
2097	Particulate Filter, P100, Nuisance Level** Organic Vapor Relief and Ozone* Protection	2/Bx., 100/Cs.
2291	Advanced Particulate Filter, P100	2/Bx., 100/Cs.
2296	Advanced Particulate Filter, P100, with Nuisance Level** Acid Gas Relief	2/Bx., 100/Cs.
2297	Advanced Particulate Filter, P100, with Nuisance Level** Organic Vapor Relief	2/Bx., 100/Cs.
6001	Organic Vapor Cartridge	2/Bx., 60/Cs.
6002	Acid Gas Cartridge	2/Bx., 60/Cs.
6003	Organic Vapor / Acid Gas Cartridge	2/Bx., 60/Cs.
6004	Ammonia Methylamine Cartridge	2/Bx., 60/Cs.
6006	Multi Gas / Vapor Cartridge	2/Bx., 60/Cs.
60921	Particulate Filter, P100 & Organic Vapor Cartridge	2/Bx., 60/Cs.
60923	Particulate Filter, P100 & Organic Vapor/Acid Gas Cartridge	2/Bx., 60/Cs.
60926	Particulate Filter, P100 & Multi Gas/Vapor Cartridge	2/Bx., 60/Cs.
7093	Particulate Filter, P100	4/Bx., 60/Cs.
7093B	Particulate Filter, P100, Bulk Packaging	4/Bx., 144/Cs.
501	Filter Retainer, Holds Filters 5N11 & 5P71 on Top of 6000 Series Cartridges	20/Bx., 100/Cs.
502	Filter Adapter, Attaches 2000 Series Filters or 7093 to Any 6000 Series Cartridges	20/Bx., 100/Cs.
603	Filter Adapter, Enables Filters 5N11 & 5P71 to be Directly Attached to Any 3M Facepiece	2/Bx., 16/Cs.
5N11	Particulate Prefilter, N95	10/Bx., 100/Cs.
5P71	Particulate Prefilter, P95	10/Bx., 100/Cs.

3M Half Facepiece Respirator Assembly with Particulate Filters 2091, P100

Half Facepiece 6000 Series packaged with replaceable Particulate Filters 2091, P100. NIOSH approved for environments containing certain oil and non-oil based particles. When properly fitted, use in a variety of applications including welding, brazing, torch cutting, metal pouring, soldering, and exposure to lead, asbestos, cadmium, arsenic and MDA for concentrations up to 10 times the Permissible Exposure Limit (PEL). Do not use in environments that are immediately dangerous to life or health (IDLH).

Part #	Description	Qty./Cs.
6191	Half Facepiece Respirator Assembly with Particulate Filters 2091, P100, Small	Ea.
6291	Half Facepiece Respirator Assembly with Particulate Filters 2091, P100, Medium	Ea.
6391	Half Facepiece Respirator Assembly with Particulate Filters 2091, P100, Large	Ea.



3M Half and Full Facepiece Accessories

Part #	Description	Qty./Cs.
504	Respirator Cleaning Wipes, Alcohol Free, Individually Packaged	500/Cs.
7990	Clip-On Welding Attachment, for Use on Full Facepiece Respirator 7800S	1/Cs.
6885	Lens Cover, for Use on Full Facepiece Respirator 6000 Series	100/Cs.
7899-100	Lens Cover, for Use on Full Facepiece Respirator 7800S	1/Cs.
6878	Spectacle Kit, for Use on Full Facepiece Respirator 6000 Series	1/Cs.
7894	Spectacle Kit, for Use on Full Facepiece Respirator 7800S	1/Cs.

*3M recommended for ozone protection up to 10X OSHA PEL. Not NIOSH approved for ozone.

**3M recommended for relief against nuisance level acid gas or organic vapors. Nuisance levels are less than OSHA PEL or applicable government occupational exposure limits, whichever is lower.

IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, and the user instructions, warnings and limitations accompanying each product.



10102183

MSA Advantage 400 Series Half-Mask Respirator

The innovative Advantage 400 Respirator, the latest addition to MSA's Advantage Respirator family, offers users exceptional comfort and sophisticated design. The Advantage 400 Respirator raises the bar for ease of use, as users can quickly adjust the mask according to their individual needs.

Part #	Description	Qty./Cs.
10102182	Advantage 420 Assembly, Small, (Includes Facepiece, Head Cradle, Elastic Straps, Buckle Set, Yoke with Lever, Two (2) Inhalation Valves, One (1) Exhalation Valve)	Ea.
10102183	Advantage 420 Assembly, Medium, (Includes Facepiece, Head Cradle, Elastic Straps, Buckle Set, Yoke with Lever, Two (2) Inhalation Valves, One (1) Exhalation Valve)	Ea.
10102184	Advantage 420 Assembly, Large, (Includes Facepiece, Head Cradle, Elastic Straps, Buckle Set, Yoke with Lever, Two (2) Inhalation Valves, One (1) Exhalation Valve)	Ea.

MSA Advantage 200 LS Respirator

The Advantage 200 LS Respirator's lighter and softer facepiece is made from a clear blue formulation of thermoplastic rubber to give workers comfort and stability. The AnthroCurve Sealing Surface instantly conforms to each wearer's unique facial characteristics, and the patented MultiFlex System equalizes pressure on the face seal area, while delivering exceptional stability, so the respirator will not collapse during wear. All Advantage Respirators are NIOSH certified.



815692

Part #	Description	Qty./Cs.
815696	Advantage 200LS Respirator (Facepiece Only), Small	Ea.
815692	Advantage 200LS Respirator (Facepiece Only), Medium	Ea.
815700	Advantage 200LS Respirator (Facepiece Only), Large	Ea.



818342



Flexi-Filter Pads for Advantage Respirators

Low-profile, flexible filter pads for Advantage respirators fit well under a welding hood and with other personal protective equipment. Offers great balance and weight distribution for maintaining a good face seal, while swept-back design provides improved vision and comfort. Multi-layer composite construction offers durability and spark resistance.

Part #	Description	Qty./Cs.
818342	P100 Flexi-Filter Pads	2/Pk.
818343	P100/OV/O3 Flexi-Filter Pads	2/Pk.
818344	P100/AG/HF Flexi-Filter Pads	2/Pk.



10028996

MSA Advantage 3200 Twin Port Respirator

Engineered for comfort and versatility, the twin-port respirators of the full face Advantage 3200 offers ease of use and low breathing resistance. The preset upper straps make it easy to don and remove while also providing a tighter, more secure seal. Users can also opt for the European-style Advantage Head Harness, which dons like a catcher's mask. The unit also features a scratch-resistant, wraparound faceplate that eliminates distortion and increases peripheral vision, while the components can be replaced by hand in seconds.

- Full face respirator features state-of-the-art design to lower breathing resistance, while preset upper straps make it easy to put on/take off
- Scratch-resistant wraparound faceplate allows for wide field-of-vision
- Components can be replaced by hand in seconds

Part #	Description	Qty./Cs.
10028996	MSA Advantage 3200 Full Face – Small	Ea.
10028995	MSA Advantage 3200 Full Face – Medium	Ea.
10028997	MSA Advantage 3200 Full Face – Large	Ea.



Advantage Respirator Cartridges

Filter cartridges protect against dusts, particles and mists. Chemical cartridges protect against gases and vapors. Combination cartridges deliver protection from both particulate and gaseous contaminants. All cartridges are interchangeable between the Advantage respirators and are color-coded to indicate the type of protection offered. Approved under 42 CFR Part 84.



815362



815355

Part #	Description	Qty./Cs.
815355	GMA OV Cartridge	2/Pk.
815359	GME Multi-Gas Cartridge	2/Pk.
815362	GMA/P100 OV Cartridge	2/Pk.
815369	P100 Low-Profile Cartridge	2/Pk.

Honeywell

NORTH®

See page 34 for cartridges and filters.



550030M

Honeywell North 5500 Series Half Mask Respirator

- A low maintenance respirator for people who prefer the comfort and fit of a reusable respirator, while approaching the economy of a disposable respirator
- Same anatomic design as the 7700 series, made of soft hypoallergenic elastomer
- Three facepiece sizes
- Cradle suspension gives an even seal without creating pressure points
- All components are replaceable
- NIOSH certified. Low maintenance

Part #	Description	Qty./Cs.
550030S	Small Facepiece	12
550030M	Medium Facepiece	12
550030L	Large Facepiece	12
7700-21	Fit Test Adapter	Ea.

Sold by each or case.



770030M

Honeywell North 7700 Series Half Mask Respirator

- Made of soft, hypoallergenic silicone
- Three facepiece sizes
- Cradle suspension gives an even seal without creating pressure points
- All components are replaceable
- NIOSH certified

Part #	Description	Qty./Cs.
770030S	Small Facepiece	12
770030M	Medium Facepiece	12
770030L	Large Facepiece	12
7700-21	Fit Test Adapter	Ea.

Sold by each or case.



RU6500

Honeywell North RU6500 Full Face Silicone Respirator

This new facepiece is a redesign of the popular Sperian Survivair Opti-Fit full facepiece, which has been re-engineered to accept the North N-Series cartridges, filters and cartridge/filter combinations. The RU6500 not only includes the preferred features and benefits from the Opti-Fit, but also features additional upgrades and improvements.

Part #	Description	Qty./Cs.
RU65001S	North RU6500 Full Face Silicone Respirator - Small	Ea.
RU65001M	North RU6500 Full Face Silicone Respirator - Medium	Ea.
RU65001L	North RU6500 Full Face Silicone Respirator - Large	Ea.



76008A

Honeywell North 7600 Series Full Face Respirator

- The unique design of the North full face respirator affords an over 200° field of vision
- Hard coated polycarbonate features optical properties that help minimize distortion and astigmatism
- Made of soft, pliable silicone for superior comfort and fit
- Available in two sizes—small and medium/large
- NIOSH certified

Part #	Description	Qty./Cs.
76008AS	Small Full Face Respirator	Ea.
76008A	Medium/Large Full Face Respirator	Ea.
7700-21	Fit Test Adapter	Ea.

RESPIRATORY PROTECTION

North Cartridges and Filters



75SCL



75FFP100



7580P100



7583P100L

5500 and 7700 Series Half Mask and 5400 and 7600 Series Full Face

- NIOSH approved under 42CFR84!

Part #	Description	Approved for	NIOSH Approval #	Qty./Cs.
N75001L	Organic Vapors	Organic Vapors*	Half Mask: TC-23C-49 Full Face: TC-23C-180	2/Pk., 36/Cs., 144/Cs. (Bulk)
N75002L**	Acid Gases	Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Formaldehyde*	Half Mask: TC-23C-226 Full Face: TC-23C-228	2/Pk., 36/Cs., 144/Cs. (Bulk)
N75003L	Organic Vapor/Acid Gas	Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide*	Half Mask: TC-23C-65 Full Face: TC-23C-181	2/Pk., 36/Cs., 144/Cs. (Bulk)
N75004L	Ammonia/Methylamine	Ammonia, Methylamine*	Half Mask: TC-23C-63 Full Face: TC-23C-182	2/Pk., 36/Cs., 144/Cs. (Bulk)
N750052L	Mercury Vapor/Chlorine Gas	Mercury Vapor, Chlorine*	Half Mask: TC-23C-1678 Gas Full Face: TC-23C-1679	2/Pk., 36/Cs., 144/Cs. (Bulk)
75SCL**	Defender™ Multi-Purpose	Ammonia, Chlorine Dioxide, Chlorine, Hydrogen Chloride, Hydrogen Fluoride, Hydrogen Sulfide (Escape Only), Formaldehyde, Methylamine	Half Mask: TC-23C-1788 Full Face: TC-23C-1789	2/Pk., 36/Cs., 144/Cs. (Bulk)
7580P100	P100	P100 is at least 99.97% efficient against all types of particulates which include dusts, fumes, mists, asbestos and particulate radionuclides	Half Mask: TC-84A-0592 Full Face: TC-84A-0591	2/Pk., 48/Cs., 144/Cs. (Bulk)
7581P100L	Organic Vapors/P100	Organic Vapors/P100*	Half Mask: TC-84A-0595 Full Face: TC-84A-0594	2/Pk., 24/Cs., 72/Cs. (Bulk)
7582P100L**	Acid Gas/P100	Chlorine, Hydrogen Chloride, Sulfur Dioxide, Chlorine, Dioxide, Hydrogen Sulfide (Escape Only)/P100*	Half Mask: TC-84A-0598 Full Face: TC-84B-0597	2/Pk., 24/Cs., 72/Cs. (Bulk)
7583P100L	Organic Vapor/Acid Gas/P100	Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Hydrogen Sulfide (Escape Only)/P100*	Half Mask: TC-84A-0601 Full Face: TC-84B-0600	2/Pk., 24/Cs., 72/Cs. (Bulk)
7584P100L	Ammonia/Methylamine/P100	Ammonia, Methylamine/P100*	Half Mask: TC-84A-0604 Full Face: TC-84A-0603	2/Pk., 24/Cs., 72/Cs. (Bulk)
75852P100L	Mercury Vapor/ Chlorine/P100	Mercury Vapor, Chlorine/P100*	Half Mask: TC-84A-0610 Full Face: TC-84A-0609	2/Pk., 24/Cs., 72/Cs. (Bulk)
75SCP100L**	Defender™ Multi-Purpose /P100	Organic Vapors, Ammonia, Chlorine Dioxide, Chlorine, Hydrogen Chloride, Hydrogen Fluoride, Hydrogen Sulfide (Escape Only), Formaldehyde, Methylamine/P100*	Half Mask: TC-84A-0902 Full Face: TC-84A-0903	2/Pk., 24/Cs., 72/Cs. (Bulk)

*Do not exceed maximum use concentrations established by regulatory standards.

**OSHA regulations require gas-proof goggles be worn with half mask respirators when used for formaldehyde.

N95, N99 & P100 Filters

Part #	Description	Qty./Cs.
7506N95	N95 Solid & Non-Oil Based Aerosol Particulate Filter	10/Bg., 120/Cs., 100/Cs. (Bulk)
7506N99	N99 Solid & Non-Oil Based Aerosol Particulate Filter	10/Bg., 120/Cs.
75FFP100	P100 Flexible, Low Profile Filter - At Least 99.97% Efficient Against All Types of Particulates Which Include Dusts, Fumes, Mists, Asbestos and Particulate Radionuclides	2/Pk., 100/Cs.
7506R95	R95 Oil Degrading Particulate Filter	10/Bg., 120/Cs.

Filter Accessories

Part #	Description	Qty./Cs.
N750035	Filter Adapter for 75FFP100 When Using with Chemical Cartridges	1/Pk., 24/Cs.
N750037	Assembly for Filters Includes Two (2) N750027 Covers and Two (2) N750015 Filter Holders to Attach to Face-Piece	2/pk., 10/Cs.

- When using the 7506N95 & 7506N99 with gas and vapor cartridges, use N750027 fit check cover.
- When using these filters as stand alone, use the N750015 & N750027.



TR-300N+

3M Versaflo TR-300N+ PAPR Kits

Lightweight, compact and well-balanced. Equipped with automatic flow control, low battery alarm and low flow alarm. Lightweight, ergonomically designed for a contoured fit and greater movement in tight work spaces.

- HKS/L models feature easy access to ears for stethoscope use
- Equipped with automatic flow control, low battery alarm and low flow alarm
- QRS (Quick Release Swivel) breathing tubes allow fast and easy connection
- Provides excellent peripheral and downward vision

Part #	Description	Qty./Cs.
TR-300N+ ECK	3M VersaFlo Easy-Clean PAPR System	Ea.
TR-300N+ HIK	3M VersaFlo Heavy-Industry PAPR System	Ea.
TR-300N HKS	3M VersaFlo Healthcare PAPR System - Small	Ea.
TR-300N HKL	3M VersaFlo Healthcare PAPR System - Large	Ea.

*Replacement parts available from Jendco – Call 1-800-449-9606 for help!



TR-600-ECK

3M Versaflo TR-600 PAPR Kits Face Mounted PAPR System

Features li-ion battery, adjustable airflow options and expanded range of NIOSH-approved filters and cartridges. Lightweight, ergonomically designed for a contoured fit and greater movement in tight work spaces. Multiple airflow rate options for user comfort.

- Up to eight hours run time, less charging time and reduced down time
- LED status lights for battery charge
- Multiple airflow rate options for user comfort
- Fully submersible; quick and easy to clean

Part #	Description	Qty./Cs.
TR-600-ECK	3M VersaFlo Easy-Clean PAPR System	Ea.
TR-600-HIK	3M VersaFlo Heavy-Industry PAPR System	Ea.
TR-600-HKS	3M VersaFlo Healthcare PAPR System - Small	Ea.
TR-600-HKL	3M VersaFlo Healthcare PAPR System - Large	Ea.

*Replacement parts available from Jendco – Call 1-800-449-9606 for help!

3M Versaflo TR-800 PAPR Kits

Features intrinsically safe battery, adjustable airflow options and expanded range of NIOSH-approved filters and cartridges. Choose from particulate filters or gas and vapor combination cartridges for protection in a variety of environments. Multiple airflow rate options for user comfort.

- Up to TEN hours run time, less charging time and reduced down time
- Intrinsically safe for use in a variety of environments
- Multiple airflow rate options for user comfort
- Fully submersible; quick and easy to clean

Part #	Description	Qty./Cs.
TR-800-ECK	3M VersaFlo Easy-Clean PAPR System	Ea.
TR-800-HIK	3M VersaFlo Heavy Industry PAPR System	Ea.
TR-800-PSK	3M VersaFlo Painters Assembly Kit	Ea.

*Replacement parts available from Jendco – Call 1-800-449-9606 for help!



TR-800-PSK

RESPIRATORY PROTECTION

3M PAPR Systems



3M Powerflow Face-Mounted Powered Air Purifying Respirator (PAPR)

- 3M Powerflow System delivers a minimum of 4 cfm when used with the filter
- It uses the popular 6000 Series facepiece and its faceshield meets impact and penetration requirements of ANSI Z87.1-2003
- The complete system includes the medium or large full facepiece, 6800DIN, motor blower unit, battery pack and flow meter
- Approved for use with high efficiency particulate filter only
- Certain PAPR systems provide a higher level of respiratory protection than non-powered air filtering respirators
- Constant flow of air can provide cooling for the worker, resulting in greater comfort for the wearer
- Battery-powered blower pulls the air through the filter resulting in no additional breathing resistance to the wearer
- Eight-hour battery
- Lightweight and well balanced
- Ideal for lead, asbestos and other hazardous particulates



Part #	Description	Qty./Cs.
6800PF	Medium Powerflow PAPR w/Charger	Ea.
6900PF	Large Powerflow PAPR w/Charger	Ea.
Q24-00-02R01	Powerflow Motor/Airflow Unit	Ea.
450-01-01R20	Powerflow SP3 PAPR High Efficiency (HE) Filter	20/Cs.



PAPR Hoods & Helmets

Part #	Description	Qty./Cs.
Hoods		
S-103S/L-20	Economy headcover S/M & M/L	20/Cs.
S-403S/L-20	Economy hood S/M & M/L	20/Cs.
S-133S	Hood with stethoscope access & integrated head suspension, S/M	5/Cs.
S-133L	Hood with stethoscope access & integrated head suspension, M/L	5/Cs.
S-433S	Hood w/ shoulder up coverage & integrated head suspension, S - L	5/Cs.
S-655	Hood with collar	1/Ea.
S-657	Hood with inner shroud and premium head suspension	1/Ea.
S-757	Painters hood with inner shroud	1/Ea.
S-855	Sealed seam hood with collar	1/Ea.
S-857	Sealed seam hood with inner shroud	1/Ea.
Faceshields, Hard Hats & Helmets		
M-105	Faceshield with standard visor and face seal	1/Ea.
M-107	Faceshield with premium visor and flame resistant face seal	1/Ea.
M-305	Hard hat with standard visor and face seal	1/Ea.
M-307	Hard hat with premium visor and flame resistant face seal	1/Ea.
M-405	Helmet with standard visor and flame resistant shroud	1/Ea.



Batteries & Filters/Cartridges

Part #	Description	Qty./Cs.
Batteries		
TR-330 / TR-630	Standard lithium ion battery	1/Ea.
TR-332 / TR-632	High capacity lithium ion battery	1/Ea.
BP-15	Breathe Easy NiMH Battery Pack	1/Ea.
Filters/Cartridges		
TR-6320N	Acid Gas/HE cartridge	5/Cs.
TR-6350N	Formaldehyde/HE Cartridge	5/Cs.
TR-6360N	Ammonia/Methylamine/HE cartridge	1/Ea.
TR-6510N	Organic Vapor/HE Cartridge	5/Cs.
TR-6530N	Organic Vapor/Acid Gas/HE Cartridge	5/Cs.
TR-6710N	High Efficiency Filter	5/Cs.
TR-6820N	HE/HF/Nuisance OV Filter	5/Cs.
TR-6600	Prefilter for TR-600 Kits	5/Cs.

Accessories

Part #	Description	Qty./Cs.
Accessories		
TR-653	Cleaning and storage kit	1/Ea.
BT-30	Versaflo Length Adjusting Breathing Tube	1/Ea.
BT-40	Versaflo Heavy Duty Neoprene Rubber Breathing Tube	1/Ea.
V-112	Holder for Air Regulating Valves	1/Ea.





Low Pressure Respirator Systems



Respirator Systems

- Full or half mask respirators
- Offered in one, two or three worker systems
- ¼, ¾, or 1½ hp ambient air pump
- 50' or 100' airline hose



Hood Systems

- Disposable loose-fitting Tyvek hoods
- Offered in one or two worker systems
- ¾ or 1½ hp ambient air pump
- 50' or 100' airline hose



Shield Systems

- Perfect for use with spray painting, chipping and body repair
- Offered in one or two worker systems
- ¼ or ¾ hp ambient air pump
- 50' airline hose



Nova 2000 Helmet System

- Provides a portable air source for one user
- ¾ hp ambient air pump
- 50' airline hose

Part #	Description	Qty./Cs.
9200-01	One Worker Full Mask System with 50' Hose	Ea.
9200-02	Two Worker Full Mask System with 50' Hose	Ea.
9200-03	Three Worker Full Mask System with 50' Hose	Ea.
9210-01	One Worker Full Mask System with 100' Hose	Ea.
9210-02	Two Worker Full Mask System with 100' Hose	Ea.
9210-03	Three Worker Full Mask System with 100' Hose	Ea.
9205-01	One Worker Half Mask System with 50' Hose	Ea.
9205-02	Two Worker Half Mask System with 50' Hose	Ea.
9205-03	Three Worker Half Mask System with 50' Hose	Ea.
9215-01	One Worker Half Mask System with 100' Hose	Ea.

Part #	Description	Qty./Cs.
9215-02	Two Worker Half Mask System with 100' Hose	Ea.
9215-03	Three Worker Half Mask System with 100' Hose	Ea.
9220-01	One Worker Hood System with 50' Hose	Ea.
9220-02	Two Worker Hood System with 50' Hose	Ea.
9230-01	One Worker Hood System with 100' Hose	Ea.
9230-02	Two Worker Hood System with 100' Hose	Ea.
9245-01	One Worker Shield System with 50' Hose	Ea.
9245-02	Two Worker Shield System with 50' Hose	Ea.
9285-01	One Worker Blasting Helmet System with 50' Hose	Ea.



Respirator Cleaning Pads

- Large 5" x 8" towelettes
- 70% isopropanol
- Designed for rubber respirator facepieces and other personal safety equipment
- 100 towelettes per box

Alcohol Free Cleaning Pads

- Active ingredient is benzalkonium chloride
- Will not harm sensitive rubber facepieces
- 100 towelettes per box

Part #	Description	Qty./Cs.
1001	Respirator Cleaning Pads	Ea.
3001	Alcohol Free Cleaning Pads	Ea.

Fit Test Kits

- Qualitative fit test apparatus
- Can be used with any particulate respirator or any gas/vapor respirator with a particulate prefilter
- The fit test works by spraying a sweet or bitter solution into the hood environment. If the wearer does not detect the test agent's taste, an acceptable fit has been demonstrated
- Fast, easy method for performing qualitative fit testing



Smoke Kits

- Standard and deluxe pump kits offered
- Each kit includes six tubes of smoke
- Deluxe kit includes batteries to generate the required 200mL per minute of smoke

Part #	Description	Qty./Cs.
2050	Standard Smoke Test Kit	Ea.
2055	Deluxe Pump Smoke Test Kit	Ea.
2050-01	Replacement Tubes	6/Bx.

Part #	Description	Qty./Cs.
FT10	Sweet Solution, Fit Test Kit-Complete	Ea.
FT11	Sensitivity Solution, 55 mL Bottle	Ea.
FT12	Fit Test Solution, 55 mL Bottle	Ea.
FT13	Nebulizer	Ea.
FT14	Fit Test Hood	2/Pk
FT15	Collar	Ea.
FT30	Bitter Solution, Fit Test Kit-Complete	Ea.
FT31	Sensitivity Solution, 55 mL Bottle	Ea.
FT32	Fit Test Solution, 55 mL Bottle	Ea.
FT13	Nebulizer	Ea.
FT14	Fit Test Hood	2/Pk
FT15	Collar	Ea.



PremAire Cadet Escape Respirator—Combination Supplied-Air Respirator w/Escapes Cylinder Size, Simplicity and Economy

The PremAire Cadet Escape Respirator is designed to be versatile, comfortable and affordable. A streamlined new design offers a first-stage regulator and cylinder valve within one assembly, creating a very small size and profile that is less likely to snag when working in tight places. Low-profile escape cylinders can be worn on either the right or left hip. The Ultra Elite Pressure-Demand Facepiece or Advantage 4000 Facepiece with APR conversion capability offer choice of sizes and nose cups. The Firehawk MMR Regulator let users choose from Push-To-Connect (PTC) or Slide-To-Connect (STC) attachments. All regulators feature a bypass and a choice of solid cover or purge. The economical PremAire Cadet Supplied-Air Respirator with Escape Cylinder is a cost-effective respiratory protection solution for many industries. For ordering ease and flexibility, these systems will be sold as part-numbered kits or through MSA's Assemble-To-Order (ATO) System. The PremAire Cadet Supplied-Air Respirator with Escape Cylinder is NIOSH-approved as a combination supplied-air respirator and self-contained breathing apparatus. **Sold by each.**

Part #	Description
10087895	PremAire Cadet Escape Respirator Kit, 5-Minute Aluminum Cylinder, Nylon Harness, Metal Cylinder Carrier
10087897	PremAire Cadet Escape Respirator Kit, 10-Minute Aluminum Cylinder, Nylon Harness, Metal Cylinder Carrier
10043419	Ultra Elite Facepiece, Small, Hycar, Speed-ON Head Harness, Push-to-Connect
10043415	Ultra Elite Facepiece, Medium, Hycar, Speed-ON Head Harness, Push-to-Connect
10043433	Ultra Elite Facepiece, Large, Hycar, Speed-ON Head Harness, Push-to-Connect
10075915	Advantage Facepiece, Small, Hycar, Net Head Harness, Push-To-Connect
10075909	Advantage Facepiece, Medium, Hycar, Net Head Harness, Push-To-Connect
10075921	Advantage Facepiece, Large, Hycar, Net Head Harness, Push-To-Connect

Other configurations and facepiece options are available. Contact us for details.



MSA G1 iRC Industrial SCBA

The industrial version of one of our most trusted products in the Fire Service industry, the G1 Industrial SCBA contains many unique design features that reduce stress and fatigue while improving performance and ease of maintenance. The new G1 iRC (industrial remote cylinder connection) version is a SCBA platform that features a remote cylinder connection, available with both threaded and quick connect attachments. It allows for cylinder compatibility among other MSA SCBA such as the G1 NFPA, Airhawk 2 and Firehawk M7. **Sold by each.**

Part #	Description
10215805	MSA G1 iRC 30 Minute Low Pressure Industrial SCBA w/Case
10215806	MSA G1 iRC 30 Minute Low Pressure Industrial SCBA
10215807	MSA G1 iRC 45 Minute High Pressure Industrial SCBA w/Case
10215808	MSA G1 iRC 45 Minute High Pressure Industrial SCBA w/Case

Additional configurations and options available. Contact us for details.



TransAire 5, TransAire 10 and Custom Air V Escape Respirators

When you need to bail out quickly, the TransAire 5 and TransAire 10 Escape Respirators deliver a consistent air supply at 40 lpm (liters per minute). This standard-flow rate makes for a smooth escape in normal aerobic escape applications. The TransAire 10 Escape Respirator is pressurized to 3000 psig, and the TransAire 5 Escape Respirator is pressurized to 2216 psig. The compact units employ aluminum cylinders that can withstand exposure to temperatures from 0° to 160°F. Despite their durability, the units are extremely lightweight. The Custom Air V Escape Respirator is designed with a high flow rate and meets stringent air flow requirements for extremely aerobic escape applications. It provides a five-minute, constant air flow at 72 lpm and is available with either an aluminum or a carbon fiber cylinder. **Sold by each.**

Part #	Description
10008292	TransAire 5 Escape Respirator Complete (Includes Aluminum Cylinder, Carrier, Hood Tube, Hood Assembly)
10008293	TransAire 10 Escape Respirator Complete (Includes Aluminum Cylinder, Carrier, Hood Tube, Hood Assembly)
10083327	TransAire 10 Escape Respirator Complete (Includes Fully-Wound Carbon Fiber Cylinder, Carrier, Hood Tube, Hood Assembly)
696192	Single-Unit Wall-Mounting Case
696193	Two-Unit Wall-Mounting Case
10012530	Single Unit Carrying Case, Yellow Polyethylene, with Handle, for All Escape Respirators



Honeywell

MILLER®



Miller AirCore Harness

Research has found that a comfortable harness is more likely to be worn properly, increasing compliance, safety and productivity.

COMFORT – breathable, open-core padding technology provides optimal air flow, while reducing heat and moisture entrapment, keeping a worker drier and cooler. **Up to 16% less surface area than other padding used on the market.** AirCore harnesses are designed with patented Miller DuraFlex stretchable webbing that provides greater flexibility and increased comfort.

EASY ADJUSTABILITY – unique cam buckles on the shoulder straps make vertical webbing adjustment the easiest of any harness on the market. Quick-connect chest buckles for easy donning.

LIGHTWEIGHT – Materials and components selected to reduce fatigue for all-day endurance and increased productivity; 16% lighter in weight than competitive harnesses with aluminum hardware and 20% lighter than harnesses with steel hardware.

STYLISH DESIGN – new webbing design creates an original and vibrant style and color for easy identification and greater visibility.

- Available in GREEN or BLUE

Available styles

Miller AirCore Harness with Steel or Aluminum Hardware

Designed with breathable, open-core padding technology that provides optimal air flow, while reducing heat and moisture entrapment, keeping a worker drier and cooler. Available with lightweight, corrosion-resistant aluminum hardware. This new line of AirCore harnesses with aluminum components provides the ultimate in performance and comfort.



ACA-QC/UBL

Miller AirCore Front D-Ring Harness with Steel or Aluminum Hardware

AirCore harnesses with front D-ring are designed for use in a variety of climbing, confined space and rescue applications. This new line of AirCore harnesses with front D-rings provides the ultimate in performance and comfort.



ACF-QCBDPUG

Miller AirCore Oil & Gas Harness

Designed for workers on drilling or service rigs including everyday application in the oil fields. It's built strong for day-to-day wear and tear and to last in a variety of harsh environments. This new line of AirCore harnesses keeps your workers safe whether they're positioning pipe, or doing routine rig set up, required maintenance or tear down.



ACOG-TBSSUB

Miller AirCore Tower Climbing Harness

This new line of AirCore harnesses keeps your workers comfortable and safe—increasing productivity. It is designed for workers climbing cell phone, TV, radio and utility towers, while building/decommissioning towers, changing out transmission lines/antennas, or installing/replacing lights.



AAT-QCUG

Miller AirCore Wind Energy Harness

The new AirCore Wind Energy harness is the harness of choice for wind turbine applications—a product of extensive research and observation of workers in action. The lightweight design is customized for workers building and servicing wind turbines while reducing fatigue for all-day endurance.



ACFW-QCBDPUB

Dozens of other configurations at www.jendcosafety.com

Fall Protection

Honeywell



Miller DuraFlex Stretchable Harness

- Stretchable webbing
 - Maximizes comfort
 - Improves safety
 - Increases productivity
- Rated to 400 lbs. (181.4 kg) capacity



E650/UGN

Miller DuraFlex Python Harness

- Wraparound comfort
 - Cushioned tubular webbing
 - Stretchable webbing
 - Improves comfort
- Rated to 400 lbs. (181.4 kg) capacity

Part #	Description	Qty./Cs.
E650/UGN	DuraFlex Harness, Mating Buckles, Pull-Free Lanyard Rings/Belt Loops	Ea.
E650-4/UGN	DuraFlex Harness, Tongue Buckles, Pull-Free Lanyard Rings/Belt Loops	Ea.
P950/UGN	DuraFlex Python Harness, Mating Buckles, Santoprene D-Ring Back Pad/Pull-Free Lanyard Rings/Belt Loops	Ea.
P950-4/UGN	DuraFlex Python Harness, Tongue Buckles, Santoprene D-Ring Back Pad/Pull-Free Lanyard Rings/Belt Loops	Ea.

Miller Revolution Harness

- DualTech webbing – donning made easy with two-sided contrasting color webbing and textures
- Self-contained label pack – integrated pack encapsulates labels minimizing damage and loss
- ErgoArmor back shield – semi-flexible back shield minimizes impact from sharp/heavy snap hooks and self-retracting lifelines. Stand-up back D-ring simplifies connection
- Cam buckle – unique rotary design provides greater comfort in bending/mobility
- Web finials – clip-on design safely organizes webbing after proper adjustment
- Integrated accessory system – modular attachment design provides connection points for belts/tools/accessories
- PivotLink connection – unique rotary design provides greater comfort in bending/mobility
- Rated to 400 lbs. (181.4 kg) capacity



RDT-QC/UBK

Part #	Description	Qty./Cs.
RDT-QC/UBK	DualTech Webbing; Quick-Connect Buckles	Ea.
RDT-TB/UBK	DualTech Webbing; Tongue Buckles	Ea.
RDT-QC-DP/UBK	DualTech Webbing; Quick-Connect Buckles; Side D-Rings and Pad	Ea.
RDT-TB-DP/UBK	DualTech Webbing; Tongue Buckles; Side D-Rings and Pad	Ea.

Titan II Non-Stretch Harnesses

Offers enhanced adjustability, improved comfort and increased worksite safety. Constructed with lightweight, durable, hi-viz webbing, fully adjustable full-body harness has slip-resistant back D-ring pad and forward positioned side D-rings - keeping your tool bags in the right place, mating-buckle chest, friction buckle shoulder straps (except T200 and T2007) and sub-pelvic strap. Rated at 400 lbs. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.



T4577/UAK

Part #	Description	Qty./Cs.
T4000/UAK	Harness w/Back D-Ring & Mating-Buckle Legs	Ea.
T4500/UAK	Harness w/Back D-Ring & Tongue-Buckle Legs	Ea.
T4577/UAK	Harness w/Back & Side D-Rings & Tongue-Buckle Legs, Shoulder/Waist Padding & Removable Tool Belt	Ea.
T4507FD/UAK	Harness w/ Front, Back & Side D-Rings & Mating Buckle Legs	Ea.

Miller H500 Harness

- Four new models to suit your needs and comfort
- Greater freedom of movement
- New specially formulated webbing flexes to accommodate movement and body contours for optimum comfort around legs/shoulders
- New patented shoulder/back padding design minimizes overhead muscular fatigue (overexertion)
- Waist pad with adequate foam density for optimum lumbar support
- Lighter-than-ever harnesses
- More breathability
- New "best-in-class" anatomically and ergonomically designed pressure-relief breathable shoulder/back padding keeps workers drier and cooler
- Smart anti-tangle for a hassle-free donning experience
- Dedicated SRL web link for easy attachment of personal SRLs



H500

Part #	Description	Qty./Cs.
H500 CC	H500 Construction Comfort	Ea.
H500 CS	H500 Construction Standard	Ea.
H500 IC	H500 Industry Comfort	Ea.
H500 IS	H500 Industry Standard	Ea.



Miller Manyard II 6' Stretchable Shock-Absorbing Lanyards

- Contracts 6-ft. to 4-ft. Manyard II lanyards greatly reduce the chances of tripping, snagging or dragging
- Working load of 310 lbs. and features a warning flag to indicate that it has arrested a fall
- Specially-woven shock-absorbing inner core smoothly expands to reduce fall arrest forces

Part #	# of Legs	Harness Connection	Anchorage Connection
216M-Z7/6FTGN	1	Locking Snap Hook	Locking Snap Hook
219M-Z7/6FTGN	1	Locking Snap Hook	Locking Rebar Hook
231M-Z7/6FTGN	2	Locking Snap Hook	(2) Locking Rebar Hooks



Miller Arc-Rated 6' Shock-Absorbing Lanyards

- Specially-woven shock-absorbing inner core smoothly expands to reduce fall arrest forces
- Arc-rated Kevlar webbing in both single- and double-legged models
- Available with choke-off loop or locking snap hooks with 3/4-in. (19mm) or 2-1/2-in. (63mm) gate openings

Part #	# of Legs	Style	Harness Connection	Anchorage Connection
233MK-Z7/6FTBK	1	Manyard II	Choke-Off Loop	Locking Snap Hook
231MK-Z7/6FTBK	2	Manyard II	Locking Snap Hook	(2) Locking Rebar Hooks
913K-Z7/6FTBK	1	SofStop Shock Absorber	Locking Snap Hook	Locking Rebar Hook
933K-Z7/6FTBK	1	SofStop Shock Absorber	Choke-Off Loop	Locking Snap Hook
8798K-Z7/6FTBK	2	SofStop Shock Absorber	Locking Snap Hook	(2) Locking Rebar Hooks

**Other configurations available – Call 1-800-449-9606 for additional products.



Miller StretchStop 6' Lanyards with SofStop Shock Absorber

- Miller StretchStop lanyards combine the integral SofStop shock absorber with a unique stretchable lanyard design
- SofStop shock absorber pack is designed with a specially-woven inner core that smoothly expands to reduce fall arrest forces

Part #	# of Legs	Harness Connection	Anchorage Connection
913SS-Z7/6FTGN	1	Locking Snap Hook	Locking Snap Hook
8798SS-Z7/6FTGN	2	Locking Snap Hook	(2) Locking Rebar Hooks



Titan II Tubular Shock-Absorbing Lanyards

- Tubular shock-absorbing lanyards feature a built-in woven inner core which smoothly expands to reduce fall arrest forces, while the outer jacket serves as a back-up web lanyard

Part #	# of Legs	Harness Connection	Anchorage Connection
T5111-Z7/6FTAF	1	Locking Snap Hook	Locking Snap Hook
T5112-Z6/6FTAF	1	Locking Snap Hook	Locking Rebar Hook
T5121-Z7/6FTAF	2	Locking Snap Hook	(2) Locking Rebar Hooks
T5122-Z7/6FTAF	2	Locking Snap Hook	(2) Large Locking Snap Hooks





Miller TurboLite Personal Fall Limiters

Cost-effective, compact and lightweight, Miller TurboLite personal fall limiters make the need for shock-absorbing lanyards obsolete.

- Available in 6-ft. and 9-ft. lengths to meet the needs of a wide variety of applications
- Extremely compact and lightweight
- Attaches directly to the back D-ring of a harness for increased mobility
- Rated for up to a 400 lb. worker

MFL-9-Z7/9FT



Part #	Description	Unit Connector	Lanyard Connector
MFL-1-Z7/6FT	6-ft. TurboLite PFL	Steel Carabiner; 3,600 lb. Gate	Steel Snap Hook; 3,600 lb. Gate
MFL-2-Z7/6FT	6-ft. TurboLite PFL	Steel Carabiner; 3,600 lb. Gate	Steel Rebar Hook; 3,600 lb. Gate
MFL-9-Z7/6FT	6-ft. TurboLite PFL	Steel Snap Hook; 3,600 lb. Gate	Steel Snap Hook; 3,600 lb. Gate
MFL-10-Z7/6FT	6-ft. TurboLite PFL	Steel Snap Hook; 3,600 lb. Gate	Steel Rebar Hook; 3,600 lb. Gate
MFL-11-Z7/6FT	6-ft. TurboLite PFL	Aluminum Carabiner; 3,600 lb. Gate	Aluminum Snap Hook; 3,600 lb. Gate
MFL-12-Z7/6FT	6-ft. TurboLite PFL	Aluminum Carabiner; 3,600 lb. Gate	Aluminum Rebar Hook; 3,600 lb. Gate
MFL-14-Z7/6FT	6-ft. TurboLite PFL	Aluminum Snap Hook; 3,600 lb. Gate	Aluminum Snap Hook; 3,600 lb. Gate
MFL-15-Z7/6FT	6-ft. TurboLite PFL	Aluminum Snap Hook; 3,600 lb. Gate	Aluminum Rebar Hook; 3,600 lb. Gate

*Also available in 9-ft. – Replace '6FT' with '9FT'

Miller Twin Turbo Personal Fall Limiter with G-2 Connector

New patent-pending Miller Twin Turbo G2 connector provides 100% tie-off for the Miller TurboLite and Miller Turbo T-BAK personal fall limiters (PFLs).

- Better alternative to double-leg lanyards—reduces fall clearance requirements for use in more applications
- PFLs swivel independently—provides ultimate worker mobility and prevents webbing from twisting and binding in the unit

MFLC-4-Z7/6FT



Part#	Description	Lanyard Connector
MFLC-3-Z7/6FT	6-ft. Twin Turbo G2 Connector	Steel Snap Hooks, 3,600 lb. Gate Strength
MFLC-4-Z7/6FT	6-ft. Twin Turbo G2 Connector	Steel Rebar Hooks, 3,600 lb. Gate Strength
MFLC-11-Z7/6FT	6-ft. Twin Turbo G2 Connector	Aluminum Snap Hooks, 3,600 lb. Gate Strength
MFLC-12-Z7/6FT	6-ft. Twin Turbo G2 Connector	Aluminum Rebar Hooks, 3,600 lb. Gate Strength

*Also available in 9-ft. – Replace '6FT' with '9FT'

MiniLite Fall Limiter

- Measures 3¼"W x 3¼"D x 18"L [9.5cm x 8cm x 45.5cm] when fully retracted
- 11 feet [3.3m] of working capacity

- High-impact outer cover protects internal components
- Stainless steel interior, frame and components are corrosion resistant
- Polyester webbing offers greater chemical resistance
- No annual factory recertification required



FL11-1-Z7/11FT

Part #	Description	Qty./Cs.
MiniLite		
FL11-Z7/11FT	MiniLite - No Anchorage Connector	Ea.
FL11-1-Z7/11FT	MiniLite - Steel Twist-Lock Carabiner	Ea.
FL11-3-Z7/11FT	MiniLite - Carabiner & Swivel Shackle	Ea.
FL11-4-Z7/11FT	MiniLite - 3-ft. Cross Arm Strap	Ea.
FL11-6-Z7/11FT	MiniLite - Rebar Hook & Swivel Shackle	Ea.
FL11-7-Z7/11FT	MiniLite - Locking Snap Hook (3/4" [19mm] Gate Opening)	Ea.
FL11-8-Z7/11FT	MiniLite - Snap Hook & Swivel Shackle	Ea.
FL11-12-Z7/11FT	MiniLite - Captive-Eye Carabiner	Ea.

TurboLite Extreme Sharp Edge PFL

- For leading edge applications
- Lightweight and compact
- Available in working lengths from 6 ft. to 12 ft. in twin and single configurations with cable or web lifelines to accommodate a wide-range of applications. A variety of connector options including tie-back offer maximum versatility



Part #	Description	Qty./Cs.
TurboLite		
MFLEC-3/6FT	TurboLite 6-ft. Extreme w/1 Steel Snap Hook	Ea.
MFLEC2-12/6FT	TurboLite 6-ft. Extreme Twin Leg w/2 Locking Rebar Hooks	Ea.
MFLEC-3/9FT	TurboLite 9-ft. Extreme w/1 Steel Snap Hook	Ea.
MFLEC2-12/9FT	TurboLite 9-ft. Extreme Twin Leg w/2 Locking Rebar Hooks	Ea.
MFLEC-3/12FT	TurboLite 12-ft. Extreme w/1 Steel Snap Hook	Ea.



Miller MightyLite Leading Edge Self-Retracting Lifeline

Designed to protect a worker if a fall occurs that involves going over an edge. Features a shock absorber integrated into the lifeline, lowering fall arrest forces.

- Durable, corrosion-resistant stainless steel and aluminum construction
- 30% lighter than competitive models in class for easy handling
- Quick, easy installation
- Carabiner and tagline included for easy lifeline access and connection
- Rated for up to a 310 lb. worker in leading edge applications and up to a 400 lb. worker when mounted overhead
- Meets testing requirements for ANSI Z359.14



MightyLite LE SRLs with Shock-Absorbing Packs

Part #	Length
RL20G-Z7LEK/20FT	20 ft.
RLS30G-Z7LEK/30FT	30 ft.
RL50G-Z7LEK/50FT	50 ft.
RL65G-Z7LEK/65FT	65 ft.

MightyLite LE SRLs with Kevlar Shock-Absorbing Packs

(Designed for welding applications)

Part #	Length
RL20G-Z7LEK/20FT	20 ft.
RLS30G-Z7LEK/30FT	30 ft.
RL50G-Z7LEK/50FT	50 ft.
RL65G-Z7LEK/65FT	65 ft.

Miller Falcon Self-Retracting Lifeline

Nearly indestructible, the high impact-resistant nylon housing withstands the harsh rigors of the toughest applications. The lightest, most rugged lines of composite retractables are designed with smooth, round edges to increase durability.

- Pound for pound the strongest, most durable retractable
- Unique side payout design reduces wear on the entry guide bushing and cable for smooth operation with less drag
- Smooth, quiet operation
- New and improved load indicators identify when the unit needs to be removed from service*
- No annual factory recertification required*—lowers cost of ownership and increases productivity
- Available with either web lifeline or 3/16-in. galvanized wire rope

*Cable models – on snap hook, Web models – flag on webbing



Miller Falcon Web Self-Retracting Lifelines

Part #	Description
MP16P-Z7/16FT	Miller Falcon 16-ft. Web Lifeline with Stainless Steel Swivel and Carabiner and ANSI Snap Hook
MP20P-Z7/20FT	Miller Falcon 20-ft. Web Lifeline with Stainless Steel Swivel and Carabiner and ANSI Snap Hook

Miller Falcon Wire Rope Self-Retracting Lifelines

Part #	Length
MP20G-Z7/20FT	Miller Falcon 20-ft. Galvanized Wire Rope (3/16-in.) with Tagline and Carabiner
MP30G-Z7/30FT	Miller Falcon 30-ft. Galvanized Wire Rope (3/16-in.) with Tagline and Carabiner
MP50G-Z7/50FT	Miller Falcon 50-ft. Galvanized Wire Rope (3/16-in.) with Tagline and Carabiner
MP65G-Z7/65FT	Miller Falcon 65-ft. Galvanized Wire Rope (3/16-in.) with Tagline and Carabiner

Miller Falcon Leading Edge Wire Rope Self-Retracting Lifelines

Part #	Description
MP20G-LE	Miller Falcon 20-ft Leading Edge Galvanized Wire Rope (3/16-in) with Tagline and Carabiner
MP30G-LE	Miller Falcon 30-ft Leading Edge Galvanized Wire Rope (3/16-in) with Tagline and Carabiner
MP50G-LE	Miller Falcon 50-ft Leading Edge Galvanized Wire Rope (3/16-in) with Tagline and Carabiner

Miller DuraSeal Self-Retracting Lifeline

Designed to perform in the harshest environments including onshore and offshore oil and gas, mining and petrochemical.

- Prevents contaminants from entering the unit with highest industry rated sealed technology IP69K
- Built to last reusable brake design withstands multiple falls
- Quick, low cost repair is achieved with field replaceable lifeline
- Available in a variety of configurations



Part #	Length
SSRL50G1	50 ft.
SSRL100G1	100 ft.
SSRL130G1	130 ft.
SSRL175G1	175 ft.

Also available in Stainless Steel - Replace G with S.

Honeywell



Body Control I Fall Arrester



Attaches at top or bottom of rail

Universal II GlideLoc Fall Arrester



Attaches anywhere on rail



Miller GlideLoc Safety Systems

Body Control I Fall Arrester

- Smooth, quiet trailing action along the rail is delivered by 10 glide rollers – provides an easier, more comfortable climb
- Outside roller guides are protected by a flexible rubber ring – provides for a longer service life
- Constructed of stainless steel and aluminum holds up well on corrosive environments

Universal II GlideLoc Fall Arrester

- Designed to be installed and removed from the rail anywhere along the system – enables transfer onto platforms and entry onto systems where ladder is submerged in snow
- Click-lock function – ensures proper installation
- No intermediate entry/exit gates are required
- Body is constructed of stainless steel – holds up well in corrosive environments

SKU	SKU	SKU	System	Section of	Number of Ladder
Galvanized	Aluminum	Stainless Steel	Length	10 ft (3.0m) Rail	Attachment Brackets
GG0020	GA0020	GS0020	20 ft. (6.1m)	2	2
GG0030	GA0030	GS0030	30 ft. (9.1m)	3	6
GG0040	GA0040	GS0040	40 ft. (12.2m)	4	7
GG0050	GA0050	GS0050	50 ft. (15.2m)	5	9
GG0060	GA0060	GS0060	60 ft. (18.3m)	6	10
GG0070	GA0070	GS0070	70 ft. (21.3m)	7	11
GG0080	GA0080	GS0080	80 ft. (24.4m)	8	13
GG0090	GA0090	GS0090	90 ft. (27.4m)	9	14
GG0100	GA0100	GS0100	100 ft. (30.5m)	10	16
GG0110	GA0110	GS0110	110 ft. (33.5m)	11	17
GG0120	GA0120	GS0120	120 ft. (36.6m)	12	19
GG0130	GA0130	GS0130	130 ft. (39.6m)	13	20
GG0140	GA0140	GS0140	140 ft. (42.7m)	14	21
GG0150	GA0150	GS0150	150 ft. (45.7m)	15	23
GG0160	GA0160	GS0160	160 ft. (48.8m)	16	24
GG0170	GA0170	GS0170	170 ft. (51.8m)	17	26
GG0180	GA0180	GS0180	180 ft. (54.9m)	18	27
GG0190	GA0190	GS0190	190 ft. (58.0m)	19	29
GG0200	GA0200	GS0200	200 ft. (61.0m)	20	30

Miller Vi-Go Safety Systems

- Lower cost of ownership – Do-it-yourself kits for easy installation and inspection. No costly, annual manufacturer inspections often required by other systems.
- Option to cut cable lengths on site for greater versatility.
- Accommodate up to four (4) workers at a time – Increasing productivity.
- Select Automatic or Manual Personal Fall Arrestor Cable Sleeves – Both cable sleeves are designed to follow the user along the lifeline while ascending or descending, instantly locking in the event of a fall.



Vi-Go Continuous Ladder Climbing Safety System with Automatic Pass-Through

Part #	Length of System	Number of Cable Guides
VG/30FT	30 ft. (9.1m)	0
VG/40FT	40 ft. (12.2m)	0
VG/50FT	50 ft. (15.2m)	1
VG/60FT	60 ft. (18.3m)	1
VG/70FT	70 ft. (21.3m)	1
VG/80FT	80 ft. (24.4m)	1



VGCS-SC

**Vi-Go Automatic Pass-Through Cable Sleeve*
Sold Separately**

SKU	Description
VGCS	Automatic Pass-Through Cable Sleeve
VGCS-C	Automatic Pass-Through Cable Sleeve with carabiner
VGCS-SC	Automatic Pass-Through Cable Sleeve with integral swivel and carabiner

Vi-Go Continuous Ladder Climbing Safety System with Manual Pass-Through

Part #	Length of System	Number of Cable Guides
TRS/50FT	50 ft. (15.2m)	1
TRS/60FT	60 ft. (18.3m)	1
TRS/70FT	70 ft. (21.3m)	1
TRS/80FT	80 ft. (24.4m)	1
TRS/90FT	90 ft. (27.4m)	2



TRCS-C

**Vi-Go Manual Pass-Through Cable Sleeve*
Sold Separately**

SKU	Description
TRCS	Manual Pass-Through Cable Sleeve
TRCS-C	Manual Pass-Through Cable Sleeve with carabiner
TRCS-SC	Manual Pass-Through Cable Sleeve with integral swivel and carabiner

Honeywell

MILLER®



Miller Shadow Adjustable & Fixed Beam Anchors

Once attached, the beam anchor (models 8814 and 8816) slide along the beam with the worker to provide increased safety, mobility and productivity. The fixed unit (model 8815) is designed to be tightened horizontally or vertically, firmly gripping the beam or column to provide a temporary or permanent anchorage attachment.

Part #	Description	Fits Flange Width
8814-12/	Miller Shadow Adjustable Beam Anchor—Stainless Steel & Aluminum	4"–12" 1.25" Maximum Thickness
8814-24/	Miller Shadow Adjustable Beam Anchor—Stainless Steel & Aluminum	12"–24" 2.5" Maximum Thickness
8815-12/	Miller Shadow Fixed Beam Anchor—Stainless Steel & Aluminum	4"–12" 1.25" Maximum Thickness
8815-24/	Miller Shadow Fixed Beam Anchor—Stainless Steel & Aluminum	12"–24" 2.5" Maximum Thickness
8816-14/	Miller ShadowLite Adjustable Beam Anchor—Aluminum & Bronze	3"–14" 1.25" Maximum Thickness

*Sold by each.



Miller 360° Swivel Anchors with D-ring

- Freedom of movement – Innovative swivel design provides 360° D-ring rotation and 180° flip while preventing accidental gate load/roll-out when in use
- Versatile application use – Permanent and portable structure mount options for steel and concrete
- Multiple anchorage options – Available in 5,000 lb. (5K) and 10,000 lb. (10K) ultimate tensile strength
- Corrosion resistance – Available in zinc-plated steel or stainless steel construction
- Rated for up to a 310 lb. (141 kg) worker

Part #	Description	Tensile Strength
RACSW100S-316	Stainless Steel Swivel Anchor with Stainless Steel Mounting Hardware	5,000 lbs.
RACSWY050S	Zinc-Plated Swivel Anchor with Steel Mounting Hardware	5,000 lbs.
RACSWY050C	Zinc-Plated Swivel Anchor with Steel Mounting Hardware	5,000 lbs.
RACSWY100S	Zinc-Plated Swivel Anchor with Steel Mounting Hardware	10,000 lbs.
RACSWY100C	Zinc-Plated Swivel Anchor with Concrete Mounting Hardware	10,000 lbs.

*Sold by each.



Miller Grip Portable/Reusable Anchorage Connectors

Portable/reusable anchorage connectors designed for use in concrete applications.

- The reusable Miller grip anchor can be removed and simply re-installed in a new location
- Designed for vertical or overhead/ceiling surface applications
- Constructed of stainless steel, aluminum and other non-corrosive materials for a longer service life

Part #	Description	Tensile Strength
496/	3/4-In. Miller Grip Fall Protection Anchorage Connector for Concrete	5,000 lbs.
497/	1-In. Miller Grip Fall Protection Anchorage Connector	10,000 lbs.

*Sold by each.



Miller Lightweight Adjustable Beam Trolley

The beam trolley is adjustable and slides along with the worker to provide maximum mobility.

Part #	Description	Fits Flange Width
9065/BK	Miller Lightweight Adjustable Beam Trolley	3"–4.5"
9065/1	Beam Trolley Retrofit Kit – 8.5"	Up to 8.5"
9065/2	Beam Trolley Retrofit Kit – 12"	Up to 12"

*Retrofit kits must be used in addition to 365-9065/BK.



Miller Cross-Arm Strap Anchorage Connectors

Cross-arm strap wraps around I-beams and other structures and attaches with a 2" D-ring that slips through a 3" D-ring to form a secure attachment point for lanyards and other connecting devices.

- 400 lbs. (181.4 kg) maximum capacity.
- Available in 2' to 20'

Part #	Description	Lengths Available
8183/#FT	Miller Cross-Arm Strap Anchorage Connectors	2' to 20'

*Replace # with length in FEET.

Honeywell

MILLER®

365-9099X/12



365-8174/U



365AC-8173/U



300L



BRFK50-Z7/50FT



365-8928/18INBK



17D-1



18D-1

Miller Relief Step Safety Device

- OSHA states that potentially fatal suspension trauma can occur within minutes while waiting for rescue after a fall
- When used, the Relief Step safety device provides support and enhances blood circulation until rescue – permitting the ability to move and flex leg muscles

Part #	Description	Qty./Cs.
365-9099X/12	Miller Relief Step Safety Device	12/Cs.
365-9099/36BULK	Miller Relief Step Safety Device	36/Cs.

Miller Rope Grabs & Rope

Trailing rope grab models offer complete hands-free operation for increased productivity. In the event of a fall, Miller Rope Grabs lock quickly.

Part #	Description	Qty./Cs.
365-8174/U	Miller Manual Rope Grab for 5/8" or 3/4" Synthetic Rope	1/EA
365AC-8173/U	Miller Trailing Rope Grab for 5/8" Synthetic Rope	1/EA
300L	Miller Titan 5/8" Synthetic Rope Lifeline 25 ft. - 250 ft.	1/EA

Titan ReadyRoofer Fall Protection Kits

- Fully-adjustable, non-stretch harness with mating buckle leg straps
- Versatile, reusable roof anchor w/attachment D-ring (RA15-1/)
- Compact trailing rope grab (8173U/)
- 3' shock-absorbing lanyard (T6111/3FTAF)
- High-strength rope lifeline (300L/)
- Water-proof container

Part #	Description
BRFK25-Z7/25FT	25' Titan ReadyRoofer Fall Protection Kit
BRFK50-Z7/50FT	50' Titan ReadyRoofer Fall Protection Kit
BRFK75-Z7/75FT	75' Titan ReadyRoofer Fall Protection Kit
BRFK100-Z7/100FT	100' Titan ReadyRoofer Fall Protection Kit

*For harness with tongue buckle leg straps, add "T" to SKU after the letter "K" (Ex. BRFKT50/50FT).

Miller 18" D-Ring Extension

Part #	Description
365-8928/18INBK	18-in. Web Extension with a Snap Hook and a D-Ring on the Opposite End

Twist-Lock Carabiners

Part #	Description
17D-1	Miller 1" Throat Steel Carabiner 17D-1
18D-1	Miller 2" Large Aluminum Twist-Lock Carabiner 18D-1





Fall Protection



3M Protecta Comfort Construction Style Positioning Harness

3M Protecta Comfort Construction-Style Positioning Harness with an easy-link web adapter, a fixed D-ring to minimize workday readjustment and breathable Back/Hip Padding. Plus, a durable and sturdy belt, Tongue-Buckle Leg Connection, Pass-Through Chest Connection and Back and Side D-rings. Specially designed for added comfort, these harnesses are rated for 420 lbs (190 kg) total working weight. These fall arrest systems meet the requirements of ANSI Z359.11; and OSHA 1910.140 and 1926.502.

Part #	Description	Sizes	Qty./Cs.
1161200	Construction Style Harness	S	Ea.
1161201	Construction Style Harness	M/L	Ea.
1161202	Construction Style Harness	XL	Ea.
1161203	Construction Style Harness	2XL	Ea.



Front

Back

Fall Protection



3M Protecta Comfort Vest-Style Harness

3M Protecta Comfort Vest-Style Harness with a fixed Back D-ring to minimize workday readjustment and moisture-wicking, breathable Back Padding. Plus, there's Tongue-Buckle Leg Connection, and Pass-Through Chest Connection. Specially designed for added comfort and convenience, these harnesses are rated for 420 lbs (190 kg) total working weight. These fall arrest systems meet the requirements of ANSI Z359.11; and OSHA 1910.140 and 1926.502.

- Fixed D-ring reduces the need for readjustment throughout the workday
- Specifically designed for added comfort
- Moisture-wicking, breathable back padding with soft edging for added comfort
- Modern design gives harness a fresh and sleek look

Part #	Description	Sizes	Qty./Cs.
1161417	Vest Style Harness	S	Ea.
1161418	Vest Style Harness	M/L	Ea.
1161419	Vest Style Harness	XL	Ea.



Front

Back



Fall Protection

ExoFit Construction Style Harness with Tool Pouches

ExoFit is the design that changed what workers expect from a harness. It's our original comfort fit harness, with a single piece of material that wraps around you in the shape of an X. It dons without tangling and provides comfortable security. ExoFit remembers your adjustments. Snap three buckles and you're ready to work. Shoulder, hip and leg padding is built in so it can't slip. A breathable lining guarantees you'll stay dry and comfortable all day.

- Built-in shoulder, back and leg comfort padding
- Back D-ring
- Body belt/hip pad with side D-rings
- Quick connect chest and leg straps

Part #	Description	Sizes	Qty./Cs.
1108516	Construction Style Harness	S	Ea.
1108517	Construction Style Harness	M	Ea.
1108518	Construction Style Harness	L	Ea.
1108519	Construction Style Harness	XL	Ea.



Front

Back

FALL PROTECTION

3M Full Body Harnesses



Fall Protection

DBI-SALA ExoFit X300 Comfort Construction Positioning Safety Harness

Full-body harness provides comfort and function with soft, yet extremely durable, anti-absorbent webbing, strategically placed padding and protective elements that prolong service life of harness. Chest platform places labels and i-Safe RFID tag behind a Velcro cover to protect labels and provide easy access.

Covered pocket with elastic sides is conveniently placed on front of chest strap to hold workplace or personal items such as a cellular phone. Includes reflective material that increases worker safety in low visibility environments, stand-up dorsal D-ring, side D-rings, integrated suspension trauma straps for post fall-arrest comfort, sewn-in hip pad and removable body belt, impact indicator stitches and breakaway lanyard keepers. Capacity: 420 lbs. Meets all applicable OSHA regulations and ANSI Z359.11 standard.

- Duo-Lok quick-connect buckles: lightweight, one-hand use with memory-fit
- Revolver vertical torso adjusters: simple, fast adjustment that locks into position
- Hybrid comfort padding: combines premium comfort with durability
- Tech-Lite aluminum D-rings: lightweight alloy for added comfort
- Repel technology webbing: provides up to 5 times more abrasion resistance and water repellency

Part #	Description	Sizes	Qty./Cs.
1113121	Comfort Construction Positioning Harness	S	Ea.
1113124	Comfort Construction Positioning Harness	M	Ea.
1113127	Comfort Construction Positioning Harness	L	Ea.
1113130	Comfort Construction Positioning Harness	XL	Ea.



1113127

Fall Protection



Fall Protection

ExoFit STRATA Construction Style Positioning Harnesses

Features LIFTech weight distribution system, Repel webbing, built-in lanyard keepers that automatically reset, impact indicator, integrated suspension trauma straps, customizable name tag, and label protectors. Includes PolarMesh back pad, EZ-Link SRL adapter, Revolver quick-connect leg straps, Revolver vertical torso adjusters, stand-up Tech-Lite aluminum back and side D-rings, and body belt/hip pad with thermoformed EVA padding. i-Safe enabled with RFID technology.



1112537

Part #	Description	Sizes	Qty./Cs.
1112535	Construction Style Positioning Harness	S	Ea.
1112536	Construction Style Positioning Harness	M	Ea.
1112537	Construction Style Positioning Harness	L	Ea.
1112538	Construction Style Positioning Harness	XL	Ea.



Fall Protection

ExoFit Construction Style Positioning Harnesses

ExoFit is the design that changed what workers expect from a harness. It's our original comfort fit harness, with a single piece of material that wraps around you in the shape of an X. It dons without tangling and provides comfortable security. ExoFit remembers your adjustments. Snap three buckles and you're ready to work. Shoulder, hip and leg padding is built in so it can't slip. A breathable lining guarantees you'll stay dry and comfortable all day.



1108500 - 7

Part #	Description	Sizes	Qty./Cs.
1108500	Construction Style Positioning Harness	S	Ea.
1108501	Construction Style Positioning Harness	M	Ea.
1108502	Construction Style Positioning Harness	L	Ea.
1108506	Construction Style Positioning Harness	XS	Ea.
1108507	Construction Style Positioning Harness	XL	Ea.



Fall Protection

ExoFit NEX Arc Flash Rescue Harnesses

ExoFit NEX harnesses are the most advanced harnesses in the industry. They're the culmination of our experience with ExoFit and ExoFit XP, ongoing research and the incorporation of new materials and innovative features. True to our NEX mission, we manufacture these harnesses using materials that won't add unnecessary weight for ultimate comfort. When speed and efficiency are project requirements, ExoFit NEX will provide the freedom and confidence to function at your maximum potential.

Part #	Description	Sizes	Qty./Cs.
1113325	Arc Flash Rescue Harness	S	Ea.
1113326	Arc Flash Rescue Harness	M	Ea.
1113327	Arc Flash Rescue Harness	L	Ea.
1113328	Arc Flash Rescue Harness	XL	Ea.



1113325





1340180



PRO Shock-Absorbing Lanyard

Pack style, durable, energy-absorbing lanyard with 1 3/4" polyester webbing. Meets or exceeds OSHA 1926 regulation.

Part #	Description	Sizes	Qty./Cs.
1340180	Twin-Leg Lanyard w/Snap Hook & Steel Rebar Hooks	6'	Ea.



EZ-STOP II Shock-Absorbing Lanyards

Lighter, stronger and more durable than previous EZ-STOP models; 66% smaller and 40% lighter with 3/4" webbing that reduces weight. Includes HI-10 Vectran energy management material, which is a multifilament, high-tenacity performance yarn spun from liquid crystal polymer that is 5x stronger than steel and provides minimal moisture absorption and resists abrasion, chemicals, cuts and impact. Features redesigned steel snap hooks for lighter weight, hi-viz reflective material, Repel webbing, protected labels and an i-Safe identification tag.

Lightest, strongest, smallest shock absorber in the world with rugged, durable, soft shock absorber cover. Patent-pending, locking gate/nose design for maximum strength and security. Dual action, 3,600-lb. gate for ANSI/CSA compliance and increased strength. 2 1/2" gate opening fits around most structures. Modular models reduce overall cost of ownership, as components can be replaced individually in the field.



1246011

Part #	Description	Sizes	Qty./Cs.
1246011	Single Leg Lanyard w/Snap Hooks Both Ends	6'	Ea.
1246022	Twin-Leg Lanyard w/Snap Hooks at Leg Ends	6'	Ea.



ShockWave2 Shock-Absorbing Lanyards

Stretchable lanyard incorporates a unique inner core that immediately begins to extend and absorb energy during a fall, limiting arresting forces to an average of 900 lbs. Features abrasion-resistant tubular webbing for durability and 3,600-lb. gated hooks. Expands to 6' and contracts to 4 1/2' in reaction to movements, reducing trip fall hazards and snagging. Impact indicator allows for visual inspection of unit. i-Safe RFID technology enabled. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.



1244306

Part #	Description	Sizes	Qty./Cs.
1244306	Single Leg Lanyard w/Self-Locking Steel Snap Hooks Both Ends	6'	Ea.
1244321	Single Leg Lanyard w/Self-Locking Snap Hook & 2 1/2" Gate Flat Steel Hook	6'	Ea.
1244412	Twin-Leg Lanyard w/Self-Locking Snap Hook & 2 1/2" Gate Flat Steel Hooks at Leg Ends	6'	Ea.



Rope Lifeline Assemblies

Constructed of 5/8" polyester/polypropylene blend that offers additional abrasion and UV resistance. Self-locking snap hook has 3,600-lb. gate strength. Meets or exceeds all applicable OSHA regulations and ANSI standards.



1202794

Part #	Description	Sizes	Qty./Cs.
1202754	Rope Lifeline w/Snap Hook & Taped End	30'	Ea.
1202794	Rope Lifeline w/Snap Hook & Taped End	50'	Ea.



Protecta PRO Mobile Rope Grab

Hands-free, 5/8" diameter rope grab designed as a mobile-type, energy-absorbing grab with less sensitivity to rope variations. For use with polypropylene rope. Meets or exceeds all applicable OSHA regulations and ANSI Z359.15 standard.



5000003

Part #	Description	Qty./Cs.
5000003	Rope Grab	Ea.



Rebel Self Retracting Lifeline - Web

Our Protecta personal self-retracting lifelines (SRL's) represent a major improvement in economy line SRL's. Employers can economically replace simple lanyards with the versatility and added safety of a 11 ft. (3.3 m) SRL. Protecta personal SRL's are ergonomically designed for ease of use and are ideal for direct connection to most harnesses. The compact and lightweight design is barely noticeable on your back and stays out of the worker's way.

Part #	Description	Sizes	Qty./Cs.
3100425	Web Self Retracting Lifeline	11'	Ea.



Nano-Lok Edge Twin-Leg Quick Connect Self Retracting Lifeline

In your line of work, anchoring at your feet may be the only option. The Nano-Lok™ edge SRL is specifically designed for foot level tie-off and sharp edge applications, and meets relevant safety standards. It features a combination of innovative lifeline material, energy absorption, and harness connection to reduce the impact forces on the worker, and the shear forces on the lifeline, in a fall arrest event over a sharp edge.

Part #	Description	Sizes	Qty./Cs.
3500227	Cable Twin-Leg Quick Connect Self Retracting Lifeline	8'	Ea.



Rebel Self Retracting Lifeline

Our Protecta personal self retracting lifelines (SRL's) represent a major improvement in economy line SRL's. Employers can economically replace simple lanyards with the versatility and added safety of a 6 ft. (1.8m) SRL. Protecta personal SRL's are ergonomically designed for ease of use and are ideal for direct connection to most harnesses. The compact and lightweight design is barely noticeable on your back and stays out of the worker's way. In addition, tension is always kept on the lifeline, which reduces dragging, snagging and trip falls. Whether your application requires single or twin leg configurations, mounting to an overhead anchor or for connection directly to harness, there are several models to choose from to suit your application. These Protecta SRL's lock quickly—stopping falls within inches—providing more protection at low heights. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.1.

Part #	Description	Sizes	Qty./Cs.
3100404	Web Self Retracting Lifeline	6'	Ea.



Rebel Self-Retracting Lifelines

Lightweight, compact and durable. Safer than traditional lanyards due to retractable technology to ensure falls are stopped within a few inches. Durable thermoplastic housing on both web and cable models incorporates a swiveling anchorage ring, allowing for ultimate functionality in heavy-use environments. Unique speed-sensing brake keeps forces to a minimum and reduces clearance requirements. Web models feature unique, thin webbing that enables a compact size with a load capacity of 310 lbs. Galvanized steel cable models feature a maximum arresting force of 900 lbs. and support capacity of 420 lbs. and 5mm cable dia. Hooks have 3,600-lb. gate compliance. Two year warranty, no annual re-certification required. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.1.

Part #	Description	Sizes	Qty./Cs.
3100425	Web SRL w/Snap Hook & Housing Carabiner	11'	Ea.
3100431	Web SRL w/Snap Hook & Housing Carabiner	20'	Ea.
3590019	Cable SRL w/Snap Hook & Housing Carabiner	15'	Ea.
3590500	Cable SRL w/Swivel Snap Hook & Housing Carabiner	33'	Ea.
3590550	Cable SRL w/Swivel Snap Hook & Housing Carabiner	50'	Ea.
3590543	Cable SRL w/Swivel Snap Hook & In-Line Shock Absorber for Leading Edges	33'	Ea.



1003000



Tie-Off Adapters

Pass through type tie-off adapter, 1-3/4 inch polyester webbing strength member, 3 inch wide polyester webbing wear pad. Anchorages are sold by what they connect to (general/all purpose, steel, concrete, roof or specialty), whether they are fixed or mobile, and whether they are permanent or portable. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

Part #	Description	Sizes	Qty./Cs.
1002007	Tie-Off Adapter	7'	Ea.
1002008	Tie-Off Adapter	8'	Ea.
1002009	Tie-Off Adapter	9'	Ea.
1002010	Tie-Off Adapter	10'	Ea.



2101630



D-Rings with Anchorage Plate

Stainless steel plate with (2) 1/2" attachment holes. Integral D-ring with 5,000-lb. minimum breaking strength. Bolt or weld the unit to a structure. 1/4" x 2" W x 4 1/4" L. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

Part #	Description	Qty./Cs.
2101630	D-Ring with Anchorage Plate	Ea.
2101636	D-Ring with Anchorage Plate, all Stainless Steel	Ea.
2101638	D-Ring with Anchorage Plate, all Stainless Steel	Ea.



2108406



Fixed Beam Anchors

Specifically designed for fall arrest anchorage, but can also be used as end point for some horizontal lifeline systems. Installs quickly to beam structure, tightens using built-in adjustment handle. Attaches to beam structure in any orientation or direction for added versatility. Available to fit flanges 1 1/2" or 2 1/2" thick and 12" to 36" wide. Rated 5,000 lbs. minimum strength in any direction. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

Part #	Description	Qty./Cs.
2108406	Fixed Beam Anchor, Fits 2 1/2" to 12" Wide Flange up to 1 1/2" Thick	Ea.
2108407	Fixed Beam Anchor, Fits 2 1/2" to 18" Wide Flange up to 1 1/2" Thick	Ea.
2108408	Fixed Beam Anchor, Fits 2 1/2" to 24" Wide Flange up to 1 1/2" Thick	Ea.
2108410	Fixed Beam Anchor, Fits 12" to 36" Wide Flange up to 2 1/2" Thick	Ea.



2104710



Sliding Beam Anchors

Mobility. It's critical to getting the job done, just like your fall protection. With the new 3M DBI-SALA Sliding Beam Anchor, you get the best of both worlds. Once you secure it to the beam using the redesigned adjustment buttons, simply connect your Self-Retracting Lifeline (SRL) or lanyard to the swiveling D-ring and you're ready to work. The anchor point slides effortlessly behind you. Hands free Mobility 360 degree swiveling D ring optimizes your mobility on the beam. Rugged durability Corrosion resistant construction meets ANSI standards for weather, environmental and storage conditions. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

Part #	Description	Qty./Cs.
2104710	Small Sliding Anchor, Fits 3 1/2" to 14" Wide Flange up to 1 1/4" Thick	Ea.
2104715	Large Sliding Anchor, Fits 12" to 30" Wide Flange up to 2 1/2" Thick	Ea.
2110815	Replacement Wear Pads (Small)	2/Ea.
2110816	Replacement Wear Pads (Large)	2/Ea.



Quick Spin Tool Attachment Point

3M DBI SALA Quick Spins make tools tether ready in seconds. Quick Spins are available in many sizes to accommodate a wide selection of tools. Reusable, suitable for non conductive use, and a tangle resistant spin top make Quick Spins an outstanding drop prevention solution that doesn't deface tools. Quick Spins are made from a thermoplastic rubber and polyester material (TPU), while the spin tops are made of a polyacetal and black carbon powder (POM).

Part #	Description	Qty./Cs.
1500027	Quick Spin Tool Attachment - SM	10/Ea.
1500028	Quick Spin Tool Attachment - MD	10/Ea.
1500029	Quick Spin Tool Attachment - LG	10/Ea.
1500030	Quick Spin Tool Attachment - XL	10/Ea.



1500027



D-Ring Attachment

These D Rings are used with Quick Wrap Tape to create instant attachment points on tools. 2 lb - 5lb capacity, creates instant attachment points, 0.5" - 1" D-Ring attachment point, use our Quick-Wrap Tape II to attach D-ring to your tool, meets ANSI / ISEA 121-2018.

Part #	Description	Qty./Cs.
1500003	D-Ring Attachment - 0.5" x 2.25", 2lb Capacity	10/Ea.
1500004	D-Ring Attachment - 0.5" x 2.25", 2lb Capacity	10/Ea.
1500005	D-Ring Attachment - 0.5" x 2.25", Non-Conductive, 2lb Capacity	10/Ea.
1500006	D-Ring Attachment - 0.5" x 2.25", Non-Conductive, 2lb Capacity	10/Ea.
1500007	D-Ring Attachment - 1" x 3.5", 5lb Capacity	10/Ea.
1500008	D-Ring Attachment - 1" x 3.5", 5lb Capacity	10/Ea.
1500009	D-Ring Attachment With Cord - 1" x 3.5", 5lb Capacity	10/Ea.



1500003



Drill Battery Holster/Sleeve

- Drill Battery Holster/Sleeve: Unique sleeve design conforms to the size of virtually any drill battery. Sleeve is cinched to the drill, allowing the drill to be tethered off while being used at height. 10-lb. load rating



1500090

Part #	Description	Qty./Cs.
1500090	Drill Battery Holster/Sleeve	Ea.



Tool Cinch

Tool Cinch Attachment Point features a unique cinch design that allows users to quickly secure even the most difficult to tether tools, and continue their work.

- Single Wing - A stabilization wing allows this tool cinch to be secured to a tool with 3M DBI SALA Quick Wrap Tape. 35lb capacity.
- Double Wing - Two stabilization wings allow this tool cinch to be secured to a tool with our Quick Wrap Tape.



Single Wing

Double Wing

Part #	Description	Qty./Cs.
1500014	Tool Cinch, Single Wing, Medium Duty, 35lb Capacity	10/Ea.
1500015	Tool Cinch, Dual Wing, Medium Duty, 35lb Capacity	1/Ea.
1500016	Tool Cinch, Dual Wing, Medium Duty, 35lb Capacity	10/Ea.
1500017	Tool Cinch, Single Wing, Heavy Duty, 80lb Capacity	1/Ea.
1500018	Tool Cinch, Dual Wing, Heavy Duty, 80lb Capacity	10/Ea.



Coil Tethers

Alternative to classic bungee tethers. Built with lightweight vinyl that's easy to clean, coil tethers naturally stay out of the way thanks to their ultra-compact design.



1500063

Part #	Description	Qty./Cs.
1500063	5"-62" Hook2Hook Coil Tether	Ea.
1500061	4"-34" Hard Hat Tether	10/Pk.



Hook2Loop Bungee Tether

Built to be more durable and last longer than competitor products. Third-party load rated and designed to prevent dropped objects.

Hook features self-locking carabiner that requires double action to open, then automatically locks and closes to prevent accidental opens. 15-lb. load rating.



1500047

Part #	Description	Qty./Cs.
1500047	32"-47" Hook2Loop Bungee Tether	10/Ea.



French Creek Confined Space Tripod

7' aluminum tripod, (2) attachment points on head, designed to withstand 5,000 lbs. of vertical load, lightweight and portable, quick and easy single person setup, adjustable/locking aluminum legs, safety chain, non-slip rubber safety shoes.

Part #	Description	Qty./Cs.
TP7	7' Tripod	Ea.
TP9	9' Tripod	Ea.
S50G-7	7' Tripod with 50' RG50 Rescue Unit	Ea.
S50G-9	9' Tripod with 50' RG50 Rescue Unit	Ea.



MSA Workman 8' Tripod & 50' Workman SRL Confined Space Kit

Tripod confined space entry kits provide simple ordering with all the necessary components for a complete safety system. Kits are ideal for applications in tanks, manholes and other vertical entry work practices. Includes tripod, 50' rescuer, pulley and carabiner.

Part #	Description	Qty./Cs.
10163034	MSA Workman 8' Confined Space Entry Kit	Ea.



Confined Space Aluminum Tripod With Salalift II Winch

7 ft. (2.1 m) aluminum tripod and Salalift II winch with 60 ft. (18 m) of 1/4 in. (6.3 mm) galvanized steel wire rope, mounting bracket and carrying bag. Telescoping adjustable locking legs, built-in pulley system, specialized safety shoes and leg support chain, integrated 5,000 lb. (22 kN) eyebolt anchor points, manually operated winch (model 8102001), 60 ft. (18 m) of 1/4 in. (6.3 mm) galvanized steel wire rope.

Part #	Description	Qty./Cs.
8300030	Confined Space Aluminum Tripod With Salalift II Winch	Ea.



Advanced 5-Piece Hoist System

Designed for manhole and other confined space entry and retrieval applications. Constructed of lightweight materials including high-strength aluminum. Davit pivots for ease of rescue and has an adjustment feature for overhead clearance restrictions. Lower base adjusts to fit most standard entries. System comes equipped with 11 1/2" to 27 1/2" adjustable offset upper mast, 33" lower mast, 3-piece lightweight base and winch mount brackets. Winches and SRLs sold separately. Meets or exceeds all applicable OSHA regulations and ANSI standards.

Part #	Description	Qty./Cs.
8518000	Advanced 5-Piece Hoist System	Ea.



The Safety Company



MSA XTIRPA confined space entry systems allow for vertical or horizontal entry into many common confined space applications such as tanks, vessels, transformers, sewers & manholes. These systems are lightweight, portable and easy to set up allowing for users to save time throughout the workday.

See more online at www.jendcosafety.com/xtirpa



MSA XTIRPA Manhole Guard System

Manhole Guard Systems are portable anchorage connectors used for vertical entry into confined spaces. The Manhole Guard with Integrated Mast barricades exposed entry points while providing the necessary strength needed for fall protection, entry and retrieval applications. The Davit Arm and Manhole Guard with Integrated Mast interface allows for reduced material surrounding the confined space entry, thus reducing the presence of trip and fall hazards.

- Davit Arm IN-2210
- Manhole Guard with Integrated Mast IN-2108 or
- Large Manhole Guard with Integrated Mast IN-2324
- Rescuer SRL such as 10158178 and corresponding attachment bracket such as IN-2404

MSA XTIRPA Adapter Base System

Adapter Base Systems are fixed anchorage connectors used for vertical entry into confined spaces. The adapter base is permanently affixed to an existing structure. The many different adapter base options can accommodate any work environment. This system is designed for work areas that require regular setup and teardown.

- Davit Arm IN-2210
- 3" Mast IN-2003
- 3" Adapter Base
- Rescuer SRL such as 10158178 and corresponding attachment bracket such as IN-2404



MSA XTIRPA Manhole Collar System

Manhole Collar Systems are portable anchorage connectors used for vertical entry into confined spaces. The Manhole Collar provides an adapter base by fitting within a manhole opening. This system is designed for frequent setup of confined space equipment over similarly-sized openings.

- Davit Arm IN-2210
- 3" Mast IN-2003
- Manhole Collar (size dependent upon entry)
- Rescuer SRL such as 10158178 and corresponding attachment bracket such as IN-2404



The Safety Company

MSA Altair 4XR Multigas Detector

MSA's latest version of their popular Altair 4 Line!

- 4-year warranty
- Data logging
- Bluetooth capable
- Dust and waterproof (IP68 Rating)
- Includes charger, calibration cap & tubing
- Optional kit includes calibration gas, regulator, carrying case & universal pump probe



US/Canada Part #	Configuration	Case Color
10178557	LEL, O2, CO, H2S	Charcoal
10178558	LEL, O2, CO, H2S	Phosphorescent

Complete Kits – With Calibration Gas & Case

US/Canada Part #	Configuration	Case Color
10178356	LEL, O2, CO, H2S	Charcoal
10178357	LEL, O2, CO, H2S + Universal Pump Probe	Charcoal



ALTAIR Pump Probe

The ALTAIR Pump Probe is a rugged sampling accessory for MSA gas detection instruments. Capable of drawing samples from up to 100 ft. (30m) away, quickly convert diffusion instruments for use in remote sampling applications.

US/Canada Part #	Configuration
10152669	With Charger
10153039	Without Charger



MSA Regulators

The fixed flow design provides constant and accurate flow to the instrument pump or aspirator. Approved for all MSA calibration gases.

US/Canada Part #	Configuration
467895	.25 LPM Fixed Flow

MSA Altair 5X Multigas Detector

- 3-year warranty
- Data logging
- Bluetooth capable
- Detects up to 6 gases
- Built in integral pump for sampling
- Includes charger, calibration cap & tubing
- Optional kit includes calibration gas, regulator, carrying case & universal pump probe



US/Canada Part #	Configuration
10116924	LEL, O2, CO, H2S
285-10116925	LEL, O2, CO, H2S, SO2

US Economy Kits (Monochrome Display):	
10116926	LEL, O2, CO, H2S
10116927	LEL, O2, CO, H2S, SO2
Industrial Kits (Monochrome Display, 10-ft. Sampling Line, 1-ft. Probe):	
10116928	LEL, O2, CO, H2S
10116929	LEL, O2, CO, H2S, SO2
Deluxe Kits (Color Display, 10-ft. Sampling Line, 1-ft. Probe):	
10116928	LEL, O2, CO, H2S
10116929	LEL, O2, CO, H2S, SO2

MSA Altair 5X with Photoionization Detection

US/Canada Part #	Configuration	Case Color
10165445	LEL, O2, CO, H2S & PID	Charcoal
10165446	LEL, O2, CO, H2S & PID - Deluxe Kit	Charcoal

MSA Calibration Gas

MSA offers a complete line of calibration gas cylinders to calibrate all instruments. The gas mixture in calibration gas cylinders is certified to be prepared gravimetrically, using NIST traceable weights. The lot number and nominal value of the gas constituents in volume, percent by mass, PPM or volume is specified on the cylinder.



US/Canada Part #	Configuration
10048280	34 Liter - 4 Gas Mix
10045035	54 Liter - 4 Gas Mix



MSA Galaxy GX2 Calibration Station

The MSA Galaxy GX2 Automated Test System provides simple, intelligent testing and calibration of ALTAIR 4/4X with accountability and printable results.

The GALAXY GX2 System test stand comes with pre-configured plugs, barbs, fresh air filter, power supply with corresponding plug, spare parts kit (gas tubing, barbs and plugs), Ethernet cable (short cable for connection between test stands) and screen protector. Charging feature allows for a single instrument to be charged per test stand. Option for multi-unit charger is available.

Call for configuration details and information
1-800-449-9606



Dry

GD930

Euroclean GD930 by Nilfisk - 4 Gallon HEPA Vacuum

The Euroclean GD930 HEPA vacuum is Nilfisk-Advance's biggest, most powerful and best canister vacuum. It features our largest dust bag (4 gallons) so that you can vacuum longer without having to stop and change bags. Equipped with an oversized true DOP MILSTD-282 HEPA filter mounted before the motor.

Part #	Description	Capacity
GD930	Euroclean GD930 Nilfisk 4 Gallon HEPA Vacuum	4 Gal.

Additional Parts and Accessories:

1402666010	Replacement HEPA Filter	Ea.
1407015040	Replacement Vacuum Bags	10/Ea.
VB270	Vac Beater Bar Carpet Brush	Ea.



Wet/Dry

B160421

Pullman-Holt 102ASB Wet/Dry HEPA Vacuum

This industrial grade 2-hp, 2-stage long-life motor makes this HEPA vacuum a true workhorse for heavy-duty service in professional abatement work. The 102ASB offers superior vacuum recovery, ranging from dry, light particulates, to wet, heavy debris. Includes a full assortment of attachments.

Part #	Description	Capacity
B160421	Pullman-Holt 102ASB Wet/Dry HEPA Vacuum	12 Gal.

Additional Parts and Accessories:

B000517	Dacron Filter Bag	Ea.
B160009	Replacement HEPA Filter	Ea.
B524253	Disposable Paper Filter Bag	5/Pk.



Wet/Dry

WC20110

Nikro 20 Gallon Wet/Dry Vacuum - WC20110

The NIKRO WC20110 has a powerful motor that can produce 115 CFM of suction, 110 inches of waterlift, and comes with a polyethylene dent/corrosion proof tank. Includes hose, wand, squeegee and crevice tool. Automatic full tank water shut-off.

Part #	Description	Capacity
WC20110	Nikro 20 Gallon Wet/Dry Vacuum	Ea.

Additional Parts and Accessories:

550015	Foam Filter Bag	Ea.
520210	Dacron Filter Bag	Ea.



Dry

B160414



Wet/Dry

B160487

Pullman-Holt 45 HEPA Vacuum

Equipped with a powerful 2-hp motor and an extra large capacity HEPA filter system, the model 45 offers the air flow efficiency of vacuums costing three times as much. Includes a full assortment of attachments. Available in dry or wet/dry.

Part #	Description	Capacity
B160414	Pullman-Holt 45 Dry HEPA Vacuum	10 Gal.
B160487	Pullman-Holt 45 Wet/Dry HEPA Vacuum	10 Gal.

Additional Parts and Accessories:

B260619	HEPA Filter	Ea.
B000517	Dacron Bag Filter	Ea.
B700408	Disposable Paper Filter Bag	5/Pk.



DP55110

Nikro 55 Gallon Wet/Dry Vacuum

Powerful motor creates 115 CFM of suction and 110 inches of waterlift. Vacuum head fits standard 55 gallon drum. Kit includes vac head, drum, dolly and 6 piece tool kit.

Nikro 55 Gallon Dual Motor Wet/Dry

Dual motor creates 238 CFM of suction and 114 inches of waterlift. Vacuum head fits standard 55 gallon drum. Kit includes vac head, drum and dolly.

Part #	Description	Capacity
DP55110	Nikro 55 Gallon Wet/Dry Vacuum	55 Gal.
B160446	Nikro 55 Gallon Dual Motor Wet/Dry Vacuum	55 Gal.
862148	Nikro Dual 55 Gallon Drum Adapter Kit	55 Gal.

Additional Parts and Accessories:

550015	Foam Filter Bag	Ea.
520210	Dacron Filter Bag	Ea.



Husqvarna DE 110 S HEPA Dust Extractor

Husqvarna's single phase DE 110S HEPA dust collectors is a portable dust extractor that can be used alone for wide variety of pick-up applications, and to supplement hand/floor power tools for dustless grinding, sanding and drilling. Excellent for both wood and concrete dust and other construction, restoration materials where fast, dustless recovery is required to maintain productivity and clean-air working environment.

DE 110 S



Husqvarna DE 120 HEPA Dust Extractor

Husqvarna's single phase DE 120 HEPA dust collectors is a powerful & portable dust extractor that can be used alone for wide variety of pick-up applications, and to supplement hand/floor power tools for dustless grinding, sanding and drilling. Excellent for both wood and concrete dust and other construction, restoration materials where fast, dustless recovery is required to maintain productivity and clean-air working environment.

DE 120

Part #	Description	Qty.
970509604	Husqvarna DE 110 S HEPA Dust Extractor - 120V	Ea.

Part #	Description	Qty.
970514804	Husqvarna DE 120 HEPA Dust Extractor - 120V	Ea.



Husqvarna S36 HEPA Dust Extractor

The S36 is a very powerful single-phase HEPA dust extractor to match the grinding machines Husqvarna PG 530 (1-phase), PG 450, PG 400 and PG 280 as well as small to mid size scarifiers, grinders, shot blasters and handheld power tools. This professional dust extractor is designed to meet strict demands. Three large, commercial-grade vacuum motors provide plenty of power. Equipped with three independently tested and certified HEPA H13 filters and a massive cone-shaped pre-filter with over 4.5 m² of media.

S36



Husqvarna T8600 HEPA Dust Extractor

The T8600 is an effective industrial dust collector to match the grinding machines Husqvarna PG 820 RC, PG 820, PG 680 RC, PG 680, PG 530 and PG 400 as well as shavers, shot blasters and saws. Ideal for heavy-duty work and exacting demands on dust extraction. T 8600 is equipped with a quiet, yet powerful 480 V turbine motor delivering exceptional airflow.

T8600 Propane

Part #	Description	Qty.
967663802	Husqvarna S36 HEPA Dust Extractor - 120V	Ea.
967663803	Husqvarna S36 HEPA Dust Extractor - 230V - 30A Box	Ea.
967663802	Husqvarna S36 HEPA Dust Extractor - 230V - 50A Box	Ea.
967808001	Husqvarna S36 HEPA Dust Extractor - Propane Powered	Ea.

Part #	Description	Qty.
967664201	Husqvarna T8600 HEPA Dust Extractor - 480V	Ea.
967664801	Husqvarna T8600 HEPA Dust Extractor - Propane Powered	Ea.



Husqvarna T-Line Heavy Duty Dust Extractors

T 10000 is an effective industrial dust extractor to match the highly productive Dual Drive Technology™ grinding machines Husqvarna PG 820 RC, PG 820, PG 680 RC, PG 680 as well as shavers, shot blasters and saws. Also perfect together with our pre separator C 5500 that easily can be mounted on the dust extractor. Equipped with three tested and certified HEPA class H13 filters ensuring clean air exhaust. The primary sock-style pre-filters provide long, uninterrupted service and can be cleaned efficiently from outside the tank via Jet Pulse air pressure. The Longopac® bag hose system ensures simple, dust-free bag changes.

Part #	Description	Qty.
967663701	Husqvarna T10000 HEPA Dust Extractor - 480V	Ea.
967663601	Husqvarna T18000 HEPA Dust Extractor - 480V	Ea.



T10000



T18000



Abatement Technologies Predator 750 Portable Air Scrubber

The brand new Predator 750 is the best and most mobile HEPA filtered air scrubber in its class! Its ultra-compact, lightweight cabinetry makes it a snap to hand carry the PRED 750 to and from the jobsite.

- Airflow - 200–750 cfm
- Air changes per hour - 6 ACH in 6,250 – 7,500 ft³
- Net weight with filters - 34 pounds
- Uses common 16" x 16" filters



PRD750

Part #	Description	CFM Range
PRD750	Predator 750 Portable Air Scrubber	200-750 CFM

Abatement Technologies BD2KM Negative Air Machine

The powerful yet lightweight BULLDOG BD2KM contractors model and BD2KMA deluxe model from Abatement Technologies have been redesigned to deliver even more outstanding HEPA air cleaning performance.

- Airflow - 1,300 - 2,000 cfm
- Air changes per hour - 6 ACH in 16,500 - 18,00 ft³
- Net weight with filters - 117 pounds
- Uses 24" x 24" filters



BD2KM

Part #	Description	CFM Range
BD2KM	Bulldog BD2KM Negative Air Machine	1,300 - 2,000 CFM
BD2KMA	Bulldog Deluxe BD2KMA Negative Air Machine	1,300 - 2,000 CFM



PAS2400HC

Abatement Technologies HEPA-AIRE PAS2400HC Portable Air Scrubber

PAS2400HC portable air scrubber is a popular choice for capturing airborne particles during facility construction and renovation.

- Airflow - 700–2,100 cfm
- Air changes per hour - 6 ACH in areas up to 18,000–21,000 ft³
- Net weight with filters - 170 pounds
- Uses 18" x 24" filters

Part #	Description	CFM Range
PAS2400HC	HEPA-Aire Portable Air Scrubber	700–2,100 CFM



PAS5000HC

Abatement Technologies HEPA-AIRE PAS5000HC Portable Air Scrubber

The new PAS5000 portable air scrubber from Abatement Technologies has been redesigned to be smaller, lighter and more portable than ever before. The new PAS5000 is engineered to take on the largest industrial and commercial air cleaning applications.

- Airflow - 4,000 cfm
- Power plus - Strong, five-horsepower single-phase motor delivers up to 4,000 cfm of peak airflow yet draws 21 amps or less on a 230 V/30 amp/60 Hz electric supply
- Durability - tough, galvanized 20-gauge stainless steel cabinet with strong and secure aircraft-type solid rivet fasteners
- Air changes per hour - 6 ACH in areas up to 35,000–40,000ft³

Part #	Description	CFM Range
PAS5000HC	HEPA-Aire Portable Air Scrubber	4,000 CFM




H2KM

Abatement Technologies HEPA-AIRE H2KM Negative Air Machine

The powerful HEPA-AIRE model H2KM negative air machines are designed for the contractor who wants the very best in performance, reliability and quality.

- Rated airflow* - 1,300–2,000 cfm
- Comes with a visual "change filter" light
- Comes with all filters and is ready to use
- Net weight with filters - 124 pounds
- Uses 24 x 24 filters

Part #	Description	CFM Range
H2KM	H2KM Negative Air	1,300–2,000 CFM
H2050P	12" Inlet Manifold for H2KM	n/a
H2KMA	H2KMA Negative Air	1,300–2,000 CFM



FILTERS

16" x 16" Filters

Part #	Description	Size	Qty./Cs.
251-1600	Primary Hog Hair Filter	16 x 16 x 1	12/Cs.
251-2035	Secondary Pleated Filter	16 x 16 x 2	12/Cs.
251-5050	Optional Secondary Pleated Carbon Filter	16 x 16 x 2	12/Cs.
251-3040	HEPA Filter	16 x 16 x 6	1/Ea.

18" x 24" Filters

Part #	Description	Size	Qty./Cs.
251-1500	Primary Hog Hair Filter	18 x 24	12/Cs.
251-2015	Secondary Pleated Filter	18 x 24 x 2	12/Cs.
251-5020	Optional Secondary Pleated Carbon Filter	18 x 24 x 2	12/Cs.
251-3009	HEPA Filter	18 x 24 x 12	1/Ea.
251-3010	HEPA Filter	18 x 24 x 5 7/8	1/Ea.

24" x 24" Filters

Part #	Description	Size	Qty./Cs.
251-2000	Primary Pad Filter	24 x 24	50/Cs.
251-2001	Secondary Ring Panel Filter	24 x 24	24/Cs.
251-5000	Optional Secondary Pleated Carbon Filter	24 x 24 x 2	12/Cs.
251-3005	HEPA Filter	24 x 24 x 11 1/2	1/Ea.
251-3060	Phoenix Guardian HEPA Filter	24 x 24 x 12	1/Ea.



DUCTING

Part #	Description	Diameter	Length	Packaging
271-2001	Layflat Ducting	12"	500'	Roll
271-1001	Clear Flex Duct	12"	25'	4/Cs.
271-1004	Heavy Duty Clear Flex Duct	12"	25'	3/Cs.
271-1003	Foil Flex Duct	12"	25'	4/Cs.
271-1002	Clear Flex Duct	14"	25'	3/Cs.
271-1005	Clear Flex Duct	8"	25'	6/Cs.



A600



A2000

Husqvarna A600 & A2000 Portable Air Scrubbers

Constructed using a sturdy, compact cabinet, both models are quiet operating air scrubbers with two airflow speeds. The airflow is directed upwards to avoid disturbing dust on surfaces.

- Airflow - 300-600 cfm (A600), 600-1200 cfm (A2000)
- A warning light indicates when the washable primary filter is 75% clogged and requires cleaning
- Comes with HEPA filter
- Lightweight
- Clogged filter indicator & leak indicator lights

Part #	Description	CFM Range	Filter Size
A600	Husqvarna A600 Air Scrubber	300-600 CFM	12" x 12"
A600PRE	Husqvarna A600 Pre-Filter		12" x 12"
A600HEPA	Husqvarna A600 HEPA Filter		12" x 12"
A2000	Husqvarna A2000 Air Scrubber	600-1200 CFM	24" x 24"
A1200PRE	Husqvarna A2000 Pre-Filter		24" x 24"
A1200HEPA	Husqvarna A2000 HEPA Filter		24" x 24"

OmniGuard 5 Differential Pressure Recorder Cellular Modem Manometer

Monitor and document vacuum and pressure remotely with the Omni-Guard 5 Manometer. The internal cell modem lets you keep on top of your projects even when you're away from the job site.

- Built-in lithium ion battery supports portable operation up to 6 hours without AC power
- Easy to use 4.3" color LCD touch screen interface
- Built in thermal printer, no ink ribbons




OMNIGUARD-5

Part #	Description
OMNIGUARD-5	OmniGuard 5 Differential Pressure Recorder Cellular Modem Manometer

Dwyer Mark II Manometer

- Provides higher ranges with more easily read increments at low readings
- The Model 25 is perfect for general purpose work



280-8100

Part #	Description
280-8100	Mark II Oil Manometer
280-6000	4 oz. Oil



Sensidyne BDXII Abatement Air Sampler

- Internal components are sealed from dust, fibers and moisture
- Comes complete with charger hose and clip
- Battery pack is rechargeable
- Easily calibrate, flow rate of .05–3LPM

Part #	Description	Qty.
280-BDXII	Sensidyne BDXII Abatement Air Sampler	1/EA

For additional replacement parts, please call 1-800-449-9606.

Nikro Air Sampling Pump With Stand

This light weight, low maintenance, rotary van sampler is excellent for use for sampling asbestos (25mm cassettes), lead (37mm cassettes) and mold (Multi Mod).

Part #	Description	Qty.
280-N862142	Nikro Air Sampling Pump With Stand	1/EA



Sampling Cassettes

- Cassettes for sampling asbestos, lead & mold

Part #	Description	Qty.
280-3000	25mm Air Sampling Cassette	50/Bx.
280-3005	Asbestos 25um TEM Cassettes	50/Bx.
280-3020	Lead Sampling 37mm, Cassette	50/Bx.
280-3011AOCO	Air-O Cell Mold Sampling Cassette	50/Bx.

High Flow & Low Flow Rotometers

- Scales are easy to read. Front scale location and white background provides excellent visibility
- Mid-range calibration is established with a master flow meter

Part #	Description	Volume
280-8102	Low Flow Rotometer	.4-5LPM
280-8103	High Flow Rotometer	2-20LPM

WonderMakers Bulk Sampling Starter Kit with Case

The WonderMakers asbestos bulk sampling kit is the safest, most efficient way to collect bulk samples. A rugged plastic case contains 100 regular length aluminum cutter sleeves in plastic vials, 2 brushed aluminum handles and 2 brushed aluminum plungers.

Part #	Description	Qty/Cs
280-100100	WonderMakers Regular-Length Cutter Sleeves with Vials	100/Cs.
280-110100	WonderMakers Double-Length Cutter Sleeves with Vials	100/Cs.

3M EPA Lead Check Swab Kit

- Self-contained test units instantly turning bright pink or red when lead is present
- Ready-to-use, odorless, disposable and non-staining
- Fast 30-second test

Part #	Description	Qty.
280-10002	3M Lead Check Swab Kit	8/Bx.

EPA D-Lead Paint Sampling Kit

The D-Lead paint test kit quickly and simply determines if a paint sample contains less than the USEPA regulated lead limit (1.0 mg/cm²).

- The only test for lead in paint that is both ETV verified and EPA recognized* for use on drywall, plaster, wood and ferrous metal surfaces
- Test for lead and lead chromate based paints in minutes
- D-Wipe prep towels (included) reduce the chance of contamination of samples
- The most accurate test for lead in paint ever tested by EPA's ETV program

Part #	Description	Qty.
280-1001	D-Lead Paint Sampling Kit	24



280-10002



280-1001



Dumpster Liners

Jendco Safety's heavy-duty bag liners are made from a combination of virgin and recycled polyethylene. The unique form fit design virtually eliminates tearing and puts three thicknesses of plastic at the bottom of the container's tailgate for added leak protection. These liners are ideal for transporting bulk solids and sludges, and provide more protection than using film or film envelopes.

- Made from a mix of virgin and recycled polyethylene for added strength
- Custom sizes are available
- Longer container life and less container maintenance
- In stock and able to ship out within 24 hours



Container Bag Liners Provide Many Advantages

- Quick, easy installation from inside or outside the container
- Fast, clean dumps
- Liners are rugged and tear-resistant and aid in the transport of solids and sludges
- Improves leak protection
- Cleaner containers
- Aids in dust and odor control
- Increases container longevity
- Exceptional leak protection

Dumpster Liners are a Popular Alternative to Using Poly Sheeting

- Asbestos abatement
- Concrete sludge washout
- Transporting bulk solids/liquids
- Odor and dust reduction
- Environmental services
- Insulation removal

Disposable container liners are used in roll-off assemblies, dump trucks and rail gondolas to reduce the risk of leaks, reduce washout costs and increase container longevity.

Our container and dumpster liners are available in a variety of stock sizes to fit most containers in use, and can be custom made to fit any particular requirements you may have.

Thickness	Volume	Dimensions	Quantity per Pallet
2.75 mil	20 Yard	22' x 96" x 66"	100 Liners
4 mil	20 Yard	22' x 92" x 72"	120 Liners
4 mil	30 Yard	22' x 96" x 96"	96 Liners
4 mil	40 Yard	22' x 92" x 120"	72 Liners
6 mil	20 Yard	22' x 96" x 72"	60 Liners
6 mil	30 Yard	22' x 96" x 96"	60 Liners
6 mil	40 Yard	22' x 92" x 20"	48 Liners
10 mil	20 Yard	22' x 92" x 72"	32 Liners
10 mil	30 Yard	22' x 96" x 96"	28 Liners
10 mil	40 Yard	22' x 92" x 120"	24 Liners

Call 1.800.449.9606 for custom sizes!

Plastic Sheeting



Uses:

- Vapor barrier
- Drop cloth
- Furniture cover
- Paint spray shield
- Landscaping
- Water and dust protection
- Multi-purpose cover

2 mil

Dimensions	Type	Total Area
2 mil 8.25' x 200'	Clear	1,650 Sq. Ft.
2 mil 8' x 100'	Clear	800 Sq. Ft.
2 mil 10' x 100'	Clear	1,000 Sq. Ft.
2 mil 20' x 100'	Clear	2,000 Sq. Ft.

4 mil

Dimensions	Type	Total Area
4 mil 4' x 200'	Clear	400 Sq. Ft.
4 mil 6' x 100'	Clear	600 Sq. Ft.
4 mil 8' x 100'	Clear	800 Sq. Ft.
4 mil 10' x 100'	Clear	1,000 Sq. Ft.
4 mil 12' x 100'	Clear	1,200 Sq. Ft.
4 mil 20' x 100'	Clear	2,000 Sq. Ft.


6 mil

Dimensions	Type	Total Area
6 mil 10' x 100'	Clear	1,000 Sq. Ft.
6 mil 12' x 100'	Clear	1,200 Sq. Ft.
6 mil 12' x 100'	Fire Retardant	1,200 Sq. Ft.
6 mil 20' x 100'	Clear	2,000 Sq. Ft.
6 mil 20' x 100'	White	2,000 Sq. Ft.
6 mil 20' x 100'	Black	2,000 Sq. Ft.
6 mil 20' x 100'	Fire Retardant	2,000 Sq. Ft.
6 mil 20' x 100'	String-Reinforced	2,000 Sq. Ft.
6 mil 20' x 100'	Fire Retardant String Reinforced	2,000 Sq. Ft.
6 mil 40' x 100'	String Reinforced	4,000 Sq. Ft.
6 mil 40' x 100'	Fire Retardant String Reinforced	4,000 Sq. Ft.

10 mil

Dimensions	Type	Total Area
10 mil 20' x 100'	Clear	2,000 Sq. Ft.

Poly Hangers



Poly Hanger #2

Supports one or more layers of poly in front of walls. Hanger #2 clips over the horizontal leg of ceiling wall molding. The prong makes hanging poly faster and ensures it will stay up during the length of the job.



Poly Hanger #3

Supports poly from ceiling grid and other overhead objects. Poly is installed over the pin and is held in place by a removable retainer. Hanger #3 supports poly both horizontally and vertically for building full containments, connecting tunnels, dust curtains, etc.



Poly Hanger #4


Supports poly from many building components by attaching with its 10" releasable cable tie or by other fasteners.

Part #	Description	Qty./Bx.
425-HANGER2	Poly Hanger # 2	100
425-HANGER3	Poly Hanger # 3	100
425-HANGER4	Poly Hanger # 4	100

Scaf-Lite 12 Mil Scaffold Sheeting

Scaf-Lite Scaffold Sheeting is a premium grade string reinforced poly sheeting manufactured with innovative reinforced eyelet bands. The reinforced eyelet bands are laminated onto the sheeting and provide a quick, safe and secure method of installation by fastening the sheeting to scaffolding.

- Available in non-flame retardant & flame retardant
- 12 mil thickness
- More durable than using reinforced poly
- Available in 7'-20' widths and up to 136' long!
- Save time, energy and labor costs!



Contact Jendco Safety for other construction & containment plastics such as:
Debris Netting • Privacy Fence Netting
Silt Fencing • Stage Guard • Personnel Safety Nets



Abatement Technology AIRE GUARDIAN TITAN Mobile Dust Cart

Abatement Technologies introduces the toughest hard sided construction cart available. Ideal for meeting ICRA compliance while performing healthcare facilities projects requiring ceiling plenum access. The TITAN provides stability and security coupled with HEPA efficient containment in areas where protection against potentially harmful airborne particulate is critical. This unparalleled design ensures the safety of healthcare workers and patients, while giving contractors a user-friendly, portable, safe and convenient work environment.

- Height adjustment mechanism affords single-handed header extension and retraction to any ceiling height up to 10 ft. Operate with hand-crank or clutch equipped power tool
- Prominent full perimeter header gasket provides air tight seal against ceiling grid
- Built-in top cover allows cart interior to be sealed off while cart is in transport or stored
- Header is structurally independent of ceiling and is self-locking at any operating height
- Easy to store 12.5-ft. aluminum collapsible ladder included (300-lb. rating)
- Recessed floor pockets and built-in ladder bracket accept and secure ladder in place within OSHA regulations for angle of use and rung spacing
- Velcro ladder straps provide additional ladder stabilization
- Max accessible ceiling height : 10'
- Max load: 900 lbs.

Part #	Description
AG8000	AIRE GUARDIAN TITAN Mobile Dust Cart
AG8000PAS	AIRE GUARDIAN TITAN Mobile Dust Cart Kit with Compact Air Scrubber



Optional Accessories

Part #	Description
PAS600	600 CFM Compact Metal Air Scrubber
RPM-STD	Room Pressure Monitor



Abatement Technology GUARDIAN AG3000MCKK Mobile Dust Cart

Kontrol Kube containment units are built from all industrial components made from durable materials. Reduce the expenses involved with building containment during maintenance, repairs or inspections.

- Easy to set up
- Economical version of the Titan
- Made from reinforced PVC
- 900 lb. capacity
- Simplify ICRA process

Part #	Description
AG3000MCKK	Containment Cube Only
ICMOBKC	Containment Cube & Air Scrubber
ICMOBVC	Containment Cube, Air Scrubber & HEPA Vacuum



Carpet Mask

- Poly-Tak Protection Systems CM335, 24" x 200'
- 400 SQFT Roll Contractor Size Carpet Mask
- Transparent, Self-Adhering Protection Film
- For Use On Synthetic Carpets Up To 30 Days
- Non-Transferable Adhesive Backing Prevents Slippage
- Adheres Better Than Paper, Tarps Or Visquine Protection Products
- Provides Excellent Moisture Barrier
- Reverse Wound For Easy Application

Part #	Description	Size	Color
235-24-CLEAR	Carpet Mask	24" x 200'	Clear
235-36-CLEAR	Carpet Mask	36" x 200'	Clear
235-24-CLEAR	Carpet Mask	42" x 200'	Clear

*Other sizes available. Call for options!



Step N Peel Sticky Walk Off Mats

- Reduces maintenance and cleaning costs by significantly decreasing the amount of dirt contamination
- The adhesive coated film on top effectively removes dirt from shoes and equipment wheels. As foot traffic or wheels pass over the surface of the mat, the non-transferring adhesive locks onto the dirt and captures it
- When the exposed layer is completely used, simply peel it off to expose the next clean layer
- 30 layer mats packed 4 mats per case

Part #	Description	Size	Color
235-W2436	Walk Off Mats	24" x 36"	Clear
235-B2445	Walk Off Mats	24" x 45"	Blue

*Other sizes available. Call for options!

ZIPWALL®



425-ZIP4PL

ZipWall 4-Pack Plus

- Everything needed to create a 30' barrier with one person in under five minutes with no damage to finished surfaces
- Kit includes four aluminum clear anodized spring-loaded 12' poles and accessories, two foam rail cross bars, four Grip Disk slide stoppers, box of standard zippers and a carrying bag

Part #	Description	Qty. of Poles Per Kit
425-SLP4	ZipWall 4-Pack Plus	4



425-ZIPZWTK

ZipWall Complete Dust Barrier Toolkit

- Five ZipWall® 12 foot spring-loaded poles
- Six FoamRail Span™ adjustable tapeless seals
- One FoamRail™ tapeless seal 2-pack
- Four wall mounts
- Five heads and non-skid plates
- Five GripDisk™ non-slip pads
- Two floor adaptors for ZipWall® 12 poles
- One ZipWall® heavy-duty zipper 2-pack
- One ZipDoor® standard door kit
- Two Edge™ heads & non-skid plates
- One ZipFast™ reusable barrier panel multi-pack
- Carry bags

Part #	Description	Qty./Kit
425-ZIPRLFP	ZipWall Complete Dust Barrier Toolkit	6



425-ZIPSLP2

Spring Loaded Pole Kits

- Each pole kit contains spring loaded poles with heads, plates, tethers and rubber Grip Disks
- Spring-loaded design keeps barrier under tension for stability
- Shown with optional foam rails to seal along ceiling
- Used with the side clamps, the foam rails create a tight seal along the walls
- Tough aluminum construction supports up to 110 lbs.
- Use with positive or negative air

Part #	Description	Qty./Kit
425-ZIPSLP2	12' Spring Loaded Pole Kit	2
425-ZIPSLP6	12' Spring Loaded Pole Kit	6
425-ZIPKIT20	20' Max Height Pole	2



425-ZIPSLP6



ZipDoor Kits

The ZipDoor kit is a great way to create a dust barrier when all you need to seal is the doorway. And, it's reusable too.

- **Commercial ZipDoor** includes one 4' x 8' ZipDoor and one roll of ZipWall double-sided tape. Two heavy duty zippers are pre-installed on the ZipDoor
- **Standard ZipDoor** includes one standard ZipDoor, one roll of ZipWall double-sided tape, and two pre-installed heavy duty zippers

Part #	Description	Qty./Kit
425-ZIPZDS1	Standard ZipDoor	1
425-ZIPZDC	Commercial ZipDoor	1



Accessories

Create a doorway with durable 7' self-adhesive ZipWall zipper, standard or heavy duty.

- **Heavy Duty Kit** includes two seven foot zippers, two flap hooks and our patented Zipper Knife sheeting cutter
- **Standard Kit** includes two 7-foot self-adhesive zippers, two flap hooks to support openings

Part #	Description	Qty.
425-ZIPAZ2	7' Adhesive Zipper Standard	2 Bx.
425-ZIPHDAZ2	7' Adhesive Zipper Heavy Duty	2 Bx.
425-ZIPHDAZ12	7' Adhesive Zipper Heavy Duty (Full Case)	12 (2) Pk.
425-ZIPGD2	GripDisks - 2 pack	2 Pk.
425-ZIPNSP1	Top Plate	1 Ea.
425-ZIPPH1	Head, Plate and Tether	1 Set
425-ZIPFR2	5' Foam Rails	2 Bx.
425-ZIPSC2	Side Clamps	2 Bx.



210-1001



210-3003

Asbestos Disposal Bags Printed Warning

Part #	Dimensions	Thickness & Color	Packaging
210-C3350ASB-100	33" x 50"	3.5 mil – Clear	100/Roll
210-C3660ASB-75	36" x 60"	3.5 mil – Clear	75/Roll
210-6MC3350ASB-75	33" x 50"	6 mil – Clear	75/Roll
210-6MC3660ASB-50	36" x 60"	6 mil – Clear	50/Roll
210-6MC3860ASB-50	38" x 60"	6 mil – Clear	50/Roll
210-B3040ASB-100	30" x 40"	3.5 mil – Black	100/Roll
210-B3350ASB-100	33" x 50"	3.5 mil – Black	100/Roll
210-B3660ASB-75	36" x 60"	3.5 mil – Black	75/Roll
210-6MB3040ASB-100	30" x 40"	6 mil – Black	100/Roll
210-6MB3350ASB-75	33" x 50"	6 mil – Black	75/Roll
210-6MB3660ASB-50	36" x 60"	6 mil – Black	50/Roll
210-6MB3860ASB-50	38" x 60"	6 mil – Black	50/Roll

Contractor Trash Bags

Part #	Dimensions	Thickness & Color	Packing
212-C3350NP-100	33" x 50"	3.5 mil – Clear	100/Roll
212-C3660NP-75	36" x 60"	3.5 mil – Clear	75/Roll
212-C3860NP-75	38" x 60"	3.5 mil – Clear	75/Roll
212-6MC3350NP-75	33" x 50"	6 mil – Clear	75/Roll
212-6MC3660NP-50	36" x 60"	6 mil – Clear	50/Roll
212-6MC3860NP-50	38" x 60"	6 mil – Clear	50/Roll
212-B3350NP-100	33" x 50"	3.5 mil – Black	100/Roll
212-2MB3860NP-50	38" x 60"	2 mil – Black	50/Roll
212-B3860NP-50	38" x 60"	6 mil – Black	50/Roll

Woven 'Rice' Bags

Part #	Size	Description	Packing
210-3003	28 x 40	White Woven	1000 Per Bundle



220-GRAC4460C

Horizontal Glovebags

Part #	Size	Pipe Diameter	Packaging
220-GRA4460C	44" x 60"	Up to 8"	25/Roll, Continuous
220-GRA4460S	44" x 50"	Up to 8"	25/Cs., Single
220-GRA5460C	54" x 60"	Up to 10"	25/Roll, Continuous
220-GRA6060C	60" x 60"	10" to 14"	25/Roll, Continuous
220-GRA6072C	60" x 72"	10" to 14"	20/Roll, Continuous
220-GRA6072S	60" x 72"	10" to 14"	20/Cs., Single
220-GRA6684C	66" x 84"	14" to 18"	15/Roll, Continuous
220-GRA72120S	72" x 120"	18" to 30"	10/Cs., Single



220-GRAV10



PC300

Vertical Glovebags

Part #	Size	Pipe Diameter	Packing
220-GRAV10	60" x 84"	Up to 10"	20/Cs.
220-GRAV24	84" x 96"	10" to 24"	15/Cs.

High Temperature Glovebags

Part #	Max Temperature	Sizes	Packing
PC300	Up to 300° F	60 x 60, 60 x 72, 60 x 84	Ea.
PC400	-40° to 400° F	60 x 60, 60 x 72, 60 x 84	Ea.
PC700	-40° to 700° F	60 x 60, 60 x 72, 60 x 84	Ea.



220-GRAQT10

Quick Twist Glovebags

Part #	Size	Pipe Diameter	Packing
220-GRAQT10	54" x 86"	Up to 10"	20/Roll
220-GRAQT14	60" x 98"	10" to 14"	15/Roll
220-GRAQT18	66" x 114"	14" to 18"	10/Roll
220-GRAQT30	72" x 146"	18" to 30"	5/Roll

Nashua[®]

TAPE PRODUCTS



231-N357B2



231-N398R2



231-N398S2



231-N105C2



231-SCAPAR2



231-N140BB1.88



240-4003

Tape Products

Nashua 357 2" Premium Black Duct Tape

- High tensile strength, very durable duct tape with clean release. Used for duct sealing, packaging and general purpose applications

Part #	Description	Packaging
231-N357B2	Nashua 357 2" Black	24 Rolls/Cs.

Nashua 396 Silver Duct Tape

- General purpose duct tape with excellent adhesion to a wide variety of surfaces
- Tears straight, hangs straight, curl resistant

Part #	Description	Packaging
231-N396S2	Nashua 396 2" Silver Duct Tape	24 Rolls/Cs.
231-N396S3	Nashua 396 3" Silver Duct Tape	16 Rolls/Cs.

Nashua 398 Duct Tape

- High quality polyethylene-coated cloth tape
- Conforms well to irregular surfaces. Great for HVAC

Part #	Description	Packaging
231-N398R2	Nashua 398 2" Red	24 Rolls/Cs.
231-N398S2	Nashua 398 2" Silver	24 Rolls/Cs.

Nashua 300 Duct Tape

- Excellent for general repair, bundling, patching and mending, conformable, excellent adhesion to variety of surfaces, no curl

Part #	Description	Packaging
231-N300S2	Nashua 300 2" Silver Duct Tape	24 Rolls/Cs.
231-N300S3	Nashua 300 3" Silver Duct Tape	16 Rolls/Cs.

Nashua 2280 Duct Tape

- Temporary holding and bonding. Bundling. Closing and reinforcing packaging. Sealing. Temporary repairs

Part #	Description	Packaging
231-N2280S2	Nashua 2280 2" Silver Poly Tape	24 Rolls/Cs.
231-N2280W2	Nashua 2280 2" White Poly Tape	24 Rolls/Cs.

Nashua 105C Double-Face Tape

- Double-faced cloth tape
- Adheres on both sides for carpet hold-down, hanging polyethylene sheets, and general mounting and holding

Part #	Description	Packaging
231-N105C2	Nashua 105C 2" Double Face	24 Rolls/Cs.

SCAPA 133 Heavy-Duty Polyethylene Tape

- Low cost waterproof tape with a harder adhesion which bonds well to most surfaces over a wide range of temperatures
- Made in Canada

Part #	Description	Packaging
231-SCAPAR2	Scapa 2" Red Poly Tape	24 Rolls/Cs.
231-SCAPAR3	Scapa 3" Red Poly Tape	16 Rolls/Cs.

Nashua Polyken 833 Polyethylene Tape

- Developed specifically as a universal asbestos abatement tape to hang polyethylene barriers, seal polyethylene barriers and seal polyethylene disposal bags

Part #	Description	Packaging
231-NP833S2	Nashua Polyken 833 2" Silver Polyethylene Tape	24 Rolls/Cs.
231-NP833R3	Nashua Polyken 833 3" Red Polyethylene Tape	16 Rolls/Cs.
231-NP833Y3	Nashua Polyken 833 3" Yellow Polyethylene Tape	16 Rolls/Cs.

Nashua 140B Blue Painters Tape

- Painter's grade masking tape for a variety of surfaces. Interior and exterior uses to mask glass, metal, aluminum, vinyl, wood and plastics
- Clean removal blue crepe with rubber-based adhesive

Part #	Description	Packaging
231-N140BB1.88	Nashua 140B Blue Painters Tape	24/Cs.

Spray Glue

Jendco Heavy-Duty Spray Adhesive

- No chlorinated solvents
- Great price and customer favorite

Part #	Description	Packaging
240-4001	Jendco Spray Glue - 17 fl.oz.	12/Cs.

Nashua 357 Premium Heavy-Duty Spray Adhesive

- Designed for temporary and permanent bonding
- Low VOC for compliance with state regulations

Part #	Description	Packaging
240-4003	Nashua 357 Spray Glue - 20 fl.oz.	12/Cs.

Nashua 398 General Purpose Spray Adhesive

- Designed for temporary and permanent bonding
- Low VOC for compliance with state regulations

Part #	Description	Packaging
240-4004	Nashua 398 Spray Glue - 20 fl.oz.	12/Cs.

Integrity Kits Disposable Decontamination Shower

- Each shower set contains one shower room, one clean room and one dirty room
- Entrances and exits are double wrapped with 6 mil poly and have triple air locks
- Shower room includes a coroplast floor
- 6 mil white poly double wrapped with air locks at each entry and exit
- Made in the USA



Options include:

Part #	Description	Size
290-1001	Standard Decon 3 Rooms Including a Clean Room	38" x 38" x 80"
290-1002	Standard Fire Rated 3 Rooms Including a Clean Room	38" x 38" x 80"
290-4001	Extra Large Fire Rated 3 Rooms Including a Clean Room	48" x 48" x 80"

Sold Separately

Part #	Description
290-2001	12 Piece Pole Set
290-3001	Shower Nozzle with Hot and Cold

Integrity Kits 2-Stage Filtration Shower Pump

- 2-stage filtration process includes a 5-micron and 25-micron filter
- Equipped with a little giant proven pump and is wired through a low pressure cut off switch. This switch will shut the pump off if it loses prime to keep from burning up the motor
- Unit weights only 21 lbs.
- Made in the USA




Part #	Description
290-6000	Integrity Kits 2-Stage Filtration Shower Pump

Replacement Shower Pump Filters

Part #	Description
251-4050	5 Micron Filter
251-4051	25 Micron Filter

Abatement Technologies Easy Up Portable Decontamination Shower

- Most economical and user friendly metal shower available
- Curtains, showerhead, missing valve and collapsible corner poles stored inside floor and ceiling modules, which latch together, functioning as a carrying case
- Lightweight, 41 lbs. and one person set up
- Dimensions 30" x 30" x 81"



Part #	Description
290-S4000EU	Abatement Technologies Easy Up Portable Decontamination Shower



Aerospace America All Metal Decontamination Shower

The original collapsible telescoping decontamination shower is easily set up by two men in a matter of seconds.

- Lightweight aluminum construction
- 100 micron drain filter
- Removable curtain
- Two (2) handles for easy handling
- Made in the USA

Dimensions:

- Open - 31" x 30" x 83"
- Closed - 31" x 31" x 48"
- Shipping Weight – 95 lbs.

Part #	Description
290-5000	Aerospace America All Metal Decontamination Shower

Aerospace America Two-Stage Water Filter Pump

Features:

- Enclosed aluminum container
- Galvanized plumbing
- 2-stage filtration process
 - 1st stage 5 micron sediment filter
 - 2nd stage 25 micron sediment filter
- 12 gallons per minute
- 1/2 H.P. motor
- Shipping weight 36 lbs.
- Made in the USA

Part #	Description
290-5005	Aerospace America Two-Stage Water Filter Pump



HP1520-180BRUTE

Hawk Brute Floor Machines

Totally enclosed motor units are ideal for the harshest conditions—dust, moisture, chemicals—and great for sanding or screening applications, stone care and concrete work.

Part #	Pad Size	Motor/HP	RPM
HP1513-180BRUTE	13"	1.5 HP	165
HP1515-180BRUTE	15"	1.5 HP	165
HP1517-180BRUTE	17"	1.5 HP	165
HP1520-180BRUTE	20"	1.5 HP	165



HP1515-2S

Hawk Standard 2-Speed Floor Machines

Two-speed machines perform heavy-duty scrubbing and stripping at the standard 175 rpm speed. With the flip of the conveniently located handle switch, get professional high-gloss buffing results at 300 rpm. You'll double your productivity potential with two-speed floor machines.

Part #	Pad Size	Motor/HP	RPM
HP1513-2S	13"	1.5 HP	175/300
HP1515-2S	15"	1.5 HP	175/300
HP1517-2S	17"	1.5 HP	175/300
HP1520-2S	20"	1.5 HP	175/300



Diamabrush Mastic Removal Tool

The Diamabrush mastic removal tool is designed to remove stubborn coatings from concrete such as mastic, carpet or tile adhesive, thin-set and thin mil coatings like urethane or paint. No need to waste time and money on heavy grinding equipment or harmful chemicals. This diverse tool, which mounts to any standard floor buffer or auto scrubber, uses diamond coated blades to grind tough coatings away!

- Available in 12"-20" diameters

Part #	Pad Size	Motor/HP	RPM
* Call 1-800-449-9606 for options			



Black Floor Stripping Pad


- Very aggressive stripping pad. It is designed to be used to wet strip a floor.

Part #	Pad Diameter	Qty./Cs.
410-SS15B	15" Black Pad	5 Pads
410-SS17B	17" Black Pad	5 Pads
410-SS20B	20" Black Pad	5 Pads



Floor Scrapers

Part #	Description	Qty./Cs.
400-0204	63" Tile Bar w/ "T" Handle	1
400-0205	3.5" Tile Steel Blade	10
400-0206	6" Tile Steel Blade	10



Floor Stripper

Part #	Description	Qty./Cs.
400-0202	72" Stripper Handle	1
400-0005	8" Scraper Blade	10



3-Way 15-Amp GFCI

- OSHA-compliant cord comes equipped with an inline GFCI to help with safety at construction sites and in industrial environments
- LED power-on indicator and auto-reset feature for usability
- 12/3 AWG, SJTW cord for durability and weather resistance with indoor and outdoor use

Part #	Description	Length
400-GFCI-2FT3	GFCI 3-Way 12/3 15 Amp 2FT	2 ft.
400-GFCI-50FT3	GFCI 3-Way 12/3 15 Amp 50FT	50 ft.
400-GFCI-100FT3	GFCI 3-Way 12/3 15 Amp 100FT	100 ft.



Extension Cords

- Available in 12/3 or 10/3 extension cord with lighted end
- The clear connector has a built-in neon light indicating that there is power in the receptacle, cord and outlet circuit

Part #	Description	Length
400-EXT50-123	12/3 Extension Cord	50 ft.
400-EXT100-123	12/3 Extension Cord	100 ft.
400-EXT50-103	10/3 Extension Cord	50 ft.
400-EXT100-103	10/3 Extension Cord	100 ft.



Rags

- Reclaimed/colored cleaning rags
- Great for cleaning up mastic remover!

Part #	Description	Qty./Pkg.
410-1102	Reclaimed Rags – Cardboard Box	50 lbs.
410-1101	Reclaimed Rags – Plastic Pack	25 lbs.



Tin Snips

Part #	Description	Qty.
400-0104	Wiss 1.5" Tin Snips	Ea.



Brushes

Part #	Description	Qty./Cs.
400-0208	8" Wire Tooth Brush	36/Ea.
400-0207	14" Long Handled Wire Brush	36/Ea.



Arrow and Stanley Staplers and Staples

Part #	Description	Qty./Pk.
400-0402	T50 Arrow Stapler	Ea.
400-0403	T50 Arrow 1/2" Staples	1,250
400-0404	T50 Arrow 3/8" Staples	1,250
400-0400	P22 Arrow Stapler	Ea.
400-0401	P22 Arrow 5/16" Staples	5,000
400-0406	P6 Stanley Bostitch Stapler	Ea.
400-0407	P6 Stanley Bostitch 5/16" Staples	5,000
400-0408	P6 Stanley Bostitch 3/8" Staples	5,000



Hand Scraper

Part #	Description	Qty.
400-0203	5" 1 Tool	Ea.
400-0201	12" Stripper Handle with 4" Blade	Ea.
400-0004	4" .020 Scraper Blade 100/ pack	Pack/100 Blades
400-0200.6	3" Burn Off Scraper with 9" Straight Handle	Ea.



Utility Knives

Part #	Description	Qty.
400-0100	Self-Retracting SAFETY Knife with Blade	Ea.
400-0102	Standard Utility Knife	Ea.
400-0003	Utility Knife Replacement Blades /100	100 Blades/Pk.

Diamabrush Removal Hand Tool

The Diamabrush by Malish removal hand tool (available in 4.5" and 7" diameter sizes) is the ideal solution for removing mastics, adhesives, epoxies and urethanes, thin-sets, paints and other gummy coatings from concrete floors as well as brick, block, stone and metal walls.



Using the same aggressive diamond abrasive technology as the rest of the Diamabrush by Malish line of products, this tool is used with any standard hand grinding to remove gummy mastics, etc. up to 10 times faster than other methods.

- Available in 4.5" & 7" diameter

Part #	Description	Sold By
475-MAL1001	4.5" Diamabrush Removal Hand Tool	Ea.
475-MAL1002	7" Diamabrush Removal Hand Tool	Ea.



Brooms

Part #	Description	Handle	Bristle	Qty./Cs.
410-1007	24" Tampico Sweep Head	Threaded	Stiff	12
410-1007	12" Palmyra Deck Head	Threaded & Tapered	Stiff	12
410-5017	55" Corn Broom	NA	Stiff	12
410-10104	24" Omni Sweep Head	Threaded	Stiff & Soft	12
410-10095	48" Angle Broom	NA	Soft	12
410-1009	8" Fox Tail Counter Brush	NA	Soft	12
410-10085	60" Metal Tip Threaded Handle	Threaded	NA	12
410-1004	54" Tapered Wood Handle	Tapered	NA	12



Squeegees

Part #	Description	Handle	Qty./Cs.
410-1005	18" Double Blade Foam Squeegee	Tapered	10
410-1006	22" Double Blade Foam Squeegee	Tapered	10



Scrub Pads and Holder

Part #	Description	Qty./Cs.
410-1106	Heavy Duty Thin Black Scratch Pad	60
410-1106.5	Medium Duty Thick Brown Scratch Pad	20
410-1106.9	Scratch Pad Holder with Tapered and Threaded Handle Compatibility	10



Mops

Part #	Description	Qty./Cs.
410-1001.5	24 oz. Cotton Mop Head	6
410-1000	60" Wood with Zinc Plated Metal Frame Handle	12
410-0008	26-qt. Mop Bucket with Wringer	1



475-A904003



Aargo 3mm Heavy Duty Electric Powered Needle Scaler

Powerful, hand held, electric needle scaler with vacuum shroud that conforms to a surface and safely contains hazardous dust and debris as it quickly removes coatings, as well as lead paint, asbestos, mold, rust and slag.

Part #	Model	Sold By
475-A904003	Heavy Duty Aargo Needle Scaler	Ea.



475-A904012



Aargo Straight Shank Needle Scaler With Dust Collection Attachment

Powerful, lightweight, hand held, air powered scaler with vacuum shroud attachment that conforms to a surface and safely contains hazardous dust and debris as it quickly removes coatings, as well as lead paint, asbestos, mold, rust and slag.

Part #	Model	Sold By
475-A904012	Aargo Needle Scaler	Ea.



475-DDS-1



Novatek DDS-1/DDS-3 Universal Shroud

Novatek is proud to introduce our new DDS-1/dustless drill shroud. Our drill shroud easily attaches to most drills including Dewalt, Craftsman, Bosch, Makita and Ryobi. Retrofit your existing drill into a totally "dust free" shrouded drill in a matter of minutes.

Part #	Model	Part Number	Bit Width	Drilling Depth
475-DDS-1	DDS-1 Dustless Drill Shroud	499.3000	Up to 1"	Up to 4"
475-DDS-3	Universal Drill Shroud	499.3100	Up to 2 7/8"	Up to 2"



378 Control Panel



265-N378

Novatek NovaStrip 378 Infrared Radiant Heat Tile Removal/Stripping Machine - 115 Volt

The NovaStrip 378, a portable infrared heating unit designed by Novatek. This unit softens tile adhesive for complete intact tile removal. This tool is capable of heating up to three (3) 9" x 9" tiles or two (2) 12" x 12" tiles within a single pass.

Part #	Model	Sold By
265-N378	Novatek NovaStrip 378 Tile Removal/Stripping Machine	Ea.



1026 Control Panel



265-N1026

Novatek NovaStrip 1026 Infrared Radiant Heat Tile Removal/Stripping Machine

The NovaStrip 1026, a portable infrared heating unit designed by Novatek. This machine softens tile adhesive for complete intact tile removal. The NovaStrip 1026 unit is capable of heating up to eight (8) 9" x 9" tiles or six (6) 12" x 12" tiles within a single pass.

Part #	Model	Sold By
265-N1026	Novatek NovaStrip 1026 Tile Removal/Stripping Machine	Ea.



Oil Only Booms

All our booms are non-linting and come complete with end rings, snaps and a strong rope running the length of the boom. Booms are available in oil only white.

Part #	Description	Dimension	Qty./Pk.
415-US-WBOOM510	White – Oil Only Boom	5" x 10'	4
415-US-WBOOM810	White – Oil Only Boom	8" x 10'	4



Meltblown Oil Only Absorbent Pads

Loose stacked-weave design increases surface area on spill. Mat starts wicking on contact to save time in critical situations. Works equally well on land or water—it even floats when fully saturated. Ideal for outdoor use—MeltBlown mat provides quick, efficient cleanup to help protect the environment from contamination.

- MeltBlown mat pads quickly absorb oil for effective cleanup of petroleum-based spills on land or water

Part #	Description	Dimension	Qty./Pk.
415-US-M-WS	White Oil Only Pad	15" x 18"	200
415-US-M-WS-R300	White Oil Only Blanket	30' x 300'	Ea.



Ultra-Drip Ceiling/Roof Drip Diverters

Catch roof leaks and divert them away from offices and equipment

- Large, vinyl-coated fabric
- Standard hose hook up

Part #	Description	Qty./Pk.
1785	Roof Drip Diverter 5 x 5	Ea.
1786	Roof Drip Diverter 7 x 7	Ea.
1788	Roof Drip Diverter 12 x 12	Ea.



SonicBonded Absorbent Pads

- SonicBonded mat pads control spills and overspray to help keep floors dry and safe
- A layer of MeltBlown polypropylene creates high surface area that enables SonicBonded mat to quickly soak up liquids on contact

Part #	Description	Dimension	Qty./Pk.
415-US-BG-S	Grey Universal Pads	15" x 18"	200
415-US-B-W	White Oil Only Pads	15" x 18"	200



Oil-Only Trucker Spill Kit

- Easy access as needed for spill control saves time when quick response is necessary
- Small size easily fits behind the seat of a truck
- Measures 15-inches length by 18-inches height by 7-inches depth

Part #	Description	Qty./Pk.
SPKO-TRK	Trucker Spill Kit	1/Pk



Ultra-Drip Pipe Diverters

Channel pipe leaks away from plant personnel and machinery. Large 18" diameter opening captures overhead leaks, big and small.

- Standard hose hook up

Part #	Description	Qty./Pk.
1780	Ultra-Drip Pipe Diverter	Ea.



Laminated Oil Only Absorbent Pads

Tough and durable, offering the extreme softness and drapability needed for some situations, our laminated sorbents are constructed by ultrasonically bonding outer layers of durable polypropylene spunbond to a high-loft meltblown center.

Part #	Description	Dimension	Qty./Pk.
415-US-L-WH	Laminated Oil Only Pad	15" x 18"	100



UltraTech Overpack Plus

- 95 and 65 gallon Plus models comply with UN Packaging Group 1 (X-Rating) and are certified for use as DOT salvage drums, 49 CFR 173.3(c)
- The Overpack Plus is the highest performing poly overpack on the market!
- Convenient, "no-tools required" closures are perfect for cleanup and spill response activities
- Nestable design and low tare weight allow convenient storage and reduced transportation costs
- Very economical—competitively priced

Part #	Description	Rated Capacity	Weight
415-ULT0580	Overpack Plus 95	95 Gallons	48 lbs.
415-ULT0582	Overpack Plus 65	65 Gallons	40 lbs.
415-ULT0585	Overpack Plus 30	30 Gallons	15 lbs.
415-ULT0587	Overpack Plus 20	20 Gallons	12 lbs.



Acid Neutralizing Sorbent

Sorbent changes color to tell you when absorbed acids have been neutralized and are safe to clean up.

- 2 lb. 'milk carton' shaker
- Absorbs Up to 2.4 gal. per package

Part #	Description	Qty./Pk.
ANS-12	Acid Neutralizing Sorbent	12ea./Cs

Ultra-Pop Up Pools

- Pop-up pools instantly expand to capture leaks from saddle tanks, pipes, hydraulic lines and many other industrial incidents
- Choose sprung steel or economy models to meet your needs. Simply remove them from their protective carrying case and give them a quick shake—they instantly expand and are ready for response to any emergency
- Compact folded size—stores efficiently inside spill kits; handles on storage bag can also be used to hang on a wall near shipping/receiving docks
- Excellent chemical resistance, including diesel fuel, antifreeze, acids, caustics and corrosives
- Helps minimize environmental damage and related cleanup costs



Part #	Description	Capacity
415-ULT8022	Economy Ultra-Pop Up Pool	20 Gallons
415-ULT8068	Economy Ultra-Pop Up Pool	66 Gallons
415-ULT8102	Economy Ultra-Pop Up Pool	100 Gallons
415-ULT8153	Economy Ultra-Pop Up Pool	150 Gallons
415-ULT8160	Economy Ultra-Pop Up Pool	250 Gallons
415-ULT8162	Economy Ultra-Pop Up Pool	400 Gallons
415-ULT8020	Sprung Steel Ultra-Pop Up Pool	20 Gallons
415-ULT8066	Sprung Steel Ultra-Pop Up Pool	66 Gallons
415-ULT8100	Sprung Steel Ultra-Pop Up Pool	100 Gallons
415-ULT8150	Sprung Steel Ultra-Pop Up Pool	150 Gallons

Ultra-Drain Guard

The Ultra-Drain guard is engineered to filter storm water waste before it becomes a problem in the water system. As a storm drain filter, it removes contaminants like litter, sand and oil from storm water flow. Its geotextile fabric and easy installation make it ideal for industrial facilities, construction sites and parking lots where storm water runoff is likely to carry oil, eroded soil, debris and fuel contaminants from cars.



Part #	Description	Dimension	Performance
415-ULT9219	Oil & Sediment Plus Model	48"L x 36"W x 18"H	Oil: Up to 1.38 gallons • Sediment: Up to 40 lbs.
415-ULT9358	Oil & Sediment Plus Model	60"L x 60"W x 18"H	Oil: Up to 2.06 gallons • Sediment: Up to 40 lbs.

Ultra-Oil Filter Boom

- Six-foot-long booms made with Ultra-X-Tex absorb oil from water much faster than standard polypropylene booms
- Unlike polypropylene, Ultra-X-Tex material will allow water to pass through freely while filtering any oil present on the water's surface
- Each oil filter boom has connecting hardware pre-installed so multiple units can be quickly and easily attached for longer lengths



Part #	Description	Dimension	Capacity
415-ULT5220	Ultra-Oil Filter Boom	6 ft.	2.3 Gallons



Ultra-Drain Plugs

- Tapered design wedges securely into standard drains to stop any flow
- Eyebolts are removable, allowing installation of grating with drain plug in place
- Non-absorbing, easily cleaned for repeated use
- Flexible polyurethane material—resists oil, water and most aggressive chemicals
- Cleans with soap and water



Part #	Description
415-ULT2116	3-Plug Kit* (Includes one each of the 2", 3" and 4" Ultra-Drain Plugs and Plastic Carrying Case)



Ultra-Drain Seal

- Reinforced mesh is "sandwiched" between layers of polyurethane—increases durability and resistance to tearing
- Unique, urethane construction allows the pad to deform and seal off most drains—temporarily "seals" to any smooth surface
- A valuable addition to any emergency response plan, spill kit or stormwater management program
- Unlike some alternative products, BOTH sides will quickly seal drains—there is no specified "top" or "bottom"

Part#	Dimensions	Weight
Square		
415-ULT2126	18" x 18" x 3/8"	5 lbs.
415-ULT2127	24" x 24" x 3/8"	8 lbs.
415-ULT2130	36" x 36" x 3/8"	20 lbs.
Circular		
415-ULT2134	12" dia. x 3/8"	3 lbs.
415-ULT2135	20" dia. x 3/8"	6 lbs.
Rectangular		
415-ULT2124	18" x 58" x 3/8"	16 lbs.
415-ULT2125	36" x 58" x 3/8"	26 lbs.

Eagle Manufacturing Type I Flammable Liquid Safety Can

Eagle cans are constructed of 24-gauge hot dipped galvanized steel, are the only deep drawn seamless can made, have a double interlock no-weld bottom seam, a baked-on powder coat finish with a trilingual label, have a spring closing lid with neoprene gasket that vents at 5 psi internal pressure, have a non-sparking flame arrestor and pour spout, and 100 percent made in the USA.



Part #	Description	Liquid Type	Capacity
430-EAGUI25-FS	Type 1 Safety Can	Flammable Liquids (Petroleum)	2.5 Gallons
430-EAGUI50-FS	Type 1 Safety Can	Flammable Liquids (Petroleum)	5 Gallons

Eagle Manufacturing Type I Diesel Safety Can

Eagle cans are constructed of 24-gauge hot dipped galvanized steel, are the only deep drawn seamless can made, have a double interlock no-weld bottom seam, a baked-on powder coat finish with a trilingual label, have a spring closing lid with neoprene gasket that vents at 5 psi internal pressure, have a non-sparking flame arrestor and pour spout, and 100 percent made in the USA.



Part #	Description	Liquid Type	Capacity
430-EAGUI25-FSY	Type 1 Safety Can	Diesel	2.5 Gallons
430-EAGUI50-FSY	Type 1 Safety Can	Diesel	5 Gallons

Eagle Manufacturing Flammable Liquid Safety Storage Cabinet

Manual closing, bench top safety cabinet is constructed of 18-gauge steel.

- Standard flammable liquid safety cabinets come in yellow high-gloss powder finish with red warning, plus grounding attachment, 3-point latch system, and 2" raised, leakproof door sill. Each shelf is adjustable, supported by 4 brackets, and can support 350 pounds
- (All Eagle metal cabinets meet NFPA Code 30 and OSHA requirements)



Part #	Description	Liquid Type	Capacity
430-EAG1901	Safety Storage Cabinet	Flammable Liquid	2 Gallons
430-EAG1904	Safety Storage Cabinet	Flammable Liquid	4 Gallons
430-EAG1947	Safety Storage Cabinet	Flammable Liquid	45 Gallons
430-EAG1962	Safety Storage Cabinet	Flammable Liquid	60 Gallons



Ultra-Spill Containment Pallets

Ultra-Spill pallets help meet spill containment regulations for up to four drums. High-visibility yellow color. Helps comply with SPCC, EPA and UFC spill containment requirements. High load capacity: 6,000 lbs. for Ultra-Spill pallet P4, 3,000 lbs. for Ultra-Spill pallet P2. Bright, safety yellow sidewalls are translucent, offering convenient visual leak detection.

Part#	Description
415-ULT1000	Ultra-Spill Pallet P4 - 4-Drum Spill Pallet, no Drain
415-ULT1001	Ultra-Spill Pallet P4 - 4-Drum Spill Pallet, with Drain
415-ULT1010	Ultra-Spill Pallet P2 - 2-Drum Spill Pallet, no Drain
415-ULT1011	Ultra-Spill Pallet P2 - 2-Drum Spill Pallet, with Drain



Ultra-Hard Top P2 Spill Pallet

- All-polyethylene units feature a weather-proof design, allowing secure outdoor storage of hazardous materials and wastes
- Hinged covers are easily opened by one person—perfect for satellite waste collection
- Drums and collection sump remain clean and dry free of rain water, debris and other contaminants
- 66-gallon containment capacity meets EPA and Uniform Fire Code Spill Containment Regulations
- Drums are positioned on a deck above the sump area, elevated from any spilled or leaked materials

Part#	Description
415-ULT1082	Ultra-Hard Top P2 Spill Pallet - 2-Drum Hard Top Spill Pallet, no Drain
415-ULT1083	Ultra-Hard Top P2 Spill Pallet - 2-Drum Hard Top Spill Pallet, with Drain

Honeywell

Lockout/Tagout (LOTO) Stations

Convenient and high visibility centers that make your LOTO equipment easy to find and use.

- Designed to withstand harsh conditions
- Made of double molded polystyrene with plastic or metal hanging hooks for locks and lockout hasps

Honeywell North® Small Station — 18" x 24"

Includes:

- (1) LSE101 small lockout station panel
- (2) VS02 V-Safe® wheel valve lockout for up to 2-1/2" wheel diameter
- (1) VS04 V-Safe® wheel valve lockout for 2-1/2"-5" wheel diameter
- (1) VS06 V-Safe® wheel valve lockout for 5"-6-1/2" wheel diameter
- (1) BS01 B-Safe® ball valve lockout for 3/8" to 1/4" valves
- (2) LP110 E-Safe® 110-220 volt electrical plug socket lockout
- (1) LP550 E-Safe® 220-550 volt electrical plug socket lockout
- (1) MS86 M-Safe® heavy-duty steel hasp
- (4) MS01 M-Safe® heavy-duty nylon lockout hasp
- (1) ELA290 Danger Do Not Operate lockout tags
- (1) ELA255 Danger Do Not Open lockout tags
- (1) 3D 1 1/2" wide individually keyed padlock



Part #	Description	Qty./Cs.
395-NORLSE101F	North Small Lockout Station	1/Ea.

Honeywell North® Large Station – 24" x 35"

Includes:

- (1) LSE102 large lockout station panel
- (2) VS02 V-Safe® wheel valve lockout for up to 2-1/2" wheel diameter
- (1) VS04 V-Safe® wheel valve lockout for 2-1/2"-5" wheel diameter
- (1) VS06 V-Safe® wheel valve lockout for 5"-6-1/2" wheel diameter
- (1) VS09 V-Safe® wheel valve lockout for 6-1/2"-10" wheel diameter
- (1) BS02 B-Safe® ball valve lockout for 1 1/2" to 2 1/2" valves
- (2) LP110 E-Safe® 110-220 volt electrical plug socket lockout
- (1) LP550 E-Safe® 220-550 volt electrical plug socket lockout
- (2) MS86 M-Safe® heavy-duty steel hasp
- (6) MS01 M-Safe® heavy-duty nylon lockout hasp
- (1) ELA290 Danger Do Not Operate lockout tags
- (1) ELA250 Danger Do Not Start lockout tags
- (1) ELA255 Danger Do Not Open lockout tags



Part #	Description	Qty./Cs.
395-NORLSE102F	North Large Lockout Station	1/Ea.

Honeywell North® Personal Lockout Station, 11" x 14"

Includes:

- (1) panel
- (4) 3D 1 1/2" wide keyed padlock
- (1) ELA290 Danger Do Not Operate lockout tags



Part #	Description	Qty./Cs.
395-NORLSE103F	North Personal Lockout Station	1/Ea.

Honeywell North® Four Person Lockout Station, 11" x 14"

Includes:

- (1) panel
- (4) 3D 1 1/2" wide keyed padlock
- (1) ELA290 Danger Do Not Operate lockout tags
- (3) R60ML M-Safe® heavy-duty steel 6-lock hasp



Part #	Description	Qty./Cs.
395-NORLSE104F	North Four Person Lockout Station	1/Ea.

Honeywell North® Ten Person Lockout Station, 14" x 21"

Includes:

- (1) panel
- (10) 3D 1 1/2" wide keyed padlock
- (2) ELA290 Danger Do Not Operate lockout tags
- (3) R60ML M-Safe® heavy-duty steel 6-lock hasp



Part #	Description	Qty./Cs.
395-NORLSE104F	North Ten Person Lockout Station	1/Ea.

Honeywell North® Departmental Lockout Station, 21" x 29"

Includes:

- (1) panel
- (20) 3D 1 1/2" wide individually keyed padlock
- (4) ELA290 Danger Do Not Operate lockout tags
- (6) R60ML M-Safe® heavy-duty steel 6-lock hasp



Part #	Description	Qty./Cs.
395-NORLSE106F	North Departmental Lockout Station	1/Ea.

Honeywell

NORTH



Honeywell North Safety First Aid

- Heavy-use, plastic or steel first aid stations contain additional items needed for job sites that require extra protection from minor cuts and abrasions
- All full stations include a first aid booklet
- Wall mounts for quick and easy access
- Ideal for construction sites, trucks or job trailer
- All North by Honeywell bulk kits are ANSI Z308.1-2003 compliant

Part #	Description
FAK25PL-CLSA	#25 Person Plastic, Weatherproof First Aid Kit
FAK50STL-CLSA	#50 Person Plastic, Metal Case First Aid Kit



Honeywell North Bloodborne Pathogen Response Kit

The kits are complete with the necessary supplies to clean a spill containing bloodborne pathogens as well as PPE necessary to protect employees in accordance with OSHA 1910.130.

Part #	Description
395-019740-0027L	North Bloodborne Pathogen Response Kit – 24 Unit



Honeywell North Bite & Sting First Aid Kit

This first aid kit is developed specifically for treatment of bites and stings. Ideal for snake and spider bites, mosquito, bee and wasp stings.

Kit contents:

- (3) 020795 adhesive bandages, 1" x 3"
- (2) 021047 alcohol pads disposable shaver sting and bite pump with nozzles
- (2) 021202P sting relief wipes

Part #	Description
395-019741-0028L	North Bite & Sting First Aid Kit



Honeywell Redi-Care Kit™

These general industry first aid kits are packaged in soft-sided, durable, red nylon bags. Their portability makes it easy for the first responder to carry them to the site of an emergency.

All Redi-Care Kits™, except the promotional kit, are ANSI Z308.1-2003 compliant.

Part #	Description
395-018500-4222	Large Kit with Carrying Handle for Portability. 186 Pieces Per Unit
395-018504-4222	Large Kit with CPR Barrier, Carrying Handle for Portability. 187 Pieces Per Unit
395-018501-4221	Medium Kit with Carrying Handles and Belt Loops for Portability. 91 Pieces Per Unit
395-018505-4221	Medium Kit with CPR Barrier, Carrying Handles and Belt Loops for Portability. 92 Pieces Per Unit
395-018503-4219	Promotional Kits, Flat, Trim Design. 39 Pieces Per Unit



Honeywell Food Service Burn Kit

Kit contains: adhesive bandages, antiseptic towelettes, first aid/burn cream with aloe, PVP iodine wipes, medical gloves (pair), Water Jel® burn dressing and more.

Part #	Description
395-019728-0015L	10 Unit Plastic Food Service Burn Kit

Honeywell



Fendall Eye Wash Stations

- Provide safe, first response care until the injured person can be helped to an ANSI compliant emergency eyewash device
- Comes complete with wall-mounting hardware
- Single bottle wall stations hold 16 or 32 oz.
- Double bottle stations hold two 32 oz. bottles of sterile saline solution
- Sterile single use bottles

Part #	Description	Size
397-32-000460	Single Bottle Wall Station	16 oz. Bottle
397-32-000465	Double Bottle Wall Station	32 oz. Bottle



Refill Options

Part #	Description	Qty./Cs.
397-32-00451	Fendall Eyesaline 1 oz. Wash Bottle	24 Bottles
397-32-00452	Fendall Eyesaline 4 oz. Wash Bottle	24 Bottles
397-32-00454	Fendall Eyesaline 16 oz. Wash Bottle	12 Bottles
397-32-00455	Fendall Eyesaline 32 oz. Wash Bottle	12 Bottles



Haws Gravity Fed 9 Gallon Portable Eyewash

- Using gravity to supply a continuous flow of clean water to injured personnel for a full 15 minutes at .4 gpm (1.5L), this model is a reliable source for safety
- A wide-fill opening with threaded cap permits easy inspection, cleaning and filling

Part #	Description	Sold by
397-HAWS7501	Haws Gravity Fed 9 Gallon Portable Eyewash	Ea.



Fendall 2000 Eyewash Station

100% sterile emergency eyewash system—the innovation you expect from Honeywell. We've listened to our end-users and have built an eyewash station with all of the features and benefits that you would expect in a state-of-the-art portable emergency eyewash station from Honeywell. With the Fendall 2000, injured workers are treated with 100% sterile, buffered and physiologically balanced saline solution free of contaminants, bacteria, corrosives and pollutants.

- Delivers 100% sterile saline from a 100% sterile delivery system
- Built-in alarm system that sounds when the unit has been activated and again when the injured individual has completed the required 15-minute flush

Part #	Description	Sold by
397-32-002000	Fendall 2000 Eyewash Station	Ea.
397-32-002001	Fendall 2000 Heated Accessory	Ea.
397-32-002050	Fendall 2000 Sterile Saline Refill Cartridge	Ea.



Fendall Flash Flood Eyewash

Fendall Flash Flood utilizes sealed cartridges that contain one gallon of preserved and pH balanced saline solution. The Fendall Flash Flood delivery system offers immediate, hands-free eye flushing, and is portable to meet the needs of changing workplace hazards. Removing the pull strap easily activates the system, while dual nozzles provide flushing to both eyes simultaneously. When activated, Fendall Flash Flood delivers saline solution for three minutes.

Part #	Description	Sold by
397-32-000400	Fendall Flash Flood Eyewash	Ea.
397-32-000401	Fendall Flash Flood Sterile Saline Cartridge	4 Ea.



Fendall Pure Flow 1000 Wash Station

The Fendall Pure Flow 1000 emergency eyewash station delivers unequalled eyewash safety, reliability and value. The patented system delivers contaminant-free and physiologically correct saline solution from factory-sealed cartridges. The Fendall Pure Flow 1000 does not require costly plumbing for affordable, portable placement near most workplace hazards. Patented design delivers a constant flow rate and stream height, and provides 0.4 gpm for 15 minutes as required by ANSI Z358.1-2009. A unique fluid pressure balancing system and nozzles maximize comfort with a soft "ribbon" of saline solution. Factory-sealed cartridges last up to 24 months, at least four times longer than other primary self-contained eyewash devices.

Part #	Description	Sold by
397-32-001000	Fendall Pure Flow 1000 Wash Station	Ea.
397-32-001050	Fendall 1000 Sterile Saline Refill Cartridges	2 Ea.



Fendall Porta Stream II

Fendall Porta Stream II offers versatile portability and 15 minutes of uninterrupted flushing—without costly plumbing. Fendall Porta Stream's simplicity of installation and operation has made it a popular choice. Self-contained, it features a nozzle strap that is easily removed to activate flushing, leaving hands free to hold eyelids open. Can be easily and affordably placed near most workplace hazards with single bracket mounting device or transported with optional universal cart or universal stand. Molded handle accepts hanging bracket for vertical or horizontal surface installation.

Part #	Description	Sold by
397-32-000200	Fendall Portastream II – 15 Minute 180 oz. Saline Station	Ea.
397-32-000513	Fendall Portastream II – 180 oz. Saline Concentrate Refill	4/Ea.

Returns Policy

You may return most new, unopened items within 30 days of delivery for a full refund. We'll also pay the return shipping costs if the return is a result of our error (you received an incorrect or defective item, etc.).

Many of the fall protection products are made to order. These items are not eligible for return or exchange. Some of these items take up to 10 days to ship. Please contact us prior to purchase to be notified whether or not the product is able to be returned or shipped immediately.

We are unable to accept any used vacuums, respirators, gas monitors or negative air machines/air scrubbers. Due to the hazardous environments these products are used in it is against federal regulation to have these items shipped back.

Buyer may be subject to pay shipping and/or 30% restocking fee if the product is returned if it is a result of their error (purchased incorrect item, too many items, no longer wants product).

You should expect to receive your refund within four weeks of giving your package to the return shipper; however, in many cases you will receive a refund more quickly. This time period includes the transit time for us to receive your return from the shipper (5 to 10 business days), the time it takes us to process your return once we receive it (3 to 5 business days), and the time it takes your bank to process our refund request (5 to 10 business days).

If you need to return an item, simply login to your account, view the order using the "Complete Orders" link under the My Account menu and click the Return Item(s) button. We'll notify you via email of your refund once we've received and processed the returned item.

Limited Warranty

All products found in this catalog have been manufactured by other parties. These products may be warrantied by their respective manufacturers against defects in workmanship and materials that arise during normal use.

There may be a limited term to any of these manufacturers' warranties, and these warranties may be invalidated by any misuse of the products.

The manufacturers have provided all statistical information found in this catalog. These statistics are reproduced solely for the buyer's information and convenience. This catalog does not represent these statistics as being accurate.

Determining the adequacy of any product for any intended purpose is the sole responsibility of the buyer. In making that determination, the buyer has not relied upon any warranty or representation made by our company.

We do not recognize the authority of any agent, employee or representative of our company to bind us to any representation, affirmation of fact or warranty, expressed or implied.

No warranty shall be created by any statement made in this catalog for the advertisement or promotion of any product.

Our company makes no warranties of any kind. Any and all warranties, expressed or implied, including warranties of merchantability and fitness for a particular purpose, are hereby disclaimed by our company.

Any claim for consequential or incidental damages arising out of or connected to the manufacture, sale, delivery or use of any product found in this catalog shall in no event be our company's liability.

In all events, our liability shall be limited to and shall not exceed the purchase price paid for the products by the buyer.

Shipping

We can ship to virtually any address in the world. Note that there are restrictions on some products, and some products cannot be shipped to international destinations.

When you place an order, we will estimate shipping and delivery dates for you based on the availability of your items and the shipping options you choose. Depending on the shipping provider you choose, shipping date estimates may appear on the shipping quotes page.

Please also note that the shipping rates for many items we sell are weight-based. The weight of any such item can be found on its detail page. To reflect the policies of the shipping companies we use, all weights will be rounded up to the next full pound.

If you need a guaranteed overnight shipment, you must place your order over the phone by noon EST (M-Th). (Please note that not all items are available for overnight shipping.)

By default, you order will ship ground and be delivered in approximately 5 business days, as indicated at checkout. Some items have shorter or longer lead times, which will be listed on the product page and in the checkout process, including "Manufacturer Direct" items. Manufacturer direct items cannot be expedited and will ship directly to you when the item is ready.

Priority and expedited options speed up the processing and handling of your order but are not guaranteed shipping methods. We are not able to offer priority and expedited handling options on some large-quantity or multiple-item orders.

Overnight shipping is the only guaranteed shipping method, and overnight orders must be placed by phone or live help before

12:00pm EST M-F and will incur additional, non-refundable costs. Please be advised not all Jendco Safety products can be overnighted.

We cannot ship on 3rd party shipping accounts.

We do offer "Will Call" services at our Columbus, Ohio warehouse only. If you would like to pick up your order in Columbus, please contact customer service to place the order.

*Please Note

International shipments may be liable for local customs and duties. These customs and duties are the responsibility of the recipient. Jendco Safety Supply cannot determine what local customs and duties might be, contact your local customs office for further information. Jendco Safety Supply cannot declare items purchased as merchandise anything else other than merchandise.

Unavailable Items

Some items may not be available for shipping outside the United States. If you place an order for any of these items, you will be notified via email before your order is processed.

Non-Stock Items

Many of the Miller Fall Protection, Titan by Miller Fall Protection, 3M and Guardian Fall Protection items are custom or made to order items. They may take 10-14 business days to ship. These MTO (made to order) items are NON-REFUNDABLE, NOT RETURNABLE and CANNOT BE CANCELED once our vendor receives the purchase order. Please call to confirm shipping times and product details if this is a time sensitive delivery.

Refused and Abandoned Packages

If package is refused, returned or abandoned at the time of delivery for whatever reason, customer will only be refunded the purchase price of the item minus the original shipping cost, the return shipping cost, any customs, import, duty fees, taxes, and/or brokerage fees, that are incurred as the result of the item being returned to the United States.

Items That Are Out of Stock

You will be contacted via email if you ordered an out of stock item. At this point you can either choose to substitute for another item in stock, remove it from your order, cancel your order or place your order temporarily on hold until your item is in stock again. Due to availability and vendor issues, we can only provide an estimate as to when an out of stock item will become available.



1303 Alum Creek Dr
Columbus, OH 43209



CALL 800.449.9606



CLICK jendcosafety.com



STOP BY 1303 Alum Creek Dr
Columbus, OH 43209

Family Owned and Operated for Over 30 Years!