



Get Inspired

Area Lighting

As you look to tackle the Five Principles for Responsible Outdoor Lighting in RP-43-22, let us help you with your area light punch list. Here, we gathered a directory of various looks and motifs to help get you started with your project.





Marbella

Harmonizing LED
Performance with
Traditional Elegance



Lumen range

2,023 -12,816 at 22 W to 132 W.

[LEARN MORE](#)



SUN VALLEY
LIGHTING

Colonial

Lumen range

854 -15,038 at 11 W to 216 W.

LEARN MORE





Lio

Lumen range

2,187 – 14,952 at 20 W to 120 W.

[LEARN MORE](#)





Ovaali

Lumen range

1,808 – 36,000 at 15 W to 300 W.



[LEARN MORE](#)



Flexia Quercus

Lumen range

600 - 23,500 at 8 W to 174 W.



[LEARN MORE](#)





Teceo

Lumen range

1,300 – 36,200 at 13.1 W to 280 W.



[LEARN MORE](#)





Detroit Series

Lumen range

2,878 - 47,401 at 30 W to 332 W.



[LEARN MORE](#)

Eunike GEN2 LED Luminaire

Lumen range

3,770 - 8870 at 29 W to 58 W.



[LEARN MORE](#)



Sunlike

Lumen range

1,600 - 9,000 at 8 W to 50 W Solar.



[LEARN MORE](#)



CREE  LIGHTING®

OSQ Series

Lumen range

2,100 – 86,000 at 16 W to 553 W.



[LEARN MORE](#)



Western Pro Tip: Older pedestrians require higher light levels. Always be mindful of the age group who will frequent the exterior space you are designing. People 60 years and older are the starting point for increased light.

Please reach out to your **Western Lighting and Energy Controls** representative for help in completing a successful light design.

www.westernlec.com

(855) 588-7661

Follow us on

