



Catalogue 2025 | Selection

Intensiv DiaRotary / Intensiv ZirconCut





Via al Molino 107, CH-6926 Montagnola, Switzerland

















Index





Shape Chart	4
Ball	6
Cone	8
Diabolo	9
Pear	10
Cylinder	12
Flame	19
Tapered	22
Torpedo	34
Footbal	38
Wheel	42
Lenticular	43
Special shapes	44


Shape Chart




Torpedo




Football



Wheel / Lenticular



Special shapes



BALL 801L • Round, long neck



FG • ISO 314	 FG 4699	 FG 200L	 FG 196L	 FG 4201NL	 FG 201NL C FG 201NL FG 8201NL	 FG 203L C FG 203L	 FG 201L	 FG 204L C FG 204L
--------------	-------------	-------------	-------------	---------------	---	--------------------------	-------------	--------------------------





BALL 802 • Round, coated neck




FG • ISO 314	 FG 300S C FG 300S FG 300S GB FG 4300S	 FG 300A FG 4300	 FG 300 C FG 300 FG 300 GB	 FG 301S C FG 301S FG 301S GB	 FG 301A C FG 301A	 FG 301 C FG 301 FG 301 GB	 FG 301 CB	 FG 302A C FG 302A
--------------	--	------------------------	-------------------------------------	--	--------------------------	-------------------------------------	---------------	--------------------------

RA • ISO 204	 RA 300	 RA 301S	 RA 301
--------------	------------	-------------	------------

Intensiv DiaRotary






























Colour code	Micron		Description
 544	150 µm	125 µm	Super coarse
 534	125 µm	106 µm*	Coarse
 524	106 µm	60/80/90 µm*	Standard
 514	50 µm		Golden Burs GB









*Depending on the shape and size of the instruments, the grit size may differ from the specified value.

CONE 805 • Inverted
















FG • ISO 314	L 0.5 ∅ 007		L 0.5 ∅ 008		L 0.7 ∅ 008		L 0.7 ∅ 009		L 1.0 ∅ 009		L 1.0 ∅ 010		L 1.0 ∅ 011		L 1.0 ∅ 012		L 1.3 ∅ 013		
	 FG 216A	 FG 216S C	 FG 216S	 FG 216N GB	 FG 216N C	 FG 216N	 FG 217S GB	 FG 217S C	 FG 217S	 FG 216 GB	 FG 216 C	 FG 216	 FG 217 GB	 FG 217 C	 FG 217				
	 FG 217 C	 FG 217	 FG 202 GB	 FG 202 C	 FG 202	 FG 202 CB	 FG 402 GB	 FG 402 C	 FG 402	 FG 402 CB	 FG 416 GB	 FG 416 C	 FG 416						
 FG 416 CB																			

RA • ISO 204	L 0.7 ∅ 009		L 1.0 ∅ 011		L 1.0 ∅ 012		L 1.5 ∅ 015		L 1.5 ∅ 016	
	 RA 216N	 RA 216 GB	 RA 216	 RA 202 GB	 RA 202 C	 RA 202				

CONE 806 • Inverted, coated neck



FG • ISO 314	L 1.8 ∅ 007		L 1.8 ∅ 008		L 2.0 ∅ 008		L 2.0 ∅ 009		L 2.5 ∅ 011		L 2.5 ∅ 012		L 5.0 ∅ 017		L 5.0 ∅ 018		L 5.0 ∅ 019	
	 FG 316S GB	 FG 316S C	 FG 316S	 FG 316N GB	 FG 316N C	 FG 316N	 FG 316 GB	 FG 316 C	 FG 316	 FG 302 GB	 FG 302 C	 FG 302	 FG 302 CB					

CONE 807 • Long, inverted












FG • ISO 314	 L 3.0 ∅ 010 FG 207	 L 4.0 ∅ 011 FG 215S GB	 L 4.0 ∅ 012 FG 215S C FG 215S	 L 5.0 ∅ 013 FG 215 GB	 L 5.0 ∅ 014 FG 215 C FG 215	 L 5.2 ∅ 016 FG 118	 L 5.5 ∅ 017 FG 115 GB	 L 5.5 ∅ 018 FG 115 C FG 115	 L 5.5 ∅ 019 FG 115 CB
	 L 6.0 ∅ 021 FG 119 C FG 119	 L 6.5 ∅ 023 FG 119A C FG 119A							


DIABOLO 813



FG • ISO 314	 L 1.1 ∅ 010 FG 297	 L 1.2 ∅ 012 FG 298 C FG 298	 L 1.7 ∅ 014 FG 299 C FG 299	 L 1.8 ∅ 016 FG 303S C FG 303S	 L 1.9 ∅ 018 FG 303A C FG 303A	 L 2.5 ∅ 020 FG 303 C FG 303	 L 2.5 ∅ 021 FG 303 CB


Intensiv DiaRotary

Colour code	Micron		Description
 544	150 µm	125 µm	Super coarse
 534	125 µm	106 µm*	Coarse
 524	106 µm	60/80/90 µm*	Standard
 524	80 µm		Medium
 514	50 µm		Golden Burs GB
 514	40 µm		Fine
 514	25 µm		Fine
 504	15 µm		Extra fine
 494	8 µm		Ultra fine





*Depending on the shape and size of the instruments, the grit size may differ from the specified value.



PEAR 822 • Small, convex tip



PEAR 830 • Convex tip



PEAR 830R • Round



PEAR 830L • Long, convex tip



FG • ISO 314

 FG 3224 FG 3225	 FG 8224 FG 8225	 FG 9223	 FG 3223 FG 5223	 FG 9223	 FG 3223 FG 5223	 FG 9223	 FG 4223R	 FG 3323		
 FG 4323	 FG 223B FG 8223	 FG 229 C FG 229	 FG 230 C FG 230							

RA • ISO 204

 RA 3223 RA 5223	 RA 4223R							
------------------------	--------------	--	--	--	--	--	--	--

PEAR 830RL • Long, round



FG • ISO 314


 FG 224 GB FG 4224	 FG 224 C FG 224	 FG 5225	 FG 225 GB FG 4225	 FG 225 C FG 225	 FG 225 CB	 FG 223 GB	 FG 223 C FG 223	 FG 223 CB
 FG 226 C FG 226	 FG 227 C FG 227	 FG 227 CB						

RA • ISO 204

 RA 225 GB	 RA 223 GB	 RA 223						
---------------	---------------	------------	--	--	--	--	--	--

Intensiv DiaRotary

Colour code	Micron		Description
544	150 µm	125 µm	Super coarse
534	125 µm	106 µm*	Coarse
524	106 µm	60/80/90 µm*	Standard
524	80 µm		Medium
514	50 µm		Golden Burs GB
514	40 µm		Fine
514	25 µm		Fine
504	15 µm		Extra fine
494	8 µm		Ultra fine



*Depending on the shape and size of the instruments, the grit size may differ from the specified value.

CYLINDER 835 • Short



FG • ISO 314	L 2.0 ∅ 007	L 3.0 ∅ 007	L 3.0 ∅ 007	L 4.0 ∅ 007	L 3.0 ∅ 008	L 4.0 ∅ 008	L 3.0 ∅ 009	L 4.0 ∅ 009	L 3.0 ∅ 010
	FG 4612	FG 4211S FG 3211S	FG 3212S	FG 612	FG 211S	FG 212S GB FG 4212S FG 3210	FG 212S FG 8212S FG 210 GB FG 4210	FG 212 FG 212 C	FG 210 FG 210 C FG 212S CB
	FG 3214 FG 5214								
	FG 8211								
	FG 211 C FG 211	FG 210 CB		FG 214 C FG 214	FG 214 CB	FG 204 C FG 204	FG 204 CB	FG 244 C FG 244	FG 244 CB
			FG 214 GB FG 4214		FG 8214	FG 204 GB FG 4204			
RA • ISO 204	L 3.0 ∅ 009	L 4.0 ∅ 009	L 3.0 ∅ 010	L 4.0 ∅ 012	L 4.0 ∅ 013	L 4.0 ∅ 014	L 4.0 ∅ 016	L 4.0 ∅ 017	
	RA 212S RA 210 GB	RA 212	RA 210	RA 214 C RA 214		RA 204 GB	RA 204 C RA 204		

CYLINDER 836 • Parallel shoulder



FG • ISO 314	L 6.0 ∅ 008	L 6.0 ∅ 010	L 6.0 ∅ 013	L 6.0 ∅ 015	L 6.0 ∅ 016	L 6.0 ∅ 018	RA • ISO 204	L 6.0 ∅ 013	L 6.0 ∅ 015
	FG 98	FG 99	FG 114S C FG 114S FG 114 GB FG 4114	FG 114 CB FG 114 C FG 114	FG 114A C FG 114A	FG 115A C FG 115A		RA 114 GB	RA 114

CYLINDER 837 • Long, parallel shoulder



FG • ISO 314	L 8.0 ∅ 010	L 8.0 ∅ 010	L 8.0 ∅ 011	L 8.0 ∅ 012	L 8.0 ∅ 013	L 8.0 ∅ 014	L 8.0 ∅ 015	L 8.0 ∅ 016	L 8.0 ∅ 018
	FG 314A	FG 4036 FG 5314S	FG 314S GB FG 4314S	FG 314S C FG 314S	FG 314S CB FG 314 GB FG 4314	FG 314 C FG 314	FG 314 CB	FG 315A C FG 315A	FG 313A C FG 313A

RA • ISO 204	L 8.0 ∅ 010	L 8.0 ∅ 011	L 8.0 ∅ 012	L 8.0 ∅ 013	L 8.0 ∅ 014
	RA 4036	RA 314S GB	RA 314S	RA 314 GB	RA 314 C RA 314

CYLINDER 837L • X-long, parallel shoulder



FG • ISO 314	L 9.0 ∅ 010	L 9.0 ∅ 012	L 9.0 ∅ 014	L 9.0 ∅ 015	L 9.0 ∅ 016	L 9.0 ∅ 017	L 9.0 ∅ 018	L 9.0 ∅ 019
	FG 312L	FG 313L C FG 313L	FG 316L C FG 316L FG 4314L	FG 314L GB	FG 314L C FG 314L	FG 314L CB FG 317L GB	FG 317L C FG 317L	FG 317L CB


CYLINDER 842 • Extra-long



FG • ISO 314	L 12.0 ∅ 014
	FG 502 C FG 502

Intensiv DiaRotary

Colour code	Micron		Description
■ 534	125 µm	106 µm*	Coarse
■ 524	106 µm	60/80/90 µm*	Standard
■ 524	80 µm		Medium
■ 514	40 µm		Fine
■ 514	25 µm		Fine
■ 504	15 µm		Extra fine
■ 494	8 µm		Ultra fine



*Depending on the shape and size of the instruments, the grit size may differ from the specified value.

CYLINDER 835KR • Short, rounded edge



FG • ISO 314	L 4.0 ∅ 008	L 4.0 ∅ 010	L 4.0 ∅ 012	L 4.0 ∅ 014	L 4.0 ∅ 016	L 4.0 ∅ 018
	FG 261	FG 262	FG 263 C FG 263	FG 264 C FG 264	FG 265 C FG 265	FG 266 C FG 266

CYLINDER 836KR • Medium, rounded edge



FG • ISO 314	L 6.0 ∅ 008	L 6.0 ∅ 009	L 5.0 ∅ 010	L 6.0 ∅ 010	L 6.0 ∅ 011	L 6.0 ∅ 011	L 6.0 ∅ 012	L 6.0 ∅ 013
	FG 397	FG 3510 FG 5510	FG 8710 FG 3710B	FG 398	FG 8510	FG 3514 FG 5514	FG 399 C FG 399	FG 4414 FG 3414 FG 5414 FG 3414B


CYLINDER 837KR • Extra-long, rounded edge



FG • ISO 314	 L 8.0 Ø 009 FG 3712B FG 5712B	 L 8.0 Ø 010 FG 609 C FG 609	 L 8.0 Ø 011 FG 712 C FG 8712	 L 8.0 Ø 012 FG 3614	 L 8.0 Ø 013 FG 4614	 L 8.0 Ø 014 FG 611 C FG 8614 FG 3614B	 L 8.0 Ø 016 FG 4614B	 L 10.0 Ø 012 FG 4305LP FG 9325L	 L 10.0 Ø 013 FG 305LP C FG 8305LP FG 5325L
	 L 10.0 Ø 014 FG 4325L	 L 10.0 Ø 015 FG 8325L	 L 10.0 Ø 016 FG 326 C FG 326	 L 10.0 Ø 018 FG 327 C FG 327	 L 10.0 Ø 016 FG 9327				

Intensiv DiaRotary

Colour code	Micron		Description
544	150 µm	125 µm	Super coarse
534	125 µm	106 µm*	Coarse
524	106 µm	60/80/90 µm*	Standard
524	80 µm		Medium
514	50 µm		Golden Burs GB
514	40 µm		Fine
514	25 µm		Fine
504	15 µm		Extra fine
494	8 µm		Ultra fine



*Depending on the shape and size of the instruments, the grit size may differ from the specified value.

CYLINDER 838 • Rounded edge



FG • ISO 314	L 4.0 ∅ 008	L 4.0 ∅ 009	L 4.0 ∅ 010	L 4.0 ∅ 012	L 4.0 ∅ 013	L 4.0 ∅ 014	L 4.0 ∅ 015
	FG 412A	FG 412 C FG 412	FG 411	FG 411A C FG 411A	FG 404 GB FG 3404	FG 404 C FG 404 FG 8404	FG 404 CB

RA • ISO 204	L 4.0 ∅ 014
	RA 404

CYLINDER 880 • Round



FG • ISO 314	L 6.0 ∅ 009	L 6.0 ∅ 010	L 6.0 ∅ 011	L 6.0 ∅ 012	L 6.0 ∅ 013	L 6.0 ∅ 014	L 6.0 ∅ 016
	FG 305S GB FG 4305S	FG 3055 C FG 3055	FG 3055 CB FG 305 GB FG 4305	FG 305 C FG 305	FG 305 CB	FG 334 C FG 334	FG 336 C FG 336

CYLINDER 881 • Long, round



FG • ISO 314

 FG 309 GB	 FG 309 C FG 309 FG 309 CB	 FG 321 C FG 321 FG 309 CB FG 4322	 FG 322 C FG 322 FG 3315S FG 5315S	 FG 315S GB FG 4315S	 FG 315S C FG 315S FG 8315S	 FG 324 C FG 324	 FG 315S CB FG 307 GB FG 4307	 FG 307 C FG 307 FG 5315
 FG 3315L FG 5315L FG 9315L	 FG 307 CB FG 325 GB FG 4325	 FG 325 C FG 325	 FG 325 CB FG 315 GB FG 4315	 FG 315 GB FG 4315L	 FG 315 C FG 315	 FG 315L C FG 315L FG 8315L	 FG 315 CB	 FG 315L CB

RA • ISO 204

 RA 315S GB	 RA 315S C RA 315S
----------------	--------------------------

CYLINDER 882 • X-long, round



FG • ISO 314


 FG 3305L FG 5305L FG 9305L	 FG 307A C FG 307A FG 305L GB FG 4305L	 FG 4038	 FG 305L C FG 305L FG 8305L	 FG 305L CB FG 307N GB FG 4307N	 FG 307N C FG 307N	 FG 307N CB FG 307L GB FG 4307L	 FG 307L C FG 307L	 FG 307L CB
--------------------------------------	--	-------------	--------------------------------------	--	--------------------------	--	--------------------------	----------------

RA • ISO 204

 RA 4038	 RA 305L GB	 RA 305L
-------------	----------------	-------------


Intensiv DiaRotary

Colour code	Micron		Description
544	150 µm	125 µm	Super coarse
534	125 µm	106 µm*	Coarse
524	106 µm	60/80/90 µm*	Standard
524	80 µm		Medium
514	50 µm		Golden Burs GB
514	40 µm		Fine
514	25 µm		Fine
504	15 µm		Extra fine
494	8 µm		Ultra fine



*Depending on the shape and size of the instruments, the grit size may differ from the specified value.

CYLINDER 885 • Pointed



FG • ISO 314	L 7.5 ∅ 008	L 7.5 ∅ 010	L 7.5 ∅ 011	L 7.5 ∅ 012	L 7.5 ∅ 013	L 7.5 ∅ 014	L 7.5 ∅ 016	L 7.5 ∅ 018
	FG 131	FG 133	FG 124 GB	FG 124 C FG 124	FG 124 CB	FG 125 C FG 125	FG 134 C FG 134	FG 136 C FG 136

CYLINDER 886 • Long, pointed



FG • ISO 314	L 10.0 ∅ 014	L 10.0 ∅ 015	L 10.0 ∅ 016	L 10.0 ∅ 017
	FG 3124L	FG 124L GB FG 4124L	FG 124L C FG 124L	FG 124L CB

FLAME 860 • Short, cylindrical



FG • ISO 314

 FG D40	 FG 205S C FG 205S FG 4205 FG 3205 FG 5205 FG 9205	 FG 205 C FG 205 FG 205 GB	 FG 205 C FG 205	 FG 205 CB	 FG 269 C FG 269	 FG 269 C FG 269
------------	--	-------------------------------------	------------------------	---------------	------------------------	------------------------

RA • ISO204

 RA 9205	 RA 4205 RA 3205 RA 5205 RA 9205	 RA 205 GB	 RA 205
-------------	--	---------------	------------

FLAME 861 • Normal, slim, cylindrical



FG • ISO 314


 FG 9205L	 FG 4205L FG 3205L FG 5205L	 FG 205L GB	 FG 205L C FG 205L	 FG 205L CB	 FG 285L C FG 285L	 FG 285L CB
--------------	--------------------------------------	----------------	--------------------------	----------------	--------------------------	----------------

RA • ISO 204

 RA 4205L RA 5205L	 RA 205L GB	 RA 205L
--------------------------	----------------	-------------

Intensiv DiaRotary

Colour code	Micron		Description
544	150 µm	125 µm	Super coarse
534	125 µm	106 µm*	Coarse
524	106 µm	60/80/90 µm*	Standard
524	80 µm		Medium
514	50 µm		Golden Burs GB
514	40 µm		Fine
514	25 µm		Fine
504	15 µm		Extra fine



*Depending on the shape and size of the instruments, the grit size may differ from the specified value.

FLAME 862 • Normal, cylindrical



FG • ISO 314

L 8.0 Ø 009	L 8.0 Ø 010	L 8.0 Ø 011	L 8.0 Ø 012	L 8.0 Ø 013	L 8.0 Ø 014	L 8.0 Ø 015	L 8.0 Ø 016	L 8.0 Ø 017
FG 363	FG 364 C FG 364	FG 4365	FG 365 C FG 365	FG 4311S	FG 311S C FG 311S	FG 311 C FG 311	FG 311 C FG 311	FG 311 CB
					FG 311 GB FG 4311	FG 311 GB FG 4311		FG 312 GB
					FG 3311 FG 5311			

FG • ISO 314

L 8.0 Ø 018	L 8.0 Ø 019	L 8.0 Ø 021
FG 312 C FG 312	FG 312 CB	FG 367 C FG 367

RA • ISO 204

L 8.0 Ø 015	L 8.0 Ø 016
RA 311 GB RA 4311	RA 311

FLAME 863 • Long, cylindrical



FG • ISO 314

 L 10.0 Ø 009 FG 9405L	 L 10.0 Ø 010 FG 404L FG 3405L FG 5405L	 L 10.0 Ø 011 FG 405L GB FG 4405L	 L 10.0 Ø 012 FG 405L C FG 405L FG 5505	 L 10.0 Ø 013 FG 505 GB FG 4505 FG 9505L	 L 10.0 Ø 014 FG 505 C FG 505 FG 5505L	 L 10.0 Ø 015 FG 505L GB FG 4505L	 L 10.0 Ø 016 FG 505L C FG 505L FG 8505L FG 5312N	 L 10.0 Ø 017 FG 312N GB FG 4312N
 L 10.0 Ø 018 FG 312N C FG 312N	 L 10.0 Ø 019 FG 312N CB	 L 10.0 Ø 021 FG 378 C FG 378						

RA • ISO 204

 L 10.0 Ø 011 RA 405L GB	 L 10.0 Ø 012 RA 405L						
-----------------------------------	--------------------------------	--	--	--	--	--	--

FLAME 888 • Conical












FG • ISO 314


 L 6.5 Ø 018 FG 95 GB	 L 6.5 Ø 019 FG 95 C FG 95	 L 9.0 Ø 022 FG D20 GB	 L 11.0 Ø 022 FG D21 GB FG 40D21	 L 9.0 Ø 023 FG D20 C FG D20	 L 11.0 Ø 023 FG D21 C FG D21	 L 9.0 Ø 024 FG D20 CB	 L 11.0 Ø 024 FG D21 CB
--------------------------------	--	---------------------------------	--	--	---	---------------------------------	----------------------------------

RA • ISO 204

 L 6.5 Ø 018 RA 95 GB	 L 6.5 Ø 019 RA 95 C RA 95	 L 11.0 Ø 022 RA D21 GB	 L 9.0 Ø 023 RA D20	 L 11.0 Ø 023 RA D21			
--------------------------------	--	----------------------------------	------------------------------	-------------------------------	--	--	--

Intensiv DiaRotary

































Colour code	Micron		Description
 544	150 µm	125 µm	Super coarse
 534	125 µm	106 µm*	Coarse
 524	106 µm	60/80/90 µm*	Standard
 524	80 µm		Medium
 514	50 µm		Golden Burs GB
 514	40 µm		Fine
 514	25 µm		Fine
 504	15 µm		Extra fine
 494	8 µm		Ultra fine



*Depending on the shape and size of the instruments, the grit size may differ from the specified value.



























TAPERED 845 • Short, 90° edge



FG • ISO 314	 L 3.0 ∅ 009	 L 4.0 ∅ 011	 L 4.0 ∅ 012	 L 4.0 ∅ 013	 L 4.0 ∅ 015	 L 4.0 ∅ 016	 L 4.0 ∅ 017	 L 4.0 ∅ 018	 L 4.0 ∅ 022
			  		  	 		 	
		   							

TAPERED 846 • Medium, 90° edge



FG • ISO 314	 L 6.0 ∅ 012	 L 6.0 ∅ 014	 L 6.0 ∅ 015	 L 6.0 ∅ 016	 L 6.0 ∅ 017	 L 7.0 ∅ 017	 L 6.0 ∅ 018	 L 7.0 ∅ 018	 L 6.0 ∅ 019	
	 	 		 		 	 	 	 	

TAPERED 847 • 90° edge



FG • ISO 314	L 8.0 ∅ 010	L 8.0 ∅ 012	L 8.0 ∅ 014	L 8.0 ∅ 015	L 8.0 ∅ 016	L 8.0 ∅ 017	L 8.0 ∅ 018	L 8.0 ∅ 022	L 8.0 ∅ 023	
	FG 116A FG 116 GB FG 3116	FG 116 C FG 116	FG 116 CB FG 116N C FG 116N	FG 117 GB FG 4117	FG 117 C FG 117 FG 8117	FG 117 CB FG 117N GB FG 4117N	FG 117N C FG 117N	FG 117N C FG 117N	FG 520	FG 113N GB FG 4520
	L 8.0 ∅ 024	L 8.0 ∅ 025	L 8.0 ∅ 028	L 8.0 ∅ 029	L 8.0 ∅ 030	RA • ISO 204		L 8.0 ∅ 014	L 8.0 ∅ 015	L 8.0 ∅ 016
	FG 113N C FG 113N	FG 113N CB	FG 113S GB FG 4113S FG 3113S	FG 113S FG 8113S	FG 113S CB FG 113S C			RA 117 C RA 117	RA 117 GB RA 4117	RA 3117 RA 5117

TAPERED 848 • Long, 90° edge



FG • ISO 314	L 10.0 ∅ 010	L 10.0 ∅ 012	L 10.0 ∅ 013	L 10.0 ∅ 014	L 10.0 ∅ 015	L 10.0 ∅ 016	L 10.0 ∅ 017	L 10.0 ∅ 018	L 10.0 ∅ 022
	FG D12	FG D13 C FG D13	FG D15 C FG D15	FG D15 C FG D15 FG 40D5	FG D5 GB	FG D5 C FG D5	FG D5 C FG D5	FG D5 CB FG D19 C FG D19	FG D22 GB
	L 10.0 ∅ 023	L 10.0 ∅ 024	RA • ISO 204		L 10.0 ∅ 015	L 10.0 ∅ 016	L 10.0 ∅ 023	L 10.0 ∅ 024	
	FG D22 C FG D22	FG D22 CB	RA D5 GB	RA D5	RA D22 C RA D22	RA D22 CB			

TAPERED 848L • Extra-long, 90° edge



FG • ISO 314	L 11.5 ∅ 012	L 11.5 ∅ 014	L 11.5 ∅ 016	L 11.5 ∅ 018	L 11.5 ∅ 021
	FG D13L C FG D13L	FG D15L C FG D15L	FG D5L C FG D5L	FG D19L C FG D19L	FG D22L C FG D22L

TAPERED 847KR • Normal, rounded edge



FG • ISO 314	 FG 4427	 FG 8427	 FG 3427 FG 5422R	 FG 422R CB FG 422R C FG 422R FG 8422R FG 4422R	 FG 517 C FG 517 FG 8517 FG 4517 FG 3517	 FG 5526	 FG 526 GB FG 526 C FG 526 FG 8526	 FG 4526 FG 3526
	 FG 3113NR	 FG 4113NR FG 3513N	 FG 113NR FG 8113NR					


TAPERED 848KR • Long, rounded edge



FG • ISO 314	 FG 5423R	 FG 423R GB	 FG 423R C FG 423R FG 8423R	 FG 423R CB				

Intensiv DiaRotary

Colour code	Micron		Description
■ 534	125 µm	106 µm*	Coarse
■ 524	106 µm	60/80/90 µm*	Standard
■ 514	50 µm		Golden Burs GB



*Depending on the shape and size of the instruments, the grit size may differ from the specified value.

TAPERED 851 • Round, safe end



FG • ISO 314

L 8.0 Ø 010	L 8.0 Ø 011	L 8.0 Ø 012	L 8.0 Ø 015	L 8.0 Ø 016	L 8.0 Ø 016	L 8.0 Ø 017
FG 17	FG 19 GB	FG 19 C FG 19	FG 18 GB	FG 18 C FG 18	FG 19A GB	FG 19A

RA • ISO 204

L 8.0 Ø 012
RA 19

TAPERED 857 • Long, round, safe end



FG • ISO 314


L 9.5 Ø 012	L 9.5 Ø 014	L 10.0 Ø 015	L 10.0 Ø 016	L 10.0 Ø 017
FG 16L C FG 16L	FG 17L C FG 17L	FG 18L GB	FG 18L C FG 18L	FG 19L C FG 19L

RA • ISO 204

L 10.0 Ø 016	L 10.0 Ø 017
RA 18L	RA 19L


Intensiv DiaRotary

Colour code	Micron		Description
544	150 µm	125 µm	Super coarse
534	125 µm	106 µm*	Coarse
524	106 µm	60/80/90 µm*	Standard
524	80 µm		Medium
514	50 µm		Golden Burs GB
514	40 µm		Fine
514	25 µm		Fine
504	15 µm		Extra fine














*Depending on the shape and size of the instruments, the grit size may differ from the specified value.


TAPERED 849 • Short, round



TAPERED 855 • Normal, round



Colour code	Micron		Description
 544	150 µm	125 µm	Super coarse
 534	125 µm	106 µm*	Coarse
 524	106 µm	60/80/90 µm*	Standard
 524	80 µm		Medium
 514	50 µm		Golden Burs GB
 514	40 µm		Fine
 514	25 µm		Fine
 504	15 µm		Extra fine
 494	8 µm		Ultra fine





















*Depending on the shape and size of the instruments, the grit size may differ from the specified value.

TAPERED 856 • Round






FG • ISO 314

 L 8.0 Ø 009	 L 8.0 Ø 010	 L 8.0 Ø 012	 L 8.0 Ø 013	 L 8.0 Ø 014	 L 8.0 Ø 015	 L 8.0 Ø 015	 L 8.0 Ø 016	 L 8.0 Ø 016
FG D23	FG D24	FG D25 C FG D25	FG D25 CB	FG D26 C FG D26	FG 40D18	FG 9235	FG D18 C FG D18	FG 4235 FG 3235 FG 5235
FG 40D25	FG 40D26	FG 50D18						

 L 8.0 Ø 017	 L 8.0 Ø 017	 L 8.0 Ø 018	 L 8.0 Ø 019	 L 8.0 Ø 019	 L 8.0 Ø 021	 L 8.0 Ø 023	 L 8.0 Ø 025	 L 8.0 Ø 026
FG D18 CB	FG 235 GB	FG 235 FG 8235	FG 235 CB FG 235 C	FG 4235A	FG 235A C FG 235A	FG 4235S	FG 235S C FG 235S	FG 235S CB






RA • ISO 204

 L 8.0 Ø 014	 L 8.0 Ø 015	 L 8.0 Ø 016
		RA D18 C RA D18
RA 40D18	RA D18 GB	
RA 50D18		

TAPERED 856L • Long, round



FG • ISO 314

 L 0.9 Ø 014	 L 0.9 Ø 015	 L 0.9 Ø 016	 L 0.9 Ø 018	 L 0.9 Ø 020
FG 237L C FG 237L	FG 4238L	FG 238L C FG 238L	FG 239L C FG 239L	FG 240L C FG 240L

TAPERED 850 • Long, slim, round



FG • ISO 314

 L 10.0 Ø 010 FG 232 FG 233 C FG 233 FG 233 GB FG 4233 FG 3233	 L 10.0 Ø 011 FG 233 GB FG 4233	 L 10.0 Ø 012 FG 233 C FG 233 FG 233 GB FG 4233	 L 10.0 Ø 013 FG 233 CB FG 5234 FG 90D6	 L 10.0 Ø 014 FG 30D6 FG 50D6	 L 10.5 Ø 014 FG 231 FG 234 GB	 L 10.0 Ø 015 FG 234 GB FG D6 GB FG 40D6	 L 10.0 Ø 015 FG D6 GB FG 40D6	 L 10.0 Ø 015 FG 9236
 L 10.0 Ø 016 FG 234 C FG 234 FG 8234 FG 4236 FG 3236 FG 5236	 L 10.0 Ø 016 FG 234 C FG 234 FG 8234 FG 4236 FG 3236 FG 5236	 L 10.0 Ø 016 FG D6 C FG D6 FG 80D6	 L 10.0 Ø 017 FG 234 CB FG 236 GB	 L 10.0 Ø 017 FG D6 CB FG 236 GB	 L 10.0 Ø 017 FG 236 GB	 L 10.0 Ø 018 FG 236 C FG 236 FG 8236	 L 10.0 Ø 019 FG 236 CB	 L 10.0 Ø 020 FG 3237 FG 5237
 L 10.0 Ø 021 FG 237 GB FG 4237	 L 10.0 Ø 022 FG 237 C FG 237 FG 8237	 L 10.0 Ø 023 FG 237 CB FG 9238	 L 10.0 Ø 024 FG 5238	 L 10.0 Ø 025 FG 238 GB FG 4238	 L 10.0 Ø 026 FG 238 C FG 238 FG 8238	 L 10.0 Ø 027 FG 238 CB		

RA • ISO 204

 L 10.0 Ø 014 RA 50D6	 L 10.0 Ø 015 RA D6 GB RA 40D6	 L 10.0 Ø 016 RA 4236 RA 3236 RA 5236	 L 10.0 Ø 016 RA D6 C RA D6	 L 10.0 Ø 017 RA D6 CB	 L 10.0 Ø 017 RA 236 GB	 L 10.0 Ø 018 RA 236 C RA 236		
--------------------------------	--	--	---	---------------------------------	----------------------------------	---	--	--










TAPERED 850L • X-long, round




FG • ISO 314

 L 11.5 Ø 012 FG 246 C FG 246 FG 247 GB	 L 11.5 Ø 014 FG 247 C FG 247	 L 11.5 Ø 016 FG 248 C FG 248 FG 4249	 L 11.5 Ø 018 FG 249 C FG 249	 L 11.0 Ø 021 FG 3240	 L 11.0 Ø 022 FG 240 GB FG 4240	 L 11.0 Ø 023 FG 240 C FG 240	 L 11.0 Ø 024 FG 240 CB
--	---	--	---	--------------------------------	---	---	----------------------------------

Intensiv DiaRotary














Colour code	Micron		Description
 544	150 µm	125 µm	Super coarse
 534	125 µm	106 µm*	Coarse
 524	106 µm	60/80/90 µm*	Standard
 524	80 µm		Medium
 514	50 µm		Golden Burs GB
 514	40 µm		Fine
 514	25 µm		Fine
 504	15 µm		Extra fine
 494	8 µm		Ultra fine









*Depending on the shape and size of the instruments, the grit size may differ from the specified value.

TAPERED 852 • Pointed medium
































FG • ISO 314	L 6.0 ∅ 013	L 6.0 ∅ 014	L 6.0 ∅ 015	L 6.0 ∅ 016	L 6.0 ∅ 017	L 6.0 ∅ 018	L 6.0 ∅ 019
 FG 4117A	 FG 117A C  FG 117A	 FG 117S C  FG 117S	 FG 117S GB  FG 4117S  FG 5117S	 FG 113A GB	 FG 113A C  FG 113A	 FG 117S CB	 FG 113A CB

RA • ISO 204	L 6.0 ∅ 014	L 6.0 ∅ 015	L 6.0 ∅ 016	L 6.0 ∅ 017	L 6.0 ∅ 018
 RA 5117S	 RA 117S GB  RA 4117S	 RA 117S	 RA 113A GB	 RA 113A	

TAPERED 858 • Pointed



FG • ISO 314	L 7.0 ∅ 010	L 7.0 ∅ 010	L 7.0 ∅ 011	L 7.0 ∅ 012	L 8.0 ∅ 011	L 8.0 ∅ 012	L 8.0 ∅ 013	L 8.0 ∅ 014	L 8.0 ∅ 016
 FG D11 C  FG D11  FG D11 GB	 FG D2 C  FG D2	 FG D2 GB  FG 40D2	 FG D11A C  FG D11A	 FG D14 C  FG D14	 FG 360 C  FG 360	 FG 30D2  FG 50D2  FG 90D2	 FG 30D14  FG 50D14	 FG D14 GB  FG 40D14	

FG • ISO 314	L 9.0 ∅ 018	RA • ISO 314	L 7.0 ∅ 010	L 7.0 ∅ 011	L 7.0 ∅ 012	L 8.0 ∅ 011	L 8.0 ∅ 014
 FG 361 C  FG 361	 RA D2 GB  RA 40D2	 RA D2 C  RA D2	 RA 50D2		 RA 90D14	 RA D14	

TAPERED 859 • Pointed long



FG • ISO 314

 L 10.0 Ø 010 FG D4A	 L 11.0 Ø 010 FG 90D3	 L 10.0 Ø 011 FG D4A C FG D34A GB	 L 11.0 Ø 011 FG 40D3 FG 30D3 FG 50D3	 L 10.0 Ø 012 FG 50D34	 L 10.0 Ø 012 FG D34A C FG D34A	 L 11.0 Ø 012 FG D3 C FG D3 FG 80D3 FG D3 GB	 L 10.0 Ø 013 FG D34 GB FG 40D34 FG 30D34 FG 90D4	 L 10.0 Ø 014 FG D34 C FG D34 FG 30D4 FG 50D4
 L 10.0 Ø 015 FG D4 GB FG 40D4	 L 10.0 Ø 016 FG D4 C FG D4 FG 80D4	 L 11.0 Ø 018 FG D38 C FG D38	 L 10.0 Ø 021 FG D39 C FG D39					

RA • ISO 204

 L 11.0 Ø 011 RA 40D3 RA 50D3	 L 11.0 Ø 012 RA D3 C RA D3 RA D3 GB	 L 10.0 Ø 015 RA D4 GB RA 40D4	 L 10.0 Ø 016 RA D4 C RA D4
---	---	--	---

TAPERED 859L • Pointed long, round




FG • ISO 314

 L 11.5 Ø 010 FG D33 C FG D33	 L 11.5 Ø 014 FG D35 C FG D35	 L 11.5 Ø 016 FG D36 C FG D36	 L 12.0 Ø 018 FG D37 C FG D37
---	---	---	---

Intensiv DiaRotary

Colour code	Micron		Description
544	150 µm	125 µm	Super coarse
534	125 µm	106 µm*	Coarse
524	106 µm	60/80/90 µm*	Standard
524	80 µm		Medium
514	50 µm		Golden Burs GB
514	40 µm		Fine
514	25 µm		Fine
504	15 µm		Extra fine
494	8 µm		Ultra fine



*Depending on the shape and size of the instruments, the grit size may differ from the specified value.

TAPERED 955 • Pointed short, round, long neck



FG • ISO 314

RA • ISO 204










TAPERED 956 • Pointed short




FG • ISO 314

RA • ISO 204



Intensiv DiaRotary

Colour code	Micron		Description
 544	150 µm	125 µm	Super coarse
 534	125 µm	106 µm*	Coarse
 524	106 µm	60/80/90 µm*	Standard
 524	80 µm		Medium
 514	50 µm		Golden Burs GB
 514	40 µm		Fine
 514	25 µm		Fine
 504	15 µm		Extra fine
 494	8 µm		Ultra fine




*Depending on the shape and size of the instruments, the grit size may differ from the specified value.

TAPERED 886Z • Pointed




Intensiv DiaRotary

Colour code	Micron		Description
544	150 µm	125 µm	Super coarse
534	125 µm	106 µm*	Coarse
524	106 µm	60/80/90 µm*	Standard
524	80 µm		Medium
514	50 µm		Golden Burs GB
514	40 µm		Fine
514	25 µm		Fine
504	15 µm		Extra fine
494	8 µm		Ultra fine




*Depending on the shape and size of the instruments, the grit size may differ from the specified value.

TORPEDO 876 • Short, slim



TORPEDO 877 • Short



TORPEDO 878 • Normal



FG • ISO 314	 FG 468	 FG 469 FG 308S GB FG 4308S	 FG 308S C FG 308S FG 3308 FG 5308 FG 9308	 FG 308 GB FG 4308	 FG 308 C FG 308 FG 8308 FG 3388	 FG 308 CB FG 388 GB FG 4388	 FG 388 C FG 388 FG 8388 FG 3408 FG 5408	 FG 388 CB FG 408 GB FG 4408	 FG 408 C FG 408
	 FG 408 CB	 FG 470 C FG 470	RA • ISO 204 RA 308 GB RA 4308		 RA 308				

TORPEDO 879 • Long



FG • ISO 314	 FG 8040S FG 3040SB	 FG 3310 FG 5310	 FG 4037 FG 9040	 FG 310 GB FG 4310 FG 5310B	 FG 310 C FG 310 FG 8310 FG 4410 FG 5410	 FG 310 CB FG 3410	 FG 410 GB FG 4310B	 FG 410 C FG 410 FG 8410 FG 4040B FG 3040B	 FG 8040
	 FG 410 CB	 FG 471 C FG 471	 FG 472 C FG 472	RA • ISO 204 RA 4037		 RA 310 GB	 RA 310 C RA 310		


TORPEDO 879L • X-long



FG • ISO 314	 FG 473L C FG 473L	 FG 4410L FG 5410L	 FG 474L C FG 474L FG 410L GB	 FG 410L C FG 410L FG 8410L	 FG 410L CB
--------------	--------------------------	--------------------------	--	--------------------------------------	----------------

Intensiv DiaRotary

Colour code	Micron		Description
544	150 µm	125 µm	Super coarse
534	125 µm	106 µm*	Coarse
524	106 µm	60/80/90 µm*	Standard
524	80 µm		Medium
514	50 µm		Golden Burs GB
514	40 µm		Fine
514	25 µm		Fine
504	15 µm		Extra fine
494	8 µm		Ultra fine



*Depending on the shape and size of the instruments, the grit size may differ from the specified value.

TORPEDO 877K • Short, conical



FG • ISO 314

L 6.0 Ø 011	L 6.0 Ø 012	L 6.0 Ø 013	L 6.0 Ø 014	L 6.0 Ø 015	L 6.0 Ø 016	L 6.0 Ø 017	L 6.0 Ø 017	L 6.0 Ø 018
FG 161 GB FG 4161	FG 161 C FG 161	FG 161N C FG 161N	FG 162 C FG 162	FG 162 GB FG 4162	FG 162 C FG 162	FG 162 CB	FG 162 CB	FG 163 C FG 163
		FG 4161N FG 5062	FG 4062					FG 163 GB FG 4163

FG • ISO 204

L 6.0 Ø 019	L 6.0 Ø 021
FG 163 CB	FG 164 C FG 164

L 6.0 Ø 013	L 6.0 Ø 014
RA 5062	RA 4062

TORPEDO 878K • Conical



FG • ISO 314	L 8.0 ∅ 010 FG 5181	L 8.0 ∅ 011 FG 181 GB FG 4181	L 8.0 ∅ 012 FG 181 C FG 181	L 8.0 ∅ 013 FG 181 CB FG 4181N	L 8.0 ∅ 014 FG 181N C FG 181N FG 5182	L 8.0 ∅ 015 FG 182 GB FG 4182	L 8.0 ∅ 016 FG 182 C FG 182	L 8.0 ∅ 017 FG 182 CB FG 183 GB	L 8.0 ∅ 018 FG 183 C FG 183
	L 8.0 ∅ 020 FG 184 GB FG 4184	L 8.0 ∅ 021 FG 184 C FG 184	L 8.0 ∅ 022 FG 184 CB FG 185 GB FG 4185	L 8.0 ∅ 023 FG 185 C FG 185	L 8.0 ∅ 024 FG 185 CB				

TORPEDO 879K • Long, conical













FG • ISO 314	L 10.0 ∅ 012 FG 190 C FG 190	L 10.0 ∅ 013 FG 191 GB	L 10.0 ∅ 014 FG 191 C FG 191	L 10.0 ∅ 015 FG 191 CB FG 192 GB FG 4192	L 10.0 ∅ 016 FG 192 C FG 192	L 10.0 ∅ 017 FG 192 CB FG 193 GB FG 4193	L 10.0 ∅ 018 FG 193 C FG 193 FG 9195	L 10.0 ∅ 019 FG 193 CB FG 4194 FG 5195	L 10.0 ∅ 020 FG 194 C FG 194 FG 4195
	L 10.0 ∅ 021 FG 194 CB FG 195 FG 8195	L 10.0 ∅ 023 FG 196 C FG 196							

TORPEDO 898 • Long, slim, conical



FG • ISO 314	L 10.0 ∅ 013 FG 101 GB FG 4101	L 10.0 ∅ 014 FG 101 C FG 101	L 10.0 ∅ 015 FG 101 CB FG 102L GB FG 4102L	L 10.0 ∅ 016 FG 102L C FG 102L	L 10.0 ∅ 017 FG 103 GB FG 4103	L 10.0 ∅ 018 FG 103 C FG 103	L 10.0 ∅ 020 FG 104 GB	L 10.0 ∅ 021 FG 104 C FG 104
	FG 5102L							




















Colour code	Micron		Description
 544	150 µm	125 µm	Super coarse
 534	125 µm	106 µm*	Coarse
 524	106 µm	60/80/90 µm*	Standard
 524	80 µm		Medium
 514	50 µm		Golden Burs GB
 514	40 µm		Fine
 514	25 µm		Fine
 504	15 µm		Extra fine
 494	8 µm		Ultra fine



*Depending on the shape and size of the instruments, the grit size may differ from the specified value.


FOOTBALL 368 • Knospe



FG • ISO 314	 L 2.5 ∅ 010	 L 2.5 ∅ 011	 L 2.5 ∅ 012	 L 3.0 ∅ 012	 L 3.0 ∅ 013	 L 3.0 ∅ 014	 L 3.2 ∅ 016	 L 3.5 ∅ 016	 L 3.5 ∅ 017
	FG 252A		FG 254 C FG 254			FG 253 C FG 253	FG 252		
		FG 254 GB FG 4254			FG 4253				FG 255A GB FG 4255A
	FG 5254			FG 5253				FG 5255A	
FG Long • ISO 315	 L 5.0 ∅ 021	 L 5.0 ∅ 023							
		FG 255A C FG 255A FG 8255A							
RA • ISO 204	 L 2.5 ∅ 011	 L 2.5 ∅ 012	 L 3.5 ∅ 016	 L 3.5 ∅ 017	 L 3.5 ∅ 018	 L 5.0 ∅ 021	 L 5.0 ∅ 022	 L 5.0 ∅ 023	
		RA 254 C RA 254							
	RA 254 GB				RA 255A				

Intensiv DiaRotary

Colour code	Micron		Description
544	150 µm	125 µm	Super coarse
534	125 µm	106 µm*	Coarse
524	106 µm	60/80/90 µm*	Standard
524	80 µm		Medium
514	50 µm		Golden Burs GB
514	40 µm		Fine
514	25 µm		Fine
504	15 µm		Extra fine
494	8 µm		Ultra fine



*Depending on the shape and size of the instruments, the grit size may differ from the specified value.

FOOTBALL 379 • Eiform, schlank



FG • ISO 314

L 3.5 ∅ 016	L 3.5 ∅ 017	L 5.0 ∅ 020	L 5.0 ∅ 021	L 5.0 ∅ 022	L 5.0 ∅ 022	L 5.0 ∅ 023	L 5.0 ∅ 024
FG 250A GB	FG 250A C FG 250A	FG 9250	FG 3250 FG 5250	FG 250 GB FG 4250	FG 4250B	FG 250 C FG 250 FG 8250	FG 250 CB

RA • ISO 204

L 5.0 ∅ 021	L 5.0 ∅ 022	L 5.0 ∅ 023
RA 3250 RA 5250	RA 250 GB RA 4250	RA 250 RA 8250

FOOTBALL 390 • Granate



FG • ISO 314







L 3.0 ∅ 014	L 3.0 ∅ 015	L 3.0 ∅ 016	L 4.0 ∅ 018	L 4.0 ∅ 019	L 4.0 ∅ 020	L 4.0 ∅ 021
FG 4274 FG 3274 FG 5274 FG 9274	FG 274 GB	FG 274 C FG 274	FG 9274N	FG 3274N FG 5274N	FG 274N GB FG 4274N	FG 274N C FG 274N

RA • ISO 204

L 3.0 ∅ 014	L 3.0 ∅ 015	L 3.0 ∅ 016
RA 4274 RA 3274 RA 5274 RA 9274	RA 274 GB	RA 274




FOOTBALL 811 • Doppelkegel kurz



FG • ISO 314	 L 4.0 Ø 028	 L 4.0 Ø 029	 L 4.0 Ø 030	 L 4.5 Ø 033	 L 4.5 Ø 034	 L 5.0 Ø 037
	FG 198 GB	FG 198 C	FG 198 CB	FG 198A C	FG 198A CB	FG 197 C
	FG 4198	FG 198		FG 198A		FG 197








FOOTBALL 811L • Doppelkegel lang



FG • ISO 314	 L 6.0 Ø 036	 L 6.0 Ø 037	 L 6.0 Ø 038
	FG 241 GB	FG 241 C	FG 241 CB
	FG 4241	FG 241	


FOOTBALL 899 • Doppelkegel, schlank



FG • ISO 314	 L 6.5 Ø 019	 L 6.5 Ø 020	 L 6.5 Ø 021	 L 7.0 Ø 024	 L 7.0 Ø 025	 L 7.0 Ø 026	 L 7.0 Ø 027
	FG 3243	FG 243 GB	FG 243 C			FG 245 GB	FG 245 C
	FG 5243	FG 4243	FG 243			FG 4245	FG 245
	FG 9243			FG 9245	FG 5245		


Intensiv DiaRotary

Colour code	Micron		Description
544	150 µm	125 µm	Super coarse
534	125 µm	106 µm*	Coarse
524	106 µm	60/80/90 µm*	Standard
514	50 µm		Golden Burs GB
514	40 µm		Fine
504	15 µm		Extra fine




*Depending on the shape and size of the instruments, the grit size may differ from the specified value.



WHEEL 815 • Slim






WHEEL 818




WHEEL 909 • Wide




Intensiv DiaRotary

Colour code	Micron		Description
 534	125 µm	106 µm*	Coarse
 524	106 µm	60/80/90 µm*	Standard
 514	50 µm		Golden Burs GB




*Depending on the shape and size of the instruments, the grit size may differ from the specified value.







LENTICULAR 825 • Small




LENTICULAR 825




Intensiv DiaRotary

Colour code	Micron		Description
 534	125 µm	106 µm*	Coarse
 524	106 µm	60/80/90 µm*	Standard
 524	80 µm		Medium
 514	40 µm		Fine
 514	25 µm		Fine
 504	15 µm		Extra fine




*Depending on the shape and size of the instruments, the grit size may differ from the specified value.


INTERDENTAL 392 • Short, tapered




CAVITY MARGIN TRIMMER 833



HEMISPHERICAL 526 • Concave side




CYLINDER 839 • End-coated only




Intensiv DiaRotary

Colour code	Micron		Description
■ 534	125 µm	106 µm*	Coarse
■ 524	106 µm	60/80/90 µm*	Standard
■ 514	40 µm		Fine
■ 504	15 µm		Extra fine




*Depending on the shape and size of the instruments, the grit size may differ from the specified value.


TORPEDO 874 • Short




FLAME 889 • Long neck





CYLINDRICAL 842 • Spiral groove




CONE 848 • Spiral groove




Intensiv DiaRotary

Colour code	Micron		Description
 534	125 µm	106 µm*	Coarse
 524	106 µm	60/80/90 µm*	Standard




*Depending on the shape and size of the instruments, the grit size may differ from the specified value.


DEPTH MARKER 818 • X-small




DEPTH MARKER 834 • Multi




DEPTH MARKER 835 • X-short



CYLINDER 836 • Intensiv ZirconCut Prosthetics, edge 90°



CYLINDER 860 • Intensiv ZirconCut Prosthetics, flame



CYLINDER 880 • Intensiv ZirconCut Prosthetics, round

