

Cordless Range 2025/26

www.metabo.com/uk

metabo

Our experience is working for you

Over 100 years of experience

Since 1924 we have been working with passion, dynamics, confidence and courage. It all started with our **Metallbo**hrdreher (metal drill), our namesake. From the world's first impact drill to our innovative Metabo Ultra-M battery pack technology: Metabo power tools set standards in terms of productivity, robustness, safety and service.



Systemised innovation

In all Metabo machines there are technologies delivering special features: From the Metabo Ultra-M battery technology to the Autobalancer in angle grinders, or the Metabo Quick System, which allows you a tool free change of application and enables you to work quickly and efficiently.









Productivity

Our tools feature convincing technical solutions, offering you plenty of benefits. Minimal processing times yield maximum results. This helps you to save valuable time and reduce your costs.



Safety

The less time lost due to work related illness, the higher your productivity. Our products offer utmost safety and protection for the user—with this we are setting new standards in the market.



Robustness

Metabo's machines and accessories guarantee best quality, absolute reliability and unparalleled service life – for uncompromising high performance even in the harshest of conditions.



Service

From application analysis to individual product and system solutions, fast spare parts and repair service: Your workflow is our commitment.

Tools, accessories and service from Nurtingen, Germany

In every Metabo tool there is traditional German engineering ingenuity. Since 1924 we have been developing innovative ideas in our Nürtigen plant and have been implementing them into pioneering tools and perfect accessories for professional users directly on site. Our service, tailor-made to your requirements, also makes us a strong partner for the industrial sector.





Steel parts with hardening plant



Engineering



Plastic injection moulding



Mechanical production



Motor production



Assembly

Contents

Introduction: Metabo	02-03	- 18 V Framing Nailer	87-88
12 Volt Cordless	05-07	- 18 V Sabre Saws	89-92
The Right Battery for the right application?	08-09	- 18 V Jigsaws	93-97
Cordless Alliance System (CAS)	10-11	- 18 V Router / Trimmer NEW	98-101
Your Perfect System	12-13	- 18 V Planer / Multi-Tools & Accessories	102-107
LiHDX Battery Technology NEW	14-15	- 18 V Sanders & Accessories	108-113
LiHD Battery Technology	16-17	- 18 V Dry Wall Screwdrivers	114-115
Quick / Quick Plus System Overview	18-19	- 18 V Stirrrers NEW	116-117
- 18 V L Class Combi Drill	20-23	- 18 V Caulking Guns	118-119
- 18 V LT Class Combi Drills	24	- 18 V Cordless Vacuums & Accessories	120-129
- 18 V LTX Class Drill/Drivers / Combi Drills	25-32	- 18 V Angle Grinders	130-139
- 18 V LTX Class Combo Sets / kits	33-37	- 18 V Metal Nibbler and Shears	140-141
Accessories: Bit / Drill Sets / Hole Saw Sets	38-41	- 18 V Die Grinders	142-143
Storage Solutions / metaBOX system	42-45	- 18 V INOX: Metal Processing Tools NEW	144-151
- 18 V Impact Driver / Wrench	46-55	- 18 V Compressor / Inflator	152-153
- 18 V Grease Gun & Accessories	56-58	- 18 V Rivet Gun / Rivet Nut Gun	154-155
- 18 V - 36 V SDS+ Hammers	59-64	- 18 V Cordless Tapper / Heat Gun	156-157
Accessories SDS+	65	- 18 V Site Lighting / LED Lamps	158-161
- 18 V SDS Max Hammer / Accessories	66-67	- 18 V Other Cordless Tools	162-171
- 18V Mitre Saws & Accessories	69-75	- 18 V Cordless Garden Range	172-199
- 18 V Plunge Cut Circular Saw	76	Battery pack runtimes at a glance (Garden)	200-203
- 18 V Circular Saws	77-81	Battery pack charging times at glance	204-205
Accessories - Saw Blades / Guide Rails	82-84	- 18 V Batteries, Sets & Chargers	206-207
Working Trestle / Workbench NEW	85-86	XXL Warranty / Metabo Full Service	214-215



Metabo give you an unlimited charge cycle warranty on your batteries.

12V Cordless PowerMaxx



POWERMAXX BS BASIC 12V Cordless Drill/Screwdriver

- → Easy to use, compact power: small and lightweight drill with plenty of power for a variety of drilling and screwdriving tasks
- → The 12 Volt class with push-in battery packs, extremely compact and handy
- → Spindle with magnetic hexagon recess for screwdriver bits for working without chuck
- → Integrated working light to illuminate the contact area
- → Handy belt hook can be fixed either on the right or left side without tools

Battery pack voltage	12 V Push Stick
Maximum torque: Soft / Hard	17 Nm / 34 Nm
Drill Ø soft wood	18 mm
Weight excl. battery pack	0.75 kg

PowerMaxx BS Basic Scope of delivery

Keyless chuck, Belt hook, 2 LiPOWER Push-in Battery Packs (12 V/2.0 Ah), Charger LC 24

Battery options	Order No.
2 x 2.0Ah Li-Power batteries + LC 12 Charger (Plastic case)	600984500
2 x 2.0Ah Li-Power batteries + LC 12 Charger (Cardboard box)	600984000



POWERMAXX BS BASIC SET 12V Cordless Drill/Screwdriver

- → Easy to use, compact power: small and lightweight drill with plenty of power for a variety of drilling and screwdriving tasks
- → Mobile workshop (41 pieces): 5 wood drill bits (4/5/6/8/10mm), 14 HSS drill bits (1.5/1.5/2/2/2.5/3/3/3.5/4/4.5/5/5.5/6/6.5mm), 20 screwdriver bits length 25mm (PH1/PH2/PH3/PZ1/PZ2/PZ2/PZ2/PZ3/H3/H4/H5/H6/T15/T20/T25/T30/S4/S5/S6), bit holder (60mm), cutter knife with 2 spare blades
- → The 12 Volt class with push-in battery packs, extremely compact and handy
- → Spindle with magnetic hexagon recess for screwdriver bits for working without chuck
- > Integrated working light to illuminate the contact area
- → Handy belt hook can be fixed either on the right or left side without tools



Battery pack voltage	12 V Push Stick
Maximum torque: Soft / Hard	17 Nm / 34 Nm
Drill Ø soft wood	18 mm
Weight excl. battery pack	0.75 kg

PowerMaxx BS Basic Set Scope of delivery

Keyless chuck, Belt hook, 2 LiPOWER Push-in Battery Packs (12 V/2.0 Ah), Charger LC 40, Plastic carry case, Accessory set

Battery options	Order No.
2 x 2.0Ah Li-Power batteries + LC 40 Charger	600080710





POWERMAXX BS BL Q 12V Cordless Drill/Screwdriver

- Brushless, compact power: Metabo's smallest and lightest drill with plenty of power for a variety of drilling and screwdriving tasks
- → The 12 Volt class with push-in battery packs, extremely compact and handy
- → Metabo quick system: quick exchange of chucks, bit holders, angle adapters and more for flexible work
- → Integrated working light to illuminate the contact area
- → Handy belt hook can be fixed either on the right or left side without tools
- → Practical capacity display for checking the charge status

Battery pack voltage	12 V Push Stick
Maximum torque: Soft / Hard	20 Nm / 38 Nm
Drill Ø soft wood	20 mm
Weight excl. battery pack	0.7 kg

PowerMaxx BS BL Q Scope of delivery

Quick-change chuck, Belt hook, 2 LiPOWER Push-in Battery Packs (12 V/2.0 Ah), Charger LC 40, PowerMaxx Plastic Carry Case

Battery options	Order No.
2 x 2.0Ah Li-Power batteries + LC 40 Charger + Plastic case	601749590



Available accessories

Quick-change angle adapter "Quick" 28 Nm Order No. 627261000



Off-Set Attachment "Quick" Order No. 627234000



Quick-change bit holder "Quick" Order No. 627241000



The right 18V Battery for the right application



LIHD - HIGH-POWERED, WITHOUT THE CABLE.

The powerful cells in Metabo LiHD battery packs deliver enough power for handling even the toughest applications with no cables.

Thanks to LiHD technology, Metabo is the world's only manufacturer to cover the entire power range up to 3,200 watts.

Maximum power, available for an extremely long time – for any application.




metabo

Li-ion 2.0 Ah Compact

LiHD 4.0 Ah Compact

Li-ion 5.2 Ah



NEW



100% compatibility for over 400 machines in the 18V class!

The Cordless Alliance System (CAS) makes you independent from the wall socket!

Profit from problem-free compatibility for machines, battery packs and chargers of different manufacturers. This permits a number of professional applications also with cordless tools – from standard to special tasks.



40 brands - 400 machines - 1 battery pack



CORDLESS ALLIANCE SYSTEM (CAS)









One battery interface - more than 400 machines. From different manufacturers. With CAS, professionals can switch between the manufacturers without having to purchase a new battery pack or charger. To find out more visit: www.cordless-alliance-system.com



CAS assembles the various companies with very different target groups under one roof. The press machines from Rothenberger, for example, are the ideal tool for the work of fitters, heating engineers, refrigeration and air-conditioning technicians or service technicians.

A system with great user benefit

YOUR PERFECT SYSTEM





Ultra M Technology For perfect communication between machine, battery pack and charger



100% Compatibility All Metabo "slide style" battery packs are forward and backward compatible. Yesterday, today and in the future



3 Years warranty 3 year warranty on machine, chuck, charger and batteries. Metabo give you a unlimited charge cycle warranty on your batteries.







www.metabo.com/uk

metabo

Developed for ultimate performance.

Li **HDX**





Designed for heavy duty: LiHDX batteries with tabless technology.

With our new 18 volt LiHDX battery packs, we are bringing power to the ultimate level. After all, we know intense work demands maximum power for perfect results. We make it possible by using revolutionary tabless technology.

Stronger

Thanks to the extremely good performance values offered by LiHDX battery packs, you can complete tough work easier and faster by hand – from grinding to drilling and sawing.

Longer

Up to 85% longer battery runtimes compared to LiHD battery packs in the toughest applications ensure you keep working and achieve your goals quicker – without a lot of interruptions. The tabless technology used in the LiHDX battery packs also gives them the longest service life in their class.

Faster

Make more progress, faster – the new ASC 290 quick charger charges your LiHDX battery packs in around 30 minutes

More information









The ultimate performer for heavy duty work.



1,800 watts and extremely long battery runtimes make tough work a piece of cake.

LiHDX battery pack

Basic set

2x LiHDX 8.0 Ah ASC 290

+ metaBOX 145

Order no. 624975000

Order no. 685305000

The ultimate lightweight.



The narrow flat pack offers an advantage over traditional two-row battery packs, specially in difficult to access work areas and when working overhead.

LiHDX battery pack

Basic set

18 V – 4.0 Ah 2x LiHDX 4.0 Ah

ASC 145

Order no. 624974000

Order no. 685306000

Ultimate speed and flexibility.

Charges an 8.0Ah LiHDX battery pack in up to 30 minutes. Also compatible with LiPOWER and LiHD battery packs. Includes mains cable with plug connector for worldwide use.





Quick charger ASC 290
Order no. 627370000





LiHD – The most powerful battery pack technology in the world!

Thanks to **LiHD** technology, Metabo is the only manufacturer in the world to cover the entire power range - from 400 to 3,200 Watt - from standard machines to unique system solutions. Applications previously reserved for only the most powerful mains powered machines can now be handled cordlessly. It is the combination of many different components that offer added power, service life, and runtime.

The LiHD battery packs are available in 18V with 4.0 Ah, 5.5 Ah, 8.0 Ah and 10.0 Ah. The new LiHDX Tabless are available in 4.0 Ah and 8.0 Ah.

Powerful

The combination of new high-performance battery cells and completely re-developed components within the LiHD battery pack ensures maximum power availability over an extremely long run time.

18 V



4.0 Ah Compact and strong



5.5 Ah Maximum performance



8.0 Ah / 10.0 Ah

Maximum performance maximum runtime

Leading technology.

More power

with LiHD cell technology in combination with a newly developed battery pack

- Enlarged power rails and contacts capable of handling high currents
- 3x better conductivity with cell connectors made of a specialized copper alloy

More runtime

- More active material in the cell
- Use of high quality materials (silver and copper)



and extreme robustness:

- Optimal protection against internal contamination with fully encapsulated cast design and full protective coating of electronics, as well as optimal gasket in the cover structure
- Protection of the cells with rubber pads
- Less frequent charging due to more usable cell energy
- Exterior rubber coating on the battery pack provides a secure, non-slip grip and also serves as shock protection

Efficient and flexible working with the quick-change system »Quick« and »QuickPlus«

- Versatile and comfortable
- √ Change from drilling to screwdriving in a matter of seconds.
- **√** Tool-free



The »Quick« system for all L, LT, and LTX drills/screwdrivers and hammer drills with the addition »quick«. The bit retainers are designed for the performance classes and application areas of the respective machines.



The new »QuickPlus« system for the new LTX-3-speed drills/screwdrivers and hammer drills with the addition »quick«. The bit retainers are designed for extremely demanding applications with particularly high torques.



QUICK / QUICK PLUS SYSTEM OVERVIEW



TX-3



Quick-change chuck Futuro Top R+L »QuickPlus« Order no. 627197000



Quick-change chuck Futuro Plus S1 M »QuickPlus« Order no. 627189000



Quick-change holder for bits and socket wrenches »QuickPlus« Order no. 627341000

»Ouick« Order no. 627242000 **NOT COMPATIBLE WITH** QUICK PLUS SYSTEM

Quick-change angle adapters



Off-set attachment »Ouick« Order no. 627343000



Torque setting adapter PowerX3 Order no. 627256000







Quick-change chuck Futuro Plus S 1 M/HM. »Ouick« Order no. 627203000





Quick-change chuck Futuro Plus S 1 M, »Quick« Order no. 627240000



Quick-change bit holder »Quick« Order no. 627241000



Torque setting adapter PowerX3 DC Order no. 627232000







Quick-change geared chuck »Quick« Order no. 627238000



Quick change tapping M4-M6 627235000 M8-M12 627237000



Quick-change bit holder Order no. 627241000



Quick-change angle adapters Order no. 627077000



+ PowerMaxx



Quick-change chuck Futuro Plus H 1 R+L, »Quick« Order no. 627259000



Quick-change bit holder »Quick« Order no. 627241000




Quick-change angle adapters Order no. 627261000



Off-set attachment »Quick« Order no. 627234000

*only for tappers



BS 18 L BL Q Cordless Drill/Driver

- → Smallest Metabo 18 volt drill/screwdriver with powerful Brushless performance for all standard drilling and screwdriving applications
- → Extremely short and light drill/screwdriver for comfortable handling also over head or in tight spaces
- → Metabo quick system: quick exchange of chucks, bit holders, angle adapters and more for flexible work
- → Robust, durable gear housing made from aluminium die-cast
- → Overload protection: protects the motor from overheating
- → Integrated LED work light with afterglow function for optimal brightness in the work area

Battery pack voltage	18 V
Maximum torque - soft / hard	28 Nm / 65 Nm
Drill Ø masonry / steel	13 mm
Drill Ø softwood	40 mm
No-load speed	0 - 500 / 1700 rpm
Chuck capacity	1,5 - 13 mm



BS 18 L BL Q Scope of delivery

Quick-change chuck, Charger SC 36 metaBOX 145, Belt hook and bit case 2 LiPOWER Battery Packs (18 V/2.0 Ah)



Battery options	Order No.
2 x 18 V 2.0Ah Li-Power	613156500





BS 18 L BL Q Pro Pack Scope of delivery

Quick-change chuck, Quick-change bit holder, Quick-change angle adapter, Off-set attachment, Charger SC 36, metaBOX 145, Belt hook and bit case 2 LiPOWER Battery Packs (18 V/2.0 Ah)

Battery options	Order No.
2 x 18 V 2.0Ah Li-Power	UK613156510




LIGHT DUTY

for everday applications

- → Light / medium duty
- → Bench top assembly drill
- → Light / compact

SB 18 L Cordless Hammer Drill



→ Hammer drill function for drilling in masonry

18V *CAS*

→ Overload protection: protects the motor from overheating





Battery pack voltage	18 V
Maximum torque - soft / hard	26 Nm / 60 Nm
Drill Ø masonry / steel	13 mm / 13 mm
Drill Ø softwood	36 mm
No-load speed	0 - 450 / 1850 rpm
Chuck capacity	1,5 - 13 mm

SB 18 L Standard scope of delivery

Keyless chuck, Belt hook and bit holder, 2 Li-Power battery packs (18 V/2.0 Ah) Charger SC 60 Plus, metaBOX 145



Battery options	Order No.
2 x 18 V 2.0Ah Li-Power	614053580



SB 18 L BL Cordless Hammer Drill

- → Metabo's smallest 18 volt hammer drill with powerful brushless performance for all standard drilling and screwdriving applications
- → Hammer drill function for drilling in masonry
- → Integrated LED work light with night light function for optimal brightness in the work area

Battery pack voltage	18 V
Maximum torque - soft / hard	28 Nm / 65 Nm
Drill Ø masonry / steel	13 mm / 13 mm
Drill Ø softwood	40 mm
No-load speed	0 - 500 / 1700 rpm
Chuck capacity	1,5 - 13 mm



SB 18 L BL Standard scope of delivery

Keyless chuck, Belt hook and bit holder, 2 Li-Power battery packs (18 V/2.0 Ah) Charger SC 60 Plus, metaBOX 145



Battery options	Order No.
2 x 18 V 2.0Ah Li-Power	613157500
Body only plus metaBOX 145	613157840



MEDIUM DUTY

for demanding applications

- → Medium / heavy duty
- → Building trade
- \rightarrow Interior renovation
- → Metal work (LT-BL)

SB 18 LT BL Cordless Hammer Drill

- → Brushless hammer drill with compact design for universal and demanding applications
- → Unique Metabo brushless motor for quick work progress and highest efficiency when drilling and screwdriving



Battery pack voltage	18 V
Maximum torque - soft / hard	34 Nm / 60 Nm
Drill Ø masonry	13 mm
Drill Ø steel / softwood	13 mm / 38 mm
No load speed	600 / 0 - 2100 rpm

SB 18 LT BL Scope of delivery

Keyless chuck, Belt hook with bit holder, 2 x LiHD 18V 4.0Ah battery packs, Charger ASC 55 "AIR COOLED", metaBOX 145

Battery options	Order No.
2 x LiHD 18V / 4.0Ah	602316800
Body only plus metaBOX 145	602316840







CORDLESS TOOLS 18 V - LT & LTX CLASS DRILL DRIVERS / HAMMER DRILLS





BS 18 LTX-3 BL Q I METAL Cordless Hammer Drill

- → Brushless 3-speed drill/screwdriver with maximum power: ideal for demanding metal applications
- → Extremely powerful chuck with re-tensioning function against slipping of the bit and high degree of concentricity
- → Third speed setting with high torque (max. 4,000/min) for extended range of application and even faster drilling progress, especially in metal

Battery pack voltage	18 V
Maximum torque - Soft / Hard	65 Nm / 130 nm
Adjustable torque	1-18 Nm
Drill Ø steel	16 mm
Drill Ø soft wood	68 mm

BS 18 LTX-3 BL Q I Metal Scope of delivery

Futuro Top quick-change chuck "QuickPlus" Side handle, C-wrench, 2 LiHD battery packs (18 V/5.5 Ah) Charger ASC 145 "AIR COOLED", metaBOX 145 L

Battery options

Buttory options	0.00
2 x 18 V LiHD 5.5Ah, ASC 145	UK603180661
Body only + metaBOX 145 L	603180840

^{*} See page 207 for Battery Set options

Full Service price group FS4















BS 18 LTX-3 BL Q I Cordless Hammer Drill

- → Brushless 3-speed drill/screwdriver with maximum power: ideal for demanding metal applications
- → Third speed setting with high torque (max. 4,000/min) for extended range of application and even faster drilling progress, especially in metal
- → Metabo Quick System: quick change of bit retainer and bits, for flexible working with maximum load
- → Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces

Battery pack voltage	18 V
Maximum torque - Soft / Hard	65 Nm / 130 Nm
Adjustable torque	1-18 Nm
Drill Ø steel	16 mm
Drill Ø soft wood	68 mm

BS 18 LTX-3 BL Q I Scope of delivery

Keyless chuck, Side handle, Belt hook and bit holder, 2 LiHD battery packs (18 V/5.5 Ah) Charger ASC 145 "AIR COOLED", metaBOX 145 L

Battery options	Order No.
2 x 18 V LiHD 5.5Ah, ASC 145	UK603184661
Body only + metaBOX 145 L	603184840

^{*} See page 207 for Battery Set options



















BS 18 LTX BL Q I Cordless Drill/Screwdriver

- → Brushless drill/screwdriver with maximum power for demanding applications
- → Metabo Quick System: quick change of bit retainer and bits, for flexible working
- → Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- → Electronic safety shutdown: no kickback if the drill bit stops unexpectedly for high user safety

Battery pack voltage	18 V
Maximum torque - Soft / Hard	65 Nm / 130 Nm
Pulse Torque	65 Nm
Drill Ø steel	13 mm
Drill Ø soft wood	68 mm

BS 18 LTX BL Q I Scope of delivery

Quick-change chuck, Quick-change bit holder Side handle, Belt hook and bit holder, metaBOX 145 L

Battery options	Order No.
Body only + metaBOX 145 L	602359840

^{*} See page 207 for Battery Set options













BS 18 LTX-3 BL Q I Cordless Drill/Screwdriver

- → Brushless 3-speed drill/screwdriver with maximum power for demanding applications
- → Third speed setting with high torque (max. 3,800/min) for extended range of application and even faster drilling progress
- → Metabo Quick System: quick change of bit retainer and bits, for flexible working
- → Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- → Unique Metabo brushless motor for quick work progress and highest efficiency when drilling and screwdriving
- → Precision Stop: electronic torque control with increased precision for accurate and intricate working
- > Integrated working light to illuminate the contact area
- → Robust die cast aluminium gear housing for optimum heat dissipation and long service life



Order No.

603184840



Quick-change hexagonal bit holder 1/4" (see page 29)



Quick angle attachment (see page 29)



PowerX3 torque adaptor enables the torque of the machine to be tripled (see page 29)

Scope of delivery

Battery options









Full Service price group FS4



Body only + metaBOX 145 L

* See page 207 for Battery Set options

SB 18 LTX BL I Cordless Hammer Drill


- → Brushless hammer drill with maximum power for demanding applications
- → Hammer drill function for drilling in masonry
- → Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- → Precision Stop: electronic torque control with increased precision for precise, delicate working
- → Electronic safety shutdown: no kickback if the drill bit stops unexpectedly for high user safety



SB 18 LTX BL I Scope of delivery

Keyless chuck, Side handle, Belt hook and bit holder, 2 Li-Power battery packs (18 V/5.2 Ah) Charger ASC 55 "AIR COOLED" metaBOX 145 L

Battery options	Order No.
2 x 18 V 5.2Ah Li-Power	602360590
Body only + metaBOX 145 L	602360840











Safety is important to us!

No kick-back of the machine when the tool jams due to new gyroscope sensor.

SB 18 LTX BL Q I Cordless Hammer Drill

- → Brushless hammer drill with maximum power for demanding applications
- → Metabo Quick System: quick change of bit retainer and bits, for flexible working
- → Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- → Electronic safety shutdown: no kickback if the drill bit stops unexpectedly for high user safety

Battery pack voltage	18 V
Maximum torque - Soft / Hard	65 Nm / 130 Nm
Pulse Torque	65 Nm
Drill Ø steel	13 mm
Drill Ø soft wood	68 mm

SB 18 LTX BL Q I Scope of delivery

Quick-change chuck, Side handle, Belt hook and bit holder, meta $BOX\ 145\ L$

Battery options	Order No.
Body only + metaBOX 145 L	602361840

^{*} See page 207 for Battery Set options





SB 18 LTX-3 BL Q I Cordless Hammer Drill

- → Brushless 3-speed hammer drill with maximum power for demanding applications
- → Third speed setting with high torque (max. 3,800/min) for extended range of application and even faster drilling progress
- → Metabo Quick System: quick change of bit retainer and bits, for flexible working
- → Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- → Unique Metabo brushless motor for quick work progress and highest efficiency when drilling and screwdriving
- → Precision Stop: electronic torque control with increased precision for precise, delicate working
- → High-performance impact mechanism for optimum drilling performance
- → Integrated working light to illuminate the contact area
- → Robust die cast aluminium gear housing for optimum heat dissipation and long service life
- → With handy belt hook and bit case which can be fixed either on the right or left side



Quick-change hexagonal bit holder 1/4" (see page 29)



1/4" hexagonal recess in spindle



PowerX3 torque adaptor enables the torque of the machine to be tripled (see page 29)







Quick-change chuck, Quick-change bit holder Side handle, Belt hook and bit holder, metaBOX 145 L without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	603185840

^{*} See page 207 for Battery Set options



COMBO SET 2.8.8 SB 18 LT BL + SSD 18 LT 200 BL

- → Cordless impact driver SSD 18 LT 200 BL: Compact cordless impact driver with 1/4" hexagon recess and 200 Nm
- → Cordless hammer drill SB 18 LT BL: brushless cordless hammer drill with optimal power for the demanding applications

COMBO SET 2.8.8 scope of delivery

Cordless hammer drill SB 18 LT BL, cordless impact driver SSD 18 LT 200 BL, 2 Li-power battery packs (18 V/5.2 Ah), charger ASC 55, metaBOX 145 L

Order No. 685200590









Full Service price group FS2 + FS3

COMBO SET 2.1.15 (LiHD) SB 18 LTX BL I + SSD 18 LTX 200 BL

- → Cordless Hammer Drill SB 18 LTX BL I: brushless hammer drill with maximum power for the toughest applications
- → Cordless Impact Driver SSD 18 LTX 200 BL: unique Metabo brushless motor for quick work progress and maximum efficiency for any application
- → Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- → LiHD battery pack for ultimate performance and extremely long runtime with minimal temperature generation
- → Patented AIR COOLED technology for speedy charging and long service life
- → Metabo Ultra-M technology: intelligent battery management for long-lasting battery packs with a 3-year guarantee

COMBO SET 2.1.15 (LiHD) scope of delivery

Cordless Hammer Drill SB 18 LTX BL I, Cordless Impact Driver SSD 18 LTX 200 BL, 2 LiHD Battery Packs (18V/5.5 Ah), Charger ASC 145, metaBOX 145 L

Order No. 685184590









Full Service price group FS4 + FS4



METLTBL4.1

UK685200004







Scope of delivery

SB 18 LT BL Cordless Hammer Drill (602316840) SSD 18 LT 200 BL Impact Driver (602397840) WB 18 LT BL 11-125 Q Angle Grinder (613054840) SLA 14.4-18 LED Inspection Lamp (600370000) 3 x 5.2Ah Li-Power Battery Pack (625028000) 1 x ASC 145 Charger (627379000)





Full Service price group FS4 + FS4

METLTBL3.1

UK685200003







Scope of delivery

SB 18 LT BL Cordless Hammer Drill (602316840) SSD 18 LT 200 BL Impact Driver (602397840) KH 18 LTX BL 24 Combination Drill (601713840) 3 x 5.2Ah Li-Power Battery Pack (625028000) 1 x ASC 145 Charger (627379000)





Full Service price group FS4 + FS4

CLAGG

METLTXBL4.1

UK685100004







Scope of delivery

SB 18 LTX BL Q I Cordless Hammer Drill (602361840) SSD 18 LTX 200 BL Impact Driver (602396840) WB 18 LT BL 11-125 Q Angle Grinder (613054840) SLA 14.4-18 LED Inspection Lamp (600370000) Quick Angle Attachment (627242000) 3 x 5.2Ah Li-Power Battery Pack (625028000) 1 x ASC 145 Charger (627379000)





Full Service price group FS4 + FS4

METLTXBL3.1

UK685100003

BRUSHLESS





Scope of delivery

SB 18 LTX BL Q I Cordless Hammer Drill (602361840) SSD 18 LTX 200 BL Impact Driver (602396840) KH 18 LTX BL 24 Q Combination Drill (601714840) Quick Angle Attachment (627242000) 3 x 5.2Ah Li-Power Battery Pack (625028000) 1 x ASC 145 Charger (627379000)









melab

melab

METLTBL4.1

UK685200004







Scope of delivery

SB 18 LT BL Cordless Hammer Drill (602316840) SSD 18 LT 200 BL Impact Driver (602397840) WB 18 LT BL 11-125 Q Angle Grinder (613054840) SLA 14.4-18 LED Inspection Lamp (600370000) 3 x 5.2Ah Li-Power Battery Pack (625028000) 1 x ASC 145 Charger (627379000)





Full Service price group FS4 + FS4

METLTBL3.1

UK685200003







Scope of delivery

SB 18 LT BL Cordless Hammer Drill (602316840) SSD 18 LT 200 BL Impact Driver (602397840) KH 18 LTX BL 24 Combination Drill (601713840) 3 x 5.2Ah Li-Power Battery Pack (625028000) 1 x ASC 145 Charger (627379000)





Full Service price group FS4 + FS4

METLTXBL4.1

UK685100004







Scope of delivery

SB 18 LTX BL Q I Cordless Hammer Drill (602361840) SSD 18 LTX 200 BL Impact Driver (602396840) WB 18 LT BL 11-125 Q Angle Grinder (613054840) SLA 14.4-18 LED Inspection Lamp (600370000) Quick Angle Attachment (627242000) 3 x 5.2Ah Li-Power Battery Pack (625028000)

1 x ASC 145 Charger (627379000)





Full Service price group FS4 + FS4

METLTXBL3.1

UK685100003

BRUSHLESS






Scope of delivery

SB 18 LTX BL Q I Cordless Hammer Drill (602361840) SSD 18 LTX 200 BL Impact Driver (602396840) KH 18 LTX BL 24 Q Combination Drill (601714840) Quick Angle Attachment (627242000) 3 x 5.2Ah Li-Power Battery Pack (625028000) 1 x ASC 145 Charger (627379000)







32 pce Bit-Box "Promotion"

PH1, PH2 x 2, PH3
PZ1, PZ2x2, PZ3
SL3, SL4, SL5, SL6
H3, H4, H5, H6
T10, T15, T20, T25, T27, T30, T40
T10, T15, T20, T25, T27, T30, T40
1 x adapter, 1 x magnetic bit holder 65 mm

Consisting of S 2 bits, L 25 mm

Coloured-coded bits; magnetic quick change adapter, with adapter for spanner sockets (socket adapter)

Order No. 626700000



15 pce Bit-Box "Promotion"

PH1, PH2
PZ1, PZ2
SL4, SL6
H3, H4, H5
T10, T15, T20, T25, T30
1 x magnetic bit holder

Consisting of S 2 bits, L 25 mm

Coloured-coded bits; magnetic quick change adapter

Order No. 626703000



26 pce Bit & ratchet set "Promotion"

PH1, PH2, PH3
PZ1, PZ2, PZ3
SL4, SL5.5, SL6.5
H3, H4, H5, H6
T10, T15, T20, T25, T30
6 x chuck key: 1/4", 6 mm, 7 mm, 8 mm
10 mm, 13 mm,; 1 x extensions, 1 x ratchet

Consisting of S 2 bits, L 25 mm

Coloured-coded bits; high-qulaity ratchet; socket spanner made from chrome vanadium steel

Order No. 626701000



56 pce Bit-Box "Promotion"

S 2 bits, L 25 mm

PH1 x 3, PH2 x 3, PH3 x 3
PZ1 x 3, PZ2 x 3, PZ3 x 3
SL4 x 2, SL5 x 2, SL6 x 2
H3, H4, H5
T10 x 2, T15 x 2, T20 x 2, T25 x 2, T27 x 2, T30 x 2, T40 x 2
T10, T15, T20, T25, T27, T30, T40

L 75 mm

PH2, PH3 PZ1, PZ2 SL6 T20, T25 Coloured-coded bits; magnetic quick change adapter, with adapter for sockets (socket wrench adapter)

Coloured-coded bits; magnetic quick

change adapter + bit holder

Order No. 626702000



1 x magnetic quick change bit holder **71 pce** Bit-Box "Promotion"

S 2 bits, L 25 mm

PH1 x 3, PH2 x 6, PH3 x 3
PZ1 x 3, PZ2 x 6, PZ3 x 3
SL4 x 3, SL6 x 3
H4 x 3, H5 x 3, H6 x 3
T10 x 3, T15 x 3, T20 x 3, T25 x 3, T27 x 3, T30 x 3, T40 x 3

1 x magnetic quick change bit holder; 1 x magnetic bit holder Order No. 626704000

L 75 mm

T20, T25

PH1, PH2, PH3 PZ1, PZ2 SL4, SL6



55 pce Accessory set "Promotion"

S 2 bits. L=25 mm

Phillips: PH1, PH2 x 2, PH3

Pozidriv: PZ1, PZ2×2, PZ3

Slotted: SL4, SL6, SL7

Hexagon: H3, H4, H5, H6

Torx: T15, T20, T25

- 1 x template, 1 x spatula,
- 1 x magnetic bit holder,
- 1 x countersink,
- 1 x socket wrench adapter

Order No. 626707000

HSS-TiN drill bits for metal

Ø 1.5 mm x 2; Ø 2 mm x 2; Ø 2.5 mm x 1 Ø 3 mm x 2; Ø 3.5 mm x 1; Ø 4 mm x 1 Ø 4.5 mm x 1; Ø 5 mm x 1; Ø 5.5 mm x 1

Carbide masonry drill bit

Ø 4 mm x 1; Ø 5 mm x 1; Ø 6 mm x 2 Ø 7 mm x 1; Ø 8 mm x 1; Ø 10 mm x 1

CV wood drill bit

Ø 4 mm x 1; Ø 5 mm x 1; Ø 6 mm x 1 Ø 8 mm x 1; Ø 10 mm x 1

Flat timber drill bit

Ø 16 mm x 1; Ø 22 mm x 1



Masonry drill bit storage case

"Promotion" 8 pce



8-piece in plastic case; Carbide masonry drill buit for rotary hammers and impact drills, milled version, suitable for drilling bricks, masonry, etc.

Ø3/4/5/5,5/6/7/8/10 mm

Order No. 626706000

Wood drill bit storage case

"Promotion" 8 pce



8-piece, wood spiral drill bit made of high-grade chrome vanadium steel, hardened, with centring point. For use in plywood, chipboards etc.

Ø 3 / 4 / 5 / 5,5 / 6 / 7 / 8 / 10 mm

Order No. 626705000

55 pce Accessory set "Promotion"

S 2 bits (L=25 mm) 32 pieces

Phillips: 0/ 1/1/2/2/3/3

Pozidriv: 0/ 1/1 /2/2 /3/3

Slotted: 3 / 4/4 / 6/6

Hexagon: 3/4/5/5/6

Torx: 10/15/15/20/20/

25/30

S 2 bits (L=50 mm) 8 pieces

Phillips: 1/2/3

Pozidriv: 1/2/3

Torx: 15 /20

Socket wrenches (8 pieces): 5.0/ 6.0/ 7.0/ 8.0/ 9.0/ 10.0/ 11.0/ 12.0 mm

HSS-TiN drill bits (14 pieces):

Ø 1.5 mm x 2; Ø 2.0 mm x 2; Ø 2.5 mm x 1; Ø 3.0 mm x 2; Ø 3.5 mm x 1; Ø 4.0 mm x 1;

Ø 4.5 mm x 1; Ø 5.0 mm x 1; Ø 5.5 mm x 1;

Ø 6 mm x 1; Ø 6.5 mm x 1

Carbide masonry drill bits (6 pieces):

Ø 4.0 mm x 1;

Ø 5.0 mm x 1; Ø 6.0 mm x 2; Ø 7.0 mm x 1; Ø 8.0 mm x 1;

Ø 10 mm x 1

CV wood drill bit (5 pieces):

Ø 4.0 mm x 1;

Ø 5.0 mm x 1; Ø 6.0 mm x 1

Ø 8.0 mm x 1;

Ø 10.0 mm x 1

Flat timber drill bit

Ø 12.0 mm x 1;

Ø 16.0 mm x 1;

Ø 19.0 mm x 1; Ø 25.0 mm x 1





Bi-Metal Hole Saw Set, 8 pieces

Consisting of:

- → Bi-metal hole Saws Ø 19, 25, 38, 44, 68 and 83 mm
- \rightarrow Arbor for hole saw Ø 14-30 mm (SW 9/ 1/2"-20 UNF)
- \rightarrow Arbor for hole saw Ø 32-152 mm (SW 9/ 5/8"-18 UNF)
- → Pilot Drill
- → Plastic carry case

Order No. 625159000





Bi-Metal Hole Saw Set 1, 8 pieces

Consisting of:

- → Bi-metal hole saw Ø 22,29, 35, 44, 51 and 68 mm
- \rightarrow Arbor for hole saw Ø 14-30 mm (SW 9/ 1/2"-20 UNF)
- \rightarrow Arbor for hole saw Ø 32-152 mm (SW 9/ 5/8"-18 UNF)
- → Pilot Drill
- → Plastic carry case

Order No. 625434000





Bi-Metal Hole Saw Set 2, 11 pieces

Consisting of:

- $\rightarrow\,$ Bi-metal hole saw Ø 19, 22, 29, 35, 44, 51, 57, 64 and 68 mm
- \rightarrow Arbor for hole saw Ø 14-30 mm (SW 9/ 1/2"-20 UNF)
- \rightarrow Arbor for hole saw Ø 32-152 mm (SW 9/5/8"-18 UNF)
- → Pilot Drill
- → Plastic carry case





Storage solutions

SMALL TOOLBAG

Features:

- → 3 x external pockets
- → 1 x hand carry strap
- → 1 x shoulder strap
- → 3 x reflective logos
- → LxWXH 460×260×280mm

Storage:

- → 2 x battery pack pockets
- → 1 x charger pocket
- → 1 x side strap for machine
- + space for other machines

Order No. 657006000







Tracker Pro suitable for iOS/Android

→ See page 171





LARGE TOOLBAG

Features:

- → 5 x external pockets
- → 1 x hand carry strap
- → 1 x shoulder strap
- → 3 x reflective logos
- → LxWXH 670×290×325mm

Storage:

- → 3 x battery pack pockets
- → 1 x charger pocket
- → 1 x accessories pocket
- → 2 x side straps for machines
- + space for other machines









The solution for workshop, transport and construction site.









Empty (see page 57 for Inlays)

System width 1 396 mm



metaBOX 118

Dimensions: 396 x 296 x 118 mm (empty)

Order No. 626882000



metaBOX 145

Dimensions: 396 x 296 x 145 mm (empty)

Order No. 626883000



metaBOX 215

Dimensions: 396 x 296 x 215 mm (empty)

Order No. 626887000



metaBOX 340

Dimensions: 396 x 296 x 340 mm

(empty)

Order No. 626888000





metaBOX 145 L

Dimensions: 496 x 296 x 145 mm (empty)

Order No. 626884000



metaBOX 165 L

Dimensions: 496 x 296 x 165 mm

(empty)

Order No. 626889000

Transport accessories



metaBOX adapter plate

Suitable for Sortimo invehicle equipment Globelyst and SR5

Order No. 626895000



metaBOX Trolley

Easy transport of metaBOXES and working material up to 125 kg, on stairs up to 50 kg $\,$

Order No. 626893000

Rib Layout

System width 1 396 mm



metaBOX 118

Dimensions: 396 x 296 x 118 mm (rib layout PowerMaxx 12V BS/ SB/SSD/SSW)

Order No. 626882000



metaBOX 145

Dimensions: 396 x 296 x 145 mm (rib layout 18V cordless drills L + LT class BS/SB/SSD/SSW) Order No. 626886000

System width 2





metaBOX 145 L

Dimensions: 496 x 296 x 145 mm (rib layout 18V cordless drills LTX class BS/SB)

Order No. 626891000

(rib layout corded rotary hammers / drilling machines SBE/KHE/UHE)

Order No. 626892000



metaBOX 165 L

Dimensions: 496 x 296 x 165 mm (rib layout angle grinders corded + cordless 18V up to Ø 125mm discs)

Order No. 626890000



metaBOX Roller board

Easy transport of metaBOX and working material up to 100 kg

Order No. 626894000



metaBOX 145 Toolbox

Spacious transport and storage box for hand tools, accessories or consumables up to 25 kg load

Order No. 626908000



metaBOX 340 Toolbox

Spacious transport and storage box for hand tools, accessories or consumables up to 25 kg load

metaBOX Inlays







Description	Suitable for metaBOX	Order No.
deep drawn inlay MT 18 LTX Compact/MT 18 LTX BL SQ	metaBOX 145 L empty	628879000
deep drawn inlay HG 18 LTX 500	metaBOX 145 L empty	628915000
deep drawn inlay KHA 18 LTX/SBE 18 LTX	metaBOX 165 L empty	628880000
deep drawn inlay WB 18 LTX BL 150/WB 18 LTX BL 180	metaBOX 165 L empty	628881000
deep drawn inlay HO 18 LTX 20-82	metaBOX 340 empty	628890000
deep drawn inlay SSW 18 LTX 600	metaBOX 145 L empty	628887000
deep drawn inlay STA 18 LTX 140	metaBOX 145 L empty	628888000
deep drawn inlay PowerMaxx CC 12 BL	metaBOX 145 empty	628916000
deep drawn inlay NIV/SCV 18 LTX BL 1.6	metaBOX 145 empty	628917000
deep drawn inlay STA 18 LTX 100/STAB 18 LTX 100	metaBOX 145 L empty	628882000
deep drawn inlay NP 18 LTX BL 5.0	metaBOX 145 L empty	628884000
deep drawn inlay KT 18 LTX 66 BL	metaBOX 340 empty	628923000
deep drawn inlay Combosets for BS/SB/SSD	metaBOX 145 empty	628885000
deep drawn inlay Combosets 12V for BS/SB/SSE	metaBOX 145 L empty	628893000
deep drawn inlay ASE 18 LTX	metaBOX 145 L empty	628891000
deep drawn inlay SSE 18 LTX BL	metaBOX 145 L empty	628878000
deep drawn inlay PowerMaxx BH 12 BL 16	metaBOX 145 empty	628920000
deep drawn inlay BH 18 LTX BL 16	metaBOX 145 L empty	628921000
deep drawn inlay KHA 18 LTX BL 24 Quick	metaBOX 165 L empty	628883000
deep drawn inlay Combosets BL for BS/SB/SSD/SSW	metaBOX 145 L empty	628886000
deep drawn inlay Combosets for BS/SB/WS	metaBOX 165 L empty	628889000
deep drawn inlay WF 18 LTX 125/125 Quick	metaBOX 165 L empty	628904000
deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp.	metaBOX 145 empty	628876000
deep drawn inlay GA 18 LTX	metaBOX 145 L empty	628895000
deep drawn inlay W 18 LTX 150 Quick	metaBOX 165 L empty	628896000
deep drawn inlay Basic Sets Battery	metaBOX 145 empty	628922000
deep drawn inlay KHA 36-18 LTX 32	metaBOX 165 L empty	628926000
deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57	metaBOX 340 empty	628877000
deep drawn inlay BE 18 LTX 6	metaBOX 145 empty	628894000
deep drawn inlay CC 18 LTX BL	metaBOX 165 L empty	628875000
deep drawn inlay MLL 3-20	metaBOX 145 empty	628912000
deep drawn inlay PowerMaxx SGS 12 Q	metaBOX 145 empty	628918000
deep drawn inlay SGS 18 LTX Q	metaBOX 145 L empty	628919000
deep drawn inlay SE 18 LTX 2500/4000/6000	metaBOX 145 L empty	628892000

METABOX 63 XS Organizer

Dimensions	252 x 167 x 63 mm
Weight	0.41 kg
Material	ABS














- → Transparent cover for ideal overview
- → Removable separators for perfect order
- → Robust and break-proof due to the material and design
- → Optimum protection of accessories and small parts against dirt and moisture (IP43)
- → Easy stacking and coupling on any metaBOX
- → Comfortable cover handle to carry several organisers 63 XS stacked
- → One box in the stack can easily be opened without having to decouple it
- → Can be used as lunchbox due to food-grade, dishwasher-resistant plastic
- → Size: 252 x 167 x 63 mm / Weight: 0,41 kg



→ See page 171

Tracker Pro suitable for iOS/Android



METABOX 118 Organizer

Dimensions	396 x 296 x 118 mm
Case volume	8.4 l
Max. load cover	125 kg
Weight	1.3 kg
Material	ABS













- → Intelligent transport and storage system for small parts and accessories
- → Maximum overview thanks to the twelve Sortimo insertion boxes in different sizes that can be positioned freely
- → Safe plug-in connection of each insertion box in the base of the organiser, which permits the use of individual boxes
- → With twelve labels for individual identification of the contents
- → Extremely robust and break-proof due to the material and design for maximum resilience
- → Optimum protection of accessories and small parts against dirt and moisture (IP43)
- → Fast and easy stacking and coupling of the boxes in all system widths
- → One box in the stack can easily be opened without having to decouple it
- → Set consisting of 4 of each insertion boxes 1×1 H63 (52 mm x 52 mm x 63 mm); 5x insertion boxes 1×2 H63 (104 mm x 52 mm x 63 mm); 2x insertion boxes 2×2 H63 (104 mm x 104 mm x 63 mm); 1x insertion boxes 2×3 H63 (157 mm x 104 mm x 63 mm)





SSD 18 LT 200 BL Cordless Impact Driver

- → Compact cordless impact driver with 1/4" hexagon socket and 200 Nm
- → Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- → Three speed/torque levels for a varied range of applications
- > Integrated work light for illumination of the work area
- → Robust die cast aluminium gear housing for optimum heat dissipation and durability

Battery pack voltage	18 V
Maximum torque	200 Nm
Speed/torque levels	3
Bit retainer	Hexagon recess 1/4" (6.35 mm)

SSD 18 LT 200 BL Scope of delivery

Belt hook with bit holder metaBOX 145 without battery, without charger

Battery options	Order No.
Body only + metaBOX 145	602397840

^{*} See page 207 for Battery Set options





SSW 18 LT 300 BL Cordless Impact Wrench

- → Compact cordless impact wrench with 1/2" male square and 300 Nm
- → Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- → Three speed/torque levels for a varied range of applications
- > Integrated work light for illumination of the work area
- → Robust die cast aluminium gear housing for optimum heat dissipation and durability

Battery pack voltage	18 V
Maximum torque	300 Nm
Speed/torque levels	3
Bit retainer	Male square 1/2" (12.70 mm)

SSW 18 LT 300 BL Scope of delivery


Belt hook with bit holder metaBOX 145 without battery, without charger

Battery options	Order No.
Body only + metaBOX 145	602398840

^{*} See page 207 for Battery Set options







SSD 18 LTX 200 BL Cordless Impact Driver

- → Compact cordless impact driver with 1/4" hexagon socket and 200 Nm
- → Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Automatic Power Shift (APS) supports working with self-tapping screws: automatic torque reduction after drilling to prevent overtightening
- → Integrated work light for illumination of the work area

Battery pack voltage	18 V
Maximum torque	200 Nm
Speed/torque levels	12
Bit retainer	Hexagon recess 1/4" (6.35 mm)

SSD 18 LTX 200 BL Scope of delivery

Belt hook with bit holder metaBOX 145 without battery, without charger

Battery options	Order No.
Body only + metaBOX 145	602396840

^{*} See page 207 for Battery Set options





SSW 18 LTX 300 BL Cordless Impact Wrench

- → Compact cordless impact wrench with 1/2" square drive and 300 Nm
- → Unique Metabo brushless motor for quick work progress and highest efficiency for any application

→ Automatic Power Shift (APS) supports working with self-tapping screws: automatic torque reduction after drilling to prevent overtightening

Battery pack voltage	18 V
Maximum torque	300 Nm
Speed/torque levels	12
Bit retainer	Male square 1/2" (12.70 mm)

SSW 18 LTX 300 BL Scope of delivery

Belt hook with bit holder metaBOX 145 without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145	602395840

^{*} See page 207 for Battery Set options





SSW 18 LTX 550 BL Cordless Impact Wrench



- → Perfect for woodworking, industrial assembly, changing tires and more
- → Powerful Brushless motor for greatest efficiency and long battery pack runtime

→ Automatic Power Shift (APS) supports working with self-tapping screws: automatic torque reduction after drilling to prevent overtightening

→ Overload protection: protects the motor from overheating

Battery pack voltage	18 V
Maximum torque	550 Nm
Speed/torque levels	12
Bit retainer	Male square 1/2" (12.70 mm)

SSW 18 LTX 550 BL Scope of delivery

Belt hook with bit holder metaBOX 145 without battery, without charger

Battery options	Order No.
Body only + metaBOX 145	602404840

^{*} See page 207 for Battery Set options







SSW 18 LTX 800 BL Cordless Impact Wrench

- → Powerful cordless impact driver with 1/2" male square and 800 Nm
- ightarrow Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- → Loosening in APS mode (automatic power shift): prevents falling of the screw/nut with automatic speed reduction after loosening

→ Screwdriving in APS mode (automatic power shift): prevents overtightening of the screw/nut with automatic shutdown after the first impact

Battery pack voltage	18 V
Maximum torque	800 Nm
Speed/torque levels	12
Bit retainer	Male Square 1/2" (12.70 mm)

SSW 18 LTX 800 BL scope of delivery

metaBOX 145 L, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	602403840

^{*} See page 207 for Battery Set options

BRUSHLESS
18V CAS



SSW 18 LTX 1450 BL Cordless Impact Wrench

- → Extremely powerful cordless impact wrench with 1/2" male square and 1450 Nm
- → Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- → Loosening in APS mode (automatic power shift): prevents falling of the screw/nut with automatic speed reduction after loosening

→ Screwdriving in APS mode (automatic power shift): prevents overtightening of the screw/nut with automatic shutdown after the first impact

Battery pack voltage	18 V
Maximum torque	1450 Nm
Speed/torque levels	12
Bit retainer	Male Square 1/2" (12.70 mm)


SSW 18 LTX 1450 BL scope of delivery

metaBOX 145 L, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	602401840

^{*} See page 207 for Battery Set options





SSW 18 LTX 1750 BL Cordless Impact Wrench

- → Extremely powerful cordless impact wrench with 3/4" male square and 1750 Nm
- → Unique Metabo brushless motor for quick work progress and highest efficiency for any application

→ Loosening in APS mode (automatic power shift): prevents falling of the screw/nut with automatic speed reduction after loosening

→ Screwdriving in APS mode (automatic power shift): prevents overtightening of the screw/nut with automatic shutdown after the first impact

Battery pack voltage	18 V
Maximum torque	1750 Nm
Speed/torque levels	12
Bit retainer	Male square 3/4" (19 mm)

SSW 18 LTX 1750 BL scope of delivery

metaBOX 145 L, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	602402840

^{*} See page 207 for Battery Set options



Accessories for	SSW 18 LTX 800 BL / SSW 18 LTX 1450 BL	
	Description	Order No.
	Socket wrench extension 1/2" Impact-Proof → Socket wrench extension 1/2" impact-proof, 150 mm for easier access to bolts in confined spatial conditions	628832000
الوالوالوالوالوالوالوالوالوالوالوالوالوا	Socket wrench set 1/2" → for impact drivers/wrenches and ratchet wrenches, 10 pieces: 10, 11, 12, 13, 15, 17, 19, 21, 22, 24 mm	628831000
Ō	Adapter 1/2" to 1/4" E6.3 → Impact adapter 3 pieces (incl. safety ring and pin) with 1/2" internal square on the machine side and 1/4" hexagon recess for impact-proof tools with 1/4" shank	628837000
Accessories for	SSW 18 LTX 1750 BL	
	Socket wrench extension 3/4" Impact-Proof → Socket wrench extension 3/4" impact-proof, 150 mm for easier access to bolts in confined spatial conditions	628828000
989898gB	Socket wrench set 3/4" → for impact wrenches and ratchet wrenches, 8 pieces: 21, 22, 24, 26, 27, 28, 30, 32 mm	628834000
	Adapter 3/4" to 1/2" Impact-Proof → Adapter with 3/4" internal square on the machine side and 1/2" male square for impact-proof tools with 3/4" shank	628829000
Safety Accessor	у	
	Tool Safety Belt DC up to 5kg → Robust securing strap with battery pack securing loop to avoid or dampen impacts when the secured tool falls → No unintentional loosening of the secure connection thanks to carabiner with twist lock system → High degree of free movement without twisting or jamming thanks to integrated swivel joint → Clear marking of the maximum securing weight → Certified in accordance with international safety standard ANSI/ISEA 121-2018 → More products for securing against falls can be found in the Metabo accessory programme for occupational safety	628969000



FP 18 LTX Cordless Grease Gun

- → Compact cordless grease gun with 2 settings and high discharge pressure (max. 690 bar) for mobile maintenance of machines and systems
- → Clean working thanks to pre-setting the discharge pressure via thumbwheel with 10 settings
- → Selection between high pressure and high flow rate depending on the application
- → Optimal view during lubrication thanks to LED on the housing and another LED to be fixed at the hose end
- → Switch lock for user-friendly working in continuous mode
- → 3-way-filling: grease cartridges, containers or direct filling
- → Integrated bleeding valve for constant work progress
- → Accessory: Magnet for fixing on metal, practical shoulder strap and long hose with holder for flexible application areas
- → Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com



Battery pack voltage	18 V
Holder size	400 g
Discharge pressure	690 / 414 bar
Discharge speed	290 / 100 g/min
Hose length	1200 mm
Weight (including battery)	4.4 kg

Battery options	Order No.
Body only (Cardboard box)	600789850

^{*} See page 207 for Battery Set options

FP 18 LTX scope of delivery

LED additional light for hose Shoulder strap without battery pack, without charger





Accessories for FP 18 LTX

	Description	Order No.
metabo	LED lamp → Suitable for working in indoor and protected outdoor areas for illuminating small working areas → LED switches off automatically after 15 seconds → LED lamp can be fixed e.g. to the hose using a silicone loop → Battery: 2x CR1620 → Suitable e.g. for the grease gun FP 18 LTX	626982000
	Clamp coupling for FP 18 LTX → Four hardened jaws made from tool steel for safe hold on any grease nipple → Extremely durable thanks to high-quality hydraulic mouth piece → Hose end does not need to be held during lubrication → Safe de-coupling and lubrication → Suitable for the grease gun FP 18 LTX → Connecting thread: 1/8"	626981000
	Magnetic system rubberised, M8 → Rubberised magnet system with male thread M8 → Adhesive force: approx. 130 kg → Shifting force: approx. 25 kg → Magnetisation: N42 → Max. operating temperature: 80° C → Weight: 260 g	626980000
	Adapter for screw-in cartridge 500g Adapter for retrofitting from grease container for 500 g screw-on cartridge Quick assembly, simply screw in and start working Easy, fast and absolute loading and removal of the cartridge without having to open the press Suitable for the grease gun FP 18 LTX	626984000
Notes		

lotes	



BH 18 LTX BL 16 Cordless Rotary Hammer

- → Very lightweight, compact cordless hammer with brushless motor for low-fatigue drilling in any working position
- → Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- → Rotary hammer with 2 functions: hammer drilling and drilling

Battery pack voltage	18 V
Max. single blow energy (EPTA)	1.3 J
Drill-Ø concrete with hammer drills	16 mm
No-load speed	0 - 730 rpm
Weight (including battery pack)	2.1 kg

BH 18 LTX BL 16 Scope of delivery

Side handle, Drilling depth guide, metaBOX 145 L, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	600324840

^{*} See page 207 for Battery Set options

Full Service price group FS3





KH 18 LTX 24 Cordless SDS-Plus Hammer

- → Combination hammer with 3 functions: hammer drilling, drilling and chiselling
- → Variospeed (V) Electronics for working at customised speeds to suit various application materials
- → Electronic soft start for precise spot-drilling

Max. single blow energy (EPTA)	2.1 J
Maximum impact rate	5200 bpm
Drill Ø concrete with hammer drills	24 mm
Drill Ø masonry with core bits	68 mm
Drill Ø steel	13 mm
Drill Ø soft wood	30 mm
No-load speed	0 - 1400 / min

Battery options	Order No.
Body only plus metaBOX 165 L	601712840

^{*} See page 207 for Battery Set options



KH 18 LTX 24 Scope of delivery

Rubber-coated side handle Drilling depth guide metaBOX 165 L without battery pack, without charger





KH 18 LTX BL 24 Q SET ISA Cordless Hammer

- → Very lightweight, compact cordless hammer with brushless motor for low-fatigue drilling in any working position
- → Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- → Dust-free drilling with compact dust extraction ISA 24
- → Combination hammer with 3 functions: hammer drilling drilling and chiselling

Max. single blow energy (EPTA)	2.2 J
Maximum impact rate	4750 bpm
Drill \emptyset concrete with hammer drills	24 mm
Drill Ø masonry with core bits	82 mm
Drill Ø steel	13 mm
Drill Ø soft wood	30 mm
No-load speed	0 - 1280 / min

Battery options	Order No.
Body only + metaBOX 185 X L + ISA 24 Extraction unit	601714900

^{*} See page 207 for Battery Set options

Full Service price group FS4

KH 18 LTX BL 24 Q SET ISA Scope of delivery

Integrated dust extraction ISA 24, Replacement extraction head, Hammer chuck for tools with SDSplus shank end, Keyless chuck for tools with cylindrical shank, rubber-coated side handle, Drilling depth guide, metaBOX 185 XL, without battery pack, without charger



KH 18 LTX BL 24 Cordless SDS-Plus Hammer

→ Combination hammer with 3 functions: hammer drilling, drilling and chiselling

→ Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer actions

→ Metabo VibraTech (MVT): working, also continuously, in a low-fatigue manner whilst protecting the user's health

Max. single blow energy (EPTA)	2.2 J
Maximum impact rate	4750 bpm
Drill \emptyset concrete with hammer drills	24 mm
Drill Ø masonry with core bits	82 mm
Drill Ø steel	13 mm
Drill Ø soft wood	30 mm
No-load speed	0 - 1280 / min

Battery options	Order No.
Body only plus metaBOX 165 L	601713840

^{*} See page 207 for Battery Set options



KH 18 LTX BL 24 Scope of delivery

Rubber-coated side handle, Drilling depth guide, metaBOX 165 L, without battery pack, without charger



Full Service price group FS4

KH 18 LTX BL 24 QUICK Cordless SDS-Plus Hammer

- → Combination hammer with 3 functions: hammer drilling, drilling and chiselling
- → Metabo VibraTech (MVT): working, also continuously, in a low-fatigue manner whilst protecting the user's health
- → Metabo Quick: fast, tool-free chuck for working with SDS-plus and straight shank drill bits

Max. single blow energy (EPTA)	2.2 J
Maximum impact rate	4750 bpm
Drill \emptyset concrete with hammer drills	24 mm
Drill \emptyset masonry with core bits	82 mm
Drill Ø steel	13 mm
Drill Ø soft wood	30 mm
No-load speed	0 - 1280 / min

Battery options	Order No.
Body only plus metaBOX 165 L	601714840

^{*} See page 207 for Battery Set options



KH 18 LTX BL 24 QUICK Scope of delivery

Hammer chuck for tools with SDS-plus shank end Keyless chuck for tools with cylindrical shank Rubber-coated side handle Drilling depth guide metaBOX 165 L without battery pack, without charger



KH 18 LTX BL 28 QUICK Cordless SDS-Plus Hammer

- → Combination hammer with 3 functions: hammer drilling, drilling and chiselling
- → Metabo VibraTech (MVT): working, also continuously, in a low-fatigue manner whilst protecting the user's health
- → Metabo Quick: fast, tool-free chuck for working with SDS-plus and straight shank drill bits

Max. single blow energy (EPTA)	3.0 J
Maximum impact rate	4470 bpm
Drill Ø concrete with hammer drills	28 mm
Drill Ø masonry with core bits	82 mm
Drill Ø steel	13 mm
Drill Ø soft wood	30 mm
No-load speed	0 - 1000 / min

Battery options	Order No.
Body only plus metaBOX 165 L	601715840

^{*} See page 207 for Battery Set options



KH 18 LTX BL 28 QUICK Scope of delivery

Hammer chuck for tools with SDS-plus shank end, Rubber-coated side handle, Drilling depth guide, Carrying strap, metaBOX 165 L, without battery pack, without charger



Full Service price group FS4

KH 18 LTX BL 35 QUICK Cordless SDS-Plus Hammer

- → Most powerful SDS-plus cordless hammer from Metabo for fast and drilling and efficient chiselling in concrete and masonry
- → Maximum drilling performance, efficiency and service life thanks to brushless technology and high-performance impact mechanism
- → Combination hammer with 3 functions: Hammer drilling, drilling and chiselling

Max. single blow energy (EPTA)	4.2 J
Maximum impact rate	4350 bpm
Drill Ø concrete with hammer drills	32 mm
No-load speed	0 - 1000 / min
Weight without battery pack	4.4 kg
Weight with battery pack	5.4 kg

Battery options	Order No.
Body only plus metaBOX 185 XL	600813840

^{*} See page 207 for Battery Set options











KH 18 LTX BL 35 QUICK Scope of delivery

Hammer chuck for tools with SDS-plus shank end, Additional side handle, Drilling depth guide, Carrying strap, metaBOX 185 XL, without battery pack, without charger





ISA 18 24 Dust Extractor

- → Extremely light and compact dust extraction for dust-free drilling in concrete, stone and masonry
- → Simple, tool-free installation to the cordless hammer KH 18 LTX BL 24/28 Q
- → Ideal for working overhead or in areas sensible to dust
- → Health-friendly working with HEPA filter for smallest dust particles

Order No. 631357840 with metaBOX 145 Full Service price group FS2



Max. drill length 160 mm

ESA PLUS Extraction Set

- → For drilling Ø 5-32 mm
- ightarrow Flexible 360° dust cap, adjustment to 160 mm and 210 mm drill bit
- → Compatible with all new Metabo SDS-plus hammers in connection with all Metabo M- and H-vacuum cleaners
- → External dust extraction

Order No. 623770000



DDE 14 Vacuum cleaner adapter

- → Vacuum cleaner adapter for extracting drilling dust at the hole entry point
- → Safe and dust-free drilling in walls and ceilings

Drill Ø 4 - 14 mm

Order No. 630829000





SDS-Plus Extraction Drill Bits

- → Active drill bit cooling for longest service life
- → Drilling and cleaning in one work step
- → Fast drilling progress thanks to optimal drill dust removal







KHA 18 LTX BL 40 Cordless SDS-Max Hammer

- → Cordless hammer with SDS max holder for powerful hammer drilling and chiselling any time and anywhere
- → Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- → Low-dust chiselling and drilling with external dust extraction ESA max (accessories)
- → Combination hammer with 2 functions: hammer drilling and chiselling
- → Metabo VibraTech (MVT): working, also continuously, in a low-fatigue manner whilst protecting the user's health

Battery pack voltage	18 V
Max. Single blow energy	8.6 J
Max. Impact rate	3200 bpm
Drill \emptyset concrete with hammer drills	40 mm
Drill \emptyset masonry with core bits	105 mm
No-load speed	450 - 580 rpm
Bit retainer	SDS-Max
Weight (including battery pack)	7.9 kg



KHA 18 LTX BL 40 Scope of delivery

Rubber-coated side handle Side handle Drilling depth guide Lubricant for tool shank end Duster Plastic carry case

without battery pack, without charger

Battery options	Order No.
Body only plus carry case	600752840

^{*} See page 207 for Battery Set options

ESA MAX Extraction Set

- → For drilling and chiselling with different attachments drill bits from Ø 16-52 mm, pointed and flat chisel up to 25 mm
- → Tool-free installation drill bit and chisel can be removed without detaching the extraction system
- → Compatible with all new Metabo SDS-max hammers in connection with all Metabo M- and H-vacuum cleaners
- → External dust extraction

Order No. 623271000



DDE 72 Vacuum Cleaner Adapter

- → Vacuum cleaner adapter for extracting drilling dust at the hole entry point
- → For drill bits and core bits from Ø 6 72 mm. Connection ø 37 mm outside / ø 32 mm inside
- → By virtue of the 2-chamber system and the foam rubber gasket it stays attached to almost all (even uneven) surfaces, such as plaster, natural stone and woodchip wallpaper.
- → Minimal drill dust residue at walls and wallpapers
- → The adapter is put on the existing suction hose.
- → The negative pressure of the vacuum cleaner keeps the adapter to the respective subsurface

Order No. 631343000



SDS-Max Extraction Drill Bits

- → Drilling and cleaning in one work step reduces the dust exposure and reworking
- → Greatest reinforcement compatibility, no sagging or clogging thanks to 4-blade-geometry with extra large dust outlets
- → Noticeably fast drilling progress thanks to optimal drill dust removal
- → Innovative head design with greatest concentricity for precise dowel holes
- → Active drill bit cooling for long service life
- → Dust-free drilling for compliance with legal provisions on user safety. Up to 98% less dust in the bore
- → Universal vacuum cleaner adapter fits all standard industrial M and H class vacuum cleaners
- → Kindly observe the installation instructions of the manufacturer when using the chemical installations







KGS 18 LTX BL 216 Cordless Mitre Saw

- ightarrow Compact cordless crosscut and mitre saw of the mobile M-class light, precise, user-friendly
- → Powerful Brushless motor for powerful sawing like with a mains-powered tool
- → Up to 400 cuts in soft wood 60 x 60 mm per battery pack charge (LiHD 10 Ah)
- → Precision Cut Line (PCL): precise shadow cutting line without re-adjustment thanks to cleverly positioned LED

Battery pack voltage	18 V
Support surface	345 x 730 mm
Max. cutting depth at 90°/45°	305 / 215 mm
Max. cutting width at 90°/45°	70 / 40 mm
Cutting capacity 90°/90°	305 x 70 mm
Cutting capacity 45°/45°	215 x 40 mm
Saw blade	216 x 30 mm
No-load speed	5000 rpm
Weight without battery pack	12.8 kg

KGS 18 LTX BL 216 Scope of delivery

Full Service price group FS4

Saw blade "cordless cut wood - classic", 216×30 Z40 2 Table length extensions, Length Guide, Material clamp, Tool for saw blade change Chip Collection Bag without battery pack, without charger

240



Battery options Order No.

Body only 614216850

^{*} See page 207 for Battery Set options



KGS 18 LTX BL 254 Cordless Mitre Saw

- → Compact cordless crosscut and mitre saw of the mobile M-class light, precise, user-friendly
- → Powerful Brushless motor for powerful sawing like with a mains-powered tool
- → Up to 205 cuts in soft wood 80 x 80 mm per battery pack charge (LiHD 10 Ah)
- → Precision Cut Line (PCL): precise shadow cutting line without re-adjustment thanks to cleverly positioned LED
- → Large cutting capacity thanks to sliding function for wide work pieces
- → Turntable with fast, precise setting of common angles using stop points
- → Robust die-cast aluminium design for the highest demands
- → Effective dust extraction via integrated dust scoop

Battery pack voltage	18 V
Support surface	345 x 760 mm
Max. cutting depth at 90°/45°	305 / 215 mm
Max. cutting width at 90°/45°	92 / 47 mm
Cutting capacity 90°/90°	305 x 92 mm
Cutting capacity 45°/45°	215 x 47 mm
Saw blade	254 x 30 mm
No-load speed	4000 rpm
Weight without battery pack	14.8 kg











Saw blade "cordless cut wood - classic". 254×30 Z48 2 Table length extensions, Length Guide, Material clamp, Tool for saw blade change Chip Collection Bag without battery pack, without charger

Battery options	Order No.
Body only	614254850

Full Service price group FS4

^{*} See page 207 for Battery Set options



KGS 18 LTX BL 305 Cordless Mitre Saw

- → Largest cordless crosscut and mitre saw of mobile M-class light, precise, user-friendly
- → Powerful Brushless motor for powerful sawing like with a mains-powered tool
- → Up to 120 cuts in soft wood 100 x 100 mm per battery pack charge (LiHD 10 Ah)
- → Precision Cut Line (PCL): precise shadow cutting line without re-adjustment thanks to cleverly positioned LED
- → Large cutting capacity thanks to sliding function for wide work pieces
- → Turntable with fast, precise setting of common angles using stop points
- → Saw blade inclination on both sides up to 47° for maximum flexibility
- → Robust die-cast aluminium design for the highest demands
- → Effective dust extraction via integrated dust scoop



Full Service price group FS4

without battery pack, without charger

* See page 207 for Battery Set options

Body only

614305850

Recommended mitre saw blades

	Description	Order No.
	SAW BLADE "CORDLESS CUT WOOD - CLASSIC", 216X30 Z40 WZ 5° Maximum runtime for cordless saws thanks to extra thin steel blade thickness and cutting width Significantly more cuts per battery pack charge compared to standard saw blades with the same long tool life	628065000
	SAW BLADE "CORDLESS CUT WOOD - PROFESSIONAL", 216X30 Z48 WZ 5° NEG Maximum runtime for cordless saws thanks to extra thin steel blade thickness and cutting width Significantly more cuts per battery pack charge compared to standard saw blades with the same long tool life Particularly long tool life thanks to best carbide quality and finely-ground teeth Precise, low-noise and vibration-minimised cuts thanks to lasered expansion slots (and partially laser ornaments) as well as lasered steel blades made from sintered steel Secondary holder for circular saw blades with Ø 216	628445000
	SAW BLADE "POWER CUT WOOD - PROFESSIONAL", 254X30, Z24 WZ 5° NEG. For coarse and semi-fine cuts with continuous feed. Ideal for high feed rate / low power consumption machines Good cutting results for straight cuts in solid wood Partially suitable for construction wood with nails and concrete residue Particularly long tool life thanks to best carbide quality and finely-ground teeth Precise, low-noise and vibration-minimised cuts thanks to lasered expansion slots (and partially laser ornaments) as well as lasered steel blades made from sintered steel	628220000
O	SAW BLADE "PRECISION CUT WOOD - CLASSIC", 254X30, Z48 WZ 5° NEG. For clean cutting results for ripping or cross cutting in softwood and hardwood Suitable for hard wood and plywood, untreated chipboards, coated or veneered, MDF, composite materials High power consumption so the saw must have a high performance motor	628061000
Polabo	SAW BLADE "PRECISION CUT WOOD", CLASSIC QUALITY, 305 x 30 Z56 WZ 5° NEG. For clean cutting results for ripping or cross cutting in softwood and hardwood Suitable for hard wood and plywood, untreated chipboards, coated or veneered, MDF, composite materials High power consumption so the saw must have a high performance motor	628064000
0	SAW BLADE "PRECISION CUT WOOD", 305 x 30 Z60 WZ 5° NEG. For very good, clean cutting results for longitudinal or cross-cuts in softwood and hardwood Perfectly suited for hard wood and plywood, untreated chipboards, coated or veneered, MDF, composite materials Particularly long tool life thanks to best carbide quality and finely-ground teeth	628228000

UMS Universal Machine Stand



- > For ideal working height and stability
- → Can be folded up compactly
- > Compensation in height with adjustable stand
- → Ready mounted

UMS Scope of delivery

Unit only Order No. 631317000

KSU 100 Mitre Saw Stand



- → Light and robust stand for mitre saw
- → Quickly ready to use thanks to lockable folding legs
- → Extendable workpiece supports with rollers and stop fence for precise repetitive cuts (available as asccessory)
- → Machine carrier (installation without tools) makes it suitable for all the conventional mitre saws of well-known manufacturers

KSU 100 Scope of delivery

Unit only Order No. 629004000

KSU 251 / KSU 401 Mitre Saw Stand



- → Machine stand with extendable and robust table width extension
- → Universal end profile makes it suitable for all the conventional crosscut saws of well-known manufacturers
- → Sturdy legs with height adjustment
- → Adjustable rollers
- → Length stop
- → Transportation wheel
- → Extensive range of accessories
- → Maximum extension: 2.5 m / 4 m

Scope of delivery

KSU 251 - Unit only **Order No. 629005000** KSU 401 - Unit only **Order No. 629006000**

KSU 251 Mobile Mitre Saw Stand



- → Particularly robust stand for mitre saws with trolley function for mobile use also with mounted saw
- → Extendable workpiece supports with rollers and folding guide for precise cutting in series
- → Double supported table width extension for heavy workpieces
- → Compensation in height with adjustable feet
- → Simple folding mechanism; can be folded even with the saw in place
- → Space-saving storage position



Unit only Order No. 629007000





KT 18 LTX 66 BL Cordless Plunge Cut Saw

- → Cordless plunge cut saw with brushless motor for powerful plunge cuts and precise cuts up to a depth of 66 mm (!)
- → Adjustable fit without play on the guide rails from Metabo and other manufacturers for precise cutting results.
- → LIHD high-performance battery packs and the Metabo brushless motor guarantee maximum power and enduring sawing
- → Versatile application thanks to variable speed for different materials
- → Double guide for precise setting of the cutting depth with and without guide rail
- → Sawing close to the wall possible down to 14 mm


Battery pack voltage	18 V
Adjustable cutting depth	0 - 66 mm
Maximum cutting depth at 90°	66 mm
Saw blade Ø x bore	165 x 20 mm
Max. cutting speed	43 m/s

KT 18 LTX BL 66 Scope of delivery

without battery pack, without charger

Saw blade "precision cut wood - classic" 165×20 Z42 WZ 5° Dust bag Hexagonal wrench metaBOX 340

Battery options	Order No.	To a
Body only + metaBOX 340	601866840	1











CORDLESS TOOLS 18 V - LTX CLASS CORDLESS PLUNGE CUT / CIRCULAR SAW



KS 18 LTX 57 BL Cordless Circular Saw

- → Powerful, lightweight cordless hand-held circular saw for universal construction site use
- → Powerful brushless motor for fast work progress and maximum and highest efficiency
- → Aluminium base plate can be used directly on guide rails from Metabo as well as Mafell, Bosch, Festool, Makita, HiKOKI, Hilti and other manufacturers

Battery pack voltage	18 V
Swivel range from / to:	0 / + 50°
Adjustable cutting depth	0 - 57 mm
Maximum cutting depth at 90°	57 mm
Maximum cutting depth at 45°	43 mm
Saw blade Ø x bore	165 x 20 mm
Maximum cutting speed	43 m/s

KS 18 LTX 57 BL Scope of delivery

Carbide circular saw blade (18 teeth), rip fence, hexagon spanner, metaBox 340, without battery, without charger









Battery options	Order No.
Body only plus metaBOX 340	611857840

^{*} See page 207 for Battery Set options

Saw Blades	Order No.
Cordless Cut Wood Professional 165×20 Z18 WZ 20°	628294000
Cordless Cut Wood Professional 165×20 Z36 WZ 15°	628295000











KS 18 LTX 57 Cordless Circular Saw

- → Powerful, light, cordless circular saw for universal use on construction sites
- → Aluminium base plate can be directly used on guide rails from Metabo and other manufacturers
- → Accurately angled bevel cuts down to 50°, with handy snap-in point at 45°

Battery pack voltage	18 V
Swivel range from / to:	0 / + 50°
Adjustable cutting depth	0 - 57 mm
Maximum cutting depth at 90°	57 mm
Maximum cutting depth at 45°	43 mm
Saw blade Ø x bore	165 x 20 mm
Maximum cutting speed	40 m/s

KS 18 LTX 57 Scope of delivery

Carbide circular saw blade (18 teeth) Parallel guide Hexagonal wrench metaBOX 340 without battery pack, without charger



Battery options	Order No.
Body only plus metaBOX 340	601857840

^{*} See page 207 for Battery Set options

Cordless Cut Wood Professional 165×20 Z18 WZ 20°
Cordless Cut Wood Professional 165x20 736 W7 15°

Order No. 628294000 628295000







Saw Blades







CORDLESS TOOLS 18 V - LTX CLASS

CIRCULAR SAWS (WOOD)



KS 18 LTX 66 BL Cordless Circular Saw

- → Aluminium base plate can be directly used on guide rails from Metabo and other manufacturers
- → Fast, precise cross cuts thanks to easy coupling with a Metabo cross cutting rail
- → LIHD high-performance battery packs and the Metabo Brushless motor guarantee maximum power and enduring sawing

Battery pack voltage	18 V
Swivel range from / to:	0 / + 46°
Adjustable cutting depth	0 - 66 mm
Maximum cutting depth at 90°	66 mm
Maximum cutting depth at 45°	43 mm
Saw blade Ø x bore	165 x 20 mm
Maximum cutting speed	43 m/s

KS 18 LTX 66 BL Scope of delivery

Carbide circular saw blade (18 teeth) Parallel guide Hexagonal wrench metaBOX 340 without battery pack, without charger



Battery options	Order No.
Body only plus metaBOX 340	611866840

^{*} See page 207 for Battery Set options

Saw Blades Order No. Cordless Cut Wood Professional 165×20 Z18 WZ 20° 628294000 Cordless Cut Wood Professional 165×20 Z36 WZ 15° 628295000















MKS 18 LTX BL 58 Cordless Metal Cutting Circular Saw

- → Powerful Brushless motor for quick work progress and highest efficiency
- → Powerful cordless metal cutting circular saw with chip collection box for cold sawing of metals. Compatible with guide rails.
- → Fast and precise cutting of tubes, profiles, channels, metal grids and sheets, free from sparks and burrs.
- → With chip collection box for a clean working environment
- → Robust saw with guard made from die-cast aluminium and stainless steel base plate
- > Lower weight and compact, ergonomic design
- → Viewing window in the guard for precise cutting guidance
- → Cutting depth control, steplessly adjustable and without tools according to mm and inch scale
- → Comfortable saw blade change with spindle lock
- → Fast brake for highest safety with quick saw blade stop (< 1 sec)
- → Precise straight cuts of metal grids, steel and profile sheets thanks to guide rail (accessory)
- → Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands; www.cordless-alliance-systems.com



Battery pack voltage	18 V
,,	
Adjustable cutting depth	0 - 58 mm
Maximum cutting depth at 90°	58 mm
Saw blade Ø x bore	165 x 20 mm
Max. cutting speed	1.34 m/min
Weight without battery pack	2.8 kg
Weight withbattery pack	3.8 kg

Battery options	Order No.
Body only plus metaBOX 340	600773840

^{*} See page 207 for Battery Set options

MKS 18 LTX BL 58 Scope of delivery

Carbide circular saw blade for metal (40 teeth), Parallel guide, Hexagonal wrench, Guide rail adapter, metaBOX 340, without battery pack, without charger

Recommended circular saw blades Ø 165 mm

- → Easy, competent, clear
- → Extensive new range of circular saw blades for all applications
- → In "professional" and "classic" qualities
- → Uniform differentiation thanks to colour coding system

	Description	Order No.
O O	Application area: Multi cut - classic → Universal use for demanding materials → For high standards in cutting quality, e.g. for laminate, thin-walled plastic, aluminium, copper and brass materials Ø 165 x 2.2 x 20 mm Number of teeth: 42 Tooth shape: FZ/TZ Rake angle: 5°	628661000
	Application area: Cordless cut wood → Maximum runtime for cordless saws thanks to extra thin steel blade thickness and cutting width → Significantly more cuts per battery pack charge compared to standard saw blades with the same long tool life Ø 165 x 1.6 x 20 mm Number of teeth: 18 Tooth shape: WZ Rake angle: 20°	628294000
O	Application area: Cordless cut wood → Maximum runtime for cordless saws thanks to extra thin steel blade thickness and cutting width → Significantly more cuts per battery pack charge compared to standard saw blades with the same long tool life Ø 165 x 1.6 x 20 mm Number of teeth: 36 Tooth shape: WZ Rake angle: 15°	628295000
0	Application area: Precision cut wood → Very wide range of uses in wood processing → For clean cutting results for ripping or cross cutting in softwood and hardwood Ø 165 x 1.8 x 20 mm Number of teeth: 42 Tooth shape: WZ Rake angle: 5°	628026000
0	Application area: Fibre cement cut → Especially for use in cement and gypsum-bound chipboards and fibreboards Ø 165 x 2.2 x 20 mm Number of teeth: 4 Tooth shape: FZ Rake angle: 5°	628289000
A CO HARANTA A CONTRACTOR OF THE CONTRACTOR OF T	Application area: Aluminium cut \rightarrow Perfect cuts in aluminium thanks to special tooth geometry \emptyset 165 x 1.6 x 20 mm Number of teeth: 48 Tooth shape: FZ/TZ Rake angle: 5° neg.	628276000
	Application area: Steel cut - classic → Universal use for cold cuts in metals → Particularly suited for use in sheet steel, steel profiles and sandwich materials Ø 165 x 1.6 x 20 mm Number of teeth: 40 Tooth shape: FZFA/FSFA Rake angle: 4°	628273000

The Metabo guide rail system: precise and safe working

- → Splinter protection reduces breakout when sawing
- → Safe, non-slip hold as well as protection of the workpiece surface by means of adhesive coating
- → Safe fixing with holes to fix the rail to the workpiece and for hanging storage



Guide Rails	Order No.
FS 80: 800 mm Guide Rail	629010000
FS 160: 1600 mm Guide Rail	629011000
FS 160 + Carry Bag: 1600 mm Guide Rail	629011700
FS 250: 2500 mm Guide Rail	629013000
FS 310: 3100 mm Guide Rail	629014000

	Accessories	Order No.
	Metabo FSKIT 2 x FS 160 guide rails, FS bag, FS connector + 2 x Screw clamps	UK629011002
avetales	Guide Rail Carry Bag (FS BAG) Handy carry bag for safe storage and transport of the guide rail up to 160 cm Suitable for Metabo guide rails FS 160	629020000
F	Fix Clamp for FS For quick and safe fixing of guide rails from Metabo and other manufacturers Solid hold even in case of vibrations 160 mm clamping height	629021000
AP	Set of 2 Screw Clamps For safe fixing of guide rails from Metabo and other manufacturers 120 mm clamping height	631031000
THE REAL PROPERTY.	Connector FSV For the tool-free connection of two guide rails for particularly long cuts Can be pushed into the guide rail for storage Suitable for the Metabo guide rails FS	629022000
	Splinter Protection for FS 350 cm Reduces tears in the workpiece Roll with 3.5 m (as replacement) Suitable for the Metabo guide rails FS	629023000
1	Sliding Pad for FS 700 cm For easy gliding on the guide rail Roll with 7 m (as replacement)	629024000
M.	Antislip Strap for FS 700 cm For safe, non-slip hold as well as protection of the workpiece surface Roll with 7 m (as replacement) Suitable for the Metabo guide rails FS	629025000
	Mitre Fence for FS For precise alignment of the guide rail on the workpiece Angle adjustable from -60° to +60° Suitable for the Metabo guide rails FS	629026000

The Cross-cutting rails: quick and precise angled cuts.

- → Mobile, compact solution for angle-precise cross cuts directly at the application site, ideal on the roof or on mounted workpieces
- ightarrow Can be coupled with the Metabo circular saws KS 18 LTX 66 BL and KS 18 LTX 57
- → Angle cuts up to 60° click positions at standard angles
- → The integrated return mechanism brings the saw back into the starting position after the cut
- → Easy coupling with the circular saw thanks to quick closure
- > Splinter protection reduces breakout when sawing
- → Adhesive coating for safe, non-slip surface contact as well as protection of the workpiece surface



Working Trestle Set MAB 82

- → Robust and stable steel trestles with powder-coated, galvanised surfaces
- → Height-adjustable legs for an optimum working height
- → Compact transport dimensions and simple assembly in seconds assembly in seconds
- → Adjustable, lateral squared timber supports to connect two trestles with each other
- → Openings for clamps or screw clamps and for fixing semi-stationary semi-stationary machines such as a cross-cut saw
- → Additional support brackets on the legs
- → Swivel feet for levelling uneven surfaces
- → Carrying handle for easy transport



Weight	10.2 kg
Max. Load capacity, single	590 kg
Height	615 - 820 mm
Dimensions assembled	1160 x 980 x 820 mm
Dimensions folded	110 x 995 x 142 mm

Order No. 626990000








Multifunctional workbench MWB 100

- → Mobile workbench with many possible uses
- → Quick assembly and disassembly thanks to folding mechanism
- → Height-adjustable legs for an optimum working height
- → Levelling foot to compensate for uneven surfaces
- → All-round T-slot for lateral clamping with suitable clamps clamps
- → Robust MDF table top (replaceable) with 20 mm hole pattern and angle indicator hole grid and angle indicator
- → Several tables can be connected using the corner connectors supplied corner connectors
- → Numerous mounting options for semi-stationary machines machines
- → Easy to transport thanks to lightweight aluminium frame and transport handles
- → All-round groove for attaching suitable open-fronted storage bins



Scope of delivery

Multifunctional table

- 2 x One-handed clamps
- 4 x Bench hooks
- 2 x Corner connectors



NFR 18 LTX 90 BL Cordless First Fix Framing Nailer

- → Powerful cordless nailer with pneumatic impact technology for nails up to 90 mm length
- → Fast work progress thanks to fire sequence of two nails per second
- → Maximum freedom of movement when driving in nails without compressed air hose or cable
- → Economical, safe operation without gas cartridge and addition service effort
- → Efficient Brushless motor for up to 550 shots per battery pack charge (LiHD 4.0 Ah)
- → Selection possible between single shot mode and contact triggering for fast nailing in series
- → Tool-free adjustment of the driving-in depth for precise working
- → Blank shot protection protects from unnecessary wear and tear and increases the service life of the nailer
- → Energy-saving safety shutdown after 30 minutes of inactivity
- → Multi-position handle to protect the battery pack, as attachment point for tool safety equipment and to suspend the nailer
- → Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com



Battery options	Order No.
2 x 4.0Ah LiHD, ASC 145 Charger + metaBOX 340	612090800
Body only + metaBOX 340	612090840

^{*} See page 207 for Battery Set options

NFR 18 LTX 90 BL Scope of delivery

Multi-position handle, Rubber protective shoe, Magazine for nail strips, Hexagonal wrench, 2 LiHD Battery packs (18 V/4.0 Ah), Quick charger ASC 145 "AIR COOLED", metaBOX 340



SSEP 18 LTX BL MVT Cordless Sabre Saw

- → Extremely powerful cordless sabre saw for demanding applications
- → Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- → Variospeed (V) Electronics for working with customised stroke rates for the materials used
- → Selectable pendulum stroke for optimum sawing performance
- → Metabo Quick for changing saw blades without tools
- → Metabo VibraTech (MVT): integrated weight balance to reduce vibrations
- → Depth guide can be adjusted without tools for ideal utilisation of the saw blade and diverse applications such as plunge cuts
- → Integrated LED work light for optimum illumination of the cutting line
- → Free hands in the work breaks thanks to practical scaffolding hook (removable)
- → Can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-system.com



	Battery pack voltage	18 V	BRUS	HLESS	
	Strokes – no load	0 - 3000 / min			
	Saw blade stroke	32 mm	18 V	CAS	
	Weight without battery pack	3.9 kg			
	Weight with battery pack	4.6 kg			
met	abo and and		BRUSHLESS	MMYIM	meldicities

SSEP 18 LTX BL MVT Scope of delivery

Sabre saw blade for wood and metal, metaBOX 165 L, without battery pack, without charger

Battery options	Order No.
Body only plus metaBOX 165 L	602258840

^{*} See page 207 for Battery Set options



Full Service price group FS4









Visit our website for full range of Sabre saw blades





SSEP 18 LT BL Cordless Sabre Saw

- → Powerful cordless reciprocating saw with angled softgrip handle for handle for high working comfort
- → Unique Metabo brushless motor for fast work progress and maximum efficiency in every application
- → Vario (V) electronics for working with material-specific stroke rates
- → Switchable pendulum stroke for optimum sawing performance
- → Saw blade can be rotated 180° for convenient overhead work overhead
- → Metabo Quick for tool-free saw blade change
- → Integrated LED work light for optimum illumination of the interface

Battery pack voltage	18 V
Strokes – no load	0 - 3000 / min
Saw blade stroke	32 mm
Weight without battery pack	3.0 kg

SSEP 18 LT BL Scope of delivery Sabre saw blade for wood and metal metaBOX 165 L

without battery pack, without charger

Battery options	Order No.
Body only plus metaBOX 165 L	601617840

^{*} See page 207 for Battery Set options



BRUSHLESS





Full Service price group FS3

SSEP 18 LT Cordless Sabre Saw

- → Universal cordless reciprocating saw with angled softgrip handle for high working comfort
- → Vario (V) electronics for working with material-specific strokes
- → Switchable pendulum stroke for optimum sawing performance
- → Saw blade can be rotated by 180° for comfortable overhead work overhead
- → Metabo Quick for tool-free saw blade change

Battery pack voltage	18 V
Strokes – no load	0 - 3000 / min
Saw blade stroke	32 mm
Weight without battery pack	2.9 kg


SSE 18 LT Scope of delivery

Sabre saw blade for wood and metal metaBOX 165 L

without battery pack, without charger

Battery options	Order No.
Body only plus metaBOX 165 L	601616840

^{*} See page 207 for Battery Set options









SSE 18 LTX COMPACT Cordless Sabre Saw

- → Light, extremely handy saw for one or two handed operation
- → Especially suitable for working in difficult to reach places
- → Variospeed (V) Electronics for working with customised stroke rates for the materials used
- → Saw blade rotatable by 180° for working comfortably overhead
- → Metabo Quick for changing saw blades without tools
- → Extended range of application thanks to unique Quick retainer for sabre saw blades and jigsaw blades
- → Depth guide can be adjusted without tools for ideal utilisation of the saw blade and diverse applications such as plunge cuts
- ightarrow Integrated LED work light for optimum illumination of the cutting line
- → Wide range of uses thanks to the adapted Metabo saw blade range
- → With metaBOX, the intelligent solution for transport and storage










Battery pack voltage	18 V
Strokes – no load	0 - 3100 / min
Saw blade stroke	13 mm



metaBOX 145 without battery pack, without charger

Battery options	Order No.
Body only plus metaBOX 145	602266840

^{*} See page 207 for Battery Set options







STA 18 LTX 150 BL Cordless Jigsaw

- → The power pack for demanding work: Cordless jigsaw with maximum cutting performance thanks to a powerful brushless motor and constant stroke rates under load
- → Optimum ergonomics in all working positions and soft grip surface surface for perfect handling and safe guidance the saw
- → Powerful brushless motor for fast work progress and maximum efficiency
- → Metabo Quick for tool-free saw blade change with automatic ejection
- → Deep saw blade guide for precise cuts
- → Efficient chip blowing function for a clear view of the cutting area
- → Integrated LED work light, can be switched off for cuts from below without being dazzled
- → Restart protection: prevents unintentional start-up after battery change



Battery pack voltage	18 V
Cutting depth wood	150 mm
Cutting depth NF metal	35 mm
Cutting depth sheet steel	10 mm
Strokes – no load	1000 - 3500 / min

STA 18 LTX 150 BL Scope of delivery

Suction nozzle, protective glass, plastic protective plate, Chip guard plate, 3 saw blades, metaBOX 145 L without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	601502840

* See page 207 for Battery Set options





STAB 18 LTX 150 BL Cordless Jigsaw

- → The power pack for demanding work: Cordless jigsaw with maximum cutting performance thanks to a powerful brushless motor and constant stroke rates under load
- → Powerful brushless motor for fast work progress and maximum efficiency
- → Metabo Quick for tool-free saw blade change with automatic ejection
- → Deep saw blade guide for precise cuts
- → Bow handle with non-slip soft grip surface
- → Efficient chip blowing function for a clear view of the cutting area
- > Integrated LED work light to illuminate the cutting area
- → Restart protection: prevents unintentional start-up after battery change





Battery pack voltage	18 V
Cutting depth wood	150 mm
Cutting depth NF metal	35 mm
Cutting depth sheet steel	10 mm
Strokes - no load	1000 - 3500 / min

STAB 18	LTX 150	BL Scope	of delivery
---------	---------	----------	-------------

Suction nozzle, protective glass, plastic protective plate, Chip guard plate, 3 saw blades, metaBOX 145 L without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	601503840

* See page 207 for Battery Set options





ST 18 LT 130 BL Cordless Jigsaw

- → The versatile one for interior development and assembly: compact cordless jigsaw with powerful Brushless motor for fast, precise cuts
- → Best ergonomics in all working positions and soft-grip surface for perfect handling and safe guidance of the saw
- → Powerful Brushless motor for quick work progress and highest efficiency

Battery pack voltage	18 V
Cutting depth wood	130 mm
Strokes - no load	1000 - 3500 / min

ST 18 LT 130 BL Scope of delivery

Extraction nozzle Protective glass Chip guard plate Hexagonal wrench

metaBOX 145 L

without battery pack, without charger

Battery options	Order No.
Body only plus metaBOX 145 L	601054840

^{*} See page 207 for Battery Set options





Full Service price group FS3

STB 18 LT 130 BL Cordless Jigsaw

- → The versatile one for interior development and assembly: compact cordless jigsaw with powerful Brushless motor for ,fast, precise cuts
- → Best ergonomics in all working positions and soft-grip surface for perfect handling and safe guidance of the saw
- → Metabo "Quick" for changing saw blades without tools and with automatic ejection



Battery pack voltage	18 V
Cutting depth wood	130 mm
Strokes in idle	3500 / min

STB 18 LT 130 BL Scope of delivery

Extraction nozzle Protective glass Chip guard plate Hexagonal wrench metaBOX 145 L without battery pack, without charger

Battery options	Order No.
Body only plus metaBOX 145 L	601055840

^{*} See page 207 for Battery Set options



ST 18 L 90 Cordless Jigsaw

- → The daily helper for universal sawing applications: compact cordless jigsaw for cuts in wood up to 90 mm
- → Best ergonomics in all working positions and soft-grip surface for perfect handling and safe guidance of the saw
- → Metabo "Quick" for changing saw blades without tools and with automatic ejection
- → Integrated LED work light for illumination of the cutting line

Battery pack voltage	18 V
Cutting depth wood	90 mm
Strokes – no load	750 - 3000 / min

ST 18 L 90 Scope of delivery

Extraction nozzle Protective glass Chip guard plate Hexagonal wrench metaBOX 145 L without battery pack, without charger

Battery options	Order No.
Body only plus metaBOX 145 L	601047840

^{*} See page 207 for Battery Set options





STB 18 L 90 Cordless Jigsaw

- ightarrow The daily helper for universal sawing applications: compact cordless jigsaw for cuts in wood up to 90 mm
- → Best ergonomics in all working positions and soft-grip surface for perfect handling and safe guidance of the saw
- → Metabo "Quick" for changing saw blades without tools and with automatic ejection
- → Integrated LED work light for illumination of the cutting line



Battery pack voltage	18 V
Cutting depth wood	90 mm
Strokes – no load	700 - 3000 / min

STB 18 L 90 Scope of delivery

Extraction nozzle Protective glass Chip guard plate Hexagonal wrench metaBOX 145 L without battery pack, without charger

Battery options	Order No.
Body only plus metaBOX 145 L	601003840

^{*} See page 207 for Battery Set options





OFV 18 LTX BL 12 Cordless Router

- → Powerful cordless router featuring a substantial 50 mm plunge depth, suitable for a wide range of routing applications.
- → Powerful Brushless motor for excellent cutting speed in wood and woodlike materials
- → Millimeter-precise adjustment of the cutting depth utilizing a three-step stop mechanism and additional fine-tuning facilitated by the calibrated scale.
- → Robust and torsion-resistant 2-column guide for highest precision
- → Variable speed control for speeds adapted to the materials for any application
- → Hardened and ground interchangeable collet chuck for precise concentricity of router bits
- → Spindle lock for easy router bit change
- → Restart protection: prevents unintentional start-up after power supply interruption
- → Overload protection: protects the motor from overheating
- → Equipped for many applications: Parallel guide / rip fence, template follower and suction adapter













Battery pack voltage	18 V
Max. Stroke height	50 mm
No load speed	11000 - 25000 rpm
Collet chuck bore Ø	6 /8/ 12 mm
Weight without battery pack	2.9 kg

Battery options	Order No.
Body only + metaBOX 340	601743830

^{*} See page 207 for Battery Set options

OFV 18 LTX BL 12 Scope of delivery

Suction Adapter, Parallel Guide / Rip Fence, Template Follower, Collet 1/2", Collet 3/8", Open-jawed spanner, metaBOX 340, without battery pack, without charger

remptate at	iides		,
Α	В	С	Order No.
7.5 mm	9.5 mm		303347
8.0 mm	10.0 mm		303348
9.0 mm	11.1 mm		303349
10.1 mm	12.0 mm		303350
10.7 mm	12.7 mm		303351
12.0 mm	14.0 mm		303352
14.0 mm	16.0 mm	4.5 mm	303353
16.5 mm	18.0 mm		956790
18.5 mm	20.0 mm		956932
22.5 mm	24.0 mm		303354
25.5 mm	27.0 mm		956933
28.5 mm	30.0 mm		956934
38.5 mm	40.0 mm		303355

Template Guides



FMV 18 LTX BL 8 Cordless Trimmer

- → Lightweight, compact cordless edge router for one-handed profile routing, trimming and grooving
- → Powerful brushless motor for outstanding routing speed in wood and wood-like materials
- → Precise, infinitely variable depth adjustment and fixing of the motor unit via rack and pinion thread
- → Variable speed control for a material-specific speed for every application
- → Perfect ergonomics and favourable switch arrangement for maximum comfort even with one-handed operation
- → Transparent base plate for maximum visibility of milling cutter and workpiece
- → Hardened and ground replaceable collet chuck for precise concentricity of the milling cutters
- → Spindle lock for easy cutter change
- → Restart protection: prevents unintentional start-up after a power interruption
- → Overload protection: protects the motor from overheating
- → Equipped for many applications: Rip fence, copying flange, roller guide and suction adapter











Battery pack voltage	18 V
Max. Lifting Height	40 mm
Idle speed	4800 - 29000 / min
Clamping bore Ø	6 / 8 mm
Weight without battery pack	1 kg

Battery options	Order No.
Body only + metaBOX 145 L	601742830

* See page 207 for Battery Set options

FMV 18 LTX BL 8 Scope of delivery

Suction adapter, rip fence, copying flange, collet 1/4", open-end spanner, metaBOX 145 L, without battery pack, without charger





HO 18 LTX 20-82 Cordless Planer

- → Light, compact cordless planer for planing, rebating and chamfering
- → Adjustable planer depth and notch depth
- → Aluminium die cast and milled cut planer base with V-groove for easy chamfering
- → Parallel guide / rip fence for precise guiding of the planer
- → Grip area with non-slip soft-grip surface
- → Extraction possibility by means of connecting an all-purpose vacuum cleaner
- → Angled chip ejection adapter for controlled ejection of the wood shavings






. . .

Reversible carbide planer blades Parallel Guide / Rip Fence Depth gauge Chip ejection adapter Textile dust bags metaBOX 340 without battery pack, without charger

Battery options	Order No.
Body only plus metaBOX 340	602082840

^{*} See page 207 for Battery Set options



MT 18 LTX BL QSL Cordless Multi-tool

- → Oscillating cordless multi-tool with high performance comparable to that of a mains powered version
- ightarrow For intensive applications in interior development with custom-fit 3D holder Starlock Plus

613088840

- → Indispensable for interior development such as cutting, sanding and scraping of different materials
- → Metabo Quick tool change: quick and comfortable thanks to magnetic holder to pre-fix the accessory
 → Unique Metabo brushless motor highest efficiency when working, also in continuous mode

Battery pack voltage	18 V
Orbital frequency with no load	8,000-20,000 rpm
Oscillation angle left/right	1.6 °
Bit retainer	Starlock/ Starlock Plus

MT 18 LTX BL QSL Scope of delivery

Plunge saw blade 32 mm wood/metal metaBOX 145 L without battery pack, without charger

Battery options Order No.









Body only + metaBOX 145 L

* See page 207 for Battery Set options

Multi-tool blades & accessories (Starlock Plus)

	Description	Order No.
	Sanding plate "Starlock" 93 mm	626944000
	Plunge cut saw blade "Starlock Plus" wood+metal 32 x 60 mm STARLOCK PLUS	626945000
	Plunge cut saw blade "Starlock Plus" wood 32 x 60 mm STARLOCK PLUS	626946000
	Precision saw blade "Starlock Plus" 32 x 50 mm STARLOCK PLUS	626947000
	Plunge cut saw blade "Starlock Plus" metal 32 x 50 mm STARLOCK PLUS	626948000
*	Saw blade "Starlock Plus" wood/abrasive 40 x 53 mm STARLOCK PLUS	626949000
	Depth control + dust extraction → Depth guide for precise working depth and working near edges: easy and fast installation, angle adjustable → Extraction nozzle for the dust extraction: can be used on both sides of the machine	626943000







MT 18 LTX COMPACT Cordless Multi-tool

- → Oscillating cordless multi-tool with high performance comparable to that of a mains powered version
- → Indispensable for interior development such as cutting, sanding and scraping of different materials
- → Tool holder for maximum compatibility to OIS, Starlock and other accessories
- → Metabo Quick tool change system for time-saving, convenient change of accessories
- → Fast and powerful thanks to the combination of a large oscillation angle of 3.2° and VTC-Electronics to maintain constant speed even under load
- → Extra bright double LED lights for good visibility of the working area
- → Slim design and non-slip soft-grip surface for optimised handling
- → Extraction possibility by means of connecting an all-purpose vacuum cleaner



Battery pack voltage	18 V
Orbital frequency no load	7000 - 18000 / min
Oscillation angle left / right	1.6°
Base plate, dimensions from corner to corner	93 mm

MT 18	LTX	Scope	of del	ivery
-------	-----	-------	--------	-------

Plunge saw blade 32 mm HCS (wood)
Triangular hook and loop sanding plate 93 mm
5 Hook and loop sanding sheets 93 mm P 80
5 Hook and loop sanding sheets 93 mm P 120
Suction Adapter
Multi-adapter
metaBOX 145 L
without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	613021840

^{*} See page 207 for Battery Set options



Multi-tool blades STARLOCK

	Description	Order No.
	plunge cut saw blade wood HCS 32 mm	626950000
	5 plunge cut saw blade wood HCS 32 mm	626951000
	plunge cut saw blade wood+metal BiM 20 mm	626952000
	plunge cut saw blade wood+metal BiM 28 mm	626953000
	5 plunge cut saw blade wood+metal BiM 28 mm	626954000
	plunge cut saw blade wood+metal BiM 65 mm	626955000
	plunge cut saw blade wood+metal BiM 32 mm	626956000
	plunge cut saw blade metal BiM 32 mm	626957000
	5 plunge cut saw blade metal BiM 32 mm	626958000
	plunge cut saw blade metal HM/TC 32 mm	626959000
	segment saw blade wood+metal BiM 85 mm	626960000
	scraper HCS 52 mm	626961000
	segment saw blade grout+mortar HM 85 mm	626962000
	sanding plate grout+mortar HM 78 mm	626963000

SXA 18 LTX 125 BL Cordless Random Orbital Sander

- → Flat cordless random orbital sander with ergonomic design and low weight for low-fatigue working
- → Comfortable guidance of the sander close to the surface thanks to the low overall height
- → Low-vibration working thanks to smooth running operation
- → Grip area with non-slip soft-grip surface
- → Soft start minimises surface damage when placing the machine on the work surface
- → Unique Metabo brushless motor highest efficiency when grinding, also in continuous mode
- → Orbit diameter 2.0 mm for highest surface quality with good material removal
- → Infinitely variable speed control for working with different materials
- → Multi-hole sanding pad for effective extraction and a longer service life of the sanding medium
- → With easy to empty textile dust bag for working without extraction facilities
- → Can be connected to an all-purpose vacuum cleaner with the coupling bush 630798000
- → Motor and plate brake permits quick placing down of the machine after use
- → Removable protector protects adjacent surfaces and increases the service life of the sanding pad
- → With metaBOX, the intelligent solution for transport and storage







Removable protector protects adjacent surfaces and increases the service life of the sanding pad

Battery pack voltage	18 V	
Diameter of backing pad	125 mm	
No-load speed	4000 - 10000 rpm	
Orbit diameter	2 mm	
Weight (including battery)	1.7 kg	

Battery options	Order No.
Body only plus metaBOX 215	600146840

^{*} See page 207 for Battery Set options

SXA 18 LTX 125 BL scope of delivery

Sanding pad "multi-hole" with hook and loop 1 Hook and loop sanding sheet P 120 wood and metal "professionat" Protector Ø 125 mm

Protector Ø 125 mm
Textile dust bag compact
Hexagonal wrench

metaBOX 215

without battery pack, without charger

SXA 18 LTX 150 BL Cordless Random Orbital Sander

- → Compact cordless random orbital sander with sanding pad Ø 150 mm for high material removal ideal for larger areas
- → Comfortable guidance of the sander close to the surface thanks to the low overall height
- → Low-vibration working thanks to smooth running operation
- → Grip area with non-slip soft-grip surface
- → Soft start minimises surface damage when placing the machine on the work surface
- → Unique Metabo brushless motor highest efficiency when grinding, also in continuous mode
- > Infinitely variable speed control for working with different materials
- → Multi-hole sanding pad for effective extraction and a longer service life of the sanding medium
- → With easy to empty textile dust bag for working without extraction facilities
- ightarrow Can be connected to an all-purpose vacuum cleaner with the coupling bush 630798000
- → Motor and plate brake permits quick placing down of the machine after use
- → Removable protector protects adjacent surfaces and increases the service life of the sanding pad
- → With attachment point for tool safety straps for working at great heights







Removable protector protects adjacent surfaces and increases the service life of the sanding pad

Battery pack voltage	18 V
Diameter of backing pad	150 mm
No-load speed	4000 - 10000 rpm
Orbit diameter	3 mm
Weight (including battery)	1.7 kg

Battery options	Order No.
Body only plus metaBOX 215	600411840

^{*} See page 207 for Battery Set options

SXA 18 LTX 150 BL scope of delivery

Sanding pad "multi-hole" with hook and loop 1 Hook and loop sanding sheet P 120 wood and metal "professional"

Protector Ø 150 mm

Textile dust bag

Hexagonal wrench

metaBOX 215

without battery pack, without charger



SM 18 LTX BL Cordless Multi Sander (Square and Delta)

- → Compact multi sander with triangular and rectangular sanding plates for versatile sanding of corners, edges, and small surfaces
- → Comfortable guidance close to the surface thanks to the low overall height.
- → Low-vibration working thanks to smooth running operation
- → Grip area with non-slip soft-grip surface
- → Unique Metabo brushless motor highest efficiency when grinding, also in continuous mode
- → Orbit diameter 2.0 mm for highest surface quality with good material removal
- → Infinitely variable speed control for working with different materials
- → With easy to empty textile dust bag for working without extraction facilities
- → Can be connected to an all-purpose vacuum cleaner with the coupling bush 630798000
- → Removable protector protects adjacent surfaces and increases the service life of the sanding plate
- → With attachment point for tool safety straps for working at great heights



Battery pack voltage	18 V
Base plate	100 x 150 mm
No-load speed	4000 - 10000 rpm
Orbit frequency with no load	8000 - 20000 rpm
Orbit diameter	2 mm
Weight (including battery)	1.5 kg

Body only plus metaBOX 215			602089840

^{*} See page 207 for Battery Set options

Battery options

SM 18 LTX BL scope of delivery

Base plate 190×150 mm with hook and loop,
Base plate 80×133 mm with hook and loop, Protector
100×150 mm, Protector 80×133 mm, 1
Hook and loop sanding sheet P 120 wood and
metal "professional" (100×150 mm), 1 Hook
and loop sanding sheet P 120 wood and metal
"professional" (80×133 mm), Textile dust bag compact,
Hexagonal wrench, metaBOX 215, without
battery pack, without charger

Order No.

Sanding sheets



Diameter	Grit	Quanity	Order No.
125 mm	P 40	5	631226000
125 mm	P 60	5	631227000
125 mm	P 80	5	631228000
125 mm	P 120	5	631229000
125 mm	P 180	5	631230000
125 mm	P 240	5	631231000
125 mm	P 320	5	631236000

Also available in packs of 25 - see website for details



Diameter	Grit	Quanity	Order No.
150 mm	P 40	5	624001000
150 mm	P 60	5	624002000
150 mm	P 80	5	624003000
150 mm	P 100	5	624004000
150 mm	P 120	5	624005000
150 mm	P 180	5	624006000
150 mm	P 240	5	624007000
150 mm	P 320	5	624008000



Size	Grit	Quanity	Order No.
100 x 150 mm	P 40	10	635205000
100 x 150 mm	P 60	10	635206000
100 x 150 mm	P 80	10	635207000
100 x 150 mm	P 120	10	635209000
100 x 150 mm	P 180	10	635210000
100 x 150 mm	P 240	10	635211000



Size	Grit	Quanity	Order No.
83 x 133 mm	P 40	10	635190000
83 x 133 mm	P 60	10	635191000
83 x 133 mm	P 80	10	635192000
83 x 133 mm	P 100	10	635193000
83 x 133 mm	P 120	10	635194000
83 x 133 mm	P 180	10	635195000
83 x 133 mm	P 240	10	635196000

Sanding pads

	Description	Order No.
	Hook and loop sanding pad, 80 x 133 mm	635204000
	Perforated, hook and loop sanding pad for SM 18 LTX BL (as spare) Particularly effective extraction in combination with the textile dust bag (631369000) compact Quick change system of the sanding pad Length: 133 mm Width: 80 mm	
•	Hook and loop sanding pad, 100 x 150 mm	635219000
	Sanding pad for SM 18 LTX BL (as spare) Particularly effective extraction in combination with the textile dust bag (631369000) compact Quick change system of the sanding pad Dimensions: $100 \times 150 \text{ mm}$	
	Textile dust bag compact	631369000
metabo	Easy emptying thanks to zipper and spring system (tapping out) Wear-resistant and very long service life thanks to high-grade polyester fleece Suitable for power tools with an extraction connection with outer diameter of 28 mm Suitable for power tools with an extraction connection with inner diameter of 35 mm	
	Hook and loop backing pad	630261000
	Sanding pad "multi-hole" 125 mm, medium-hard version, with multi-perforation → 125 mm → Medium-hard, multi-hole	
	Hook and loop backing pad	631220000
	Sanding pad "multi-hole" 125 mm, medium-hard version, with multi-perforation \rightarrow 125 mm \rightarrow Soft, Perforated	
	Hook and loop backing pad	630262000
	Sanding pad "multi-hole" 150mm, medium-hard version, with multi-perforation → 150 mm → Medium-hard, multi-hole	

HBS 18 LTX BL 3000 Cordless Drywall Screwdriver

- Drywall screwdriver for fixing gypsum plasterboards to wood and metal; also suitable for gypsum fibre boards to metal frames
- → Autostart: screwdriver starts automatically when pressed on for comfortable, economical working
- → Precise driving of screws by virtue of finely adjustable depth guide and low-noise claw coupling
- → Depth guide can be fully removed for inspection during operation
- → Vario (V)-electronics for working with customised speeds for the materials used
- > Integrated working light to illuminate the work sits
- → Selectable "Impuls" mode for precise driving in of protruding screws without having to remove the depth guide



Battery pack voltage	18 V
Bit Retainer	Hexagon recess 1/4" (6.35 mm)
Maximum torque - Soft	10 Nm
No-load speed	0 - 3000 / min

HBS 18 LTX BL 3000 Scope of delivery


Depth guide Magnetic bit holder 1/4" (6.35 mm) Phillips screwdriver bit, size 2/25 mm Belt hook metaBOX 145 L without battery pack, without charger

Battery options	Order No.
Body only plus metaBOX 145 L	620062840

^{*} See page 207 for Battery Set options







TBS 18 LTX BL 5000 Cordless Drywall Screwdriver


- → The expert among the cordless drywall screwdrivers with high speed for fast serial screwing of plasterboards
- → Autostart: screwdriver starts automatically when pressed on for comfortable, economical working
- → Unique Metabo brushless motor for fast working work progress and highest efficiency, ideal for series screw fastenings
- → Lightweight, handy screwdriver with ergonomic shape for precise guidance and power transmission in the screwdriving axis
- → Compact and lightweight design for comfortable one-hand operation
- → Selectable "Impuls" mode for precise driving in of protruding screws without having to remove the depth guide

Battery pack voltage	18 V		The Control of the Co
Bit Retainer	Hexagon recess 1/4" (6.35	nm)	1 No Theodor
Maximum torque - Soft	6 Nm	2 3	111
No-load speed	0 - 5000 / min		metabo
TBS 18 LTX BL 5000 Sc. Depth stop, magnetic bit he Phillips screwdriver bit size metaBOX 145 L, without ba without charger	older 1/4" (6.35mm), 2/25 mm, belt hook,	BRUSHLESS 18V CAS	3
Battery options	Order No.	100	
Body only plus metaBOX 14	5 L 620063840		
* See page 207 for Battery Set opti	ons		

RW 18 LTX BL 120 Cordless Stirrer



- → Robust cordless stirrer for powerful mixing and stirring up to 30 litres
- → Quick stop, the machine stops immediatly when the speed control trigger is released
- → Powerful Brushless motor for greatest efficiency and long battery pack runtime
- → Vario Tacho Constamatic (VTC) Full-wave Electronics with Thumbwheel: for working at customised speeds to suit the application material



charge status of the battery pack.

Battery options	Order No.
Body only	601164850

^{*} See page 207 for Battery Set options

RW 18 LTX BL 120 Scope of delivery

Stirrer paddle RS-R2 (Ø 120 mm), Extension, Openjawed spanner, without battery pack, without charger



RW 18 LTX BL 140-2 Cordless Stirrer



- → Universal cordless stirrer with two speeds for powerful stirring and mixing up to 50 litres
- → SafetyStop for safe and clean working: Quick shutdown in continuous mode in the event of jamming or loss of control
- → Quick stop, the machine stops immediatly when the speed control trigger is released
- → High torque thanks to two-speed gearbox for viscous materials
- → Powerful Brushless motor for greatest efficiency and long battery pack runtime



Battery options	Order No.
Body only	601165850

^{*} See page 207 for Battery Set options

RW 18 LTX BL 140-2 Scope of delivery

charge status of the battery pack.

Stirrer paddle RS-R3 (Ø 140 mm), Extension, Openjawed spanner, without battery pack, without charger



KPA 18 LTX 400 Cordless Caulking Gun

- → Extremely high discharge force, also suited for processing particularly viscous materials
- → Infinitely variable setting of the discharge speed for precision working
- → Metabo Quick: quick, tool-free change between cartridges and film bags
- → No dripping thanks to automatic retraction of the gear rack
- → Optimal material use thanks to almost complete discharge



Battery pack voltage / type	18 V Li-ion
Discharge pressure	7259 N
Holder size	400 ml
Feed rate in idle	1-10 mm/s
Suitable for	Cartridges / Foil bag

KPA 18 LTX 400 Scope of delivery

400 ml tube, Push plate for foil bag Push plate for cartridges, Cartridge carrier without battery pack, without charger

Battery options	Order No.
Body only (Cardboard box)	601206850





^{*} See page 207 for Battery Set options

KPA 18 LTX 600 Cordless Caulking Gun

- → Extremely high discharge force, also suited for processing particularly viscous materials
- → Infinitely variable setting of the discharge speed for precision working
- → Metabo Quick: quick, tool-free change between cartridges and film bags
- → No dripping thanks to automatic retraction of the gear rack
- → Optimal material use thanks to almost complete discharge



Battery pack voltage / type	18 V LiHD
Discharge pressure	7259 N
Holder size	600 ml
Feed rate in idle	1-10 mm/s
Suitable for	Cartridges / Foil bag

KPA 18 LTX 600 Scope of delivery

600 ml tube, Push plate for foil bag, Push plate for cartridges, without battery pack, without charger

Battery options	Order No.
Body only (Cardboard box)	601207850





^{*} See page 207 for Battery Set options



AS 18 HEPA PC COMPACT Cordless Wet/Dry Vacuum Cleaner

- → Portable, compact cordless vacuum cleaner with HEPA filter for wet and dry vacuum cleaning (IPX4), ideal for smaller cleaning and extraction jobs
- → Equipped with HEPA filter, keeps back 99.95% of fine dusts
- → PressClean: manual filter cleaning using strong air flow by activating the switch on the extraction unit during breaks
- → With integrated blow function for blowing out, drying and drawing off exhaust air
- → Eco mode for longer runtime per battery pack charge, boost mode for maximum power
- → With stretchy hose for comfortable handling and maximum freedom of movement when vacuuming
- → Dust-proof and splash-proof battery pack compartment with lockable flap
- → Hoses, pipes and nozzles can be stored directly on the vacuum cleaner
- → Easy transport with ergonomically-designed handle or carry strap
- → Can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-system.com



Battery pack voltage	18 V
Air output max.	2100 l/min
Vacuum	120 hPa (mbar)
Container volume	6 L
Suction hose Ø	32 mm
Hose length	2.5 m
Weight (including battery)	4.8 kg

v	a.	۰			П
v	м	•	4		П
v		٥	_	Е	П



Full Service price group FS2

Battery options	Order No.
Body only (Cardboard box)	602029850

^{*} See page 207 for Battery Set options

AS 18 HEPA PC COMPACT Scope of delivery

Stretchy suction hose (\emptyset 32 mm / 0.5-2.5 m) without battery pack, without charger

3 Plastic suction tubes

Intermediate sleeve

Fleece filter bag HEPA flat pleated filter

Suction nozzle (120 mm wide)

Crevice nozzle

Carrying strap

Coupling bush internal Ø 28 mm / external Ø 35 mm

See page 129 for accessories



AS 36-18 L 20 PC Cordless Wet/Dry Vacuum Cleaner

- → Compact, versatile cordless vacuum cleaner of dust class L with integrated filter cleaning
- → Wet/dry vacuum cleaner with commercial approval
- → User protection: certified in accordance with EU standard for dust of dust class L
- → PressClean: manual filter cleaning by means of strong air current when the switch on the vacuum cleaner is pressed during work breaks
- → Eco mode for longer runtime per battery charge, Boost mode for maximum for maximum performance
- → Automatic run-on for complete emptying of the suction hose
- → Suction stop during wet vacuuming when the maximum fill level is reached is reached
- → Antistatic basic equipment prevents static charging when using the appropriate accessories

Battery pack voltage	2 x 18 V
Air output max.	3.300 l/min
Vacuum	140 hPa (mbar)
Container volume	20 L
Suction hose Ø	32 mm
Hose length	3.2 m
Weight without battery pack	9.2 kg







AS 36-18 L 20 PC Scope of delivery

Antistatic suction hose Quick (Ø 32 mm / 3.2 m), 3 plastic suction tubes, fleece filter bag, suction nozzle(120 mm wide), floor nozzle (300 mm wide), crevice nozzle, brush nozzle, Quick connection socket Ø 28/35 mm,

Quick Professional handle adapter, without battery pack, without charger

Battery options	Order No.
Body only + Accessories	602071850

^{*} See page 207 for Battery Set options



5 Fleece filter bags 20/30 litres Order No. 635424000



5 PE Disposal bags 20 litres Order No. 635425000

AS 36-18 M 30 PC CC Cordless Wet/Dry Vacuum Cleaner

- → Compact, versatile cordless vacuum cleaner of dust class M with integrated filter cleaning
- → CordlessControl: the vacuum cleaner starts/stops automatically when the cordless tool from Metabo or other brands, which is connected to the hose, is switched on/off.
- → Wet/dry vacuum cleaner with commercial approval
- → High level of user protection: certified to EU standard for dust of dust class M
- → PressClean: manual filter cleaning by means of strong air current when the switch on the vacuum is pressed during work breaks
- → Eco mode for longer runtime per battery charge, Boost mode for maximum for maximum performance
- → Automatic run-on for complete emptying of the suction hose
- → Suction stop during wet vacuuming when the maximum fill level is reached is reached
- → Quick coupling of metaBOXes with tools and accessories on the vacuum cleaner for easy relocation

Battery pack voltage	2 x 18 V
Air output max.	3.300 l/min
Vacuum	140 hPa (mbar)
Container volume	30 L
Suction hose Ø	32 mm
Hose length	3.2 m
Weight without battery pack	10.3 kg







AS 36-18 M 30 PC CC Scope of delivery

Antistatic suction hose Quick (\emptyset 32 mm / 3.2 m), CordlessControl transmitter with fixing strap \emptyset 35 mm, 3 suction tubes (chrome-plated), PE disposal bag, fleece filter bag, suction nozzle (120 mm wide), floor nozzle (360 mm wide), crevice nozzle, brush nozzle, Quick connection socket \emptyset 28/35 mm, connection socket Quick \emptyset 40/45 mm, intermediate handle Quick Premium, without battery pack, without charger

Battery options	Order No.
Body only + Accessories	602074850









5 PE Disposal bags 30 litres Order No. 635426000

AS 36-18 H 30 PC CC Cordless Wet/Dry Vacuum Cleaner

- → Compact, versatile cordless vacuum cleaner of dust class H with integrated filter cleaning
- → CordlessControl: the vacuum cleaner starts/stops automatically when the cordless tool from Metabo or other brands, which is connected to the hose, is switched on/off.
- → Wet/dry vacuum cleaner with commercial approval
- → Maximum user protection: certified by EU standard for dust of dust class H
- → PressClean: manual filter cleaning by means of strong air current when the switch on the vacuum is pressed during work breaks
- → Eco mode for longer runtime per battery charge, Boost mode for maximum for maximum performance
- → Automatic run-on for complete emptying of the suction hose
- → Suction stop during wet vacuuming when the maximum fill level is reached is reached
- → Quick coupling of metaBOXes with tools and accessories on the vacuum cleaner for easy relocation

Battery pack voltage	2 x 18 V
Air output max.	3.300 l/min
Vacuum	140 hPa (mbar)
Container volume	30 L
Suction hose Ø	32 mm
Hose length	3.2 m
Weight without battery pack	10.3 kg







AS 36-18 H 30 PC CC Scope of delivery

Antistatic suction hose Quick (Ø 32 mm / 3.2 m), CordlessControl transmitter with fixing strap Ø 35 mm, 3 suction tubes (chrome-plated), suction nozzle (120 mm wide), floor nozzle (360 mm wide), crevice nozzle, brush nozzle, Quick connection socket Ø 28/35 mm, connection socket Quick Ø 40/45 mm, intermediate handle Quick Premium, special filter bag for H-Class, without battery pack, without charger

Battery options	Order No.
Body only + Accessories	602075850





5 Fleece filter bags 20/30 litres Order No. 635424000



Special filter bag dust class H - 30 litres Order No. 635427000

	Vacuum cleaner acces	ssories	
		Description	Order No.
	••	5 FLEECE FILTER BAGS - 20/30 Litres Fleece filter bags are better and easy to open out than paper ones Well suited for applications where small amounts of fine dust are generated (e.g. grinding and removal of paint and lacquer coatings or short drilling jobs with small diameters). Ideal for use with wood processing machines, such as routers, planer thicknessers, small random orbital sanders and orbital sanders etc. Improved mechanical stability.	635424000
ဘ	•'0'	SPECIAL FILTER BAG - DUST CLASS H - 30 Litres PE disposal bag transparent with firmly connected, interior nylon web filter bag. After removing the bag from the container, the outer PE bag encloses the nylon web filter bag and permits comfortable and dust-free disposal.	635427000
AS 36-18 L 20 PC / AS 36-18 M 30 PC-CC / AS 36-18 H 30 PC-CC		WATER FILTER MADE FROM FOAM Suitable for vacuuming water and wet materials such as moist sawdust In case of dry materials, it is important to exchange the water filter with a pleated filter dust class M.	635422000
AS 36-18 L 20 PC / AS 36-18		SUCTION HOSE EXTENSION QUICK, Ø 32MM, ANTI-STATIC For joining two suction hoses with connector Ø 32 mm Including suction hose Quick, Ø 32mm, length 5.0 m, anti-static Including hose connection Quick system Ø 32 mm Including coupling bush Quick internal Ø 28 mm / external Ø 35 mm With bayonet fitting and rubber connector (internal Ø 30 mm, outside Ø 35 mm).	635411000
		PRE-FILTER FINE DUST 20/30 LITRES The pre-filter removes coarse particles and thus extends the service life of the main filter. Suitable for dry operation.	635428000
		COUPLING BUSH QUICK Ø 40 MM / Ø 45 MM Suitable for power tools with an extraction connection with inner diameter of 45 mm Suitable for power tools with an extraction connection with outer diameter of 40 mm Including hose connection Quick system Ø 32 mm and Ø 35 mm Particularly suited for coarse dirt, as well as tools with high generation of dust Anti-static	635408000






ASR 36-18 BL 25 M SC Cordless Wet/Dry Vacuum Cleaner

- → Best in class cordless wet/dry vacuum cleaner with cordless control function for intelligent extraction without cable connection
- → CordlessControl: the vacuum cleaner starts/stops automatically when the cordless tool from Metabo or other brands, which is connected to the hose, is switched on/off.
- → Manual starting of the vacuum cleaner is also possible with the remote button at the coupling bush of the hose

→ Commercially approved cordless vacuum cleaner, certified for dusts of dust class M

Battery pack voltage	1 x 36 V / 2 x 18 V
Air output max.	4.000 l/min
Vacuum	240 hPa (mbar)
Container volume	25 L
Suction hose Ø	35 mm





Suction hose 630177000 (Ø 35 mm / 4.0 m / electro-conductive), CordlessControl transmitter with fixing tape Ø 35 mm, 1 Multi tape, 2 Plastic suction tubes, Handle adapter, Fleece filter bag, 2 Polyester filter cassettes (M class), Floor nozzle (300 mm wide),

Crevice nozzle, Coupling bush internal Ø 28 mm / external Ø 35 mm, without battery pack, without charger

Battery options	Order No.
Body only + Accessories	602046850

Full Service price group FS4

* See page 207 for Battery Set options



Vacuum cleaner accessories

		Description	Order No.
AS 18 L PC		5 FLEECE FILTER BAGS - 7.5L, AS 18 L PC Fleece filter bags are better and easy to open out than paper ones Well suited for applications where small amounts of fine dust are generated (e.g. grinding and removal of paint and lacquer coatings or short drilling jobs with small diameters)	630173000
1		PLEATED FILTER FOR AS 18 L PC, DUST CLASS L Corresponds to dust class L	630172000
AS 18 HEPA PC COMPACT		5 FLEECE FILTER BAGS - 6 L, AS 18 HEPA PC COMPACT Fleece filter bags are better and easy to open out than paper ones Well suited for applications where small amounts of fine dust are generated (e.g. grinding and removal of paint and lacquer coatings or short drilling jobs with small diameters) Ideal for use with wood processing machines, such as routers, planer thicknessers, small random orbital sanders and orbital sanders etc. Improved mechanical stability.	630164000
AS 18		PLEATED FILTER FOR AS 18 HEPA PC COMPACT HEPA filter with reduction efficiency >99.95%	630213000
		5 FLEECE (M-CLASS) FILTER BAGS - 25/35L, ASR 36-18 BL 25 M SC Fleece filter bags are better and easy to open out than paper ones Well suited for applications where small amounts of fine dust are generated (e.g. grinding and removal of paint and lacquer coatings or short drilling jobs with small diameters) Ideal for use with wood processing machines, such as routers, planer thicknesser, small random orbital sanders and orbital sanders etc. Suitable for all all-purpose and special suction units with a maximum container volume of 25/35 l	630343000
ASR 36-18 BL 25 M SC		5 PE (M-CLASS) FILTER BAGS - 25L, ASR 36-18 BL 25 M SC 20 times the volume of paper filter bags No clogging with fine dust (especially quartz dust) Well suited for applications where large amounts of fine dust are generated (e.g. removal of plaster from surfaces, grinding and removal of screed etc.) Meet the requirements for M and H class vacuums Ideal when using machines for processing concrete and masonry, such as: renovation milling machines, renovation grinder, long-neck sanders, wall chasers etc. Clean, simple and fast removal and disposal	630275000
	J	2 FILTER CASSETTES, POLYESTER, DUST CLASS M Corresponds to dust class M Also suitable for absorbing graphite/toner and vacuuming liquids	631934000



WPB 36-18 LTX BL 24-230 OUICK Cordless Angle Grinder

- → Second generation of the World's first large angle grinder (Ø 230 mm), with battery pack operation for powerful cutting and grinding independent from the mains power
- → 100% compatibility with the 18 Volt class: powerful 36 Volt operation with two 18 Volt battery packs from Metabo
- → Widest range of application thanks to extremely large cutting depth of 77 mm
- → Unique encapsulated Metabo brushless motor with optimum protection from dust provides quick work progress and the highest efficiency
- → Deadman's switch for high user safety
- → Fast brake system for highest user safety stops the disc within a matter of seconds after switching off
- → Rotating main handle: high safety and better handling when cutting
- → Metabo VibraTech (MVT) side handle for vibration damping to protect the user's health
- → Side handle can be mounted in three positions
- → Electronic safety shutdown: reduces kickback if the disc stops unexpectedly for high user safety
- → Overload protection, soft start and restart protection





^{*} See page 207 for Battery Set options









W 18 7-125 Cordless Angle Grinder

- → Robust angle grinder with powerful motor and slim design for universal applications
- → Overload protection: protects the motor from overheating
- → Electronic soft start for smooth start-up

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	8500 rpm
Spindle thread	M 14



W 18 7-125 Scope of delivery

Guard, Inner support flange, Nut with two holes, Side handle, Flat-pin spanners, without battery pack, without charger

Body only (Cardboard box)	602371850	
* See page 207 for Battery Set options		
Full Service price group FS1		
	700 V	NT V

Order No.

Battery options

W 18 L 9-115 Cordless Angle Grinder

- Robust angle grinder with powerful motor and slim design for universal applications
- → Electronic safety shutdown: reduces kickback if the disc stops unexpectedly - for high user safety

18 V
115 mm
8,500 rpm
M 14



W 18 L 9-115 Scope of delivery

Guard, Inner support flange, Nut with two holes, Side handle, Flat-pin spanners, metaBOX 165 L, without battery pack, without charger



Battery options	Order No.
Body only + metaBOX 165 L	602246840

* See page 207 for Battery Set options







W 18 L BL 9-125 Cordless Angle Grinder

- → Service-free Brushless motor with highest efficiency and maximum handiness
- → Slim design for low-fatigue working
- → Electronic safety shutdown: reduces kickback if the disc stops unexpectedly - for high user safety

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	10,000 rpm
Spindle thread	M 14



W 18 L BL 9-125 Scope of delivery

Guard, Inner support flange, Nut with two holes, Side handle, Flat-pin spanners, without battery pack, without charger

Battery options	Order No.
Body only (Cardboard box)	602374850

* See page 207 for Battery Set options



W 18 LT BL 11-115 Cordless Angle Grinder

- → Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power
- → Service-free Brushless motor with highest efficiency and maximum handiness

Battery pack voltage	18 V
Grinding disc Ø	115 mm
No-load speed	10,000 rpm
Spindle thread	M 14





* See page 207 for Battery Set options



W 18 LT BL 11-115 Scope of delivery

Guard, Inner support flange, Nut with two holes, Side handle, Flat-pin spanners, metaBOX 165 L, without battery pack, without charger



→ Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power

W 18 LT BL 11-125 Cordless Angle Grinder

→ Service-free Brushless motor with highest efficiency and maximum handingee

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	10,000 rpm
Spindle thread	M 14









* See page 207 for Battery Set options







W 18 LT BL 11-125 Scope of delivery

Guard, Inner support flange, Nut with two holes, Side handle, Flat-pin spanners, metaBOX 165 L, without battery pack, without charger



WB 18 LT BL 11-115 Q Cordless Angle Grinder

- → Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power
- → Fast brake system for highest user safety: Disc stops within 1 second after switching off

Battery pack voltage	18 V
Grinding disc Ø	115 mm
No-load speed	10,000 rpm
Spindle thread	M 14



Battery options Order No. Body only + metaBOX 165 L UK613054841

* See page 207 for Battery Set options



WB 18 LT BL 11-115 Q Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Side handle, Dust protection filter, metaBOX 165 L, without battery pack, without charger









WB 18 LT BL 11-125 Q Cordless Angle Grinder

- → Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power
- Fast brake system for highest user safety: Disc stops within 1 second after switching off

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	10,000 rpm
Spindle thread	M 14











Battery options

Body only + metaBOX 165 L

* See page 207 for Battery Set options

Full Service price group FS4



Order No.

613054840





WB 18 LT BL 11-125 O Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Side handle, Dust protection filter, metaBOX 165 L, without battery pack, without charger

WPB 18 LT BL 11-125 Q Cordless Angle Grinder

- → Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power
- → Paddle switch with dead man function: safe to operate due to an ergonomically integrated switch
- → Fast brake system for highest user safety

18 V
125 mm
10,000 rpm
M 14











* See page 207 for Battery Set options



WPB 18 LT BL 11-125 Q Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Side handle, Dust protection filter, metaBOX 165 L, without battery pack, without charger

WVB 18 LT BL 11-115 Q Cordless Angle Grinder

- → Brushless cordless angle grinder of the new generation: as powerful as a 1.100 Watt mains-powered tool thanks to 40% more power
- → Variable speed setting with thumbwheel for working on materials requiring customised speeds, and at speeds which remain constant under load

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	2800 - 10,000 rpm
Spindle thread	M 14

WVB 18 LT BL 11-115 Q Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Side handle, Dust protection filter, metaBOX 165 L, without battery pack, without charger

134



* See page 207 for Battery Set options











Body only + metaBOX 165 L

Battery options

WVB 18 LT BL 11-125 Q Cordless Angle Grinder

- → Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power
- → Variable speed setting with thumbwheel for working on materials requiring customised speeds, and at speeds which remain constant under load
- → Fast brake system for highest user safety

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	2,800 - 10,000 rpm
Spindle thread	M 14

BRUSHLESS









Order No.

613057840

WVB 18 LT BL 11-125 O Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Side handle, Dust protection filter, metaBOX 165 L, without battery pack, without charger

WVB 18 LT BL 11-125 Q INOX Cordless Angle Grinder

- → Variable speed setting with thumbwheel for working on materials requiring customised speeds, and at speeds which remain constant under load
- → Perfect processing of stainless steel: powerful angle grinder with high gear reduction and adjustable reduced speed for cool finish
- → Fast brake system for highest user safety

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	2,000 - 7,600 rpm
Spindle thread	M 14

BRUSHLESS







Guard, Inner support flange, M-Quick flange nut, Side handle, Dust protection filter, without battery pack, without charger

WVB 18 LT BL 11-125 Q INOX Scope of delivery

Battery options Order No. 613091850 Body only (Cardboard box)

* See page 207 for Battery Set options





WB 18 LTX BL 15-125 Q Cordless Angle Grinder

- → Brushless cordless angle grinder of the new generation: the most powerful one in its class, as powerful as a 1,500 Watt mains-powered tool
- → Service-free Brushless motor with highest efficiency and maximum
- → Fast brake system for highest user safety: Disc stops within 1.5 seconds

after switching off

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	10,000 rpm
Spindle thread	M 14

BRUSHLESS

1500 W

WB 18 LTX BL 15-125 Q Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Metabo VibraTech (MVT) side handle, Dust protection filter, metaBOX 165 L, without battery pack, without charger





WVB 18 LTX BL 15-125 Q Cordless Angle Grinder

- → Brushless cordless angle grinder of the new generation: the most powerful one in its class, as powerful as a 1,500 Watt mains-powered tool
- Variable speed setting with thumbwheel for working on materials requiring customised speeds, and at speeds which remain constant under load
- → Fast brake system for highest user safety: Disc stops within 1.5 seconds after switching off

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	2,500 - 10,000 rpm
Spindle thread	M 14



18V

CAS



WVB 18 LTX BL 15-125 Q Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Side handle, Dust protection filter, without battery pack, without charger



Battery options Order No.

Body only + metaBOX 165 L 601731840

* See page 207 for Battery Set options



WVB 18 LTX BL 15-150 Q Cordless Angle Grinder

- → Brushless cordless angle grinder of the new generation: as powerful as a 1,500 Watt mains-powered tool thanks to 40% more power
- Variable speed setting with thumbwheel for working on materials requiring customised speeds, and at speeds which remain constant under load

Battery pack voltage	18 V
Grinding disc Ø	150 mm
No-load speed	2,500 - 10,000 rpm
Spindle thread	M 14














* See page 207 for Battery Set options



WVB 18 LTX BL 15-150 Q Scope of delivery Guard, Inner support flange, M-Quick flange nut,

Guard, Inner support flange, M-Quick flange nut Metabo VibraTech (MVT) side handle, Dust protection filter, metaBOX 165 L, without battery pack, without charger



CORDLESS TOOLS 18 V - LT / LTX CLASS ANGLE GRINDERS / ACCESSORIES

WPBA 18 LTX BL 15-125 Q DS Cordless Grinder

- → Brushless cordless angle grinder of the new generation: the most powerful one in its class, as powerful as a 1,500 Watt mains-powered tool
- → Paddle switch with dead man function: safe to operate due to an ergonomically integrated switch

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	10,000 rpm
Spindle thread	M 14



1500

WPBA 18 LTX BL 15-125 Q DS Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Metabo VibraTech (MVT) side handle, Multi-position handle, Dust protection filter, Safety bracket DS, metaBOX 165 L, without battery pack, without charger





* See page 207 for Battery Set options



WPBA 18 LTX BL 15-150 Q DS Cordless Grinder

- → Brushless cordless angle grinder of the new generation: the most powerful one in its class, as powerful as a 1,500 Watt mains-powered tool
- → Paddle switch with dead man function: safe to operate due to an ergonomically integrated switch

Battery pack voltage	18 V
Grinding disc Ø	150 mm
No-load speed	10,000 rpm
Spindle thread	M 14







1500 W

WPBA 18 LTX BL 15-150 Q DS Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Metabo VibraTech (MVT) side handle, Multi-position handle, Dust protection filter, Safety bracket DS, metaBOX 165 L, without battery pack, without charger



Battery options



Order No.



WPBA 18 LTX BL 15-180 Q DS Cordless Grinder

- → Brushless cordless angle grinder of the new generation: the most powerful one in its class, as powerful as a 1,500 Watt mains-powered tool
- > Paddle switch with dead man function: safe to operate due to an ergonomically integrated switch

Battery pack voltage	18 V
Grinding disc Ø	180 mm
No-load speed	7,500 rpm
Spindle thread	M 14

BRUSHLESS

1500 W

WPBA 18 LTX BL 15-180 Q DS Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Metabo VibraTech (MVT) side handle, Multi-position handle, Dust protection filter, Safety bracket DS, metaBOX 165 L, without battery pack, without charger



* See page 207 for Battery Set options



System accessories

	Description	Order No.
	CUTTING GUARD CLIP 115 MM	630351000
metabo	CUTTING GUARD CLIP 125 MM	630352000
	CUTTING GUARD CLIP 150 MM	630353000
	For working with fibre-reinforced, resin-bonded cutting discs. The cut-off clip guard is simply attached to the existing guard of the angle grinder. EN/EC 60745 Material: plastic. Suitable for Metabo cordless angle grinders: W 18 LTX; made in 2008 onwards	
A	EXTRACTION HOOD CLIP CED 125 CLIP	630401000
	Extraction guard clip for angle grinders with Ø 125 mm for low-dust dry cuts up to 30 mm in mineral materials. Connection for dust extraction Ø 35/41 mm Suitable for Metabo W 18 LTX 125; WB 18 LTX BL 125; WP 18 LTX 125; WPB 18 LTX BL 125 (made in 2008 onwards)	
A	CUTTING DUST EXTRACTION SHROUD CED 125 PLUS	626731000
	Extraction shroud with plunge function and optimised flow channel for particularly low-dust cutting both indoors and outdoors. Cutting depth can be adjusted without tools. Max. cutting depth for freehand cuts is 27 mm, with table 25 mm, with precision guide rail 20 mm. Suitable for Metabo W18 LT 11 Scope of delivery incl. nut with two holes 5/8" and M14.	
	GRINDING DUST EXTRACTION SHROUD GED 125	626732000
10	Quick, tool-free installation of the extraction shroud on a compatible angle grinder. Integrated sliding segment for quick, tool-free access even when wearing gloves, for working close to walls. Extraction hood with flexible brush rim and optimised extraction channel for particularly low-dust in surface preparation. Suitable for Metabo W18 LT 11	
	TOOL SAFETY BELT, UP TO 5KG	628960000
TALL PROTECTION	Robust securing strap to avoid or dampen impacts when the secured tool falls No unintentional loosening of the secure connection thanks to carabiner with twist lock system High degree of free movement without twisting or jamming thanks to integrated swivel joint Clear marking of the maximum securing weight Certified in accordance with international safety standard ANSI/ISEA 121-2018	
	TOOL SAFETY BELT: QUICK CONNECT, UP TO 5KG	628961000
LINE ROLLETON	Robust securing strap to avoid or dampen impacts when the secured tool falls Quick connect: Ready for use in a matter of seconds thanks to carabiner with safe twist-lock system on both ends High degree of free movement without twisting or jamming thanks to integrated swivel joint Clear marking of the maximum securing weight Certified in accordance with international safety standard ANSI/ISEA 121-2018	

CC 18 LTX BL 76mm Cordless angle grinder

- → Very handy tool with maximum working comfort for many applications
- → Always the right accessories: large selection of discs to process metal, wood, stone, tiles and plastic.
- → Powerfull brushless motor for quick work progress and highest efficiency
- → Overload protection: protects the motor from overheating
- → Restart protection: prevents unintentional start-up after battery pack change

Battery pack voltage	18 V
Grinding wheel Ø	76 mm
No load speed	20,000 / min
Spindle thread	M5
Weight (without battery pack)	0.64 kg



Battery options Body only + metaBOX 165 L

Order No. 600349840

* See page 207 for Battery Set options



CC 18 LTX BL Scope of delivery

Clip for cut-off guard, 2 Cutting discs Flexiarapid Super Inox, 2 Cutting discs Flexiarapid Super Universal, Cutting and grinding disc Combinator Inox, Allen key, metaBOX 165 L, without battery pack, without charger

Full Service price group FS2

Always the right accessories.

For processing metal, stainless steel, wood, stone, tiles and plastic.

Starter Set

Cutting disc "Flexiarapid Super" Inox Cutting and grinding disc "Combinator" Inox Diamond Cutting Disc "professional" - UP Order no. 626879000



3x Cutting and grinding disc "Combinator" Inox For quick cutting and easy

deburring/sanding 76 x 2.5 x 10 mm. Inox Order no. 626872000



5x Cutting disc "Flexiarapid Super" Inox

Especially for processing stainless steel 76 x 1.0 x 10 mm, Inox

Order no. 626870000



"Flexiarapid Super" universal Universal use

76 x 1.0 x 10 mm Order no. 626871000

5x Cutting disc



1x Diamond cutting disc "professional", TP

For all types of tiles, fine stoneware 76 x 10 mm, TP

Order no. 626874000



1x Diamond cutting disc "professional". UP For universal use

76 x 1.2/2.2 x 10 mm, UP Order no. 626873000



1x Flap disc "ZK Flexiamant"

For rough and intermediate grinding in the entire metal sector 76 mm, P60, F-ZK

Order no. 626875000



1x Flap disc "ZK Flexiamant"

For rough and intermediate grinding in the entire metal sector 76 mm, P80, F-ZK Order no. 626876000





NIV 18 LTX BL 1.6 Cordless Nibblers

- → Handy, powerful cordless nibblers for effortless cutting of flat and shaped sheets
- → Good cornering ability for notches and interior cut-outs of a radius of 40 mm or more
- ightarrow Fast, tool-free adjustment of cutting direction by up to 360°, in 45° steps
- → High feed rate for faster working, thanks to an efficient brushless motor
- → Infinitely adjustable cutting speed for individual customisation to the given material and task at hand

Battery pack voltage	18 V
Max. sheet thickness for steel: 400 N/mm²	1.6 mm
Strokes in idle	660 - 2360 rpm
Cutting speed	1.2 - 2.6 m/min

NIV 18 LTX BL 1.6 Scope of delivery

Punch, Die, Chip Collection Bag, Combo-spanner, metaBOX 145, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145	601614840

^{*} See page 207 for Battery Set options

Full Service price group FS4







Die for NIV18 LTX BL 1.6 Order No. 630247000



SCV 18 LTX BL 1.6 Cordless Metal Shears

- → Very handy and manoeuvrable cordless sheet-metal shears for burr-free cutting of sheet metal on site
- → Maximum cornering ability, for comfortable cutting of narrow radii from 15 mm
- → Faster working, thanks to the efficient brushless motor
- → Infinitely adjustable cutting speed for individual customisation to the given material and task at hand
- → Comfortable handling thanks to low weight, slim grip area and switch located on the top

Battery pack voltage	18 V
Max. sheet thickness for steel: $400 \; \text{N/mm}^2$	1.6 mm
Strokes in idle	1.350 - 4.840 rpm
Cutting speed	7 m/min

SCV 18 LTX BL 1.6 Scope of delivery

2 reversible blades, Feeler gauge, 2 Hexagonal wrenches, metaBOX 145, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145	601615840

^{*} See page 207 for Battery Set options













GVPB 18 LTX BL 11-28 Cordless Die Grinder

- → Slim cordless die grinder with dead man function and long grinding spindle for particularly safe working, also in hard-to-reach places
- → High degree of user safety thanks to paddle switch with dead man function and fast brake for fast stop of the tool being used (< 1 sec)</p>
- → Variable speed setting for working with different materials
- $\,\,\to\,\,$ Particularly slim handle area for optimum handling and low-fatigue working



GVPB 18 LTX BL 11-28 Scope of delivery

Collet 6 mm, Protective rubber cap, Dust protection filter Open-jawed spanner, without battery pack, without charger

Battery options	Order No.
Body only (Cardboard box)	600827850

^{*} See page 207 for Battery Set options

GVB 18 LTX BL 11-28 Cordless Die Grinder

→ Slim cordless die grinder with long grinding spindle for deburring, milling, grinding and cutting. also in hard-to-reach places

→ Variable speed setting for working with different materials

→ Particularly slim handle area for optimum handling and low-fatigue working

Battery pack voltage	18 V
No-load speed	8000 - 28000 rpm
Collar diameter	43 mm
Collet chuck bore	6 mm

GVB 18 LTX BL 11-28 Scope of delivery

Collet 6 mm, Protective rubber cap Dust protection filter, Open-jawed spanner without battery pack, without charger



Body only (Cardboard box)

Full Service price group FS4 * See page 207 for Battery Set options

600826850

GVB 18 LTX BL 11-7 HT Cordless Die Grinder

- → Powerful cordless die grinder with long grinding spindle also for demanding grinding applications, also in hard-to-reach places
- → High torque also with low speeds, therefore ideal for working with flap grinding wheels
- → Variable speed setting for working with different materials
- → Particularly slim handle area for optimum handling and low-fatigue working

Battery pack voltage	18 V
No-load speed	1500 - 7000 rpm
Collar diameter	43 mm
Collet chuck bore	6 mm

GVB 18 LTX BL 11-7 HT Scope of delivery

Collet 6 mm. Protective rubber cap. Dust protection filter, Open-jawed spanner, without battery pack, without charger



Full Service price group FS4 * See page 207 for Battery Set options

GVB 18 LTX BL 11-28 COMPACT Cordless Die Grinder

- → Compact, light cordless die grinder in short design for deburring, milling, grinding and cutting
- → Variable speed setting for working with different materials
- → Particularly slim handle area for optimum handling and low-fatigue working → High degree of user safety thanks to fast brake for quick stop of the tool being used (< 1 sec)
- → Powerful like a 1,100 Watt mains-powered tool thanks to efficient, service-free Brushless motor

18 V Battery pack voltage No-load speed 8000 - 28000 rpm Collar diameter 43 mm

Collet chuck bore 6 mm

GVB 18 LTX BL 11-28 COMPACT Scope of delivery

Collet 6 mm, Protective rubber cap, Side handle Dust protection filter, Open-jawed spanner without battery pack, without charger



Battery options	Order No.
Body only (Cardboard box)	600828850

Full Service price group FS4 * See page 207 for Battery Set options



BFVB 18 LTX BL 90 Cordless Band File

KNSVB 18 LTX BL 150 Cordless Fillet Weld Grinder

SVB 18 LTX BL 200 Cordless Burnishing Machine

KFMVB 18 LTX BL 4 RF Cordless Chamfering Tool

WVBF 18 LT BL 11-125 Q Cordless Flat-head Angle Grinder 5"

WVBF 18 LTX BL 15-125 Q Cordless Flat-head Angle Grinder 5"

RBVB 18 LTX BL 180 Cordless Tube Belt Sander





RBVB 18 LTX BL 180 Cordless Tube Belt Sander



- → Easy to handle cordless tube belt sander with brushless motor for grinding and reworking metal tubes
- → Compact grinding attachment that can be adjusted without tools; perfect for reworking mounted handrails
- → Large wrap angle of 270° for smooth surfaces and quick work progress
- → Powerful brushless motor for quick work progress and highest efficiency

Variable speed setting with thumbwheel for working on materials requiring customised speeds, and at speeds which remain constant under load

→ Fast Break: fast brake for increased safety with fast stopping of the tool used.

Battery pack voltage	18 V
Belt speed at idle	5 -18 m/s
Dimensions of grinding belt	40 x 760 mm
Max. pipe diameter	180 mm
Wrap angle	270 °
Weight without battery	3.4 kg

Battery options	Order No.
Body only (metaBOX 185 XL)	601768840

^{*} See page 207 for Battery Set options

RBVB 18 LTX BL 180 Scope of delivery

Dust Protection Filter, metaBOX 185 XL, without battery pack, without charger









BFVB 18 LTX BL 90 Cordless Band File



- → Powerful, compact cordless band file with brushless motor for grinding, satin-finishing and deburring of metal in difficult to reach places
- → Variable speed setting with thumbwheel for working on materials requiring customised speeds, and at speeds which remain constant under load
- → Grinding attachment can be swivelled by 270° without tools for perfect adaptation to any working position

→ Powerful brushless motor for quick work progress and highest efficiency

Battery pack voltage	18 V
Belt speed at idle	3 -12 m/s
Grinding belt width	6 x 19 mm
Grinding belt length	457 mm
Useful length of sanding belt arm	90 mm
Weight without battery	1.8 kg

Battery options	Order No.
Body only (metaBOX 145 L)	601767840

^{*} See page 207 for Battery Set options

BFVB 18 LTX BL 90 Scope of delivery

Side handle, Dust Protection Filter, metaBOX 145 L. Hexagonal wrench, without battery pack, without charger







KNSVB 18 LTX BL 150 Cordless Fillet Weld Grinder



- → Very flat cordless fillet weld grinder with brushless motor for processing weld seams in tight spaces
- → Powerful brushless motor for quick work progress and highest efficiency
- → Variable speed setting with thumbwheel for working on materials requiring customised speeds, and at speeds which remain constant under load
- → Fast Break: fast brake for increased safety with fast stopping of the tool used.
- → Adjustable without tools, removable guard
- → Low-maintenance belt drive for long service life

Battery pack voltage	18 V
No-load speed	1000 - 3600 rpm
Disc diameter	150 mm
Spindle thread	M 14
Weight without battery	2.2 kg
Battery options	Order No.
Body only (metaBOX 185 XL)	601765840

^{*} See page 207 for Battery Set options

KNSVB 18 LTX BL 150 Scope of delivery

Guard, Inner support flange, Nut with two holes, Side handle, Dust Protection Filter, Flat-pin spanner, Hexagonal wrench, metaBOX 185 XL, without battery pack, without charger







SVB 18 LTX BL 200 Cordless Burnishing Machine



- → Compact cordless burnishing machine with brushless motor for grinding, satin-finishing, brushing and high-gloss polishing of metals
- → Powerful brushless motor for quick work progress and highest efficiency
- → Variable speed setting with thumbwheel for working on materials requiring customised speeds, and at speeds which remain constant under load
- → Fast Break: fast brake for increased safety with fast stopping of the tool used.
- → Spindle lock and tool-free flange nut for fast accessory change

Battery pack voltage	18 V
No-load speed	600 - 2500 rpm
Spindle thread	M 14
Abrasive tool diameter	200 mm
Abrasive tool width	50 - 100 mm
Weight without battery	2.4 kg

Battery options	Order No.
Body only (metaBOX 340)	601766840

^{*} See page 207 for Battery Set options

SVB 18 LTX BL 200 Scope of delivery

Side handle, Dust Protection Filter, Single-ended open-jawed spanner, metaBOX 340, without battery pack, without charger



Full Service price group FS4



KFMVB 18 LTX BL 4 RF Cordless Chamfering Tool



- → High-power cordless chamfering tool for metal with brushless motor for easy and quick preparation for subsequent coating
- → For creating 45° chamfers up to 4 mm and radii of 2 and 3 mm on interior and exterior edges, as well as for rounding off the edges of drill holes
- → With thrust ring for efficient deburring of sheets 0.7 mm and larger
- → Small metal chips are generated during trim routing (no metal dust that is a health hazard)
- → Surfaces free from oxide and burrs as ideal preparation for the application of powder or paint coatings for maximum protection from corrosion

Battery pack voltage	18 V
No-load speed	4000 - 8600 rpm
Max. chamfer width 45°	6 mm
Max. chamfer height at 45°	4 mm
Weight without battery	2.3 kg
Battery options	Order No.
Body only (metaBOX 215)	601769840

^{*} See page 207 for Battery Set options

KFMVB 18 LTX BL 4 RF Scope of delivery

2 Carbide indexable inserts 45° chamfer, 2 Carbide indexable inserts radius R2, 2 Carbide indexable inserts radius R3, Thrust ring, Guide Stop, Screwdriver for Torx screws 15, Bow-type handle, Dust Protection Filter, metaBOX 215, without battery pack, without charger



1100 W

WVBF 18 LT BL 11-125 Q Cordless Flat-head Angle Grinder 5"



- → Cordless angle grinder with extremely low gear head for working in acute angles down to 43°
- → Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power

18V C/S

BRUSHLESS

→ Variable speed setting with thumbwheel for working on materials requiring customised speeds, and at speeds which remain constant under load

Battery pack voltage	18 V
Min. accessible angle	43°
Disc	125 mm
No-load speed	2000 - 8000 rpm

WVBF 18 LT BL 11-125 Q Scope of delivery

5 Flap discs Flexiamant Super Convex (125mm; P60), Guard, Inner support flange, Quick-locking nut, Side handle, Dust Protection Filter, metaBOX 165 L, without battery pack, without charger

Battery options	Order No.
Body only plus metaBOX 165 L	601307840

^{*} See page 207 for Battery Set options







NEW

Full Service price group FS3

WVBF 18 LTX BL 15-125 Q Cordless Flat-head Angle Grinder 5"

- $\,\rightarrow\,$ Cordless angle grinder with extremely low gear head for working in acute angles down to 43°
- → Brushless cordless angle grinder of the new generation: the most powerful one in its class, as powerful as a 1,500 Watt mains-powered tool
- Yariable speed setting with thumbwheel for working on materials requiring customised speeds, and at speeds which remain constant under load

Battery pack voltage	18 V
Min. accessible angle	43°
Disc	125 mm
No-load speed	2000 - 8000 rpm

WVBF 18 LTX BL 15-125 Q Scope of delivery

5 Flap discs Flexiamant Super Convex (125mm; P60), Guard, Inner support flange, Quick-locking nut, Side handle, Dust Protection Filter, metaBOX 165 L, without battery pack, without charger

Battery options	Order No.
Body only plus metaBOX 165 L	601308840

^{*} See page 207 for Battery Set options











Suction Rate

- → Light and powerful cordless compressor with brushless motor for use in interior development and on construction sites
- → Oil-free piston compressor: simple transportation and reduced service requirements
- → Instrument panel with easy to read manometers for tank and working pressure
- → 10 year tank warranty against rust

Battery options	Order No.
Body only	601521850

^{*} See page 207 for Battery Set options







Manamatars:

For tank & working pressure

Protected operator panel:

manometers, coupling and regulator are protected against damage by the pipe frame





Rubber suction feet:

- Prevents movement during operation
- Prevents marking of work surface

BRUSHLESS



Fast refilling: of tank thanks to 700 W input power

120 l/min (4.2 cfm)

Extra battery storage:

spare battery pack can be stored at the compressor

More efficiency:

the brushless motor offers great performance with low energy consumption for longer runtime

Easy transportation:

thanks to low weight of 8,5 kg (with battery 9,4 kg) and compact size



CORDLESS TOOLS 18 V - LTX CLASS COMPRESSOR / INFLATOR







AK 18 MULTI Cordless Compressor / Inflator

- → Multifunctional cordless compressor, versatile use for inflating tyres, balls, air mattresses and more
- → High-pressure function for comfortable inflating of car tyres and bicycle tyres
- → Volume function for fast filling an deflating of inflatable products such as guest beds, air mattresses and pool accessories
- → Large, high-contrast display shows selected function, current pressure and set target pressure
- → The pressure can be shown in the units of bar, psi and kPa
- → Automatic deactivation when the set target pressure is reached
- ightarrow Bright LED light to illuminate the application area in darkness or if visibility is poor





Battery voltage	18V
Filling capacity	16 l/min
Maximum pressure	11 bar
Length of high pressure hose	1200 mm
Length of high volume hose	490 mm
Dimensions	328 x 185 x 256 mm
Weight (inc. battery pack)	3.6 kg

AK 18 MULTI Scope of delivery

Volume hose with 2 adapters Universal high-pressure adapter High-pressure adapter for bicycle valve Ball needle, 12V car cable without battery pack, without charger

Battery options	Order No.
Body only (Cardboard box)	600794850

^{*} See page 207 for Battery Set options





NP 18 LTX BL 5.0 Cordless Blind Rivet Gun

- → Cordless rivet gun for extremely fast riveting, comparable to compressed air devices
- → 100% compatible with all Metabo 18 Volt battery packs
- → Long service life thanks to brushless motor and robust precision gearbox
- → With holding nozzles for one-hand operation inserted rivet holds in any position
- → Transparent collecting container for simple emptying of the remaining rivet mandrels
- → Quick change of nozzle for different rivet diameters, via integrated tool
- → Safety in the workplace thanks to robust knuckle guards
- → LED light for optimum illumination when riveting; can be switched off for reflective surfaces
- → Ergonomic design for comfortable working also in corners
- → Robust eyelet for energy-saving work with balancer / spring tension
- ightarrow Handy belt hook, can be fixed either on the right or left side
- → Battery packs with capacity display for checking the charge status
- → Ultra-M technology for highest performance, gentle efficient charging, optimum energy utilisation and long service life

Battery pack voltage	18 V
Rivet Ø all materials	2.4 - 5 mm
Max. rivet Ø all aluminium	6 mm
Placement force	10000 N
Weight (inc. battery pack)	2.2 kg



BRUSHLESS

Battery options	Order No.
Body only + metaBOX 145 L	619002840

^{*} See page 207 for Battery Set options



NP 18 LTX BL 5.0 Scope of delivery

4 retaining nozzles, 4 Standard mouthpieces, Belt hook, metaBOX 145 L, without battery pack, without charger







NMP 18 LTX BL M10 Cordless Blind Rivet Nut Gun

- → Cordless rivet nut gun with setting power adjustment for blind rivet nuts up to M10 in aluminium, M8 in steel, M6 in stainless steel
- → Versatile use thanks to mandrel quick change system
- → Automatic drill-on of the blind rivet before setting
- → Time-saving auto-reverse function: Pull mechanism returns to starting position after setting and nut is drilled off the mandrel
- → Easy presetting of the placement force on the LED display for working that is gentle on the material and threads

Battery pack voltage	18 V
Max. blind rivet nuts in aluminium	M10
Max. blind rivet nuts in steel	M8
Max. blind rivet nuts in stainless steel	M6

NMP 18 LTX BL M10 Scope of delivery

Mandrels M4, M5 and M6, Mouthpieces M4, M5 and M6, Placement force information card, Hexagonal wrench, Open-end wrench, metaBOX 145 M, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 M	601788840

^{*} See page 207 for Battery Set options





GB 18 LTX BL Q I Cordless Tapper

- → High-grade cordless drill/screwdriver with unique, patented thread-tapping function
- → Quick and interruption-free cutting and cleaning of threads thanks to automatic change of direction of rotation
- → Two quick-change tapping chuck for inserting taps with square and cylindrical shanks
- → Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- → Electronic safety shutdown: no kickback if the drill bit stops unexpectedly for high user safety

Battery pack voltage	18 V
Maximum torque - soft / hard	65 Nm / 130 Nm
Thread diameter	M4 - M12
Drill Ø steel / soft wood	13 mm / 68 mm

GB 18 LTX BI Q I Scope of delivery

Quick-change tapping chuck M4-M6 Quick-change tapping chuck M8-M12 Side handle Belt hook and bit case metaBOX 145 L

Battery options	Order No.
Body only + metaBOX 145 L	602362840

^{*} See page 207 for Battery Set options



BRUSHLESS











HG 18 LTX 500 Cordless Heat Gun

- → Lightweight cordless hot air gun for powerful head fast and everywhere
- → Heats up in a matter of seconds, ready to use in only 5 seconds (300°C)
- → Maximum performance thanks to larger air volume and higher temperatures
- → Two temperature levels, easy switchover while working
- ightarrow High occupational safety thanks to slim, rubberised handle area and safe storage option
- → Matching nozzles for removal of varnish, shaping, crimping, welding and much more (accessories)

Battery pack voltage	18 V
Air volume	200 / 160 l/min
Air temperature	300 / 500 °C
Air temperature levels	2

HG 18 LTX 500 Scope of delivery

Wrap around nozzle, Reducing nozzle (9 mm), metaBOX 145 L.

without battery pack, without charger

Battery options	Order No.
Body only plus metaBOX 145 L	610502840

^{*} See page 207 for Battery Set options

Full Service price group FS2



metabo





BSA 18-1000 Cordless Construction Spotlight



- → Lamp head can be turned and swivelled through 180° providing almost infinite positions for the lamp
- → Bright LED light for close range
- → Swivelling hook for suspending the lamp
- → Two light levels for optimal light with maximum battery pack run time
- ightarrow Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com

Max. luminous flux	1,000 lm
Max. operation time per battery charge	18 V /5.5 Ah LiHD: 8-9 h
Weight (inc. battery pack)	0.3 kg



Battery options	Order No.
Body only (Cardboard box)	601508850

^{*} See page 207 for Battery Set options









BSA 18 LED 4000 Cordless Site Light

- → Compact cordless site light with 4000 lumens for extensive and even working light with reduced shadowing
- → Integrated magnets for fast fixing on metal surfaces
- → Handle and light, compact design for quick change of position and for on the go
- → Practical suspension possibilities on lamp base and housing recess
- → Lamp head can be turned 270° providing almost infinite positions for the lamp
- → Stepless dimmer function for optimal light with maximum battery run time
- → USB port for charging and operating USB devices (max. charging current 1 A)

Max. luminous flux 4,000 lm Max. operation time per battery charge 18V / 4.0 Ah LiHD: 2.3 h (approx. 35 minutes per Ah at max. light output)		
charge (approx. 35 minutes per	Max. luminous flux	4,000 lm
18V / 10.0 Ah LiHD: 6.5 h (approx. 35 minutes per Ah at max. light output)	charge	(approx. 35 minutes per Ah at max. light output) 18V / 10.0 Ah LiHD: 6.5 h (approx. 35 minutes per
Weight (inc. battery pack) 2.5 kg	Weight (inc. battery pack)	2.5 kg

Battery options	Order No.
Body only (Cardboard box)	601505850

^{*} See page 207 for Battery Set options









Full Service price group FS1

BSA 18 LED 10000 Cordless Site Light

- → Compact cordless site light with 10,000 lumens for extensive and even working light with reduced shadowing
- → Cordless and mains operation possible for continuous operation in the working environment (mains cable can be removed)
- → Clearly visible display of the remaining battery runtime, a flashing light warns before the end of the runtime to avoid dangerous situations in the dark
- → Prepared for tripods use (5/8" thread)
- → Protected from dust and splash-proof for demanding building site use (IP 54)
- → USB port for charging and operating USB devices (max. charging current 1 A)

Max. luminous flux	10,000 lm
Max. operation time per battery charge	12 V / 4.0 Ah LiHD: 1 h (approx. 15 minutes per Ah at max light output) 18 V / 10.0 Ah LiHD: 2.5 h (approx. 15 minutes per Ah at max. light output)
Weight (inc. battery pack)	5.1 kg

Battery options	Order No.
Body only + mains cable (3 m)	601506380


^{*} See page 207 for Battery Set options











BSA 18 LED 5000 DUO-S Cordless Site Light

- → Tripod light with two individually adjustable site spotlights with 5000 lumens for flexible, bright light in the entire working area.
- → Optimal illumination in any desired angle thanks to two rotating and swivelling spotlights
- → Stable tripod with easy height adjustment up to 2 metres for optimal illumination for any application
- → Set up and fold the site light in a matter of seconds
- → Easy transport thanks to small dimensions, comfortable carry handle and low weight
- → Two light levels for optimal light with maximum battery pack run time
- → Battery pack runtime at max. luminosity of 25 min per Ampere hour (Ah), e.g. 4 hours with an LiHD battery pack 18 V / 10 Ah or 8 hours at light level 1
- Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com




Max. luminous flux	5,000 lm
Max. operation time per battery charge	18V Battery pack 4.0 Ah LiHD: 1.7 h
LED	18V Battery pack 10.0 Ah LiHD: 4.2 h / (approx. 25 minutes per Ah at max. light output) / (approx. 35 minutes per Ah at max. light output)
Weight (inc. battery pack)	5.2 kg

Battery options	Order No.
Body only (Cardboard box)	601507850

^{*} See page 207 for Battery Set options







PC 18-65 Moble Charger and Power Bank



- → The perfect companion on the go: charger in a pocket format for 18V battery packs with integrated LED light and power bank function
- → Quickly ready for use: push on the battery pack, connect the power source using the power plug and/or USB-C cable, and start the charging process
- → With a battery pack, the power charger becomes a power bank with PD control (power delivery) for smartphones, tablets or laptops

CHARGER

The perfect companion on tour: pocketsized charger for 18 V battery packs with integrated LED light and power bank function High-quality accessories suitable for the construction site included in the scope of delivery: mains adapter and USB-C cable





Beltclip

Bright LED light for close range - ideal for on the go

POWER BANK

With the battery pack, the power charger becomes a power bank with PD control (power delivery) for smartphones, tablets or laptops

metabo

Keyhole, belt hook and eyelet on the housing for versatile mounting options

MULTIFUNCTIONAL

Quickly ready for use: slide onto the battery pack, connect the power source with the mains plug or USB-C cable and start charging

Up to 2 devices can be charged in parallel or one while the battery pack is charging



D. H lt	40)/
Battery voltage	18V
Max. charging current in/out	65 watt
Weight (inc. battery pack)	0.14 kg
Power charger dimensions (bare tool w/o battery)	95×78×44mm
Charging time for 18 V/4.0 Ah	70 min
Charging time for 18 V/8.0 Ah	145 min
LED Light (Lumen)	130 l
USB-C PD (in/out)	3.25A
Second USB-C (out)	2.5A

Battery options	Order No.
Body only (Cardboard box)	600409380











Available from September 2025

ULA 14.4-18 LED Cordless Lamp

- → Powerful LED portable lamp for uniform, bright illumination of the working area
- → Compact and handy for versatile use
- → Lamp head can be tilted and locked in 12 positions
- → Robust aluminium die-cast housing for use on construction sites
- → Operation with all Li-Power and LiHD slide-on 18 Volt battery packs
- → Swivelling hook for suspending the lamp

Max. luminous flux	280 lm			-	To be			11
Max. operation time per battery charge	18 V / 2.0 At 18 V / 4.0 At 18 V / 5.2 At 18 V / LiHD 3 18 V / LiHD 8	n: 12.7h n: 16.5h 3.1: 10h 5.5: 17.6h						
Weight (inc. battery pack)	0.39 kg				1	2011		
				13			ALC: N	
Battery options	Order No.	18 V	CAS	100	1			
Body only	600368000	101	C/43					
* See page 207 for Battery Set options								

Full Service price group FS1

SLA 14.4-18 LED Cordless Lamp

- → Powerful LED inspection lamp for uniform, bright illumination of the working area
- → Compact and handy for versatile use
- → Lamp head can be turned and swivelled through 180° providing almost infinite positions for the lamp
- → Robust aluminium die-cast housing for use on construction sites
- → Operation with all Li-Power and LiHD slide-on 18 Volt battery packs
- → Swivelling hook for suspending the lamp

Max. luminous flux	440 lm
Max. operation time per battery charge	18 V / 2.0 Ah: 4.5h 18 V / 4.0 Ah: 9.1h 18 V / 5.2 Ah: 11.8h 18 V / LiHD 3.1: 7h 18 V / LiHD 5.5: 12.4h 18 V / LiHD 8.0: 18h
Weight (inc. battery pack)	0.46 kg

Battery options	Order No.
Body only	600370000






^{*} See page 207 for Battery Set options



KB 18 BL Cordless Cooling Box with heating function

- → Cordless cooling box for active cooling or keeping warm, independent from the mains always and everywhere
- → Three to choose from: Operation with 18 Volt battery packs from Metabo or CAS partners, mains cable or 12V car cable
- → Powerful Brushless motor with optional EcoMode for even longer runtime in battery operation
- → With insertable separating grid for order in the box
- → Safe locking of the lid by swivelling the handle forwards
- → Practical bottle opener at the left corner of the box
- → Integrated storage for the two supplied connection cables
- → Stackable on any new metaBOX

Battery pack voltage	18 V
Max. cooling output in ambient temperature	17 °C
Max. temp keeping warm	60 °C
Volume	24 l
Weight with battery pack	5.9 kg



KB 18 BL Scope of delivery

Without charger, without batteries

Battery options	Order No.
Body only	600791380

^{*} See page 207 for Battery Set options

Full Service price group FS4









Tip: Keep your silicones warm in cold weather

AV 18 Cordless Fan

- → High-quality cordless fan for flexible use, independent from mains power
- → Battery pack operating time of up to 7 hours (at 5.2 Ah)
- → Robust metal cage for maximum air throughput with minimum turbulence
- → Adjustable tilting cage for flexible direction of air flow
- → Air speed selectable via 3 levels
- → Quiet operation even with highest level setting
- ightarrow Stable tubular frame with rubber feet for safe positioning
- → Prepared integrated mounting plate for mounting on a tripod or to the wall
- → Operation with all Li-Power and LiHD slide-on 18V battery packs

Air velocity	1.8 / 2.8 / 3.8 m/s // 4.02 / 6.26 / 8.5 mph
Maximum speed	1300 rpm
Rotor diameter	355 mm / 14"
Weight (inc. battery pack)	4.55 kg







^{*} See page 207 for Battery Set options



RC 12-18 32W BT DAB+ Cordless Worksite Radio

Digital DAB+ Bluetooth

- → Powerful DAB+ construction site radio with rich sound and integrated charging function for battery packs and smartphones
- → Charging function for battery packs in mains operation and for mobile devices with USB-C cable or wireless induction charging
- → SplitSound: for an extended sound volume, the loudspeaker of a second radio can be of a second radio can be switched on synchronously
- → Many stations thanks to DAB+ radio reception, plus analogue FM reception UKW (FM) reception 8 presets each
- → With Bluetooth for wireless listening from smartphone or tablet
- → AUX-IN for connecting wired music sources
- → Operation with all Metabo slide-on battery packs from 12 to 18 volt or mains operation possible
- → Robust plastic housing with protection class IP 54 splash-proof, dust-proof, shock-proof
- → Can be stacked and coupled on any metaBOX, up to 40 kg can be carried
- → Integrated bottle opener for the thirsty radio listener

Battery voltage	12 - 18V
Max. Running time per battery charge	18 V / 2.0 Ah: 4 h 18 V / 5.2 Ah: 10.5 h 18 V / 10.0 Ah: 22 h
Radio frequency DAB+	174 - 240 kHz
Radio frequency FM	87.5 - 108 MHz
Weight (without battery pack)	6.8 kg
















18V *CAS*

RC 12-18 32W BT DAB Scope of delivery

USB-C cable, 2 batteries (AAA), without batteries, without charger

Battery options	Order No.
Body only (Cardboard box)	600779380











R 12-18 DAB+ BT Cordless Worksite Radio

Digital DAB+ Bluetooth

→ Robust worksite radio with digital DAB+ reception, top sound quality and many additional functions

→ With Bluetooth for wireless music enjoyment from your smart phone or tablet

→ Operation with all Metabo slide-on battery packs from 12 to 18 volts or mains-powered

→ Station presets for AM/FM

→ Mains cable can be plugged in

→ Digital DSP tuner with illuminated LCD display and automatic station search

→ Flexible antenna

Radio frequency AM	522 - 1.620 kHz
Radio frequency FM	87.5 - 108 MHz
Weight (without battery pack)	1.85 kg

R 12-18 DAB+ BT Scope of delivery

Mains cable, without batteries, without charger

Battery options	Order No.
Body only (Cardboard box)	600778380

* See page 207 for Battery Set options

Full Service price group FS1















AG 18 Cordless Blower

- → Lightweight cordless blower e.g. for blowing off chips from workpieces, workplace, transporter etc.
- → Good ergonomics provided by a rubberised handle and an optimum centre of gravity
- → Robust design suitable for applications in the workshop and on the construction site
- → Vario (V)-Electronics for continuously selectable blowing air velocity rate
- → Thumbwheel for preselection of 3 air velocity rate settings for varied output
- → Rubberised end piece of the blow tube to protect delicate surfaces → Comfortable blowing of floor areas using the supplied extension of the blow tube



Battery options Order No. Body only (Cardboard box) 602242850







BP 18 LTX BL Cordless Air Duster

- → Powerful and versatile cordless dust blower with powerful airflow for cleaning, blowing out, inflating and venting
- → High air velocity for efficient blowing out thanks to Brushless motor and turbine technology
- → Wide range of applications: Blowing clean of workpieces, machines and workspace, inflating and deflating of inflatable products
- → Stepless adaptation of the air velocity with comfortable vario switch
- → Switch lock for user-friendly working in continuous mode
- → Integrated LED work light with afterglow function for optimal brightness in the work area

Battery pack voltage	18 V
Air volume	0,7 m³/min
Max. air velocity	122 m/s
Weight without battery pack	0.4 kg
Weight with battery pack	0.8 kg

BP 18 LTX BL Scope of delivery


Nozzle kit (3-pieces), Nozzle adapter, without battery pack, without charger

Battery options	Order No.
Body only (Cardboard box)	600798850





BRUSHLESS



melabo



HK 18 LTX 20 Cordless Glue Gun

- → Versatile cordless glue gun for repairing and fixing at any location. Ready for operation in only 1 minute
- → For hot gluing of almost all materials, also heat-sensitive materials thanks to second temperature setting with 130°C
- ightarrow For glue sticks with Ø 11 mm, also for "low melt" sticks with low processing temperature
- → Optimum, fast processing of the glue thanks to constant temperature
 → High battery pack performance of up to 13 glue sticks at the highest temperature setting in only 18 minutes (Li-Power battery pack 18 V/2 Ah)

Battery pack voltage	18 V
Maximum adhesive ouput	20 g/min
Processing temperature	200 / 130 °C
Warm up time	1 min
Glue stick Ø	11 mm
Weight with battery pack	0.8 kg

HK 18 LTX 20 Scope of delivery

Long nozzle \varnothing 2.8 mm, 5 transparent glue sticks, metaBOX 145, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145	600797840



^{*} See page 207 for Battery Set options



TRACKER PRO suitable for iOS/Android



- → Tracker Pro for Android and Apple/iOS: Find your tool anywhere in the world with your Android smartphone or your iPhone
- → Worldwide, secure tracking with the "Find My" app from Apple or the "Find Hub" app from Android
- $\,\,\rightarrow\,\,$ You decide whether you want to use the Apple Find My network or the Android network
- → Tracking at close range: loud acoustic signal helps you find the target object quickly
- → Like an Apple AirTag®, specially designed for craftsmen: robust housing with high dust and water protection (IP 67)
- → Full 3 year battery runtime with notification when replacement is required
- → Multiple options for fixing the Tracker to an object
- → Tracker is almost invisible when clipped into any metaBOX
- → Ideal overview with the Metabo app: registered Metabo trackers and power tools can be linked
- → Compatible with Apple Carplay
- ightarrow Track and Find simple and ingenious, not just for tools

Dimensions	58 x 45 x 9 mm
Weight	29 g
Protection class IP	IP67
Compatibilty	iOS / Android
Battery	CR2450
Operating tempature	-15 - + 50°C





Tracker Pro suitable for iOS/Android - Order No. 626967000









SGS 18 LTX Q Cordless Grass/Shrub Shears

- → 1 machine 2 applications
- → Shrub shears for precise form cuts on shrubs and bushes
- ightarrow Grass shears for clean lawn edges

→ Tool-free disc change of the two blade attachments thank to Metabo Quick system

→ Lightweight machine with maximum quiet running

Battery pack voltage	18 V
Number of cuts	2,300 /min
With shrub blade	
Cutting length / thickness	20 cm / 8 mm
With grass blade	
Cutting width	11.5 cm
Weight (excl. battery pack)	0.8 kg

SGS 18 LTX Q Scope of delivery

Grass blade, Shrub blade, without battery pack, without charger

Battery options	Order No.
Body only + Accessories	601609850

^{*} See page 207 for Battery Set options





LB 18 LTX BL Cordless Leaf Blower

- → Powerful, quiet cordless blower for fast removal of leaves and dirt from squares and paths
- → Strong brushless motor for high performance and long runtime per battery pack charge
- → Precise dosing of the blowing power thanks to steplessly adjustable air velocity
- → Constant blowing force in continuous mode thanks to steplessly lockable speed control trigger
- → Slim, well-balanced lightweight construction with rubberised grip area for low-fatigue working close to the body



()
With the cordless leaf blower, not only leaves

With the cordless leaf blower, not only leaves an be removed without any problems, but also list and rubbish on the construction site.

Battery options	Order No.
Body only (Cardboard box)	601607850

^{*} See page 207 for Battery Set options





FSB 36-18 LTX BL 40 Cordless Trimmer (Bike-handle)

FSD 36-18 LTX BL 40 Cordless Trimmer (D-handle)

- → Comfortable and easy working
- → Strong brushless motor for high performance and long runtime per battery pack charge
- → Flexible working thanks to stepless speed control
- → Thread change quick and without tools
- → Easy readjustment of the thread by means of short tapping of the spool head while working

	FSB 36-18 LTX BL 40	FSD 36-18 LTX BL 40
Battery pack voltage	2 x 18 V	2 x 18 V
Handle type	Bike handle	D-handle
Cutting diameter	40 cm	40 cm
Thread diameter	2 mm	2 mm
No-load speed	0-6,000 / min	0-6,000 / min
Weight (excl. battery pack)	3,9 kg	3,5 kg









FSB 36-18 LTX BL 40 Scope of delivery

Bike handle Back carry strap Guard Twin line spool (line Ø 2 mm, 4 m) Brush cutter with 3 blades Adapter for blades Combo-spanner Locking pin without battery pack, without charger

Battery options	Order No.
FSB 36-18 LTX BL 40 Body only	601611850
FSD 36-18 LTX BL 40 Body only	601610850

* See page 207 for Battery Set options

FSD 36-18 LTX BL 40 Scope of delivery

D-handle, Shoulder strap, Guard, Twin line spool (line Ø 2 mm, 4 m), Combo-spanner without battery pack, without charger



RTD 18 LTX BL 30 Cordless Grass Trimmer

- → Light and compact cordless lawn trimmer for mowing, trimming and cultivation work
- → Easy transport and space-saving storage thanks to two-piece shaft with quick coupling
- → Easy readjustment of the line by means of short tapping of the spool head while working
- → Metabo quick thread change: fast and without tools, without removing or opening the spool
- → Powerful brushless motor for high cutting performance and long runtime per battery pack charge
- → Stepless speed control for flexible working
- → Folding safety bar as spacer to trees, shrubs or other obstacles
- → Safe working thanks to rubberised grip areas and additional safety switch
- → Durable and robust thanks to metal motor housing and impact protection for the battery pack

Battery pack voltage	1 x 18 V
Handle type	D-handle
Cutting diameter	30 cm
Thread diameter	2 mm
No-load speed	0-6,500 / min
Weight (excl. battery pack)	3,4 kg





Quick thread change

Metabo quick thread change: fast and without tools, without removing or opening the spool.

RTD 18 LTX BL 30 Scope of delivery

D-handle, Shoulder strap, Guard, Twin line spool (line \emptyset 2 mm, 4 m), Allen key, Phillips screwdriver, without battery pack, without charger

Battery options	Order No.
RTD 18 LTX BL 30 Body only	601720850

* See page 207 for Battery Set options



HS 18 LTX 55 Cordless Hedge Trimmer

- → Extremely light and quiet cordless hedge trimmer for effortless trimming of hedges and shrubs
- → Clean cuts thanks to laser-cut, diamond-ground blades
- → High cutting output thanks to special drop shape of the blade teeth: No escaping of the twigs while cutting
- → Trigger guard protects user and gearing when working near walls and the ground
- → Comfortable two-hand operation in any situation thanks to long trigger button with inside bow-type handle switch
- → High user safety thanks to additional safety switch and blade quick stop (in 0.08 seconds)
- → Comfortable working thanks to perfect balance, low-vibration operation and softgrip handle




HS 18 LTX 65 Cordless Hedge Trimmer

- → Extremely light and quiet cordless hedge trimmer for effortless trimming of hedges and shrubs
- → Clean cuts thanks to laser-cut, diamond-ground blades
- → High cutting output thanks to special drop shape of the blade teeth: No escaping of the twigs while cutting
- → Trigger guard protects user and gearing when working near walls and the ground
- → Comfortable two-hand operation in any situation thanks to long trigger button with inside bow-type handle switch
- → High user safety thanks to additional safety switch and blade quick stop (in 0.08 seconds)
- → Comfortable working thanks to perfect balance, low-vibration operation and softgrip handle



Full Service price group FS4



HS 18 LTX BL 55 Cordless Hedge Trimmer

- → Powerful, Brushless cordless hedge trimmer with rotating handle for comfortable trimming and pruning applications
- → Rotating handle with 5 positions for safe and flexible guiding the hedge trimmer
- → Highly efficient, precise dual cutting system thanks to diamond-ground blade teeth on both sides

Battery pack voltage	18 V
Blade length	55 cm
Cutting length	50 cm
Max. Cutting thickness	21 mm



Battery options Order No. Body only (Cardboard box) 601722850

* See page 207 for Battery Set options

Full Service price group FS4









HS 18 LTX BL 55 Scope of delivery

Blade protection quiver without battery pack, without charger

HS 18 LTX BL 65 Cordless Hedge Trimmer

- → Powerful, Brushless cordless hedge trimmer with rotating handle for comfortable trimming and pruning applications
- → Rotating handle with 5 positions for safe and flexible guiding the hedge trimmer
- → Highly efficient, precise dual cutting system thanks to diamond-ground blade teeth on both sides

Battery pack voltage	18 V
Blade length	65 cm
Cutting length	60 cm
Max. Cutting thickness	21 mm





Full Service price group FS4









HS 18 LTX BL 65 Scope of delivery

Blade protection guiver without battery pack, without charger

HS 18 LTX BL 75 Cordless Hedge Trimmer

- → Powerful, Brushless cordless hedge trimmer with rotating handle for comfortable trimming and pruning applications
- Rotating handle with 5 positions for safe and flexible guiding the hedge trimmer
- → Highly efficient, precise dual cutting system thanks to diamond-ground blade teeth on both sides

Battery pack voltage	18 V
Blade length	75 cm
Cutting length	70 cm
Max. Cutting thickness	21 mm



HS 18 LTX BL 75 Scope of delivery

Blade protection quiver without battery pack, without charger



* See page 207 for Battery Set options

Full Service price group FS4











RM 36-18 LTX BL 46 Cordless Lawn Mower

- → 3 in 1: Mowing, Collecting, Mulching.
- → Ideal for areas up to 800 m²
- → High cutting performance and long runtime per battery pack charge
- → Maximum runtime thanks to automatic adjustment of the motor power depending on the grass height
- → Easy cutting height setting in 7 stages
- → Robust with long service life thanks to metal cover and high-quality mower blade



RM 36-18 LTX BL 46 Scope of delivery

without battery pack, without charger



Full Service price group FS4



RM 36-18 LTX BL 36 Cordless Lawn Mower

- → Compact, mobile cordless lawn mower for mowing and mulching near edges of plots up to 350 m²
- → Mowed material is either collected in the flexible collection bag or mulched immediately to remain on the green area
- → Powerful brushless motor for high cutting performance and long runtime per battery pack charge
- → Central, easy-to-operate cutting height setting in 5 stages
- → Clean cut near edges thanks to high-quality mower blade and integrated lawn combs
- → Collection bag with fill level window



RM 36-18 LTX BL 36 Scope of delivery

without battery pack, without charger

FOR OUR EXTENSIVE RANGE OF ACCESSORIES, SEE METABO.COM/UK

Full Service price group FS4



MS 18 LTX 15 Cordless Pruning Saw

- → Handy and safe cordless pruning saw, ideal for cutting back trees and shrubs as well as for cuttings
- → In combination with the MS telescopic handle (accessory), the mini motor saw can be used like a pole pruner
- → Constantly high chain speed under load for fast sawing progress
- → Up to 60 powerful cuts into hard wood Ø 80 mm with one battery pack charge (Li-Power battery pack 18 V/2.0 Ah)
- → Safe working thanks to guard, grip protection and safety switch against unintentional starting
- → Simple handling thanks to compact size, low weight and rubberised handle areas
- → Low kickback chain for easy, safe cuts and low vibrations
- → Easy changing and tensioning of the saw chain thanks to quick-closure and the tensioning tool stored on the housing
- → Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com



Battery options	Order No.
Body only (metaBOX 145 L)	600856840

* See page 207 for Battery Set options



MS 18 LTX 15 Scope of delivery

Saw rail 15 cm, Saw chain 15 cm (1/4" LP / 1.1 mm), Sawing chain protection, Bio sawing chain lubrication oil 100 ml Hexagonal wrench with spherical head, metaBOX 145 L without battery pack, without charger

AVAILABLE AS ACCESSORY

TELESCOPIC HANDLE MS (628714000)

- → The combination of telescopic handle MS and cordless pruning saw can be used as a pole pruner for tree care
- → Stable slide-on connection with additional locking screw
- → Ultra-light fibreglass pole with rubberised handle area and armrest for comfortable working







MS 36-18 LTX BL 40 Cordless Chain Saw

- → Powerful cordless motor saw for fast, uniform cuts when felling, delimbing trees, cutting and building with wood
- → Maintenance-free, powerful Brushless motor with direct drive for maximum battery pack runtimes and a high chain speed up to 22 m/s
- → Flexible working thanks to stepless speed control
- → Low kickback chain for easy, safe cuts and low vibrations
- → Maximum user safety thanks to chain quick stop during kickback and releasing of the switch
- → Safety switch for protection against accidental start up
- → High working comfort thanks to rubberised handle, compact design and low weight compared to petrol-powered chain saws
- → Automatic chain lubrication for highest cutting output with minimum service requirements
- → Easy re-tensioning and replacement of the saw chain
- ightarrow Semi-transparent oil tank with quick closure for comfortable controlling and refilling of the chain oil
- → Robust pronged stop made from metal for optimal guidance and low-fatigue sawing
- → Felling hinge strip for targeted location of the felling direction
- → Environmentally-friendly and quiet thanks to battery operation, therefore usable also in areas sensitive to noise
- → 100% compatibility with the 18 Volt class: powerful 36 Volt operation with two 18 Volt battery packs from Metabo
- → Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com



Battery pack voltage / type	18 V / LiHD / Li-ion
Track length	40 cm
Cutting length	36 cm
Max. chain speed	22 m/s
Saw chain tooth shape	semi-chisel / low profile
Drive link thickness	1,1 mm
Oil container volume	200 ml
Weight with battery pack	4.6 kg

MS 36-18 LTX BL 40 Scope of delivery


Oregon sawing rail 40 cm, Oregon saw chain 40 cm (3/8" LP / 1.1 mm), Sawing chain protection, Combo spanner, without battery pack, without charger



Battery options	Order No.
Body only (Cardboard box)	601613850

^{*} See page 207 for Battery Set options

Full Service price group FS4



MA 36-18 LTX BL Q Cordless Multi-function Drive

- → Powerful 2×18 Volt cordless drive for the attachments of the Metabo multifunction system, the all-in-one solution for many garden applications
- → Powerful Brushless motor for high performance and long battery pack runtime
- → Variable working speed thanks to two selectable speed ranges and infinitely variable speed control trigger
- → Metabo "Quick" quick coupling system for tool-free attachment replacement
- → Healthy position and balanced weight thanks to individually adjustable loop handle and shoulder strap
- → Safe working thanks to rubberised grip areas and additional safety switch against unintentional starting
- → Environmentally-friendly and quiet thanks to battery operations, therefore usable also in areas sensitive to noise
- → Practical protection and support bracket on the battery packs
- → Space-saving storage at the wall by means of practical suspension eye
- → 100% compatibility with the 18 Volt class: powerful 36 Volt operation with two 18 Volt battery packs from Metabo
- → Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com



Body only (cardboard box) * See page 207 for Battery Set options

Full Service price group FS4

MA 36-18 LTX BL Q Scope of delivery

Loop handle, Hexagonal wrench, Shoulder strap, without battery pack, without charger

Please note: Attachments are not included





Hedge trimmer attachment MA-HS 50

- → Cutting of high hedges and shrubs with the hedge trimmer attachment of the Metabo multifunction system, the all-in-one solution for many garden applications
- → Together with the cordless multifunction drive MA 36-18 LTX BL Q an environmentally-friendly, quiet system, ideal for areas sensitive to noise
- → Metabo "Quick" quick coupling system for tool-free attachment replacement
- → Highly efficient, precise dual cutting system thanks to diamond ground blade teeth on both sides
- → Cutter bars can be swivelled by 215° in 13 steps without tools for the optimal angle depending on the working situation
- → Trigger guard protects user and gearing when working near walls and the ground


Blade length	50 cm
Cutting length	48 cm
Max. cutting thickness	22 mm
No of strokes (No Load)	0 - 2,600 / 0 - 3,100 rpm
Length / Length with drive	1,645 mm / 2,620 mm
Weight	2.8 kg

M-HS 50 Scope of delivery

Blade protection cover

Order No. 601726850





Pole pruner attachment MA-MS 25

- → Safe tree maintenance with the pole pruner attachment of the Metabo multifunction system, the all-in-one solution for many garden applications
- → Together with the cordless multifunction drive MA 36-18 LTX BL Q an environmentally-friendly, quiet system, ideal for areas sensitive to noise
- → Metabo "Quick" quick coupling system for tool-free attachment replacement
- → Shaft extension to increase the range by 88 cm available as accessory
- → Low kickback chain for easy, safe cuts and low vibrations
- → Integrated hook for the removal of cut branches from the treetop
- → Semi-transparent oil tank for comfortable controlling and refilling of the chain oil

Track length	25 cm
Cutting length	24 cm
Max. chain speed level 1 / 2	16 m/s / 18 m/s
Saw chain tooth shape	Semi-chisel / low profile
Length / Length with drive	1,230 mm / 2,005 mm
Weight	1.7 kg

MA -MS 25 Scope of delivery

Saw chain 25 cm (3/8" LP / 1.3 mm), Saw rail 25 cm, Sawing chain protection, Combo-spanner

Order No. 601727850



Brush cutter attachment MA-FS 40

- → Mowing, trimming and clearing out with the brush cutter attachment of the Metabo multifunction system, the all-in-one solution for many garden applications
- → Together with the cordless multifunction drive MA 36-18 LTX BL Q an environmentally-friendly, quiet system, ideal for areas sensitive to noise
- → Metabo "Quick" quick coupling system for tool-free attachment replacement
- ightarrow Versatile use with twin line spool for grass cuts or blades for brushwood
- ightarrow Easy readjustment of the line by means of short tapping of the spool head while working
- → Metabo quick thread change: fast and without tools, without removing or opening the spool
- ightarrow Fast work initiation thanks to fast, powerful startup
- → Robust use thanks to durable metal gear unit

Cutting diameter	40 cm
No load speed	0 - 5,300 / 0 - 6,000 rpm
Thread diameter	2 mm
Length / Length with drive	935 mm / 1,960 mm
Weight	1.6 kg
0 , 0	

MA-FS 40 Scope of delivery

Guard, Twin line spool (line Ø 2 mm, 4 m), Brush cutter with 3 blades, Adapter for blades, Combospanner, Hexagonal wrench

Order No. 601728850



RSG 18 LTX 15 Cordless Back-pack Sprayer

- → Constant spray pattern, ideal for the even spraying of plant strengthening and pesticides
- → High spray volume per battery charge
- → High wearing comfort, through ergonomic tank shape and padded shoulder straps with click closure
- → Stepless working pressure adjustment
- → Precise and application-oriented
- → Dosage of the spray quantity
- → 4 hours runtime per battery pack (Li-ion 2.0 Ah at 1.5 bar)



RSG 18 LTX 15 Scope of delivery

Manual valve, Hose line, Spray pipe Regulating nozzle (1.7 mm), without battery pack, without charger

Battery options	Order No.
Body only (Cardboard box)	602038850











TPF 18 LTX 2200 Cordless Submersible Pump

- → Flexible cordless pump with 2 functions: can be used always and everywhere as immersion pump or rain barrel pump
- → For environmentally-friendly garden irrigation with rain water or pumping out of clear water from containers, water basins and flooded cellars
- → Fast retrofitting from rain barrel pump to clear water immersion pump thanks to tool-free removal of the pump base
- → Low-intake level up to a residual water level of 1-2 mm
- → External battery pack box for protection of the battery pack from moisture, can easily be fixed to the wall or containers
- → Easy operation and control of the pump thanks to uncluttered control panel on the battery pack box
- → Timer function with three runtimes from start, perfect when using garden sprinklers
- → Flexible dosing of pressure and water quantity thanks to three performance levels and regulating valve
- → Suitable for a number of containers thanks to slim design (Ø142 mm) and long cable to the battery pack box
- → Metabo pump protection: automatic dry-run protection with LED display to protect the pump and high user safety
- → Durable thanks to double sealing system and overload protection of the motor
- → Washable filter protects the pump from contaminations
- → Robust housing made of impact-proof plastic with integrated cable winder and carry handle





Battery options	Order No.
Body only (Cardboard box)	601729850

^{*} See page 207 for Battery Set options

Battery pack voltage	18 V
Max. delivery rate	2.200 l/h
Max. delivery height	22 m
Max. pressure	2.2 bar
Max. immersion depth	2 m
Discharge port	1" male thread
Protection type IP	IP X8
Weight with battery pack	2.5 kg

TPF 18 LTX 2200 Scope of delivery

Multi-adapter, 1/2" hose (1.5 m) with quick-action couplings, Control valve / shut-off valve, Cock connector, Hose guide, Mounting hook, without battery pack, without charger

TPF 18 LTX 7000 Cordless Submersible Pump

- → Powerful cordless submersible pump for pumping clear water from containers, water basins and flooded basements cellars
- → Shallow suction down to a residual water level of 1-2 mm
- → External battery box to protect the battery from moisture, can be easily fixed to the wall or container
- → Easy operation and control of the pump thanks to the clearly laid out control panel on the battery box
- → Flexible dosing of pressure and water volume thanks to three power levels and regulating valve
- → Suitable for a wide range of containers thanks to slim design (Ø 142 mm) and long cable to the battery box
- → Metabo Pump Protection: automatic dry-running protection with LED display to protect the pump and for high user safety
- → Durable thanks to double sealing system and overload protection of the motor
- → Washable filter protects the pump from soiling
- → Robust housing made of impact-resistant plastic with integrated cable winder and carrying handle
- → Many brands, one battery system: This product can be combined with all 18V battery packs and chargers from CAS Brands: www.cordless-alliance-system.com









Battery options	Order No.
Body only (Cardboard box)	601748850

^{*} See page 207 for Battery Set options

Battery pack voltage	18 V
Max. delivery rate	7.000 l/h
Max. delivery height	9 m
Max. pressure	0.9 bar
Max. immersion depth	6 m
Discharge port	1" male thread
Protection type IP	IP X8
Weight with battery pack	2.8 kg

TPF 18 LTX 7000 Scope of delivery

Multi-adapter, fixing hook, without battery pack, without charger, protection class IP battery box, cable length Battery box

Application

Which machine achieves the best runtime with which battery pack? In this overview you find everything at a glance:

Machine, application, battery pack and runtime.

Machine

Application	Machine	Accessories	
Cutting hedges	Hedge trimmers / shrub shears		
Trimming cut / easy application	SGS 18 LTX Q	Shrub blade	
روشا في المان	HS 18 LTX 45 / HS 18 LTX 55 / HS 18 LTX 65		
	HS 18 LTX BL 55 / HS 18 LTX BL 65 / HS 18 LTX BL 75		
	MA 36-18 LTX BL Q + MA-HS 50 (stage 1)		
Pruning / difficult application	HS 18 LTX 45 / HS 18 LTX 55 / HS 18 LTX 65		
100000000000000000000000000000000000000	HS 18 LTX BL 55 / HS 18 LTX BL 65 / HS 18 LTX BL 75		
	MA 36-18 LTX BL Q + MA-HS 50 (stage 2)		
Sawing	Pruning saw / chain saw / pole pru	ner attachment	
	MS 18 LTX 15	Saw rail + saw chain 15 cm	
	MS 18 LTX 15 + telescopic handle MS	(1/4" / 1.1 mm)	
Sawing of hard wood (Ø 8 cm)	MA 36-18 LTX BL Q + MA-MS 25 (stage 2)	Saw rail + saw chain 25 cm (3/8" LP / 1.3 mm	
Sawing soft wood (10 x 10 cm) Sawing of hard wood (Ø 20 cm)	MS 36-18 LTX BL 40	Saw rail + saw chain 40 cm (3/8" LP / 1.1 mm)	
Leaves / removing dirt	Leaf blower		
Leaves / Tellioving unt	Lear Mower		
and the same	LB 18 LTX BL		
Mowing	Lawn mower		
Low grass /	RM 36-18 LTX BL 36		
easy application	RM 36-18 LTX BL 46		
High grass / mulching /	RM 36-18 LTX BL 36	-	
difficult application	RM 36-18 LTX BL 46		

Battery pack runtimes at a glance

			Battery pack			
	Li-Power			Lit	1D	
2.0 Ah Li-ion	4.0 Ah	5.2 Ah Li-ion	4.0 Ah	5.5 Ah	8.0 Ah	10.0 Ah
165 min	330 min	430 min	330 min	455 min	660 min	825 min
48 min	96 min	125 min	96 min	132 min	192 min	240 min
16 min	33 min	43 min	33 min	45 min	65 min	82 min
27 min	55 min	71 min	55 min	75 min	109 min	136 min
17 min	34 min	44 min	34 min	47 min	68 min	85 min
13 min	27 min	35 min	27 min	37 min	54 min	67 min
20 min	39 min	51 min	39 min	54 min	79 min	98 min
60 cuts	120 steps	156 cuts	120 steps	165 cuts	240 cuts	300 cuts
48 cuts	96 cuts	125 cuts	96 cuts	132 cuts	192 cuts	240 cuts
70 cuts	140 cuts	182 cuts	140 cuts	193 cuts	280 cuts	350 cuts
62 cuts	125 cuts	162 cuts	125 cuts	171 cuts	249 cuts	311 cuts
18 cuts	37 cuts	47 cuts	37 cuts	50 cuts	73 cuts	91 cuts
7 min	14 min	18 min	14 min	19 min	28 min	35 min
27 min	54 min	70 min	54 min	74 min	108 min	135 min
23 min	45 min	59 min	45 min	62 min	90 min	113 min
8 min	16 min	21 min	16 min	22 min	32 min	40 min
9 min	18 min	23 min	18 min	25 min	36 min	45 min

Which machine achieves the best runtime with which battery pack? In this overview you find everything at a glance:

Machine, application, battery pack and runtime.

Application	Machine	Accessories	ı
Mowing, trimming and pruning jobs	Shrub-grass shears		
Cutting of lawn edges	SGS 18 LTX Q	Grass blade, telescopic handle	
"有二次的"的"富州战争"。	Lawn trimmer / brush cutter		
Trimming / pruning (grass / weeds)	RTD 18 LTX BL 30	Double thread	-
	FSD 36-18 LTX BL 40 / FSB 36-18 LTX BL 40	spool	
	MA 36-18 LTX BL Q + MA-FS 40 (stage 1)		
Mowing (high grass / meadow)	FSD 36-18 LTX BL 40 / FSB 36-18 LTX BL 40	Double thread spool / grass	
MANAGEMENT	MA 36-18 LTX BL Q + MA-FS 40 (stage 2)	blade	
Pruning / landscaping (woody material < 20 mm / thicket)	FSD 36-18 LTX BL 40 / FSB 36-18 LTX BL 40		
	MA 36-18 LTX BL Q + MA-FS 40 (stage 2)	Brush cutter	
Spraying	Backpack sprayer		
Spraying with operating pressure 1.5 bar	RSG 18 LTX 15		
Irrigation / draining	Submersible and rain barrel pump		
Cleaning work / watering flowers	TPF 18 LTX 2200 (stage 1)	Garden shower	
Garden irrigation	TDF 19 ITV 2200 (store 7)	Surface sprinkler	
Pumping out of clear water from vessels / water basins	TPF 18 LTX 2200 (stage 3)	Discharge fitting 1" (Ø 25 mm)	

Battery pack runtimes at a glance

			Battery pack			
	Li-Power			Lit	1D	
2.0 Ah Li-ion	4.0 Ah	5.2 Ah Li-ion	4.0 Ah	5.5 Ah	8.0 Ah	10.0 Ah
150 min	300 min	390 min	300 min	415 min	600 min	750 min
20 min	40 min	52 min	40 min	55 min	80 min	100 min
10 min	20 min	26 min	20 min	28 min	40 min	50 min
	20 111111	20 111111		20 111111	40 111111	30 111111
24 min	47 min	61 min	47 min	65 min	94 min	118 min
21 min	42 min	55 min	42 min	58 min	84 min	105 min
9 / 12 min	18 / 25 min	23 / 32 min	18 / 25 min	25 / 34 min	36 / 49 min	45 / 62 min
8 / 11 min	17 / 22 min	22 / 29 min	17 / 22 min	23 / 30 min	33 / 44 min	42 / 55 min
16 min	32 min	41 min	32 min	43 min	63 min	79 min
14 min	28 min	37 min	28 min	39 min	56 min	71 min
4 h	8 h	10.5 h	8 h	11 h	16 h	20 h
55 min	110 min	143 min	110 min	151 min	220 min	275 min
20 min	40 min	52 min	40 min	55 min	80 min	100 min
17 min	34 min	44 min	34 min	47 min	68 min	85 min

All Metabo chargers have the Patented "AIR COOLED" charging technology for short charging times thanks to cooling the battery pack during the charging cycle.

3-year warranty on all Metabo battery packs and chargers irrespective of the number of charging cycles.

Air cooled

	Order No.	Battery type	Voltage	Ah
c c	45 625026000	Li Power	18V	2.0
C ₂	4S 625027000	Li Power	18V	4.0
C)	4s 625028000	Li Power	18V	5.2
	HD 625367000	LiHD	18V	4.0
A STATE OF THE PARTY OF THE PAR	HD 625368000	LiHD	18V	5.5
	HD 625369000	LiHD	18V	8.0
	HD 625549000	LiHD	18V	10.0
	HDX 624974000	LiHDX	18V	4.0
C.	4 S 624975000	LiHDX	18V	8.0

Battery charging times at a glance

		<i>y</i>	9	g
			The state of the s	
SC 30	SC 36	ASC 55	ASC 145	ASC 290
√	√	√	✓	✓
	Ch	narging time in minute	es	
80 min	60 min	40 min	30 min	30 min
160 min	120 min	80 min	30 min	30 min
208 min	156 min	104 min	39 min	39 min
160 min	120 min	80 min	40 min	40 min
220 min	165 min	110 min	41 min	30 min
320 min	240 min	160 min	60 min	40 min
400 min	300 min	200 min	75 min	50 min
160 min	120 min	80 min	30 min	30 min
320 min	240 min	160 min	60 min	30 min

18V Battery Packs

A decision for the future: The Metabo battery pack system

The correct choice of the battery pack system is a decision with long-term effect. The battery pack systems of different manufacturers are not compatible with each other, and who does not want to carry around an entire collection of battery packs and chargers, should rather decide for a uniform battery pack system right from the beginning. Therefore, so many professionals with high and very high demands for their tools trust in Metabo. We produce any relevant power tool, where it is technically sensible and feasible, also as cordless variant - powerful, innovative and in top quality.

Our vision - your ultimate independence thanks to innovative battery pack system

As leader in battery pack technology, Metabo consequently follows the vision of a cordless construction site to make you even more independent and mobile in your work. When deciding for our cordless interface, you are ideally equipped for the challenges of the future. With our innovations we are continuously setting new standards in the battery pack area.

They ensure limitless compatibility: The Metabo cordless systems

With our 100% compatibility within the battery pack system, you are always on the safe side - today and in the future! Since 2009, all Metabo battery packs, machines and chargers in a volt class can be flexibly combined with each other. This is possible by our powerful Metabo Ultra-M technology. It stands for the optimal coordination and perfect communication between machine, battery pack and charger. Like this, battery packs are charged in an efficient and gentle manner and are quickly ready to be used again thanks to patented AIR COOLED technology. When working, the energy is optimally used. At the same time our battery packs are particularly durable, and come with a 3 year warranty as standard.

Battery type	Ah	Order No.
Li-ion CAS	2.0	625026000
Li-ion CAS	4.0	625027000
Li-ion CAS	5.2	625028000
E HD CAS	4.0	625367000
HD CAS	5.5	625368000
E HD CAS	8.0	625369000



	Battery type	An	Order No.
NEW	THDX CAS	4.0	624974000
NEW	T HDX CAS	8.0	624975000

Tip: Calculate charging times.

Take the battery voltage x battery Ah = watt hour then divide by charger watt hour x 60

i.e. 18V x 8.0Ah / 145 x 60 = 59.58 mins (1 hr)





Class 9 goods product: This product is not suitable for air freight as delivered

18V BATTERY PACKS / CHARGERS & BASIC SETS

			Order No.		Basic Set	Ah	Order No.
NEW	PC 18-65 Compact, multi- function adapte be used as char energy source a	r, can ger,	600409380		2 x 18 V LiHD Charger ASC 55	4.0	685163380
	lamp Body Only				3 x 18 V LiHD Charger ASC 55	4.0	685132380
	ASC 55 Char 55 watt hour ch 3.0 amp cha current Body Only	arger rge	627045000		2 x 18 V LiHD Charger ASC 145	5.5	685122380
	ASC 145		627379000		■ HD		
	145 watt hour ci 8.0 amp cha current Body Only	rge		NEW	2 x 18 V LiHD Charger ASC 290 metaBOX 145	9.0	685303380
EE	ASC 145 DU 145 watt hour cl 8.0 amp cha current + 2 x USB pc	harger rge orts	627512000		4 x 18 V LiHD 1 x Charger ASC 145 DUO metaBOX 145	8.0	685135000
NEW	ASC 290 Fast charge 16.0 amp cha	er	627372000	NEW	2 x 18 V LiHD Charger ASC 290 metaBOX 145	10.0	685304380
	Body Only	′			4 x 18 V LiHD Charger ASC 145 DUO	10.0	685143000
					metaBOX 215		
	Basic Set	Ah	Order No.		■ HD		
	2 x 18 V Li-ion Charger ASC 55	4.0	685050380	NEW S	2 x 18 V LiHDX Charger ASC 145	4.0	685306380
	2 x 18 V Li-ion Charger ASC 55	5.2	685051380	NEW	Li HDX 2 x 18 V LIHDX	8.0	685305380
					Charger ASC 290 metaBOX 145	•	

Class 9 goods product: This product is not suitable for air freight as delivered

Notes

Notes	

Notes

Notes	

Notes	
	-
	_
	-

Notes	



On-line registration required for extended

Class 9 dangerous

suitable for air freight

as delivered. Should

you need to arrange collection of faulty

goods please contact

Metabo UK Ltd for details.

warranty to take effect.

The Metabo 3-year tool warranty

At Metabo we design our power tools for a long service life, but to give you additional piece of mind for your investment we offer the XXL warranty. After registration, your normal warranty is simply extended to 3 years from the date of purchase.

What is the XXL warranty?

The XXL warranty extends Metabo's normal one year power tool warranty to three years, and is acquired free of charge by registering online at https://portal.metabo-service.com/en-GB/. The warranty is available only for tools purchased from April 1, 2004.

What is covered by the XXL warranty?

The XXL warranty covers defects in materials and workmanship. Simply return the tool to your point of sale or your nearest Metabo Repair Centre. See Metabo's warranty statement for full details.

Will all machines purchased come with the XXL warranty?

The XXL warranty is an extension that you receive free of cost only after online registration provided you purchased your machine anytime from April 1, 2004 onwards.

How does the registration work?

On our hompage, complete the XXL warranty form and print out the receipt and you will receive a confirmation via Email. Then, should you make a warranty claim, send this receipt along with the original sales receipt and the faulty machine to your point of sale or warranty agent.

Am I entitled to a warranty claim without an online receipt?

Yes, you are entitled to the normal one year warranty period. The online receipt is meant exclusively for extension of the warranty period to the XXL warranty (three years). If your tool is not registered, the normal one year warranty applies.

How can I register if I have no internet connection?

You can register your machine at https://portal.metabo-service.com/en-GB/ from any place with access to internet. On purchasing a new machine, your dealer can also register your machine online immediately, as long as the dealer has an internet connection.

How soon after the purchase date must I complete the registration?

The machine must be registered with four weeks after the purchase date. For more information, visit the Metabo web site: https://portal.metabo-service.com/en-GB/



3-year battery and charger warranty

Metabo 18V Lithium-Ion and LiHD battery packs and chargers are warranted to the original purchaser for 3 years from the date of purchase against defects in materials and workmanship.

If a listed battery fails to take a charge, or if the charger fails, due to a defect in the first 3 years of ownership, return the battery or charger, along with proof of purchase to your dealer or warranty agent.

Metabo Service: Easy, safe, fair.



The advantages

- ✓ Free repairs of wear and tear
- √ Free theft protection
- ✓ Free collection and delivery

FULL SERVICE: Theft protection:

- If an authorized device is stolen, a machine of the same type (basic device, no sets) can be purchased from the Metabo dealer with a 50% discount from the manufactures RRP Incl VAT.
- The replacement unit can take over the remaining time of the Full Service contract.
- To make use of the theft protection, the theft must be reported immediately to the police. The notification with the proof of registration must be submitted within 5 working days after the theft to Metabo.
- · After successful testing, the new device is delivered to the dealer against payment of the purchase price.

Our full service: so easy - so fair

The Metabo FULL SERVICE is an optional extra which can be purchased at the same time as your machine purchase. Simply purchase a service card directly from your dealer, the full service price group can be found in the Metabo cordless catalogue and wesbite.

When registering your machine within four weeks of purchase for the standard XXL warranty, simply enter the FULL SERVICE code as found on the service card and this will automatically upgarde your warranty to the FULL SERVICE

The service flatrates are available in the 4 tightly calculated price categories.

Full service price group Order no.	FS 1 144207090	FS 2 144207100	FS 3 144207110	FS 4 144207120
Machine	e.g. cordless drill/screwdriver PowerMaxx BS 12, orbital sander FMS 200 Intec	e.g. circular saw KS 55 FS, drill SBE 850	e.g. cordless angle grinder W 18 LTX 125 Quick, rotary hammer KHE 2644	e.g. cordless screwdriver BS 18 LTX Bl QI, jigsaw STE 140 Plus
Cost per month	£ 1.17	£ 1.81	£ 2.36	£ 3.03
One-time cost for 36 months	£ 42.00 incl. VAT	£ 65.00 incl. VAT	£ 85.00 incl. VAT	£ 109.00 incl. VAT



3 year battery pack warranty on all Li-Power and LiHD battery packs without a restriction on charging cycles.



We give you an extra XXL warranty on all our products. Simply register your product online within 4 weeks of purchase and your standard guarantee is extended to 3 years.

Register at metabo-service.com

Developed for ultimate performance.







Dealer stamp:

KOKI Group (UK) Ltd 25 Majestic Road, Nursling Industrial Estate, Southampton • SO16 0YT

UK-metabo@koki-group.com

www.metabo.com/uk





metabo

Metabo reserves the right to change details or product specification without notice. Photographs are for illustration purposes only. No liability is accepted for printing errors.