

Think Fixing



GENERAL CATALOGUE



10 GOOD REASONS TO CHOOSE **G&B FISSAGGI**:

- ✓ *Over 40 years of experience*
- ✓ *Depth of range*
- ✓ *Research and development*
- ✓ *Production made in Italy*
- ✓ *Maximum versatility*
- ✓ *Certified quality*
- ✓ *Dedicated customer service*
- ✓ *Technical assistance*
- ✓ *Training*
- ✓ *5 Branches in Europe*


think
fixing



G&B Fissaggi
works with clean energy



Manufacturer of Fixing Systems since 1980




TECHNICAL ASSISTANCE

information about:
products,
technical and safety data sheets,
certifications,
after sales service,
guide for anchor's choice,
training



CUSTOMER CARE

Information about:
state of the orders,
deliveries,
invoices.



G&B CALCULATION
PROGRAM 4.3
professional design
of anchorage in concrete

uksales@gebffissaggi.com

G&B Fissaggi S.r.l. Italia - Tel. +39 011 961 94 33

G&B Fissaggi UK - Tel. +44 0114 242 0074
from Monday to Friday
from **08.30** to **17.00**



Download the **CATALOGUE** IN PDF
from the **link** below:

<https://www.gebfissaggi.com/en/catalogue-qr-2/>
or scan the **Qr Code**





LEED®



TESTATO DA
"ISTITUTO POLITECNICO"
DI TORINO

TESTATO DA
"ISTITUTO GIORDANO
S.P.A."

European Technical Assessment (ETA)

CE Approval

Complies with Requirements **LEED® EQ4.1**

(Bonded Anchors)

EQ CREDIT: Low - Emitting Materials

Certified **Fixing in SEISMIC AREA**

(Bonded Anchors)

Class Emission A+ for volatile organic compounds (VOCs) indoors

European Quality Institute Srl Approval
(for bracket GB-Solar Block)

R120 FIRE Resistance Certification

R90 FIRE Resistance Certification (per GX-L Nylon)

Tested by the Engineering Department "**Institute Polytechnic**" of Turin


Tested by "**Istituto Giordano S.p.A.**"



HLM CE



BETA CE



GETO PLUS SMK CE



GAMMA CE



SITA CE



TURBO JET CE



GX-L Nylon CE



OP12



GETO WOOD



GEBOFIX
EPO PLUS RE



SUPER HYBRID
SH-PRO



GEBOFIX
PRO SISMILK VE-SF

MAREFIX becomes part of **G&B GROUP**


experience and technology of the fastener sector now in our Catalogue



In 2022 **MAREFIX S.L.**, an affirmed Spanish company based in Logroño, who specialises in screws, has become part of the G&B Group.

Thanks to this important synergy we want to continue to grow with you, expanding our catalogue and our range of fixing systems with a complete line of high-quality and versatile fasteners and accessories for applications on steel-aluminium, wood and plasterboard for the hardware and construction sectors. A fusion of long-standing skills and experience with the aim of offering our customers a service even more complete and competitive on the international scene.

G&B GROUP, the right partner for every fastening... and screws need



Discover the new **GETO-FIX** section on page 71

● **HEAVY DUTY FIXINGS**

SITA TTS
also stainless steel
A2 AISI 304



AVAILABLE
ALSO INOX A2
(AISI 304)

SITA GBK ETA OPTION 7
Etra long-threading




INOX A4
(AISI 316)



on line
G&B CALCULATION
PROGRAM 4.3
professional design
of anchorage in concrete

SITA TTSC ETA OPTION 1
Approved for fixing in seismic area
Cat C1



on line
G&B CALCULATION
PROGRAM 4.3
professional design
of anchorage in concrete

SITA TTSKS ETA OPTION 1
Approved for fixing in seismic area
Cat C1, C2



AVAILABLE
ALSO INOX A4
(AISI 316)



pag. 2

● **HEAVY DUTY FIXINGS**

GETO PLUS SMK **CE OPZIONE 1**



on line
G&B CALCULATION
PROGRAM 4.3
professional design
of anchorage in concrete

TEF



TB Rounded head



TPS Countersunk flat head



DF with combined M8/M10 double thread




(Not Seismic Approved)


pag. 8

● **GETO-FIX SCREWS**

SCREWS FOR **CONCRETE / MASONRY**




SCREWS FOR **ALUMINUM / STEEL**



SCREWS FOR **WOOD**



SCREWS FOR **PLASTERBOARD**



pag. 71

● BONDED ANCHORS ● SEALANTS AND ADHESIVES ● POLYURETHANE FOAMS ● GEBOTEC PROFESSIONAL SPRAY



**MA
MULTIANCHOR**

**SH-PRO
SUPER HYBRID**

**GEBOFIX
PRO SISMIX**

PRO ATTACK

GEBOFOAM CS01

**ZINC
GALVANISING**

pag. 20

pag. 21

pag. 48



pag. 52

pag. 34

● **GETO-FIX SCREWS**

GETOFRAME SCREWS

For the **through-fastening**
of variable thickness profiles
in concrete and masonry



**IDEAL FOR
WINDOWS AND
DOORS FRAME**

pag. 72

● GENERAL FIXING ● NYLON FRAME FIXING ANCHORS

All the safety of the nylon fastening Made in Italy



CONDOR
Nylon

UNIVERSAL
Nylon

GL
Nylon

BI-FIX

TURBO JET

GX-L
Nylon

LATER
CORNICE

CONDOR
CORNICE



pag. 109

pag. 111

pag. 108

pag. 107

pag. 128

pag. 124

pag. 127

pag. 126

● GENERAL FIXING

BI-FIX




BI-components
for all building materials

PATENTED

● NYLON FRAME FIXING ANCHORS

TURBO JET Nylon Anchor

Certified CE for application on concrete, stone, solid masonry



PREASSEMBLED



on line
G&B CALCULATION
PROGRAM 4.5
professional design
of anchorage in concrete

EAD 330196-01-0604
base material: a,b
Ø6, Ø6, Ø8

pag. 128

● NYLON FRAME FIXING ANCHORS



BREVETTO
G&B
PATENTED

*Suitable for use on the main
building materials:
stone, concrete, solid bricks,
semi-solid and hollow bricks,
aerated concrete.*



GX-L Nylon

CE Approved



for application on concrete,
solid and semisolid masonry
(use category a,b,c)

Indispensable in the areas: windows, roofing,
insulation panels, ventilated walls, insulation.

pag. 124



Dimensions: **100x40cm**,
H **240cm**
Color: Dark Grey

find out more on pag. 153 »

PACKAGING



The evolution keeps going

BONDED ANCHORS

FOR FIXINGS IN SEISMIC AREAS
Seismic CAT C1 and C2

- **CE 1 Certification** for applications with threaded bars and rebars on cracked concrete
- Certified for fixing in **seismic areas Cat C1 and Cat C2**
- **R120 Fire Resistance**
- Application in holes immersed in water



XTR EXTREME HYBRID CE 1



PRO SISMIX CE 1



EPOPLUS RE CE 1



Recommended load values in kg

	anchor		base					
	Ø hole	thread	C20/25 concrete	solid block	hollow brick	aerated concrete	concrete hollow block	plasterboard
GENERAL FIXING	BI-FIX	5	35	25	16	7		9
		6	54	29	23	10		15
		8	63	42	30	16		18
		10	91	76	54	23		19
	GL Nylon	5	32	27	14	7		
		6	50	27	14	9		
		8	54	36	27	16		
		10	84	71	54	20		
		12	104	82	59	23		
		14	141	91	64	36		
	Condor Nylon	4	11	5				
		5	29	11	11			
		6	43	27	11			
		7	50	30	11			
		8	64	36	14			
		10	129	50	14			
		12	157	59	14			
		14	271	71	18			
	L'Universale Nylon	6	16	16	14			
		8	32	32	18			
		10	50	50	29			
	GBU Nylon	6	18	16	7			
		8	32	25	11			
		10	50	29	14			
	Casa Nylon	9	M4	39				
		12	M5	50				
	Casa Acciaio	9	M4	39				
		12	M5	50				
NYLON FRAME FIXINGS	GX-L Nylon CE	6	28 ¹	23 ¹	6 ¹			
		8	79	100	14			
		10	119	114	26			
	Condor Cornice Nylon	6	14	13				
		8	71	57				
		10	98	68				
	Later Cornice Nylon	8			43			
		10			46			
		12			64			
		16			86			
	Turbo Jet Nylon CE	5	23	18				
		6	39	46				
		8	43	50				
		10	54 ¹					
	Infisso Nylon	8	57	50	14			
		10	93	86	21			
	Vis GETO infisso	h _{ef} 30	76					
		h _{ef} 40		29	5			
		h _{ef} 60			21			
		h _{ef} 80		179	12	12		
HOLLOW WALLS FIXING	Ancora Steel DR	16	M6		11		89	
		20	M8		11		179	
	Ancora Steel DE	14	M4		11		29	
	Lastro Nylon	8			14			7
	RAPID Nylon	-				11		4
	RAPID Steel	-				11		4
	Lastro Steel	8	M4					7
		10	M5					7
		12	M6					7
		14,5	M8					7
	Stylo Fix	-	-					15
	Twist	10	M5					25

Values obtained using the screws with the bigger diameter among those allowed for each anchor.

Recommended load values in kg

MEDIUM HEAVY DUTY FIXING	anchor	base				
	Ø hole	thread	C20/25 concrete	solid block	hollow brick	aerated concrete
	BRIC BCM	12	M8	39		14
		14	M10	80	21	21
	OMEGA Brass	5	M4	36	27	
		7	M5	54	46	
		8	M6	71	64	
		10	M8	143	113	
		12	M10	179	161	
		15	M12	218	196	

Non Cracked Concrete C20/25											
HEAVY DUTY FIXINGS	Ø hole	6	8	10	12	14	16	18	20	24	
	DELTA Steel		143	262	429	476	595		786		
	SITA Steel CE 1 -TTSKS			762	1190		1667		2381		
	SITA Steel CE 1 -TTSK, inox e HDG		357	635	794		1667		1390		
	SITA Steel CE 1 TTSC		238	476	408		1190				
	SITA Steel CE7 GBK		357	476	635		635		1429		
	SITA Steel	179	279	369	579	712	821		1164		
	GAMMA Steel CE1			762	762		952	1666		2143	
	GETO PLUS SMK CE1	357	476	1226	1739	1868					
	thread	M6		M8		M10		M12		M16	
	HLM Stell CE 8	236		429		571		764		1190	
	NTR Steel	214		393		560		595			
	GBM Steel	131		179		321		357			
	ALFA Steel	143		214		286		476			
	BETA Steel CE	51		321		494		592		992	
	BETA Steel	71		114		157		243		400	
BUILDING CHEMICAL	threaded rod	M8	M10	M12	M16	M20	M24	M27	M30		
	MA Multi Anchor CE 7	794	1190	1389	2381	2976	4563				
	Super Hybrid SH PRO CE 7	766	942	1382	2145	3560	4524				
	Extreme Hybrid XTR CE 1 cracked concrete	678	898	1316	1995	3391	5027				
		359	505	741	1122						
	Gebofix PRO SISMIK VE-SF CE 1 cracked concrete	678	1122	1563	2298	3603	5027	4501	4760		
				741	1149	1907	2827				
	Gebofix PRO SISMIK VE-SF Nordic CE 1 cracked concrete	678	1122	1563	2298	3603	5027	4501	4760		
				741	1149	1907	2827				
	Gebofix EPO PLUS RE CE 1 cracked concrete	1436	2020	2774	3361	5330	7318	8941	10669		
				1481	1991	3052	4147	5332	6665		
	CHEM 5	405	583	810	1167	1762	3119	4238	5190		
Gebofix TF Glass Capsule CE 7	476	635	992	1389	2381	2976					

Anchoring depth (hef) indicated in the product technical sheet. For the correct choice of the bar (steel characteristics), suitable for the type of load, refer to the technical data sheet of the anchor.

¹ Not included in ETA Base: non-cracked concrete C20/25 at effective anchorage depth hef (hef) stated in technical data sheet.

For the correct selection of the bar (characteristics of steel), appropriate to the load type, see anchor data sheet.

Note

These tables show maximum recommended loads for single fixings, placed from a free edge of the base material and used in a suitable thickness substrate in accordance with the guidelines. Load values to be used as a guide only. The choice and design of anchoring is up to the designer, and must be done in reference to technical data sheets and product certifications. Characteristic loads and safety factors of certified anchors are stated by the European Technical Approval (ETA) of the anchor. Characteristic loads of anchors without CE marking derive from tests conducted in external laboratories or in G&B laboratory according to relevant standards. Pull-out values are measured on base materials without plaster. For anchors used with various accessories, the value refers to the stud or threaded bar.

		page	stone concrete	solid block	semisolid brick	hollow brick	hollow brick concrete	plasterboard	light concrete	wood	Duty				
											LIGHT	MEDIUM	MEDIUM HEAVY	HEAVY	
Sita Steel CE		2	●												●
Gamma Steel CE 1		6	●												●
HLM Steel Shield CE 8		6	●												●
Alfa Steel		7	●	●											●
Geto Plus SMK CE 1		8	●	●											●
Beta Steel CE		9	●												●
NTR Steel		10	●	●											●
Delta Steel		14	●	●	●								●		
BLACK EPDM		15	●	●	●	●	●	●	●	●	●	●			
CE-AN / TARAS		16	●	●									●		
Bric BCM Nylon		17	●	●	●	●	●		●				●		
Omega Brass		17	●	●									●		

Screws 8.8 class are according to **UNI EN ISO 898-1:2001**

	Recommended use ● Suitable use ●	page	stone concrete	solid block	semisolid brick	hollow brick	hollow brick concrete	plasterboard	light concrete	wood	Duty			
											LIGHT	MEDIUM	MEDIUM HEAVY	HEAVY
MA Multi Anchor CE 7 Polyester Resin  	●	20	●	●	●	●	●						●	●
Super Hybrid SH-PRO CE 7 Hybrid formulation styrene free  	●	20	●	●	●	●	●		●				●	●
XTR CE 1 Vinylester Resin styrene free   	●	21	●	●	●	●	●		●	●				●
Gebifix PRO SISMIK VE-SF CE 1 Vinylester Resin styrene free   	●	22	●	●	●	●	●		●	●				●
Gebifix PRO SISMIK Nordic VE-SF CE 1 Vinylester Resin low temperature   	●	22	●	●	●	●	●		●	●				●
Gebifix Epo Plus RE CE 1 Pure Epoxy 3 : 1   	●	22	●	●	●					●				●
Chem 5 - Chem 6 Pouring Chemical Resin 	●	23	●											●
Gebifix Chemical Glass Capsule  	●	23	●											●
Chemical Accessories 		25												

	Recommended use ● Suitable use ●	page	stone concrete	solid block	semisolid brick	hollow brick	hollow brick concrete	plasterboard	light concrete	wood	Duty			
											LIGHT	MEDIUM	MEDIUM HEAVY	HEAVY
GEBOTEC	Gebotec Professional Technical Professional Spray 	31												
	WP80 Multi-purpose cleaning wipes 	38												
GEBOSIL - GEBOFOAM	Gebosil Sealants and Adhesive 	42	●	●	●	●	●	●	●	●				
	Gebotape BTL FIRE RESISTANT alu- butyl flashing tape 	45												
	Sealants Accessories 	49												
	Gebfoam Polyurethane Foams manual and for gun 	52	●	●	●	●	●	●	●	●				
	D500 and Accessories 	55												
SPECIAL FIXINGS FOR BUILDING	Eyebolt anchor for Scaffolding 	58	●	●	●	●								●
	Scaffolding Extension 	61												
	Isofis /Isofis steel 	62	●	●	●	●	●		●		●			
	Iso Rapid Nylon 	63	Polystyrene and Polystyrene panels											
	GB Nylon 	63							●		●			
	BLACK EPDM 	63	●	●	●	●	●	●	●	●	●			

Recommended use ● Suitable use ●		page	stone concrete	solid block	semisolid brick	hollow brick	hollow brick concrete	plasterboard	light concrete	wood	Duty			
											LIGHT	MEDIUM	MEDIUM HEAVY	HEAVY
Building products 		66												
GETO FRAME SCREWS Cover cap for GETO FRAME  		72	●	●	●	●			●		●			
DIN-7504-K / TBE TBE+ARNE Self drilling screws 		74					 metal							
TS3-TS5 Self drilling screws 		80					 metal							
DIN-7504-P / TBP Self drilling screws 		83					 metal							
GETOWOOD Screws  		91								●				
GETO Screws Self-threading 		98								●				
GETO Screws truciolari 		100								●				
TPL-TPRA RPL-TBPL for plasterboard 		102						●			●			


Recommended use ● Suitable use ●			page	stone concrete	solid block	semisolid brick	hollow brick	hollow brick concrete	plasterboard	light concrete	wood	Duty			
												LIGHT	MEDIUM	MEDIUM HEAVY	HEAVY
BI-FIX			106	●	●	●	●	●	●	●		●			
GL Nylon			108	●	●	●	●	●	●	●		●			
Condor Nylon			109	●	●	●	●	●		●		●			
L'Universale Nylon			111	●	●	●	●	●	●			●			
GBU Nylon			111	●	●	●	●	●	●			●			
Casa Nylon			112	●	●	●	●	●	●	●		●			
BCS shelf bracket			115	●	●	●	●			●			●		
Ancora Steel			118				●	●	●			●	●		
Lastro Nylon			118				●	●	●			●			
SITA for Ceilings			118	●	●								●		
Rapid Nylon Rapid Steel			119						●	●		●	●		
STYLOFIX			119						●	●					
Lastro Steel			120				●	●	●			●	●		
TWIST			121				●	●	●	●					

Recommended use ● Suitable use ●		page	stone concrete	solid block	semisolid brick	hollow brick	hollow brick concrete	plasterboard	light concrete	wood	Duty			
											LIGHT	MEDIUM	MEDIUM HEAVY	HEAVY
GX-L Nylon 		124	●	●	●	●	●	●	●		●	●		
Vite VAST Anti-intrusion		125										●		
Condor Cornice Nylon		126	●	●	●							●		
Later Cornice Nylon		127		●	●	●	●		●			●		
Turbo Jet Nylon 		128	●	●	●	●	●					●		
Infisso Nylon		130	●	●	●	●	●					●		
Sani-Fis		132	●	●	●	●					●			
Bandelle perforate e chiodi		136									●			
Mounting Bracket GB-SOLAR BLOCK  		138	●	●	●	●	●		●	●	●	●		
GB-SOLAR BLOCK Accessories		138 139	●	●	●	●	●		●	●	●	●		

Screws 8.8 class are according to **UNI EN ISO 898-1:2001**

Recommended use ● Suitable use ●		page	stone concrete	solid block	semisolid brick	hollow brick	hollow brick concrete	plasterboard	light concrete	wood	Duty			
											LIGHT	MEDIUM	MEDIUM HEAVY	HEAVY
Powder-actuated Tool		144	●	●	●	●	●		●	●	●	●		
Drive pins		145	●	●	●	●	●		●	●	●	●		
GEBFOR HSS-G PRO e HSS-C drill bits for metal		148 149						●						
GEBFOR PRO and SUPER GB drill bits for concrete, brick and plasterboard		150 151	●	●	●	●	●	●						
GEBFOR SDS PLUS e TURBO 3 drill bits for concrete		152 153	●	●	●	●	●							
GEBFOR FRAME special bits for windows & doors frames		154	●	●	●	●	●							
GEBFOR SDS MAX special bits for concrete armed, brick and concrete block		155	●	●	●	●	●							
GEBFOR WOOD and WOOD PRO bits for wood		156								●				
GEBFOR CERAMIC BLUE bits for ceramic		157	ceramic											
GEBFOR HAMMER SDS PLUS and SDS Max chisels		158	●											
GEBFOR INSERTS		160												
DISPLAY		161												

Steel Anchors for Heavy Duty Fixing



SITA STEEL



stone
concrete

SITA Steel TTS

long thread,
complete with preassembled nut and washer



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TTS01	6x45	S645/5	M6	5	200	1000
TTS02	6x55	S655/15	M6	15	150	750
TTS24	6x90	S690/50	M6	50	100	500
TTS25	8x50	S850/5	M8	5	100	500
TTS96	8x65	S865/15	M8	15	150	750
TTS05	8x75	S875/25	M8	25	100	500
TTS06	8x95	S895/45	M8	45	100	500
TTS17	8x115	S8115/65	M8	65	50	250
TTS26	10x70	S1070/10	M10	10	70	350
TTS08	10x90	S1090/30	M10	30	50	250
TTS09	10x100	S10100/40	M10	40	50	250
TTS18	10x120	S10120/60	M10	60	40	200
TTS97	10x140	S10140/80	M10	80	40	200
TTS095	10x150	S10150/90	M10	90	40	200
TTS1017	10x170	S10170/110	M10	110	40	200
TTS1270	12x70	S1270/5	M12	5	25	125
TTS10	12x95	S1295/15	M12	15	40	200
TTS19	12x110	S12110/30	M12	30	40	200
TTS27	12x120	S12120/40	M12	40	25	125
TTS98	12x140	S12140/60	M12	60	25	125
TTS12	12x160	S12160/80	M12	80	25	125
TTS121	12x200	S12200/120	M12	120	20	100
TTS122	12x240	S12240/160	M12	160	10	80
TTS93	14x100	S14100/5	M14	5	20	100
TTS94	14x130	S14130/35	M14	35	20	100
TTS95	14x150	S14150/55	M14	55	20	100
TTS1690	16x90	S1690/5	M16	5	20	100
TTS28	16x110	S16110/5	M16	5	20	100
TTS120	16x125	S16125/20	M16	20	10	50
TTS20	16x145	S16145/40	M16	40	10	50
TTS14	16x170	S16170/65	M16	65	10	50
TTS1620	16x200	S16200/95	M16	95	10	50
TTS29	16x220	S16220/115	M16	115	5	40
TTS99	20x130	S20130/5	M20	5	5	25
TTS30	20x170	S20170/45	M20	45	5	25
TTS2022	20x220	S20220/95	M20	95	5	40
TTS31	20x270	S20270/145	M20	145	10	40



stone
concrete

SITA Steel TTISI* INOX A2 (AISI 304)

long thread,
complete with preassembled nut and
washer



INOX (A2)

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TTISI05*	8x75	SI875/25	M8	25	100	500
TTISI06*	8x95	SI895/45	M8	45	50	250
TTISI19*	12x110	SI12110/30	M12	30	25	125
TTISI98*	12x140	SI12140/60	M12	60	20	100
TTISI12*	12x160	SI12160/80	M12	80	20	100
TTISI120*	16x125	SI16125/20	M16	20	15	75

* While stocks last

SITA STEEL ANCHOR

CE OPTION 7



stone
concrete

SITA Steel GBK CE 7

- CE Option 7
- for non cracked concrete
- complete with preassembled nut and washer
- extra long thread



ETA-17/0237
OPTION 7

on line

G&B CALCULATION
PROGRAM 4.3

professional design
of anchorage in concrete

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
60322	8x65	GBK865/7	M8	7	150	750
60323	8x75	GBK875/17	M8	17	100	500
60324	8x95	GBK895/37	M8	37	100	500
60325	8x115	GBK8115/57	M8	57	50	250
60326	10x75	GBK1075/10	M10	10	70	350
60327	10x90	GBK1090/25	M10	25	50	250
60328	10x100	GBK10100/35	M10	35	50	250
60329	10x120	GBK10120/55	M10	55	50	250
60330	10x150	GBK10150/85	M10	85	40	200
60331	10x170	GBK10170/105	M10	105	40	200
60348	12x90	GBK1290/8	M12	8	50	250
60332	12x100	GBK12100/18	M12	18	40	200
60333	12x110	GBK12110/28	M12	28	40	200
60334	12x120	GBK12120/38	M12	38	25	125
60335	12x140	GBK12140/58	M12	58	25	125
60336	12x160	GBK12160/78	M12	78	25	125
60337	12x180	GBK12180/98	M12	98	20	100
60341	16x125	GBK16125/10	M16	10	20	100
60342	16x145	GBK16145/30	M16	30	20	100
60343	16x170	GBK16170/55	M16	55	10	50
60349	16x200	GBK16200/85	M16	85	10	50
60344	16x220	GBK16220/105	M16	105	5	40
60350	20x150	GBK20150/15	M20	15	5	25
60345	20x170	GBK20170/35	M20	35	5	25
60346	20x220	GBK20220/85	M20	85	5	30
60347	20x270	GBK20270/135	M20	135	5	30



stone
concrete

SITA Steel GBK CE 7

Inox AISI 316 (A4)

- CE Option 7
- for non cracked concrete
- complete with preassembled nut and washer
- extra long thread



ETA-17/0237
OPTION 7

on line

G&B CALCULATION
PROGRAM 4.3

professional design
of anchorage in concrete

INOX (A4)

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
60501	8x75	GBK1875/17	M8	17	100	500
60502	8x95	GBK1895/37	M8	37	100	500
60503	8x115	GBK18115/57	M8	57	50	250
60504	10x90	GBK11090/25	M10	25	50	250
60505	10x100	GBK110100/35	M10	35	50	250
60506	10x120	GBK110120/55	M10	55	50	250
60507	10x140	GBK110140/75	M10	75	40	200
60508	12x100	GBK112100/18	M12	18	40	200
60509	12x120	GBK112120/38	M12	38	25	125
60510	12x140	GBK112140/58	M12	58	25	125
60511	12x160	GBK112160/78	M12	78	25	125
60512	16x125	GBK116125/10	M16	10	20	100
60513	16x145	GBK116145/30	M16	30	20	100
60514	16x170	GBK116170/55	M16	55	10	50

SITA STEEL ANCHOR

CE OPTION 1

SITA Steel GBK CE 7

EXTRA LONG SIZES

stainless steel expansion clip (A2)

- CE Option 7 for non cracked concrete, complete with preassembled nut and washer
- extra long thread
- stainless steel expansion clip



ETA-17/0237
OPTION 7

on line



professional design
of anchorage in concrete



stone
concrete

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
60135	12x200	GBK12200/118	M12	118	10	50
60136	12x220	GBK12220/138	M12	138	10	80
60137	12x240	GBK12240/158	M12	158	10	80
60138	12x280	GBK12280/198	M12	198	10	60
60139	12x300	GBK12300/218	M12	218	10	60
60140	12x360	GBK12360/278	M12	278	10	60
60141	16x240	GBK16240/125	M16	125	5	40
60142	16x280	GBK16280/165	M16	165	5	30
60143	16x300	GBK16300/185	M16	185	5	30
60144	16x400	GBK16400/285	M16	285	5	30



stone
concrete



CLS
cracked

**Certification
for use IN SEISMIC AREA
CAT C1**

SITA Steel TTSK CE 1

version INOX AISI 316 (A4)

complete with preassembled nut and washer
CE Approved - Option 1 for cracked
and non cracked concrete



ETA-10/0076
OPTION 1



CAT. C1 = M8÷M16

on line



professional design
of anchorage in concrete

INOX (A4)

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
96001	8x72	SI1K872/10	M8	10	50	250
96002	8x92	SI1K892/30	M8	30	50	250
96003	8x112	SI1K8112/50	M8	50	40	200
96004	10x92	SI1K1092/10	M10	10	40	200
96024	10x102	SI1K10102/20	M10	20	25	125
96005	10x112	SI1K10112/30	M10	30	25	125
96006	10x132	SI1K10132/50	M10	50	25	125
96025	12x103	SI1K12103/5	M12	5	20	100
96007	12x118	SI1K12118/20	M12	20	20	100
96008	12x128	SI1K12128/30	M12	30	20	100
96026	12x148	SI1K12148/50	M12	50	20	100
96009	12x163	SI1K12163/65	M12	65	20	100
96010	16x123	SI1K16123/5	M16	5	10	50
96027	16x138	SI1K16138/20	M16	20	10	50
96011	16x168	SI1K16168/50	M16	50	10	50



stone
concrete



CLS
cracked

**Certification
for use IN SEISMIC AREA
CAT C1**

SITA Steel TTSC CE 1

complete with preassembled nut and washer
CE Approved - Option 1 for cracked
and non cracked concrete



ETA-20/0471
OPTION 1



CAT. C1 = M8÷M16

on line



professional design
of anchorage in concrete

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TTSC01	8x75	S1C875/20	M8	20	50	250
TTSC02	8x95	S1C895/40	M8	40	50	250
TTSC03	8x115	S1C8115/60	M8	60	40	200
TTSC04	10x90	S1C1090/10	M10	10	40	200
TTSC05	10x100	S1C10100/20	M10	20	25	125
TTSC06	10x110	S1C10110/30	M10	30	25	125
TTSC07	10x130	S1C10130/50	M10	50	25	125
TTSC08	10x160	S1C10160/80	M10	80	25	125
TTSC09	12x105	S1C12105/20	M12	20	20	100
TTSC11	12x120	S1C12120/35	M12	35	20	100
TTSC12	12x135	S1C12135/50	M12	50	20	100
TTSC13	12x175	S1C12175/90	M12	90	20	100
TTSC14	16x135	S1C16135/25	M16	25	10	50
TTSC15	16x150	S1C16150/40	M16	40	10	50
TTSC16	16x160	S1C16160/50	M16	50	10	50

SITA STEEL ANCHOR CE 1

CE OPTION 1

SITA Steel TTSKS CE 1

complete with preassembled nut and washer
CE Approved - Option 1 for cracked
and non cracked concrete



ETA-17/0481
OPTION 1




CAT. C1 = M10÷M20
CAT. C2 = M12÷M20

on line



professional design
of anchorage in concrete




stone concrete CLS cracked

**Certification
for use IN SEISMIC AREA
CAT C1 - C2**

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TTSKS05*	10x105	S1KS10105/25	M10	25	25	125
TTSKS06*	10x115	S1KS10115/35	M10	35	25	125
TTSKS07*	10x135	S1KS10135/55	M10	55	25	125
TTSKS10	12x100	S1KS12100/4	M12	4	20	100
TTSKS12	12x120	S1KS12120/24	M12	24	20	100
TTSKS13	12x130	S1KS12130/34	M12	34	20	100
TTSKS14	12x150	S1KS12150/54	M12	54	20	100
TTSKS15	12x180	S1KS12180/84	M12	84	20	100
TTSKS17	16x145	S1KS16145/28	M16	28	10	50
TTSKS20	20x170	S1KS20170/32	M20	32	5	25
TTSKS21	20x 200	S1KS20200/62	M20	62	5	25

* While stocks last



stone concrete CLS cracked

SITA Steel TTSK CE 1*

version H.D.G. Hot Dip Galvanised

complete with preassembled nut and washer
CE Approved - Option 1 for cracked
and non cracked concrete



ETA-10/0076
OPTION 1



on line



professional design
of anchorage in concrete


ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TTSKHDG01**	10x62	SHD1K1062/3	M10	3	50	250
TTSKHDG02*	10x92	SHD1K1092/10	M10	10	40	200
TTSKHDG03*	10x112	SHD1K10112/30	M10	30	25	125
TTSKHDG04*	10x132	SHD1K10132/50	M10	50	25	125
TTSKHDG05*	12x103	SHD1K12103/5	M12	5	20	100
TTSKHDG06*	12x128	SHD1K12128/30	M12	30	20	100
TTSKHDG07*	16x123	SHD1K16123/5	M16	5	10	50
TTSKHDG08*	16x138	SHD1K16138/20	M16	20	10	50
TTSKHDG09**	20x170	SHD1K20170/20	M20	20	5	25
TTSKHDG10**	20x220	SHD1K20220/70	M20	70	5	25

** Not included in ETA Approval

* Available upon request

+ 1000 h Corrosion Resistant Salt Spray
To Over 1000H

SITA ACCIAIO



stone concrete solid brick

Ceiling hanger, Ø 6 mm version
for use in concrete



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TTS660	-	SO6	6x60	-	200	1600

GAMMA STEEL ANCHOR CE 1

CE OPTION 1

GAMMA Steel Heavy Duty CE 1
CE Option 1 for cracked and non cracked concrete
with Hex Head Bolt 8.8 grade and washer



ETA-11/0181
OPTION 1




CAT. C1 = M6÷M16
CAT. C2 = M6÷M16



on line



professional design
of anchorage in concrete



stone
concrete

CLS
cracked

**Certification
for use IN SEISMIC ARE
CAT C1 e CAT C2**

ART.	Ø x L _t	DESCR.	Ch	SCREW	t _{fix}	BOX	CARTON
	mm			mm	mm	pcs	pcs
44077	10x70	HG10/70V	10	M6	5	50	400
44078	10x100	HG10/100V	10	M6	35	50	400
44079	12x100	HG12/100V	13	M8	30	25	200
44080	12x120	HG12/120V	13	M8	50	25	200
44081	16x120	HG16/120V	17	M10	40	20	160
44082	16x140	HG16/140V	17	M10	60	10	80
44083	18x120	HG18/120V	19	M12	20	15	120
44084	18x150	HG18/150V	19	M12	50	10	80
44085	24x140	HG24/140V	24	M16	20	5	40
44086	24x170	HG24/170V	24	M16	50	5	25

GAMMA Steel Heavy Duty CE 1

CE OPTION 1 for cracked concrete
with countersunk flat head screw 8.8 hex socket



ETA-11/0181
OPTION 1



CAT. C1 = M6÷M12
CAT. C2 = M6÷M12



on line



professional design
of anchorage in concrete

ART.	Ø x L _t	DESCR.	Ch	SCREW	t _{fix}	BOX	CARTON
	mm			mm	mm	pcs	pcs
44112	10x85	HG10/85VTS	4	M6	20	50	400
44113	10x105	HG10/105VTS	4	M6	40	50	400
44114	12x105	HG12/105VTS	5	M8	35	25	200
44115	12x125	HG12/125VTS	5	M8	55	25	200
44116	16x110	HG16/110VTS	6	M10	30	20	160
44117	16x130	HG16/130VTS	6	M10	50	10	80
44118	18x120	HG18/120VTS	8	M12	20	15	120
44119	18x140	HG18/140VTS	8	M12	40	10	80

HLM STEEL CE 8



stone
concrete

HLM Steel Shield Anchor Only CE 8

CE Option 8 for non cracked concrete



OPTION 8

on line



professional design
of anchorage in concrete

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX.	CARTON
	mm		mm	mm	pcs	pcs
TMH06	10x40	HLM6	-	-	100	1600
TMH08	14x50	HLM8	-	-	50	400
TMH10	16x60	HLM10	-	-	25	400
TMH12	20x80	HLM12	-	-	10	160
TMH16	25x100	HLM16	-	-	10	160

HLM Steel Shield Anchor Loose Bolt CE 8

CE Option 8 for non cracked concrete
with Hex Head Bolt grade 8.8
and oversize washer



OPTION 8

on line




professional design
of anchorage in concrete

High Quality
Screw
cl. 8.8

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX.	CARTON
	mm		mm	mm	pcs	pcs
TMHV06	10x40	HLM6/V	M6x50	15	50	800
TMHV08	14x50	HLM8/V	M8x60	15	50	400
TMHV10	16x60	HLM10/V	M10x80	25	25	200
TMHV12	20x80	HLM12/V	M12x90	20	20	160
TMHV16	25x100	HLM16/V	M16x100	30	10	80

ALFA ALM STEEL ANCHOR



stone
concrete solid
brick

ALFA ALM Steel Shield Only



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TM06	12x50	ALM6	-	-	50	800
TM08	14x50	ALM8	-	-	50	800
TM10	16x60	ALM10	-	-	25	400
TM12	20x72	ALM12	-	-	20	320

ALFA ALM/V Steel Shield Loose Bolt with hexagonal head bolt 8.8 grade

High Quality
Screw
cl. 8.8



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TMV06	12x50	ALM6/V	M6x50	3	50	800
TMV08	14x50	ALM8/V	M8x60	9	50	400
TMV10	16x60	ALM10/V	M10x80	17	25	200
TMV12	20x72	ALM12/V	M12x90	15	20	160

ALFA ALM/V Steel Shield Anchor Loose Bolt with hexagonal head bolt 8.8 grade EXTRA LONG SIZES

High Quality
Screw
cl. 8.8



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TMV670	12x50	ALM670/V	M6x70	23	50	800
TMV685	12x50	ALM685/V	M6x85	38	50	400
TMV875	14x50	ALM875/V	M8x75	24	50	400
TMV890	14x50	ALM890/V	M8x90	39	50	400
TMV1085	16x60	ALM1085/V	M10x85	22	25	200
TMV1011	16x60	ALM10110/V	M10x110	47	25	200
TMV1013	16x60	ALM10130/V	M10x130	67	20	200
TMV1210	20x72	ALM12100/V	M12x100	25	15	120
TMV1211	20x72	ALM12115/V	M12x115	40	15	120
TMV1213	20x72	ALM12135/V	M12x135	60	20	160

ALFA ALM/V Steel Shield Loose Bolt with spacer and hex head bolt 8.8 grade

High Quality
Screw
cl. 8.8



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TMVD08	14x80	ALM8/80	M8x80	25	25	200
TMVD10	16x100	ALM10/100	M10x100	35	20	160

GETO PLUS SMK ANCHOR CE 1

Self - Tapping Anchor

Suitable for most material including concrete, stone and brick

CE OPTION 1



stone concrete CLS cracked solid brick

New thread: quicker installation and high performance

GETO PLUS SMK CE 1 TEF Flanged hexagonal head



OPTION 1



on line

G&B CALCULATION PROGRAM 4.3

professional design
of anchorage in concrete

Sismic
Cat. C1 8-10-14
Cat. C2 10-14

ART.	Ø x L _t mm	DESCR.	CH	DRILL Ø mm	t _{fix} mm	BOX pcs	CARTON pcs
87300	7,5x60	GPS-TEF6/60	10	6	20/5	100	1.200
87301	7,5x80	GPS-TEF6/80	10	6	40/25	100	1.200
87302	7,5x100	GPS-TEF6/100	10	6	60/45	50	800
87303	10,5x55	GPS-TEF8/55	13	8	5/-	50	800
87304	10,5x65	GPS-TEF8/65	13	8	15/5	50	600
87305	10,5x75	GPS-TEF8/75	13	8	25/15	50	800
87306	10,5x90	GPS-TEF8/90	13	8	40/30	50	800
87307	10,5x110	GPS-TEF8/110	13	8	60/50	30	480
87308	10,5x130	GPS-TEF8/130	13	8	80/70	30	360
87309	12,5x65	GPS-TEF10/65	15	10	5/-/-	30	360
87310	12,5x75	GPS-TEF10/75	15	10	15/5/-	30	360
87311	12,5x85	GPS-TEF10/85	15	10	25/15/-	30	360
87312	12,5x100	GPS-TEF10/100	15	10	40/30/15	20	320
87313	12,5x120	GPS-TEF10/120	15	10	60/50/35	20	240
87314	12,5x140	GPS-TEF10/140	15	10	80/70/55	20	240
87315	12,5x160	GPS-TEF10/160	15	10	100/90/75	30	210
87316	16,5x80	GPS-TEF14/80	18	14	5/-	12	144
87317	16,5x115	GPS-TEF14/115	18	14	40/5	12	144
87318	16,5x135	GPS-TEF14/135	18	14	60/25	10	120
87319	16,5x160	GPS-TEF14/160	18	14	85/50	10	70

GETO PLUS SMK CE 1 TPS Flat countersunk head



OPTION 1



on line

G&B CALCULATION PROGRAM 4.3

professional design
of anchorage in concrete

Sismic
Cat. C1 8-10-14
Cat. C2 10-14

ART.	Ø x L _t mm	DESCR.	TORX	DRILL Ø mm	t _{fix} mm	BOX pcs	CARTON pcs
87320	7,5 x72	GPS-TPS6/72	T30	6	32/17	100	1.200
87321	7,5x112	GPS-TPS6/112	T30	6	72/57	50	800
87322	7,5x132	GPS-TPS6/132	T30	6	92/77	50	800

GETO PLUS SMK CE 1 TB



OPTION 1



on line

G&B CALCULATION PROGRAM 4.3

professional design
of anchorage in concrete

Sismic
Cat. C1 8-10-14
Cat. C2 10-14

ART.	Ø x L _t mm	DESCR.	TORX	DRILL Ø mm	t _{fix} mm	BOX pcs	CARTON pcs
87323	7,7x42	GPS-TB6/42	T30	6	2/-	100	1.200

GETO PLUS SMK CE 1 DF with combined double thread M8/M10

For fastening of threaded rods, pipe supports, coupling, suspension ducts, etc.



OPTION 1



on line
G&B CALCULATION PROGRAM 4.3
professional design
of anchorage in concrete

ART.	Ø x L _t mm	DESCR.	DRILL Ø mm	CH	t _{fix} mm	BOX pcs	CARTON pcs
87324	7,5x75	GPS-DF6/55	6	13	15	100	0

BETA ANCHOR



stone
concrete

BETA Steel CE

fixing system to percussion with internal cone



OPTION 7

M8÷M20

on line



professional design
of anchorage in concrete



Multiple fixings for fixings
non-structural M6 ÷ M12



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TTBCE06*	8x25	BCE06	M6	-	100	2000
TTBCE08	10x30	BCE08	M8	-	100	2000
TTBCE10	12x40	BCE10	M10	-	50	1000
TTBCE12	15x50	BCE12	M12	-	50	500
TTBCE16**	20x65	BCE16	M16	-	25	200

* For non-structural use

** OPTION 7 only

BETA Steel TTBL CE

fixing system to percussion with internal cone



OPTION 7

M8÷M20

on line



professional design
of anchorage in concrete



Multiple fixings for fixings
non-structural M6 ÷ M12



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TTBLCE06 *	8x25	BLCE06	M6	-	100	2000
TTBLCE08	10x30	BLCE08	M8	-	100	2000
TTBLCE10	12x40	BLCE10	M10	-	50	1000
TTBLCE12	15x50	BLCE12	M12	-	50	500
TTBLCE16 **	20x65	BLCE16	M16	-	25	200

* For non-structural use

** OPTION 7 only

BETA Steel*

fixing system to percussion with internal cone



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TTB08*	10x30	B8	M8	-	100	2000
TTB10*	12x40	B10	M10	-	50	1000
TTB16*	20x65	B16	M16	-	25	200

* While stocks last

BETA Steel With Lip*

fixing system to percussion with internal cone



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TTBL06*	8x25	BL6	M6	-	100	2000
TTBL08*	10x30	BL8	M8	-	100	1600
TTBL10*	12x30	BL10-L30	M10	-	50	800
TTBL11*	12x40	BL10-L40	M10	-	50	800
TTBL16*	20x65	BL16	M16	-	25	200

* While stocks last

BETA Stainless Steel (A4)

fixing system to percussion with internal cone

INOX (A4)



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TTBI06	8x25	B6 A4	M6	-	100	1600
TTBI08	10x30	B8 A4	M8	-	100	1600
TTBI10	12x40	B10 A4	M10	-	50	800
TTBI12	15x50	B12 A4	M12	-	50	400
TTBI16	20x65	B16 A4	M16	-	25	200

STRIKER PIN

for BETA Steel anchors



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TK51	-	STRIKER PIN	M6	-	5	80
TK52	-	STRIKER PIN	M8	-	5	80
TK53	-	PERNO PERC	M10	-	5	80
TK54	-	STRIKER PIN	M12	-	5	80
TK55	-	STRIKER PIN	M16	-	5	40

NTR STEEL ANCHOR



stone
concrete

NTR Steel Shield Only



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TNTR06	10x45	NTR6	-	-	50	800
TNTR08	12x52	NTR8	-	-	50	800
TNTR10	15x60	NTR10	-	-	25	400
TNTR12	18x75	NTR12	-	-	20	320

NTR/V Steel Shield Loose Bolt

with hex head bolt (grade 8.8) and steel washer
DIN 9021 (UNI 6593)

High Quality
Screw
cl. 8.8



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TNTRV06	10x45	NTR6/V	M6x50	5	50	800
TNTRV08	12x52	NTR8/V	M8x60	8	50	400
TNTRV10	15x60	NTR10/V	M10x80	20	25	200
TNTRV12	18x75	NTR12/V	M12x90	15	20	160

NTRD/V Steel Shield Loose Bolt

with spacer and hex head bolt (grade 8.8)

High Quality
Screw
cl. 8.8



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TNTRVD12	18x100	NTRVD12/V	M12x100	25	10	80

NTR/B Steel Shield projecting Bolt

with 5.8 grade stud, white zinc plated nut and washer
DIN 9021 (UNI 6593)



ART.	Ø x L _t	DESCR.	BARRA	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TNTRB06	10x45	NTR6/B	M6x70	15	50	400
TNTRB08	12x52	NTR8/B	M8x100	35	25	200
TNTRB10	15x60	NTR10/B	M10x110	48	20	160
TNTRB12	18x75	NTR12/B	M12x130	53	10	80

NTR/G Steel Shield Hook Bolt

with steel stamped HOOK (class 5.8) white zinc plated
nuts and washer **DIN 9021 (UNI 6593)**



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TNTRG06	10x5	NTR6/G	M6x50	-	50	400
TNTRG08	12x52	NTR8/G	M8x60	-	25	200
TNTRG10	15x60	NTR10/G	M10x75	-	20	160
TNTRG12	18x75	NTR12/G	M12x66	-	10	80

NTR/C Steel Shield Eye Bolt

with steel stamped eyebolt (class 5.8) white zinc plated
nuts and washer **DIN 9021 (UNI 6593)**



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TNTRC06	10x45	NTR6/C	M6x50	-	50	400
TNTRC08	12x52	NTR8/C	M8x60	-	25	200
TNTRC10	15x60	NTR10/C	M10x75	-	20	160
TNTRC12	18x75	NTR12/C	M12x66	-	10	80

NTR STEEL ANCHOR



stone
concrete

NTR/I Stainless Steel Shield Only AISI 304 (A2)



INOX (A2)

ART.	Ø x L t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TNTRI06	10x45	NTRI6	-	-	50	800
TNTRI08	12x52	NTRI8	-	-	50	800
TNTRI10	15x60	NTRI10	-	-	25	400
TNTRI12	18x75	NTRI12	-	-	20	320

NTR Stainless Steel Loose Bolt AISI 304 (A2) with stainless hexagonal head SCREW and washer **DIN 9021 (UNI 6593)**



INOX (A2)

ART.	Ø x L t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TNTRVI06*	10x45	NTRI6/V	M6x50	5	50	800
TNTRVI08*	12x52	NTRI8/V	M8x60	8	50	400
TNTRVI10*	15x60	NTRI10/V	M10x80	20	25	200

* While stocks last

● **FIXING SYSTEMS FOR MEDIUM
TO HEAVY DUTY LOADS**

Nylon - Steel - and Brass anchors for fixing
medium to heavy duty loads



DELTA STEEL



stone
concrete solid
brick

**HIGH
QUALITY STEEL**

DELTA Steel Anchor HEX BOLT

(8.8 grade) white zinc plated,
with oversize washer DIN 9021



The version with Top spacer is available on request

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
33027	8x45	DELV845	M6x45	5	50	800
33028	8x70	DELV870	M6x70	30	50	800
33145	8x90	DELV890	M6x90	50	50	400
33029	10x55	DELV1055	M8x55	5	50	400
33169	10x65	DELV1065	M8x65	15	50	400
33030	10x80	DELV1080	M8x80	30	50	400
33031	10x100	DELV10100	M8x100	50	50	400
33106	10x120	DELV10120	M8x120	70	30	240
33032	10x140	DELV10140	M8x140	90	25	200
33033	12x65	DELV1265	M10x65	5	25	200
33107	12x80	DELV1280	M10x80	20	25	200
33034	12x100	DELV12100	M10x100	40	25	200
33108	12x120	DELV12120	M10x120	60	25	200
33035	12x140	DELV12140	M10x140	80	20	160
33048	14x70	DELV1470	M10x70	5	25	200
33127	14x100	DELV14100	M10x100	35	20	160
33036	16x75	DELV1675	M12x75	5	20	160
33037	16x110	DELV16110	M12x110	40	15	120
33129	20x130	DELV20130	M16x130	50	10	80

DELTA Steel Anchor HEX NUT

(8.8 grade) white zinc plated



ART.	Ø x L _t	DESCR.	BAR	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
33131	8x40	DELB840	M6x45	5	50	800
33132	8x90	DELB890	M6x95	50	50	400
33133	10x50	DELB1050	M8x55	5	50	400
33134	10x75	DELB1075	M8x80	25	50	400
33135	10x100	DELB10100	M8x105	50	50	400
33136	10x125	DELB10125	M8x130	75	25	200
33137	12x60	DELB1260	M10x65	5	25	200
33138	12x75	DELB1275	M10x80	15	25	200
33139	12x100	DELB12100	M10x105	40	25	200
33140	12x125	DELB12125	M10x130	65	20	160
33141	16x65	DELB1665	M12x75	5	20	160
33142	16x110	DELB16110	M12x120	40	15	120
33143	16x145	DELB16145	M12x155	75	10	80
33144	20x160	DELB20160	M16x175	80	5	40

DELTA Steel Sleeve Anchor with countersunk flat head bolt 10.9 (hexagon socket) white zinc plated



ART.	Ø x L _t	DESCR.	CH	SCREW	t _{fix}	BOX	CARTON
	mm			mm	mm	pcs	pcs
DELP645	8x45	DELP645	HEX4	M6x45	5	50	800
DELP860	10x60	DELP860	HEX5	M8x60	10	50	400
DELP880	10x80	DELP880	HEX5	M8x80	30	50	400
DELP1070	12x70	DELP1070	HEX6	M10x70	10	25	200
DELP1010	12x100	DELP10100	HEX6	M10x100	40	25	200

DELTA STEEL



stone
concrete

solid
brick

**HIGH
QUALITY STEEL**

DELTA Steel Anchor*

with **threaded BAR** (class 5.8)
white zinc plated nut and oversize washer **DIN 9021**



ART.	Ø x L _t	DESCR.	BAR	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
33039*	8x45	DELB855	M6x55	5	50	800
33040*	10x55	DELB1070	M6x70	5	50	400
33041*	10x75	DELB1090	M8x90	25	50	400

* Until exhaustion

DELTA Steel Anchor

Ø 10 mm.
with **DETACHABLE SECURITY HEAD 10.8, M8x80**
white zinc plated screw



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
DELVAS02	10x80	DELV880/AS	M8x85	30	50	400

DELTA Steel Anchor with **HOOK**
with **PIGTAIL HOOK** for safety nets
and oversize washer **DIN 9021**

**FOR SAFETY
ANTI-FALL**



ART.	Ø x L _t	DESCR.	HOOK	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
ASR-8	10x60	ADS08	M8x70	-	25	200
ASR-10	12x65	ADS1022	M10x75	-	15	120


NTR Steel Anchor
DOUBLE SAFETY HOOK with
oversize washer **DIN 9021**
for use with safety nets

**FOR SAFETY
ANTI-FALL**



ART.	Ø x L _t	DESCR.	HOOK	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
ASR-12	18x75	ADS1290	M12x90	-	10	80

BLACK EPDM



solid
brick

semisolid
brick

hollow
brick

hollow
concrete
block

plasteboard

aerated
concrete


wood

steel

BLACK EPDM

anchor for universal fixings

- RESISTANT TO VIBRATION AND CORROSION
- THE COLLAR (RUBBER FLANGE) guarantees an HERMETIC FASTENING
- IN SYNTHETIC RUBBER (EPDM) FOR high corrosion environments
- WELDED BRASS INSERT
- FITS TO IRREGULAR HOLES



ART.	Ø x L _t	DESCR.	FLANGE Ø	THICKNESS of wall	BOX	CARTON
			mm	mm	pcs	pcs
14209	M4 8x13	BK M4/13	14	0,4-4	100	1600
14210	M4 8x27	BK M4/27	11	8,5-15	100	1600
14211	M5 10x14	BK M5/14	12,6	0,4-5	50	800
14212	M5 10x27	BK M5/27	13,5	8-15	50	800
14213	M6 13x27	BK M6/27	15,2	6,5-12	50	800
14214	M8 18x27	BK M8/27	20,8	2-18	25	400
14215	M8 18x52	BK M8/52	20,8	15-35	20	320
14216	M12 24x77	BK M12/77	27,5	38-56	10	160

DADI ANTINTRUSIONE



stone
concrete



solid
brick

CE-AN



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
CEANZ06035	-	6x35 Ø6	-	-	100	1200
CEANZ06065	-	6x65 Ø6	-	-	100	1200



stone
concrete




solid
brick

TARAS



ART.	Ø x L _t	DESCR.	Ø DRILL	t _{fix}	BOX	CARTON
	mm			mm	pcs	pcs
TARAS6050	6x50	-	Ø6	-	200	2400
TARAS6060	6x60	-	Ø6	-	200	1200
TARAS6080	6x80	-	Ø6	-	200	1200
TARAS8070	8x70	-	Ø8	-	100	1200
TARAS8090	8x90	-	Ø8	-	100	600
TARAS8110	8x110	-	Ø8	-	100	600
TARAS8130	8x130	-	Ø8	-	100	600
TARAS8150	8x150	-	Ø8	-	100	600

OMEGA BRASS



stone
concrete solid
brick

OMEGA BRASS

With internal sphere



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TTO06LE	8x30	OM6LE	M6	-	100	3200
TTO08LE	11x40	OM8LE	M8	-	100	1600
TTO10LE	14x48	OM10LE	M10	-	50	800

OMEGA BRASS



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TTO04	5x16	OM4	M4	-	200	7200
TTO05	7x22	OM5	M5	-	200	7200
TTO06	8x24	OM6	M6	-	200	3200
TTO08	10x30	OM8	M8	-	150	2400
TTO10	12x35	OM10	M10	-	100	1400
TTO12	15x40	OM12	M12	-	100	800

SECURITY NUTS

STAINLESS STEEL SECURITY NUTS


With threaded hole for fixing to studs
stainless steel (A2)

INOX (A2)



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
91081	-	DAT I M8	M8	-	50	800
91082	-	DAT I M10	M10	-	50	800

L mm	M	Ch mm.
8	8	17
8	10	19



BRIC BCM



stone
concrete solid
brick semisolid
brick hollow
brick

BRIC BCM Nylon Anchor



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HBM08	12x72	BCM8	-	-	50	400
HBM10	14x72	BCM10	-	-	50	400

BRIC BCM/V Nylon Anchor

with hexagonal head screw



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HBV08	12x72	BCM8/V	M8x80	10	50	400
HBV10	14x72	BCM10/V	M10x80	8	25	200


Injection Resin Cartridges - Glass Capsules
and accessories for high performance loads.



MA MULTIANCHOR POLYESTER RESIN

CE certified OPTION 7
for threaded bar applications on
non-cracked concrete

G&B FISSAGGI PLANT 4
MA Multi Anchor
DoP: DPGE1026



on line
G&B CALCULATION
PROGRAM 4.3
professional design
of anchorage in concrete



(300ml)

Size **410-300ml**
Also available in a beige
colour by request



ART.	DESCR.	CONTENT ml	MIXER	DURATION months	CARTON pcs	FOR GUN
CC40	MA400	410	1 M17	18	12	PK1-PK11-PK15-PK16
CC30	MA300	300	1 M17	12	12	SK2-PK17
CC17	MA175	175	1 M17	12	12	SK2
CC40P	MA400	410	1 M17	18	12	PK1-PK11-PK15-PK16
CC30P	MA300	300	1 M17	12	12	SK2-PK17



SH-PRO SUPER HYBRID FORMULA HYBRID STYRENE FREE HYBRID FORMULATION

Styrene free, without additives and solvents dangerous
for environments and user

CE certified OPTION 7
for non-cracked concrete and solid
and hollow brick masonry

WOOD-WOOD approved
for the installation of windows and doors

G&B FISSAGGI PLANT 4
Super Hybrid SH-PRO
DoP: DPGE1020



on line
G&B CALCULATION
PROGRAM 4.3
professional design
of anchorage in concrete



(300ml)

Size **410-300ml**
Also available in a beige
colour by request




ART.	DESCR.	CONTENT ml	MIXER	DURATION months	CARTON pcs	FOR GUN
CC01	SHPRO410	410	1 M17	18	12	PK1-PK11-PK15-PK16
CC02	SHPRO300	300	1 M17	12	12	SK2-PK17
CC01P	SHPRO410	410	1 M17	18	12	PK1-PK11-PK15-PK16
CC02P	SHPRO300	300	1 M17	12	12	SK2-PK17
KITSH3	SHPRO300	300	-	12	12	SK2-PK17

EXTREME HYBRID XTR

HYBRID VINYLESTER
STYRENE FREE

CE OPTION 1



3 CE Certifications

- OPTION 1 for application on cracked and non-cracked concrete with **THREADED BARS** and **REBARS**
- FIXATIONS IN SEISMIC ZONE C1 (M8 to M16) e C2 (M12 to M16)** for applications in dry, wet and flooded bore holes.



EAD 330499-01-0601
OPTION 1
22 2873
ETA 22/0214
M8-M24/08-025
SEISMIC Cat. C1
M8-M16
SEISMIC Cat. C2
M12-M16



Seismic Cat. C1
M8-M16
Seismic Cat. C2
M12-M16



EAD 330076-01-0604
Use Category b, c, d, d/d, w/w
22 2873
ETA 22/0211
M8-M16



EAD 330087-01-0601
22 2873
ETA 22/0213
08-025



LEED
According to
LEED IEQ 4.1



CC37
410ml



CC38
300ml



M17

on line

G&B CALCULATION
PROGRAM 4.3


professional design
of anchorage in concrete

ART.	DESCR.	CONTENT	MIXER	DURATION	CARTON	FOR GUN
		ml		months	pcs	
CC37	XTR410	410	1 M17	18	12	PK1-PK11-PK30-PK16
CC38	XTR300	300	1 M17	12	12	SK2 - PK17

GEBOFIX PRO SISMIX VE-SF

VINYLESTER RESIN
STYRENE FREE

CE OPTION 1



ULTRA CERTIFIED

3 CE Certifications

- OPTION 1 cracked concrete
- for **SOLID** and **HOLLOW MASONRY**
- for **POST-INSTALLED RE-BARS**
- FIXATIONS IN SEISMIC ZONE C1 (da M10 a M24) e C2 (da M12 a M20)**
- Can be used in dry, wet and flooded holes
- FIRE RESISTANCE R120**


**HIGH PERFORMANCE
FOR CRACKED CONCRETE
AND APPLICATIONS
IN SEISMIC ZONE**



EAD 330499-01-0601
OPTION 1
13 1020
ETA 19/0699
M8-M30/08-032
SEISMIC Cat. C1
M10-M24
SEISMIC Cat. C2
M12-M20



Seismic Cat. C1
M10-M24
Seismic Cat. C2
M12-M20



EAD 330076-00-0604
Use Category b,c,w/d
13 1020
ETA 16/0919
M8-M12



ETAG 001-5 TR23
10 1020
ETA 16/0599
08-032



Feuerwider-
standsklasse
R 120



LEED
According to
LEED IEQ 4.1



POUR UTILISATION EN CONTACT
AVEC L'EAU POTABLE



CC13
410ml



CC14
345ml



CC32
300ml



M17

on line

G&B CALCULATION
PROGRAM 4.3

professional design
of anchorage in concrete




(300ml)

ART.	DESCR.	CONTENT	MIXER	DURATION	CARTON	FOR GUN
		ml		months	pcs	
CC13	PRO T400VE-SF	410	2 M17	18	12	PK1-PK11-PK30-PK16
CC14	PRO T345VE-SF	350	2 M17	18	12	PK5
CC32	PRO T300VE-SF	300	1 M17	12	12	SK2-PK17

**GEBOFIX PRO SISMIC
NORDIC VE-SF**
RESIN VINYLESTER WITHOUT STYRENE

CE OPTION 1



WINTER FORMULATION
APPLICATIONS AT LOW TEMPERATURES UP TO -20° C.

CE Certified OPTION 1
for application on cracked and non-cracked concrete
with threaded bars and rebars



on line
G&B CALCULATION
PROGRAM 4.3
professional design
of anchorage in concrete



ART.	DESCR.	CONTENT	MIXER	DURATION	CARTON	FOR GUN
		ml		months	pcs	
CCWT13	T410V NORDIC	410	1 M17	18	12	PK1-PK11-PK15-PK16
CCWT32	T300V NORDIC	300	1 M17	12	12	SK2-PK17




**GEBOFIX EPO PLUS RE
PURE EPOXY 3: 1**
CERTIFIED CE OPTION 1

CE OPTION 1

a mixture to the ratio of 3:1

CE Approved OPTION 1
for cracked and non cracked concrete
for threaded bar and rebar

CE Approved for fixing in SEISMIC AREA




on line
G&B CALCULATION
PROGRAM 4.3
professional design
of anchorage in concrete

ART.	DESCR.	CONTENT	MIXER	DURATION	CARTON	FOR GUN
		ml		months	pcs	
CCPE585	EPO PLUS RE T585	585	1 CME12	24	12	CP19
CCPE385	EPO PLUS RE T385	385	1 CME12	24	12	CP18-CP19



KITSH3 300ml
SH-PRO SUPER HYBRID
STIRENE-FREE

CE certified OPTION 7
for non-cracked concrete
and solid and hollow brick masonry



ART.	CONTENT KIT POLYPAG	BUSTA		CARTON	
		pcs		pcs	
KITSH3	CC02 SH PRO 300	1			
	CM1003 MIXER	2			
	CB020 NYLON SLEEVE 16x130	4	1	12	
	03392 BAR 10x160 5.8- 2x45 OHH	4			

CHEMICAL ANCHOR
in milk from 5 kg castable

CHEM 5 polyester resin base
with styrene resin + catalyst

CHEM 6 resin epoxy base
+ catalyst

AVAILABLES ON REQUEST



ART.	DESCR.	CONTENT	DURATION	BOX	CARTON
		kg	months	pcs	pcs
CL05	CHEM5	5	12	1	1
CL06	CHEM6	5	12	1	1



stone
concrete

Anchor chemical GEBOFIX TF
in a glass vial with application rotopercussion
CE Certificate OPTION 7



on line
G&B CALCULATION
PROGRAM 4.3
professional design
of anchorage in concrete

ART.	HOLE Ø x L	DESCR.	BARRA	DURATION	BOX	CARTON
	mm		mm	months	pcs	pcs
C08	10x80	TF08	M8	18	10	200
C10	12x90	TF10	M10	18	10	200
C12	14x110	TF12	M12	18	10	200
C16	18x125	TF16	M16	18	10	200
C20	25x170	TF20	M20	18	5	50
C24*	28x210	TF24	M24	18	6	50

* Available on request



stone
concrete

Threaded RODS 5.8 cl 45°
for chemical anchoring in the vial and cartridge,
complete with nut and washer, and ends with a
hexagonal tip of **double-edged 45°**
included insert



ART.	Ø x L	DESCR.	DRILL	BOX	CARTON
	mm			pcs	pcs
CBV06*	6x70	BF06		10	320
03296	8x110	BF8	45°x2	10	200
03391	8x160	BF8	45°x2	10	80
03297	10x110	BF10	45°x2	10	200
03298	10x130	BF10	45°x2	10	200
03392	10x160	BF10	45°x2	10	80
03299	12x130	BF12	45°x2	10	80
03300	12x160	BF12	45°x2	10	80
03301	16x190	BF16	45°x2	10	80
03302	20x260	BF20	45°x2	5	30
03303	24x300	BF24	45°x2	5	-

* Straight cut, without hexagon

Threaded RODS stainless steel
AISI 316 (A4) with cutting 45°
for chemical anchoring in vial and cartridge
complete with nut and washer

INOX (A4)






ART.	Ø x L	DESCR.	DRILL	BOX	CARTON
	mm			pcs	pcs
03070	8x110	BF108	45°	10	160
03071	10x130	BF110	45°	10	160
03072	12x160	BF112	45°	10	80
03075	16x165	BF116	45°	10	80
03073	16x190	BF116	45°	10	80
03074	20x250	BF120	45°	5	25

KIT CASE MA MULTIANCHOR POLYESTER RESIN

CE certified OPTION 7
for threaded bar applications on
non-cracked concrete

G&B FISSAGGI PLANT 4
MA Multi Anchor
DoP: DPGE1026



on line

G&B CALCULATION
PROGRAM 4.3

professional design
of anchorage in concrete



CCVAL40
410ml



CCVAL30
300ml

ART.	DESCR.	CONTENT	DURATION	BOX	CARTON
			months	pcs	pcs
CCVAL40	KIT CASE MA400	20 CC40 20 mixer M17	12	1	1
CCVAL30	KIT CASE MA300	30 CC30 30 mixer M17	12	1	1

KIT CASE GEBOFIX PRO SISMIK VE-SF VINYLESTER RESIN STYRENE FREE

CE OPTION 1

ULTRA CERTIFIED

3 CE certifications


- OPTION 1 cracked concrete
- for SOLID and HOLLOW MASONRY
- for POST-INSTALLED RE-BARS

FIXATIONS IN SEISMIC ZONE C1 (da M10 a M24) e C2 (da M12 a M20)

Can be used in dry, wet and flooded holes

FIRE RESISTANCE R120


**HIGH PERFORMANCE
FOR CRACKED CONCRETE
AND APPLICATIONS
IN SEISMIC ZONE**



on line

G&B CALCULATION
PROGRAM 4.3

professional design
of anchorage in concrete



CCVAL13
410ml



CCVAL32
300ml

ART.	DESCR.	CONTENT	DURATION	BOX	CARTON
			months	pcs	pcs
CCVAL13	KIT CASE PRO T400 VE-SF	20 CC13 20 mixer M17	18	1	1
CCVAL32	KIT CASE PRO T300 VE-SF	30 CC32 30 mixer M17	12	1	1

ACCESSORIES

PK11 GUN PROFESSIONAL NYLON

for 400 ml chemical cartridge
- reinforced nylon structure
- balanced central grip
- trigger with automatic release of the pressure



PK30 BATTERY GUN

for 400 ml chemical cartridge
battery 14,4V Li-ion - 3,0 Ah
Range: 38 cartridges with 1 battery
Extrusion force: 7500 N (750 kg)



PK17 GUN BATTERY

for 300 ml chemical cartridge
and cartridge from silicone
7,4V Li-ion battery
autonomy: 35 cartridges of chemical anchor
50 silicone cartridges
with 1 battery



CP30BAT BATTERY

14,4V Li-ion battery
for gun CP30



CP17BA BATTERY

7,4V Li-ion battery
for gun CP17



CP15BA BATTERY

7,4V Li-ion battery
for gun CP15



ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP11	PK11	1	12

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP30	PK30 for 400 ml	1	1



Kit case
1 Gun
1 Li-ion battery
1 Charger

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP17	KIT PK17A BATTERY for 300 ml	1	1



Kit case
1 Gun
1 Li-ion battery
1 Charger

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP30BAT	LI-ION BATTERY for CP30	1	1
CP17BA	LI-ION BATTERY for CP17	1	1
CP15BA	LI-ION BATTERY for CP15	1	1

ACCESSORIES

AIR GUN

for chemical cartridge **400 ml**

- working pressure from 3 to 10 bar

- Minimum noise level:

0.5 m rear 71 dBA,

1 m side 70 dBA (only during the phase of exhaust air)

- dimensions: 470x240x75 mm

- weight net 1,88kg



ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP16	PK16	1	1

GUN PK1

for chemical cartridge **400 ml**



ART.	DESCR.	BUSTA	CARTON
		pcs	pcs
CP01	PK1	1	12

GUN PK5

for chemical cartridge **345ml**



ART.	DESCR.	BUSTA	CARTON
		pcs	pcs
CP05	PK5	1	10

ACCESSORIES

GUN PROFESSIONAL METAL PK18

chemical cartridge 385ml EPO PLUS RE
epoxy resin



ART.	DESCR.	BUSTA	CARTON
		pcs	pcs
CP18	PK18	1	10

GUN PROFESSIONAL METAL PK19

chemical cartridge 385/585ml EPO PLUS RE
epoxy resin



ART.	DESCR.	BUSTA	CARTON
		pcs	pcs
CP19	PK19	1	10

GUN PROFESSIONAL TYPE SK2

for chemical cartridges 300 - 175 - 150 ml
model with clutch



ART.	DESCR.	BUSTA	CARTON
		pcs	pcs
CP07	SK2	1	12

ACCESSORIES

PA BLOW OUT PUMP for cleaning holes

pressure air ÷ 5 Kg 7 Kg, air outlet tube

rotation: 360°

Length. = 22.5 cm

Ø = 6 cm



ART.	DESCR.	BUSTA	CARTON
		pcs	pcs
CP10	AIR PUMP PA	1	24

BRUSH STEEL

for cleaning drilled hole



ART.	DESCR.	BOX	CARTON
		pcs	pcs
CSC010	SC10	-	10
CSC012	SC12	-	10
CSC014	SC14	-	10
CSC018	SC18	-	5
CSC024	SC24	-	5
CSC028	SC28	-	5

STATIC MIXER NOZZLE

for chemical anchor



ART.	DESCR.	BOX	CARTON
		pcs	pcs
CM12	M17 IN POLYBAG	12	120
CM1001	M17	1000	1000
CM1003	M17 WITH HANG	500	500
CM1004	M17 SHORT WITH HANG	1000	1000

EPO MIXER NOZZLE

for anchoring EPO PLUS RE



ART.	DESCR.	BOX	CARTON
		pcs	pcs
03064	CME12	12	72

EXTENSION FOR MIXER NOZZLE

M17 and CME12



ART.	DESCR.	LUNGH.	BOX	CARTON
		mm	pcs	pcs
03357	MIXER EXTENSION	250	25	125

ACCESSORIES

PLASTIC MESH SLEEVE

For perforated materials




ETAG 029 use category b,c,w/w
M8 - M12

ART.	Ø x L	DESCR.	ROD	BUSTA	CARTON
	mm			pcs	pcs
CB10	10x45	BR10	M6	10	100
CB04	12x50	BR12	M6/8	10	100
CB08	12x60	BR14	M6/8	10	100
CB07	12x80	BR13	M6/8	10	100
CB01	16x85	BR15	M8/10	10	100
CB09	16x100	BR21	M8/10	10	100
CB02	16x130	BR16	M8/10	10	100
CB03	20x85	BR20	M12	10	50

PLASTIC MESH EXTRA LONG SLEEVE

Can be cut to required sizes



ART.	Ø x L	DESCR.	ROD	BUSTA	CARTON
	mm	KIT		pcs	pcs
CB113357	16x330/200	1 BR11 1 03357	M8/M10	-	5+5 100

- avoids thermal bridges in applications on systems coatings up to 200 mm thick

WIRE MESH SLEEVE BAM FROM 1 METER



ART.	Ø x L	Ø DRILL	DESCR.	ROD	BOX	CARTON
	mm				pcs	pcs
CBAMD12	12x1000	12	BAM12	M8	-	10 10
CBAMD16	16x1000	16	BAM16	M8-M10	-	10 10
CBAMD22	22x1000	22	BAM22	M12-M16	-	5 5
CBAMD30	30x1000	30	BAM30	M20-M24	-	4 4

INTERNAL THREADED SOCKETS

with internal thread and cap



ART.	Ø x L	Ø DRILL	DESCR.	THREAD	BOX	CARTON
	mm	mm			pcs	pcs
CBA06	8x50	10	BA6	M6	-	25 800
CBA08	12x80	14	BA8	M8	-	25 400
CBA10	14x80	16	BA10	M10	-	20 320
CBA12	16x80	18	BA12	M12	-	20 320

ACCESSORIES



Asphalt

GEB KIT ASPHALT

Universal fixing system for ASPHALT supplied complete with plastic accessories for proper placement.
For use with chemical anchoring



ART.	Ø x L _t	DESCR.	SCREW	BOX	CARTON
	mm		mm	pcs	pcs
03273	12x70	ASF1270	M10	-	20 640
03274	12x100	ASF12100	M10	-	20 320

ACCESSORIES



stone
concrete

THREADED STUDS 5.8 - 45° cut

For use with chemical resin and glass spin in capsules
Come complete with nut and washer + setting tool



ART.	Ø x L	DESCR.	DRILL	BOX	CARTON
	mm			pcs	pcs
CBV06*	6x70	BF06		10	320
03296	8x110	BF8	45°x2	10	200
03391	8x160	BF8	45°x2	10	80
03297	10x110	BF10	45°x2	10	200
03298	10x130	BF10	45°x2	10	200
03392	10x160	BF10	45°x2	10	80
03299	12x130	BF12	45°x2	10	80
03300	12x160	BF12	45°x2	10	80
03301	16x190	BF16	45°x2	10	80
03302	20x260	BF20	45°x2	5	30
03303	24x300	BF24	45°x2	5	-

* Straight cut, without hexagon

THREADED STUDS 8.8 cl 90° cut

for chemical anchoring in cartridge
complete with nut and washer



ART.	Ø x L	DESCR.	DRILL	BOX	CARTON
	mm			pcs	pcs
03370	10x130	BFD10	90°	10	160
03371	12x160	BFD12	90°	10	80
03372	16x190	BFD16	90°	10	60
03373	20x240	BFD20	90°	5	30

THREADED STUDS - 45° cut Stainless Steel AISI 316 (A4) for use with glass spin in capsules and resin cartridges

complete with nut and washer



INOX (A4)

ART.	Ø x L	DESCR.	DRILL	BOX	CARTON
	mm			pcs	pcs
03070	8x110	BFI08	45°	10	160
03071	10x130	BFI10	45°	10	160
03072	12x160	BFI12	45°	10	80
03075	16x165	BFI16	45°	10	80
03073	16x190	BFI16	45°	10	80
03074	20x250	BFI20	45°	5	25

Lubricants, protective agents, silicones, cleaners



GEBOTec
Professional

LUBRI EXTRA HQ 10F
Hq 10 functions unlocking lubricant
Valve 360° dual position

Lubricant/unlocking protective multi-function spray for high-performance: LUBRICATING, UNLOCKING, ANTISEIZE, PROTECTIVE, DEGREASER, ANTI-CORROSION, ANTI-FREEZE, NON-CONDUCTIVE, WATER-REPELLENT, WATER-RESISTANT, HIGH TEMPERATURE RESISTANCE TO WEATHERING. Thanks to the formulation based on MOS2 and graphite, GT10F has high lubricants and anti-corrosion properties, penetrating deeply into the gears and mechanical devices. It is perfectly suited for workshop, garage, marine, mechanical, work at home maintenance, in the garden, electrical, mechanical and automotive industry. It prolongs the life of gears, mechanical and rubber parts, improving efficiency. The dispensing **valve 360° dual position** at the same time ensures a widespread distribution for larger surfaces, and reaches the precision mechanical parts of those small and hard to reach areas.



ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84022	GT -10F	400	-	12




- **LUBRICANT - UNLOCKING - ANTI-SEIZE**
PROTECTION - DEGREASER - ANTI-CORROSION
ANTI-FREEZE - NON-CONDUCTIVE - WATER REPELLENT
WATER RESISTANT - HIGH TEMPERATURE RESISTANCE

LUBRI FORTE-8F
Lubricant unlocking 8 Functions

Lubricant/unlocking protective multi-function spray for high-performance: LUBRICATING, UNLOCKING, ANTI-SEIZE, PROTECTIVE, DEGREASER, ANTI-CORROSION, ANTI-FREEZE, WATER-REPELLENT. Thanks to the formulation based on MOS2, GT8F has high lubricants and anti-corrosion properties, penetrating deeply into the gears and mechanical devices. It is perfectly suited for workshop, garage, marine, mechanical, maintenance work at home, in the garden, in heavy industry and maintenance in general. Prolongs the life of gears and mechanical parts, improving efficiency.



ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84013	GT -8F	400	-	12



- **LUBRICANT - ANTI-CORROSIVE**
PROTECTIVE - DEGREASER
UNLOCKING - ANTI-SEIZE
ANTIFREEZE - WATER REPELLENT
ANTI-SQUEAK

QUICK UNLOCKING AGENT
Quick unlocking protection anti rust
Multi-purpose

Synthetic fluid with high solvent and degreaser power, quickly frees nuts, bolts, joints, threads, locks, hinges, chains, mechanical equipment and hand tools from rust and oxidation. Also forms a protective durable film and waterrepellent. It prolongs the life of the gears and prevents premature wear.



ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84007	GT -SB07	400	-	12



- **MULTIPURPOSE**
ANTI RUST

GEBOTec
Professional

PROTECTIVE GREASE Maximum grip even in extreme conditions

High viscosity fluid of high quality and high penetrating power. Good chemical stability, excellent water repellence and adhesion. Protects against water and weather resistant, also in saline environments, resistant against dusty, acidic and basic solutions. Ideal for the lubrication of bearings, chains, transmission lines, marine equipment, vessels, joints, pivots, guides and in general in the auto motive sector, agricultural and industrial machines, devices for high-speed transmission and with high operating temperatures. It penetrates deeply into the gears prolonging its life and efficiency.

● HIGH VISCOSITY DEEP PENETRATION INTO THE GEARS



ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84008	GT-GR08	400	-	12



VASELINE OIL Protective lubricant

Odourless, colourless, non-staining. Ideal to lubricate and protect precision tools, hinges, locks, tools, gears, transmissions, textile machinery, office machines and food machines, for professional and consumer uses. Creates a waterproof and elasticated film on wood, metal, rubber and leather.

● HIGH VISCOSITY DEEP PENETRATION INTO THE GEARS



ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84011	GT-VS11	400	-	12



CUTTING OIL DRILLING AND CUTTING LUBRICANT

Innovative Lubricant high-quality product, it gives protective action for tools and equipment in the mechanical industry. GT-CUT10 is developed for specific professional applications in hard metal cutting and machining operations. Oil with a paraffin mineral base enriched with special EP anti-weld additives. Ideal for use in difficult threading operations with particularly hard, alloy steel. Suited for use in the hydraulic sector

● OIL FOR CUTTING, DRILLING, REAMING AND TAPPING



ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84010	GT-CUT10	400	-	12



GEBOTec
Professional

ZINC GALVANISING SPRAY anti-rust and corrosion

Cold Zinc spray at high concentration, ideal for retouches and finishing joints, welds and repairs of galvanized parts. Suitable for railings and gates, metal, steel, automotive, hydraulics and accessories, gutters, welding works, repair of tanks and cisterns, metallic carpentry, construction, garages, do-it-yourself. Gives glossy effect to painted surfaces. Excellent resistance to corrosion and rust and weathering on all ferrous materials. Forms a high elasticity protection that resists cracking. It dries quickly and does not drip. It can be left as a final protection or sanded and / or painted over. Thickness: 15/20 microns. Yield: 2/2, 5 square meters per cylinder. Drying time: 15/20 minutes.



ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84006	GT-Z06	400	-	12



● PROTECTIVE - ANTI-RUST BRIGHT FINISH

DARK ZINC 98%

Single-component organic galvanizer with a synthetic resin base containing high quantity of pure micronized zinc and aluminum used to obtain sufficiently light color. High zinc content provides the product with excellent corrosion resistance. The product can be used either as a final finish or painted over. Dries rapidly, permitting the surface treated to be worked after just 8-10 minutes. Ideal for touch-ups, finish, and repair of all galvanized parts.



ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84030	GT-ZINC98	400	-	12



● ANTI-RUST AND CORROSION

SILICONE SPRAY HQ EXTRA WATER-PROOFING

High-performance silicon for plastic industry, rubber and cutting. Colourless, odourless, solvent free, temperature work from -40° C to +250° C.

Ideal as a release agent for molds of plastics. Protective, lubricant, releasing, waterproof for each type of material, the silicon is excellent for many functions. It can also be used in boating, camping and in the home.



ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84009	GT-HQ09	400	-	12



● EXTRA WATER-PROOFING

GEBOTec
Professional

SILICONE SEALANT REMOVER rapid solvent - not aggressive for all surfaces

Formulation based on solvents designed to remove and dissolve excess or residues of silicone. The product acts quickly on fresh silicone and more slowly in the presence of hardened material. When large amounts of silicone need to be removed, it is recommended first to remove mechanically as much as possible before applying the solvent. It does not corrode any surface. Does not tarnish.

● **RAPID SOLVENT - NOT AGGRESSIVE**



ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84012	GT-RS12	400	-	12



BRAKES & GEARS CLEANER

Special cleaner particularly effective for brakes, clutches and all mechanical components that require to be degreased without rinsing. It rapidly dissolves and removes oil, grease and any dirty substance.

● **QUICK - NO RINSING**



500 ml

ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84027	GT-27	500	-	12



ANTI-SPATTER FOR WELDING

A product made of film-forming synthetic polymers which, owing to their special characteristics, prevent the seizure of welding spatter to any surface. The film also prevents oxidation and corrosion by chemical agents. It is suitable for autogenous, electric and inert-gas welding. The compound is free of silicon substances.

● **PROTECTIVE FILM**



ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84031	GT-SALD	400	-	12



GEBOTec
Professional

ELECTRICAL CONTACT CLEANER

Specifically formulated for the deep cleaning of electrical, electronic and electromagnetic contacts. It instantly removes humidity and oily substances like grease, oil, sludge, wax and glue from surfaces, leaving the part treated clean and degreased. The product might be corrosive to certain particularly delicate surfaces.

- **IMMEDIATE EFFECT
PROLONGS THE LIFE OF THE
ELECTRICAL CONTACTS**



ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84029	GT-PE	400	-	12



GT-SLIDER SLIDING SLIDE FOR ELECTRIC PIPES AND CABLES

Sliding / lubricating spray, facilitates the assembly of rubber and plastic pipes and fittings (PVC and PP) with ring seal. Excellent in the thermo-hydraulic sector. Ideal in the electrical and electrical sector. Removes friction, making insertion easier of cables, protects and lubricates, does not damage the insulating materials and favors the slowing down of the natural ageing process.

- **EASY INSTALLATION OF PIPES
AND ELECTRIC CABLES**
- **EXTEND THE LIFE OF THE
MATERIALS**



ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84053	GT-SLIDER	400	-	12



SLIDER GEL GEL LUBRICANT LAYING CABLES

Green colour - 1 liter bottle

- **ELIMINATES 80%
OF FRICTION BY FACILITATING
CABLE ROUTING**
- **REDUCES INSTALLATION TIME**
- **PROTECTS CABLES FROM
AGEING**
- **BIODEGRADABLE**



ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84055	CABLE FEED LUBE	1000	-	6



GEBOTec
Professional

HIGH PRESSURE CLEANER

It removes dust even from lesser accessible parts. It is a must for cleaning lenses, objectives, computers and any kind of mechanism.

● LENSES - COMPUTERS PRECISIONS TOOLS



ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84032	GT-AP	400	-	12



GEBOTEC-R-GAS GAS LEAK DETECTOR

Product based on synthetic surfactants that identifies gas or compressed air leaks in pipes, valves, hoses, fittings, cylinders, pressure tanks, etc. Not being flammable, it also enables the control of flammable gas systems and pipelines.

- **SAFE**
- **PRACTICAL TO USE**
- **NOT INFLAMMABLE**



ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84057	GT R-GAS	400	1	12



GEBOTEC WOOD CARE

Product designed to preserve any wooden surface such as furniture, doors, windows, attics or parquet. Thanks to its special formulation does not stain or damage the paints and, if applied on new wood, allows the piece to be over-painted. It penetrates deeply guaranteeing the wood a lasting resistance over time to external agents.

- **SUITABLE FOR ANY KIND OF WOOD**
- **EXTEND THE LIFE OF THE WOOD**
- **PAINTABLE**



ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84058	GT WOOD	400	1	12



GEBOTec
Professional

GEBOTEC SVERNI

Quickly removes all types of paint from metal surfaces, wood and other materials such as glass, polyethylene, polypropylene. Prepares the worked surface for a new treatment leaving it clean and free of residues. Suitable for industrial, domestic and DIY use.

- **QUICK**
- **CLEAN AND SMOOTH SURFACES**
- **SUITABLE FOR MOST OF THE MATERIALS**



ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84059	GT SVERNI	400	1	12



**GEBOTEC SEAL
SEAL PROTECTIVE SLEEVE**

Filler, protective and painting spray can be used on irregular masonry, asphalt, masonite, wood surfaces. Suitable for waterproofing multiple surfaces such as roofing, fiber cement slabs, terraces, roof tiles, Canadian tiles, gutters, chimneys, skylights, water collection tanks, flashings, cracks in walls, air vents, frames, to paint and protect planters, fountains, vases, protect surfaces immersed in water, poles and moorings. It allows the sealing of holes and cracks, preventing infiltration of water, moisture or rust. The result will be a smooth surface, ready for over-painting.

- **EXTENDS MATERIALS LIFE**



500 ml

ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84060	GT SEAL & FILLER BLACK	500	-	12
84061	GT SEAL & FILLER TRANSPARENT	500	-	12



GEBOTec
Professional

GEBOTEC TRACCIA TR360 MARKER PAINT 360°

Spray paint for marking masonry, pavements, asphalt, cement and wood. The product is highly resistant to wear and weathering. This spray is ideal for professional uses, for example for asphalts and walls, but also for domestic uses, for woods and floors. The product can be used in all position because it has a special "360° valve".

- **PAINTABLE**
- **QUICK DRY**
- **HIGH VISIBILITY**
- **AVAILABLE IN FLUORESCENT COLORS**



ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84039	GT-TR360 WHITE	500	-	12
84040	GT-TR360 BLACK	500	-	12
84041	GT-TR360 BLUE FLUO	500	-	12
84042	GT-TR360 RED FLUO	500	-	12
84043	GT-TR360 ORANGE FLUO	500	-	12
84044	GT-TR360 YELLOW FLUO	500	-	12
84045	GT-TR360 GREEN FLUO	500	-	12



WP80 MULTI-PURPOSE CLEANING WIPES

Ideal for cleaning hands, tools and surfaces from fresh residues of sealants, silicones, polyurethane foam, paints, oils.

Durability:

36 months from date of manufacture
12 months from package opening

- **PROFESSIONAL PRODUCT**
- **HYPOALLERGENIC**



ART.	DESCR.	mm	BOX	CARTON
			pcs	box
84067	WP80 CLEANING WIPES	220x330	1	6



GEBOSIL

Professional line of sealants, silicones and adhesives

GEBOFOAM

Professional line of polyurethane foams



GEBOSIL SEALANTS AND SILICONES

CERTIFICATION



UNIVERSAL ACETIC SILICONE PROFESSIONAL

Universal Acetic Silicone. High quality. Suitable for sealing on sleek materials: glass, enamel, ceramic, Kliner, aluminum and plastic material in general (excluded PE, PP, PTFE). Suited for sealing materials in contact with water. Anti-mould. Ageing, UV rays and atmospheric agents resistant. Not paintable.

● MULTI PURPOSE

CE APPROVED
INDOOR-OUTDOOR- COLD CLIMATES



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SIL10	SAUP-TRANSPARENT	14	-	280	-	24
SIL02	SAU-WHITE	14	9010	280	-	24
SIL03	SAU-BLACK	14	9005	280	-	24
SIL04	SAU-GREY	14	7004	280	-	24
SIL05	SAU-IVORY	14	1013	280	-	24
SIL06	SAU-DARK BROWN	14	8017	280	-	24
SIL07	SAU-BROWN	14	8011	280	-	24

UNIVERSAL ACETIC SILICONE PROFESSIONAL HQ 310ml

Universal Acetic Silicone. High quality. Suitable for sealing on sleek materials: glass, enamel, ceramic, Kliner, aluminum and plastic material in general (excluded PE, PP, PTFE). Thanks to its powered formulation, this product is ideal for professional applications. Antimould. Ageing, UV rays and atmospheric agents resistant. Not paintable.

● FOR THE PROFESSIONAL

CE APPROVED
INDOOR-OUTDOOR- COLD CLIMATES



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SIL11	SAUP-TRANSPARENT	14	-	310	-	24
SIL12	SAUP-WHITE	14	9010	310	-	24

UNIVERSAL ACETIC SILICONE PROFESSIONAL

In bag



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SILSAC01*	SCAL-TRANSPARENT	12	-	600	-	25

* Available on request in minimum lots 680 pcs

UNIVERSAL ACETIC SILICONE FOR SANITARY FIXTURES ANTI-MOULD

High quality. Suitable for sealing on sleek materials: glass, enamel, ceramic, aluminum and plastic material in general (excluded PE, PP, PTFE). Anti-mould, is particularly suitable for sealing bathrooms, showers, bath tubs, basins, washboard, toilets and general sanitary. Ageing, UV rays, and atmospheric agents resistant. Resistant to chemical agents / detergents. Not paintable.

● GUARANTEED ANTI-MOLD

CE APPROVED FOR SANITARY
INDOOR /OUTDOOR - COLD CLIMATES



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SIL14	SAS-TRANSPARENT	14	-	280	-	24
SIL15	SAS-WHITE	14	9010	280	-	24

UNIVERSAL ACETIC SILICONE FOR SANITARY FIXTURES ANTI-MOULD

High quality. Suitable for sealing on sleek materials: glass, enamel, ceramic, aluminum and plastic material in general (excluded PE, PP, PTFE). Anti-mould, is particularly suitable for sealing bathrooms, showers, bath tubs, basins, washboard, toilets and general sanitary. Ageing, UV rays, and atmospheric agents resistant. Resistant to chemical agents / detergents. Not paintable. **On Blister Pack.**

CE APPROVED FOR SANITARY
INDOOR /OUTDOOR - COLD CLIMATES



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
05104	SAS-TRANSPARENT	14	-	60	1	12
05105	SAS-WHITE	14	9010	60	1	12

GEBOSIL SEALANTS AND SILICONES

CERTIFICATION



NEUTRAL SILICONE

UNIVERSAL TYPE

FOR WINDOW AND BUILDING SECTOR

Neutral Silicone. High quality. For sealing on general building sector: glass, cement, bricks, masonry, wood, plasterboard, polycarbonate, polyacrylate, metacrylate. Excellent resistance to the mould. Excellent adhesion and flexibility. Ageing, Uv rays and atmospheric agents resistant. Resistant to the temperature from -40° to +100°C. Not paintable.

● **FOR ALL MATERIALS**

● **ALSO IDEAL FOR SANITARY**

CE APPROVED

INDOOR/OUTDOOR- GLASS/SANITARY



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SILN01	SNM-TRANSPARENT	14	-	310	-	24
SILN02	SNM-WHITE	14	9010	310	-	24
SILN03	SNM-BLACK	14	9005	310	-	24
SILN04	SNM-GREY	14	7004	310	-	24
SILN07	SNM-NOCE/TABACCO	14	8007	310	-	24
SILN16	SNM-IVORY	14	1013	310	-	24

PROFESSIONAL NEUTRAL SILICONE

in bag



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SILSACN01*	SCAL-TRANSPARENT	12	-	600	-	25

* Available on request in minimum lots 680 pcs

NEUTRAL SILICONE SIL FRAME SPECIAL FOR FRAMES

High quality. For sealing on wood, aluminum and PVC window frames. Suitable for sealing of plastic material (except PE, PP, PTFE), glass, cement and in general metals. **Suited for water paints.** Anti-mould. Not paintable.

● **FOR WINDOW AND DOORS INSTALLER**

● **PROFESSIONAL**

CE APPROVED

INDOOR/OUTDOOR - COLD CLIMATES



Rapporto n. 007QI/12



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SILN09	SNM-ALUMINUM	14	9006	310	-	12
SILN30	SNF-TRANSPARENT	14	-	310	-	24

NEUTRAL SILICONE FOR BUILDING AND FLASHING SECTOR PROFESSIONAL

High quality. Suited for sealing metals and aluminum in flashing sector and for external sealing in building sector. Suitable for sealing of plastic material (except PE, PP, PTFE), glass, cement and in general metals. Not paintable.

● **LOW MODULUS**

CE APPROVED

**INDOOR/OUTDOOR - COLD CLIMATES
WALKABLE JOINTS - GLASS**



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SILN12	SNEL-GREY	14	7004	310	-	24
SILN13	SNEL-DARK BROWN	14	8017	310	-	24
SILN14	SNEL-COPPER	14	8004	310	-	24
SILN24	SNEL-WHITE/GREY	14	9002	310	-	24

NEUTRAL SILICONE FOR POLYCARBONATE

Ideal for sealing on polycarbonate, PVC, aluminum and wood. Not paintable.

● **FOR PVC**

CE APPROVED

**INDOOR/OUTDOOR - COLD CLIMATES
GLASS**



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SILN08	SNSS-TRANSPARENT	18	-	310	-	24

GEBOSIL SEALANTS AND SILICONES

CERTIFICATION



ACRYLIC SEALANT

High quality. Particularly suitable for sealing on plasterboard, wood, bricks and concrete. This sealant is profitably used to seal on the building sector that are subjected to low stress, outer and inner wood window frames. It can be painted.

● **PAINTABLE**

CE APPROVED
INDOOR/OUTDOOR - COLD



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SILAC01	SAC-WHITE	18	9010	310	-	24
SILAC02	SAC-GREY	18	7004	310	-	24
SILAC04*	SAC-TRANSPARENT	18	-	310	-	24
SILAC05	AC-BROWN	18	8011	310	-	24

* It becomes "TRANSPARENT " when dry.

ACRYLIC SEALANT PROFESSIONAL FOR EXTERNAL USE

High quality. Suited for sealing on plasterboard, wood, bricks, concrete and wood. This sealing is specific for outer applications on the building sector, joint are subject to low stress. It can be painted.

● **FOR PROFESSIONAL USE**

CE APPROVED
INDOOR/OUTDOOR - COLD



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SILAC12	SACP-E-WHITE	18	9010	310	-	24
SILAC13	SACP-E-GREY	18	7004	310	-	24

ACRYLIC SEALANT "ROUGHT EFFECT"

High quality. It is excellent for filling cracks and fissures. It is recommended for D.I.Y. and little domestic maintenance. It is recommended to use on principal building materials: concrete, wood, brick and plaster. It can be painted.

● **PLASTER EFFECT**



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SILAC03	SACR-E-WHITE	18	9010	310	-	24

ACRYL - DECO ACRYLIC SEALANT FOR DECORATORS & DRYWALLERS EXTRA RAPID

Suitable for use on concrete, plaster / plasterboard, masonry, cement, and wood. Extra rapid drying. Smooth able with water and paintable. Also applicable on damp surfaces with good mould resistance.

● **EXTRA QUICK DRYING**

● **PAINTABLE AFTER 25 - 30 MIN.**

CE CERTIFIED FOR
INTERNAL / EXTERNAL FACADES



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SILAC18	SACPR-WHITE	18	9010	310	-	24

GEBOSIL SEALANTS AND SILICONES

HIGH TEMPERATURE AND FIRE RESISTANCE

ACRYLIC SEALANT PROFESSIONAL FIRE RESISTANCE - EI 240

Acrylic sealant for the realization of joints resistant to fire, for the sealing of windows, walls, stairs, precast panels, fire doors, passages for pipes, cables and conduits. Forms a barrier against the propagation of fire and smoke in case of fire, expanding with the increase of heat. Also it adheres to damp substrates. Suitable for sealing outdoor and indoor on concrete, plaster, masonry, wood, and where they are required fireproof materials.



CLASSIFICATION STANDARD EN 13501-2
TEST REPORT No. 298762 / 3471FR
INSTITUTE GIORDANO S.P.A.

● FIRE RESISTANT

GEBOSIL ACETIC SEALANT HIGH TEMPERATURE UP TO 275°

Suitable for sealing metal components subject to high temperatures. Sealing of expansion joints subject to at high temperatures. Suitable for boilers, stoves, chimneys, ventilation grills. Not paintable



● RESISTANT TILL HIGH TEMPERATURE UP TO 275° C

SIL-RE REFRACTORY SEALANT HEAT RESISTANT TO TEMPERATURE UNTIL 1200° C

High quality. Seals and glues refractory stones, joints, cracks and surfaces exposed to fire such as: fireplaces, ovens and boilers. It is suitable for sealing on stone, metal, concrete and bricks or in direct contact with fire. It can be used even on wet surfaces.



● RESISTANT UP TO 1200° C

GEBOTAPE BTL FIRE RESISTANT

alu- butyl flashing tape
FIRE RESISTANT
Cold adhesion



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SILAC10	SACAF240-WHITE	12	9010	310	-	12

CE APPROVED INDOOR/OUTDOOR FACADES

ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SIL16	SAT-RED	24	3001	310	-	12
SIL18	SAT-BLACK	24	9005	310	-	12

ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SILRF01	SILRE-GREY	12	-	310	-	12

ART.	WIDTH x THICKNESS	DESCR.	LENGTH	t fix	BOX	CARTON
	mm		mt	mm	pcs	pcs
99178	50x0,6	BTL50	10	-	12	12
99179	75x0,6	BTL75	10	-	8	8
99212	150x0,7	BTL150	10	-	4	4
99213	200x0,7	BTL200	10	-	3	3
99181	100x0,7	BTL100AF	10	-	6	6

GEBOTAPE BTL Copper

99214	100x0,7	BTL100R	10	-	1	6
--------------	---------	---------	----	---	---	---

GEBOSIL SEALANTS AND SILICONES

SIL P-U SEALANT/ADHESIVE BASED ON A POLIURETHANE ELASTIC

HIGH MODULE

High quality. Suited for elastic sealants on the main construction materials: anodized aluminum, concrete, solid and hollow masonry, plaster, wood, metals. Suited also for bonding roofs, wooden profiles, metallic elements and for waterproofing. It can be painted.



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SILPU04	SILPU-GREY	12	-	310	-	12



Safety gloves included
CE approval

● HIGH MODULE SEALANT/ADHESIVE ELASTIC

S-BITUM BITUMINOUS SEALANT

Bitumen-based adhesive sealant, apply cold. Suitable for sealing of cracks not exceeding 10 mm in width. Paintable.



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SILBN01	S-BITUM-BLACK	9	9005	310	-	12

● WATER RESISTANT

SILMPC01 ULTRAFIX - MP CRYSTAL CLEAR ADHESIVE MS POLYMER BASED SEALANT

Suitable for all surfaces Waterproof.



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SILMPC01	ULTRAFIX MP-CRYSTALLINE	18	-	290	-	12



CRISTALLINO
CRYSTAL

● ADHESIVE + SEALANT

CE APPROVED
INDOOR/OUTDOOR - COLD CLIMATE

ULTRAFIX-MP SEALANT/ADHESIVE BASED ON MS-POLYMER

High quality. One component adhesive sealant. Suited for the main construction materials. **WATERPROOF.**

SIL-MP is odourless, neutral. Free of isocyanates. Paintable.



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SILMP02	ULTRAFIX-GREY	18	7004	290	-	12
SILMP03	ULTRAFIX-WHITE	18	9010	290	-	12
SILMP04	ULTRAFIX-BLACK	18	9005	290	-	12

● ADHESIVE + SEALANT

CE APPROVED
INDOOR/OUTDOOR - COLD CLIMATE



Rapporto n. 007QI/12

GEBOSIL - PROFESSIONAL ADHESIVES

CONSTRUCTION ADHESIVE ACRYLIC (WHITE)

Suitable for gluing wooden battens, polystyrene decorative elements, wall and ceiling panelling.

Paintable.

INDOOR USE

● **HIGH SUCTION EFFECT**

Load: 2,5 kg/cm²



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
ADM01	ADM-WHITE	12	9010	310	-	24

TEKNOBUILD STRUCTURAL - BOND POLYURETHANE ADHESIVE

It is a polyurethane construction adhesive suitable for structural bonding in wood working, building, construction, carpentry and boating. It allows fast bonding of several construction substrates, such as: wood, plastic materials, metals, concrete, natural stones, ceramics, bricks, concrete and tiles, plasterboard. It can be painted and smoothed.



ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
SILPU03	TEKNOBUILD-GREY/BEIGE	9	-	310	-	12



Safety gloves included
CE approval



● **FOR WATER RESISTANT GLUING
OF ANY MATERIAL**

Load: 100kg/cm²

GEBOSIL SEALANTS AND SILICONES

PRO ATTACK
STRONG ADHESIVE
BASED ON NEW MS POLYMER
FORMULATION
HIGH RESISTANCE TO STRONG ADESION
IN FEW SECONDS ON THE MAIN
CONSTRUCTION MATERIALS. (WHITE)
High Quality Suitable for gluing panels, skirting boards, sills, grills, mirrors, insulating materials, joints, elements in metal, glass, porcelain, plaster polyester, polystyrene, elements made of PVC, polycarbonate, wood, metal, aluminum, cement, etc.
Very high load value: 25 kg/1 cm²
after complete curing.



- **SUKER EFFECT**
- **MAXIMUM GRIP IN A FEW SECONDS**
- **HIGH LOADING CAPACITY** 25kg/1cm²

ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
ADM02	PRO ATTACK-WHITE	12	-	290	-	12



Also ideal for gluing mirrors

RAPID CEM

Quick setting mortar ready for use.
- Sealing and repairing joints, cracks, holes and crevices
- Fixing of roof and ridge tiles, grouting of tiles, repairs to chipped concrete edges.



- **PRACTICAL- RELIABLE - FAST**

ART.	DESCR.	DURATION	RAL	CONTENT	BOX	CARTON
		months		ml	pcs	pcs
CEM01	RAPIDCEM-GREY	12	7004	310	-	12

GEBOSIL SEALANTS AND SILICONES

FOAM KERB FILLING JOINTS



ART.	DESCR.	BOX	CARTON
		metres	pcs
78210	FOAM KERB FILLING JOINT Ø 15mm	250	-
78211	FOAM KERB FILLING JOINT Ø 20mm	150	-

SPARE NOOZLE

for silicon cartridge



ART.	DESCR.	BUSTA	CARTON
		pcs	pcs
SILBE01	BSIL	24	120

PROFESSIONAL DISPENSING GUN SK1

FOR SILICON AND BONDED ANCHOR CARTRIDGE.
300 ml, 150 ml, 175 ml save-drop system,
aluminum stand



ART.	DESCR.	BUSTA	CARTON
		pcs	pcs
CP06	SK1	1	24

PROFESSIONAL SK2 GUN

for silicone cartridges
model with friction



ART.	DESCR.	BUSTA	CARTON
		pcs	pcs
CP07	SK2	1	12

HIG PROFESSIONAL DISPENSING GUN PK20

FOR SEAL BAG de 400 ml y 600 ml
with clutch, save-drop system, aluminum stand



ART.	DESCR.	BUSTA	CARTON
		pcs	pcs
CP20	PK20	1	10



GEBOFOAM MULTI 360°

CS15



*For applications in all positions
special 360° valve*



GEBOFOAM BLU

CS22

*For laying and gluing
waterproof*



GEBOFOAM BUILD ISOLAMENTI

CS14 - CS17



*For laying and gluing
insulation systems
and plasterboard sheets
high insulation*



GEBOFOAM B1

CS21 - CS03

*For fire resistant
applications "B1"*





GEBIFOAM TETTI

CS04 - CS08

*For laying and gluing
of tiles and pantiles
high yield*



GEBIFOAM ELASTIC

CS16

*Ideal for installing
windows and doors
high thermal and acoustic
insulation*



GEBIFOAM S750-P750

CS02 - CS01

Universal use



GEBIFOAM NORDIC

CS07 - CS06

*For applications
at low temperatures*



- 10°C




GEBFOAM POLYURETHANE FOAMS

Products containing diisocyanates.
As from 24 August 2023 adequate training
is required before industrial or professional use

GEBFOAM
POLYURETHANE FOAM
TYPE S for hand pump application.
TYPE P for professional gun.
Flammability class B3 (DIN 4102).







ART.	DESCR.	COLOR	DURATION	CONTENT	BOX	CARTON
			months	ml	pcs	pcs
CS01	S750-MANUAL	YELLOW	18	750	-	12
CS02	P750-GUN	YELLOW	18	750	-	12



GEBFOAM B1
POLYURETHANE FOAM
TYPE S B1 for hand pump application
TYPE P B1 for professional gun.
SELF-EXTINGUISHING
Fire Resistance Certification
up to 240 min.
Classe B1



ART.	DESCR.	COLOR	DURATION	CONTENT	BOX	CARTON
			months	ml	pcs	pcs
CS03	B1-MANUAL	RED-PINK	15	750	-	12
CS21	B1-GUN	RED-PINK	15	750	-	12



● **B1 - SELF-EXTINGUISHING**
UP TO 240 MIN

SAFETY
VALVE

EI 240

GEBFOAM NORDIC
POLYURETHANE FOAM
TYPE S for hand pump application
TYPE P for professional gun.
Suited for application
in refrigerators
Class B3





ART.	DESCR.	COLOR	DURATION	CONTENT	BOX	CARTON
			months	ml	pcs	pcs
CS06	SN750-MANUAL	LIGHT GREEN	12	750	-	12
CS07	PN750-GUN	LIGHT GREEN	12	750	-	12

SPECIAL FORMULATION
FOR LOW TEMPERATURE
TILL -10°C



- 10°C



GEBOFOAM POLYURETHANE FOAMS

Products containing diisocyanates.
As from 24 August 2023 adequate training
is required before industrial or professional use

GEBOFOAM TETTI POLYURETHANE FOAM



TYPE S for hand pump application
TYPE P for professional gun
Special type for ROOF.
Flammability class B3 (DIN 4102)

1x750ml can cover an area of tiles = 8m²

● SPECIAL FOR ROOF AND TILES



ART.	DESCR.	COLOR	DURATION	CONTENT	BOX	CARTON
			months	ml	pcs	pcs
CS08	TETTI S750-MANUAL	GREY	18	750	-	12
CS04	TETTI P750-GUN	GREY	18	750	-	12



GEBOFOAM MULTI360 POLYURETHANE FOAM

S825 for hand pump application
Hand extrusion a 360° in all directions,
also vertical.

High thermo-acoustic insulation.
B3 class.

with multiposition valve 0 - 360°



maxi size **825 ml**



● ALL DIRECTIONS VALVE 0-360° EVEN IN VERTICAL POSITION!



ART.	DESCR.	COLOR	DURATION	CONTENT	BOX	CARTON
			months	ml	pcs	pcs
CS15	GEBOFOAM MULTI360	YELLOW	18	825	-	12



GEBOFOAM BUILD ISOLAMENTI POLYURETHANE FOAM

INSULATION - for insulation panels.

For bonding polystyrene sheets

TYPE S for hand pump application

TYPE P for professional gun

High thermo-acoustic insulation.
B3 class.

maxi size **825 ml**



Yield:

1 tube = bonding of 15 m² ± 20%
of polystyrene panels

● 1 CARTON = GLUING MORE THAN 100m² OF INSULATION PANELS SETS IN LESS THAN 1 HOUR



ART.	DESCR.	COLOR	DURATION	CONTENT	BOX	CARTON
			months	ml	pcs	pcs
CS17	GEBOFOAM BUILD ISOLAMENTI-MANUAL	DARK YELLOW	18	825	-	12
CS14	GEBOFOAM BUILD ISOLAMENTI-GUN	DARK YELLOW	18	825	-	12



GEBFOAM POLYURETHANE FOAMS

Products containing diisocyanates.
As from 24 August 2023 adequate training
is required before industrial or professional use

GEBFOAM BLUE POLYURETHANE FOAM FOR WELLS AND CISTERNS WATERPROOF

TYPE S for hand pump application.

For buildings, heating installations, construction of channels, civil engineering. To waterproof and seal wells, tanks, pipelines, water treatment plants and of domestic waste water. Isolation and sealing of tube wells connections, sewer channels. Filling and sealing of cracks in the walls. Resistant to aging, chemical agents, bacteriological agents present in the soil.




Fast curing.

It can be plaster and painted.

Class B3



ART.	DESCR.	COLOR	DURATION	CONTENT	BOX	CARTON
			months	ml	pcs	pcs
CS22	GEBFOAM BLUE	BLUE	18	750	-	12



- **HIGH YIELD:**
1 BOTTLE 750ml = MORE THAN 55m OF
LINEAR SEALING WITH KERBSTONES Ø 3cm

GEBFOAM ELASTIC FLEXIBLE POLYURETHANE FOAM FOR FRAMES AND WINDOWS HIGH FLEXIBILITY - LOW EXPANSION

TIPO P gun extrusion

High adhesion on the main construction materials



High thermo-acoustic insulation.

Class B3

Self-extinguishing



ART.	DESCR.	COLOR	DURATION	CONTENT	BOX	CARTON
			months	ml	pcs	pcs
CS16	ELASTIC FOAM P750	YELLOW	9	750	-	12



- **HIGH INSULATION**
THERMO-ACOUSTIC CLASS B3
FOR FRAMES

GEBIFOAM POLYURETHANE FOAMS

Products containing diisocyanates.
As from 24 August 2023 adequate training
is required before industrial or professional use

GEBIFOAM D500 FOAM CLEANER

CLEANER FOR POLYURETHANE FOAM
This is for cleaning tools and also dissolves
fresh foam



ART.	DESCR.	DURATION	CONTENT	BOX	CARTON
		months	ml	pcs	pcs
CD01	D500	12	500	-	12

BSC REPLACEMENT ACCESSORIES



ART.	DESCR.	BOX	CARTON		
		months	ml	pcs	pcs
21012	BSC	10	90		

PSP1 AUTOMATIC FOAM SPRAY GUN GEBIFOAM


Light and handy
Ergonomic handgrip



ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP03	PSP1	-	20

PSP2 AUTOMATIC FOAM SPRAY GUN GEBIFOAM


Extra light and handy
Ergonomic handgrip
Triple Teflon gasket



ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP13	PSP2	-	20

PSP3 PROFESSIONAL GUN FPR POLYURETHANE FOAM

Extra-long barrel 1 meter
Light and handy



ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP26	PSP3 L.1000	-	1

Fastenings and accessories dedicated
for the building industries



SPECIALISED ACCESSORIES

Dedicated fastenings and accessories for the building industry



stone concrete solid brick

OP50 EYEBOLT ANCHOR FOR SCAFFOLDING

internal Ø. 50mm
with hexagonal stem for 21mm spanner
complete with fixing anchor
Ø hole 16 mm



ART.	Ø x L _t	DESCR.	L	BOX	CARTON
	mm		mm	pcs	pcs
TOC5021	16x210	OP50/210/16	210	-	10
TOC5027	16x270	OP50/270/16	270	-	10

REPLACEMENT ANCHOR FOR OP 50/16 ALM - STEEL ANCHOR

Ø hole 16mm



ART.	Ø x L _t	DESCR.	BOX	CARTON
	mm		pcs	pcs
TM10	16x60	ALM10	25	400

HLM - STEEL ANCHOR CE OPTION 8 approved



OPTION 8

on line
G&B CALCULATION
PROGRAM 4.3
professional design
of anchorage in concrete

ART.	Ø x L _t	DESCR.	BOX	CARTON
	mm		pcs	pcs
TMH10	16x60	HLM10	25	400

OVERSIZE WASHER 16 X 48

white zinc plated steel UNI 6593



ART.	Ø x L _t	DESCR.	BOX	CARTON
	mm		pcs	pcs
TRR16	-	R16	50	400

EXTRACTOR-DINAMOMETER

portable tester for anchorage tests, stamina and resistance on eyebolts for scaffolding anchoring, nylon and steel anchor for medium and heavy loads.



ART.	DESCR.	BOX	CARTON
		pcs	pcs
EXTR01	EXTRACTOR 0-25kN	1	1
EXTR02	DIGITAL EXTRACTOR 0-25kN	1	1

- For scaffolding eyebolts
- For threaded rods M8-M16
- For TE and pan head screws up to Ø16 mm (head Ø 32mm)
- For nylon plugs Ø8 mm and Ø10mm
- Maximum gripping ability of **2550 Kg = 25 kN**.

SPECIALISED ACCESSORIES

Dedicated fastenings and accessories
for the building industry



stone
concrete

OPF50 EYEBOLT ANCHOR FOR SCAFFOLDING

internal Ø 50mm,
with hexagonal stem for 21mm spanner.
complete with fixing anchor,
Ø hole 18 mm



ART.	Ø x L _t	DESCR.	L	BOX	CARTON
	mm			pcs	pcs
TOCF502118	18x120	OP50/210/18	210	-	10
TOCF502718	18x170	OP50/270/18	270	-	10
TOCF503318	18x230	OP50/330/18	330	-	10

ADDITIONAL STUD ANCHOR FOR OPF50/18

Ø hole 18 mm



ART.	Ø x L _t	DESCR.	BOX	CARTON
	mm		pcs	pcs
57024	M12x90	-	20	320
57025	M12x140	-	20	160

STEEL SPACER FOR USE WITH OPF50/18

Ø hole 18 mm



ART.	Ø x L _t	DESCR.	BOX	CARTON
	mm		pcs	pcs
57026	M18x50	-	20	320

NTR FOR OPF50

Ø hole 18 mm



ART.	Ø x L _t	DESCR.	BOX	CARTON
	mm		pcs	pcs
TNTR12	18x75	NTR12	20	320

OVERSIZE WASHER 18x48

UNI 6593



ART.	Ø x L _t	DESCR.	BOX	CARTON
	mm		pcs	pcs
TRR18	-	R18	25	400

SPECIALISED ACCESSORIES

Dedicated fastenings and accessories
for the building industry



stone
concrete

GP12 STEEL EYEBOLT ANCHOR FOR SCAFFOLDING

complete eyebolt, Ø internal 23mm



REPLACEMENT ANCHOR FOR GP12

steel expansion anchor




ART.	Ø x L _t	DESCR.	Ø HOLE	SCREW	BOX	CARTON
	mm		mm	mm	pcs	pcs
TGP10	12x135	GP12/135	12	M8	-	25
TGP11	12x180	GP12/180	12	M8	-	25

ART.	Ø x L _t	DESCR.	Ø HOLE	SCREW	BOX	CARTON
	mm		mm	mm	pcs	pcs
TNTR08	12x52	NTR8	12	M8	50	800

OP12 STEEL EYEBOLT SCAFFOLDING ANCHOR


Ø internal 23mm



ART.	Ø x L _t	DESCR.	BOX	CARTON
	mm		pcs	pcs
TOC1290	12x90	OP12x90	-	25
TOC1212	12x120	OP12x120	-	25
TOC1216	12x160	OP12x160	-	20
TOC1219	12x190	OP12x190	-	20
TOC1223	12x239	OP12x230	-	20
TOC1230	12x300	OP12x300	-	10
TOC1235	12x350	OP12x350	-	20
TOC1240	12x400	OP12x400	-	20
TOC1245	12x450	OP12x450	-	20
TOC1250	12x500	OP12x500	-	20

OP12/50 STEEL EYEBOLT SCAFFOLDING ANCHOR

Ø internal 50mm



ART.	Ø x L _t	DESCR.	BOX	CARTON
	mm		pcs	pcs
TOC121450	12x140	OP12/140/50	-	20
TOC121650	12x160	OP12/160/50	-	20
TOC122050	12x200	OP12/200/50	-	20
TOC122550	12x250	OP12/250/50	-	20
TOC123050	12x300	OP12/300/50	-	20

CONDOR NYLON PLUG

for OP12 eyebolt

HIGH QUALITY
NYLON



ART.	Ø x L _t	DESCR.	BOX	CARTON
	mm		pcs	pcs
HTC1410	14x100	C14A100	40	320
HTC1614	16x140	C16A140	25	150

Tested by
"INSTITUTE POLYTECNIC"
of Torino

SPECIALISED ACCESSORIES

Dedicated fastenings and accessories
for the building industry

PRO 1 - SCAFFOLDING EXTENSION

to connect eyebolt to scaffolding. White zinc plated
steel. Completed with safety cup.

BOX 10 pcs.

Tested by
"INSTITUTE GIORDANO"
SpA



A - Suitable with our eyebolts **OP50**

ART.	DESCR.	BOX	CARTON
		pcs	pcs
TOCPR01	PRO1 PIPE Ø 48x500	-	10
TOCPR013	PRO13 PIPE Ø 48x300	-	10
TOCPR011	PRO11 PIPE Ø 48x1000	-	5

PRO 2 - SCAFFOLDING EXTENSION

to connect eyebolt to scaffolding. White zinc plated
steel. Completed with safety cup.

BOX 10 pcs.

Tested by
"INSTITUTE GIORDANO"
SpA



B - Suitable with our eyebolts **OP50** and **OP12**

ART.	DESCR.	BOX	CARTON
		pcs	pcs
TOCPR02	PRO2 PIPE Ø 48x500 WITH HOOK Ø 20	-	10
TOCPR023	PRO23 PIPE Ø 48x300 WITH HOOK Ø 20	-	10
TOCPR021	PRO21 PIPE Ø 48x1000 WITH HOOK Ø 20	-	5

RED PROTECTION CAP

suitable as protection for eyebolt extension and rebar
for tube Ø 48 and Ø iron rig 8/20



ART.	DESCR.	BOX	CARTON
		pcs	pcs
*TCG001	RED PLASTIC CAP Ø 70 mm.	200	-

CP CAP head diameter 28 mm

for use after the removal of OP12, GP12 & OP50



ART.	DESCR.	BOX	CARTON
		pcs	pcs
HCL26	CP12	25	400

ISOFIS

for fixing Insulation panels

ISOFIS ISA8 WITH STEEL NAIL ANCHOR

specifically for fixing insulation panels
CE approved.



ETAG 014 use category a,b,c,d,e

on line

G&B CALCULATION
PROGRAM 4.3

professional design
of anchorage in concrete

ISOFIS IS8 and IS10

specifically for fixing insulation panels
CE approved.



ETAG 014 use category a,b,c,d,e

on line

G&B CALCULATION
PROGRAM 4.3

professional design
of anchorage in concrete

ISOFIS STEEL ANCHOR

for fixing insulating panels and plasterboard sheets on
concrete and solid masonry.


Certificazione CE



CE certification according to standard
EN 14566:2008+A1:2009
Reaction to fire: A1

ISOFIS WASHER WITH SCREW COVER CAP

polypropylene washer
head diameter 60 mm with screw cover cap for fixing
insulating panels with chipboard screws (on wood)
or anchors (masonry)



INCLUDE THE
t fix THICKNESS OF PLASTER
COATING AND ALL NON
BEARING LAYERS

ART.	Ø x L t	DESCR.	t fix	t fix*	BOX	CARTON
	mm		mm	mm	pcs	pcs
HIA8095	8x95	ISA895	70	30	-	200
HIA8115	8x115	ISA8115	90	50	-	200
HIA8135	8x135	ISA8135	110	70	-	200
HIA8155	8x155	ISA8155	130	90	-	200
HIA8175	8x175	ISA8175	150	110	-	200
HIA8195	8x195	ISA8195	170	130	-	200

* Only for aerated concrete

ART.	Ø x L t	DESCR.	t fix	t fix*	BOX	CARTON
	mm		mm	mm	pcs	pcs
HI8095	8x95	IS895	70	90	-	200
HI8115	8x115	IS8115	90	50	-	200
HI8135	8x135	IS8135	110	70	-	200
HI8155	8x155	IS8155	130	90	-	200
HI8175	8x175	IS8175	150	110	-	200
HI8195	8x195	IS8195	170	130	-	200
HI1070	10x70	IS10/70	40	20	-	200
HI1090	10x90	IS10/90	60	40	-	200
HI10110	10x110	IS10/110	80	60	-	200
HI10140	10x140	IS10/140	110	90	-	200
HI10160	10x160	IS10/160	130	110	-	200
HI10180	10x180	IS10/180	150	130	-	200
HI10200	10x200	IS10/200	170	150	-	200
HI10220	10x220	IS10/220	190	170	-	100
HI10260	10x260	IS10/260	230	210	-	100



ART.	Ø x L t	DESCR.	t fix	BOX	CARTON
	mm		mm	pcs	pcs
HA8090	8X90	IA890	50	50	500
HA8110	8X110	IA8110	70	50	500
HA8140	8X140	IA8140	100	50	500
HA8170	8X170	IA8170	130	50	350
HA8200	8X200	IA8200	160	50	350
HA8250	8x250	IA8240	210	50	250
HA8300	8X300	IA8300	260	50	250

ART.	Ø testa	DESCR.	SCREW	BOX	CARTON
	mm		mm	pcs	pcs
64065	60	RHI06	5-6	100	400


GB NYLON



polyurethane
and polystyrene

ISORAPID ANCHORS FOR NYLON COATS

for the fixing of light loads
on panels of polyurethane and polystyrene.
Prevents thermal bridges



aerated
concrete

ART.	Ø x L _t mm	DESCR.	SCREW mm	IMPRINT	BOX pcs	CARTON pcs
64066	25x58	TPI60	4,5-5	T40	50	400
64067	32x97	TPI95	8-10/M8	TE13	25	150


GB NYLON ANCHOR

for light concrete (gasbeton) supports.
Installation with hexagon socket n. 4-6-8-10



ART.	Foro Ø x L mm	DESCR.	SCREW mm	BOX pcs	CARTON pcs
HGSB04	10x60	GB4	4,0-4,5/M4	50	800
HGSB06	10x60	GB6	5,0-6,0/M5	50	800
HGSB08	12x70	GB8	7,0-8,0/M8	50	400
HGSB10	14x80	GB10	9,0-10,0/M10	50	300

BLACK EPDM



solid
brick

semisolid
brick

hollow
brick

hollow
concrete
block

plasterboard

aerated
concrete


wood

steel

BLACK EPDM


anchor for universal fixings

- RESISTANT TO VIBRATION AND CORROSION
- THE COLLAR (RUBBER FLANGE) guarantees an HERMETIC FASTENING
- IN SYNTHETIC RUBBER (EPDM) FOR high corrosion environments
- WELDED BRASS INSERT
- FITS TO IRREGULAR HOLES



ART.	Ø x L _t	DESCR.	COLLAR width mm	THICKNESS support mm	BOX pcs	CARTON pcs
14209	M4 8x13	BK M4/13	14	0,4-4	100	1600
14210	M4 8x27	BK M4/27	11	8,5-15	100	1600
14211	M5 10x14	BK M5/14	12,6	0,4-5	50	800
14212	M5 10x27	BK M5/27	13,5	8-15	50	800
14213	M6 13x27	BK M6/27	15,2	6,5-12	50	800
14214	M8 18x27	BK M8/27	20,8	2-18	25	400
14215	M8 18x52	BK M8/52	20,8	15-35	20	320
14216	M12 24x77	BK M12/77	27,5	38-56	10	160

SITA STEEL



stone
concrete

solid
brick

SITA Steel ANCHOR

for concrete ceilings version with perforated strip
Ø 6 mm for hooking hangers. Hole Ø 6mm



ART.	Ø x L _t mm	DESCR.	SCREW mm	t _{fix} mm	BOX pcs	CARTON pcs
TTS660	-	SO6	6x60	-	200	1600

Products and Accessories
for the construction industry



BUILDING

SPACERS FOR FORMWORK

white zinc plated



RECOMMENDED INSTALLATION DIMENSIONS

wall thickness cm	wall height cm	wall length cm	spacing distance cm
10-20	150x250	150x500	30
10-20	150x250	≥ 500	35
10-20	300x500	150x500	30
10-20	300x500	≥ 500	30
25-40	150x250	150x500	30
25-40	150x250	≥ 500	35
25-40	300x400	150x500	30
25-40	300x400	≥ 500	35
25-40	400x500	150x500	30
25-40	500x600	≥ 500	25
45-60	100x250	150x300	25
45-60	100x250	≥ 300	30
45-60	300x400	150x300	25
45-60	300x400	≥ 300	30
45-60	400x500	≥ 300	25
70-100	100x200	≥ 300	30
70-100	300x400	≥ 300	25

Recommended spacing distances / installation for guaranteed approval

- Do not damage buttonhole of the spacer forcing the wedge. If this occurs, replace the spacer.
- When positioning the heads of the formwork leave a tolerance to allow easy closing of the brackets.
- Never use spacers of different brands.
- The framework must be filled slowly and with care, never too aggressively.

ART. TYPE SG	ART. TYPE EG	WALL THICKNESS	BOX
with cap		cm	pcs
-	*DSZ013	10	100
*DST003	*DSZ003	15	100
*DST005	*DSZ004	20	100
*DST004	*DSZ005	25	100
*DST006	*DSZ006	30	100
*DST008	*DSZ007	35	100
*DST007	*DSZ008	40	100
*DST009	*DSZ009	45	100
*DST010	*DSZ010	50	100
*DST011	*DSZ011	55	100
*DST012	*DSZ012	60	100
*DST013	*DSZ065	65	100
*DST014	*DSZ014	70	100
*DST015	*DSZ075	75	100
*DST016	*DSZ080	80	100
*DST017	*DSZ085	85	100
*DST018	*DSZ090	90	100
*DST019	*DSZ095	95	100
*DST020	*DSZ100	100	100

TYPE SG:
available on demand,
price on request

PROFILE POSTS

white zinc plated



ART. TYPE U TYPE ED	MEASURE	BOX
	cm	pcs
*MON014	630	100
*MON018	1000	100
*MON017	1130	100
*MON016	1500	100
*MON015	1630	100

ART. TYPE EM	MEASURE	BOX
con gancio	cm	pcs
*MON020	500	50
*MON021	1000	100
*MON022	1500	100

BUILDING

BOW BRACKETS


coated



ART.	MEASURE	WIDTH x THICKNESS	BOX	CARTON
	cm	mm	pcs	pcs
*MNT001	500	40x6	100	100

Traditional TIES

for use with cast concrete and battons
in industrial packaging



ART.	TIES	PILLARS	WIDTH x THICKNESS	WEIGHT	BOX
	cm	cm	mm	kg /box c.a	pcs
*CRA005	65	20-40	60x8	9	4
*CRA004	75	20-50	60x8	10	4
*CRA006	85	25-60	60x8	11,5	4
*CRA008	110	40-80	60x8	12	4
*CRA007	135	60-100	80x8	28	4

LONG WEDGES

for spacers



ART.	DESCR.	BOX	CARTON
		pcs	pcs
*CUN004		100	-

LITTLE WEDGES

for ties - coated



ART.	DESCR.	WEIGHT	BOX	CARTON
		kg /box c.a	pcs	pcs
*CUN002		0,45	20	-

RELEASE AGENT

for wood and iron frameworks



ART.	DESCR.	LITERS	BOX	CARTON
			pcs	pcs
*DSA001**	WOOD FRAMEWORK	25	1	-
*DSA002	IRON FRAMEWORK	25	1	-

** Dilutable with water up to 45%

BUILDING

OCTAGONAL BASE PLATE reflecting strip



Article certificate for
Resistance to compression
Ist. ISOENCertifications - MI

ART.	DESCRIZ.	BOX	CARTON
		pcs	pcs
*SCB002		50	-

WEDGE BASE PLATE for uneven floor levels



Article certificate for
Resistance to compression
Ist. ISOENCertifications - MI

ART.	DESCRIZ.	BOX	CARTON
	cm mm	pcs	pcs
*SCB003		50	-

JOINT COVER with reflecting strip




ART.	DESCRIZ.	BOX	CARTON
		pcs	pcs
*CPG002		70	-

JOINT COVER neutral



ART.	DESCRIZ.	BOX	CARTON
		pcs	pcs
*CPG001		70	-

TUBULAR COVER with reflecting strip



ART.	DESCRIZ.	BOX	CARTON
		pcs	pcs
*SCT002		50	-

BUILDING

PLASTIC CAP
for tube Ø 48mm
and for reinforcing bars Ø 8mm-20mm



ART.	DESCRIZ.	BOX	CARTON
		pcs	pcs
*TCG001		200	-

PLASTIC CAP
for tube Ø 48mm
and for reinforcing bars Ø 14mm-35mm



ART.	DESCRIZ.	BOX	CARTON
		pcs	pcs
*TCG004		100	-

PLASTIC CAP
for reinforcing bars Ø 14mm-35mm



ART.	DESCRIZ.	BOX	CARTON
		pcs	pcs
*TCG003		100	-

RUBBER CAP
for tube Ø 48mm
rubber



ART.	DESCRIZ.	BOX	CARTON
		pcs	pcs
*TCG002		100	-

SCREW "T"
for coupling scaffolding
with nut and washer
packed in bulk and not assembled



ART.	DESCRIZ.	BOX	CARTON
		pcs	pcs
*BUL022		300	300

BUILDING

STANDARD BUCKET 10 liters - black



ART.	DIMENSIONS	BOX	CARTON
	cm	pcs	pcs
*SEC003	-	25	-

LARGE BUCKET REINFORCED 12 liters - yellow



ART.	DIMENSIONS	BOX	CARTON
	cm	pcs	pcs
*SEC004	63x46	10	-

MIXING BATH for mortar reinforced material - 30 litres




ART.	DIMENSIONS	BOX	CARTON
	cm	pcs	pcs
*BAC003	67x46x18	5	-

RUBBLE TUB reinforced round - 45 litres reinforced square - 50 litres



ART.	DESCRIZ.	DIMENSIONS	LT	BOX	CARTON
		cm		pcs	pcs
*BAC002	ROUND	Ø 46,5x33	45	5	-
*BAC004	SQUARE	40x40x34,5	50	5	-


● **GETO-FIX SCREWS**



SCREWS FOR **CONCRETE / MASONRY**



SCREWS FOR **ALUMINUM / STEEL**



SCREWS FOR **WOOD**



SCREWS FOR **PLASTERBOARD**





SCREWS FOR **CONCRETE / MASONRY**



stone concrete solid brick semisolid brick

GETO FRAME SCREWS

GETO FRAME screws for walls

self tapping screw, white zinc plated with cylindrical head
TORX T-30 Ø 7,5 mm
TORX T-15 Ø 5,0 mm



Rapporto n. 007QI/12



ART.	Ø HOLE CLS mm	Ø HOLE BRICK mm	DESCR.	SCREW mm	t _{fix} mm	BOX pcs	CARTON pcs
TVGC07	4	4	GC5-62	5x62	-	100	1600
TVGC08	4	4	GC5-82	5x82	-	100	1600
TVGC01	4	4	GC5-102	5x102	-	100	1600
TVGC16	6,5	6	GC52	7,5x52	-	100	1000
TVGC23	6,5	6	GC62	7,5x62	-	100	1000
TVGC10	6,5	6	GC72	7,5x72	-	100	1000
TVGC17	6,5	6	GC82	7,5x82	-	100	1000
TVGC11	6,5	6	GC92	7,5x92	-	100	1000
TVGC18	6,5	6	GC102	7,5x102	-	100	1000
TVGC12	6,5	6	GC112	7,5x112	-	100	1000
TVGC19	6,5	6	GC122	7,5x122	-	100	800
TVGC13	6,5	6	GC132	7,5x132	-	100	800
TVGC14	6,5	6	GC152	7,5x152	-	100	800
TVGC15	6,5	6	GC182	7,5x182	-	100	600
TVGC21	6,5	6	GC212	7,5x212	-	100	600
TVGC22	6,5	6	GC252	7,5x252	-	100	600
TVGC20	6,5	6	GC302	7,5x302	-	50	300

GETO FRAME screws for walls

self tapping screw, white zinc plated with countersunk head TORX T-30



Rapporto n. 007QI/12



ART.	Ø HOLE CLS mm	Ø HOLE BRICK mm	DESCR.	SCREW mm	t _{fix} mm	BOX pcs	CARTON pcs
TVGS17	6,5	6	GS 52	7,5x52	-	100	1000
TVGS31	6,5	6	GS62	7,5x62	-	100	1000
TVGS20	6,5	6	GS72	7,5x72	-	100	1000
TVGS29	6,5	6	GS82	7,5x82	-	100	1000
TVGS21	6,5	6	GS92	7,5x92	-	100	1000
TVGS18	6,5	6	GS102	7,5x102	-	100	1000
TVGS22	6,5	6	GS112	7,5x112	-	100	1000
TVGS28	6,5	6	GS122	7,5x122	-	100	800
TVGS23	6,5	6	GS132	7,5x132	-	100	800
TVGS24	6,5	6	GS152	7,5x152	-	100	800
TVGS25	6,5	6	GS182	7,5x182	-	100	600
TVGS30	6,5	6	GS212	7,5x212	-	100	600
TVGS27	6,5	6	GC252	7,5x252	-	100	600
TVGS32	6,5	6	GC302	7,5x302	-	50	300

GETO FRAME screws for walls white head

self tapping screw, white zinc plated with countersunk white head TORX T-30




Rapporto n. 007QI/12



ART.	Ø HOLE CLS mm	Ø HOLE BRICK mm	DESCR.	SCREW mm	t _{fix} mm	BOX pcs	CARTON pcs
TVGSB31	6,5	6	GSB62	7,5x62	-	100	1000
TVGSB20	6,5	6	GSB72	7,5x72	-	100	1000
TVGSB29	6,5	6	GSB82	7,5x82	-	100	1000
TVGSB21	6,5	6	GSB92	7,5x92	-	100	1000
TVGSB18	6,5	6	GSB102	7,5x102	-	100	1000
TVGSB22	6,5	6	GSB112	7,5x112	-	100	1000
TVGSB28	6,5	6	GSB122	7,5x122	-	100	800
TVGSB23	6,5	6	GSB132	7,5x132	-	100	800
TVGSB24	6,5	6	GSB152	7,5x152	-	100	800
TVGSB25	6,5	6	GSB182	7,5x182	-	100	600

GETO INFISSO cover cap for T30 screw



ART.	MEASURE	DESCR.	RAL	BOX pcs	CARTON pcs
HCL01	T30	CL WHITE	9016	100	500
HCL02	T30	CL BLACK	-	100	500
HCL03	T30	CL GREY	7016	100	500
HCL04	T30	CL IVORY	1014	100	500
HCL05	T30	CL DARK BROWN	8017	100	500
HCL06	T30	CL BROWN	1019	100	500



concrete aerated concrete

SCREWS FOR **CONCRETE / MASONRY**

TH CONCRETE SCREW

THCH

Concrete screw with hex head, Hi-Lo thread and diamond point



THCH+ARNE

Complete with 16mm EPDM washer



BLUE RUSPERT COATED

ART.	SIZE	Ø	MAX.			
	mm	mm	mm	mm	pcs	pcs
THCH65032	6,5 x 32	Ø 5	2	8 + SLOT	1.000	3.000
THCH65045	6,5 x 45	Ø 5	15	8 + SLOT	500	2.000
THCH65057	6,5 x 57	Ø 5	27	8 + SLOT	500	2.000
THCH65070	6,5 x 70	Ø 5	40	8 + SLOT	500	1.500
THCH65080	6,5 x 80	Ø 5	50	8 + SLOT	250	1.000
THCH65100	6,5 x 100	Ø 5	70	8 + SLOT	250	1.000
THCH65115	6,5 x 115	Ø 5	85	8 + SLOT	250	1.000
THCH65125	6,5 x 125	Ø 5	95	8 + SLOT	250	1.000
THCH65150	6,5 x 150	Ø 5	120	8 + SLOT	250	1.000
THCH65180	6,5 x 180	Ø 5	150	8 + SLOT	100	300
THCH65200	6,5 x 200	Ø 5	170	8 + SLOT	100	300

BLUE RUSPERT COATED

ART.	SIZE	Ø	MAX.			
	mm	mm	mm	mm	pcs	pcs
THCH1665032	6,5 x 32 / P16	Ø 5	2	8 + SLOT	1.000	2.000
THCH1665045	6,5 x 45 / P16	Ø 5	15	8 + SLOT	500	1.500
THCH1665057	6,5 x 57 / P16	Ø 5	27	8 + SLOT	500	1.500
THCH1665070	6,5 x 70 / P16	Ø 5	40	8 + SLOT	500	1.500
THCH1665080	6,5 x 80 / P16	Ø 5	50	8 + SLOT	250	750
THCH1665100	6,5 x 100 / P16	Ø 5	70	8 + SLOT	250	750
THCH1665115	6,5 x 115 / P16	Ø 5	85	8 + SLOT	250	500
THCH1665125	6,5 x 125 / P16	Ø 5	95	8 + SLOT	250	500
THCH1665150	6,5 x 150 / P16	Ø 5	120	8 + SLOT	250	500
THCH1665180	6,5 x 180 / P16	Ø 5	150	8 + SLOT	200	400
THCH1665200	6,5 x 200 / P16	Ø 5	170	8 + SLOT	125	250

COMPLETE WITH 18MM EPDM WASHER

THCH1865032	6,5 x 32 / P18	Ø 5	2	8 + SLOT	500	1.500
THCH1865045	6,5 x 45 / P18	Ø 5	15	8 + SLOT	500	1.500





metal panels

metal elements

SCREWS FOR ALUMINUM / STEEL

DIN-7504-K / TBE

self-drilling screw with Hex Head and stamped washer



BOCAS / VASOS
AVAILABLE SEE PAGE:

P. 85



AVAILABLE IN
RAL COLOURS



DIN-7504-K / TBE+ARNE
complete with EPDM washer,
in reusable plastic tub



ZINC PLATED

ART.	SIZE		CAP. 	MAX. 		
	mm	mm	mm	mm	pcs	pcs
TBEZ3509	3,5x9,5	6	2,25 Max.	2,85	1.000	24.000
TBEZ3513	3,5x13	6	2,25 Max.	6,20	1.000	12.000
TBEZ3516	3,5x16	6	2,25 Max.	9,20	1.000	12.000
TBEZ3519	3,5x19	6	2,25 Max.	12,10	1.000	12.000
TBEZ4213	4,2x13	7	3,00 Max.	4,30	1.000	12.000
TBEZ4216	4,2x16	7	3,00 Max.	7,30	1.000	8.000
TBEZ4219	4,2x19	7	3,00 Max.	10,30	1.000	8.000
TBEZ4225	4,2x25	7	3,00 Max.	16,30	500	6.000
TBEZ4232	4,2x32	7	3,00 Max.	23,00	500	6.000
TBEZ4238	4,2x38	7	3,00 Max.	29,00	500	6.000
TBEZ4813	4,8x13	8	4,40 Max.	3,70	1.000	8.000
TBEZ4816	4,8x16	8	4,40 Max.	5,50	1.000	6.000
TBEZ4819	4,8x19	8	4,40 Max.	8,70	500	6.000
TBEZ4825	4,8x25	8	4,40 Max.	14,70	500	6.000
TBEZ4832	4,8x32	8	4,40 Max.	21,50	500	3.000
TBEZ4838	4,8x38	8	4,40 Max.	27,50	500	3.000
TBEZ4850	4,8x50	8	4,40 Max.	39,50	500	3.000
TBEZ4860	4,8x60	8	4,40 Max.	49,50	250	1.500
TBEZ4870	4,8x70	8	4,40 Max.	59,50	250	1.500
TBEZ5519	5,5x19	8	5,25 Max.	8,70	500	4.000
TBEZ5522	5,5x22	8	5,25 Max.	11,70	500	4.000
TBEZ5525	5,5x25	8	5,25 Max.	14,70	500	4.000
TBEZ5532	5,5x32	8	5,25 Max.	21,50	500	3.000
TBEZ5538	5,5x38	8	5,25 Max.	27,50	500	3.000
TBEZ5550	5,5x50	8	5,25 Max.	39,50	500	2.000
TBEZ5563	5,5x63	8	5,25 Max.	52,50	250	1.500
TBEZ5575	5,5x75	8	5,25 Max.	64,50	250	1.500
TBEZ6319	6,3x19	10	6,00 Max.	7,00	500	3.000
TBEZ6325	6,3x25	10	6,00 Max.	13,00	500	3.000
TBEZ6332	6,3x32	10	6,00 Max.	20,00	500	3.000
TBEZ6338	6,3x38	10	6,00 Max.	26,00	500	3.000
TBEZ6350	6,3x50	10	6,00 Max.	38,00	250	1.500
TBEZ6363	6,3x63	10	6,00 Max.	51,00	250	1.500
TBEZ6375	6,3x75	10	6,00 Max.	63,00	250	1.000
TBEZ6380	6,3x80	10	6,00 Max.	68,00	250	1.000
TBEZ6390	6,3x90	10	6,00 Max.	78,00	250	750
TBEZ6310	6,3x100	10	6,00 Max.	88,00	100	600
TBEZ6311	6,3x110	10	6,00 Max.	98,00	100	600
TBEZ6312	6,3x120	10	6,00 Max.	108,00	100	600
TBEZ6313	6,3x130	10	6,00 Max.	118,00	100	600
TBEZ6314	6,3x140	10	6,00 Max.	128,00	100	600
TBEZ6315	6,3x150	10	6,00 Max.	138,00	100	400
TBEZ6316	6,3x160	10	6,00 Max.	148,00	100	400
TBEZ6318	6,3x180	10	6,00 Max.	168,00	100	300
TBEZ6320	6,3x200	10	6,00 Max.	188,00	100	300
TBEZ6322	6,3x220	10	6,00 Max.	208,00	100	300
TBEZ6324	6,3x240	10	6,00 Max.	228,00	100	900

ART.	SIZE	
	mm	pcs
TBE144819BP	4,8x19, WASHER / ASSEMBLED P-14	1.250
TBE164819BP	4,8x19, WASHER / ASSEMBLED P-16	1.250
TBE165522BP	5,5x22, WASHER / ASSEMBLED P-16	1.250
TBE166325BP	6,3x25, WASHER / ASSEMBLED P-16	750



metal panels



metal elements



SCREWS FOR **ALUMINUM / STEEL**

DIN-7504-K / TBE+ARNE

With EPDM washer, mounted



BOCAS / VASOS
AVAILABLE, SEE PAGE:

P. 85



AVAILABLE IN
RAL COLOURS



ITEMS IN RED, AVAILABLE ON REQUEST

WASHER MOUNTED P-16

SIZE	ART.	pcs
mm		
3,5x9,5	TBE163509	1.000
3,5x13	TBE163513	1.000
3,5x16	TBE163516	1.000
3,5x19	TBE163519	1.000
4,2x13	TBE164213	1.000
4,2x16	TBE164216	1.000
4,2x19	TBE164219	1.000
4,2x25	TBE164225	1.000
4,2x32	TBE164232	1.000
4,2x38	TBE164238	1.000
4,8x13	TBE164813	1.000
4,8x16	TBE164816	1.000
4,8x19	TBE164819	1.000
4,8x25	TBE164825	1.000
4,8x32	TBE164832	1.000
4,8x38	TBE164838	500
4,8x50	TBE164850	500
4,8x60	TBE164860	250
4,8x70	TBE164870	250
5,5x19	TBE165519	1.000
5,5x22	TBE165522	1.000
5,5x25	TBE165525	1.000
5,5x32	TBE165532	1.000
5,5x38	TBE165538	500
5,5x50	TBE165550	500
5,5x63	TBE165563	250
5,5x75	TBE165575	250
6,3x19	TBE166319	1.000
6,3x25	TBE166325	500
6,3x32	TBE166332	500
6,3x38	TBE166338	500
6,3x50	TBE166350	250
6,3x63	TBE166363	250
6,3x75	TBE166375	250
6,3x80	TBE166380	100
6,3x90	TBE166390	100
6,3x100	TBE166310	100
6,3x110	TBE166311	100
6,3x120	TBE166312	100
6,3x130	TBE166313	100
6,3x140	TBE166314	100
6,3x150	TBE166315	100
6,3x160	TBE166316	100
6,3x180	TBE166318	100
6,3x200	TBE166320	100
6,3x220	TBE166322	100
6,3x240	TBE166324	100

WASHER MOUNTED P-18

ART.	pcs
TBE183509	500
TBE183513	500
TBE183516	500
TBE183519	500
TBE184213	500
TBE184216	500
TBE184219	500
TBE184225	500
TBE184232	500
TBE184238	500
TBE184813	500
TBE184816	500
TBE184819	500
TBE184825	500
TBE184832	500
TBE184838	500
TBE184850	500
TBE184860	250
TBE184870	250
TBE185519	500
TBE185522	500
TBE185525	500
TBE185532	500
TBE185538	500
TBE185550	500
TBE185563	250
TBE185575	250
TBE186319	500
TBE186325	500
TBE186332	500
TBE186338	500
TBE186350	250
TBE186363	250
TBE186375	250
TBE186380	100
TBE186390	100
TBE186310	100
TBE186311	100
TBE186312	100
TBE186313	100
TBE186314	100
TBE186315	100
TBE186316	100
TBE186318	100
TBE186320	100
TBE186322	100
TBE186324	100

SCREWS FOR **ALUMINUM / STEEL**

AR-NE

Vulcanized sealing washer
PREGALVANISED STEEL - EPDM



INOX (A2)



INOX (A2)



INOX (A2)



INOX (A2)



TAPHEX

HEX HEAD colored screw cap



OTHER COLOUR'S AVAILABLE, PLEASE ASK

PREGALVANISED / EPDM BLACK

ART.	SIZE	Ø EXT - Ø INT (Ø INT EPDM)		
	mm		pcs	pcs
TARNEZ14	Ø 14	Ø 14 - Ø 6,7 (Ø 2,0 EPDM)	1.000	12.000
TARNEZ16	Ø 16	Ø 16 - Ø 7,0 (Ø 2,5 EPDM)	1.000	6.000
TARNEZ18	Ø 18	Ø 18 - Ø 7,0 (Ø 3,5 EPDM)	1.000	6.000
TARNEZ25	Ø 25	Ø 25 - Ø 7,0 (Ø 3,5 EPDM)	500	3.000

STAINLESS STEEL A2 / EPDM BLACK

ART.	SIZE	Ø EXT - Ø INT (Ø INT EPDM)		
	mm		pcs	pcs
TARNEI14	Ø 14	Ø 14 - Ø 6,7 (Ø 2,0 EPDM)	1.000	12.000
TARNEI16	Ø 16	Ø 16 - Ø 7,0 (Ø 2,5 EPDM)	1.000	6.000
TARNEI18	Ø 18	Ø 18 - Ø 7,0 (Ø 3,5 EPDM)	1.000	6.000
TARNEI25	Ø 25	Ø 25 - Ø 7,0 (Ø 3,5 EPDM)	500	3.000
TARNEI30	Ø 30	Ø 30 - Ø 7,0 (Ø 3,5 EPDM)	500	1.500

PREGALVANISED / EPDM GREY

ART.	SIZE	Ø EXT - Ø INT (Ø INT EPDM)		
	mm		pcs	pcs
TARNEG14	Ø 14	Ø 14 - Ø 6,9 (Ø 2,0 EPDM)	1.000	12.000
TARNEG16	Ø 16	Ø 16 - Ø 6,9 (Ø 2,0 EPDM)	1.000	6.000
TARNEG18	Ø 18	Ø 18 - Ø 6,9 (Ø 3,0 EPDM)	1.000	6.000
TARNEG25	Ø 25	Ø 25 - Ø 6,9 (Ø 3,0 EPDM)	500	3.000

STAINLESS STEEL A2 / EPDM GREY

ART.	SIZE	Ø EXT - Ø INT (Ø INT EPDM)		
	mm		pcs	pcs
TARNEGI14	Ø 14	Ø 14 - Ø 6,9 (Ø 2,0 EPDM)	1.000	12.000
TARNEGI16	Ø 16	Ø 16 - Ø 6,9 (Ø 2,0 EPDM)	1.000	6.000
TARNEGI18	Ø 18	Ø 18 - Ø 6,9 (Ø 3,0 EPDM)	1.000	6.000
TARNEGI25	Ø 25	Ø 25 - Ø 6,9 (Ø 3,0 EPDM)	500	3.000

NECK WASHER, STAINLESS STEEL A2

ART.	SIZE	Ø EXT - Ø INT (Ø INT EPDM)		
	mm		pcs	pcs
TARNEIC30	Ø 30	Ø 30 - Ø 9,4 (Ø 6,7 EPDM)	500	1.500

UMBRELLA WASHER, STAINLESS STEEL A2

ART.	SIZE	Ø EXT - Ø INT (Ø INT EPDM)		
	mm		pcs	pcs
TARNEIPAR	Ø 25	Ø 25 - Ø 10 (Ø 6,7 EPDM)	250	750

POLYAMIDE 6.6

ART.		COLOUR		
	mm		pcs	pcs
TAHE08AR	8	RAL 1001 SAND	1.000	2.000
TAHE08BP	8	RAL 9010 PYRENEES WHITE	1.000	2.000
TAHE08NE	8	RAL 9005 BLACK	1.000	2.000
TAHE08RJ	8	RAL 3011 TILE RED	1.000	2.000
TAHE08VN	8	RAL 6028 NAVARRE GREEN	1.000	2.000
TAHE10AR	10	RAL 1001 SAND	1.000	2.000
TAHE10BP	10	RAL 9010 PYRENEES WHITE	1.000	2.000
TAHE10NE	10	RAL 9005 BLACK	1.000	2.000
TAHE10RJ	10	RAL 3011 TILE RED	1.000	2.000
TAHE10VN	10	RAL 6028 NAVARRE GREEN	1.000	2.000



aluminium windows

SCREWS FOR **ALUMINUM / STEEL**

DIN-7504-K / TBE-INOX

self-drilling screw with HEX HEAD and stamped washer

INOX A2 (AISI 304)



INOX (A2)



STAINLESS STEEL A2

ART.	SIZE			
	mm		pcs	pcs
TBEI4213	4,2x13	7	500	12.000
TBEI4216	4,2x16	7	500	12.000
TBEI4219	4,2x19	7	500	12.000
TBEI4813	4,8x13	8	250	6.000
TBEI4816	4,8x16	8	250	6.000
TBEI4819	4,8x19	8	250	6.000
TBEI4825	4,8x25	8	250	6.000
TBEI4832	4,8x32	8	250	6.000
TBEI4838	4,8x38	8	250	3.000
TBEI5519	5,5x19	8	250	6.000
TBEI5522	5,5x22	8	250	6.000
TBEI5525	5,5x25	8	250	6.000
TBEI5532	5,5x32	8	250	3.000
TBEI5538	5,5x38	8	250	3.000
TBEI6319	6,3x19	10	250	6.000
TBEI6325	6,3x25	10	250	3.000
TBEI6332	6,3x32	10	250	3.000
TBEI6338	6,3x38	10	250	3.000
TBEI6315	6,3x150	10	100	400




metal panels

metal elements

DIN-7504-K / TRE

self-drilling screw with HEX HEAD and stamped washer
REDUCED POINT NO.1



ZINC PLATED

ART.	SIZE		CAP.	MAX.		
	mm		mm	mm	pcs	pcs
TRE4816	4,8x16	8	1,00 Max.	8,00	500	6.000
TRE4819	4,8x19	8	1,00 Max.	11,00	500	6.000
TRE5522	5,5x22	8	1,50 Max.	12,00	500	4.000
TRE6320	6,3x20	8	1,50 Max.	9,00	500	3.000
TRE6325	6,3x25	8	1,50 Max.	14,00	500	3.000
TRE6332	6,3x32	8	1,50 Max.	21,00	500	3.000
TRE6338	6,3x38	8	1,50 Max.	27,00	500	3.000
TRE6350	6,3x50	8	1,50 Max.	37,00	250	1.500
TRE6363	6,3x63	8	1,50 Max.	40,00	250	1.500
TRE6380	6,3x80	8	1,50 Max.	57,00	250	1.000

DIN-7504-K / TRE+ARNE

REDUCED POINT NO.1

With 16mm EPDM washer




COMPLETE WITH Ø16 MM WASHER P-16 / ZINC PLATED

ART.	SIZE		
	mm	pcs	pcs
TRE164816	4,8x16, WASHER / ASSEMBLED P-16	500	3.000
TRE164819	4,8x19, WASHER / ASSEMBLED P-16	500	3.000
TRE165522	5,5x22, WASHER / ASSEMBLED P-16	500	3.000
TRE166320	6,3x20, WASHER / ASSEMBLED P-16	500	3.000
TRE166325	6,3x25, WASHER / ASSEMBLED P-16	500	3.000
TRE166332	6,3x32, WASHER / ASSEMBLED P-16	500	2.000
TRE166338	6,3x38, WASHER / ASSEMBLED P-16	500	2.000
TRE166350	6,3x50, WASHER / ASSEMBLED P-16	250	1.000
TRE166363	6,3x63, WASHER / ASSEMBLED P-16	250	1.500
TRE166380	6,3x80, WASHER / ASSEMBLED P-16	250	1.500

SCREWS FOR **ALUMINUM / STEEL**


TVI / VIGA

self-drilling screw with HEX HEAD and stamped washer,
N° 5 POINT FOR BEAMS



TVI+ARNE

complete with Ø16mm washer



ZINC PLATED


ART.	SIZE		CAP.	MAX.		
	mm		mm	mm	pcs	pcs
TVI532	5,5x32	8	4,0 - 12,0	12,0 Max.	500	3.000
TVI538	5,5x38	8	4,0 - 12,0	12,0 Max.	500	3.000
TVI550	5,5x50	8	4,0 - 12,0	12,0 Max.	250	1.500
TVI560	5,5x60	8	4,0 - 12,0	12,0 Max.	250	1.500

ASSEMBLED WASHER P-16 / ZINC PLATED


ART.	SIZE		
	mm	pcs	pcs
TVI16532	5,5x32, WASHER / ASSEMBLED P-16	500	2.000
TVI16538	5,5x38, WASHER / ASSEMBLED P-16	500	2.000
TVI16550	5,5x50, WASHER / ASSEMBLED P-16	250	1.000
TVI16560	5,5x60, WASHER / ASSEMBLED P-16	250	1.000

TRB

self-drilling screw with LOW DOMED HEAD
complete with stamped washer



BITS
AVAILABLE SEE PAGE:
P. 85



ZINC PLATED

ART.	SIZE		CAP.	MAX.		
	mm		mm	mm	pcs	pcs
TRBZ4213	4,2x13	PH2	0,75 - 2,50	Max. 4,3	500	12.000
TRBZ4216	4,2x16	PH2	0,75 - 2,50	Max. 7,3	500	8.000
TRBZ4219	4,2x19	PH2	0,75 - 2,50	Max.10,3	500	6.000
TRBZ4225	4,2x25	PH2	0,75 - 2,50	Max.16,3	500	6.000
TRBZ4232	4,2x32	PH2	0,75 - 2,50	Max.23,0	500	6.000

ZINC PLATED BLACK

ART.	SIZE		CAP.	MAX.		
	mm		mm	mm	pcs	pcs
TRBN4213	4,2x13	PH2	0,75 - 2,50	Max. 4,3	500	12.000
TRBN4216	4,2x16	PH2	0,75 - 2,50	Max. 7,3	500	8.000
TRBN4219	4,2x19	PH2	0,75 - 2,50	Max. 10,3	500	6.000
TRBN4225	4,2x25	PH2	0,75 - 2,50	Max. 16,3	500	6.000
TRBN4232	4,2x32	PH2	0,75 - 2,50	Max. 23,0	500	6.000




metal panels

metal elements

SCREWS FOR **ALUMINUM / STEEL**

TBI BIMETAL

self-drilling screw with HEX HEAD
and stamped washer
INOX A2 BIMETAL



BIMETAL



INOX (A2)



TRBI BIMETAL

self-drilling screw with HEX HEAD stamped washer
with **REDUCED POINT N°1**
INOX A2 BIMETAL



BIMETAL



TVIB-VIGA BIMETAL

self-drilling screw with HEX HEAD stamped washer
and **N°5 POINT FOR BEAMS**
INOX A2 BIMETAL



BIMETAL



INOX (A2)



SILVER RUSPERT FINISH

ART.	SIZE		CAP.	MAX.		
	mm		mm	mm	pcs	pcs
TBI4825	4,8x 25	8	4,40 Max.	14,70	500	6.000
TBI5525	5,5x 25	8	5,25 Max.	14,70	500	6.000
TBI5532	5,5x 32	8	5,25 Max.	21,50	500	3.000
TBI5538	5,5x 38	8	5,25 Max.	27,50	500	3.000
TBI5550	5,5x 50	8	5,25 Max.	39,50	500	2.000
TBI5558	5,5x 58	8	5,25 Max.	47,50	250	1.500
TBI5565	5,5x 65	8	5,25 Max.	54,50	250	1.500
TBI5580	5,5x 80	8	5,25 Max.	69,50	250	1.000
TBI6325	6,3x 25	10	6,00 Max.	13,00	500	3.000

COMPLETE WITH 16mm EPDM WASHER STAINLESS STEEL A2

ART.	SIZE		
	mm	pcs	pcs
TBI164825	4,8x25, WASHER / ASSEMBLED P-16	500	2.000
TBI165525	5,5x25, WASHER / ASSEMBLED P-16	500	3.000
TBI165532	5,5x32, WASHER / ASSEMBLED P-16	500	2.000
TBI165538	5,5x38, WASHER / ASSEMBLED P-16	500	1.500
TBI165550	5,5x50, WASHER / ASSEMBLED P-16	500	1.500
TBI165558	5,5x58, WASHER / ASSEMBLED P-16	250	1.500
TBI165565	5,5x65, WASHER / ASSEMBLED P-16	250	1.500
TBI165580	5,5x80, WASHER / ASSEMBLED P-16	250	1.000
TBI166325	6,3x25, WASHER / ASSEMBLED P-16	500	2.000

SILVER RUSPERT FINISH

ART.	SIZE		CAP.	MAX.		
	mm		mm	mm	pcs	pcs
TRBI6325	6,3x 25	8	1,00 Max.	14,00	500	3.000

COMPLETE WITH 16 mm EPDM WASHER STAINLESS STEEL A2

ART.	SIZE		
	mm	pcs	pcs
TRBI166325	6,3x25, WASHER / ASSEMBLED P-16	500	2.000



metal panels

metal elements


beam IPN

SILVER RUSPERT FINISH

ART.	SIZE		CAP.	MAX.		
	mm		mm	mm	pcs	pcs
TVIB5540	5,5x 40	8	4,0 - 12,0	12,0 Max.	500	3.000
TVIB5550	5,5x 50	8	4,0 - 12,0	12,0 Max.	500	3.000
TVIB5565	5,5x 65	8	4,0 - 12,0	12,0 Max.	250	1.500
TVIB5580	5,5x 80	8	4,0 - 12,0	12,0 Max.	250	1.000
TVIB5510	5,5x100	8	4,0 - 12,0	12,0 Max.	100	600

COMPLETE WITH 16mm EPDM WASHER STAINLESS STEEL A2


ART.	SIZE		
	mm	pcs	pcs
TVIB165540	5,5x40, WASHER / ASSEMBLED P-16	500	2.000
TVIB165550	5,5x50, WASHER / ASSEMBLED P-16	500	1.500
TVIB165565	5,5x65, WASHER / ASSEMBLED P-16	250	1.000
TVIB165580	5,5x80, WASHER / ASSEMBLED P-16	250	1.000
TVIB165510	5,5x100, WASHER / ASSEMBLED P-16	100	600



SCREWS FOR **ALUMINUM / STEEL**

TS3

self-drilling screw with HEX HEAD stamped washer,
TWO HI THREADS AND N°3 POINT



TS3+ARNE

complete with Ø16mm washer




ZINC PLATED

ART.	SIZE		CAP.	MAX.		
	mm		mm	mm	pcs	pcs
TS355060	5,5 / 6,3x60	8	1,5 - 6,0	27 - 44	500	1.500
TS355082	5,5 / 6,3x82	8	1,5 - 6,0	31 - 68	250	1.000
TS355098	5,5 / 6,3x98	8	1,5 - 6,0	48 - 84	250	1.000
TS355115	5,5 / 6,3 x115	8	1,5 - 6,0	63 -100	250	1.000
TS355130	5,5 / 6,3 x130	8	1,5 - 6,0	65 -115	250	750
TS355150	5,5 / 6,3 x150	8	1,5 - 6,0	85 -135	250	750
TS355180	5,5 / 6,3 x180	8	1,5 - 6,0	115 -165	250	750
TS355200	5,5 / 6,3 x200	8	1,5 - 6,0	135 -185	250	750
TS355230	5,5 / 6,3 x230	8	1,5 - 6,0	165 -215	250	500


COMPLETE WITH 16mm EPDM WASHER / ZINC PLATED

ART.	SIZE		
	mm	pcs	pcs
TS31655060	5,5 / 6,3x60, WASHER / ASSEMBLED P-16	250	1.000
TS31655082	5,5 / 6,3x82, WASHER / ASSEMBLED P-16	250	1.000
TS31655098	5,5 / 6,3x98, WASHER / ASSEMBLED P-16	250	750
TS31655115	5,5 / 6,3 x115, WASHER / ASSEMBLED P-16	-	500
TS31655130	5,5 / 6,3 x130, WASHER / ASSEMBLED P-16	250	750
TS31655150	5,5 / 6,3 x150, WASHER / ASSEMBLED P-16	250	500
TS31655180	5,5 / 6,3 x180, WASHER / ASSEMBLED P-16	125	375
TS31655200	5,5 / 6,3 x200, WASHER / ASSEMBLED P-16	125	375
TS31655230	5,5 / 6,3 x230, WASHER / ASSEMBLED P-16	125	250



TS5

self-drilling screw with HEX HEAD stamped washer,
TWO THREADS AND N°5 POINT, for sandwich panels



TS5+ARNE

complete with Ø16mm washer



ZINC PLATED

ART.	SIZE		CAP.	MAX.		
	mm		mm	mm	pcs	pcs
TS555075	5,5 / 6,3x75	8	4,0 - 12,0	27 - 45	500	1.500
TS555085	5,5 / 6,3x85	8	4,0 - 12,0	31 - 55	250	1.000
TS555105	5,5 / 6,3 x105	8	4,0 - 12,0	48 - 75	250	1.000
TS555130	5,5 / 6,3 x130	8	4,0 - 12,0	63 -100	250	750
TS555150	5,5 / 6,3 x150	8	4,0 - 12,0	63 -120	250	750
TS555175	5,5 / 6,3 x175	8	4,0 - 12,0	110 -160	250	750
TS555180	5,5 / 6,3 x180	8	4,0 - 12,0	115 -165	250	750
TS555200	5,5 / 6,3 x200	8	4,0 - 12,0	135 -185	250	750
TS555230	5,5 / 6,3 x230	8	4,0 - 12,0	165 -215	250	500
TS555240	5,5 / 6,3 x240	8	4,0 - 12,0	175 -225	250	500


COMPLETE WITH 16mm EPDM WASHER / ZINC PLATED

ART.	SIZE		
	mm	pcs	pcs
TS51655075	5,5 / 6,3x75 WASHER / ASSEMBLED P-16	250	1.000
TS51655085	5,5 / 6,3x85 WASHER / ASSEMBLED P-16	250	1.000
TS51655105	5,5 / 6,3 x105 WASHER / ASSEMBLED P-16	250	750
TS51655130	5,5 / 6,3 x130 WASHER / ASSEMBLED P-16	250	750
TS51655150	5,5 / 6,3 x150 WASHER / ASSEMBLED P-16	250	500
TS51655175	5,5 / 6,3 x175 WASHER / ASSEMBLED P-16	125	375
TS51655180	5,5 / 6,3 x180 WASHER / ASSEMBLED P-16	125	375
TS51655200	5,5 / 6,3 x200 WASHER / ASSEMBLED P-16	125	375
TS51655230	5,5 / 6,3 x230 WASHER / ASSEMBLED P-16	125	250
TS51655240	5,5 / 6,3 x240 WASHER / ASSEMBLED P-16	125	250

SCREWS FOR **ALUMINUM / STEEL**

TFI

self-drilling screw with HEX HEAD stamped washer, for **FIBER CEMENT** profiles with umbrella washer in stainless



metal panels



metal elements



fibrecement



beam IPN



ZINC PLATED

ART.	SIZE		DRILL N°	CAP.	MAX.	
	mm			mm	mm	pcs
TFI63115	6,3x115 / # 3	8	3	1,5 - 6,0	85	250
TFI63125	6,3x125 / # 3	8	3	1,5 - 6,0	95	250
TFI63110	6,3x110 / # 5	8	5	6,0 - 12,0	75	250
TFI63120	6,3x120 / # 5	8	5	6,0 - 12,0	85	250
TFI63130	6,3x130 / # 5	8	5	6,0 - 12,0	95	250
TFI63150	6,3x150 / # 5	8	5	6,0 - 12,0	115	250
TFI63160	6,3x160 / # 5	8	5	6,0 - 12,0	125	250



wood on steel IPN

TABA, PHILLIPS

self-drilling 2 wing screw with CSK PHILLIPS head



ZINC PLATED

ART.	SIZE		CAP.	MAX.		
	mm			mm	pcs	pcs
TABA4832	4,8x32	PH2	1,75 - 4,00	14,00	500	6.000
TABA4838	4,8x38	PH2	1,75 - 4,00	20,00	500	6.000
TABA4845	4,8x45	PH2	1,75 - 4,00	27,00	500	3.000
TABA4850	4,8x50	PH2	1,75 - 4,00	32,00	500	3.000
TABA5538	5,5x38	PH2	1,75 - 5,00	17,00	500	3.000
TABA5545	5,5x45	PH2	1,75 - 5,00	24,00	500	3.000
TABA5555	5,5x55	PH2	1,75 - 5,00	34,00	500	3.000
TABA5565	5,5x65	PH2	1,75 - 5,00	44,00	500	2.000
TABA6360	6,3x60	PH2	2,50 - 6,00	38,00	250	1.500
TABA6370	6,3x70	PH2	2,50 - 6,00	48,00	250	1.500
TABA6385	6,3x85	PH2	2,50 - 6,00	61,00	250	1.000



wood on steel IPN

TABA, TORX

self-drilling 2 wing screw with TORX head




ZINC PLATED

ART.	SIZE		CAP.	MAX.		
	mm			mm	pcs	pcs
TABATX4832	4,8x32	TORX 25	1,75 - 4,00	14,00	500	6.000
TABATX4838	4,8x38	TORX 25	1,75 - 4,00	20,00	500	6.000
TABATX4845	4,8x45	TORX 25	1,75 - 4,00	27,00	500	3.000
TABATX4850	4,8x50	TORX 25	1,75 - 4,00	32,00	500	3.000
TABATX5538	5,5x38	TORX 25	1,75 - 5,00	17,00	500	3.000
TABATX5545	5,5x45	TORX 25	1,75 - 5,00	24,00	500	3.000
TABATX5555	5,5x55	TORX 25	1,75 - 5,00	34,00	500	3.000
TABATX5565	5,5x65	TORX 25	1,75 - 5,00	44,00	500	2.000
TABATX6360	6,3x60	TORX 30	2,50 - 6,00	38,00	250	1.500
TABATX6370	6,3x70	TORX 30	2,50 - 6,00	48,00	250	1.500
TABATX6385	6,3x85	TORX 30	2,50 - 6,00	61,00	250	1.000
TABATX6310	6,3x100	TORX 30	2,50 - 6,00	76,00	250	750

SCREWS FOR **ALUMINUM / STEEL**

TBCE

self-drilling screw with low profile FLAT Head



INOX (A2)



metal panels



metal elements



aluminium windows



AVAILABLE IN
RAL COLOURS

ZINC PLATED

ART.	SIZE		CAP.	MAX.		
	mm			mm	pcs	pcs
TBCEZ4214	4,2x14	PH2	2,00 Max.	6,00	500	22.500
TBCEZ4223	4,2x23	PH2	2,00 Max.	15,00	500	12.000

ZINC PLATED BLACK

ART.	SIZE		CAP.	MAX.		
	mm			mm	pcs	pcs
TBCEN4214	4,2x14	PH2	2,00 Max.	6,00	500	22.500
TBCEN4223	4,2x23	PH2	2,00 Max.	15,00	500	12.000

PAINTED WHITE

ART.	SIZE		CAP.	MAX.		
	mm			mm	pcs	pcs
TBCEP4214	4,2x14	PH2	2,00 Max.	6,00	500	22.500
TBCEP4223	4,2x23	PH2	2,00 Max.	15,00	500	12.000

WHITE LACQUERED HEAD


ART.	SIZE		CAP.	MAX.		
	mm			mm	pcs	pcs
TBCEL4214	4,2x14	PH2	2,00 Max.	6,00	500	22.500
TBCEL4223	4,2x23	PH2	2,00 Max.	15,00	500	12.000

STAINLESS STEEL A2

ART.	SIZE		CAP.	MAX.		
	mm			mm	pcs	pcs
TBCEI4214	4,2x14	PH2	2,00 Max.	6,00	500	22.500
TBCEI4223	4,2x23	PH2	2,00 Max.	15,00	500	12.000

TACE

self-drilling screw with low profile FLAT Head.



INOX (A2)



metal panels



metal elements



aluminium windows



AVAILABLE IN
RAL COLOURS

ZINC PLATED

ART.	SIZE		DRILL Ø	MAX.		
	mm			mm	pcs	pcs
TACEZ4213	4,2x13	PH2	3,20 - 3,90	8,00	500	12.000
TACEZ4222	4,2x22	PH2	3,20 - 3,90	17,00	500	12.000
TACEZ4232	4,2x32	PH2	3,20 - 3,90	27,00	500	6.000

ZINC PLATED BLACK

ART.	SIZE		DRILL Ø	MAX.		
	mm			mm	pcs	pcs
TACEN4213	4,2x13	PH2	3,20 - 3,90	8,00	500	12.000
TACEN4222	4,2x22	PH2	3,20 - 3,90	17,00	500	12.000
TACEN4232	4,2x32	PH2	3,20 - 3,90	27,00	500	6.000

PAINTED WHITE

ART.	SIZE		DRILL Ø	MAX.		
	mm			mm	pcs	pcs
TACEP4213	4,2x13	PH2	3,20 - 3,90	8,00	500	12.000
TACEP4222	4,2x22	PH2	3,20 - 3,90	17,00	500	12.000
TACEP4232	4,2x32	PH2	3,20 - 3,90	27,00	500	6.000

STAINLESS STEEL A2

ART.	SIZE		DRILL Ø	MAX.		
	mm			mm	pcs	pcs
TACEI4213	4,2x13	PH2	3,20 - 3,90	8,00	500	12.000
TACEI4222	4,2x22	PH2	3,20 - 3,90	17,00	500	12.000
TACEI4232	4,2x32	PH2	3,20 - 3,90	27,00	500	6.000



metal panels



metal elements



aluminium windows



SCREWS FOR **ALUMINIUM / STEEL**

DIN-7504-N / TBR

self-drilling screw Zinc with PHILLIPS pan Head



AVAILABLE IN
RAL COLOURS



ZINC PLATED

ART	Ø x L _v		MAX DRILLING	MAX.		
	mm				pcs	pcs
TBRZ3509	3,5 x 9,5	PH2	2,25 Max.	3,35	1.000	24.000
TBRZ3513	3,5 x 13	PH2	2,25 Max.	6,85	1.000	24.000
TBRZ3516	3,5 x 16	PH2	2,25 Max.	9,85	1.000	16.000
TBRZ3519	3,5 x 19	PH2	2,25 Max.	12,85	1.000	12.000
TBRZ3522	3,5 x 22	PH2	2,25 Max.	15,85	1.000	12.000
TBRZ3525	3,5 x 25	PH2	2,25 Max.	18,85	500	12.000
TBRZ3532	3,5 x 32	PH2	2,25 Max.	25,85	500	6.000
TBRZ3913	3,9 x 13	PH2	2,40 Max.	6,70	1.000	16.000
TBRZ3916	3,9 x 16	PH2	2,40 Max.	9,70	1.000	12.000
TBRZ3919	3,9 x 19	PH2	2,40 Max.	12,70	1.000	12.000
TBRZ3925	3,9 x 25	PH2	2,40 Max.	18,70	500	8.000
TBRZ3932	3,9 x 32	PH2	2,40 Max.	25,70	500	6.000
TBRZ4213	4,2 x 13	PH2	3,00 Max.	5,80	1.000	12.000
TBRZ4216	4,2 x 16	PH2	3,00 Max.	8,80	1.000	12.000
TBRZ4219	4,2 x 19	PH2	3,00 Max.	11,80	1.000	12.000
TBRZ4222	4,2 x 22	PH2	3,00 Max.	14,80	500	8.000
TBRZ4225	4,2 x 25	PH2	3,00 Max.	17,80	500	6.000
TBRZ4232	4,2 x 32	PH2	3,00 Max.	24,80	500	6.000
TBRZ4238	4,2 x 38	PH2	3,00 Max.	30,80	500	6.000
TBRZ4250	4,2 x 50	PH2	3,00 Max.	42,80	500	3.000
TBRZ4813	4,8 x 13	PH2	4,40 Max.	5,80	1.000	8.000
TBRZ4816	4,8 x 16	PH2	4,40 Max.	6,80	1.000	8.000
TBRZ4819	4,8 x 19	PH2	4,40 Max.	9,80	1.000	8.000
TBRZ4822	4,8 x 22	PH2	4,40 Max.	12,80	500	6.000
TBRZ4825	4,8 x 25	PH2	4,40 Max.	15,80	500	6.000
TBRZ4832	4,8 x 32	PH2	4,40 Max.	22,80	500	6.000
TBRZ4838	4,8 x 38	PH2	4,40 Max.	28,80	500	3.000
TBRZ4845	4,8 x 45	PH2	4,40 Max.	35,80	500	3.000
TBRZ4850	4,8 x 50	PH2	4,40 Max.	40,80	500	3.000
TBRZ4860	4,8 x 60	PH2	4,40 Max.	50,80	500	2.000
TBRZ4870	4,8 x 70	PH2	4,40 Max.	60,80	250	1.500
TBRZ4880	4,8 x 80	PH2	4,40 Max.	70,80	250	1.500
TBRZ4890	4,8 x 90	PH2	4,40 Max.	80,80	100	1.200
TBRZ4810	4,8 x 100	PH2	4,40 Max.	90,80	100	1.200
TBRZ4811	4,8 x 110	PH2	4,40 Max.	100,80	100	1.200
TBRZ4812	4,8 x 120	PH2	4,40 Max.	110,80	100	600
TBRZ5519	5,5 x 19	PH3	5,25 Max.	8,35	500	6.000
TBRZ5522	5,5 x 22	PH3	5,25 Max.	11,35	500	6.000
TBRZ5525	5,5 x 25	PH3	5,25 Max.	14,35	500	4.000
TBRZ5532	5,5 x 32	PH3	5,25 Max.	21,35	500	3.000
TBRZ5538	5,5 x 38	PH3	5,25 Max.	27,35	500	3.000
TBRZ5545	5,5 x 45	PH3	5,25 Max.	34,35	500	3.000
TBRZ5560	5,5 x 60	PH3	5,25 Max.	49,35	250	1.500
TBRZ5573	5,5 x 73	PH3	5,25 Max.	62,35	250	1.500


ZINC PLATED BLACK

TBRN3509	3,5 x 9,5	PH2	2,25 Max.	3,35	1.000	24.000
TBRN3513	3,5 x 13	PH2	2,25 Max.	6,85	1.000	24.000
TBRN3516	3,5 x 16	PH2	2,25 Max.	9,85	1.000	16.000
TBRN3519	3,5 x 19	PH2	2,25 Max.	12,85	1.000	12.000
TBRN4213	4,2 x 13	PH2	3,00 Max.	5,80	1.000	12.000
TBRN4216	4,2 x 16	PH2	3,00 Max.	8,80	1.000	12.000
TBRN4219	4,2 x 19	PH2	3,00 Max.	11,80	1.000	12.000
TBRN4225	4,2 x 25	PH2	3,00 Max.	17,80	500	6.000
TBRN4232	4,2 x 32	PH2	3,00 Max.	24,80	500	6.000
TBRN4238	4,2 x 38	PH2	3,00 Max.	30,80	500	6.000
TBRN4816	4,8 x 16	PH2	4,40 Max.	6,80	1.000	8.000
TBRN4819	4,8 x 19	PH2	4,40 Max.	9,80	1.000	8.000
TBRN4825	4,8 x 25	PH2	4,40 Max.	15,80	500	6.000
TBRN4832	4,8 x 32	PH2	4,40 Max.	22,80	500	6.000
TBRN4838	4,8 x 38	PH2	4,40 Max.	28,80	500	3.000
TBRN4845	4,8 x 45	PH2	4,40 Max.	35,80	500	3.000
TBRN4850	4,8 x 50	PH2	4,40 Max.	40,80	500	3.000

DIN-7504-N / TBRN

self-drilling screw Zinc with BLACK PAINTED PHILLIPS pan Head





SCREWS FOR ALUMINIUM / STEEL

DIN-7504-N / TBT, TX-OXBIT

self-drilling screw Zinc with TORX OXBIT head



DIN-7504-N / TBTN, TX-ORBIT

self-drilling screw Zinc, Black painted, with TORX OXBIT head.



AVAILABLE IN
RAL COLOURS



ZINC PLATED

ART.	SIZE		CAP.	MAX.		
	mm			mm	pcs	pcs
TBTZ3509	3,5x9,5	OX15	2,25 Max.	3,35	1.000	24.000
TBTZ3513	3,5x13	OX15	2,25 Max.	6,85	1.000	24.000
TBTZ3516	3,5x16	OX15	2,25 Max.	9,85	1.000	16.000
TBTZ3519	3,5x19	OX15	2,25 Max.	12,85	1.000	12.000
TBTZ4213	4,2x13	OX20	3,00 Max.	5,80	1.000	12.000
TBTZ4216	4,2x16	OX20	3,00 Max.	8,80	1.000	12.000
TBTZ4219	4,2x19	OX20	3,00 Max.	11,80	1.000	12.000
TBTZ4225	4,2x25	OX20	3,00 Max.	17,80	500	6.000
TBTZ4816	4,8x16	OX25	4,40 Max.	6,80	1.000	8.000
TBTZ4819	4,8x19	OX25	4,40 Max.	9,80	1.000	8.000
TBTZ4825	4,8x25	OX25	4,40 Max.	15,80	500	6.000
TBTZ4832	4,8x32	OX25	4,40 Max.	22,80	500	6.000
TBTZ4838	4,8x38	OX25	4,40 Max.	28,80	500	3.000
TBTZ4845	4,8x45	OX25	4,40 Max.	35,80	500	3.000
TBTZ4850	4,8x50	OX25	4,40 Max.	40,80	500	3.000
TBTZ4860	4,8x60	OX25	4,40 Max.	50,80	500	2.000
TBTZ4870	4,8x70	OX25	4,40 Max.	60,80	250	1.500

ZINC PLATED BLACK

ART.	SIZE		CAP.	MAX.		
	mm			mm	pcs	pcs
TBTN3509	3,5x9,5	OX15	2,25 Max.	3,35	1.000	24.000
TBTN3513	3,5x13	OX15	2,25 Max.	6,85	1.000	24.000
TBTN3516	3,5x16	OX15	2,25 Max.	9,85	1.000	16.000
TBTN3519	3,5x19	OX15	2,25 Max.	12,85	1.000	12.000
TBTN4213	4,2x13	OX20	3,00 Max.	5,80	1.000	12.000
TBTN4216	4,2x16	OX20	3,00 Max.	8,80	1.000	12.000
TBTN4219	4,2x19	OX20	3,00 Max.	11,80	1.000	12.000
TBTN4225	4,2x25	OX20	3,00 Max.	17,80	500	6.000
TBTN4816	4,8x16	OX25	4,40 Max.	6,80	1.000	8.000
TBTN4819	4,8x19	OX25	4,40 Max.	9,80	1.000	8.000
TBTN4825	4,8x25	OX25	4,40 Max.	15,80	500	6.000
TBTN4832	4,8x32	OX25	4,40 Max.	22,80	500	6.000
TBTN4838	4,8x38	OX25	4,40 Max.	28,80	500	3.000
TBTN4845	4,8x45	OX25	4,40 Max.	35,80	500	3.000
TBTN4850	4,8x50	OX25	4,40 Max.	40,80	500	3.000
TBTN4860	4,8x60	OX25	4,40 Max.	50,80	500	2.000
TBTN4870	4,8x70	OX25	4,40 Max.	60,80	250	1.500

TCR

PVC caps for screw heads



WHITE

ART.	SIZE		
	mm	pcs	pcs
TCR42B	FOR Ø 4,2	1.000	12.000
TCR48B	FOR Ø 4,8	1.000	12.000
TCR55B	FOR Ø 5,5	1.000	6.000

BLACK

ART.	SIZE		
	mm	pcs	pcs
TCR42N	FOR Ø 4,2	1.000	12.000
TCR48N	FOR Ø 4,8	1.000	12.000
TCR55N	FOR Ø 5,5	1.000	6.000



aluminium windows

SCREWS FOR **ALUMINUM / STEEL**

DIN-7504-N / TBR-INOX

self-drilling screw, A2 Stainless
with PHILLIPS pan head.

INOX A2 (AISI 304)




INOX (A2)



STAINLESS STEEL A2

ART.	SIZE			
	mm		pcs	pcs
TBRI3509	3,5x9,5	PH2	500	22.500
TBRI3513	3,5x13	PH2	500	12.000
TBRI3916	3,9x16	PH2	500	12.000
TBRI3919	3,9x19	PH2	500	12.000
TBRI3925	3,9x25	PH2	250	6.000
TBRI4213	4,2x13	PH2	500	12.000
TBRI4216	4,2x16	PH2	500	12.000
TBRI4219	4,2x19	PH2	500	12.000
TBRI4225	4,2x25	PH2	250	6.000
TBRI4816	4,8x16	PH2	250	6.000
TBRI4819	4,8x19	PH2	250	6.000
TBRI4825	4,8x25	PH2	250	6.000
TBRI4832	4,8x32	PH2	250	6.000
TBRI4838	4,8x38	PH2	250	3.000
TBRI4850	4,8x50	PH2	250	3.000



metal panels

metal elements

aluminium windows

DIN-7504-N / TBR-PINT

self-drilling screw **PAINTED WHITE**
with PHILLIPS pan head



PAINTED WHITE

ART.	SIZE			
	mm		pcs	pcs
TBRP3509	3,5x9,5	PH2	1.000	24.000
TBRP3513	3,5x13	PH2	1.000	24.000
TBRP3516	3,5x16	PH2	1.000	16.000
TBRP4213	4,2x13	PH2	1.000	12.000
TBRP4216	4,2x16	PH2	1.000	12.000
TBRP4219	4,2x19	PH2	1.000	12.000
TBRP4825	4,8x25	PH2	500	6.000

TPU


screwdriver Bits
POZIDRIV - PHILLIPS - TORX

PHILLIPS



ART.	SIZE			
	mm		pcs	pcs
TPUPHC01	Nº 1 / 25	PH1	25	1.200
TPUPHC02	Nº 2 / 25	PH2	25	1.200
TPUPHC03	Nº 3 / 25	PH3	25	1.200

PHILLIPS



ART.	SIZE			
	mm		pcs	pcs
TPUPHL01	Nº 1 / 50	PH1	25	1.200
TPUPHL02	Nº 2 / 50	PH2	25	1.200
TPUPHL03	Nº 3 / 50	PH3	25	1.200

POZIDRIV



ART.	SIZE			
	mm		pcs	pcs
TPUPOC01	Nº 1 / 25	PZ1	25	1.200
TPUPOC02	Nº 2 / 25	PZ2	25	1.200
TPUPOC03	Nº 3 / 25	PZ3	25	1.200

POZIDRIV



ART.	SIZE			
	mm		pcs	pcs
TPUPOL01	Nº 1 / 50	PZ1	25	1.200
TPUPOL02	Nº 2 / 50	PZ2	25	1.200
TPUPOL03	Nº 3 / 50	PZ3	25	1.200

TORX



ART.	SIZE			
	mm		pcs	pcs
TPUTOC08	Nº 8 / 25	T8	25	1.200
TPUTOC10	Nº 10 / 25	T10	25	1.200
TPUTOC15	Nº 15 / 25	T15	25	1.200
TPUTOC20	Nº 20 / 25	T20	25	1.200

TORX



ART.	SIZE			
	mm		pcs	pcs
TPUTOC25	Nº 25 / 25	T25	25	1.200
TPUTOC27	Nº 27 / 25	T27	25	1.200
TPUTOC30	Nº 30 / 25	T30	25	1.200
TPUTOC40	Nº 40 / 25	T40	25	1.200



metal panels



metal elements



aluminium windows



SCREWS FOR ALUMINIUM / STEEL

DIN-7504-P / TBP

self-drilling screw Zinc PHILLIPS flat head



AVAILABLE IN
RAL COLOURS



ZINC PLATED

ART	Ø x L _v		MAX DRILLING	MAX.		
	mm				pcs	pcs
TBPcs3509	3,5 x 9,5	PH2	2,25 Max.	2,85	1.000	24.000
TBPcs3511	3,5 x 11	PH2	2,25 Max.	4,85	1.000	24.000
TBPcs3513	3,5 x 13	PH2	2,25 Max.	6,85	1.000	24.000
TBPcs3516	3,5 x 16	PH2	2,25 Max.	9,85	1.000	24.000
TBPcs3519	3,5 x 19	PH2	2,25 Max.	12,85	1.000	12.000
TBPcs3522	3,5 x 22	PH2	2,25 Max.	15,85	1.000	12.000
TBPcs3525	3,5 x 25	PH2	2,25 Max.	18,85	500	12.000
TBPcs3913	3,9 x 13	PH2	2,40 Max.	6,70	1.000	24.000
TBPcs3916	3,9 x 16	PH2	2,40 Max.	9,70	1.000	12.000
TBPcs3919	3,9 x 19	PH2	2,40 Max.	12,70	1.000	12.000
TBPcs3922	3,9 x 22	PH2	2,40 Max.	15,70	500	12.000
TBPcs3925	3,9 x 25	PH2	2,40 Max.	18,70	500	12.000
TBPcs3932	3,9 x 32	PH2	2,40 Max.	25,70	500	6.000
TBPcs3938	3,9 x 38	PH2	2,40 Max.	31,70	500	6.000
TBPcs4213	4,2 x 13	PH2	3,00 Max.	5,80	1.000	24.000
TBPcs4216	4,2 x 16	PH2	3,00 Max.	8,80	1.000	12.000
TBPcs4219	4,2 x 19	PH2	3,00 Max.	11,80	1.000	12.000
TBPcs4222	4,2 x 22	PH2	3,00 Max.	14,80	500	12.000
TBPcs4225	4,2 x 25	PH2	3,00 Max.	17,80	500	6.000
TBPcs4232	4,2 x 32	PH2	3,00 Max.	24,80	500	6.000
TBPcs4238	4,2 x 38	PH2	3,00 Max.	30,80	500	6.000
TBPcs4813	4,8 x 13	PH2	4,40 Max.	3,80	1.000	12.000
TBPcs4816	4,8 x 16	PH2	4,40 Max.	6,80	1.000	12.000
TBPcs4819	4,8 x 19	PH2	4,40 Max.	9,80	1.000	8.000
TBPcs4822	4,8 x 22	PH2	4,40 Max.	12,80	500	6.000
TBPcs4825	4,8 x 25	PH2	4,40 Max.	15,80	500	6.000
TBPcs4832	4,8 x 32	PH2	4,40 Max.	22,80	500	6.000
TBPcs4838	4,8 x 38	PH2	4,40 Max.	28,80	500	3.000
TBPcs4845	4,8 x 45	PH2	4,40 Max.	35,80	500	3.000
TBPcs4850	4,8 x 50	PH2	4,40 Max.	40,80	500	3.000
TBPcs4860	4,8 x 60	PH2	4,40 Max.	50,80	250	1.500
TBPcs4870	4,8 x 70	PH2	4,40 Max.	60,80	250	1.500
TBPcs4880	4,8 x 80	PH2	4,40 Max.	70,80	250	1.500
TBPcs5519	5,5 x 19	PH3	5,25 Max.	8,35	500	6.000
TBPcs5525	5,5 x 25	PH3	5,25 Max.	14,35	500	6.000
TBPcs5532	5,5 x 32	PH3	5,25 Max.	21,35	500	6.000
TBPcs5538	5,5 x 38	PH3	5,25 Max.	27,35	500	3.000
TBPcs5550	5,5 x 50	PH3	5,25 Max.	39,35	500	3.000
TBPcs5560	5,5 x 60	PH3	5,25 Max.	49,35	250	1.500
TBPcs5570	5,5 x 70	PH3	5,25 Max.	59,35	250	1.500
TBPcs5580	5,5 x 80	PH3	5,25 Max.	69,35	250	1.500

ZINC PLATED BLACK

ART	Ø x L _v		MAX DRILLING	MAX.		
	mm				pcs	pcs
TBPN3513	3,5 x 13	PH2	2,25 Max.	6,85	1.000	24.000
TBPN3516	3,5 x 16	PH2	2,25 Max.	9,85	1.000	24.000
TBPN3519	3,5 x 19	PH2	2,25 Max.	12,85	1.000	12.000
TBPN3525	3,5 x 25	PH2	2,25 Max.	18,85	500	12.000
TBPN4216	4,2 x 16	PH2	3,00 Max.	8,80	1.000	12.000
TBPN4219	4,2 x 19	PH2	3,00 Max.	11,80	1.000	12.000
TBPN4225	4,2 x 25	PH2	3,00 Max.	17,80	500	6.000
TBPN4232	4,2 x 32	PH2	3,00 Max.	24,80	500	6.000
TBPN4238	4,2 x 38	PH2	3,00 Max.	30,80	500	6.000
TBPN4825	4,8 x 25	PH2	4,40 Max.	15,80	500	6.000
TBPN4832	4,8 x 32	PH2	4,40 Max.	22,80	500	6.000
TBPN4838	4,8 x 38	PH2	4,40 Max.	28,80	500	3.000
TBPN4850	4,8 x 50	PH2	4,40 Max.	40,80	500	3.000

DIN-7504-P / TBPN

zinc plated BLACK



SCREWS FOR ALUMINUM / STEEL

TPVC-10

CSK head screw with HI-LO thread Ø7.5mm for PVC



PVC windows

ZINC PLATED

ART.	SIZE			
	mm		pcs	pcs
TPV10Z3925	3,9x25	PH2	1.000	12.000
TPV10Z3930	3,9x30	PH2	1.000	12.000
TPV10Z3938	3,9x38	PH2	500	6.000
TPV10Z3945	3,9x45	PH2	500	3.000

TPVC-20

CSK head screw with 40 Ø reduced thread for PVC.



PVC windows

ZINC PLATED

ART.	SIZE			
	mm		pcs	pcs
TPV20Z4316	4,3x16	PH2	1.000	24.000
TPV20Z4319	4,3x19	PH2	1.000	12.000
TPV20Z4322	4,3x22	PH2	1.000	12.000
TPV20Z4325	4,3x25	PH2	1.000	12.000
TPV20Z4330	4,3x30	PH2	1.000	6.000
TPV20Z4338	4,3x38	PH2	500	6.000
TPV20Z4345	4,3x45	PH2	500	3.000
TPV20Z4355	4,3x55	PH2	500	3.000

BIO CHROMED

ART.	SIZE			
	mm		pcs	pcs
TPV20B4316	4,3x16	PH2	1.000	24.000
TPV20B4319	4,3x19	PH2	1.000	12.000
TPV20B4322	4,3x22	PH2	1.000	12.000
TPV20B4325	4,3x25	PH2	1.000	12.000
TPV20B4330	4,3x30	PH2	1.000	6.000
TPV20B4338	4,3x38	PH2	500	6.000
TPV20B4345	4,3x45	PH2	500	3.000
TPV20B4355	4,3x55	PH2	500	3.000

TPVC-40

self-drilling screw with CSK head, pilot point, Ø7.5mm head



PVC windows

ZINC PLATED

ART.	SIZE			
	mm		pcs	pcs
TPV40Z3913	3,9x13	PH2	1.000	24.000
TPV40Z3916	3,9x16	PH2	1.000	16.000
TPV40Z3919	3,9x19	PH2	1.000	12.000
TPV40Z3922	3,9x22	PH2	1.000	12.000
TPV40Z3925	3,9x25	PH2	1.000	12.000
TPV40Z3932	3,9x32	PH2	1.000	6.000
TPV40Z3938	3,9x38	PH2	500	6.000

TPVC-50

self-drilling screw with CSK head, METRIC THREAD, Ø7.5mm head



PVC windows

ZINC PLATED

ART.	SIZE			
	mm		pcs	pcs
TPV50ZM413	M-4x13	PH2	1.000	24.000
TPV50ZM416	M-4x16	PH2	1.000	24.000
TPV50ZM419	M-4x19	PH2	1.000	12.000
TPV50ZM425	M-4x25	PH2	1.000	12.000
TPV50ZM432	M-4x32	PH2	1.000	6.000
TPV50ZM438	M-4 x38	PH2	500	6.000

SCREWS FOR ALUMINUM / STEEL

DIN-7981 / TR81

self-tapping screws with pan head,
DIN-7981




PUNTAS

AVAILABLE SEE PAGE:

P. 85



AVAILABLE IN
RAL COLOURS



ZINC PLATED

ART.	SIZE		pcs	pcs
	mm			
TR81Z29006	2,9x6,5	PH1	1.000	45.000
TR81Z29009	2,9x9,5	PH1	1.000	30.000
TR81Z29013	2,9x13	PH1	1.000	24.000
TR81Z29016	2,9x16	PH1	1.000	24.000
TR81Z29019	2,9x19	PH1	1.000	24.000
TR81Z29022	2,9x22	PH1	1.000	12.000
TR81Z29025	2,9x25	PH1	500	12.000
TR81Z35006	3,5x6,5	PH2	1.000	24.000
TR81Z35009	3,5x9,5	PH2	1.000	24.000
TR81Z35013	3,5x13	PH2	500	22.500
TR81Z35016	3,5x16	PH2	500	12.000
TR81Z35019	3,5x19	PH2	500	12.000
TR81Z35025	3,5x25	PH2	250	11.250
TR81Z35032	3,5x32	PH2	250	6.000
TR81Z39009	3,9x9,5	PH2	500	15.000
TR81Z39013	3,9x13	PH2	500	12.000
TR81Z39016	3,9x16	PH2	500	12.000
TR81Z39019	3,9x19	PH2	500	12.000
TR81Z39022	3,9x22	PH2	250	7.500
TR81Z39025	3,9x25	PH2	250	6.000
TR81Z39032	3,9x32	PH2	250	6.000
TR81Z39038	3,9x38	PH2	250	6.000
TR81Z39045	3,9x45	PH2	250	3.000
TR81Z39050	3,9x50	PH2	250	3.000
TR81Z42009	4,2x9,5	PH2	500	12.000
TR81Z42013	4,2x13	PH2	500	12.000
TR81Z42016	4,2x16	PH2	500	12.000
TR81Z42019	4,2x19	PH2	500	12.000
TR81Z42022	4,2x22	PH2	250	6.000
TR81Z42025	4,2x25	PH2	250	6.000
TR81Z42032	4,2x32	PH2	250	6.000
TR81Z42038	4,2x38	PH2	250	3.000
TR81Z42045	4,2x45	PH2	250	3.000
TR81Z42050	4,2x50	PH2	250	3.000
TR81Z42060	4,2x60	PH2	250	3.000
TR81Z42070	4,2x70	PH2	250	1.500
TR81Z42080	4,2x80	PH2	250	1.500
TR81Z42090	4,2x90	PH2	250	1.500
TR81Z48009	4,8x9,5	PH2	500	12.000
TR81Z48013	4,8x13	PH2	500	8.000
TR81Z48016	4,8x16	PH2	250	6.000
TR81Z48019	4,8x19	PH2	250	6.000
TR81Z48022	4,8x22	PH2	250	6.000

ZINC PLATED

ART.	SIZE		pcs	pcs
	mm			
TR81Z48025	4,8x25	PH2	250	6.000
TR81Z48032	4,8x32	PH2	250	4.000
TR81Z48038	4,8x38	PH2	250	3.000
TR81Z48045	4,8x45	PH2	250	3.000
TR81Z48050	4,8x50	PH2	250	3.000
TR81Z48060	4,8x60	PH2	250	1.500
TR81Z48070	4,8x70	PH2	100	1.200
TR81Z48080	4,8x80	PH2	100	1.200
TR81Z48090	4,8x90	PH2	100	1.200
TR81Z48100	4,8x100	PH2	100	1.200
TR81Z48110	4,8x110	PH2	100	1.200
TR81Z48120	4,8x120	PH2	100	1.200
TR81Z55013	5,5x13	PH3	250	6.000
TR81Z55016	5,5x16	PH3	250	6.000
TR81Z55019	5,5x19	PH3	250	6.000
TR81Z55022	5,5x22	PH3	250	4.000
TR81Z55025	5,5x25	PH3	250	4.000
TR81Z55032	5,5x32	PH3	250	3.000
TR81Z55038	5,5x38	PH3	250	3.000
TR81Z55045	5,5x45	PH3	250	3.000
TR81Z55050	5,5x50	PH3	250	1.500
TR81Z55060	5,5x60	PH3	100	1.200
TR81Z55070	5,5x70	PH3	100	1.200
TR81Z55080	5,5x80	PH3	100	1.200
TR81Z55090	5,5x90	PH3	100	1.200
TR81Z55100	5,5x100	PH3	100	1.200
TR81Z55110	5,5x110	PH3	100	1.200
TR81Z55120	5,5x120	PH3	100	1.200
TR81Z63016	6,3x16	PH3	250	4.000
TR81Z63019	6,3x19	PH3	250	3.000
TR81Z63022	6,3x22	PH3	250	3.000
TR81Z63025	6,3x25	PH3	250	3.000
TR81Z63032	6,3x32	PH3	250	3.000
TR81Z63038	6,3x38	PH3	250	1.500
TR81Z63045	6,3x45	PH3	250	1.500
TR81Z63050	6,3x50	PH3	250	1.500
TR81Z63060	6,3x60	PH3	100	1.200
TR81Z63070	6,3x70	PH3	100	1.200
TR81Z63080	6,3x80	PH3	100	1.200
TR81Z63090	6,3x90	PH3	50	600
TR81Z63100	6,3x100	PH3	50	600
TR81Z63110	6,3x110	PH3	50	600
TR81Z63120	6,3x120	PH3	50	600

DIN-7981 / TR81N

Zinc, BLACK painted




ZINC PLATED BLACK

ART.	SIZE		pcs	pcs
	mm			
TR81N29009	2,9x9,5	PH1	1.000	30.000
TR81N35009	3,5x9,5	PH2	1.000	24.000
TR81N35013	3,5x13	PH2	500	22.500
TR81N35016	3,5x16	PH2	500	12.000
TR81N35019	3,5x19	PH2	500	12.000
TR81N35025	3,5x25	PH2	250	11.250
TR81N42016	4,2x16	PH2	500	12.000
TR81N42019	4,2x19	PH2	500	12.000
TR81N42025	4,2x25	PH2	250	6.000
TR81N42032	4,2x32	PH2	250	6.000
TR81N42038	4,2x38	PH2	250	3.000
TR81N48016	4,8x16	PH2	250	6.000
TR81N48019	4,8x19	PH2	250	6.000

ZINC PLATED BLACK

ART.	SIZE		pcs	pcs
	mm			
TR81N48022	4,8x22	PH2	250	6.000
TR81N48025	4,8x25	PH2	250	6.000
TR81N48032	4,8x32	PH2	250	4.000
TR81N48038	4,8x38	PH2	250	3.000
TR81N48045	4,8x45	PH2	250	3.000
TR81N48050	4,8x50	PH2	250	3.000
TR81N48060	4,8x60	PH2	250	1.500
TR81N48070	4,8x70	PH2	100	1.200
TR81N48080	4,8x80	PH2	100	1.200
TR81N48090	4,8x90	PH2	100	1.200
TR81N48100	4,8x100	PH2	100	1.200
TR81N48110	4,8x110	PH2	100	1.200
TR81N48120	4,8x120	PH2	100	1.200



SCREWS FOR **ALUMINUM / STEEL**

DIN-7981 / TR81P


self-tapping screws with PHILLIPS pan head,
painted White DIN-7981



ZINC PLATED + PAINTED WHITE

PAINTED WHITE

ART.	SIZE			
	mm		pcs	pcs
TR81P35009	3,5x9,5	PH2	1.000	24.000
TR81P35013	3,5x13	PH2	500	22.500
TR81P35016	3,5x16	PH2	500	12.000
TR81P35025	3,5x25	PH2	250	11.250
TR81P42013	4,2x13	PH2	500	12.000
TR81P42025	4,2x25	PH2	250	6.000
TR81P42032	4,2x32	PH2	250	6.000
TR81P48025	4,8x25	PH2	250	6.000



DIN-7982 / TR82

self-tapping screws with 80° pan head,
DIN-7981



PUNTAS

AVAILABLE SEE PAGE:

P. 85



AVAILABLE IN
RAL COLOURS



ZINC PLATED

ART.	SIZE			
	mm		pcs	pcs
TR82Z29006	2,9x6,5	PH1	1.000	45.000
TR82Z29009	2,9x9,5	PH1	1.000	45.000
TR82Z29013	2,9x13	PH1	1.000	45.000
TR82Z29016	2,9x16	PH1	1.000	24.000
TR82Z29019	2,9x19	PH1	1.000	24.000
TR82Z29022	2,9x22	PH1	1.000	24.000
TR82Z29025	2,9x25	PH1	500	12.000
TR82Z35009	3,5x9,5	PH2	1.000	24.000
TR82Z35013	3,5x13	PH2	500	22.500
TR82Z35016	3,5x16	PH2	500	22.500
TR82Z35019	3,5x19	PH2	500	12.000
TR82Z35022	3,5x22	PH2	500	12.000
TR82Z35025	3,5x25	PH2	250	11.250
TR82Z35032	3,5x32	PH2	250	6.000
TR82Z35038	3,5x38	PH2	250	6.000
TR82Z39009	3,9x9,5	PH2	500	22.500
TR82Z39013	3,9x13	PH2	500	22.500
TR82Z39016	3,9x16	PH2	500	12.000
TR82Z39019	3,9x19	PH2	500	12.000
TR82Z39022	3,9x22	PH2	250	11.250
TR82Z39025	3,9x25	PH2	250	6.000
TR82Z39032	3,9x32	PH2	250	6.000
TR82Z39038	3,9x38	PH2	250	6.000
TR82Z39045	3,9x45	PH2	250	3.000
TR82Z39050	3,9x50	PH2	250	3.000
TR82Z42013	4,2x13	PH2	500	15.000
TR82Z42016	4,2x16	PH2	500	12.000
TR82Z42019	4,2x19	PH2	500	12.000
TR82Z42022	4,2x22	PH2	250	11.250
TR82Z42025	4,2x25	PH2	250	6.000
TR82Z42032	4,2x32	PH2	250	6.000
TR82Z42038	4,2x38	PH2	250	6.000
TR82Z42045	4,2x45	PH2	250	3.000

ZINC PLATED

ART.	SIZE			
	mm		pcs	pcs
TR82Z42050	4,2x50	PH2	250	3.000
TR82Z42060	4,2x60	PH2	250	3.000
TR82Z42070	4,2x70	PH2	250	3.000
TR82Z48013	4,8x13	PH2	500	12.000
TR82Z48016	4,8x16	PH2	250	11.250
TR82Z48019	4,8x19	PH2	250	6.000
TR82Z48022	4,8x22	PH2	250	6.000
TR82Z48025	4,8x25	PH2	250	6.000
TR82Z48032	4,8x32	PH2	250	6.000
TR82Z48038	4,8x38	PH2	250	3.000
TR82Z48045	4,8x45	PH2	250	3.000
TR82Z48050	4,8x50	PH2	250	3.000
TR82Z48060	4,8x60	PH2	250	1.500
TR82Z48070	4,8x70	PH2	100	2.400
TR82Z55013	5,5x13	PH3	250	7.500
TR82Z55016	5,5x16	PH3	250	6.000
TR82Z55019	5,5x19	PH3	250	6.000
TR82Z55022	5,5x22	PH3	250	6.000
TR82Z55025	5,5x25	PH3	250	6.000
TR82Z55032	5,5x32	PH3	250	3.000
TR82Z55038	5,5x38	PH3	250	3.000
TR82Z55045	5,5x45	PH3	250	3.000
TR82Z55050	5,5x50	PH3	250	1.500
TR82Z55060	5,5x60	PH3	100	1.200
TR82Z55070	5,5x70	PH3	100	1.200
TR82Z63025	6,3x25	PH3	250	3.000
TR82Z63032	6,3x32	PH3	250	3.000
TR82Z63038	6,3x38	PH3	250	3.000
TR82Z63045	6,3x45	PH3	250	1.500
TR82Z63050	6,3x50	PH3	250	1.500
TR82Z63060	6,3x60	PH3	100	1.200
TR82Z63070	6,3x70	PH3	100	1.200

SCREWS FOR **ALUMINUM / STEEL**

TAU

tapping screws with Hex head stamped washer,
DIN-6928



BOCAS / VASOS
AVAILABLE SEE PAGE:
P. 102



AVAILABLE IN
RAL COLOURS



metal panels

metal elements

ZINC PLATED

ART.	SIZE					
	mm				pcs	pcs
TAU63016	6,3x 16	10	5,00 - 5,10	3	500	3.000
TAU63019	6,3x 19	10	5,00 - 5,10	4	500	3.000
TAU63025	6,3x 25	10	5,00 - 5,10	10	500	3.000
TAU63032	6,3x 32	10	5,00 - 5,10	17	500	3.000
TAU63040	6,3x 40	10	5,00 - 5,10	25	500	2.000
TAU63050	6,3x 50	10	5,00 - 5,10	35	500	1.500
TAU63060	6,3x 60	10	5,00 - 5,10	45	250	1.000
TAU63070	6,3x70	10	5,00 - 5,10	55	100	800
TAU63080	6,3x 80	10	5,00 - 5,10	65	250	1.000
TAU63090	6,3x90	10	5,00 - 5,10	75	100	800
TAU63100	6,3x100	10	5,00 - 5,10	85	250	750
TAU63110	6,3x110	10	5,00 - 5,10	95	250	750
TAU63120	6,3x120	10	5,00 - 5,10	105	250	750
TAU63130	6,3x130	10	5,00 - 5,10	115	250	750
TAU63140	6,3x140	10	5,00 - 5,10	125	100	400
TAU63150	6,3x150	10	5,00 - 5,10	135	100	400
TAU63160	6,3x160	10	5,00 - 5,10	145	50	400
TAU63180	6,3 x 180	10	5,00 - 5,10	165	50	400
TAU63200	6,3 x 200	10	5,00 - 5,10	185	50	400
TAU63220	6,3x220	10	5,00 - 5,10	205	50	400
TAU63240	6,3x240	10	5,00 - 5,10	225	50	400



metal panels

metal elements

ITEMS IN RED ARE AVAILABLE ON REQUEST

WASHER MOUNTED P-14

WASHER MOUNTED P-16

SIZE	ART.		ART.	
mm		pcs		pcs
6,3x 16	TAU1463016	500	TAU1663016	500
6,3x 19	TAU1463019	500	TAU1663019	500
6,3x 25	TAU1463025	500	TAU1663025	500
6,3x 32	TAU1463032	500	TAU1663032	500
6,3x 40	TAU1463040	500	TAU1663040	500
6,3x 50	TAU1463050	250	TAU1663050	250
6,3x 60	TAU1463060	250	TAU1663060	250
6,3x 80	TAU1463080	250	TAU1663080	250
6,3x100	TAU1463100	250	TAU1663100	250
6,3x110	TAU1463110	250	TAU1663110	250
6,3x120	TAU1463120	125	TAU1663120	125
6,3x130	TAU1463130	125	TAU1663130	125
6,3x140	TAU1463140	125	TAU1663140	125
6,3x150	TAU1463150	125	TAU1663150	125

WASHER MOUNTED P-18

WASHER MOUNTED P-25

SIZE	ART.		ART.	
mm		pcs		pcs
6,3x 16	TAU1863016	500	TAU2563016	500
6,3x 19	TAU1863019	500	TAU2563019	500
6,3x 25	TAU1863025	500	TAU2563025	500
6,3x 32	TAU1863032	500	TAU2563032	250
6,3x 40	TAU1863040	500	TAU2563040	250
6,3x 50	TAU1863050	250	TAU2563050	250
6,3x 60	TAU1863060	250	TAU2563060	250
6,3x 80	TAU1863080	250	TAU2563080	125
6,3x100	TAU1863100	250	TAU2563100	100
6,3x110	TAU1863110	250	TAU2563110	100
6,3x120	TAU1863120	125	TAU2563120	100
6,3x130	TAU1863130	125	TAU2563130	100
6,3x140	TAU1863140	125	TAU2563140	100
6,3x150	TAU1863150	125	TAU2563150	100



TAU + ARNE

complete with EPDM washer





TINV
tamper proof screw, TORX 40



ESTINV
star insert, for tamper proof head screw, TORX 40



ZINC PLATED

ART.	SIZE		Ø		
	mm			pcs	pcs
TINVZ6040	6x40	TX40	16,30 - 17,00	100	1.200
TINVZ6050	6x50	TX40	16,30 - 17,00	100	1.200
TINVZ6060	6x60	TX40	16,30 - 17,00	100	600
TINVZ6070	6x70	TX40	16,30 - 17,00	100	600
TINVZ7030	7x30	TX40	16,30 - 17,00	100	1.200
TINVZ7040	7x40	TX40	16,30 - 17,00	100	1.200
TINVZ7050	7x50	TX40	16,30 - 17,00	100	1.200
TINVZ7060	7x60	TX40	16,30 - 17,00	100	600
TINVZ7070	7x70	TX40	16,30 - 17,00	100	600
TINVZ7080	7x80	TX40	16,30 - 17,00	100	600
TINVZ7090	7x90	TX40	16,30 - 17,00	100	600
TINVZ7105	7x105	TX40	16,30 - 17,00	100	600
TINVZ7120	7x120	TX40	16,30 - 17,00	100	600
TINVZ7140	7x140	TX40	16,30 - 17,00	100	400
TINVZ7165	7x165	TX40	16,30 - 17,00	100	300
TINVZ7205	7x205	TX40	16,30 - 17,00	100	300

ZINC PLATED BLACK

ART.	SIZE		Ø		
	mm			pcs	pcs
TINVN6040	6x40	TX40	16,30 - 17,00	100	1.200
TINVN6050	6x50	TX40	16,30 - 17,00	100	1.200
TINVN6060	6x60	TX40	16,30 - 17,00	100	600
TINVN6070	6x70	TX40	16,30 - 17,00	100	600
TINVN7030	7x30	TX40	16,30 - 17,00	100	1.200
TINVN7040	7x40	TX40	16,30 - 17,00	100	1.200
TINVN7050	7x50	TX40	16,30 - 17,00	100	1.200
TINVN7060	7x60	TX40	16,30 - 17,00	100	600
TINVN7070	7x70	TX40	16,30 - 17,00	100	600
TINVN7080	7x80	TX40	16,30 - 17,00	100	600
TINVN7090	7x90	TX40	16,30 - 17,00	100	600

STAINLESS STEEL A2

ART.	SIZE		Ø		
	mm			pcs	pcs
TINVI7050	7x50	TX40	16,30 - 17,00	100	1.200
TINVI7060	7x60	TX40	16,30 - 17,00	100	600
TINVI7070	7x70	TX40	16,30 - 17,00	100	600
TINVI7080	7x80	TX40	16,30 - 17,00	100	600

ZINC PLATED

ART.	DESCR.		
		pcs	pcs
ESTINVZ	STAR TX40	100	1.200

ZINC PLATED BLACK

ART.	DESCR.		
		pcs	pcs
ESTINVN	STAR TX40	100	1.200



GETO WOOD SCREWS TL

Yellow zinc-plated case hardened steel screw with large flange head for wooden carpentry structures.
TORX BIT T30 - T40 x 1 bit included per box.
For use in laminated beams, with special geometry tip to improve insertion into wood, with serrated milled section



ZINC PLATED YELLOW

ART.	Ø x L _v	DESCR.	TORX	t _{fix}		
	mm			mm	pcs	pcs
92229	6x80	GWTL6-80	T30	30	100	800
92230	6x100	GWTL6-100	T30	50	100	800
92231	6x120	GWTL6-120	T30	70	100	800
92232	6x140	GWTL6-140	T30	70	100	800
92233	6x160	GWTL6-160	T30	90	100	800
92234	6x180	GWTL6-180	T30	110	100	800
92153	8x80	GWTL8-80	T40	30	50	400
92154	8x100	GWTL8-100	T40	50	50	400
92155	8x120	GWTL8-120	T40	70	50	400
92156	8x140	GWTL8-140	T40	60	50	400
92157	8x160	GWTL8-160	T40	80	50	400
92158	8x180	GWTL8-180	T40	100	50	400
92159	8x200	GWTL8-200	T40	120	50	400
92160	8x220	GWTL8-220	T40	140	25	200
92161	8x240	GWTL8-240	T40	160	25	200
92162	8x260	GWTL8-260	T40	180	50	300
92163	8x280	GWTL8-280	T40	200	50	300
92164	8x300	GWTL8-300	T40	220	50	300
92165	8x320	GWTL8-320	T40	240	25	150
92166	8x360	GWTL8-360	T40	280	50	150
92167	8x400	GWTL8-400	T40	320	50	150
92168	10x160	GWTL10-160	T40	80	25	200
92169	10x200	GWTL10-200	T40	120	25	150
92170	10x240	GWTL10-240	T40	160	25	150
92171	10x280	GWTL10-280	T40	200	25	150
92172	10x320	GWTL10-320	T40	240	25	150
92173	10x360	GWTL10-360	T40	280	25	150
92174	10x400	GWTL10-400	T40	320	25	150

STEEL YELLOW ZINC PLATED CONICAL WASHER

for use with GETO WOOD TPS screws



ZINC PLATED YELLOW

ART.	SIZE Ø int x Ø ext	DESCR.	FOR SCREW Ø		
	mm		mm	pcs	pcs
92043	7,6x20	GW4-40	6	50	-
92044	9,5x25	GW4-100	8	50	-
92045	11,4x30	GW4-120	10	50	-



wood



SCREWS FOR **WOOD**

GETO WOOD SCREWS

Yellow zinc-plated case hardened steel screw for wooden carpentry structures.

TORX BIT T30 - T40 x 1 bit included per box.

For use in laminated beams, with special geometry tip to improve insertion into wood, with serrated milled section



ZINC PLATED YELLOW

ART.	Ø x L _v	DESCR.	TORX	t _{fix}		
	mm			mm	pcs	pcs
92105	4x40	GW4-40	T20	16	200	3200
92106	4x50	GW4-50	T20	26	200	3200
92107	4x60	GW4-60	T20	30	200	2000
92108	4x70	GW4-70	T20	35	200	3200
92109*	4,5x40	GW4,5-40	T20	16	200	3200
92110*	4,5x50	GW4,5-50	T20	26	200	3200
92111	4,5x60	GW4,5-60	T20	30	200	3200
92112	4,5x70	GW4,5-70	T20	35	200	3200
92113*	5x50	GW5-50	T20	26	200	3200
92114*	5x60	GW5-60	T20	30	200	3200
92115	5x70	GW5-70	T20	35	100	1600
92116	5x80	GW5-80	T20	40	100	1600
92117	5x100	GW5-100	T20	50	100	1600
* Not included in the CE Certification						
92001	6x80	GW6-80	T30	30	100	800
92002	6x100	GW6-100	T30	50	100	800
92003	6x120	GW6-120	T30	70	100	800
92004	6x140	GW6-140	T30	70	100	800
92005	6x160	GW6-160	T30	90	100	800
92006	6x180	GW6-180	T30	110	100	800
92007	6x200	GW6-200	T30	130	100	800
92008	6x220	GW6-220	T30	150	100	800
92009	6x240	GW6-240	T30	170	100	800
92010	6x300	GW6-300	T30	230	100	600
92011	8x80	GW8-80	T40	30	50	400
92012	8x100	GW8-100	T40	50	50	400
92013	8x120	GW8-120	T40	70	50	400
92014	8x140	GW8-140	T40	60	50	400
92015	8x160	GW8-160	T40	80	50	400
92016	8x180	GW8-180	T40	100	50	400
92017	8x200	GW8-200	T40	120	50	400
92018	8x220	GW8-220	T40	140	50	400
92019	8x240	GW8-240	T40	160	50	400
92020	8x260	GW8-260	T40	180	50	400
92021	8x280	GW8-280	T40	200	50	300
92022	8x300	GW8-300	T40	220	50	300
92023	8x320	GW8-320	T40	240	50	300
92024	8x340	GW8-340	T40	260	50	300
92025	8x360	GW8-360	T40	280	50	150
92026	8x380	GW8-380	T40	300	50	150
92027	8x400	GW8-400	T40	320	50	150
92028	10x120	GW10-120	T40	70	50	400
92029	10x140	GW10-140	T40	60	50	400
92030	10x160	GW10-160	T40	80	50	400
92031	10x180	GW10-180	T40	100	50	400
92032	10x200	GW10-200	T40	120	50	400
92033	10x220	GW10-220	T40	140	50	400
92034	10x240	GW10-240	T40	160	50	400
92035	10x260	GW10-260	T40	180	25	200
92036	10x280	GW10-280	T40	200	50	300
92037	10x300	GW10-300	T40	220	50	300
92038	10x320	GW10-320	T40	240	50	300
92039	10x340	GW10-340	T40	260	50	300
92040	10x360	GW10-360	T40	280	50	150
92041	10x380	GW10-380	T40	300	50	150
92042	10x400	GW10-400	T40	320	50	150



SCREWS FOR **WOOD**

TTX-CAB

self-drilling screw with WIDE PAN Head stamped washer, TX recess, milled point type 17



wood

BIO CHROMED

ART.	SIZE				
			pcs	pcs	pcs
TTXCA60030	6,0x30	TX30	200	2.400	
TTXCA60040	6,0x40	TX30	200	2.400	
TTXCA60050	6,0x50	TX30	200	2.400	
TTXCA60060	6,0x60	TX30	200	1.200	
TTXCA60070	6,0x70	TX30	200	1.200	
TTXCA60080	6,0x80	TX30	200	1.200	
TTXCA60100	6,0x100	TX30	100	1.200	
TTXCA60120	6,0x120	TX30	100	600	
TTXCA60140	6,0x140	TX30	100	600	
TTXCA60160	6,0x160	TX30	100	400	
TTXCA60180	6,0x180	TX30	100	300	
TTXCA60200	6,0x200	TX30	100	300	
TTXCA60220	6,0x220	TX30	100	300	
TTXCA60240	6,0x240	TX30	100	900	
TTXCA60260	6,0x260	TX30	100	900	
TTXCA60280	6,0x280	TX30	100	900	
TTXCA60300	6,0x300	TX30	100	900	
TTXCA80050	8,0x50	TX40	100	1.200	
TTXCA80060	8,0x60	TX40	100	600	
TTXCA80070	8,0x70	TX40	100	600	
TTXCA80080	8,0x80	TX40	100	600	
TTXCA80100	8,0x100	TX40	100	600	
TTXCA80120	8,0x120	TX40	100	300	
TTXCA80140	8,0x140	TX40	100	300	
TTXCA80160	8,0x160	TX40	100	300	

BIO CHROMED

ART.	SIZE				
			pcs	pcs	pcs
TTXCA80180	8,0x180	TX40	100	300	
TTXCA80200	8,0x200	TX40	100	300	
TTXCA80220	8,0x220	TX40	100	300	
TTXCA80240	8,0x240	TX40	50	450	
TTXCA80260	8,0x260	TX40	50	450	
TTXCA80280	8,0x280	TX40	50	100	
TTXCA80300	8,0x300	TX40	50	100	
TTXCA80320	8,0x320	TX40	25	150	
TTXCA80360	8,0x360	TX40	50	150	
TTXCA80400	8,0x400	TX40	50	150	
TTXCA10080	10,0x80	TX40	50	300	
TTXCA10100	10,0x100	TX40	50	300	
TTXCA10120	10,0x120	TX40	50	300	
TTXCA10140	10,0x140	TX40	50	300	
TTXCA10160	10,0x160	TX40	50	200	
TTXCA10180	10,0x180	TX40	50	150	
TTXCA10200	10,0x200	TX40	50	150	
TTXCA10220	10,0x220	TX40	50	150	
TTXCA10240	10,0x240	TX40	40	80	
TTXCA10260	10,0x260	TX40	40	80	
TTXCA10280	10,0x280	TX40	40	80	
TTXCA10300	10,0x300	TX40	40	80	
TTXCA10320	10,0x320	TX40	25	150	
TTXCA10360	10,0x360	TX40	25	150	
TTXCA10400	10,0x400	TX40	25	150	

TT-BR

self-drilling screw CSK head, TX recess



wood

ZINC PLATED

ART.	SIZE				
			pcs	pcs	pcs
TTBRZ40030	4,0x30	TX20	500	6.000	
TTBRZ40035	4,0x35	TX20	500	6.000	
TTBRZ40040	4,0x40	TX20	500	6.000	
TTBRZ40045	4,0x45	TX20	200	4.800	
TTBRZ40050	4,0x50	TX20	200	4.800	
TTBRZ40060	4,0x60	TX20	200	2.400	
TTBRZ40070	4,0x70	TX20	200	2.400	

ZINC PLATED

ART.	SIZE				
			pcs	pcs	pcs
TTBRZ50050	5,0x50	TX25	200	2.400	
TTBRZ50060	5,0x60	TX25	200	2.400	
TTBRZ50070	5,0x70	TX25	200	2.400	
TTBRZ50080	5,0x80	TX25	200	2.400	
TTBRZ50090	5,0x90	TX25	100	1.200	
TTBRZ50100	5,0x100	TX25	100	1.200	

DIN-7505-B / TPOR

dome head POZI screw, 40° thread, lubricated



wood

BIO CHROMED

ART.	SIZE				
			pcs	pcs	pcs
TPOR30016	3,0x16	PZ1	1.000	24.000	
TPOR30020	3,0x20	PZ1	1.000	24.000	
TPOR35016	3,5x16	PZ2	1.000	24.000	
TPOR35020	3,5x20	PZ2	1.000	12.000	
TPOR35025	3,5x25	PZ2	1.000	12.000	
TPOR35030	3,5x30	PZ2	1.000	12.000	
TPOR35035	3,5x35	PZ2	500	6.000	
TPOR40016	4,0x16	PZ2	1.000	16.000	
TPOR40020	4,0x20	PZ2	1.000	12.000	
TPOR40025	4,0x25	PZ2	1.000	12.000	
TPOR40030	4,0x30	PZ2	500	6.000	
TPOR40035	4,0x35	PZ2	500	6.000	
TPOR40040	4,0x40	PZ2	500	6.000	
TPOR40050	4,0x50	PZ2	250	3.000	

BIO CHROMED

ART.	SIZE				
			pcs	pcs	pcs
TPOR45016	4,5x16	PZ2	500	12.000	
TPOR45020	4,5x20	PZ2	500	12.000	
TPOR45025	4,5x25	PZ2	500	6.000	
TPOR45030	4,5x30	PZ2	500	6.000	
TPOR45035	4,5x35	PZ2	500	6.000	
TPOR45040	4,5x40	PZ2	500	3.000	
TPOR45045	4,5x45	PZ2	250	3.000	
TPOR50020	5,0x20	PZ2	500	6.000	
TPOR50030	5,0x30	PZ2	250	6.000	
TPOR50040	5,0x40	PZ2	250	3.000	
TPOR50050	5,0x50	PZ2	250	3.000	



DIN-7505-A / TPOZ

CSK PHILLIPS head screw, 40° thread,
Lubricated



wood

ZINC PLATED

ART.	SIZE			
	pcs		pcs	pcs
TPOZ25010	2,5x10	PZ1	1.000	45.000
TPOZ25012	2,5x12	PZ1	1.000	45.000
TPOZ25016	2,5x16	PZ1	1.000	45.000
TPOZ25020	2,5x20	PZ1	1.000	24.000
TPOZ25025	2,5x25	PZ1	1.000	24.000
TPOZ30012	3,0x12	PZ1	1.000	45.000
TPOZ30016	3,0x16	PZ1	1.000	24.000
TPOZ30020	3,0x20	PZ1	1.000	24.000
TPOZ30025	3,0x25	PZ1	1.000	12.000
TPOZ30030	3,0x30	PZ1	1.000	12.000
TPOZ30040	3,0x40	PZ1	1.000	6.000
TPOZ35010	3,5x10	PZ2	1.000	45.000
TPOZ35012	3,5x12	PZ2	1.000	24.000
TPOZ35016	3,5x16	PZ2	1.000	24.000
TPOZ35020	3,5x20	PZ2	1.000	12.000
TPOZ35025	3,5x25	PZ2	1.000	12.000
TPOZ35030	3,5x30	PZ2	1.000	12.000
TPOZ35035	3,5x35	PZ2	500	6.000
TPOZ35040	3,5x40	PZ2	500	6.000
TPOZ35050	3,5x50	PZ2	250	3.000
TPOZ40016	4,0x16	PZ2	1.000	16.000
TPOZ40020	4,0x20	PZ2	1.000	12.000
TPOZ40025	4,0x25	PZ2	1.000	12.000
TPOZ40030	4,0x30	PZ2	500	6.000
TPOZ40035	4,0x35	PZ2	500	6.000
TPOZ40040	4,0x40	PZ2	500	6.000
TPOZ40045	4,0x45	PZ2	500	3.000
TPOZ40050	4,0x50	PZ2	250	3.000
TPOZ40060	4,0x60	PZ2	250	3.000
TPOZ40070	4,0x70	PZ2	250	1.500

ZINC PLATED

ART.	SIZE			
	pcs		pcs	pcs
TPOZ45020	4,5x20	PZ2	500	12.000
TPOZ45025	4,5x25	PZ2	500	6.000
TPOZ45030	4,5x30	PZ2	500	6.000
TPOZ45035	4,5x35	PZ2	500	6.000
TPOZ45040	4,5x40	PZ2	500	3.000
TPOZ45045	4,5x45	PZ2	250	3.000
TPOZ45050	4,5x50	PZ2	250	3.000
TPOZ45060	4,5x60	PZ2	250	3.000
TPOZ45070	4,5x70	PZ2	250	1.500
TPOZ45080	4,5x80	PZ2	100	1.200
TPOZ50020	5,0x20	PZ2	500	6.000
TPOZ50025	5,0x25	PZ2	500	6.000
TPOZ50030	5,0x30	PZ2	250	6.000
TPOZ50035	5,0x35	PZ2	250	3.000
TPOZ50040	5,0x40	PZ2	250	3.000
TPOZ50045	5,0x45	PZ2	250	3.000
TPOZ50050	5,0x50	PZ2	250	3.000
TPOZ50060	5,0x60	PZ2	250	1.500
TPOZ50070	5,0x70	PZ2	100	1.200
TPOZ50080	5,0x80	PZ2	100	1.200
TPOZ50090	5,0x90	PZ2	100	1.200
TPOZ50100	5,0 x100	PZ2	100	1.200
TPOZ50120	5,0 x120	PZ2	100	1.200
TPOZ60040	6,0x40	PZ3	250	3.000
TPOZ60050	6,0x50	PZ3	250	1.500
TPOZ60060	6,0x60	PZ3	250	1.500
TPOZ60070	6,0x70	PZ3	100	1.200
TPOZ60080	6,0x80	PZ3	100	1.200
TPOZ60090	6,0x90	PZ3	100	1.200
TPOZ60100	6,0 x100	PZ3	100	1.200
TPOZ60110	6,0 x110	PZ3	100	600



wood

STAINLESS STEEL A2

ART.	SIZE			
	pcs		pcs	pcs
TPOI23016	3,0x16	PZ1	200	9.000
TPOI23025	3,0x25	PZ1	200	9.000
TPOI23520	3,5x20	PZ2	200	9.000
TPOI23525	3,5x25	PZ2	200	9.000
TPOI23530	3,5x30	PZ2	200	9.000
TPOI23540	3,5x40	PZ2	200	9.000
TPOI24030	4,0x30	PZ2	200	9.000
TPOI24040	4,0x40	PZ2	200	4.800
TPOI24050	4,0x50	PZ2	200	4.800

STAINLESS STEEL A2

ART.	SIZE			
	pcs		pcs	pcs
TPOI24530	4,5x30	PZ2	200	9.000
TPOI24540	4,5x40	PZ2	200	9.000
TPOI24550	4,5x50	PZ2	200	2.400
TPOI25040	5,0x40	PZ2	200	2.400
TPOI25050	5,0x50	PZ2	200	2.400
TPOI25060	5,0x60	PZ2	200	2.400
TPOI25070	5,0x70	PZ2	200	2.400


DIN-7505-A / TPOI

CSK PHILLIPS head screw, 40° thread,
lubricated.

A2 STAINLESS STEEL (A2-304)



CAPS PVC
AVAILABLE SEE PAGE:
P. 104






SCREWS FOR **WOOD**

DIN-7505-A / TTOB

CSK TORX head screw, 40° thread, lubricated



wood

BIO CHROMED

ART.	SIZE			
	mm		pcs	pcs
TTOB30025	3,0x25	TX10	1.000	12.000
TTOB30030	3,0x30	TX10	1.000	12.000
TTOB35016	3,5x16	TX15	1.000	24.000
TTOB35020	3,5x20	TX15	1.000	12.000
TTOB35025	3,5x25	TX15	1.000	12.000
TTOB35030	3,5x30	TX15	1.000	12.000
TTOB35040	3,5x40	TX15	500	6.000
TTOB35050	3,5x50	TX15	250	3.000
TTOB40020	4,0x20	TX20	1.000	12.000
TTOB40025	4,0x25	TX20	1.000	12.000
TTOB40030	4,0x30	TX20	500	6.000
TTOB40035	4,0x35	TX20	500	6.000
TTOB40040	4,0x40	TX20	500	6.000
TTOB40045	4,0x45	TX20	500	3.000
TTOB40050	4,0x50	TX20	250	3.000
TTOB40060	4,0x60	TX20	250	3.000
TTOB40070	4,0x70	TX20	250	1.500
TTOB45030	4,5x30	TX20	500	6.000
TTOB45035	4,5x35	TX20	500	6.000
TTOB45040	4,5x40	TX20	500	3.000
TTOB45045	4,5x45	TX20	250	3.000
TTOB45050	4,5x50	TX20	250	3.000
TTOB45060	4,5x60	TX20	250	3.000
TTOB45070	4,5x70	TX20	250	1.500



wood

BIO CHROMED

ART.	SIZE			
	mm		pcs	pcs
TPOB25010	2,5x10	PZ1	1.000	45.000
TPOB25012	2,5x12	PZ1	1.000	45.000
TPOB25016	2,5x16	PZ1	1.000	45.000
TPOB25020	2,5x20	PZ1	1.000	24.000
TPOB25025	2,5x25	PZ1	1.000	24.000
TPOB30012	3,0x12	PZ1	1.000	45.000
TPOB30016	3,0x16	PZ1	1.000	24.000
TPOB30020	3,0x20	PZ1	1.000	24.000
TPOB30025	3,0x25	PZ1	1.000	12.000
TPOB30030	3,0x30	PZ1	1.000	12.000
TPOB30040	3,0x40	PZ1	1.000	6.000
TPOB35010	3,5x10	PZ2	1.000	45.000
TPOB35012	3,5x12	PZ2	1.000	24.000
TPOB35016	3,5x16	PZ2	1.000	24.000
TPOB35020	3,5x20	PZ2	1.000	12.000
TPOB35025	3,5x25	PZ2	1.000	12.000
TPOB35030	3,5x30	PZ2	1.000	12.000
TPOB35035	3,5x35	PZ2	500	6.000
TPOB35040	3,5x40	PZ2	500	6.000
TPOB35050	3,5x50	PZ2	250	3.000
TPOB40016	4,0x16	PZ2	1.000	16.000
TPOB40020	4,0x20	PZ2	1.000	12.000
TPOB40025	4,0x25	PZ2	1.000	12.000
TPOB40030	4,0x30	PZ2	500	6.000
TPOB40035	4,0x35	PZ2	500	6.000
TPOB40040	4,0x40	PZ2	500	6.000
TPOB40045	4,0x45	PZ2	500	3.000
TPOB40050	4,0x50	PZ2	250	3.000
TPOB40060	4,0x60	PZ2	250	3.000
TPOB40070	4,0x70	PZ2	250	1.500
TPOB45020	4,5x20	PZ2	500	12.000
TPOB45025	4,5x25	PZ2	500	6.000
TPOB45030	4,5x30	PZ2	500	6.000
TPOB45035	4,5x35	PZ2	500	6.000

BIO CHROMED

ART.	SIZE			
	mm		pcs	pcs
TTOB50030	5,0x30	TX25	250	6.000
TTOB50035	5,0x35	TX25	250	3.000
TTOB50040	5,0x40	TX25	250	3.000
TTOB50045	5,0x45	TX25	250	3.000
TTOB50050	5,0x50	TX25	250	3.000
TTOB50060	5,0x60	TX25	250	1.500
TTOB50070	5,0x70	TX25	100	1.200
TTOB50080	5,0x80	TX25	100	1.200
TTOB50090	5,0x90	TX25	100	1.200
TTOB50100	5,0x100	TX25	100	1.200
TTOB50120	5,0x120	TX25	100	1.200
TTOB60060	6,0x60	TX30	250	1.500
TTOB60070	6,0x70	TX30	100	1.200
TTOB60080	6,0x80	TX30	100	1.200
TTOB60090	6,0x90	TX30	100	1.200
TTOB60100	6,0x100	TX30	100	1.200
TTOB60110	6,0x110	TX30	100	600
TTOB60120	6,0x120	TX30	100	600
TTOB60130	6,0x130	TX30	100	600
TTOB60140	6,0x140	TX30	100	600
TTOB60150	6,0x150	TX30	100	600
TTOB60160	6,0x160	TX30	100	300
TTOB60180	6,0x180	TX30	100	300
TTOB60200	6,0x200	TX30	100	300

BIO CHROMED

ART.	SIZE			
	mm		pcs	pcs
TPOB45040	4,5x40	PZ2	500	3.000
TPOB45045	4,5x45	PZ2	250	3.000
TPOB45050	4,5x50	PZ2	250	3.000
TPOB45060	4,5x60	PZ2	250	3.000
TPOB45070	4,5x70	PZ2	250	1.500
TPOB45080	4,5x80	PZ2	100	1.200
TPOB50020	5,0x20	PZ2	500	6.000
TPOB50025	5,0x25	PZ2	500	6.000
TPOB50030	5,0x30	PZ2	250	6.000
TPOB50035	5,0x35	PZ2	250	3.000
TPOB50040	5,0x40	PZ2	250	3.000
TPOB50045	5,0x45	PZ2	250	3.000
TPOB50050	5,0x50	PZ2	250	3.000
TPOB50060	5,0x60	PZ2	250	1.500
TPOB50070	5,0x70	PZ2	100	1.200
TPOB50080	5,0x80	PZ2	100	1.200
TPOB50090	5,0x90	PZ2	100	1.200
TPOB50100	5,0 x100	PZ2	100	1.200
TPOB50120	5,0 x120	PZ2	100	1.200
TPOB60040	6,0x40	PZ3	250	3.000
TPOB60050	6,0x50	PZ3	250	1.500
TPOB60060	6,0x60	PZ3	250	1.500
TPOB60070	6,0x70	PZ3	100	1.200
TPOB60080	6,0x80	PZ3	100	1.200
TPOB60090	6,0x90	PZ3	100	1.200
TPOB60100	6,0 x100	PZ3	100	1.200
TPOB60110	6,0 x110	PZ3	100	600
TPOB60120	6,0 x120	PZ3	100	600
TPOB60130	6,0 x130	PZ3	100	600
TPOB60140	6,0 x140	PZ3	100	600
TPOB60150	6,0 x150	PZ3	100	600
TPOB60160	6,0 x160	PZ3	100	300
TPOB60180	6,0 x180	PZ3	100	300
TPOB60200	6,0 x200	PZ3	100	300
TPOB60220	6,0 x220	PZ3	100	300



wood



GETO BRONZED CHIPBOARD SCREW TPS

POZIDRIVE - Chipboard screw **lubricated**,
no pre-drilling, recommended for use with: particle
board, wood, sheet metal and plastic



BRONZED

ART.	Ø x L _v	DESCR.	POZI	t _{fix}	pcs	pcs
	mm		n°	mm		
74087	2,5x12	GTR 2,5-12BZ	1	-	200	2000
74088	2,5x16	GTR 2,5-16BZ	1	-	200	2000
74089	2,5x20	GTR 2,5-20BZ	1	-	200	2000
74090	2,5x25	GTR 2,5-25BZ	1	-	200	2000
74091	3x12	GTR 3-12BZ	1	-	200	2000
74092	3x16	GTR 3-16BZ	1	-	200	2000
74093	3x20	GTR 3-20BZ	1	-	200	2000
74094	3x25	GTR 3-25BZ	1	-	200	2000
74095	3x30	GTR 3-30BZ	1	-	200	2000
74096	3x35	GTR 3-35BZ	1	-	200	2000
74097	3x40	GTR 3-40BZ	1	-	200	2000
74098	3,5x12	GTR 3,5-12BZ	2	-	200	2000
74099	3,5x16	GTR 3,5-16BZ	2	-	200	2000
74351	3,5x18	GTR 3,5-18BZ	2	-	200	2000
74100	3,5x20	GTR 3,5-20BZ	2	-	200	2000
74101	3,5x25	GTR 3,5-25BZ	2	-	200	2000
74102	3,5x30	GTR 3,5-30BZ	2	-	200	2000
74103	3,5x35	GTR 3,5-35BZ	2	-	200	2000
74104	3,5x40	GTR 3,5-40BZ	2	-	200	2000
74105	3,5x45	GTR 3,5-45BZ	2	-	200	2000
74106	3,5x50	GTR 3,5-50BZ	2	-	200	2000
74107	4x16	GTR 4-16BZ	2	-	200	2000
74108	4x20	GTR 4-20BZ	2	-	200	2000
74109	4x25	GTR 4-25BZ	2	-	200	2000
74110	4x30	GTR 4-30BZ	2	-	200	2000
74111	4x35	GTR 4-35BZ	2	-	200	2000
74112	4x40	GTR 4-40BZ	2	-	200	2000
74113	4x45	GTR 4-45BZ	2	-	200	2000
74114	4x50	GTR 4-50BZ	2	-	200	2000
74115	4x60	GTR 4-60BZ	2	-	200	3200
74117	4,5x20	GTR 4,5-20BZ	2	-	200	2000
74118	4,5x25	GTR 4,5-25BZ	2	-	200	2000
74119	4,5x30	GTR 4,5-30BZ	2	-	200	2000
74120	4,5x35	GTR 4,5-35BZ	2	-	200	2000
74122	4,5x40	GTR 4,5-40BZ	2	-	200	3200
74123	4,5x45	GTR 4,5-45BZ	2	-	200	3200
74124	4,5x50	GTR 4,5-50BZ	2	-	200	3200
74125	4,5x60	GTR 4,5-60BZ	2	-	200	3200
74126	4,5x70	GTR 4,5-70BZ	2	-	200	3200
74127	4,5x80	GTR 4,5-80BZ	2	-	200	1600
74128	5x20	GTR 5-20BZ	2	-	200	2000
74129	5x25	GTR 5-25BZ	2	-	200	2000
74130	5x30	GTR 5-30BZ	2	-	200	2000
74131	5x35	GTR 5-35BZ	2	-	200	2000
74132	5x40	GTR 5-40BZ	2	-	200	3200
74133	5x50	GTR 5-50BZ	2	-	200	3200
74134	5x60	GTR 5-60BZ	2	-	100	1600
74135	5x70	GTR 5-70BZ	2	-	100	1600
74136	5x80/63	GTR 5-80BZ	2	-	100	1600
74137	5x90/63	GTR 5-90BZ	2	-	100	1600
74138	5x100/63	GTR 5-100BZ	2	-	100	1600
74141	6x40	GTR 6-40BZ	2	-	200	3200
74142	6x50	GTR 6-50BZ	2	-	100	2000
74143	6x60	GTR 6-60BZ	2	-	100	1600
74144	6x70/63	GTR 6-70BZ	2	-	100	1600
74145	6x80/63	GTR 6-80BZ	2	-	100	1600
74147	6x100/70	GTR 6-100BZ	2	-	100	800



wood



SELF-TAPPING GETO SCREW FOR WOOD,
flanged Hex Head Ch10, Whit zinc plated, suitable for
fixing corrugated metal sheets on wood and metal
sheets up to 3mm thick



ZINC PLATED

ART.	Ø x L _v	DESCR.	Ch	t _{fix} min		
	mm				pcs	pcs
53100	6,5x40	ATF40	10	tutto filetto	100	800
53101	6,5x50	ATF50	10	tutto filetto	100	800
53102	6,5x60	ATF60	10	tutto filetto	100	800
53103	6,5x70	ATF70	10	13	100	800
53104	6,5x80	ATF80	10	23	100	800
53105	6,5x90	ATF90	10	33	100	800
53106	6,5x100	ATF100	10	43	60	480
53107	6,5x110	ATF110	10	53	50	400
53108	6,5x120	ATF120	10	63	50	400
53109	6,5x130	ATF130	10	73	50	400
53110	6,5x140	ATF140	10	83	50	400
53111	6,5x150	ATF150	10	93	50	400
53112	6,5x160	ATF160	10	103	50	400
53113	6,5x180	ATF180	10	123	50	400
53114	6,5x200	ATF200	10	143	50	400
53115	6,5x220	ATF220	10	163	50	400
53116	6,5x240	ATF240	10	183	50	400



DIN-571 / TBA

HEX Head coach screws for wood



ZINC PLATED

ART.	SIZE			
	mm		pcs	pcs
TBAZ05030	5x 30	8	200	4.800
TBAZ05040	5x 40	8	200	2.400
TBAZ05050	5x 50	8	200	2.400
TBAZ05060	5x 60	8	200	2.400
TBAZ06025	6x 25	10	200	2.400
TBAZ06030	6x 30	10	200	2.400
TBAZ06035	6x 35	10	200	2.400
TBAZ06040	6x 40	10	200	2.400
TBAZ06045	6x 45	10	200	2.400
TBAZ06050	6x 50	10	200	2.400
TBAZ06060	6x 60	10	200	1.200
TBAZ06070	6x 70	10	200	1.200
TBAZ06080	6x 80	10	200	1.200
TBAZ06090	6x 90	10	100	1.200
TBAZ06100	6x100	10	100	1.200
TBAZ06110	6x110	10	100	1.200
TBAZ06120	6x120	10	100	800
TBAZ07030	7x 30	12	200	2.400
TBAZ07040	7x 40	12	200	1.600
TBAZ07050	7x 50	12	200	1.200
TBAZ07060	7x 60	12	100	1.200
TBAZ07070	7x 70	12	100	1.200
TBAZ07080	7x 80	12	100	800
TBAZ07090	7x 90	12	100	400
TBAZ07100	7x100	12	100	600
TBAZ07110	7x110	12	100	600
TBAZ07120	7x120	12	100	600
TBAZ07150	7x150	12	100	400
TBAZ08030	8x 30	13	200	1.200
TBAZ08040	8x 40	13	200	1.200
TBAZ08045	8x 45	13	200	1.200
TBAZ08050	8x 50	13	200	1.200
TBAZ08060	8x 60	13	200	1.200
TBAZ08070	8x 70	13	200	800
TBAZ08080	8x 80	13	200	800
TBAZ08090	8x 90	13	100	600
TBAZ08100	8x100	13	100	600
TBAZ08110	8x110	13	100	600

ZINC PLATED

ART.	SIZE			
	mm		pcs	pcs
TBAZ08120	8x120	13	100	600
TBAZ08130	8x130	13	100	400
TBAZ08140	8x140	13	100	400
TBAZ08150	8x150	13	100	400
TBAZ08160	8x160	13	100	400
TBAZ08180	8x180	13	100	300
TBAZ08200	8x200	13	100	300
TBAZ10040	10x 40	17	100	600
TBAZ10050	10x 50	17	100	600
TBAZ10060	10x 60	17	100	600
TBAZ10070	10x 70	17	100	600
TBAZ10080	10x 80	17	100	400
TBAZ10090	10x 90	17	100	400
TBAZ10100	10x100	17	100	400
TBAZ10110	10x110	17	50	300
TBAZ10120	10x120	17	50	300
TBAZ10130	10x130	17	50	300
TBAZ10140	10x140	17	50	300
TBAZ10150	10x150	17	50	300
TBAZ10160	10x160	17	50	200
TBAZ10180	10x180	17	50	150
TBAZ10200	10x200	17	50	150
TBAZ12060	12x 60	19	50	300
TBAZ12070	12x 70	19	50	300
TBAZ12080	12x 80	19	50	300
TBAZ12090	12x 90	19	50	300
TBAZ12100	12x100	19	50	300
TBAZ12120	12x120	19	50	300
TBAZ12130	12x130	19	50	200
TBAZ12140	12x140	19	50	200
TBAZ12150	12x150	19	50	200
TBAZ12160	12x160	19	50	200
TBAZ12180	12x180	19	50	150
TBAZ12200	12x200	19	50	150
TBAZ12220	12x220	19	25	75
TBAZ12240	12x240	19	25	75
TBAZ12260	12x260	19	25	50
TBAZ14100	14x100	22	50	200

DIN-571 / TBA-RT

HEX Head coach screws for wood



ZINC PLATED

ART.	SIZE			
	mm		pcs	pcs
TBART06050	6x50	10	200	2.400
TBART06060	6x60	10	200	1.200
TBART06070	6x70	10	200	1.200
TBART08050	8x50	13	200	1.200
TBART08060	8x60	13	200	1.200

ZINC PLATED

ART.	SIZE			
	mm		pcs	pcs
TBART08070	8x70	13	200	800
TBART08080	8x80	13	200	800
TBART10060	10x60	17	100	600
TBART10080	10x80	17	100	400

DIN-571 / TBA-INOX A2

HEX Head coach screws for wood
in **A2-304 STAINLESS STEEL**



STAINLESS STEEL A2

ART.	SIZE			
	mm		pcs	pcs
TBAI06040	6x40	10	100	2.400
TBAI06050	6x50	10	100	1.200
TBAI06060	6x60	10	100	1.200
TBAI06070	6x70	10	100	1.200
TBAI08050	8x50	13	100	1.200
TBAI08060	8x60	13	100	600
TBAI08070	8x70	13	100	600

STAINLESS STEEL A2

ART.	SIZE			
	mm		pcs	pcs
TBAI08080	8x80	13	100	600
TBAI08100	8x100	13	100	600
TBAI08120	8x120	13	100	600
TBAI10060	10x60	17	100	600
TBAI10080	10x80	17	100	400
TBAI10100	10x100	17	100	400
TBAI10120	10x120	17	50	300



plasterboard

SCREWS FOR **PLASTERBOARD**

RAPID LASTRO RPC*

BLACK Phosphate coated Dry wall screws



BLACK PHOSPHATE

ART.	Ø x L _v	DESCR.		
	mm		pcs	pcs
TVC25*	3,5x25	RP/C	1000	16000
TVC35*	3,5x35	RP/C	1000	8000
TVC45*	3,5x45	RP/C	1000	8000
TVC55*	3,5x55	RP/C	500	4000
TVC4270*	4,2x70	RP/C	500	4000
TVC4890*	4,8x90	RP/C	250	2000

* Until exhaustion

RAPID LASTRO RPF*

drill point, BLACK Phosphate coated Dry wall screws



BLACK PHOSPHATE

ART.	Ø x L _v	DESCR.		
	mm		pcs	pcs
TVF25*	3,5x25	RP/F	1000	16000
TVF35*	3,5x35	RP/F	1000	8000
TVF45*	3,5x45	RP/F	1000	8000
TVF4270*	4,2x70	RP/F	500	4000

* Until exhaustion

RAPID LASTRO RPL

Zinc plated WAFER head screws, with drill point



ZINC PLATED

ART.	Ø x L _v	DESCR.		
	mm		pcs	pcs
TVL42	4,2x13	RP/L	500	8000
TVL4216	4,2x16	RP/L	500	8000
TVL4219	4,2x19	RP/L	500	8000
TVL4225	4,2x25	RP/L	500	8000

SCREWS FOR **PLASTERBOARD**

TPL

TRUMPET Head plasterboard screw,
double thread with S point.
In BLACK PHOSPHATE finishes



PIN POINT



TPL

TRUMPET Head plasterboard screw,
double thread with S point.
In WHITE ZINC finishes

PLASTIC TUBS



plasterboard

BLACK PHOSPHATE FINISH

ART.	SIZE		CAP.		
	mm			pcs	pcs
TPLN35019	3,5x19	PH2	0,60	1.000	12.000
TPLN35025	3,5x25	PH2	0,60	1.000	12.000
TPLN35035	3,5x35	PH2	0,60	1.000	6.000
TPLN35045	3,5x45	PH2	0,60	500	6.000
TPLN35055	3,5x55	PH2	0,60	500	3.000
TPLN39025	3,9x25	PH2	0,60	1.000	12.000
TPLN39038	3,9x38	PH2	0,60	1.000	6.000
TPLN39048	3,9x48	PH2	0,60	500	3.000
TPLN39058	3,9x58	PH2	0,60	500	3.000
TPLN42065	4,2x65	PH2	0,60	500	3.000

ZINC PLATED

ART.	SIZE		CAP.		
	mm			pcs	pcs
TPLZ42075	4,2x75	PH2	0,60	500	2.000
TPLZ48090	4,8x90	PH2	0,60	500	2.000
TPLZ48100	4,8x100	PH2	0,60	250	1.000
TPLZ48110	4,8x110	PH2	0,60	250	1.000
TPLZ48120	4,8x120	PH2	0,60	250	1.000
TPLZ48130	4,8x130	PH2	0,60	250	1.000

AVAILABLE IN PLASTIC TUBS

ART.	SIZE		CAP.		
	mm			pcs	
TPLN35025BP	3,5x25	PH2	0,60	4.000	
TPLN35035BP	3,5x35	PH2	0,60	3.000	

TPL-CI

dry wall plasterboard screws, MAGAZINE STRIP



TBPL

self-drilling screw for plasterboard,
TRUMPET head



plasterboard

BLACK PHOSPHATE FINISH

ART.	SIZE	PIECES PER STRIP			
	mm			pcs	pcs
TPLCI35025	3,5x25	50		1.000	9.000
TPLCI35035	3,5x35	50		1.000	9.000



plasterboard

BLACK PHOSPHATE FINISH

ART.	SIZE		CAP.		
	mm			pcs	pcs
TBPLN3525	3,5x25	PH2	3,00	1.000	12.000
TBPLN3535	3,5x35	PH2	3,00	1.000	6.000
TBPLN3545	3,5x45	PH2	3,00	500	6.000

SCREWS FOR **PLASTERBOARD**

TPRA

dry wall screw with TRUMPET head, coarse thread.



plasterboard

BLACK PHOSPHATE FINISH

ART.	SIZE			
	mm		pcs	pcs
TPRA39025	3,9x25	PH2	1.000	12.000
TPRA39035	3,9x35	PH2	1.000	6.000
TPRA39045	3,9x45	PH2	500	3.000
TPRA39055	3,9x55	PH2	500	3.000
TPRA48035	4,8x35	PH2	1.000	6.000



plasterboard

ZINC PLATED

ART.	SIZE			
	mm		pcs	pcs
TPCA4213	4,2x13	PH2	1.000	12.000
TPCA4216	4,2x16	PH2	1.000	12.000
TPCA4219	4,2x19	PH2	1.000	12.000
TPCA4225	4,2x25	PH2	1.000	6.000

TPCA

Plasterboard screw with WIDE head



beam IPN

ZINC PLATED

ART.	SIZE	MAX.		
	mm	mm	pcs	pcs
MOR09	Ø 9 INTERN	20	50	150
MOR11	Ø 11 INTERN	21	50	150
MOR13	Ø 13 INTERN	26	-	50
MORM06	M-06 THREADED	20	50	200
MORM08	M-08 THREADED	20	50	200
MORM10	M-10 THREADED	21	50	150
MORM12	M-12 THREADED	26	-	50

MOR

beam CLAMP



TBH

hexagonal magnetic DRIVE SOCKET



ART.	SIZE			
	mm		pcs	pcs
TBH006	1/4" - 6 mm	6	5	240
TBH007	1/4" - 7 mm	7	5	240
TBH008	1/4" - 8 mm	8	5	240
TBH010	1/4" - 10 mm	10	5	240

TPPM

magnetic BIT HOLDER



ART.	SIZE			
	mm		pcs	pcs
TPPM014	1/4"x60	1/4"	5	240

TTC

adhesive screw COVER CAPS for Ø13mm

ART.	COLOUR	 	
		pcs	pcs
TTCBL	WHITE	1.000	24.000
TTCNE	BLACK	1.000	24.000
TTCGR	GREY	1.000	24.000
TTCGM	GREY METAL	1.000	24.000
TTCBE	BEIGE	1.000	24.000
TTCPI	PINE	1.000	24.000
TTCHA	BEECH	1.000	24.000
TTCRO	OAK	1.000	24.000
TTCE	CHERRY	1.000	24.000
TTCSA	SAPELLY	1.000	24.000
TTCNO	WALNUT	1.000	24.000
TTCL0	LINEN TEXTILE-0	1.000	24.000
TTCL1	LINEN TEXTILE-1	1.000	24.000
TTCL3	LINEN TEXTILE-3	1.000	24.000
TTGMR	ROUGH METAL GRAY	1.000	24.000
TTCANT	ANTHRACITE	1.000	24.000




Nylon plugs, for fixing light and medium loads, with main construction materials



BI·FIX


the fixing revolution

the multi-expansion **BI-components** for all building materials





Thanks to **2 materials technology** and **exclusive design**:


- **Secure** and **perfect installation**
- **High load values**
- **1 single plug** to carry out all your projects



Speed and ease of use
Also for *slabs of plasterboard*
High load capacity



PATENTED



**EXTREME HOLD + MAXIMUM ADAPTABILITY =
THE PERFECT FASTENING FOR EVERY SITUATION**




BI-FIX

universal BI-component plug

- "2-Components System" technology
- greater resistance and perfect suitability on all supports
- high load capacity, maximum fixing reliability

PATENTED



BI-FIX - 2 materials



BI-FIX - 2 materials with countersunk screw



BI-FIX - 2 materials with countersunk screw in re-usable bucket EASY BOX



BI-FIX - 2 materials jar EASY-BOX



ART.	Ø x L _t mm	DESCR.	SCREW mm	t _{fix} mm	BOX pcs	CARTON pcs
18100	5x27	BF5-27	-	5	200	6400
18105	6x35	BF6-35	-	10	150	4800
18110	8x45	BF8-45	-	10	100	1600
18115	10x50	BF10-50	-	10	75	1200

ART.	Ø x L _t mm	DESCR.	SCREW mm	t _{fix} mm	BOX pcs	CARTON pcs
18120	5x27	BF5-27V	4x30	5	100	3200
18125	6x35	BF6-35V	4,5x40	10	100	3200
18130	8x45	BF8-45V	5x50	10	50	1600
18135	10x50	BF10-50V	6x60	10	50	800

ART.	Ø x L _t mm	DESCR.	SCREW mm	t _{fix} mm	BOX pcs	CARTON pcs
18140	6x35	BF6-35V	4,5x40	10	250	6
18145	8x45	BF8-45V	5x50	10	100	6

ART.	Ø x L _t mm	DESCR.	SCREW mm	t _{fix} mm	BOX pcs	CARTON pcs
18150	6x35	BF6-35		10	600	6
18155	8x45	BF8-45		10	250	6

Min 1 CARTON = 6 box

EXHIBITORS BI-FIX plugs - 2 materials

ESELF 34

BI-FIX plug with TPS screw (Box + Blister)

ESELF 35

BI-FIX plug with TPS screw (Box)

ART.	cod.	CONTENT	box	box quantity
ESELF34	18125	BI-FIX Ø6x35 + SCREW TPS	6	100
	18130	BI-FIX Ø8x45 + SCREW TPS	6	50
	05307	Blister BI-FIX Ø6x35 + SCREW TPS	5	50
	05308	Blister BI-FIX Ø8x45 + SCREW TPS	4	25
ESELF35	18125	BI-FIX Ø6x35 + SCREW TPS	12	100
	18130	BI-FIX Ø8x45 + SCREW TPS	6	50




ESELF 34



ESELF 35

GL NYLON

- **4-way structure** to increase expansion
- **Elastic collar** to permit a through-fastening
- **New sizes** Ø 6x45mm and Ø 8x50mm
fixable thickness Ø 20mm



**HIGH QUALITY
NYLON**

GL Nylon Anchor multipurpose



GL Nylon Anchor multipurpose bulk packed in Industrial Polybag




GL Nylon Anchor multipurpose in transparent reusable plastic case EASY BOX



GL Nylon Anchor Multipurpose screw chipboard tps cutting zinc plated cross




GL Nylon Anchor multipurpose in transparent reusable plastic case EASY BOX 1 wall bit Ø6x100mm or Ø8x120mm for free



GL Nylon Anchor multipurpose with wide head screw



GL Nylon Anchor multipurpose screw and washer TE mordant



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
65001	5x25	GL5	-	5	200	6400
65002	6x30	GL6	-	10	200	6400
65115	6x45	GL645	-	20	100	3200
65003	8x40	GL8	-	10	150	2400
65116	8x50	GL850	-	20	100	1600
65004	10x50	GL10	-	10	75	1200
65017	12x60	GL12	-	10	25	400
65018	14x70	GL14	-	10	25	400

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	POLYBAG	CARTON
	mm		mm	mm	pcs	pcs
65009	5x25	GL5	-	5	1000	10000
65010	6x30	GL6	-	10	1000	10000
65117	6x45	GL645	-	20	1000	10000
65011	8x40	GL8	-	10	500	10000
65118	8x50	GL850	-	20	500	5000
65012	10x50	GL10	-	10	250	5000
65019	12x60	GL12	-	10	125	2500
65020	14x70	GL14	-	10	50	2000

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
65159	6x30	GL6	-	-	1500	4
65160	8x40	GL8	-	-	800	4

Min. 1 CARTON = 4 box

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
65005	5x25	GL5VPS	4x30	5	100	3200
65006	6x30	GL6VPS	4,5x40	10	100	3200
65119	6x45	GL645VPS	4,5x50	20	100	1600
65007	8x40	GL8VPS	5x50	10	50	1600
65120	8x50	GL850VPS	5x60	20	50	800
65008	10x50	GL10VPS	6x60	10	50	800

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
65089	6x30	GL6VPS BUCKET	4,5x40	10	300	6
65090	8x40	GL8VPS BUCKET	5x50	10	150	6

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
65087	5x25	GL5TL	3,5x30	5	100	2400
65013	6x30	GL6TL	4,5x40	10	100	1600
65014	8x40	GL8TL	5x50	10	50	800

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
65064	8x40	GL8VM	6x50	10	50	800
65065	10x50	GL10VM	7x60	10	25	400
65066	12x60	GL12VM	8x70	10	25	400
65067	14x70	GL14VM	10x80	10	20	320

CONDOR NYLON



**HIGH QUALITY
NYLON**

CONDOR Nylon Anchor without collar



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTC04	4x20	C4	-	-	200	6400
HTC05	5x25	C5	-	-	200	6400
HTC06	6x30	C6	-	-	200	6400
HTC07	7x30	C7	-	-	150	4800
HTC08	8x40	C8	-	-	100	3200
HTC10	10x50	C10	-	-	50	800
HTC12	12x60	C12	-	-	50	800
HTC14	14x80	C14	-	-	25	400
HTC1410	14x100	C14A100	-	-	40	320

CONDOR Nylon Anchor without collar in transparent reusable plastic case **EASY BOX**



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
25163	6x30	C6	-	-	1500	4
25164	8x40	C8	-	-	800	4

Min.1 CARTON = 4 box

CONDOR Nylon Anchor without collar bulked packed in Industrial Polybag



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	POLYBAG	CARTON
	mm		mm	mm	pcs	pcs
HTC50	5x25	C5	-	-	1000	10000
HTC60	6x30	C6	-	-	1000	10000
HTC80	8x40	C8	-	-	500	10000
HTC100	10x50	C10	-	-	250	5000
HTC120	12x60	C12	-	-	125	2500
HTC140	14x80	C14	-	-	50	2000

CONDOR Nylon Anchor without collar bulk packed




ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTC500	5x25	C5	-	-	-	60000
HTC600	6x30	C6	-	-	-	25000
HTC800	8x40	C8	-	-	-	10000
HTC1000	10x50	C10	-	-	-	5000
HTC1200	12x60	C12	-	-	-	2500
HTC1400	14x80	C14	-	-	-	2000

CONDOR Nylon Anchor without collar with white zinc plated cross flat head countersunk screw



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTC55	5x25	C5VPS	4x30	5	100	3200
HTC65	6x30	C6VPS	4,5x40	5	100	3200
HTC85	8x40	C8VPS	5x50	5	100	1600
HTC105	10x50	C10VPS	6x60	10	50	800

CONDOR NYLON



**HIGH QUALITY
NYLON**

CONDOR Nylon Anchor with collar



ART.	Ø x L t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTCB05	5x25	CB5	-	-	200	6400
HTCB06	6x30	CB6	-	-	200	6400
HTCB08	8x40	CB8	-	-	100	3200
HTCB10	10x50	CB10	-	-	50	800
HTCB12	12x60	CB12	-	-	50	400

CONDOR Nylon Anchor with collar bulk packed in Industrial Polybag



ART.	Ø x L t	DESCR.	SCREW	t _{fix}	POLYBAG	CARTON
	mm		mm	mm	pcs	pcs
HTCB50	5x25	CB5	-	-	1000	10000
HTCB60	6x30	CB6	-	-	1000	10000
HTCB80	8x40	CB8	-	-	500	10000
HTCB100	10x50	CB10	-	-	250	5000
HTCB120	12x60	CB12	-	-	125	2500

CONDOR Nylon Anchor with collar bulk packed




ART.	Ø x L t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTCB500	5x25	CB5	-	-	-	60000
HTCB600	6x30	CB6	-	-	-	25000
HTCB800	8x40	CB8	-	-	-	10000
HTCB1000	10x50	CB10	-	-	-	5000
HTCB1200	12x60	CB12	-	-	-	2500

CONDOR Nylon Anchor with collar with white zinc plated cross flat head countersunk screw



ART.	Ø x L t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTCB55	5x25	CB5VPS	4x30	5	100	3200
HTCB65	6x30	CB6VPS	4,5x40	5	100	3200
HTCB85	8x40	CB8VPS	5x50	5	100	1600
HTCB105	10x50	CB10VPS	6x60	10	50	800

UNIVERSAL NYLON



HIGH QUALITY NYLON

UNIVERSAL Nylon Anchor with collar



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HNU06	6x35	NU6/35	-	-	200	3200
HNU08	8x42	NU8/42	-	-	100	1600
HNU080	8x50	NU8/50	-	-	50	800
HNU10	10x60	NU10/60	-	-	50	800

UNIVERSAL Nylon Anchor with collar bulked packed in Industrial Polybag




ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	POLYBAG	CARTON
	mm		mm	mm	pcs	pcs
HNU60	6x35	NU6/35	-	-	1000	5000
HNU80	8x42	NU8/42	-	-	500	5000
HNU0800	8x50	NU8/50	-	-	500	5000
HNU100	10x60	NU10/60	-	-	250	2500

Tasselli l'UNIVERSALE Nylon with collar, with white zinc plated countersunk flat head screw



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HNUV06	6x35	NU6/35V	4x45	10	150	2400
HNUV08	8x42	NU8/42V	4,5x50	8	100	1600
HNUV080	8x50	NU8/50V	4,5x60	10	100	800
HNUV10	10x60	NU10/60V	5x70	10	50	800

GBU NYLON



HIGH QUALITY NYLON

GBU Nylon Anchor with collar



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HGBU06	6x40	GBU6	-	-	200	3200
HGBU08	8x50	GBU8	-	-	100	1600
HGBU10	10x60	GBU10	-	-	50	800

GBU Nylon Anchor with collar bulked packed in Industrial Polybag




ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	POLYBAG	CARTON
	mm		mm	mm	pcs	pcs
HGBU60	6x40	GBU6	-	-	1000	5000
HGBU80	8x50	GBU8	-	-	500	5000
HGBU100	10x60	GBU10	-	-	250	2500

Tasselli GBU Nylon with collar with white zinc plated countersunk flat head screw



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HGBUV06	6x40	GBU6/V	3,5x50	10	100	1600
HGBUV08	8x50	GBU8/V	4,5x60	10	50	800
HGBUV10	10x60	GBU10/V	6x80	10	50	400

CASA NYLON



**HIGH QUALITY
NYLON**

CASA CA9-40 NYLON ANCHOR CASA CA12-45 NYLON ANCHOR



short hook



medium hook



long hook



double nut



eye open



eye closed



TSC screw and combined cut



adjustable flat hook

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTS01	9x40	CA9-40/1	M4	-	100	800
HTL01	12x45	CA12-45/1	M5	-	50	400

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTS02	9x40	CA9-40/2	M4	-	100	800
HTL02	12x45	CA12-45/2	M5	-	50	400

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTS03	9x40	CA9-40/3	M4	-	100	800
HTL03	12x45	CA12-45/3	M5	-	50	400

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTS04	9x40	CA9-40/4	M4x35	25	100	800
HTL04	12x45	CA12-45/4	M5x40	30	50	400


ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTS05	9x40	CA9-40/5	M4	-	100	800
HTL05	12x45	CA12-45/5	M5	-	50	400

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTS06	9x40	CA9-40/6	M4	-	100	800
HTL06	12x45	CA12-45/6	M5	-	50	400

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTS07	9x40	CA9-40/7	M4x50	8	150	1200
HTL07	12x45	CA12-45/7	M5x55	5	100	800

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTL10	12x45	CA12-45/10	M5	-	50	400

CASA NYLON



**HIGH QUALITY
NYLON**

CASA CA9-40/9 Nylon Anchor Rubber bumper black



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTS09	9x40	CA9-40/9	M4	-	25	200

CASA CA9-40/10 Nylon Anchor Rubber bumper white



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTS10	9x40	CA9-40/10	M4	-	25	200

CASA CA9-50 Nylon Anchor CASA CA12-58 Nylon Anchor



short hook

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTS11	9x50	CA9-50/1	M4	-	100	800
HTL11	12x58	CA12-58/1	M5	-	50	400



TSC screw and combined cut

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTS71	9x50	CA9-50/7	M4x60	8	150	1200
HTL71	12x58	CA12-58/7	M5x70	10	50	400



medium hook


ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTL21	12x58	CA12-58/7	M5	-	50	400



eye closed

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTL61	12x58	CA12-58/6	M5	-	50	400

CASA ACCIAIO
BG6-BG8-BG9



stone
concrete solid
brick

CASA Acciaio Anchor



short hook



medium hook



long hook



double nut



eye open



eye closed



TSC screw and combined cut



adjustable flat hook

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HT61	6x30	BG6/1	M3	-	200	3200
HT81	8x35	BG8/1	M4	-	100	800
HT91	9x40	BG9/1	M5	-	100	800

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HT82	8x35	BG8/2	M4	-	100	800
HT92	9x40	BG9/2	M5	-	100	800

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HT88	8x35	BG8/8	M4	20	100	800
HT98	9x40	BG9/8	M5	30	100	800

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HT86	8x35	BG8/6	M4x35	20	100	800
HT96	9x40	BG9/6	M5x45	30	50	400

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HT64	6x30	BG6/4	M3	-	200	3200
HT84	8x35	BG8/4	M4	-	100	800
HT94	9x40	BG9/4	M5	-	50	400

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HT63	6x30	BG6/3	M3	-	200	3200
HT83	8x35	BG8/3	M4	-	100	800
HT93	9x40	BG9/3	M5	-	50	400

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HT65	6x30	BG6/5	M3	5	200	3200
HT85	8x35	BG8/5	M4	5	200	1600
HT95	9x40	BG9/5	M5	5	150	1200

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HT910	9x40	BG9/10	M5	-	50	400

BRIC BCM NYLON Anchor



stone
concrete



solid
brick



semisolid
brick



hollow
brick

ART.	Ø x L t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HBM08	12x72	BCM8	-	-	50	400
HBM10	14x72	BCM10	-	-	50	400

REGGIMENSOLA BCS

Invisible steel bracket for floating shelves



stone
concrete



solid
brick



semisolid
brick




hollow
brick

ART.	Ø x L t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HBC01	12x58	BCS8/70	-	-	20	320
HBC02	12x72	BCS10/100	-	-	20	160
HBC03	12x72	BCS10/150	-	-	20	120
HBC09	14x72	BCS12/120	-	-	20	120
HBC10	14x72	BCS12/145	-	-	20	120
HBC04	14x72	BCS14/120	-	-	10	80
HBC05	14x72	BCS14/145	-	-	10	60
HBC06	14x72	BCS14/170	-	-	10	60

Special Nylon and Metal anchors designed for use in ceilings and hollow walls.
(Plasterboard, Cavity walls and hollow bricks)



ANCORA STEEL DE-DR TOGGLES



ANCORA DR STEEL TOGGLES




ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pz	pz
HAN11	16	DR1	M6x100	-	25	200
HAN12	16	DR2	M6x100	-	25	200
HAN13	20	DR3	M8x115	-	20	160
HAN14	20	DR4	M8x100	-	20	160

ANCORA DE STEEL TOGGLES




ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pz	pz
HAN01	14	DE1	M4x80	-	50	400
HAN02	14	DE2	M4x75	-	50	400
HAN03	14	DE3	M4x75	-	50	400
HAN04	14	DE4	M4x100	-	50	400
HAN05	15	DE5	M4x100	-	50	400

LASTRO NYLON



LASTRO Nylon Anchor

for plasterboard and hollow bricks



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	SUPPORT	BOX	CARTON
	mm		mm	mm		pz	pz
TK20	8x40	LN4-40	-	-	9-16	200	1600
TK21	8x40	LN4-40/1	4x45	-	9-16	200	1600
TK22	8x40	LN4-40/2	4x45	-	9-16	200	1600
TK23	8x40	LN4-40/3	4x45	-	9-16	100	800
TK24	8x40	LN4-40/4	4x45	-	9-16	100	800
TK25	8x40	LN4-40/5	4x45	5	9-16	200	1600

SITA STEEL ANCHOR




SITA STEEL wirehanger

Complete with 6mm hole in head
For concrete ceilings (ø 6 mm)



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pz	pz
TTS660	-	SO6	6x60	-	100	1600

RAPID NYLON ANCHOR RAPID STEEL ANCHOR



RAPID NYLON Anchor

self drilling for plasterboard



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pz	pz
HRN01	16x38	RN	-	-	200	1600

RAPID NYLON Anchor

with countersunk flat head screw
(class 5.8) cross slot white zinc plated



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pz	pz
HRNV01	16x38	RN/V	4x50	7	150	1200

RAPID METAL Plasterboard Anchor

self drilling for plasterboard



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pz	pz
90001	13x31	RA	-	-	200	3200

RAPID METAL Plasterboard Anchor

with cylindrical head screw
white zinc plated





ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pz	pz
90002	13x31	RA-V	4,5x30	5	100	1600

STYLO FIX


fixing in steel for plasterboard, suitable for chipboard screws
diameter 3.5mm - 5mm

- FLAT HEAD for fixing flush to the surface of the support
- FIXING WITHOUT DRILLING, thanks to the serrated tip
- Simple and fast
- NO ROTATION, easy screwing thanks to guide profile
- FIRE RESISTANT
- EASY DISASSEMBLY without damaging the mount



STYLO FIX


knock in Metal dowel, without screw



ART.	Ø x L _t	DESCR.	SCREW	PANEL THICKNESS	BOX	CARTON
	mm		mm	mm	pz	pz
90019	12x30	STY	-	3-13	100	3200

STYLO FIX


knock in Metal dowel with countersunk head screw



ART.	Ø x L _t	DESCR.	Ø x L _v SCREW	PANEL THICKNESS	BOX	CARTON
	mm		mm	mm	pz	pz
90020	12x30	STY-V	4x40	3-13	100	1600

LASTRO STEEL ANCHOR

Special metal anchors designed for use in hollow walls and ceilings.
(Plasterboard and Hollow bricks)



hollow concrete block
plasterboard

LASTRO STEEL WHIT SCREW

hollow wall anchor, outer case only



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	SUPPORT	BOX	CARTON
	mm		mm	mm	mm	pz	pz
48089	M4 8x35	L4-35/1	M4	-	4-9	100	800
48090	M5 10x37	L5-37/1	M5	-	5-13	100	800
48091	M5 10x50	L5-50/1	M5	-	5-18	100	800
48093	M6 11x37	L6-37/1	M6	-	4-13	50	400
48094	M6 11x50	L6-50/1	M6	-	5-18	50	400
48095	M6 11x63	L6-63/1	M6	-	16-32	50	400
48096	M8 14,5x37	L8-37/1	M8	-	4-12	50	400
48097	M8 14,5x53	L8-53/1	M8	-	5-18	50	400
48098	M8 14,5x66	L8-66/1	M8	-	18-32	50	400

LASTRO STEEL SCREW

hollow wall anchor, outer case only



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	SUPPORT	BOX	CARTON
	mm		mm	mm	mm	pz	pz
48083	M4 8x23,5	L4-30/1	M4x30	4	0-4	100	800
48084	M4 8x35	L4-41/1	M4x41	9	4-9	100	800
48011	M4 8x40	L4-46/1	M4x46	12	9-15	200	1600
48063	M4 8x49	L4-65/1	M4x65	15	15-20	100	800
48085	M4 8x60	L4-67/1	M4x67	38	30-38	100	800
48055	M5 10x37	L5-46/1	M5x46	12	5-13	200	1600
48012	M5 10x50	L5-57/1	M5x57	8	5-18	100	800
48062	M5 10x63	L5-70/1	M5x70	8	18-32	100	800
48060	M5 10x80	L5-88/1	M5x98	8	35-49	100	800
48059	M6 11x37	L6-44/1	M6x44	6	4-13	100	800
48013	M6 11x50	L6-57/1	M6x57	8	5-18	50	400
48014	M6 11x63	L6-70/1	M6x70	20	16-32	50	400
48070	M6 11x80	L6-88/1	M6x88	30	33-49	50	400
48086	M8 14,5x37	L8-45/1	M8x45	12	4-12	100	800
48087	M8 14,5x53	L8-60/1	M8x60	18	5-18	50	400
48088	M8 14,5x66	L8-73/1	M8x73	32	18-32	50	400

LASTRO STEEL medium hook



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	SUPPORT	BOX	CARTON
	mm		mm	mm	mm	pz	pz
48015	M4 8x40	L4-46/5	M4x46	12	9-15	50	400
48016	M5 10x50	L5-57/5	M5x57	8	5-18	100	800

LASTRO STEEL closed eye



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	SUPPORT	BOX	CARTON
	mm		mm	mm	mm	pz	pz
48017	M4 8x40	L4-46/4	M4x46	12	9-15	50	400
48018	M5 10x50	L5-57/4	M5x57	8	5-18	100	800

LASTRO STEEL full hook



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	SUPPORT	BOX	CARTON
	mm		mm	mm	mm	pz	pz
48019	M4 8x40	L4-46/3	M4x46	12	9-15	100	800
48020	M5 10x50	L5-57/3	M5x57	8	5-18	100	800

Plier LK
hollow wall anchor setting tool




ART.	Ø x L _t mm	DESCR.	SCREW mm	t _{fix} mm	BOX pz	CARTON pz
TK30	-	LK	-	-	1	8

TWIST
controlled expansion, multi-material nylon plug for single layer plasterboard 5 - 18mm

Facilitates the installation of heavy objects such as shelves, radiators handrails, ceiling lights in all hollow supports

- HIGH LOAD CAPACITY
- EASY FIXING
- Will NOT DAMAGE PLASTERBOARD
- HIGH RESISTANCE due to metal locking nut at the end of plug, used with metric pitch screw
- FIXING CAN BE REMOVED



TWIST
with cylindrical head screw TORX T25




ART.	Ø x L _t	DESCR.	Ø x L _v SCREW mm	t _{fix} mm	TORX	BOX pz	CARTON pz
06003	10x49	TW10V	M5x55	15	T25	25	800

TWIST
with hook



ART.	Ø x L _t	DESCR.	Ø x L _v HOOK mm	Ø HOOK mm		BOX pz	CARTON pz
06004	10x49	TW10G	M5x55	13	-	25	400



Nylon frame anchors and long expansion anchors complete with steel screw. Designed for through fixing of variable thickness profiles and frames.



GX-L NYLON

DESIGN G&B

GX-L NYLON Anchor*

with countersunk flat head screw,
POZIDRIV Ø 5,5 mm



ETAG 020
ETA 12-0261

on line

G&B CALCULATION
PROGRAM 4.3

professional design
of anchorage in concrete

GX-L NYLON Anchor

with countersunk flat head screw TORX T30 and T40
screw Ø 5,5 mm
screw Ø 7 mm steel 5.8



ETAG 020
ETA 12-0261



GX-L
Ø 10 mm

on line

G&B CALCULATION
PROGRAM 4.3

professional design
of anchorage in concrete

GX-L NYLON Anchor

with countersunk flat head screw
TORX T30 and T40
STAINLESS STEEL AISI 316 (A4)



ETAG 020
ETA 12-0261



GX-L
Ø 10 mm


on line

G&B CALCULATION
PROGRAM 4.3

professional design
of anchorage in concrete

GX-L NYLON Anchor

with large head, TORX T30 recess
for special fixings of windows and frames



Rapporto n. 007QI/12

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
97099*	6x60	GXL660V	4x65	20	150	1200
97003*	8x120	GXL8120V	5,5x125	50	50	400

* Until exhaustion


* NOT INCLUDED IN ETA Approval

ART.	Ø x L _t	DESCR.	SCREW	TORX	t _{fix}	BOX	CARTON
	mm		mm		mm	pcs	pcs
97005	8x80	GXL880VT	5,5x85	T30	10	75	600
97006	8x100	GXL8100VT	5,5x105	T30	30	50	400
97007	8x120	GXL8120VT	5,5x125	T30	50	50	400
97035	8x140	GXL8140VT	5,5x145	T30	70	50	400
97177	8x170	GXL8170VT	5,5x175	T30	100	50	400
97178	8x200	GXL8200VT	5,5x205	T30	130	50	300
97008	10x80	GXL1080VT	7x85	T40	10	50	400
97009	10x100	GXL10100VT	7x105	T40	30	50	400
97010	10x120	GXL10120VT	7x125	T40	50	50	400
97011	10x140	GXL10140VT	7x145	T40	70	50	400
97012	10x160	GXL10160VT	7x165	T40	90	50	400
97013	10x200	GXL10200VT	7x205	T40	130	25	150
97014	10x240	GXL10240VT	7x245	T40	170	20	120
97015	10x260	GXL10260VT	7x265	T40	190	20	120

INOX (A4)


ART.	Ø x L _t	DESCR.	SCREW	TORX	t _{fix}	BOX	CARTON
	mm		mm		mm	pcs	pcs
97175	8x80	GXL880VTI	5,5 x 85	T30	10	75	600
97183	8x100	GXL8100VTI	5,5x105	T30	30	50	400
97184	8x120	GXL8120VTI	5,5x125	T30	50	50	400
97016	10x80	GXL1080VTI	7x85	T40	10	50	400
97017	10x100	GXL10100VTI	7x105	T40	30	50	400
97018	10x120	GXL10120VTI	7x125	T40	50	50	400
97019	10x140	GXL10140VTI	7x145	T40	70	25	200
97020	10x160	GXL10160VTI	7x165	T40	90	25	200

ART.	Ø x L _t	DESCR.	SCREW	TORX	t _{fix}	BOX	CARTON
	mm		mm		mm	pcs	pcs
97220	8x80	GXL880VTF	6x80	T30	10	75	600
97221	8x100	GXL8100VTF	6x100	T30	30	50	400



GX-L NYLON

DESIGN G&B



GX-L NYLON Anchor collar Ø 17 mm
with TE flanged screw TORX T40 **Steel 5.8**



with TE flanged screw TORX T40
STAINLESS STEEL AISI 316 (A4)



ETA-020
ETA 12-0261



GX-L
Ø 10 mm

on line



professional design
of anchorage in concrete

INOX (A4)

ART.	Ø x L _t	DESCR.	SCREW	Ch	t _{fix}	BOX	CARTON
	mm		mm		mm	pcs	pcs
97030	10x80	GXL1080VEFT	7x85	13	10	50	400
97031	10x100	GXL10100VEFT	7x105	13	30	50	400
97032	10x120	GXL10120VEFT	7x125	13	50	25	200
97033	10x140	GXL10140VEFT	7x145	13	70	25	200
97034	10x160	GXL10160VEFT	7x165	13	90	25	200
97214	10x80	GXL1080VEFTI	7x85	13	10	50	400
97215	10x100	GXL10100VEFTI	7x105	13	30	50	400
97216	10x120	GXL10120VEFTI	7x125	13	50	25	200

GX-L NYLON Anchor
with hexagonal head screw
screw Ø 5,5 mm
screw Ø 7 mm **steel 5.8**



ETA-020
ETA 12-0261



GX-L
Ø 10 mm

on line



professional design
of anchorage in concrete

INOX (A4)

ART.	Ø x L _t	DESCR.	SCREW	Ch	t _{fix}	BOX	CARTON
	mm		mm		mm	pcs	pcs
97126	8x80	GXL880VE	5,5 x 85	10	10	75	600
97127	8x100	GXL8100VE	5,5x105	10	30	50	400
97128	8x120	GXL8120VE	5,5x125	10	50	50	400
97022	10x80	GXL1080VE	7x85	13	10	50	400
97023	10x100	GXL10100VE	7x105	13	30	50	400
97024	10x120	GXL10120VE	7x125	13	50	50	400
97025	10x140	GXL10140VE	7x145	13	70	25	200
97026	10x160	GXL10160VE	7x165	13	90	25	200
97027	10x200	GXL10200VE	7x205	13	130	25	150
97028	10x240	GXL10240VE	7x245	13	170	20	120
97029	10x260	GXL10260VE	7x265	13	190	20	120

GX-L NYLON Anchor
with hexagonal head screw
STAINLESS STEEL AISI 316 (A4)



ETA-020
ETA 12-0261



GX-L
Ø 10 mm


on line



professional design
of anchorage in concrete

ART.	Ø x L _t	DESCR.	SCREW	Ch	t _{fix}	BOX	CARTON
	mm		mm		mm	pcs	pcs
97118	10x80	GXL1080VEI	7x85	13	10	50	400
97119	10x100	GXL10100VEI	7x105	13	30	50	400
97120	10x120	GXL10120VEI	7x125	13	50	50	400

Tasselli GX-L Nylon - Ø 10 mm
with **VAST - ANTI THEFT SCREW TORX T40 stainless steel 5.8**
with white galvanised screw cover insert



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
97089	10x80	GXL1080VA	7x85	10	50	400
97090	10x100	GXL10100VA	7x105	30	50	400
97091	10x120	GXL10120VA	7x125	50	50	400
97092	10x140	GXL10140VA	7x145	70	25	200
97093	10x160	GXL10160VA	7x165	90	25	200

TORX
hexagonal bit



ART.	LENGTH.	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TIP3	25	TORXT30	-	-	20	200
TIP1	25	TORXT40	-	-	20	200

VAST - ANTI THEFT Screw
TORX T40 **steel 5.8**
with star insert and 1 TORX insert



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TVAS01	-	VAST85	7x85	-	100	600
TVAS02	-	VAST105	7x105	-	100	600
TVAS03	-	VAST125	7x125	-	100	600
TVAS04	-	VAST145	7x145	-	100	600
TVAS05	-	VAST165	7x165	-	100	600

CONDOR CORNICE NYLON



HIGH QUALITY
NYLON

CONDOR CORNICE Nylon Anchor*

with TPS screw TORX T30 and T40



ART.	ART. *	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
TORX	POZI	mm		mm	mm	pcs	pcs
HTVT01	HTV01*	6x60	C6A60V	4x65	30	150	1200
HTVT015	HTV015*	8x60	C8A60V	5,5x65	20	100	800
HTVT02		8x80	C8A80V	5,5x85	40	100	800
HTVT03		8x100	C8A100V	5,5x105	60	50	400
HTVT04	HTV04*	8x120	C8A120V	5,5x125	80	50	400
HTVT06	HTV06*	10x65	C10A65V	7x70	20	50	400
HTVT07	HTV07*	10x80	C10A80V	7x85	35	50	400
HTVT08	HTV08*	10x100	C10A100V	7x105	55	50	400
HTVT09	HTV09*	10x115	C10A115V	7x125	70	50	400
HTVT10		10x135	C10A135V	7x145	90	25	200
HTVT11	HTV11*	10x160	C10A160V	7x165	115	25	200

* Until exhaustion version with POZIDRIV screw


CONDOR CORNICE Nylon Anchor

with hexagonal head
screw Ø 5,5 mm
screw Ø 7 mm Steel 5.8



ART.	Ø x L _t	DESCR.	SCREW	Ch	t _{fix}	BOX	CARTON
	mm		mm		mm	pcs	pcs
HTVE015	8x60	C8A60VE	5,5x65	10	20	100	800
HTVE02	8x80	C8A80VE	5,5x85	10	40	75	600
HTVE03	8x100	C8A100VE	5,5x105	10	60	50	400
HTVE04	8x120	C8A120VE	5,5x125	10	80	50	400
HTVE07	10x80	C10A80VE	7x85	13	35	50	400
HTVE08	10x100	C10A100VE	7x105	13	55	50	400
HTVE09	10x115	C10A115VE	7x125	13	70	50	400
HTVE10	10x135	C10A135VE	7x145	13	90	25	200
HTVE11	10x160	C10A160VE	7x165	13	115	25	200

LATER CORNICE NYLON




LATER CORNICE Nylon Anchor Ø 8 mm




ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
19060	8x80	C8A80LU	-	-	100	800
19061	8x100	C8A100LU	-	-	100	800
19062	8x120	C8A120LU	-	-	100	800
19063	8x140	C8A140LU	-	-	100	800

LATER CORNICE Nylon Anchor - Ø 10 mm



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
19005	10x80	C10A80LU	-	-	100	800
19001	10x100	C10A100LU	-	-	100	800
19002	10x120	C10A120LU	-	-	100	800
19003	10x140	C10A140LU	-	-	50	400
19004	10x160	C10A160LU	-	-	50	400
HTLA1216	12x160	C12A160LU	-	-	-	800

LATER CORNICE NYLON



LATER CORNICE Nylon Anchor - Ø 10 mm* with countersunk POZIDRIV flat head screw Steel 5.8



ART.	Ø x L _t mm	DESCR.	SCREW mm	t _{fix} mm	BOX pcs	CARTON pcs
HTLAU10*	10x80	C10A80LUV	7x85	5	50	400
HTLAU08*	10x100	C10A100LUV	7x105	25	50	400
HTLAU04*	10x120	C10A120LUV	7x125	45	50	400
HTLAU06*	10x160	C10A160LUV	7x165	85	25	200
HTLAU09*	10x200	C10A200LUV	7x205	125	25	150

* Until exhaustion

LATER CORNICE Nylon Anchor - Ø 8 mm with countersunk TORX slotted flat head screw TORX T40



ART.	Ø x L _t mm	DESCR.	SCREW mm	t _{fix} mm	BOX pcs	CARTON pcs
HTLAUT11	8x60	C8A60LUVT	5,5x65	5	100	800
HTLAUT01	8x80	C8A80LUVT	5,5x85	35	50	400
HTLAUT02	8x100	C8A100LUVT	5,5x105	55	50	400
HTLAUT03	8x120	C8A120LUVT	5,5x125	75	50	400
HTLAUT07	8x140	C8A140LUVT	5,5x145	95	50	400

LATER CORNICE Nylon Anchor - Ø 10 mm with countersunk TORX slotted flat head screw TORX T40 Steel 5.8




ART.	Ø x L _t mm	DESCR.	SCREW mm	t _{fix} mm	BOX pcs	CARTON pcs
HTLAUT10	10x80	C10A80LUVT	7x85	5	50	400
HTLAUT08	10x100	C10A100LUVT	7x105	25	50	400
HTLAUT04	10x120	C10A120LUVT	7x125	45	50	400
HTLAUT05	10x140	C10A140LUVT	7x145	65	25	200
HTLAUT06	10x160	C10A160LUVT	7x165	85	25	200
HTLAUT09	10x200	C10A200LUVT	7x205	125	25	150

LATER CORNICE Nylon Anchor - Ø 10 mm with hexagonal head screw Steel 5.8



ART.	Ø x L _t mm	DESCR.	SCREW mm	Ch mm	t _{fix} mm	BOX pcs	CARTON pcs
HTLAUE10	10x80	C10A80LUV	7x85	13	5	50	400
HTLAUE08	10x100	C10A100LUV	7x105	13	25	50	400
HTLAUE04	10x120	C10A120LUV	7x125	13	45	50	400
HTLAUE05	10x140	C10A140LUV	7x145	13	65	25	200
HTLAUE06	10x160	C10A160LUV	7x165	13	85	25	200
HTLAUE09	10x200	C10A200LUV	7x205	13	125	25	150

LATER CORNICE Nylon Anchor - Ø 12 mm with hexagonal head screw Steel 5.8



ART.	Ø x L _t mm	DESCR.	SCREW mm	Ch mm	t _{fix} mm	BOX pcs	CARTON pcs
HTLAUE11	12x160	C12A160LUV	10x160	17	60	25	225
HTLAUE12	12x200	C12A200LUV	10x200	17	100	20	180
HTLAUE13	12x240	C12A240LUV	10x240	17	140	20	120

Tasselli LATER CORNICE Nylon - Ø 16 mm with hexagonal head flanged screw TORX T40



ART.	Ø x L _t mm	DESCR.	SCREW mm	Ch mm	t _{fix} mm	BOX pcs	CARTON pcs
37093	16x140	C16A140LUVFL	12x150	19	20	10	80
37094	16x160	C16A160LUVFL	12x170	19	40	10	80
37095	16x200	C16A200LUVFL	12x210	19	80	10	60
37096	16x240	C16A240LUVFL	12x250	19	120	10	60

TURBO JET NYLON



**CE CERTIFIED
FOR APPLICATIONS ON
CONCRETE/STONE
AND SOLID MASONRY**

TURBO JET Nylon Anchor
with countersunk collar
countersunk flat head nail screw white zinc plated



PREASSEMBLED




EAD 330196-01-0604
base material: a,b
Ø5, Ø6, Ø8

on line

G&B CALCULATION
PROGRAM 4.3

professional design
of anchorage in concrete



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
93025	5x27	TJ5-27SV	3,5x32	5	100	3200
93026	5x37	TJ5-37SV	3,5x42	15	100	3200
93027	5x47	TJ5-47SV	3,5x52	25	100	1600
93028	6x32	TJ6-32SV	3,8x37	5	100	1600
93029	6x40	TJ6-40SV	3,8x45	10	100	1600
93030	6x55	TJ6-55SV	3,8x60	25	100	1600
93031	6x67	TJ6-67SV	3,8x72	37	100	800
93032	6x80	TJ6-80SV	3,8x85	50	50	800
93033	8x45	TJ8-45SV	4,8x50	10	100	800
93034	8x60	TJ8-60SV	4,8x65	25	100	800
93035	8x75	TJ8-75SV	4,8x80	40	100	800
93036	8x100	TJ8-100SV	4,8x105	65	50	400
93037	8x120	TJ8-120SV	4,8x125	85	50	400
93038	8x135	TJ8-135SV	4,8x140	100	50	400

TURBO JET NYLON Anchor
in a transparent plastic bucket
EASYBOX reusable



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
93260	5x27	TJ5-27SV	3,5x32	5	800	4
93261	6x40	TJ6-40SV	3,8x45	10	400	4

Min.1 CARTON = 6 box

TURBO JET Nylon Anchor
with countersunk collar
countersunk flat head nail screw
STAINLESS STEEL AISI 304 (A2)

INOX (A2)



PREASSEMBLED




EAD 330196-01-0604
base material: a,b
Ø5, Ø6, Ø8

on line

G&B CALCULATION
PROGRAM 4.3

professional design
of anchorage in concrete



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTTSI21	5x27	TJ5-27SVI	3,5x32	5	100	800
HTTSI22	5x50	TJ5-50SVI	3,5x55	25	100	1600
HTTSI23	6x40	TJ6-40SVI	3,8x45	10	100	1600
HTTSI24	6x55	TJ6-55SVI	3,8x60	25	100	1600
HTTSI30	6x80	TJ6-80SVI	3,8x85	50	50	800
HTTSI25	8x60	TJ8-60SVI	4,8x65	20	100	800
HTTSI26	8x75	TJ8-80SVI	4,8x80	40	100	800
HTTSI27	8x100	TJ8-100SVI	4,8x105	60	50	400
HTTSI28	8x120	TJ8-120SVI	4,8x125	80	50	400

TURBO JET Nylon Anchor
with flat collar grey RAL 7035
countersunk flat head nail screw white zinc plated



PREASSEMBLED




EAD 330196-01-0604
base material: a,b
Ø5, Ø6, Ø8

on line

G&B CALCULATION
PROGRAM 4.3

professional design
of anchorage in concrete



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
93011	5x27	TJ5-27V	3,5x32	5	100	3200
93012	5x37	TJ5-37V	3,5x42	15	100	3200
93013	5x47	TJ5-47V	3,5x52	25	100	1600
93014	6x32	TJ6-32V	3,8x37	5	100	1600
93015	6x40	TJ6-40V	3,8x45	10	100	1600
93016	6x55	TJ6-55V	3,8x60	25	100	1600
93017	6x67	TJ6-67V	3,8x72	37	100	800
93018	6x80	TJ6-80V	3,8x85	50	50	800
93019	8x45	TJ8-45V	4,8x50	10	100	800
93020	8x60	TJ8-60V	4,8x65	25	100	800
93021	8x75	TJ8-75V	4,8x80	40	100	800
93022	8x100	TJ8-100V	4,8x105	65	50	400
93023	8x120	TJ8-120V	4,8x125	85	50	400
93024	8x135	TJ8-135V	4,8x140	100	50	400

TURBO JET Nylon Anchor
with flat collar
countersunk flat head nail screw
white zinc plated
bulked packed in Industrial Polybag



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	POLYBAG	CARTON
	mm		mm	mm	pcs	pcs
93527	5x27	TJ5-27V	3,5x32	5	800	4800
93632	6x32	TJ6-32V	3,8x37	5	600	3600
93640	6x40	TJ6-40V	3,8x45	10	500	3000

TURBO JET NYLON



stone
concrete solid
brick

CERTIFICATO CE
PER APPLICAZIONI SU
CALCESTRUZZO/PIETRA
E MURATURA PIENA

Tasselli TURBO JET Nylon - Ø 10 mm
with countersunk collar grey RAL 7035
countersunk flat head nail screw
STAINLESS STEEL AISI 304 (A2)



PREASSEMBLED

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
41242	10x100	T10-100SV	6x105	50	50	400
41243	10x120	T10-120SV	6x125	70	50	400
41244	10x140	T10-140SV	6x145	90	25	200
41245	10x160	T10-160SV	6x165	110	25	150

Tasselli TURBO JET Nylon
with rounded collar grey RAL 7035
countersunk flat head nail screw white zinc plated



PREASSEMBLED



EAD 330196-01-0604
base material: a,b
Ø5, Ø6, Ø8

on line
G&B CALCULATION
PROGRAM 4.3
professional design
of anchorage in concrete

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
93001	5x27	TJ5-27B	3,5x32	5	100	3200
93002	5x37	TJ5-37B	3,5x42	15	100	3200
93003	6x32	TJ6-32B	3,8x37	5	100	1600
93004	6x40	TJ6-40B	3,8x45	10	100	1600
93005	6x55	TJ6-55B	3,8x60	25	50	800
93006	8x45	TJ8-45B	4,8x50	10	100	800
93007	8x60	TJ8-60B	4,8x60	25	100	800

TURBO JET Nylon Anchor
with rounded collar dark brown
with black countersunk nail screw



PREASSEMBLED

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
93008	6x32	TJ6-32BM	3,8x40	5	100	1600
93009	6x40	TJ6-40BM	3,8x50	10	100	1600
93010	6x55	TJ6-55BM	3,8x60	25	100	800

TURBO JET Nylon Anchor
with rounded collar dark brown
with copper countersunk nail screw



PREASSEMBLED

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
93039	6x32	TJ6-32BR	3,8x40	5	100	1600
93040	6x40	TJ6-40BR	3,8x50	10	100	1600
93041	6x55	TJ6-55BR	3,8x60	25	100	800

TURBO JET Nylon Anchor
with rounded collar and nail screw M6



PREASSEMBLED



EAD 330196-01-0604
base material: a,b
Ø5, Ø6, Ø8

on line
G&B CALCULATION
PROGRAM 4.3
professional design
of anchorage in concrete

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
93042	6x40	TJ6-40VF	4x45	-	100	1600

Tasselli TURBO Nylon
for baseboard with bronzed nail screw



PREASSEMBLED

ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTT20	4x30	T4-30SV	2,5x35	10	200	6400

INFISSO NYLON ANCHOR


INFISSO NYLON Anchor with countersunk steel screw



PREASSEMBLED



Rapporto n. 007QI/12




ART.	Ø x L t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTF50	8x80	K8C80	5x85	30	100	800
HTF51	8x100	K8C100	5x105	50	100	800
HTF53	8x140	K8C140	5x145	90	50	400
HTF60	10x80	K10C80	6x85	30	100	800
HTF61	10x100	K10C100	6x105	50	100	800
HTF62	10x120	K10C120	6x125	70	100	800
HTF63	10x140	K10C140	6x145	90	50	400
HTF64	10x165	K10C165	6x165	115	50	400

SCREW COVER CAPS (for INFISSO NYLON)




ART.	Ø x L t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HCL15	-	COVER CAPS CL15 WHITE	-	-	50	1000

MOUNTING KIT FOR SATELLITE DISHES




ART.	CONTENT	QUANTITY	POLYBAG	CARTON
		pcs	pcs	pcs
	LONG EXPANSION FRAME PLUG LATER CORNICE 12x130 BOLT	4		
KIT HTLAUE1213	10x140 BOLT DIN 571	4	1	25
	M10 WASHERS DIN 9021	4		

**Plumbing and Electrical fixing systems
with accessories**



PLUMBING AND ELECTRICAL FIXING SYSTEMS WITH ACCESSORIES



stone
concrete

solid
brick

semisolid
brick

**SANIFIS SF2 - with
stainless steel screw**
Anchor for fixing of sanitary wear

INOX (A2)



ART.	Ø x L _t mm	DESCR.	BAR mm	BOX pcs	CARTON box
HSF02	8x40	SF2	M6x80	1	50

SANIFIS SF3
Anchor for fixing of sanitary wear



ART.	Ø x L _t mm	DESCR.	BAR mm	BOX pcs	CARTON box
HSF310	10x50	SF3/100	8x100	2	25
HSF320	12x60	SF3/120	10x120	2	25
HSF340	14x70	SF3/140	10x140	2	25

SANIFIS SF5
FIXING FOR WASHBASIN
with steel nut & GL nylon plug




ART.	Ø x L _t mm	DESCR.	BAR mm	BOX pcs	CARTON box
HSF510	10x50	SF5/100	8x100	2	25
HSF520	12x60	SF5/120	10x120	2	25
HSF540	14x70	SF5/140	10x140	2	25

SANIFIS SF4
Anchor for fixing of sanitary wear, for the
installation of water heaters and boilers



ART.	Ø x L _t mm	DESCR.	CODETTA mm	BOX pcs	CARTON box
HSF410	10x50	SF4/10	8x65	1	50
HSF412	12x60	SF4/12	10x75	1	50
HSF414	14x70	SF4/14	10x95	1	25

BRIC BCM



stone
concrete

solid
brick

semisolid
brick

hollow
brick

BRIC BCM Nylon Anchor



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HBM08	12x72	BCM8	-	-	50	400
HBM10	14x72	BCM10	-	-	50	400

BRIC BCM/V Nylon Anchor with hexagonal head screw



ART.	Ø x L _t	DESCR.	SCREW	t _{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HBV08	12x72	BCM8/V	M8x80	10	50	400
HBV10	14x72	BCM10/V	M10x80	8	25	200

SANI-FIS SANITARY FIXINGS



stone
concrete

solid
brick

semisolid
brick

BRIC BCM NYLON ANCHOR

Anchor for fixing of sanitary wear, water heaters and boilers



ART.	Ø x L _t	DESCR.	BAR	BOX	CARTON
	mm		mm	pcs	box
HBT01	14x72	BCM10/120	10x130	1	25

BRIC BCM NYLON ANCHOR

Anchor for fixing of sanitary wear, water heaters and boilers



ART.	Ø x L _t	DESCR.	GANCIO	BOX	CARTON
	mm		mm	pcs	box
HBG01	14x72	BCM10/414	10x95	1	50

PLUMBING AND ELECTRICAL FIXING SYSTEMS WITH ACCESSORIES

LOCKING AND CABLING NYLON TIES (POLYAMIDE 6.6)*

color: black



materials classified UL94V2
according to CE European regulations


SPECIAL POLYAMIDE CABLE TIES

color: black



LOCKING AND CABLING NYLON TIES (POLYAMIDE 6.6)*

color: white



materials classified UL94V2
according to CE European regulations

SPECIAL POLYAMIDE CABLE TIES 6.6

color: greenRAL 6024



Flame resistance: UL 94 class V-2 compliant
Compliant with Directive 2002/95/EC (RoHS)

● FOR THE GARDEN / AGRICULTURE SECTOR

ART.	LENGTH X WIDTH	DESCR.	POLYBAG	BOX	CARTON
	mm		pcs	pcs	pcs
HFN1025	100x2,5	-	100	5x100	15000
HFN1425	140x2,5	-	100	5x100	12000
HFN2025	200x2,5	-	100	5x100	10000
HFN1436	140x3,6	-	100	5x100	10000
HFN2036	200x3,6	-	100	5x100	7000
HFN2936	290x3,6	-	100	5x100	4500
HFN3636	360x3,6	-	100	5x100	6000
HFN2048	200x4,8	-	100	5x100	5000
HFN2548	250x4,8	-	100	5x100	5000
HFN2948	290x4,8	-	100	5x100	3500
HFN3648	360x4,8	-	100	5x100	4500
HFN3948	390x4,8	-	100	5x100	5000
HFN4348	430x4,8	-	100	5x100	5000
HFN5348	530x4,8	-	100	5x100	3000
HFN2576	250x7,6	-	100	5x100	2500
HFN3676	360x7,6	-	100	5x100	2500
HFN4576	450x7,6	-	100	5x100	2000
HFN5476	540x7,6	-	100	5x100	1500
HFN7576	750x7,6	-	100	5x100	1000
HFN7888	780x8,8	-	100	5x100	1000
HFN5390	530x9,0	-	100	5x100	1500
HFN10290	1020x9,0	-	100	5x100	1000

* selling on complete package = 500 pcs

ART.	LENGTH X WIDTH	DESCR.	POLYBAG	CARTON
	mm		pcs	pcs
HFN1890	180x9	SINGLE HEAD	500	2000
HFN2690	260x9	DOUBLE HEAD	100	1500
HFN3690	360x9	DOUBLE HEAD	100	1500

ART.	LUNGH. x LARGH.	DESCR.	POLYBAG	BOX	CARTON
	mm		pcs	pcs	pcs
HFB1025	100x2,5	-	100	5x100	15000
HFB1425	140x2,5	-	100	5x100	12000
HFB2025	200x2,5	-	100	5x100	10000
HFB1436	140x3,6	-	100	5x100	10000
HFB2036	200x3,6	-	100	5x100	7000
HFB2936	290x3,6	-	100	5x100	4500
HFB3636	360x3,6	-	100	5x100	6000
HFB2048	200x4,8	-	100	5x100	5000
HFB2548	250x4,8	-	100	5x100	5000
HFB2948	290x4,8	-	100	5x100	3500
HFB3648	360x4,8	-	100	5x100	4500
HFB3948	390x4,8	-	100	5x100	5000
HFB4348	430x4,8	-	100	5x100	5000
HFB5348	530x4,8	-	100	5x100	3000
HFB2576	250x7,6	-	100	5x100	2500
HFB3676	360x7,6	-	100	5x100	2500
HFB4576	450x7,6	-	100	5x100	2000
HFB5576	550x7,6	-	100	5x100	1000
HFB7576	750x7,6	-	100	5x100	1000
HFB7888	780x8,8	-	100	5x100	1000
HFB5390	530x9,0	-	100	5x100	1500
HFB10290	1020x9,0	-	100	5x100	1000

* selling on complete package = 500 pcs

ART.	LENGTH X WIDTH	DESCR.	POLYBAG	BOX	CARTON
	mm		pcs	pcs	pcs
HFB1025	100x2,5	RAL 6024	100	5x100	15000
HFB1436	140x3,6	RAL 6024	100	5x100	10000
HFB2036	200x3,6	RAL 6024	100	5x100	7000
HFB2048	200x4,8	RAL 6024	100	5x100	5000
HFB2948	290x4,8	RAL 6024	100	5x100	3500

* selling on complete package = 500 pcs

PLUMBING AND ELECTRICAL FIXING SYSTEMS WITH ACCESSORIES

BIDIRECTIONAL SELF-ADHESIVE TIE

with special adhesive
natural color



ART.	SIZE	DESCR.	WIDTH MAX TIE	POLYBAG	CARTON
	mm		mm	pcs	pcs
HBD01	19x19	-	3,6	100	5000
HBD02	27x27	-	4,8	100	3500

NYLON 6 SADDLE TYPE TIE MOULD

color: black or white



ART.	MISURE	DESCR.	FORO	WIDTH MAX TIE	POLYBAG	CARTON
	mm		mm	mm	pcs	pcs
HTFN01	10x43	F10-BLACK	8	9	100	1000
HTFB01	10x43	F10-WHITE	8	9	100	1000

TOOLS FOR CABLE TIES



ART.	DESCR.	WIDTH MAX TIE	BOX	CARTON
		mm	pcs	pcs
TK40	PF01	9	1	10

FAST CLIP - NYLON SUPPORTS

for fastening plastic tubes
with diameter from 16 to 50 mm, and wires.



ART.	Ø x L _t	DESCR.	Ø TUBE	BOX	CARTON
	mm		mm	pcs	pcs
HFC01	.	FC16	16	100	800
HFC02	.	FC20	20	100	800
HFC03	.	FC25	25	100	600
HFC04	.	FC32	32	50	400
HFC05	.	FC40	40	50	300
HFC06	.	FC50	50	25	200

FAST QUADRO - NYLON SUPPORTS

for fastening plastic tubes with diameter from 12
to 43 mm, and wires.



ART.	Ø x L _t	DESCR.	Ø TUBE	BOX	CARTON
	mm		mm	pcs	pcs
HFQ02	.	FQ20	12-20	100	2400
HFQ03	.	FQ24	16-24	50	1500
HFQ04	.	FQ30	18-30	50	1200
HFQ05	.	FQ40	27-43	25	600

SUPPORTS FAST FIX

for tubes.. Ø16-63



ART.	Ø x L _t	DESCR.	Ø TUBE	BOX	CARTON
	mm		mm	pcs	pcs
HFF01	.	FF32	16-32	100	1000
HFF02	.	FF63	40-63	50	500

PLUMBING AND ELECTRICAL FIXING SYSTEMS WITH ACCESSORIES

STEEL PERFORATED BANDING right type with single hole



STEEL PERFORATED BANDING right type with multiple holes



TISSUE BANDING



GEBOPIN

Percussion nail pin for fixing
of the perforated banding



PGP PERCUSSOR for nail pin GEBOPIN



stone
concrete

ART.	WIDTH x THICKNESS mm	DESCR.	ROLL mt.	CARTON pcs
850011	12x0,8	BPD12D	10	10
850028	17x0,8	BPD17D	10	10


ART.	WIDTH x THICKNESS mm	DESCR.	ROLL mt.	CARTON pcs
850035	17x0,8	BPD17E	10	10
850066	25x0,8	BPD25E	10	5

ART.	WIDTH x THICKNESS mm	DESCR.	ROLL mt.	CARTON pcs
85007	16x0,8	BT1610	10	10
85008	16x0,8	BT1625	25	10

ART.	Ø x L mm	DESCR.	BOX pcs	CARTON pcs
TCHI14	4x14	GP1	200	4000
TCHI18	4x18	GP2	200	4000
TCHI22	4x22	GP3	200	4000
TCHI27	4x27	GP4	100	2000


ART.	DESCR.	BOX pcs	CARTON pcs
TK50	PGP	1	5

Anchors, bolts and accessories
for fixing of photovoltaic panels.



GB-SOLAR BLOCK

Anchors, screw and accessories for photovoltaic panels



solid
brick

light
concrete

wood



MOUNTING BRACKET GB-SOLAR BLOCK

FOR PHOTOVOLTAIC PANELS. Bracket for fixing solar panels. Suitable for corrugated sheets type iSOLPACK K5. Material: polyamide 6 (nylon) reinforced with fiber glass and UVA resistant.



PATENTED G&B



ART.	SIZE	DESCR.	t _{fix}	BOX	CARTON
	mm		mm	pcs	pcs
99001	120x47	GB-SOLAR BLOCK	-	150	150

without screw and bolt

DOUBLE THREAD SCREW

with gasket EPDM.

A2 STAINLESS STEEL, sizes M10- M12


Metric Screw + pitch wood

3 flanged hex nuts

1 DIN9021 washers EPDM M10-M12


INOX (A2)

ART.	Ø x L _V	DESCR.	A-WOOD PITCH SCREW	B-METRIC PITCH SCREW	BOX	CARTON
	mm		mm	mm	pcs	pcs
99002	M10x250	VDF1025	80	130	10	60
99003	M12x250	VDF1225	100	130	10	60
99004	M12x300	VDF1230	100	150	10	60
99005	M12x350	VDF1235	125	180	10	60



GB-SOLAR BLOCK

Anchors, screw and accessories for photovoltaic panels



BRACKET MAT GB-SOLARBLOCK



ART.	SIZE	DESCR.	BOX	CARTON
	mm		pcs	pcs
99164	180x80x1,5	TAP-N	150	150

CONNECTION PLATE

FOR DOUBLE THREAD SCREWS

A2 STAINLESS STEEL

buttonhole width 11 mm for accessories M10
hole Ø 13 ml thread size M10-M12

INOX (A2)



ART.	SIZE	DESCR.	BUTTONHOLE	HOLE	BOX	CARTON
	mm		mm	mm	pcs	pcs
99006	90x40x5	P11	13	-	10	100

TCEI SCREW

CYLINDER HEAD SCREW

WITH HEXAGON SOCKET,

UNI5931 - DIN 912

A2 STAINLESS STEEL (304)

for fixing of intermediate/final clamp

INOX (A2)



ART.	Ø x L _V	DESCR.	BOX	CARTON
	mm		pcs	pcs
99007	M8x10	TCEI810	100	-
99008	M8x20	TCEI820	100	-
99010	M8x25	TCEI825	100	-
99011	M8x30	TCEI830	100	-
99012	M8x35	TCEI835	100	-
99013	M8x40	TCEI840	100	-
99014	M8x45	TCEI845	100	-
99015	M8x50	TCEI850	100	-
99016	M8x55	TCEI855	100	-
99017	M8x65	TCEI865	100	-
99018	M8x70	TCEI870	100	-
99019	M10x20	TCEI1020	100	-
99020	M10x25	TCEI1025	100	-
99021	M10x40	TCEI1040	100	-

SELF DRILLING SCREW (DIN 7504)

hexagonal flanged head screw,
A2 STAINLESS STEEL for fixing profiles
and brackets

INOX (A2)



ART.	Ø x L _V	DESCR.	BOX	CARTON
	mm		pcs	pcs
99023	3,5x95	AF3595	200	-
99024	4,8x16	AF4816	200	-
99025	4,8x19	AF4819	200	-
99026	4,8x25	AF4825	200	-
99027	4,8x32	AF4832	200	-
99028	4,8x38	AF4838	200	-
99029	5,5x19	AF5519	200	-
99030	5,5x32	AF5532	200	-
99031	6,3x19	AF6319	200	-
99032	6,3x38	AF6338	200	-
99033	6,3x125	AF63125	200	-
99034	6,3x150	AF63150	100	-

A2 STAINLESS STEEL WASHERS

with EPDM gasket for self drilling screw

INOX (A2)



ART.	Ø int. x Ø ext.	DESCR.	x VITE Ø	BOX	CARTON
	mm		mm	pcs	pcs
99035	5,1x16	RIEPDM4	4,8	200	-
99036	6,1x19	RIEPDM5	5,5	200	-
99037	6,7x19	RIEPDM6	6,3	100	-

GB-SOLAR BLOCK

Anchors, screw and accessories for photovoltaic panels



HEXAGONAL HEAD WOOD SCREW


DIN 571-UNI704
A2 STAINLESS STEEL

for fixing base plate to hold profile

INOX (A2)



ART.	Ø x L _V	DESCR.	BOX	CARTON
	mm		pcs	pcs
99043	8x60	TR860	100	-
99044	8x100	TR8100	100	-
99045	8x120	TR8120	100	-
99046	10x60	TR1060	100	-
99047	10x100	TR10100	50	-
99048	10x120	TR10120	100	-



RIVET

tin aluminium rivet
with EPDM gasket

ART.	D ₁	L	D ₂	G	Ø HOLE	CUT	TRACTION	BOX	CARTON
	mm	mm	mm	min - max mm	mm	N	N	pcs	pcs
WED5222-BC	5,2	22,2	11,7	4,8x9,5	5,4	2000	3200	200	3200



HEXAGONAL HEAD SCREW FULL THREAD DIN 933- UNI 5739

A2 STAINLESS STEEL

INOX (A2)



ART.	Ø x L _V	DESCR.	BOX	CARTON
	mm		pcs	pcs
99050	M6x35	TEI635	150	2400
99051	M6x40	TEI640	150	2400
99052	M6x45	TEI645	150	2400
99053	M6x50	TEI650	150	2400
99054	M6x60	TEI660	150	1200
99055	M8x16	TEI816	100	600
99056	M8x20	TEI820	100	600
99057	M8x50	TEI850	100	1600
99058	M10x20	TEI1020	100	-
99059	M10x30	TEI1030	100	-
99060	M10x50	TEI1050	100	800
99061	M10x60	TEI1060	50	400
99062	M10x70	TEI1070	50	400

HEXAGONAL NUT DIN 934-UNI 5588

A2 STAINLESS STEEL

INOX (A2)



ART.	Ø	DESCR.	BOX	CARTON
	mm		pcs	pcs
99063	M6	DE6	200	3200
99064	M8	DE8	200	6400
99065	M10	DE10	100	800
99066	M12	DE12	50	1600

GB-SOLAR BLOCK

Anchors, screw and accessories for photovoltaic panels



SELF LOCKING NUT (WITH NYLON RING) - DIN 985 A2 STAINLESS STEEL

INOX (A2)

ART.	Ø	DESCR.	BOX	CARTON
	mm		pcs	pcs
99067	M6	DEA6	150	4800
99068	M8	DEA8	200	3200
99069	M10	DEA10	100	800
99070	M12	DEA12	50	1600



TTQ SCREW ROUND HEAD SQUARE WITH SQUARE UNDER HEAD DIN 603

A2 STAINLESS STEEL
for stainless steel brackets installed
on pitched roof, adjustable

INOX (A2)

ART.	Ø	DESCR.	BOX	CARTON
	mm		pcs	pcs
99071	M6x12	TTQ612	100	-
99072	M8x16	TTQ816	100	-
99073	M10x20	TTQ1020	50	-



FLANGED HEXAGONAL NUT WITH KNURLED BASE - DIN 6923 A2 STAINLESS STEEL

to fixing the brackets on the underside
of the roof profile (model for tiles)

INOX (A2)


ART.	Ø x L t	DESCR.	t _{fix}	BOX	CARTON
	mm		mm	pcs	pcs
99038	M6	DEF6	-	150	4800
99074	M8	DEF8	-	200	3200
99075	M10	DEF10	-	100	1600
99076	M12	DEF12	-	50	1600



ANTI-THEFT NUT A2 STAINLESS STEEL threaded through hole

INOX (A2)

ART.	x SCREW	DESCR.	BOX	CARTON
	mm		pcs	pcs
91081	M8	DAT I M8	50	800
91082	M10	DAT I M10	50	800



L mm	M	Ch mm.
8	8	17
8	10	19

GB-SOLAR BLOCK

Anchors, screw and accessories for photovoltaic panels



FLAT WASHER DIN 125-1

A2 STAINLESS STEEL - ISO 7089



INOX (A2)

ART.	SCREW	DESCR.	Ø int.	Ø ext.	THICKNESS	BOX	CARTON
	mm		mm	mm	mm	pcs	pcs
99077	M6	RP6	6,4	12	1,6	200	3200
99078	M8	RP8	8,4	16	1,6	200	3200
99079	M10	RP10	10,5	20	2	100	1000
99080	M12	RP12	13	24	2,5	50	800

LARGE FLAT WASHER DIN 9021


A2 STAINLESS STEEL - ISO 7093



INOX (A2)


ART.	SCREW	DESCR.	Ø int.	Ø ext.	THICKNESS	BOX	CARTON
	mm		mm	mm	mm	pcs	pcs
99081	M6	RPL6	6,4	18	1,6	200	6400
99082	M8	RPL8	8,4	24	2	200	6400
99083	M10	RPL10	10,5	30	2,5	100	3200
99084	M12	RPL12	13	37	3	50	1600

Powder actuated tools, nails and cartridges for the building Industry



POWDER-ACTUATED TOOL

For fixing in the building industry



stone
concrete

solid
brick

wood

GB35 POWDER-ACTUATED TOOL

Automatic cartridge loading tool with
Power regulator



Approved
CIP



ART.	DESCR.	BOX	CARTON
		pcs	pcs
80009	GB35 TOOL	1	1

GB45 POWDER-ACTUATED TOOL

Automatic cartridge loading tool with
Power regulator and Silencer for low acoustics



Approved
CIP



ART.	DESCR.	BOX	CARTON
		pcs	pcs
80010	GB45 TOOL	1	1

DRIVE PINS WITH PLASTIC WASHER HEAD AND WASHER DIAMETER 8mm FOR USE IN OUR GB35 TOOL

ALSO

Suitable for Hilti DX351, DX36, DXA40, DXA41, DX460,
Ramset PA Tools, Spit P200 and other 8mm Cartridge
Tools.



ART.	Ø x L	DESCR.	SHANK TYPE	t _{fix}	BOX	CARTON
	mm	mm		mm	pcs	pcs
80011	3,75x16	TCHIDN16	KNURLED	-	100	3200
80012	3,75x19	TCHIDN19	KNURLED	-	100	2000
80013	3,75x22	TCHIDN22	KNURLED	-	100	2000
80014	3,75x27	TCHIDN27	SMOOTH	-	100	2000
80015	3,75x32	TCHIDN32	SMOOTH	-	100	2000
80016	3,75x37	TCHIDN37	SMOOTH	-	100	2000
80017	3,75x42	TCHIDN42	SMOOTH	-	100	2000
80018	3,75x47	TCHIDN47	SMOOTH	-	100	2000
80019	3,75x52	TCHIDN52	SMOOTH	-	100	2000
80102	3,75x57	TCHIDN57	SMOOTH	-	100	1000
80079	3,75x62	TCHIDN62	SMOOTH	-	100	3200
80081	3,75x72	TCHIDN72	SMOOTH	-	100	1000

CHIODATRICI A SPARO

For fixing in the building industry



stone
concrete

solid
brick

wood

DRIVE PINS WITH MAGAZINE STRIP HEAD DIAMETER 8mm

Suitable for use in Powder Actuated Magazine
Cartridge Tools



ART.	Ø x L mm	DESCR. mm	SHANK TYPE	t _{fix} mm	BOX pcs	CARTON pcs
80020	3,75x16	TCHIK16	KNURLED	-	100	2000
80021	3,75x19	TCHIK19	KNURLED	-	100	2000
80022	3,75x22	TCHIK22	KNURLED	-	100	2000
80023	3,75x27	TCHIK27	SMOOTH	-	100	2000
80024	3,75x32	TCHIK32	SMOOTH	-	100	2000
80065	3,75x42	TCHIK42	SMOOTH	-	100	2000
80066	3,75x52	TCHIK52	SMOOTH	-	100	1000
80067	3,75x62	TCHIK62	SMOOTH	-	100	1000
80087	3,75x72	TCHIK72	SMOOTH	-	100	1600

DRIVE PINS WITH METAL WASHER HEAD DIAMETER 6mm - WASHER DIAMETER 12mm FOR USE IN OUR GB45 TOOL.

ALSO
Suitable for Hilti DX450, LV400 and other 12mm
washed Cartridge Tools




ART.	Ø x L mm	DESCR. mm	SHANK TYPE	t _{fix} mm	BOX pcs	CARTON pcs
80103	3,75x16	TCHINK16	KNURLED	-	100	2000
80025	3,75x19	TCHINK19	KNURLED	-	100	2000
80026	3,75x22	TCHINK22	SMOOTH	-	100	2000
80027	3,75x27	TCHINK27	SMOOTH	-	100	2000
80028	3,75x32	TCHINK32	SMOOTH	-	100	2000
80029	3,75x37	TCHINK37	SMOOTH	-	100	2000
80030	3,75x42	TCHINK42	SMOOTH	-	100	2000
80031	3,75x47	TCHINK47	SMOOTH	-	100	2000
80032	3,75x52	TCHINK52	SMOOTH	-	100	2000
80104	3,75x57	TCHINK57	SMOOTH	-	100	1000
80083	3,75x62	TCHINK62	SMOOTH	-	100	1000
80084	3,75x72	TCHINK72	SMOOTH	-	100	1600
80105	3,75x82	TCHINK82	SMOOTH	-	100	1000
80106	3,75x97	TCHINK97	SMOOTH	-	100	1000

CARTRIDGES FOR OUR GB35 AND GB45

ALSO
Suitable for Hilti DX450, DXA40, DXA41, DX460,
LV400 Ramset PA Tools and most other 8mm
Cartridge Tools



ART.	DESCR. mm	COLOR	POWER	BOX pcs	CARTON pcs
80071	CARICA P3	GREEN	3	100	10000
80072	CARICA P4	YELLOW	4	100	10000
80073	CARICA P6	RED	6	100	10000
80074	CARICA P7	BLACK	7	100	10000



GEBFOR

metal type STRAIGHT SHANK DIN 338



GEBFOR DRILLS HSS-G PRO

Features

- Fully ground drill bit
- 118° tip angle. SPLIT POINT
- Flute type N
- Diameter tolerance h8
- For unalloyed and alloyed steels (up to 900 N/mm²)

Features

- ✓ Starting precision
- ✓ Quick penetration and easy drilling
- ✓ Long lasting tip



DIN 338



PHSSBOX - KIT GEBFOR HSS-G PRO

19 pz / pcs - Ø 1-10 x 0,5 mm



ART.	Ø	Lu	Lt	BOX	CART.
	mm	mm	mm	pcs	pcs
PHSS0100	1	12	34	10	10
PHSS0125	1,25	16	38	10	10
PHSS0150	1,50	18	40	10	10
PHSS0175	1,75	22	46	10	10
PHSS0200	2	24	49	10	10
PHSS0225	2,25	27	53	10	10
PHSS0250	2,50	30	57	10	10
PHSS0275	2,75	33	61	10	10
PHSS0300	3	33	61	10	10
PHSS0325	3,25	36	65	10	10
PHSS0350	3,50	39	70	10	10
PHSS0375	3,75	39	70	10	10
PHSS0400	4	43	75	10	10
PHSS0425*	4,25	43	75	10	10
PHSS0450	4,50	47	80	10	10
PHSS0475	4,75	47	80	10	10
PHSS0500	5	52	86	10	10
PHSS0525	5,25	52	86	10	10
PHSS0550	5,50	57	93	10	10
PHSS0575	5,75	57	93	10	10
PHSS0600	6	57	93	10	10
PHSS0625	6,25	63	101	10	10
PHSS0650	6,50	63	101	10	10
PHSS0675	6,75	63	101	10	10
PHSS0700	7	69	109	10	10
PHSS0750	7,50	69	109	10	10
PHSS0800	8	75	117	10	10
PHSS0850	8,50	75	117	10	10
PHSS0900	9	81	125	10	10
PHSS0950	9,50	81	125	10	10
PHSS1000	10	87	133	10	10
PHSS1050	10,50	87	133	5	5
PHSS1100	11	94	142	5	5
PHSS1150	11,50	94	142	5	5
PHSS1200	12	101	151	5	5
PHSS1250	12,50	101	151	5	5
PHSS1300	13	101	151	5	5

SHORT SERIES

PHSSL0325	3,25	19	40	10	10
PHSSL0350	3,50	19	40	10	10
PHSSL0375	3,75	19	40	10	10
PHSSL0400	4,00	20	40	10	10
PHSSL0425	4,25	20	40	10	10
PHSSL0500	5,00	23	45	10	10

* Until exhaustion

ART.	DESCR.	BOX	IMB
		pcs	pcs
PHSSBOX	BOX 19 pcs 1-10x0,5	1	1

GEBFOR

metal type STRAIGHT SHANK DIN 338



GEBFOR DRILLS HSS-C COBALTO 5%

Features


- Fully ground drill bit 5% cobalt HSS-E
- 135° tip angle. SPLIT POINT
- Flute type N
- Diameter tolerance h8
- For unalloyed and alloyed steels (up to 1200 N/mm²). Stainless steel, cast iron. For industrial applications and the drilling of materials difficult to machine

Benefits

- ✓ Starting precision
- ✓ Cobalt makes the bit harder and heightens temperature resistance, for work with hard metals such as stainless steel



DIN 338




✓ Suited for stainless steel

ART.	Ø	Lu	Lt	BOX	CART.
	mm	mm	mm	pcs	pcs
PHSSC0100	1	12	34	10	10
PHSSC0125*	1,25	16	38	10	10
PHSSC0150	1,50	18	40	10	10
PHSSC0175*	1,75	22	46	10	10
PHSSC0200	2	24	49	10	10
PHSSC0225*	2,25	27	53	10	10
PHSSC0250	2,50	30	57	10	10
PHSSC0275*	2,75	33	61	10	10
PHSSC0300	3	36	65	10	10
PHSSC0325*	3,25	36	65	10	10
PHSSC0350	3,50	39	70	10	10
PHSSC0375*	3,75	39	70	10	10
PHSSC0400	4	43	75	10	10
PHSSC0425*	4,25	43	75	10	10
PHSSC0450	4,50	47	80	10	10
PHSSC0475*	4,75	47	80	10	10
PHSSC0500	5	52	86	10	10
PHSSC0525*	5,25	52	86	10	10
PHSSC0550	5,50	57	93	10	10
PHSSC0600	6	57	93	10	10
PHSSC0625*	6,25	63	101	10	10
PHSSC0650	6,50	63	101	10	10
PHSSC0675*	6,75	69	109	10	10
PHSSC0700	7	69	109	10	10
PHSSC0725*	7,25	69	109	10	10
PHSSC0750	7,50	69	117	10	10
PHSSC0775*	7,75	75	117	10	10
PHSSC0800	8	75	117	10	10
PHSSC0825*	8,25	75	117	10	10
PHSSC0850	8,50	75	125	10	10
PHSSC0875*	8,75	81	125	10	10
PHSSC0900	9	81	125	10	10
PHSSC0925*	9,25	81	125	10	10
PHSSC0950	9,50	81	133	10	10
PHSSC0975*	9,75	87	133	10	10
PHSSC1000	10	87	133	10	10
PHSSC1050*	10,50	87	142	5	5
PHSSC1100	11	94	142	5	5
PHSSC1150*	11,50	94	142	5	5
PHSSC1200	12	101	151	5	5
PHSSC1250*	12,50	101	151	5	5
PHSSC1300	13	101	151	5	5

* Until exhaustion

GEBFOR



GEBFOR DRILLS PRO

Features


- **MULTI-ANGLE CARBIDE TIGHTER GRADE**
- 2 cutting edges
- Sandblasted finish
- For roto-percussion drill

Benefits


- ✓ Carbide grade for longer life
- ✓ Larger tip for better guiding
- ✓ **Cordless drills: + 20% battery life time**



ART.	Ø	Lu	Lt	BOX	CART.
	mm	mm	mm	pcs	pcs
PG101	3	20	60	1	10
PG102	4	35	75	1	10
PG104	5	45	85	1	10
PG106	6	60	100	1	10
PG620	6	160	200	1	10
PG640	6	360	400	1	10
PG108	7	60	100	1	10
PG109	8	80	120	1	10
PG820	8	160	200	1	10
PG840	8	360	400	1	10
PG111	9	80	120	1	10
PG112	10	80	120	1	10
PG1020	10	160	200	1	10
PG1040	10	360	400	1	10
PG113	11	110	150	1	10
PG114	12	110	150	1	10
PG1220	12	160	200	1	10
PG1240	12	360	400	1	10
PG115	13	110	150	1	5
PG116	14	110	150	1	5
PG1420	14	160	200	1	5
PG1440	14	360	400	1	5
PG117	15	110	150	1	5
PG118	16	110	150	1	5
PG1620	16	160	200	1	5
PG1640	16	360	400	1	5
PG119	18	120	160	1	5
PG1840	18	360	400	1	5
PG120	20	120	160	1	5
PG2040	20	360	400	1	5
PG121	22	120	160	1	5



GEBFOR



GEBFOR DRILLS SUPER GB

Features


- HIGH STRENGTH CARBIDE TIP WITH INCREASED SECTION
- 2 CUTTING EDGES
- "U" MILLED HELIX
- GLOSSY FINISH

Benefits


- ✓ The glossy finish with non-stick treatment allows rapid powder extraction
- ✓ Intensive use thanks to the high quality carbide tip
- ✓ Reinforced body. Increased stability and strength transmission
- ✓ Rapid work
- ✓ Longer lifetime

ART.	Ø	Lu	Lt	BOX	CART.
	mm	mm	mm	pcs	pcs
PGS0360	3	20	60	1	10
PGS0475	4	35	75	1	10
PGS0585	5	45	85	1	10
PGS0610	6	60	100	1	10
PGS0625	6	210	250	1	3
PGS0640*	6	360	400	1	3
PGS0710	7	60	100	1	10
PGS0812	8	80	120	1	10
PGS0825	8	210	250	1	3
PGS0840*	8	360	400	1	3
PGS0912	9	80	120	1	10
PGS1012	10	80	120	1	10
PGS1025	10	210	250	1	3
PGS1040*	10	360	400	1	3
PGS1115	11	110	150	1	6
PGS1215	12	110	150	1	6
PGS1225	12	210	250	1	3
PGS1240*	12	360	400	1	3
PGS1315	13	110	150	1	6
PGS1415	14	110	150	1	6
PGS1440*	14	360	400	1	3
PGS1515	15	110	150	1	6
PGS1615	16	110	150	1	6
PGS1640*	16	360	400	1	3
PGS1816	18	120	160	1	3
PGS2016	20	120	160	1	3

* Until exhaustion



GEBFOR SDS PLUS



GEBFOR DRILLS SDS PLUS

Features

- **NEW CARBIDE TIP with 3 CONTACT POINTS**
Focus the percussion force on to the drilling axis
- **"Z" SHAPED TIP**
High precision on the hole starting
Chiseling effects and increased strength
- Compatible SDS-plus shank

Benefits


- ✓ Increased speed, power and accuracy
- ✓ Very fast dust removal
- ✓ Longer lifetime




Compatible



ART.	Ø	Lu	Lt	BOX	CART.
	mm	mm	mm	pcs	pcs
PS0411	4	50	110	1	5
PS0511	5	50	110	1	5
PS0521	5	150	210	1	5
PS0516	5	100	160	1	5
PS0611	6	50	110	1	5
PS0616	6	100	160	1	5
PS0621	6	150	210	1	5
PS0626	6	200	260	1	5
PS0631	6	250	310	1	5
PS6516	6,5	110	160	1	5
PS6521	6,5	150	210	1	5
PS6526	6,5	200	260	1	5
PS6531	6,5	250	310	1	5
PS0811	8	50	110	1	5
PS0816	8	100	160	1	5
PS0821	8	150	210	1	5
PS0826	8	200	260	1	5
PS0831	8	250	310	1	5
PS0846	8	400	460	1	5
PS0916	9	100	160	1	5
PS0921	9	150	210	1	5
PS1016	10	100	160	1	5
PS1021	10	150	210	1	5
PS1026	10	200	260	1	1
PS1031	10	250	310	1	1
PS1046	10	400	460	1	1
PS1061	10	550	610	1	1
PS1216	12	100	160	1	5
PS1221	12	150	210	1	5
PS1231	12	250	310	1	1
PS1246	12	400	460	1	1
PS1261	12	550	610	1	1
PS1416	14	100	160	1	5
PS1421	14	150	210	1	5
PS1431	14	250	310	1	1
PS1446	14	400	460	1	1
PS1461	14	550	610	1	1
PS1516	15	100	160	1	5
PS1521	15	150	210	1	5
PS1621	16	150	210	1	5
PS1631	16	250	310	1	1
PS1646	16	400	460	1	1
PS1661	16	550	610	1	1
PS1821	18	150	210	1	1
PS1846	18	400	460	1	1
PS2021	20	150	210	1	1
PS2046	20	400	460	1	1
PS2226	22	200	260	1	1
PS2246	22	400	460	1	1
PS2426	24	200	260	1	1
PS2446	24	400	460	1	1
PS2526	25	200	260	1	1
PS2546	25	400	460	1	1




3 CONTACT POINTS



"Z" SHAPED TIP

GEBFOR TURBO 3



GEBFOR DRILLS TURBO 3

Features

- MONOBLOC CARBIDE TIP WITH SELF-CENTERING POINT
- TIP ANGLE 135°
- 3 CUTTING EDGES
- COMPATIBLE SDS-PLUS SHANK


Benefits

- ✓ The ideal solution for all concrete and reinforced concrete drilling
- ✓ The self-centering tip allows high precision
- ✓ The tip design guarantees a concentric hole
- ✓ The design accelerates dust extraction
- ✓ Longer lifetime



ART.	Ø	Lu	Lt	BOX	CART.
	mm	mm	mm	pcs	pcs
PS3T0511	5	50	110	1	5
PS3T0516	5	100	160	1	5
PS3T0611	6	50	110	1	5
PS3T0616	6	100	160	1	5
PS3T0621	6	150	210	1	5
PS3T0811	8	50	110	1	5
PS3T0816	8	100	160	1	5
PS3T0821	8	150	210	1	5
PS3T0826	8	200	260	1	5
PS3T0831	8	250	310	1	5
PS3T1011	10	50	110	1	5
PS3T1016	10	100	160	1	5
PS3T1021	10	150	210	1	5
PS3T1026	10	200	260	1	5
PS3T1031	10	250	310	1	5
PS3T1046	10	400	460	1	5
PS3T1216	12	100	160	1	5
PS3T1226	12	200	260	1	5
PS3T1231	12	250	310	1	5
PS3T1246	12	400	460	1	5
PS3T1416	14	100	160	1	5
PS3T1421	14	150	210	1	5
PS3T1431	14	250	310	1	5
PS3T1446	14	400	460	1	1
PS3T1621	16	150	210	1	1
PS3T1631	16	250	310	1	1
PS3T1646	16	400	460	1	1
PS3T1821	18	150	210	1	1
PS3T1831	18	250	310	1	1
PS3T1846	18	400	460	1	1
PS3T2021	20	150	210	1	1
PS3T2046	20	400	460	1	1

Compatible




PERFECT WORK WITH 3 CUTTING EDGES

- ✓ Can drill rebar
- ✓ To prevent concrete cracking
- ✓ Perfect centring and calibrated hole



GEBFOR FRAME

Special for windows & doors frames



GEBFOR DRILLS FRAME


Features

- **MONOBLOC CARBIDE TIP** with self-centering point
- Tip angle 135°
- **3 cutting edges**
- **Half-round flute with short shaped length**
- Reinforced body/shank junction
- Compatible SDS-plus shank

Benefits


- ✓ The monobloc 3 cutting edges tip is the solution for all **concrete drilling**
- ✓ The self-centering tip permits **higher precision**
- ✓ The tip design guarantees a **concentric hole**
- ✓ The reinforced body/shank junction grants more **elasticity during drilling work**

ART.	Ø	Lu	Lt	BOX	CART.
	mm	mm	mm	pcs	pcs
PGF0621	6	150	210	1	3
PGF0626	6	200	260	1	3
PGF6521	6,5	150	210	1	3
PGF6526	6,5	200	260	1	3
PGF6531	6,5	250	310	1	3



3 CUTTING EDGES

- ✓ Can drill rebar
- ✓ Prevents concrete cracking
- ✓ Perfect concentric and calibrated hole




Facilitates window installation.
Allows direct drilling of support through the pre-drilled window.



Compatible



GEBFOR SDS MAX



GEBFOR DRILLS SDS MAX

Features

- 3 CARBIDE TIPS
- 6 cutting edges
- Progressive flute
- Heat treatment to increase resistance
- Reinforced body
- Compatible SDS-max shank

Benefits

- ✓ Maximum results on reinforced concrete
- ✓ Optimized design to reduce vibration and ensure excellent power transmission and speed
- ✓ Perfect round and calibrated hole
- ✓ Optimal dust removal, avoid any risk of blocking
- ✓ Longer lifetime




- 1 Flexion resistance
- 2 Torsion resistance
- 3 Compression Resistance

Compatible




ART.	Ø	Lu	Lt	BOX	CART.
	mm	mm	mm	pcs	pcs
PSM1234	12	200	340	1	1
PSM1254	12	400	540	1	1
PSM1434	14	200	340	1	1
PSM1454	14	400	540	1	1
PSM1634	16	200	340	1	1
PSM1654	16	400	540	1	1
PSM1834	18	200	340	1	1
PSM1854	18	400	540	1	1
PSM2032	20	200	340	1	1
PSM2052	20	400	540	1	1
PSM2232	22	200	340	1	1
PSM2252	22	400	540	1	1
PSM2292	22	780	920	1	1
PSM2432	24	200	340	1	1
PSM2452	24	400	540	1	1
PSM2532	25	200	340	1	1
PSM2552	25	400	540	1	1
PSM2852	28	400	540	1	1
PSM2869	28	550	690	1	1
PSM3032	30	200	340	1	1
PSM3052	30	400	540	1	1
PSM3252	32	400	540	1	1
PSM3292	32	780	920	1	1
PSM3552	35	400	540	1	1
PSM3852	38	400	540	1	1
PSM4052	40	400	540	1	1
PSM4554	45	400	540	1	1




6 CUTTING EDGES TECHNOLOGY

- ✓ To drill reinforced concrete and solid stone
- ✓ Prevent any concrete cracking
- ✓ Perfect concentric and calibrated hole



GEBFOR WOOD


special for wood



GEBFOR DRILLS WOOD

Features

- SELF-CENTERING POINT
- 3 contact points
- 2 cutting edges
- Wide lands



Benefits

- ✓ Precision
- ✓ Perfect cutting
- ✓ High performance



ART.	Ø	Lu	Lt	BOX	CART.
	mm	mm	mm	pcs	pcs
PGW47	4	35	75	1	10
PGW58	5	46	86	1	10
PGW69	6	53	93	1	10
PGW811	8	77	117	1	10
PGW1013	10	93	133	1	10
PGW1215	12	111	151	1	5
PGW1424	14	200	240	1	5
PGW1624	16	200	240	1	5



GEBFOR WOOD PRO

special for wood




GEBFOR DRILLS WOOD PRO

Features

- SELF-CENTERING HEAD
- Accurate cutting for perfect net hole
- Rectified and polished land
- Heat treatment on all length



Hex Shank




Benefits

- ✓ Deep drilling
- ✓ Fast drilling
- ✓ Net cutting
- ✓ Friction limited
- ✓ Prevent over-heating



ART.	Ø	Lu	Lt	BOX	CART.
	mm	mm	mm	pcs	pcs
PGWP846	8	375	460	1	3
PGWP1046	10	380	460	1	3
PGWP1246	12	380	460	1	3
PGWP1446	14	380	460	1	3
PGWP1646	16	380	460	1	3
PGWP1846	18	380	460	1	3
PGWP2046	20	380	460	1	3
PGWP2246	22	380	460	1	1
PGWP2446	24	380	460	1	1
PGWP2646	26	380	460	1	1
PGWP2846	28	380	460	1	1
PGWP3046	30	370	460	1	1
PGWP3246	32	370	460	1	1



GEBFOR CERAMIC BLU

diamond burs for ceramics



ceramic



stoneware



sandstone



marble



terracotta

GEBFOR DRILLS CERAMIC BLU


Features

- **HEAD WITH DIAMOND SEGMENTS.**
- 3 contact points
- Core extraction
- Hexagonal shank

Benefits

- ✓ Drills class 4 and 5 ceramic stoneware
- ✓ Perfectly clean hole without splinters

ART.	Ø	Lu	Lt	BOX	CART.
	mm	mm	mm	pcs	pcs
45249	6	22	55	1	1
45250	8	20	55	1	1
45251	10	30	55	1	1
45252	12	28	65	1	1
45253	15	40	70	1	1
45254	20	40	70	1	1



- *Instruction sheet inside*
- *For use with water*

with GRINDER



dry use



with DRILL



use with water



For ceramic and stoneware up to CLASS 5



GEBFOR HAMMER



stone
concrete

SSMP4 POINTED CHISEL SDS MAX


Features

- **HELICAL WORKING HEAD**
- 4 unblocking cutting edges
- Compatible SDS-plus / SDS-max / SDS-top SDS-plus & SPIT shank

Benefits

- ✓ Effortless drilling
- ✓ Anti-lock
- ✓ 100% powerful

ART.	DESCR.	COMPATIBLE	Lt	BOX	CART.
			mm	pcs	pcs
SSMP2	DRILL	SDS PLUS	250	1	1
SSMP4	DRILL	SDS MAX	400	1	1



SSMT4 SDS FLAT CHISEL



ART.	DESCR.	COMPATIBLE	L x Lt	BOX	CART.
			mm	pcs	pcs
SSMT2	CHISEL CUT	SDS PLUS	20x240	1	1
SSMT3	CHISEL CUT	SDS PLUS	40x200	1	1
SSMT4	CHISEL CUT	SDS MAX	400	1	1

SSML3 SDS LARGE FLAT CHISEL



ART.	DESCR.	COMPATIBLE	L x Lt	BOX	CART.
			mm	pcs	pcs
SSML3	WIDE	SDS MAX	50x360	1	1

SSMS3 SDS CHASING CHISEL GOUGE



ART.	DESCR.	COMPATIBLE	L x Lt	BOX	CART.
			mm	pcs	pcs
SSMS3	GOUGE	SDS MAX	26x300	1	1

SSMI CHISEL SDS INCLINED SPATULA



ART.	DESCR.	COMPATIBLE	L x Lt	BOX	CART.
			mm	pcs	
SSMI1	INCLINED SPATULA	SDS PLUS L40	40x200	1	1
SSMI2	INCLINED SPATULA	SDS MAX L80	80x300	1	1



SSMP GEBFOR HAMMER KIT



ART.	DESCR.	BOX	CART.
		pcs	pcs
KITSSMP	KIT 2x SSMP2 + 2x SSMT2 + 1x SSMT3	1	1



GEBFOR EXHIBITOR



ART.	DESCR.	SIZE
		cm
ESELF33	14 HOOKS	L 33 x P 24 x H 43

GEBFOR INSERTS

for screwdrivers and power tools



✕ PHILLIPS



✚ POZIDRIV



⊗ TORX



⊗ TORX **TORX Insert** hexagonal attachment

GEBFOR SPINDLE INSERTS HOLDER QUICK LOCK



Features

- DIN 3126 E 6.3 connection.
- For 1/4" hexagonal bit according to DIN 3126 C 6.3 and E 6.3.
- Automatic adjustable magnet.
- Double permanent magnets at the bottom and bit holder outlet.
- Quick lock system to hold inserts.
- Cold forging process.

Benefits

- ✓ Magnetic for screw handling.
- ✓ Ideal for hard to reach areas, especially with longer lengths (up to 250mm).

HOLD STRENGTH = 1 kg.

GEBFOR SPINDLE INSERTS HOLDER



Features

- DIN 3126 E 6.3 connection. Compatible SDS Plus.
- For 1/4" hexagonal bit according to DIN 3126 C 6.3 and E 6.3.
- Permanent magnet.
- Bit retaining ring
- Cold forging process.

Benefits

- ✓ Magnetic for screw handling.
- ✓ Ideal for hard to reach areas, especially with longer lengths (up to 250mm).



PHILLIPS

ART.	DESCR.	Lt mm	BOX pcs	CART. pcs
76003	INSERTS PH0	25	5	5
76004	INSERTS PH1	25	5	5
76005	INSERTS PH2	25	5	5
76006	INSERTS PH3	25	5	5
76007	INSERTS PH1 L50	50	5	5
76008	INSERTS PH2 L50	50	5	5
76009	INSERTS PH3 L50	50	5	5



POZIDRIV

76010	INSERTS Pcs1	25	5	5
76011	INSERTS Pcs2	25	5	5
76012	INSERTS Pcs3	25	5	5
76013	INSERTS Pcs1 L50	50	5	5
76014	INSERTS Pcs2 L50	50	5	5
76015	INSERTS Pcs3 L50	50	5	5



TORX

76016	INSERTS TX10	25	5	5
76017	INSERTS TX15	25	5	5
76018	INSERTS TX20	25	5	5
76019	INSERTS TK25	25	5	5
76020	INSERTS TX30	25	5	5
76021	INSERTS TX40	50	5	5



TORX

TIP3	TORXT30	25	20	200
TIP1	TORXT40	25	20	200

ART.	DESCR.	BOX pcs	CART. pcs
76001	SPINDLE INSERTS HOLDER QUICK LOCK	1	5



ART.	DESCR.	BOX pcs	CART. pcs
76002	SPINDLE INSERTS HOLDER STANDARD	1	5

DISPLAY

METAL DISPLAYS
anthracite



ART.	DESCR.	SIZE
		cm
ESELF05	3 SHELVES + HOOKS	100x40x240 (H)
ESELF24	4 SHELVES	100x40x240 (H)

POLYPROPYLENE DISPLAYS
black



ART.	DESCR.	SIZE
		cm
ESELF20	FOR BONDED ANCHORS	54x46x156 (H)
ESELF09	UNIVERSAL	54x46x156 (H)
ESELF11	FOR GEBOSIL	54x46x156 (H)
ESELF21	FOR GETOWOOD SCREWS	54x46x156 (H)

DISPLAY

CARDBOARD COUNTER DISPLAYS



ESELF34



ESELF35

ART.		CONTENT		
display	cod.	descr.	box	amount box
ESELF34	18125	BI-FIX Ø6x35 + SCREW TPS	6	100
	18130	BI-FIX Ø8x45 + SCREW TPS	6	50
	5307	Blister BI-FIX Ø6x35 + SCREW TPS	5	50
	5308	Blister BI-FIX Ø8x45 + SCREW TPS	4	25
ESELF35	18125	BI-FIX Ø6x35 + SCREW TPS	12	100
	18130	BI-FIX Ø8x45 + SCREW TPS	6	50



ESELF31



ESELF32

ART.		CONTENT		
display	cod.	descr.	box	amount box
ESELF31	05293	BLISTER GL Ø6x45 + VITE TPS	22	30
	05294	BLISTER GL Ø8x50 + VITE TPS	11	20
ESELF32	65119	GL Ø6x45 + VITE TPS	6	100
	65120	GL Ø8x50 + VITE TPS	3	50

METAL DISPLAYS

black



ESELF23

ART.		DESCR.	SIZE
			cm
ESELF33	GEBFOR (14 HOOKS included)		33x24x43 (H)

ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG
03064	28	19061	126	44077	6	57025	59	60513	3	80019	144
03070	23	19062	126	44078	6	57026	59	60514	3	80020	145
03071	23	19063	126	44079	6	60135	4	64065	62	80021	145
03072	23	21012	55	44080	6	60136	4	64066	63	80022	145
03073	23	25163	109	44081	6	60137	4	64067	63	80023	145
03074	23	25164	109	44082	6	60138	4	65001	108	80024	145
03075	23	33027	14	44083	6	60139	4	65002	108	80025	145
03273	29	33028	14	44084	6	60140	4	65003	108	80026	145
03274	29	33029	14	44085	6	60141	4	65004	108	80027	145
03296	23	33030	14	44086	6	60142	4	65005	108	80028	145
03297	23	33031	14	44112	6	60143	4	65006	108	80029	145
03298	23	33032	14	44113	6	60144	4	65007	108	80030	145
03299	23	33033	14	44114	6	60322	3	65008	108	80031	145
03300	23	33034	14	44115	6	60323	3	65009	108	80032	145
03301	23	33035	14	44116	6	60324	3	65010	108	80065	145
03302	23	33036	14	44117	6	60325	3	65011	108	80066	145
03303	23	33037	14	44118	6	60326	3	65012	108	80067	145
03357	28	33039	15	44119	6	60327	3	65013	108	80071	145
03370	30	33040	15	48011	120	60328	3	65014	108	80072	145
03371	30	33041	15	48012	120	60329	3	65017	108	80073	145
03372	30	33048	14	48013	120	60330	3	65018	108	80074	145
03391	23	33106	14	48014	120	60331	3	65019	108	80079	144
03392	23	33107	14	48015	120	60332	3	65020	108	80081	144
05104	42	33108	14	48016	120	60333	3	65064	108	80083	145
05105	42	33127	14	48017	120	60334	3	65065	108	80084	145
06003	121	33129	14	48018	120	60335	3	65066	108	80087	145
06004	121	33131	14	48019	120	60336	3	65067	108	80102	144
14209	63	33132	14	48020	120	60337	3	65087	108	80103	145
14210	63	33133	14	48055	120	60341	3	65089	108	80104	145
14211	63	33134	14	48059	120	60342	3	65090	108	80105	145
14212	63	33135	14	48060	120	60343	3	65115	108	80106	145
14213	63	33136	14	48062	120	60344	3	65116	108	84006	34
14214	63	33137	14	48063	120	60345	3	65117	108	84007	32
14215	63	33138	14	48070	120	60346	3	65118	108	84008	33
14216	63	33139	14	48083	120	60347	3	65119	108	84009	34
18100	107	33140	14	48084	120	60348	3	65120	108	84011	33
18105	107	33141	14	48085	120	60349	3	65159	108	84012	35
18110	107	33142	14	48086	120	60350	3	65160	108	84013	32
18115	107	33143	14	48087	120	60501	3	78210	49	84022	32
18120	107	33144	14	48088	120	60502	3	78211	49	84027	35
18125	107	33145	14	48089	120	60503	3	80009	144	84029	36
18130	107	33169	14	48090	120	60504	3	80010	144	84030	34
18135	107	37093	127	48091	120	60505	3	80011	144	84031	35
18140	107	37094	127	48093	120	60506	3	80012	144	84032	37
18145	107	37095	127	48094	120	60507	3	80013	144	84039	39
18150	107	37096	127	48095	120	60508	3	80014	144	84040	39
18155	107	41242	129	48096	120	60509	3	80015	144	84041	39
19004	126	41243	129	48097	120	60510	3	80016	144	84042	39
19005	126	41244	129	48098	120	60511	3	80017	144	84043	39
19060	126	41245	129	57024	59	60512	3	80018	144	84044	39

ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG
84045	39	91014	30	93040	129	97032	125	*DSA002	67	C24	23
84053	36	91015	30	93041	129	97033	125	*DSZ003	66	CB01	29
84055	36	91081	17	93042	129	97034	125	*DSZ004	66	CB02	29
84057	37	91082	17	93260	128	97035	124	*DSZ005	66	CB03	29
84058	37	91087	30	93261	128	97089	125	*DSZ006	66	CB04	29
84059	38	91091	30	93527	128	97090	125	*DSZ007	66	CB07	29
84060	38	91092	30	93632	128	97091	125	*DSZ008	66	CB08	29
84061	38	91093	30	93640	128	97092	125	*DSZ009	66	CB09	29
85007	136	91094	30	96001	4	97093	125	*DSZ010	66	CB10	29
85008	136	91095	30	96002	4	97099	124	*DSZ011	66	CB11	29
87300	8	91108	30	96003	4	97118	125	*DSZ012	66	CB113357	29
87301	8	93001	129	96004	4	97119	125	*DSZ013	66	CBA06	29
87302	8	93002	129	96005	4	97120	125	*DSZ014	66	CBA08	29
87303	8	93003	129	96006	4	97126	125	*DSZ065	66	CBA10	29
87304	8	93004	129	96007	4	97127	125	*DSZ075	66	CBA12	29
87305	8	93005	129	96008	4	97128	125	*DSZ080	66	CBAMD12	29
87306	8	93006	129	96009	4	97175	124	*DSZ085	66	CBAMD16	29
87307	8	93007	129	96010	4	97177	124	*DSZ090	66	CBAMD22	29
87308	8	93008	129	96011	4	97178	124	*DSZ095	66	CBAMD30	29
87309	8	93009	129	96024	4	97183	124	*DSZ100	66	CBV06	23
87310	8	93010	129	96025	4	97184	124	*MNT001	67	CBV06	30
87311	8	93011	128	96026	4	97214	125	*MON014	66	CC01	20
87312	8	93012	128	96027	4	97215	125	*MON015	66	CC01P	20
87313	8	93013	128	97003	124	97216	125	*MON016	66	CC02	20
87314	8	93014	128	97005	124	97220	124	*MON017	66	CC02P	20
87315	8	93015	128	97006	124	97221	124	*MON018	66	CC13	21
87316	8	93016	128	97007	124	99178	45	*MON020	66	CC14	21
87317	8	93017	128	97008	124	99179	45	*MON021	66	CC17	20
87318	8	93018	128	97009	124	99181	45	*MON022	66	CC30	20
87319	8	93019	128	97010	124	99212	45	*SCB002	68	CC30P	20
87320	8	93020	128	97011	124	99213	45	*SCB003	68	CC32	21
87321	8	93021	128	97012	124	99214	45	*SCT002	68	CC37	21
87322	8	93022	128	97013	124	850011	136	*SEC003	70	CC38	21
87323	8	93023	128	97014	124	850028	136	*SEC004	70	CC40	20
87324	8	93024	128	97015	124	850035	136	*TCG001	61	CC40P	20
90001	119	93025	128	97016	124	850066	136	*TCG001	69	CCPE385	22
90002	119	93026	128	97017	124	*BAC002	70	*TCG002	69	CCPE585	22
90019	119	93027	128	97018	124	*BAC003	70	*TCG003	69	CCVAL13	24
90020	119	93028	128	97019	124	*BAC004	70	*TCG004	69	CCVAL30	24
91001	30	93029	128	97020	124	*BUL022	69	84010	33	CCVAL32	24
91004	30	93030	128	97022	125	*CPG001	68	ADM01	47	CCVAL40	24
91005	30	93031	128	97023	125	*CPG002	68	ADM02	48	CCWT13	22
91006	30	93032	128	97024	125	*CRA004	67	ASR-10	15	CCWT32	22
91007	30	93033	128	97025	125	*CRA005	67	ASR-12	15	CD01	55
91008	30	93034	128	97026	125	*CRA006	67	ASR-8	15	CEM01	48
91009	30	93035	128	97027	125	*CRA007	67	C08	23	CL05	23
91010	30	93036	128	97028	125	*CRA008	67	C10	23	CM1001	28
91011	30	93037	128	97029	125	*CUN002	67	C12	23	CM1003	28
91012	30	93038	128	97030	125	*CUN004	67	C16	23	CM1004	28
91013	30	93039	129	97031	125	*DSA001	67	C20	23	CM12	28

ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG
CP01	26	ESELF31	154	HFB2576	134	HFQ05	135	HNUV080	111	HTC1410	109
CP03	55	ESELF32	154	HFB2936	134	HFV1025	134	HNUV10	111	HTC1410	60
CP05	26	ESELF34	107	HFB2948	134	HFV1436	134	HRN01	119	HTC1614	60
CP06	49	ESELF35	107	HFB3636	134	HFV2036	134	HRNV01	119	HTC50	109
CP07	26	EXTR01	58	HFB3648	134	HFV2048	134	HSF02	132	HTC500	109
CP07	49	EXTR02	58	HFB3676	134	HFV2948	134	HSF310	132	HTC55	109
CP10	28	HA8090	62	HFB3948	134	HGBU06	111	HSF320	132	HTC60	109
CP11	25	HA8110	62	HFB4348	134	HGBU08	111	HSF340	132	HTC600	109
CP13	55	HA8140	62	HFB4576	134	HGBU10	111	HSF410	132	HTC65	109
CP15BA	25	HA8170	62	HFB5348	134	HGBU100	111	HSF412	132	HTC80	109
CP16	26	HA8200	62	HFB5390	134	HGBU60	111	HSF414	132	HTC800	109
CP17	25	HA8250	62	HFB5576	134	HGBU80	111	HSF510	132	HTC85	109
CP17BA	25	HA8300	62	HFB7576	134	HGBUV06	111	HSF520	132	HTCB05	110
CP18	26	HAN01	118	HFB7888	134	HGBUV08	111	HSF540	132	HTCB06	110
CP19	26	HAN02	118	HFC01	135	HGBUV10	111	HSF640	132	HTCB08	110
CP20	49	HAN03	118	HFC02	135	HGSB04	63	HSF660	132	HTCB10	110
CP26	55	HAN04	118	HFC03	135	HGSB06	63	HT61	114	HTCB100	110
CP30	25	HAN05	118	HFC04	135	HGSB08	63	HT63	114	HTCB1000	110
CP30BAT	25	HAN11	118	HFC05	135	HGSB10	63	HT64	114	HTCB105	110
CS01	52	HAN12	118	HFC06	135	HI10110	62	HT65	114	HTCB12	110
CS02	52	HAN13	118	HFF01	135	HI10140	62	HT81	114	HTCB120	110
CS03	52	HAN14	118	HFF02	135	HI10160	62	HT82	114	HTCB1200	110
CS04	53	HBC01	115	HFN1025	134	HI10180	62	HT83	114	HTCB50	110
CS06	52	HBC02	115	HFN10290	134	HI10200	62	HT84	114	HTCB500	110
CS07	52	HBC03	115	HFN1425	134	HI10220	62	HT85	114	HTCB55	110
CS08	53	HBC04	115	HFN1436	134	HI10260	62	HT86	114	HTCB60	110
CS14	53	HBC05	115	HFN1890	134	HI1070	62	HT88	114	HTCB600	110
CS15	53	HBC06	115	HFN2025	134	HI1090	62	HT91	114	HTCB65	110
CS16	54	HBC09	115	HFN2036	134	HI8095	62	HT910	114	HTCB80	110
CS17	53	HBC10	115	HFN2048	134	HI8115	62	HT92	114	HTCB800	110
CS21	52	HBD01	135	HFN2548	134	HI8135	62	HT93	114	HTCB85	110
CS22	54	HBD02	135	HFN2576	134	HI8155	62	HT94	114	HTF50	130
CSC010	28	HBG01	133	HFN2690	134	HI8175	62	HT95	114	HTF51	130
CSC012	28	HBM08	115	HFN2936	134	HI8195	62	HT96	114	HTF53	130
CSC014	28	HBM08	17	HFN2948	134	HIA8095	62	HT98	114	HTF60	130
CSC018	28	HBM10	115	HFN3636	134	HIA8115	62	HTC04	109	HTF61	130
CSC024	28	HBM10	17	HFN3648	134	HIA8135	62	HTC05	109	HTF62	130
CSC028	28	HBT01	133	HFN3676	134	HIA8155	62	HTC06	109	HTF63	130
DELP1010	14	HBV08	17	HFN3690	134	HIA8175	62	HTC07	109	HTF64	130
DELP1070	14	HBV10	17	HFN3948	134	HIA8195	62	HTC08	109	HTFB01	135
DELP645	14	HCL15	130	HFN4348	134	HNU06	111	HTC10	109	HTFN01	135
DELP860	14	HCL26	61	HFN4576	134	HNU08	111	HTC100	109	HTL01	112
DELP880	14	HFB1025	134	HFN5348	134	HNU080	111	HTC1000	109	HTL02	112
DELVAS02	15	HFB10290	134	HFN5390	134	HNU0800	111	HTC105	109	HTL03	112
ESELF05	153	HFB1425	134	HFN5476	134	HNU10	111	HTC12	109	HTL04	112
ESELF09	153	HFB1436	134	HFN7576	134	HNU100	111	HTC120	109	HTL05	112
ESELF11	153	HFB2025	134	HFN7888	134	HNU60	111	HTC1200	109	HTL06	112
ESELF20	153	HFB2036	134	HFQ02	135	HNU80	111	HTC14	109	HTL07	112
ESELF21	153	HFB2048	134	HFQ03	135	HNUV06	111	HTC140	109	HTL10	112
ESELF24	153	HFB2548	134	HFQ04	135	HNUV08	111	HTC1400	109	HTL11	113

ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG
HTL21	113	HTV01	126	SILN02	43	TMHV08	6	TOC121450	60	TT004	17
HTL61	113	HTV015	126	SILN03	43	TMHV10	6	TOC1216	60	TT005	17
HTL71	113	HTV02	126	SILN04	43	TMHV12	6	TOC121650	60	TT006	17
HTLA1216	126	HTV03	126	SILN07	43	TMHV16	6	TOC1219	60	TT006LE	17
HTLAU04	127	HTV04	126	SILN08	43	TMV06	7	TOC122050	60	TT008	17
HTLAU06	127	HTV06	126	SILN09	43	TMV08	7	TOC1223	60	TT008LE	17
HTLAU08	127	HTV07	126	SILN12	43	TMV10	7	TOC122550	60	TT010	17
HTLAU09	127	HTV08	126	SILN13	43	TMV1011	7	TOC1230	60	TT010LE	17
HTLAU10	127	HTV09	126	SILN14	43	TMV1013	7	TOC123050	60	TT012	17
HTLAUE04	127	HTV10	126	SILN16	43	TMV1085	7	TOC1235	60	TTS01	2
HTLAUE05	127	HTV11	126	SILN24	43	TMV12	7	TOC1240	60	TTS02	2
HTLAUE06	127	HTVE015	126	SILN30	43	TMV1210	7	TOC1245	60	TTS05	2
HTLAUE08	127	HTVE02	126	SILPU03	47	TMV1211	7	TOC1250	60	TTS06	2
HTLAUE09	127	HTVE03	126	SILPU04	46	TMV1213	7	TOC1290	60	TTS08	2
HTLAUE10	127	HTVE04	126	SILRF01	45	TMV670	7	TOC5021	58	TTS09	2
HTLAUE11	127	HTVE07	126	SILSAC01	42	TMV685	7	TOC5027	58	TTS095	2
HTLAUE12	127	HTVE08	126	SILSACN01	43	TMV875	7	TOCF502118	59	TTS10	2
HTLAUE13	127	HTVE09	126	Tapp.sottomano	154	TMV890	7	TOCF502718	59	TTS1017	2
HTLAUT01	127	HTVE10	126	TCHI14	136	TMVD08	7	TOCF503318	59	TTS12	2
HTLAUT02	127	HTVE11	126	TCHI18	136	TMVD10	7	TOCPR01	61	TTS120	2
HTLAUT03	127	KITSH3	20	TCHI22	136	TNTR06	10	TOCPR011	61	TTS121	2
HTLAUT04	127	SIL02	42	TCHI27	136	TNTR08	10	TOCPR013	61	TTS122	2
HTLAUT05	127	SIL03	42	TGP10	60	TNTR10	10	TOCPR02	61	TTS1270	2
HTLAUT06	127	SIL04	42	TGP11	60	TNTR12	10	TOCPR021	61	TTS14	2
HTLAUT07	127	SIL05	42	TK20	118	TNTR12	59	TOCPR023	61	TTS1620	2
HTLAUT08	127	SIL06	42	TK21	118	TNTRB06	10	TRR16	58	TTS1690	2
HTLAUT09	127	SIL07	42	TK22	118	TNTRB08	10	TRR18	59	TTS17	2
HTLAUT10	127	SIL10	42	TK23	118	TNTRB10	10	TTB08	9	TTS18	2
HTLAUT11	127	SIL11	42	TK24	118	TNTRB12	10	TTB10	9	TTS19	2
HTS01	112	SIL12	42	TK25	118	TNTRC06	10	TTB16	9	TTS20	2
HTS02	112	SIL14	42	TK30	121	TNTRC08	10	TTBCE06	9	TTS2022	2
HTS03	112	SIL15	42	TK40	135	TNTRC10	10	TTBCE08	9	TTS24	2
HTS04	112	SIL16	45	TK50	136	TNTRC12	10	TTBCE10	9	TTS25	2
HTS05	112	SIL18	45	TK51	9	TNTRG06	10	TTBCE12	9	TTS26	2
HTS06	112	SILAC01	44	TK52	9	TNTRG08	10	TTBCE16	9	TTS27	2
HTS07	112	SILAC02	44	TK53	9	TNTRG10	10	TTBI06	9	TTS28	2
HTS09	113	SILAC03	44	TK54	9	TNTRG12	10	TTBI08	9	TTS29	2
HTS10	113	SILAC04	44	TK55	9	TNTRI06	11	TTBI10	9	TTS30	2
HTS11	113	SILAC05	44	TM06	7	TNTRI08	11	TTBI12	9	TTS31	2
HTS71	113	SILAC10	45	TM08	7	TNTRI10	11	TTBI16	9	TTS660	5
HTT20	129	SILAC12	44	TM10	7	TNTRI12	11	TTBL06	9	TTS660	63
HTTSI21	128	SILAC13	44	TM10	58	TNTRV06	10	TTBL08	9	TTS93	2
HTTSI22	128	SILAC18	44	TM12	7	TNTRV08	10	TTBL10	9	TTS94	2
HTTSI23	128	SILBE01	49	TMH06	6	TNTRV10	10	TTBL11	9	TTS95	2
HTTSI24	128	SILBN01	46	TMH08	6	TNTRV12	10	TTBL16	9	TTS96	2
HTTSI25	128	SILMP02	46	TMH10	6	TNTRVD12	10	TTBLCE06	9	TTS97	2
HTTSI26	128	SILMP03	46	TMH10	58	TNTRVI06	11	TTBLCE08	9	TTS98	2
HTTSI27	128	SILMP04	46	TMH12	6	TNTRVI08	11	TTBLCE10	9	TTS99	2
HTTSI28	128	SILMPC01	46	TMH16	6	TNTRVI10	11	TTBLCE12	9	TTSC01	4
HTTSI30	128	SILN01	43	TMHV06	6	TOC1212	60	TTBLCE16	9	TTSC02	4

ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG
TTSC03	4	14214	15	99021	139	99075	141	TBEZ4832	74	TBE164825	75
TTSC04	4	14215	15	99023	139	99076	141	TBEZ4838	74	TBE164832	75
TTSC05	4	14216	15	99024	139	91081	141	TBEZ4850	74	TBE164838	75
TTSC06	4			99025	139	91082	141	TBEZ4860	74	TBE164850	75
TTSC07	4	TARAS6050	16	99026	139	99077	142	TBEZ4870	74	TBE164860	75
TTSC08	4	TARAS6060	16	99027	139	99078	142	TBEZ5519	74	TBE164870	75
TTSC09	4	TARAS6080	16	99028	139	99079	142	TBEZ5522	74	TBE165519	75
TTSC11	4	TARAS8070	16	99029	139	99080	142	TBEZ5525	74	TBE165522	75
TTSC12	4	TARAS8090	16	99030	139	99081	142	TBEZ5532	74	TBE165525	75
TTSC13	4	TARAS8110	16	99031	139	99082	142	TBEZ5538	74	TBE165532	75
TTSC14	4	TARAS8130	16	99032	139	99083	142	TBEZ5550	74	TBE165538	75
TTSC15	4	TARAS8150	16	99033	139	99084	142	TBEZ5563	74	TBE165550	75
TTSC16	4	CEANZ06035	16	99034	139	THCH65032	73	TBEZ5575	74	TBE165563	75
TTSI05	2	CEANZ06065	16	99035	139	THCH65045	73	TBEZ6319	74	TBE165575	75
TTSI06	2	KITSH3	23	99036	139	THCH65057	73	TBEZ6325	74	TBE166319	75
TTSI12	2	CL06	23	99037	139	THCH65070	73	TBEZ6332	74	TBE166325	75
TTSI120	2	03296	30	99038	141	THCH65080	73	TBEZ6338	74	TBE166332	75
TTSI19	2	84067	39	99043	140	THCH65100	73	TBEZ6350	74	TBE166338	75
TTSI98	2	TNTR08	60	99044	140	THCH65115	73	TBEZ6363	74	TBE166350	75
TTSKHDG01	5	TTS660	118	99045	140	THCH65125	73	TBEZ6375	74	TBE166363	75
TTSKHDG02	5	TIP 1	125	99046	140	THCH65150	73	TBEZ6380	74	TBE166375	75
TTSKHDG03	5	TIP 3	125	99047	140	THCH65180	73	TBEZ6390	74	TBE166380	75
TTSKHDG04	5	KIT HTLAUE1213	130	99048	140	THCH65200	73	TBEZ6310	74	TBE166390	75
TTSKHDG05	5	HBM08	133	WED5222-BC	140	THCH1665032	73	TBEZ6311	74	TBE166310	75
TTSKHDG06	5	HBM10	133	99050	140	THCH1665045	73	TBEZ6312	74	TBE166311	75
TTSKHDG07	5	HBV08	133	99051	140	THCH1665057	73	TBEZ6313	74	TBE166312	75
TTSKHDG08	5	HBV10	133	99052	140	THCH1665070	73	TBEZ6314	74	TBE166313	75
TTSKHDG09	5	ESELF33	154	99053	140	THCH1665080	73	TBEZ6315	74	TBE166314	75
TTSKHDG10	5	ESELF34	154	99054	140	THCH1665100	73	TBEZ6316	74	TBE166315	75
TTSKS05	5	ESELF35	154	99055	140	THCH1665115	73	TBEZ6318	74	TBE166316	75
TTSKS06	5	99001	138	99056	140	THCH1665125	73	TBEZ6320	74	TBE166318	75
TTSKS07	5	99002	138	99057	140	THCH1665150	73	TBEZ6322	74	TBE166320	75
TTSKS10	5	99003	138	99058	140	THCH1665180	73	TBEZ6324	74	TBE166322	75
TTSKS12	5	99004	138	99059	140	THCH1665200	73	TBE144819BP	74	TBE166324	75
TTSKS13	5	99005	138	99060	140	THCH1865032	73	TBE164819BP	74	TBE166315	75
TTSKS14	5	99164	139	99061	140	THCH1865045	73	TBE165522BP	74	TBE166316	75
TTSKS15	5	99006	139	99062	140	TBEZ3509	74	TBE166325BP	74	TBE166318	75
TTSKS17	5	99007	139	99063	140	TBEZ3513	74	TBE163509	75	TBE166320	75
TTSKS20	5	99008	139	99064	140	TBEZ3516	74	TBE163513	75	TBE166322	75
TTSKS21	5	99010	139	99065	140	TBEZ3519	74	TBE163516	75	TBE166324	75
TVAS01	125	99011	139	99066	140	TBEZ4213	74	TBE163519	75	TBE183509	75
TVAS02	125	99012	139	99067	141	TBEZ4216	74	TBE164213	75	TBE183513	75
TVAS03	125	99013	139	99068	141	TBEZ4219	74	TBE164216	75	TBE183516	75
TVAS04	125	99014	139	99069	141	TBEZ4225	74	TBE164219	75	TBE183519	75
TVAS05	125	99015	139	99070	141	TBEZ4232	74	TBE164225	75	TBE184213	75
14209	15	99016	139	99071	141	TBEZ4238	74	TBE164232	75	TBE184216	75
14210	15	99017	139	99072	141	TBEZ4813	74	TBE164238	75	TBE184219	75
14211	15	99018	139	99073	141	TBEZ4816	74	TBE164813	75	TBE184225	75
14212	15	99019	139	99038	141	TBEZ4819	74	TBE164816	75	TBE184232	75
14213	15	99020	139	99074	141	TBEZ4825	74	TBE164819	75	TBE184238	75

ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG
TBE184813	75	TARNEGI14	76	TRE166332	77	TVIB165565	79	TABA4845	81	TBRZ3532	83
TBE184816	75	TARNEGI16	76	TRE166338	77	TVIB165580	79	TABA4850	81	TBRZ3913	83
TBE184819	75	TARNEGI18	76	TRE166350	77	TVIB165510	79	TABA5538	81	TBRZ3916	83
TBE184825	75	TARNEGI25	76	TRE166363	77	TS355060	80	TABA5545	81	TBRZ3919	83
TBE184832	75	TARNEIC30	76	TRE166380	77	TS355082	80	TABA5555	81	TBRZ3925	83
TBE184838	75	TARNEIPAR	76	TVI532	78	TS355098	80	TABA5565	81	TBRZ3932	83
TBE184850	75	TAHE08AR	76	TVI538	78	TS355115	80	TABA6360	81	TBRZ4213	83
TBE184860	75	TAHE08BP	76	TVI550	78	TS355130	80	TABA6370	81	TBRZ4216	83
TBE184870	75	TAHE08NE	76	TVI560	78	TS355150	80	TABA6385	81	TBRZ4219	83
TBE185519	75	TAHE08RJ	76	TVI16532	78	TS355180	80	TABATX4832	81	TBRZ4222	83
TBE185522	75	TAHE08VN	76	TVI16538	78	TS355200	80	TABATX4838	81	TBRZ4225	83
TBE185525	75	TAHE10AR	76	TVI16550	78	TS355230	80	TABATX4845	81	TBRZ4232	83
TBE185532	75	TAHE10BP	76	TVI16560	78	TS31655060	80	TABATX4850	81	TBRZ4238	83
TBE185538	75	TAHE10NE	76	TRBZ4213	78	TS31655082	80	TABATX5538	81	TBRZ4250	83
TBE185550	75	TAHE10RJ	76	TRBZ4216	78	TS31655098	80	TABATX5545	81	TBRZ4813	83
TBE185563	75	TAHE10VN	76	TRBZ4219	78	TS31655115	80	TABATX5555	81	TBRZ4816	83
TBE185575	75	TBEI4213	77	TRBZ4225	78	TS31655130	80	TABATX5565	81	TBRZ4819	83
TBE186319	75	TBEI4216	77	TRBZ4232	78	TS31655150	80	TABATX6360	81	TBRZ4822	83
TBE186325	75	TBEI4219	77	TRBN4213	78	TS31655180	80	TABATX6370	81	TBRZ4825	83
TBE186332	75	TBEI4813	77	TRBN4216	78	TS31655200	80	TABATX6385	81	TBRZ4832	83
TBE186338	75	TBEI4816	77	TRBN4219	78	TS31655230	80	TABATX6310	81	TBRZ4838	83
TBE186350	75	TBEI4819	77	TRBN4225	78	TS555075	80	TBCEZ4214	82	TBRZ4845	83
TBE186363	75	TBEI4825	77	TRBN4232	78	TS555085	80	TBCEZ4223	82	TBRZ4850	83
TBE186375	75	TBEI4832	77	TBI4825	79	TS555105	80	TBCEN4214	82	TBRZ4860	83
TBE186380	75	TBEI4838	77	TBI5525	79	TS555130	80	TBCEN4223	82	TBRZ4870	83
TBE186390	75	TBEI5519	77	TBI5532	79	TS555150	80	TBCEP4214	82	TBRZ4880	83
TBE186310	75	TBEI5522	77	TBI5538	79	TS555175	80	TBCEP4223	82	TBRZ4890	83
TBE186311	75	TBEI5525	77	TBI5550	79	TS555180	80	TBCEL4214	82	TBRZ4810	83
TBE186312	75	TBEI5532	77	TBI5558	79	TS555200	80	TBCEL4223	82	TBRZ4811	83
TBE186313	75	TBEI5538	77	TBI5565	79	TS555230	80	TBCEI4214	82	TBRZ4812	83
TBE186314	75	TBEI6319	77	TBI5580	79	TS555240	80	TBCEI4223	82	TBRZ5519	83
TBE186315	75	TBEI6325	77	TBI6325	79	TS51655075	80	TACEZ4213	82	TBRZ5522	83
TBE186316	75	TBEI6332	77	TBI164825	79	TS51655085	80	TACEZ4222	82	TBRZ5525	83
TBE186318	75	TBEI6338	77	TBI165525	79	TS51655105	80	TACEZ4232	82	TBRZ5532	83
TBE186320	75	TBEI6315	77	TBI165532	79	TS51655130	80	TACEN4213	82	TBRZ5538	83
TBE186322	75	TRE4816	77	TBI165538	79	TS51655150	80	TACEN4222	82	TBRZ5545	83
TBE186324	75	TRE4819	77	TBI165550	79	TS51655175	80	TACEN4232	82	TBRZ5560	83
TARNEZ14	76	TRE5522	77	TBI165558	79	TS51655180	80	TACEP4213	82	TBRZ5573	83
TARNEZ16	76	TRE6320	77	TBI165565	79	TS51655200	80	TACEP4222	82	TBRN3509	83
TARNEZ18	76	TRE6325	77	TBI165580	79	TS51655230	80	TACEP4232	82	TBRN3513	83
TARNEZ25	76	TRE6332	77	TBI166325	79	TS51655240	80	TACEI4213	82	TBRN3516	83
TARNEI14	76	TRE6338	77	TRBI6325	79	TFI63115	81	TACEI4222	82	TBRN3519	83
TARNEI16	76	TRE6350	77	TRBI166325	79	TFI63125	81	TACEI4232	82	TBRN4213	83
TARNEI18	76	TRE6363	77	TVIB5540	79	TFI63110	81	TBRZ3509	83	TBRN4216	83
TARNEI25	76	TRE6380	77	TVIB5550	79	TFI63120	81	TBRZ3511	83	TBRN4219	83
TARNEI30	76	TRE164816	77	TVIB5565	79	TFI63130	81	TBRZ3513	83	TBRN4225	83
TARNEG14	76	TRE164819	77	TVIB5580	79	TFI63150	81	TBRZ3516	83	TBRN4232	83
TARNEG16	76	TRE165522	77	TVIB5510	79	TFI63160	81	TBRZ3519	83	TBRN4238	83
TARNEG18	76	TRE166320	77	TVIB165540	79	TABA4832	81	TBRZ3522	83	TBRN4816	83
TARNEG25	76	TRE166325	77	TVIB165550	79	TABA4838	81	TBRZ3525	83	TBRN4819	83

ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG
TBRN4825	83	TBRI4213	85	TBPcs3525	86	TPV10Z3938	87	TR81Z39025	88	TR81Z55110	88
TBRN4832	83	TBRI4216	85	TBPcs3913	86	TPV10Z3945	87	TR81Z39032	88	TR81Z55120	88
TBRN4838	83	TBRI4219	85	TBPcs3916	86	TPV20Z4316	87	TR81Z39038	88	TR81Z63016	88
TBRN4845	83	TBRI4225	85	TBPcs3919	86	TPV20Z4319	87	TR81Z39045	88	TR81Z63019	88
TBRN4850	83	TBRI4816	85	TBPcs3922	86	TPV20Z4322	87	TR81Z39050	88	TR81Z63022	88
TBTZ3509	84	TBRI4819	85	TBPcs3925	86	TPV20Z4325	87	TR81Z42009	88	TR81Z63025	88
TBTZ3513	84	TBRI4825	85	TBPcs3932	86	TPV20Z4330	87	TR81Z42013	88	TR81Z63032	88
TBTZ3516	84	TBRI4832	85	TBPcs3938	86	TPV20Z4338	87	TR81Z42016	88	TR81Z63038	88
TBTZ3519	84	TBRI4838	85	TBPcs4213	86	TPV20Z4345	87	TR81Z42019	88	TR81Z63045	88
TBTZ4213	84	TBRI4850	85	TBPcs4216	86	TPV20Z4355	87	TR81Z42022	88	TR81Z63050	88
TBTZ4216	84	TBRP3509	85	TBPcs4219	86	TPV20B4316	87	TR81Z42025	88	TR81Z63060	88
TBTZ4219	84	TBRP3513	85	TBPcs4222	86	TPV20B4319	87	TR81Z42032	88	TR81Z63070	88
TBTZ4225	84	TBRP3516	85	TBPcs4225	86	TPV20B4322	87	TR81Z42038	88	TR81Z63080	88
TBTZ4816	84	TBRP4213	85	TBPcs4232	86	TPV20B4325	87	TR81Z42045	88	TR81Z63090	88
TBTZ4819	84	TBRP4216	85	TBPcs4238	86	TPV20B4330	87	TR81Z42050	88	TR81Z63100	88
TBTZ4825	84	TBRP4219	85	TBPcs4813	86	TPV20B4338	87	TR81Z42060	88	TR81Z63110	88
TBTZ4832	84	TBRP4825	85	TBPcs4816	86	TPV20B4345	87	TR81Z42070	88	TR81Z63120	88
TBTZ4838	84	TPUPHC01	85	TBPcs4819	86	TPV20B4355	87	TR81Z42080	88	TR81N29009	88
TBTZ4845	84	TPUPHC02	85	TBPcs4822	86	TPV40Z3913	87	TR81Z42090	88	TR81N35009	88
TBTZ4850	84	TPUPHC03	85	TBPcs4825	86	TPV40Z3916	87	TR81Z48009	88	TR81N35013	88
TBTZ4860	84	TPUPHL01	85	TBPcs4832	86	TPV40Z3919	87	TR81Z48013	88	TR81N35016	88
TBTZ4870	84	TPUPHL02	85	TBPcs4838	86	TPV40Z3922	87	TR81Z48016	88	TR81N35019	88
TBTN3509	84	TPUPHL03	85	TBPcs4845	86	TPV40Z3925	87	TR81Z48019	88	TR81N35025	88
TBTN3513	84	TPUPOC01	85	TBPcs4850	86	TPV40Z3932	87	TR81Z48022	88	TR81N42016	88
TBTN3516	84	TPUPOC02	85	TBPcs4860	86	TPV40Z3938	87	TR81Z48025	88	TR81N42019	88
TBTN3519	84	TPUPOC03	85	TBPcs4870	86	TPV50ZM413	87	TR81Z48032	88	TR81N42025	88
TBTN4213	84	TPUPOL01	85	TBPcs4880	86	TPV50ZM416	87	TR81Z48038	88	TR81N42032	88
TBTN4216	84	TPUPOL02	85	TBPcs5519	86	TPV50ZM419	87	TR81Z48045	88	TR81N42038	88
TBTN4219	84	TPUPOL03	85	TBPcs5525	86	TPV50ZM425	87	TR81Z48050	88	TR81N48016	88
TBTN4225	84	TPUTOC08	85	TBPcs5532	86	TPV50ZM432	87	TR81Z48060	88	TR81N48019	88
TBTN4816	84	TPUTOC10	85	TBPcs5538	86	TPV50ZM438	87	TR81Z48070	88	TR81N48022	88
TBTN4819	84	TPUTOC15	85	TBPcs5550	86	TR81Z29006	88	TR81Z48080	88	TR81N48025	88
TBTN4825	84	TPUTOC20	85	TBPcs5560	86	TR81Z29009	88	TR81Z48090	88	TR81N48032	88
TBTN4832	84	TPUTOC25	85	TBPcs5570	86	TR81Z29013	88	TR81Z48100	88	TR81N48038	88
TBTN4838	84	TPUTOC27	85	TBPcs5580	86	TR81Z29016	88	TR81Z48110	88	TR81N48045	88
TBTN4845	84	TPUTOC30	85	TBPN3513	86	TR81Z29019	88	TR81Z48120	88	TR81N48050	88
TBTN4850	84	TPUTOC40	85	TBPN3516	86	TR81Z29022	88	TR81Z55013	88	TR81N48060	88
TBTN4860	84	TBPcs3509	86	TBPN3519	86	TR81Z29025	88	TR81Z55016	88	TR81N48070	88
TBTN4870	84	TBPcs3511	86	TBPN3525	86	TR81Z35006	88	TR81Z55019	88	TR81N48080	88
TCR42B	84	TBPcs3513	86	TBPN4216	86	TR81Z35009	88	TR81Z55022	88	TR81N48090	88
TCR48B	84	TBPcs3516	86	TBPN4219	86	TR81Z35013	88	TR81Z55025	88	TR81N48100	88
TCR55B	84	TBPcs3519	86	TBPN4225	86	TR81Z35016	88	TR81Z55032	88	TR81N48110	88
TCR42N	84	TBPcs3522	86	TBPN4232	86	TR81Z35019	88	TR81Z55038	88	TR81N48120	88
TCR48N	84	TBPcs3525	86	TBPN4238	86	TR81Z35025	88	TR81Z55045	88	TR81P35009	89
TCR55N	84	TBPcs3509	86	TBPN4825	86	TR81Z35032	88	TR81Z55050	88	TR81P35013	89
TBRI3509	85	TBPcs3511	86	TBPN4832	86	TR81Z39009	88	TR81Z55060	88	TR81P35016	89
TBRI3513	85	TBPcs3513	86	TBPN4838	86	TR81Z39013	88	TR81Z55070	88	TR81P35025	89
TBRI3916	85	TBPcs3516	86	TBPN4850	86	TR81Z39016	88	TR81Z55080	88	TR81P42013	89
TBRI3919	85	TBPcs3519	86	TPV10Z3925	87	TR81Z39019	88	TR81Z55090	88	TR81P42025	89
TBRI3925	85	TBPcs3522	86	TPV10Z3930	87	TR81Z39022	88	TR81Z55100	88	TR81P42032	89


ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG
TR81P48025	89	TR82Z55019	89	TAU1463150	90	TINVZ7060	91	92231	92	92106	93
TR82Z29006	89	TR82Z55022	89	TAU1663016	90	TINVZ7070	91	92232	92	92107	93
TR82Z29009	89	TR82Z55025	89	TAU1663019	90	TINVZ7080	91	92233	92	92108	93
TR82Z29013	89	TR82Z55032	89	TAU1663025	90	TINVZ7090	91	92234	92	92111	93
TR82Z29016	89	TR82Z55038	89	TAU1663032	90	TINVZ7105	91	92043	92	92112	93
TR82Z29019	89	TR82Z55045	89	TAU1663040	90	TINVZ7120	91	92044	92	92115	93
TR82Z29022	89	TR82Z55050	89	TAU1663050	90	TINVZ7140	91	92045	92	92116	93
TR82Z29025	89	TR82Z55060	89	TAU1663060	90	TINVZ7165	91	92001	93	92117	93
TR82Z35009	89	TR82Z55070	89	TAU1663080	90	TINVZ7205	91	92002	93	92109*	93
TR82Z35013	89	TR82Z63025	89	TAU1663100	90	TINVN6040	91	92003	93	92110*	93
TR82Z35016	89	TR82Z63032	89	TAU1663110	90	TINVN6050	91	92004	93	92113*	93
TR82Z35019	89	TR82Z63038	89	TAU1663120	90	TINVN6060	91	92005	93	92114*	93
TR82Z35022	89	TR82Z63045	89	TAU1663130	90	TINVN6070	91	92006	93	TTXCA60030	94
TR82Z35025	89	TR82Z63050	89	TAU1663140	90	TINVN7030	91	92007	93	TTXCA60040	94
TR82Z35032	89	TR82Z63060	89	TAU1663150	90	TINVN7040	91	92008	93	TTXCA60050	94
TR82Z35038	89	TR82Z63070	89	TAU1863016	90	TINVN7050	91	92009	93	TTXCA60060	94
TR82Z39009	89	TAU63016	90	TAU1863019	90	TINVN7060	91	92010	93	TTXCA60070	94
TR82Z39013	89	TAU63019	90	TAU1863025	90	TINVN7070	91	92011	93	TTXCA60080	94
TR82Z39016	89	TAU63025	90	TAU1863032	90	TINVN7080	91	92012	93	TTXCA60100	94
TR82Z39019	89	TAU63032	90	TAU1863040	90	TINVN7090	91	92013	93	TTXCA60120	94
TR82Z39022	89	TAU63040	90	TAU1863050	90	TINVI7050	91	92014	93	TTXCA60140	94
TR82Z39025	89	TAU63050	90	TAU1863060	90	TINVI7060	91	92015	93	TTXCA60160	94
TR82Z39032	89	TAU63060	90	TAU1863080	90	TINVI7070	91	92016	93	TTXCA60180	94
TR82Z39038	89	TAU63070	90	TAU1863100	90	TINVI7080	91	92017	93	TTXCA60200	94
TR82Z39045	89	TAU63080	90	TAU1863110	90	ESTINVZ	91	92018	93	TTXCA60220	94
TR82Z39050	89	TAU63090	90	TAU1863120	90	ESTINVN	91	92019	93	TTXCA60240	94
TR82Z42013	89	TAU63100	90	TAU1863130	90	92153	92	92020	93	TTXCA60260	94
TR82Z42016	89	TAU63110	90	TAU1863140	90	92154	92	92021	93	TTXCA60280	94
TR82Z42019	89	TAU63120	90	TAU1863150	90	92155	92	92022	93	TTXCA60300	94
TR82Z42022	89	TAU63130	90	TAU2563016	90	92156	92	92023	93	TTXCA80050	94
TR82Z42025	89	TAU63140	90	TAU2563019	90	92157	92	92024	93	TTXCA80060	94
TR82Z42032	89	TAU63150	90	TAU2563025	90	92158	92	92025	93	TTXCA80070	94
TR82Z42038	89	TAU63160	90	TAU2563032	90	92159	92	92026	93	TTXCA80080	94
TR82Z42045	89	TAU63180	90	TAU2563040	90	92160	92	92027	93	TTXCA80100	94
TR82Z42050	89	TAU63200	90	TAU2563050	90	92161	92	92028	93	TTXCA80120	94
TR82Z42060	89	TAU63220	90	TAU2563060	90	92162	92	92029	93	TTXCA80140	94
TR82Z42070	89	TAU63240	90	TAU2563080	90	92163	92	92030	93	TTXCA80160	94
TR82Z48013	89	TAU1463016	90	TAU2563100	90	92164	92	92031	93	TTXCA80180	94
TR82Z48016	89	TAU1463019	90	TAU2563110	90	92165	92	92032	93	TTXCA80200	94
TR82Z48019	89	TAU1463025	90	TAU2563120	90	92166	92	92033	93	TTXCA80220	94
TR82Z48022	89	TAU1463032	90	TAU2563130	90	92167	92	92034	93	TTXCA80240	94
TR82Z48025	89	TAU1463040	90	TAU2563140	90	92168	92	92035	93	TTXCA80260	94
TR82Z48032	89	TAU1463050	90	TAU2563150	90	92169	92	92036	93	TTXCA80280	94
TR82Z48038	89	TAU1463060	90	TINVZ6040	91	92170	92	92037	93	TTXCA80300	94
TR82Z48045	89	TAU1463080	90	TINVZ6050	91	92171	92	92038	93	TTXCA80320	94
TR82Z48050	89	TAU1463100	90	TINVZ6060	91	92172	92	92039	93	TTXCA80360	94
TR82Z48060	89	TAU1463110	90	TINVZ6070	91	92173	92	92040	93	TTXCA80400	94
TR82Z48070	89	TAU1463120	90	TINVZ7030	91	92174	92	92041	93	TTXCA10080	94
TR82Z55013	89	TAU1463130	90	TINVZ7040	91	92229	92	92042	93	TTXCA10100	94
TR82Z55016	89	TAU1463140	90	TINVZ7050	91	92230	92	92105	93	TTXCA10120	94

ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG
TTXCA10140	94	TPOZ25010	95	TPOZ50090	95	TTOB45070	96	TPOB40040	96	74093	97
TTXCA10160	94	TPOZ25012	95	TPOZ50100	95	TTOB50030	96	TPOB40045	96	74094	97
TTXCA10180	94	TPOZ25016	95	TPOZ50120	95	TTOB50035	96	TPOB40050	96	74095	97
TTXCA10200	94	TPOZ25020	95	TPOZ60040	95	TTOB50040	96	TPOB40060	96	74096	97
TTXCA10220	94	TPOZ25025	95	TPOZ60050	95	TTOB50045	96	TPOB40070	96	74097	97
TTXCA10240	94	TPOZ30012	95	TPOZ60060	95	TTOB50050	96	TPOB45020	96	74098	97
TTXCA10260	94	TPOZ30016	95	TPOZ60070	95	TTOB50060	96	TPOB45025	96	74099	97
TTXCA10280	94	TPOZ30020	95	TPOZ60080	95	TTOB50070	96	TPOB45030	96	74100	97
TTXCA10300	94	TPOZ30025	95	TPOZ60090	95	TTOB50080	96	TPOB45035	96	74101	97
TTXCA10320	94	TPOZ30030	95	TPOZ60100	95	TTOB50090	96	TPOB45040	96	74102	97
TTXCA10360	94	TPOZ30040	95	TPOZ60110	95	TTOB50100	96	TPOB45045	96	74103	97
TTXCA10400	94	TPOZ35010	95	TPOI23016	95	TTOB50120	96	TPOB45050	96	74104	97
TTBRZ40030	94	TPOZ35012	95	TPOI23025	95	TTOB60060	96	TPOB45060	96	74105	97
TTBRZ40035	94	TPOZ35016	95	TPOI23520	95	TTOB60070	96	TPOB45070	96	74106	97
TTBRZ40040	94	TPOZ35020	95	TPOI23525	95	TTOB60080	96	TPOB45080	96	74107	97
TTBRZ40045	94	TPOZ35025	95	TPOI23530	95	TTOB60090	96	TPOB50020	96	74108	97
TTBRZ40050	94	TPOZ35030	95	TPOI23540	95	TTOB60100	96	TPOB50025	96	74109	97
TTBRZ40060	94	TPOZ35035	95	TPOI24030	95	TTOB60110	96	TPOB50030	96	74110	97
TTBRZ40070	94	TPOZ35040	95	TPOI24040	95	TTOB60120	96	TPOB50035	96	74111	97
TTBRZ50050	94	TPOZ35050	95	TPOI24050	95	TTOB60130	96	TPOB50040	96	74112	97
TTBRZ50060	94	TPOZ40016	95	TPOI24530	95	TTOB60140	96	TPOB50045	96	74113	97
TTBRZ50070	94	TPOZ40020	95	TPOI24540	95	TTOB60150	96	TPOB50050	96	74114	97
TTBRZ50080	94	TPOZ40025	95	TPOI24550	95	TTOB60160	96	TPOB50060	96	74115	97
TTBRZ50090	94	TPOZ40030	95	TPOI25040	95	TTOB60180	96	TPOB50070	96	74117	97
TTBRZ50100	94	TPOZ40035	95	TPOI25050	95	TTOB60200	96	TPOB50080	96	74118	97
TPOR30016	94	TPOZ40040	95	TPOI25060	95	TPOB25010	96	TPOB50090	96	74119	97
TPOR30020	94	TPOZ40045	95	TPOI25070	95	TPOB25012	96	TPOB50100	96	74120	97
TPOR35016	94	TPOZ40050	95	TTOB30025	96	TPOB25016	96	TPOB50120	96	74122	97
TPOR35020	94	TPOZ40060	95	TTOB30030	96	TPOB25020	96	TPOB60040	96	74123	97
TPOR35025	94	TPOZ40070	95	TTOB35016	96	TPOB25025	96	TPOB60050	96	74124	97
TPOR35030	94	TPOZ45020	95	TTOB35020	96	TPOB30012	96	TPOB60060	96	74125	97
TPOR35035	94	TPOZ45025	95	TTOB35025	96	TPOB30016	96	TPOB60070	96	74126	97
TPOR40016	94	TPOZ45030	95	TTOB35030	96	TPOB30020	96	TPOB60080	96	74127	97
TPOR40020	94	TPOZ45035	95	TTOB35040	96	TPOB30025	96	TPOB60090	96	74128	97
TPOR40025	94	TPOZ45040	95	TTOB35050	96	TPOB30030	96	TPOB60100	96	74129	97
TPOR40030	94	TPOZ45045	95	TTOB40020	96	TPOB30040	96	TPOB60110	96	74130	97
TPOR40035	94	TPOZ45050	95	TTOB40025	96	TPOB35010	96	TPOB60120	96	74131	97
TPOR40040	94	TPOZ45060	95	TTOB40030	96	TPOB35012	96	TPOB60130	96	74132	97
TPOR40050	94	TPOZ45070	95	TTOB40035	96	TPOB35016	96	TPOB60140	96	74133	97
TPOR45016	94	TPOZ45080	95	TTOB40040	96	TPOB35020	96	TPOB60150	96	74134	97
TPOR45020	94	TPOZ50020	95	TTOB40045	96	TPOB35025	96	TPOB60160	96	74135	97
TPOR45025	94	TPOZ50025	95	TTOB40050	96	TPOB35030	96	TPOB60180	96	74136	97
TPOR45030	94	TPOZ50030	95	TTOB40060	96	TPOB35035	96	TPOB60200	96	74137	97
TPOR45035	94	TPOZ50035	95	TTOB40070	96	TPOB35040	96	TPOB60220	96	74138	97
TPOR45040	94	TPOZ50040	95	TTOB45030	96	TPOB35050	96	74087	97	74141	97
TPOR45045	94	TPOZ50045	95	TTOB45035	96	TPOB40016	96	74088	97	74142	97
TPOR50020	94	TPOZ50050	95	TTOB45040	96	TPOB40020	96	74089	97	74143	97
TPOR50030	94	TPOZ50060	95	TTOB45045	96	TPOB40025	96	74090	97	74144	97
TPOR50040	94	TPOZ50070	95	TTOB45050	96	TPOB40030	96	74091	97	74145	97
TPOR50050	94	TPOZ50080	95	TTOB45060	96	TPOB40035	96	74092	97	74147	97

ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG	ART.	PAG
74351	97	TBAZ08060	99	TBART08080	99	TPLCI35035	101				
53100	98	TBAZ08070	99	TBART10060	99	TBPLN3525	101				
53001	98	TBAZ08080	99	TBART10080	99	TBPLN3535	101				
53002	98	TBAZ08090	99	TBAI06040	99	TBPLN3545	101				
53003	98	TBAZ08100	99	TBAI06050	99	TPRA39025	102				
53004	98	TBAZ08110	99	TBAI06060	99	TPRA39035	102				
53005	98	TBAZ08120	99	TBAI06070	99	TPRA39045	102				
53006	98	TBAZ08130	99	TBAI08050	99	TPRA39055	102				
53007	98	TBAZ08140	99	TBAI08060	99	TPRA48035	102				
53008	98	TBAZ08150	99	TBAI08070	99	TPCA4213	102				
53009	98	TBAZ08160	99	TBAI08080	99	TPCA4216	102				
53010	98	TBAZ08180	99	TBAI08100	99	TPCA4219	102				
53011	98	TBAZ08200	99	TBAI08120	99	TPCA4225	102				
53012	98	TBAZ10040	99	TBAI10060	99	MOR09	102				
53013	98	TBAZ10050	99	TBAI10080	99	MOR11	102				
53014	98	TBAZ10060	99	TBAI10100	99	MOR13	102				
53015	98	TBAZ10070	99	TBAI10120	99	MORM06	102				
53116	98	TBAZ10080	99	TVC25	100	MORM08	102				
TBAZ05030	99	TBAZ10090	99	TVC35	100	MORM10	102				
TBAZ05040	99	TBAZ10100	99	TVC4270	100	MORM12	102				
TBAZ05050	99	TBAZ10110	99	TVC45	100	TBH006	102				
TBAZ05060	99	TBAZ10120	99	TVC4890	100	TBH007	102				
TBAZ06025	99	TBAZ10130	99	TVC55	100	TBH008	102				
TBAZ06030	99	TBAZ10140	99	TVF25	100	TBH010	102				
TBAZ06035	99	TBAZ10150	99	TVF35	100	TPPM014	102				
TBAZ06040	99	TBAZ10160	99	TVF4270	100	TTCBE	103				
TBAZ06045	99	TBAZ10180	99	TVF45	100	TTCBL	103				
TBAZ06050	99	TBAZ10200	99	TVL42	100	TTCCE	103				
TBAZ06060	99	TBAZ12060	99	TVL4216	100	TTCGR	103				
TBAZ06070	99	TBAZ12070	99	TVL4219	100	TTCGM	103				
TBAZ06080	99	TBAZ12080	99	TVL4225	100	TTCGMR	103				
TBAZ06090	99	TBAZ12090	99	TPLN35019	101	TTCHA	103				
TBAZ06100	99	TBAZ12100	99	TPLN35025	101	TTCNE	103				
TBAZ06110	99	TBAZ12120	99	TPLN35035	101	TTCANT	103				
TBAZ06120	99	TBAZ12130	99	TPLN35045	101	TTCNO	103				
TBAZ07030	99	TBAZ12140	99	TPLN35055	101	TTCPi	103				
TBAZ07040	99	TBAZ12150	99	TPLN39025	101	TTCRO	103				
TBAZ07050	99	TBAZ12160	99	TPLN39038	101	TTCSA	103				
TBAZ07060	99	TBAZ12180	99	TPLN39048	101	TTCL0	103				
TBAZ07070	99	TBAZ12200	99	TPLN39058	101	TTCL1	103				
TBAZ07080	99	TBAZ12220	99	TPLN42065	101	TTCL3	103				
TBAZ07090	99	TBAZ12240	99	TPLZ42075	101						
TBAZ07100	99	TBAZ12260	99	TPLZ48090	101						
TBAZ07110	99	TBAZ14100	99	TPLZ48100	101						
TBAZ07120	99	TBART06050	99	TPLZ48110	101						
TBAZ07150	99	TBART06060	99	TPLZ48120	101						
TBAZ08030	99	TBART06070	99	TPLZ48130	101						
TBAZ08040	99	TBART08050	99	TPLN35025BP	101						
TBAZ08045	99	TBART08060	99	TPLN35035BP	101						
TBAZ08050	99	TBART08070	99	TPLCI35025	101						

[illegible]

[illegible]



G&B Fissaggi s.r.l. Italia
 Corso Savona, 22 - 10029 Villastellone (TO)
 Tel. +39 011.961.94.33 - Fax +39 011.961.93.82
www.gebfissaggi.com
info@gebfissaggi.com



G&B Fissaggi UK
uksales@gebfissaggi.com

G&B Fissaggi Vertretung Deutschland
johnengebissaggi@gmail.com

MAREFIX
marefix@marefix.com

G&B Fissaggi Benelux
export@gebfissaggi.com

G&B Fissaggi France
export@gebfissaggi.com

G&B Fissaggi UK - Tel. +44 0114 242 0074



www.gebfissaggi.com

