




LED WALL BROCHURE

Kontichsesteenweg 39, 2630 Aartselaar (BE)
+32 3 843 25 85 | dbvideo.tv | hello@dbvideo.tv

 **DB VIDEO**
YOUR FULL SERVICE MEDIA PARTNER



CONTENT

INTRODUCTION

4 Introduction

HI-RES

- 6 Hi-res LED wall
- 8 Let's get technical
 - 9 Specifications
 - 10 4x2,5
 - 11 4x2,5 (raised)
 - 12 5x3
 - 13 5x3 (raised)





LOW-RES

14 Low-res LED wall
16 Let's get technical






INTRODUCTION





At DB Video, we're taking our role as a full audiovisual partner to the next level. With the launch of our dynamic LED solutions, we now offer all-in-one setups that are as fast to install as they are impactful to experience. But we don't stop at plug-and-play – we thrive on crafting custom setups that turn bold ideas into breathtaking realities. From streamlined packages to one-of-a-kind concepts, we bring the vision, the tech, and the creative spark to light up any event or production.





HIGH-RES

Make every detail count! Step up your visuals with our ultra-sharp high-res LED — designed to impress, even up close. With a fine 1.9 mm pixel pitch, every image, video, and line of text is delivered with crystal-clear precision.

Perfect for high-impact presentations, conference stages, trade show booths, or product launches, these screens bring your content to life with vibrant colors, smooth motion, and flawless detail from up close* or across the room.

Ready to make a bold impression?

*Sharpest view from 6m and beyond

HIGH RESOLUTION LED WALL




LET'S GET TECHNICAL



SPECIFICATIONS

SPECIFICATION	VALUE
Brightness	1500cds/m ²
Tile size	50x50cm
Tile resolution	256x256px
Tile weight	7,8kg/st
Setting usage	Indoor usages
Controller	MX40 Pro





4X2.5


Max. power: 7kW

Avg. power: 2,2kW


3x outlets: 16Amp - 220V

Native resolution: 2048x1280px

Front/Back view



Side view





	8x	992x1488 frame
	8x	Quick lock
	8x	Leveling foot D30-M8 B
	8x	Sandbag 30kg
	24x	Quick lock quickfix M6
	12x	Quickfix M6 adaptor plate
	8x5	Tiles DB 1.9

4X2.5 (RAISED)



Max. power: 7kW
Avg. power: 2,2kW
3x outlets: 16Amp - 220V
Native resolution 2048x1080px






5X3

Max. power: 10,2kW

Avg. power: 3,4kW

4x outlets: 16Amp - 220V

Native resolution: 2560x1536px



5X3 (RAISED)




Max. power: 10,2kW

Avg. power: 3,4kW

4x outlets: 16Amp - 220V

Native resolution: 2560x1536px






LOW-RES

Our low-resolution LED walls are designed for visual impact at scale. With a pixel pitch of 8.3 mm, they're perfect for large screens viewed from a distance — ideal for dynamic animations, bold patterns, and content that captivates through motion and color, not fine detail.

Each setup is fully custom-built, giving you complete freedom in size and shape. Paired with our creative team at MOTCHA, we can design original, tailor-made content that enhances the unique character and format of your LED wall.

When scale and creativity align, the impact is unforgettable.

LOW RESOLUTION LED WALL



LET'S GET TECHNICAL



SPECIFICATIONS




SPECIFICATION	VALUE
Brightness	4000cdn/m ²
Pixel pitch	8,3mm
Tile size	120x120cm
Tile resolution	144x144px
Tile weight	15,5kg
Transparency	70%
Setting usage	Indoor usage
Controller	MX40 Pro





DISCOVER MORE!





Book a meeting



DB VIDEO

+32 3 843 25 85
hello@dbvideo.tv
<https://dbvideo.tv/>

BV DB Video Productions
Kontichsesteenweg 39
2630 Aartselaar
Antwerpen, België



DB Video



DB VIDEO
YOUR FULL SERVICE MEDIA PARTNER