







(08) 9459 8600

**KALGOORLIE** (08) 9021 8300

**ADELAIDE** (08) 8231 1513 **NEWMAN** 

MAN MT I

**DARWIN** (08) 8963 5621

MT ISA (07) 4743 6458 ⊠ sales@bendtechgroup.com.au

mbendtechgroup.com.au

2-10 Kewdale Road, Welshpool WA 6106





#### BEND-TECH GROUP

**Bend-tech Group** delivers a tailored design, engineering and fabrication service which empowers our customers towards operational safety, efficiency, and excellence. Intelligent systems and processes propel our consultative approach towards problem solving, it is imperative we create comfort and certainty. Service that takes control of problems and accountability puts solutions in motion, we have learned through a deep understanding of our customers that this is what they need.

Being global providers of designed and engineered products, services and solutions has allowed us to develop cross-industrial expertise that has galvanised our internal processes and put us at the forefront of technology and innovation. Our people are what we believe sets us apart, our culture of learning, understanding and excellence means the whole organisation progresses in synchronicity. Our team makes an impact internally, as well as throughout all our customer interactions.

Over 30 years of delivering intelligent design, customcertified products and services has taken us across many industries and into many countries. We have provided our industry leading solutions across the Mining, Defence, Fabrication, Marine, Rail and Oil and Gas industries globally.





#### TRUCK ACCESS PLATFORMS

## INDEX

BUCKET REPAIR	•••	5-6
CATERPILLAR D10/D11 DOZER	111	8-11
CATERPILLAR 16M AND 24M GRADER	•••	12-14
CATERPILLAR 777 HAUL TRUCKS	•••	15-19
CATERPILLAR 785D HAUL TRUCK	•••	20
CATERPILLAR 789 HAUL TRUCK	•••	21 - 22
CATERPILLAR 793 HAUL TRUCK	•••	23 - 30
CATERPILLAR 854K, 966 AND 980	•••	31 - 32
ERPILLAR 993K, 994F WHEEL LOADER	111	33
CATERPILLAR 994H WHEEL LOADER	•••	34 - 38
CATERPILLAR MT4400 TRUCK	•••	39
EPIROC D65	•••	40
HITACHI EX2500 AND EX3600	•••	42
HITACHI EX5500/ EX5600	•••	43-44
UITACHI EUECOO	$T_{ij}T_{i$	45-46

www.bendtechgroup.com.au

23M LFT ARMSV



#### TRUCK ACCESS PLATFORMS

### INDEX

**KOMATSU 475A DOZER** 

**KOMATSU 730E / 830E** 49 - 55

> KOMATSU 930E **III 56 - 58**

KOMATSU HD1500 III 59 - 60

KOMATSU WA1200 WHEEL LOADER 61 - 63

**KOMATSU PC4000 EXCAVATOR** *III* 64 - 65

**LETOURNEAU L1850** 

**LETOURNEAU L2350** 68 - 70

**LIEBHERR 996 WHEEL LOADER** 

**LIEBHERR 9400 EXCAVATOR** 

**VOLVO L120F AND A45G WHEEL LOADER** 74 - 75

> **EPIROC MT65 TRUCK** 77 - 78

**EPIROC ST14 TRUCK** 

**CATERPILLAR AD30 TRUCK** 81

**CATERPILLAR AD45 TRUCK** 82

CATERPILLAR AD55B TRUCK

www.bendtechgroup.com.au



#### TRUCK ACCESS PLATFORMS

### INDEX

**CATERPILLAR AD60 TRUCK** 

**CATERPILLAR AD63 TRUCK** 

CATERPILLAR R2900/R3000 LOADER 87 - 90

> **SANDVIK DD421 JUMBO DRILL** 92

SANDVIK LH517/LH517I LOADER

**SANDVIK LH621 LOADER** 96

**SANDVIK TH663 TRUCK** 97

**SANDVIK RHINO R100H** 

www.bendtechgroup.com.au


## BUCKET REPAIR PLATFORMS

## FACE SHOVEL BUCKET REPAIR PLATFORM 1300MM

Part No. 5401529

#### CONSTRUCTION

- Heavy-duty construction
- Height: 1300mm
- Walking pathway
- Self-closing gate
- Safety handrails
- Non-slip stairway and work area
- Platforms are provided in 3 stage modular form to enable ease of transport, storage and installation.



## FACE SHOVEL BUCKET REPAIR PLATFORM 2300MM

Part No. 5401522

- Heavy-duty construction
- Height: 2300mm
- Walking pathway
- Self-closing gate
- Safety handrails
- Non-slip stairway and work area
- Platforms are provided in 3 stage modular form to enable ease of transport, storage and installation.



## BUCKET REPAIR PLATFORMS

## BUCKET REPAIR AND INSPECTION PLATFORM

Part No. 5401111

#### CONSTRUCTION

- Heavy-duty steel
- Length: 5750mm
- 7 step pathway
- Closing bar gate
- Safety handrails
- Non-slip stairway and work area
- Forklift slots for ease of transport



## BUCKET ACCESS PLATFORM 600MM

Part No. 5502825

#### CONSTRUCTION

- Heavy-duty aluminium
- Length: 6000mm
- Boom rail
- Walking pathway
- Fitted with forklift slots
- · Non-slip stairway and work area





## CATERPILLAR D10 / D11 DOZER

### CATERPILLAR D10/D11 REAR ACCESS PLATFORM

Part No. 5502296

Designed and engineered for the ripper and rear access of the D10 and D11 dozers. Certified and compliant with Australian Standards.

#### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 250kg
- Self-closing gates
- Non-slip stairway and work area
- Separated into 4 sections for easy transport



#### CATERPILLAR D10/D11 ENGINE BAY PLATFORM

Part No. 5501737

A safe, certified and compliant access platform designed and engineered to access the engine bay on the CAT D10 and D11 Dozer for easy servicing. Does not fit D10T-2.

#### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 250kg
- Height: 1850mm
- · Non-slip stairway and work area
- Handrails fully removable
- Jacking stands
- LH and RH configurations (Sold as a set)
- Detachable handrail with swinging gate section for protection when in the engine bay



## CATERPILLAR D10 / D11 D0ZER

### CATERPILLAR D10/D11 ENGINE BAY ACCESS PLATFORM

Part No. 5401520

Designed and engineered for the safe, certified and compliant access to the engine bay of the Caterpillar D10.

#### CONSTRUCTION

• Heavy-duty aluminium

WLL: 250kg
Width: 950mm
Height: 1950mm
Length: 4067mm
Safety handrails
Self-closing gates

• Non-slip stairway and work area

Large industrial castors for ease of mobility



#### CATERPILLAR D10 ENGINE ACCESS PLATFORM LEFT HAND

Part No. 5501643

#### **CONSTRUCTION**

• Heavy-duty aluminium

WLL: 250kgWidth: 950mmHeight: 1950mmLength: 4067mm

• Available in LH and RH confi guration

Non-slip stairway and work area

• Double self closing gate

Safety handrails

• Fitted with jacking stands

Forklift slots for easy mobility



## CATERPILLAR D10 / D11 DOZER

## CATERPILLAR D10 ENGINE ACCESS SAFETY PLATFORM

Part No. 5501608

#### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 250kg
- Height: 2010mm
- Safety handrails
- Self-closing gate
- Overhanging platformFitted with jacking stands
- Non-slip stairway and work area



## CATERPILLAR D10T SIDE ENGINE ACCESS PLATFORM

Part No. 5502808

#### **CONSTRUCTION**

- Heavy-duty aluminium
- WLL: 200kgHeight: 1200mmWidth: 1550mm
- · Non-slip stairway and work area
- Self-closing gates
- Fitted with large industrial castors

,,,,,,,,,,,,,,,,,,,

• Interchangeable side handrails




## CATERPILLAR D10 / D11 DOZER

### CATERPILLAR D10T2 ENGINE BAY ACCESS PLATFORM SET

Part No. 5506401

#### **CONSTRUCTION**

- Heavy-duty aluminium
- WLL: 250kg
- Fitted with jacking stands
- Detachable handrail with swinging gate section for protection when in the engine bay
- Left and right-hand configurations (Sold as a set)



### DOZER ENGINE BAY ACCESS PLATFORM

Part No. 5501431

#### CONSTRUCTION

- Heavy-duty
- Safety handrail
- Fitted jacking stands
- Large non-slip stairway and platform deck for stability and space
- Swing out gates on end of platform can be locked in place incrementally
- Self-closing gate at the top of the stairs
- Large 300mm all terrain rubber wheels



#### DOZER TRACK ACCESS PLATFORM

Part No. 5505206

- Heavy-duty lightweight aluminium
- WLL: 250kg
- Castor wheels
- Bolt on handrails
- Swing out handrail
- Self-closing batwing gates
- Removable spigoted handrail





# CATERPILLAR 16M AND 24M GRADER



www.bendtechgroup.com.au

## CATERPILLAR 16M GRADER

### CATERPILLAR 16M GRADER ACCESS PLATFORM

Part No. 5401519

#### CONSTRUCTION

Heavy-duty aluminium

WLL: 250kgHeight: 1810mmLength: 1728mmWidth: 1080mm

• Non-slip stairway and work area

• Double self-closing gate

Safety handrailsWheel locks



#### CATERPILLAR 16M GRADER CABIN ACCESS PLATFORM

Part No. 5401590

#### **CONSTRUCTION**

• Heavy-duty aluminium

• WLL: 250kg • Height: 1800mm

• Non-slip stairway and work area

• Jacking stands fi tted on the outriggers

• Double self-closing gates

Safety handrails

• Fork pockets for easy mobility

 Overhang and counterweight for easy access



,,,,,,,,,,,,,,,,,,,,,

## CATERPILLAR 16M GRADER

#### CATERPILLAR 16M ENGINE BAY ACCESS PLATFORM

Part No. 5501593

#### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 250kg
- Height: 1750mm
- Fitted with heavy-duty castors
- Fitted with jacking stands
- LH and RH sold as a set



## CATERPILLAR 24M GRADER

#### CATERPILLAR 24M GRADER EMERGENCY ACCESS LADDER

Part No. 5502411

#### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 150kg
- · Gas struts for controlled release and easy lifting

,,,,,,,,,,,,,,,,,,,

- Easy-to-use latching system
- Fully TIG welded ladder construction
- Steel section fi nished in Y-14 safety yellow
- Non-slip nosings on ladder treads





### CATERPILLAR 777 CHASSIS ACCESS PLATFORM

Part No. 5502617

#### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 300kg
- Height: 2730mm
- · Non-slip stairway and work area
- Self-closing gate
- Safety handrails



#### CATERPILLAR 777-789F AIR FILTER ACCESS PLATFORM

Part No. 5501024

- Heavy-duty aluminium
- WLL: 250kg
- · Height: 2400mm
- Non-slip stairway and work area
- Self-levelling jacks
- Self-closing gate
- Safety handrails



### CATERPILLAR 777F WATER CART ACCESS PLATFORMS

Part No. 5501726

#### CONSTRUCTION

Heavy-duty aluminium

Height: 2450mmLength: 3590mmWidth: 2800mm

 Certified and compliant with Australian Standards

Can be customised to suit other mobile equipment

• Available in RH and LH confi guration

Non-slip walkwaySelf-closing gates



## CATERPILLAR 777F WATER CART ACCESS PLATFORM

Part No. 5501050

#### **CONSTRUCTION**

• Heavy-duty aluminium

• WLL: 250kg • Height: 2230mm

Non-slip stairway and work area

Self-levelling jacksSelf-closing gateSafety handrails



\_\_\_\_\_

### CATERPILLAR 777F FRONT ACCESS PLATFORM

Part No. 5500139

#### CONSTRUCTION

- Heavy-duty steel
- WLL: 250kg
- Height: 2400mm
- Safety handrails
- Small Platform section at bottom and larger section at top
- This item can be customised to meet your specifi c needs and is engineered, certifi ed and built to Australian Standards



### CATERPILLAR 777 EMERGENCY EGRESS LADDER

Part No. 5502447

#### CONSTRUCTION

- Various
- · High strength aluminium ladder and slides
- Heavy duty steel main frame
- Torqued gear units for controlled release and easy lifting\*Patent pending

,,,,,,,,,,,,,,,,,,



### HAUL TRUCK AIR FILTER ACCESS PLATFORM

Part No. 5504514

#### CONSTRUCTION

Heavy-duty aluminium

WLL: 350kgHeight: 2250mmLength: 1400mmWidth: 1200mmForklift slots

Self-closing gateRemovable handrails

Non-slip stairway and work area

• High quality German castor wheels



#### CATERPILLAR 777G ENGINE BAY ACCESS

Part No. 5504690

#### CONSTRUCTION

• Heavy-duty aluminium

WLL: 150kgHeight: 1500mmLength: 900mmWidth: 450mmJacking Stands

• Non-slip walkway

• Removable handrails

• Fitted with forklift slots

• Supplied in LH & RH configuration

• German made castor wheels



#### CATERPILLAR 785 WATER CART CHASSIS STAND AND PLATFORM

Part No. 5502815

#### CONSTRUCTION

• Heavy-duty steel

• WLL: Platform = 150kg Stand = 35T

Height: 1260mmWidth: 2428mm

• Non-slip stairway and work area

• Fitted with lifting lugs



#### CATERPILLAR 785 CHASSIS ACCESS SYSTEM

Part No. 5505545

#### CONSTRUCTION

• Heavy-duty lightweight aluminium

WLL: 250kgHeight: 2940mmSwing-out gates


• Fitted with forklift slots

• Push up handrail frame

Stairway access platform over tank

• Drop-in handrails that lock together

,,,,,,,,,,,,,,,,,



## 789 HAUL TRUCK

### CATERPILLAR 777-789F AIR FILTER ACCESS PLATFORM

Part No. 5501024

#### CONSTRUCTION

Heavy-duty aluminium

• WLL: 250kg

• Height: 2400mm

• Non-slip stairway and work area

Self-levelling jacks

• Self-closing gate

• Safety handrails



#### CATERPILLAR 789 AIR FILTER ACCESS PLATFORM

Part No. 5503385

#### CONSTRUCTION

• Heavy-duty aluminium

WLL: 350kgLength: 2480mmWidth: 1600mmHeight: 3000mm

· Non-slip stairway and work area

Self-leveling jacks
Self-closing gate
Removable handrails



### HAUL TRUCK AIR FILTER ACCESS PLATFORM

Part No. 5504514

#### CONSTRUCTION

• Heavy-duty aluminium

WLL: 350kg
Height: 2250mm
Length: 1400mm
Width: 1200mm
Forklift slots

Self-closing gateRemovable handrails

• Non-slip stairway and work area

• High quality German castor wheels



### CATERPILLAR 789 CHASSIS ACCESS SYSTEM

Part No. 5505251

#### CONSTRUCTION

· Heavy-duty lightweight aluminium

WLL: 250kgHeight: 3200mmSwing-out gates


Fitted with forklift slots


• Push up handrail frame

• Stairway access platform over tank

• Drop-in handrails that lock together

,,,,,,,,,,,,,,,,,,





#### MONORAIL FOR WHEEL SERVICE PLATFORM -EXTENDED REAR

Part No. 5504181

#### **CONSTRUCTION**

- Heavy-duty aluminium
- WLL: 200kg
- Length: 3200mm
- Safety handrails
- Fitted with forklift slots
- Heavy-duty caster wheels
- Certified and compliant with Australian Standard



#### CATERPILLAR 793F TRUCK TRAY ACCESS LADDER

Part No. 5501941

#### **CONSTRUCTION**

- Heavy-duty steel
- WLL: 150kg
- Height: 900mm
- Access ladder positioned in the centre of the chassis
- Folding handrail for fall protection
- Finished in CAT yellow

# CATERPILLAR 793F LOWER STEERING LINK LIFTER

#### Part No. 5502835

- Heavy-duty steel
- WLL: 800kg
- Height: 350mm
- Fitted with forklift slots
- Finished in Y-14 safety yellow
- Tie-down point with chain and hook





#### CATERPILLAR 793F ENGINE BAY PLATFORM

Part No. 5501493

#### CONSTRUCTION

• Heavy-duty aluminium

WLL: 450kgHeight: 1280mmNon-slip work area

Jockey stands and lifting lugs

Self closing gateStability jacks

· Removable handrails and self-closing gate



### IN-TRAY SIDE WALL ACCESS PLATFORM

Part No. 5503199

#### CONSTRUCTION

• Heavy-duty aluminium

WLL: 250kgLength: 4600mmWidth: 1900mmHeight: 1900mm

• Heavy-duty jacking stands

• Self-closing gate

• Fitted with removable handrails



#### CATERPILLAR 793F STRUT AND LINE BORING PLATFORM

Part No. 5501498

#### **CONSTRUCTION**

• Heavy-duty aluminium

WLL: 250kgHeight: 2200mm

• Non-slip stairway and work area

• Removable handrails

• Overhang for extra access

• Easy access stairway



#### CATERPILLAR 793F TRANSMISSION PLATFORM

Part No. 5501500

#### **CONSTRUCTION**

- Heavy-duty aluminium
- WLL: 250kg
- Height: 1700mm
- Non-slip stairway and work area
- Small but durable platform
- Bend-tech signature removable handrail design
- Stair way also has removable handrails
- · Self-closing gate at top of stairs



#### CATERPILLAR 793F REAR STRUTS PLATFORM

Part No. 5501029

#### **CONSTRUCTION**

- Heavy-duty aluminium
- WLL: 150kg
- Height: 2100mm
- · Non-slip stairway and work area
- Large industrial castors
- Self-closing gate
- Safety handrails



#### CATERPILLAR 793F WORK PLATFORM

Part No. 5501313

Caterpillar 793F work platform designed and engineered for safe, efficient and easy maintenance. Certified and compliant with Australian Standards.

#### **CONSTRUCTION**

- Heavy-duty aluminium
- Fitted with removable handrails
- Fitted with jacking stands
- Fitted with heavy-duty castors

,,,,,,,,,,,,,,,,,,,,,



#### **CATERPILLAR 793F** AIR CLEANER PLATFORM

Part No. 5501491

#### CONSTRUCTION

Heavy-duty aluminium

• WLL: 250kg Height: 2800mm

· Non-slip stairway and work area

Jacking stands for stability

Mandrel bent stair safety handrails

and access





#### **CATERPILLAR 793F UPPER RADIATOR ACCESS**

Part No. 5415108

#### CONSTRUCTION

Heavy-duty aluminium

• WLL: 250kg • Height: 4000mm

· Non-slip stairway and work area

· Large industrial castors and levelling jacks

 Self-closing gate Safety handrails



#### **CATERPILLAR 793F CHASSIS ACCESS PLATFORM RH**

Part No. 5503483

#### CONSTRUCTION

• Heavy-duty aluminium

• WLL: 250kg Height: 3254mm Jacking legs

Slide out handrail

• Fitted with forklift slots

Tread nosings on all steps

Non-slip work deck and treads

• Heavy-duty lockable castor wheels



#### TRAY PIN REMOVAL PLATFORM

Part No. 5501483

#### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 250kg
- Length: 5250mm
- Access platform for tray pin removal
- Non-slip stairway and work area
- Heavy duty castor wheels
- Safety handrails
- Stability jacks
- Multiple platform sections bolt together to form the main platform
- · Self-closing gate at the top of the stairs



Part No. 5501496

#### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 250kg
- Length: 4200mm
- Heavy duty castor wheels
- Safety handrails
- · Outriggers with stability jacks
- Platform bolts together in a top and bottom section
- · Self-closing gate at top of stairs
- and boom rail at rear

#### **CATERPILLAR 793F CHASSIS ACCESS SYSTEM**

Part No. 5507151


#### **CONSTRUCTION**

- Full TIG welded, heavy-duty aluminium RHS
- WLL: 250kg
- Fitted with forklift slots
- · Non-slip stairway and work area
- Swing out fall protection gates
- · Heavy-duty levelling jacking stands
- Bolt-on safety handrails with kickplates

,,,,,,,,,,,,,,,,,,,







### CATERPILLAR 793F LOWER RADIATOR ACCESS PLATFORM

Part No. 5414126

#### CONSTRUCTION

• Heavy-duty aluminium

WLL: 250kgHeight: 1800mmSelf-closing gateSafety handrails

· Non-slip stairway and work area

• Large industrial castors and levelling jacks



#### CATERPILLAR 793F CHASSIS FUEL TANK ACCESS PLATFORM

Part No. 5501495

#### **CONSTRUCTION**

• Heavy-duty aluminium

WLL: 250kgHeight: 3600mm

• Non-slip stairway and work area

 Large overhang for extra length and access

• Self-closing gate at top of stairs

• Safety handrails





,,,,,,,,,,,,,,,,,,,,,,

#### CATERPILLAR 793F LIFT ARM RAM ACCESS PLATFORM

Part No. 5504056

#### **CONSTRUCTION**

• Heavy-duty aluminium

WLL: 250kgHeight: 1950mm

Non-slip stairway and work area

• Heavy-duty castor wheels

• Fitted with forklift slots

Safety handrails

#### CATERPILLAR 793F ENGINE BAY PLATFORM

Part No. 5501480

#### **CONSTRUCTION**

- Heavy-duty aluminium
- Length: 4150mm
- Self closing gate
- Stability jacks
- Forklift slots
- Non-slip work area
- Jockey stands and lifting lugs
- · Removable handrails and self-closing gate



Part No. 5501028

#### **CONSTRUCTION**

- · Heavy-duty aluminium
- WLL: 250kg
- Height: 1700mm
- · Non-slip stairway and work area
- Large industrial castors and levelling jacks
- Self-closing gate
- Safety handrails

### CATERPILLAR 793F REAR TRAY ACCESS PLATFORM

Part No. 5503517

#### CONSTRUCTION

- Heavy-duty aluminium
- Height: 5200mm
- Self closing gate
- Jack stands
- Stair access
- Wing out handrails
- Fitted with forklift pockets
- German made castor wheels

,,,,,,,,,,,,,,,,,,,,,







## CATERPILLAR 854K DROZER

#### CATERPILLAR 854K EMERGENCY LADDER

Part No. 5502306

#### CONSTRUCTION

- Heavy-duty aluminium
- ladder and slides
- Heavy-duty steel
- main frame
- WLL: 150kg
- Height: 2800mm
- Non-slip ladder nosings
- Tourqed gear units for controlled release and easy lifting



### CATERPILLAR 854K LIFT CYLINDER ACCESS PLATFORM

Part No. 5504712

- Heavy-duty aluminium
- WLL: 150kg
- Height: 2250mm
- Fitted with forklift slots
- German made castor wheels
- Non-slip grating and stair treads
- Platform splits in 2 and clips together



## CATERPILLAR 966 WHEEL LOADER

## CATERPILLAR 966 ELECTRICAL ACCESS PLATFORM

Part No. 5501444

#### CONSTRUCTION

- Heavy-duty aluminium
- · Non-slip stairway and work area
- Small access platform
- Safety rails
- Fixed wheels at rear
- Self-closing gates



## CATERPILLAR 980 WHEEL LOADER

### CATERPILLAR 980M SAFETY ACCESS PLATFORM SET

Part No. 5501049

#### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 250kg
- Height: 1120mm
- · Non-slip stairway and work area

,,,,,,,,,,,,,,,,,,,,,,

- Self-closing gate
- Safety handrails



## CATERPILLAR 993K WHEEL LOADER

### CATERPILLAR 993K LOWER RH ARTIC ACCESS PLATFORM

Part No. 5503773

#### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 150kg • Height: 1200mm
- Non-slip stairway and work area
- Safety handrails and self-closing gate



## CATERPILLAR 994F WHEEL LOADER

#### CATERPILLAR 994F ACCESS STAIRS

Part No. 5501973

- Heavy-duty steel
- Certified and compliant with Australian Standards
- Includes stairs and handrails
- Alternative option to OEM build




## CATERPILLAR 994H WHEEL LOADER

#### CATERPILLAR 994H ACCESS PLATFORM

Part No. 5501487

#### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 250kg
- Length: 2850mm
- LH and RH side work platforms with additional middle platform
- Safety handrails
- Self closing gate
- Provides safe and efficient access



#### CATERPILLAR 994H ARCTIC PLATFORM

Part No. 5501865

- Heavy-duty aluminium
- WLL: 250kgHeight: 2850mm
- Non-slip stairway and work area
- Adjustable handrails at front
- Self closing gate
- Extended overhang for extra access



## CATERPILLAR 994H WHEEL LOADER

## CATERPILLAR 994H ARTIC HIGH ACCESS PLATFORM

Part No. 5501486

### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 250kg
- Length: 2840mm
- · Non-slip stairway and work area
- Self-closing gate
- Safety handrails
- Boom rail on front
- Outriggers with levelling jacks
- Fork pockets for easy transport



### CATERPILLAR 994H FRONT ARMS AND PIN PLATFORM

Part No. 5501499

### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 250kg
- · Length: 3350mm
- Non-slip stairway and work area
- Removable handrails for easy of access

,,,,,,,,,,,,,,,,,,

- Self closing gate
- Platforms bolt together for transport



## CATERPILLAR 994H WHEEL LOADER

### CATERPILLAR 994H EMERGENCY SIDE ACCESS AND WORK PLATFORM

Part No. 5501862

### **CONSTRUCTION**

- Heavy-duty aluminium
- WLL: 400kg
- Height: 2100mm
- Non-slip stairway and work area Self-closing gate
- Safety handrails



### CAT 994H LH - RH ARTIC SHORT PLATFORM

Part No. 5501492

- Heavy-duty aluminium
- WLL: 250kgHeight: 900mm
- Non-slip stairway and work area
- Safety handrails
- Self-closing gate
- Jacking stands for stability



## CATERPILLAR 994H WHEEL LOADER

### CATERPILLAR 994H FRONT TILT ACCESS PLATFORM

Part No. 5501919

### **CONSTRUCTION**

- Heavy-duty steel
- Non-slip work area
- Steel plates weld to bucket
- Platform bolts onto welded plates
- Safety handrails painted Y14 safety yellow



### CAT 994 EMERGENCY EGRESS LADDER

Part No. 5504157

### CONSTRUCTION

- High strength aluminium ladder
- High strength aluminium slides
- Non-slip ladder nosing's
- Heavy duty steel main frame
- Torqued gear units for controlled release and easy lifting
- Certified and compliant with Australian Standards \*Patent pending

,,,,,,,,,,,,,,,,,,





A safe, certified and compliant access platform designed and engineered to access the front of the CAT MT4400 dump truck

### **CONSTRUCTION**

• Heavy-duty aluminium

• WLL: 250kg • Height: 2180mm

• Non-slip stairway and work area

- Large overhang for access
- Safety handrail
- Self-closing gate at the top of the stairs
- Certified and compliant with Australian Standards



### CAT MT4400 FRONT ACCESS PLATFORM

Part No. 5501497

## EPIROC D65

## EPIROC D65 SIDE ACCESS PLATFORMS

Part No. 5504703

### **CONSTRUCTION**

- Heavy-duty aluminium
- WLL: 250kg per platform
- Jacking stands
- Self-closing gate
- Removable handrails
- Fitted with forklift slots
- German made castor wheels



## EPIROC D65 SIDE ACCESS PLATFORM

Part No. 5507197

### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 250kg
- Height: 1025mm
- Self-closing gate
- Fitted with forklift slots
- · High quality castor wheels



### EPIROC D65 MAST ACCESS PLATFORM

Part No. 5506717

### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 250kg
- Height: 1800mm
- Self closing gate
- Fitted with forklift slots
- High quality castor wheels
- Bolt-on handrails with kickplates
- Non-slip nosings on all stair treads

,,,,,,,,,,,,,,,,,,,,,





### HITACHI EX2500

## HITACHI EX2500 PLATFORM EXTENSION

Part No. 5501633

### CONSTRUCTION

- Heavy-duty steel
- WLL: 250kg
- Height: 2350mm
- Base plates lock into grate below
- Certified and compliant with Australian Standards




### HITACHI EX3600

## HITACHI EX3600 ALUMINIUM LADDER EXTENSION

Part No. 5502538

### CONSTRUCTION

- Heavy-duty lightweight aluminium
- WLL: 150kg
- Easy attachment to bottom of the OEM ladder



### HITACHI EX3600 BUCKET REPAIR PLATFORM

Part No. 5501885

### **CONSTRUCTION**

- Heavy-duty steel
- · Can be used in the pit if needed

,,,,,,,,,,,,,,,,,,,,,,,

- Galvanised grid mesh
- Safety handrails
- painted in Y14 safety yellow



### HITACHI

### **EX5500/EX5600**

HITACHI EX5500/EX5600 SLEW
BEARING PLATFORM CHANGEOUT KIT

Part No. 5501259

A platform designed to access the front and back area of the slew bearing between the track. Safe, certified and compliant maintenance on both the EX5500 and EX5600.

### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 250kg
- Height: 2300mm
- Complete with handrails
- Handrails gaps are half meshed for increased safety
- · Handrails bolt on the fixed threaded blocks
- Removable handrails
- Removable platforms at front of platform



### HITACHI EX5600 ACCESS PLATFORM

Part No. 5501451



### CONSTRUCTION

- Heavy-duty steel
- WLL: 250kg
- Height: 1800mm
- · Wheels for ease of mobility
- Non-slip stairway and work area
- Fitted with Self-closing gate and safety handrails

### HITACHI EX5500/EX5600 ACCESS PLATFORM

Part No. 5501245



### **CONSTRUCTION**

- Heavy-duty steel
- WLL: 250kg
- Height 2060mm
- Fitted with handrails that hook over tracks
- Platform sits at front of machine and handrails on edge of tracks

## HITACHI **EX5500/EX5600**

### HITACHI EX5500 PUMP ROOM ACCESS PLATFORM

Part No. 5502822

### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 400kg
- Length: 2800mm
- Width: 1400mmHeight: 4100mm
- Self-closing gate
- Safety handrails
- Fitted with forklift slots
- Non-slip stairway and work area
- Large industrial castors and leveling jacks



### HITACHI EX5600 BOOM ARCH HOSE ACCESS PLATFORM

Part No. 5504765

- Heavy-duty aluminium/steel
- WLL: 250kg
- Length: 2925mm
- Width: 1270mm
- Safety handrails on sides
- Eliminates the need for scaffold
- Interchangeable lightweight aluminium access planks



### HITACHI EH5000



A platform designed for the safe, certified and compliant access to the engine bay of the EH5000.

### **CONSTRUCTION**

- Heavy-duty aluminium
- WLL: 250kg
- Height: 2830mm
- Non-slip stairway and work area
- Safety handrail
- Self closing gate
- Jacking stands
- Heavy duty caster wheels



### HITACHI EH5000 ENGINE BAY ACCESS PLATFORM

Part No. 5501732

### HITACHI EH5000

### HITACHI EH5000 ENGINE BAY ACCESS PLATFORM

Part No. 5504488

### CONSTRUCTION

• Heavy-duty aluminium

WLL: 150kg
Length: 960mm
Width: 500mm
Height: 2700mm
Self-closing gate
Safety handrails

Fitted with forklift slotsLarge industrial castors

• Non-slip stairway and work area



### HITACHI EH5000 CHASSIS ACCESS SYSTEM

Part No. 5504563

### CONSTRUCTION

Heavy-duty aluminium

WLL: 250kgHeight: 3900mmSwing-out gates

• Fitted with forklift slots

Push up handrail frame

• Stairway access platform over tank

• Drop-in handrails that lock together

,,,,,,,,,,,,,,,,,,,







A safe, certified and compliant access platform designed and engineered to suit accessing the engine bay of both the CAT D11 dozer and KOMATSU 475A

### CONSTRUCTION

- Heavy-duty
- WLL: 250kg
- Height: 1810mm
- Large non-slip stairway and platform deck for stability and space
- Swing out gates on end of platform can be locked in place incrementally
- Self-closing gate at the top of the stairs
- Safety handrail
- Large 300mm all terrain rubber wheels
- Fitted jacking stands



Part No. 5501431



### **KOMATSU**

### **730E/830E DUMP TRUCK**

### HAUL TRUCK WHEEL SERVICE PLATFORM

Part No. 5401579

#### **CONSTRUCTION**

- Heavy-duty aluminium
- Non-slip stairway and work area
- Removable handrails
- Self closing gate
- Work bench on both ends for tool storage
- Adjustable jacking stands for uneven ground
- Monorail available as a manual handling upgrade
- Also suitable for the KOMASTU 830E



## FRONT CALIPER REMOVAL MONORAIL PLATFORM

Part No. 5503423

### CONSTRUCTION

- Heavy-duty aluminium
- Non-slip stairway and work area
- Removable handrails
- · Self closing gate
- · Work bench on both ends for tool storage
- · Adjustable jacking stands for uneven ground
- Monorail available as a manual handling upgrade
- Also suitable for the KOMASTU 830E



### KOMATSU 730E/830E FRONT ENGINE ACCESS PLATFORM

Part No. 5502481

- Heavy-duty aluminium
- Non-slip stairway and work area
- Fitted with heavy-duty lockable castors
- · Fitted with work bench
- Also suitable for the KOMASTU 830E



### **KOMATSU**

### **730E/830E DUMP TRUCK**

### KOMATSU 730E/830E OVER FUEL TANK ACCESS PLATFORM

Part No. 5501514

### **CONSTRUCTION**

- Heavy-duty aluminium
- WLL: 350kgHeight: 3800mm
- · Non-slip stairway and work area
- Out-swinging gates and safety handrails
- Also suitable for the KOMASTU 830E



## KOMATSU 730E/830E BATTERY MAINTENANCE PLATFORM

Part No. 5502477

### **CONSTRUCTION**

- Heavy-duty aluminium
- WLL: 150kgHeight: 800mm
- Non-slip stairway and work area
- Fitted with heavy-duty lockable castors
- Also suitable for the KOMASTU 830E



### KOMATSU 730E/830E FRONT ENTRY ACCESS PLATFORM STAIRS

Part No. 5501721

### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 150kgHeight: 800mm
- Dual self-closing gates at the rear of the platform

- Non-slip stairway and work area
- Also suitable for the KOMASTU 830E and 930E



### KOMATSU **730E/830E DUMP TRUCK**

### **KOMATSU 730E ENGINE BAY PLATFORM**

Part No. 5501231

### CONSTRUCTION

- Heavy-duty steel
- Supplied in pairs
- Extended height handrails
- · Complete safety when working in hard to reach areas



### **KOMATSU 730E/830E ENGINE ACCESS PLATFORM**

Part No. 5502934

### CONSTRUCTION

• Heavy-duty aluminium

• WLL: 200kg • Height: 1900mm

• Non-slip stairway and work area

Safety handrails

• High quality caster wheels

Also suitable for the KOMASTU 830E



### **HAUL TRUCK AIR FILTER ACCESS PLATFORM**

Part No. 5504514

### **CONSTRUCTION**

• Heavy-duty aluminium

• WLL: 350kg • Height: 2250mm • Length: 1400mm • Width: 1200mm Forklift slots

• Self-closing gate

• Removable handrails

· Non-slip stairway and work area

• High quality German castor wheels



## KOMATSU 730E/830E DUMP TRUCK

### KOMATSU 730E TRAY PIN ACCESS PLATFORM

Part No. 5504721

### CONSTRUCTION

• Heavy-duty aluminium

WLL: 150kgHeight: 2155mmLength: 1315mmWidth: 950mm

Fitted with forklift slots

Non-slip stairway and work areaHeavy-duty lockable castor wheels



## KOMATSU 730E LIFT CYLINDER PIN ACCESS PLATFORMS

Part No. 5504720

#### CONSTRUCTION

• Heavy-duty aluminium

• WLL: 150kg


Height: 1650mm, 1850mmLength: 1115mm, 900mm

• Width: 750mm

• Fitted with forklift slots

Non-slip stairway and work area

• Heavy-duty lockable castor wheels



### KOMATSU 730E/830E ENGINE BAY ACCESS PLATFORM AND LADDER

Part No. 5001793

### **CONSTRUCTION**

• Heavy-duty aluminium

Height: 1181mm Length: 1975mm Width: 485mm Fold-down ladder

• Sliding access door

• Extended height handrails

• Complete safety when working in hard to reach areas

,,,,,,,,,,,,,,,,,,,,,,,,,



## 730E/830E DUMP TRUCK

### KOMATSU 830E ACI ENGINE MODULES PLATFORM

Part No. 5501247

### CONSTRUCTION

Heavy-duty aluminium

WLL: 200kgHeight: 750mm

Access for both sides of engine

Non-slip stairway and work area

Safety handrailsSelf closing gates



### KOMATSU 830E STRUT ACCESS PLATFORM

Part No. 5502975

### **CONSTRUCTION**

• Heavy-duty aluminium

WLL: 150kgHeight: 2200mm

• Non-slip stairway and work area

Fitted with heavy-duty lockable castors



### KOMATSU 830E TRAY ACCESS PLATFORM

Part No. 5504575

### CONSTRUCTION

Heavy-duty aluminium


WLL: 150kgHeight: 5500mm

• Fitted with swinging side handrails

· Heavy-duty castor wheels

Jacking stands

• Certified and compliant with Australian Standards



## KOMATSU 730E/830E DUMP TRUCK

### KOMATSU 830E FIRE SUPPRESSION PLATFORM

Part No. 5504708

#### CONSTRUCTION

Heavy-duty aluminium

WLL: 400kgHeight: 1650mmLength: 2800mmWidth: 1800mmSelf-closing gate

Toolbox for storage

· Fitted with forklift slots

German made castor wheels



## KOMATSU 830E PLATFORM WITH LADDER RHS

Part No. 5002104

### **CONSTRUCTION**

• Heavy-duty aluminium

• SWL: 150kg • Height: 580mm

· Locking gates for safety

 Can be modified for tyre and truck configurations



### KOMATSU 830E REAR STRUTS AND ACCUMULATOR PLATFORM

Part No. 5501201

### CONSTRUCTION

• Heavy-duty aluminium

WLL: 150kgHeight: 2100mmLength: 1250mmWidth: 600mmForklift slots

Safety handrails

Self-closing gate

• Fitted with heavy-duty lockable castors

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,



### **KOMATSU**

### **730E/830E DUMP TRUCK**

## KOMATSU 830E AIR FILTER ACCESS STATION PLATFORM

Part No. 5501548

### CONSTRUCTION

- Heavy-duty steel
- SWL: 400kg
- Self closing gate
- Safety handrails
- · Access for both sides of engine
- Non-slip stairway and work area
- Solar lights are added to the platform for extra light at night



## KOMATSU 830E AIR CONDITIONER ACCESS PLATFORM

Part No. 5507068

#### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 150kgHeight: 2080mmLength: 1800mm
- Width: 1200mm
- Non-slip nosings on all stair treads
- Bolt-on safety handrails with kickplates
- Non-slip serrated grating work deck and stair treads



### KOMATSU 830E ENGINE BAY PLATFORM

Part No. 5501360

- Heavy-duty aluminium
- Supplied in pairs
- Extended height handrails
- Complete safety when working in hard to reach areas



## SOE DUMP TRUCK

### KOMATSU 930E FRONT ENTRY ACCESS PLATFORM STAIRS

Part No. 5501721

#### CONSTRUCTION

• Heavy-duty aluminium

WLL: 150kgHeight: 800mm

• Dual self-closing gates at the rear of the platform

• Non-slip stairway and work area

Also suitable for the KOMASTU 830E and 930E



### KOMATSU 930E REAR TRAY PLATFORM

Part No. 5504707

### **CONSTRUCTION**

• Heavy-duty aluminium

WLL: 500kgHeight: 5850mmJacking standsSelf-closing gatesSwing-out handrails

Fitted with forklift slots



## KOMATSU 930E BATTERY ACCESS PLATFORM

Part No. 5506004

### CONSTRUCTION

• Heavy-duty lightweight aluminium

WLL: 250kgHeight: 1100mmLength: 2800mmWidth: 1950mmJacking stands

• Self-closing gates

• Double height handrails

• Fitted with forklift slots



## KOMATSU 930E DUMP TRUCK

## KOMATSU 930E FIRE SUPPRESSION PLATFORM

Part No. 5504708

### CONSTRUCTION

• Heavy-duty aluminium

WLL: 400kg
Height: 1650mm
Length: 2800mm
Width: 1800mm
Self-closing gates

• Toolbox for storage

• Fitted with forklift slots

German made castor wheels



### KOMATSU 930E ENGINE ACCESS PLATFORM

Part No. 5503559

### CONSTRUCTION

• Heavy-duty aluminium

WLL: 200kgHeight: 1200mmLength: 1000mmWidth: 550mmSafety handrails

• Non-slip stairway and work area

 Fitted with forklift slots for ease of transport



## KOMATSU 930E DUMP TRUCK

### KOMATSU 930E STRUT ACCESS PLATFORM

Part No. 5501773

### **CONSTRUCTION**

- Heavy-duty aluminium
- Height: 2300mmLength: 2300mmWidth: 1200mmSelf closing gate
- Outriggers for extra stability
- Non-slip stairway and work area
- Removable handrails on front for easy access



### KOMATSU 930E STRUT PIN ACCESS PLATFORM

Part No. 5503428

### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 150kgHeight: 1470mmLength: 1200mmWidth: 2350mmSelf-closing gate
- Levelling jacking stands
- Non-slip stairway and work area
- Removable handrails on front for easy access

,,,,,,,,,,,,,,,,,,,



### KOMATSU HD1500

### KOMATSU HD1500 TRAY PIN ACCESS PLATFORM

Part No. 5504739

### CONSTRUCTION

• Heavy-duty aluminium

• Fitted with forklift slots

WLL: 150kg
Height: 1900mm
Length: 1340mm
Width: 850mm
Self-closing gates
Non-slip stair nosings



### KOMATSU HD1500 CHASSIS ACCESS PLATFORM

Part No. 5504737

### CONSTRUCTION


• Heavy-duty aluminium

WLL: 250kgHeight: 3000mmLength: 1900mmWidth: 1500mm

Push up handrail frameFitted with forklift slots

• Stairway access platform over tank

• Drop-in handrails that lock together



### KOMATSU HD1500

### KOMATSU HD1500 ENGINE BAY ACCESS PLATFORM

Part No. 5504753

### **CONSTRUCTION**

• Heavy-duty aluminium

Height: 1500mmLength: 1800mmWidth: 450mm

Permanent kickplates

• Removable safety handrails

• Non-slip nosings on all stair treads

• Interchangeable between LH and RH sides



## KOMATSU HD1500-8 REAR ACCESS PLATFORM

Part No. 5505209

### CONSTRUCTION

Heavy-duty steelHeight: 1202mmLength: 1932mmWidth: 948mm

• Folding handrail for when not in use

,,,,,,,,,,,,,,,,,,,



## WA1200 WHEEL LOADER

### KOMATSU WA1200 ARTIC FRONT STRUT AREA PLATFORM

Part No. 5501638

### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 250kg
- Height: 1900mm
- LH and RH configurations
- Non-slip stairway and work area
- Removable handrails on all sides for easy access
- Self-closing gate



### KOMATSU WA1200 FRONT ARTIC / BOOM HOSE ACCESS

Part No. 5501039



### CONSTRUCTION

- Heavy-duty aluminium
- Large industrial castors
- Non-slip stairway and work area
- Self-closing gates
- Safety handrails

### KOMATSU WA1200 FRONT HATCH ACCESS PLATFORM

Part No. 5501582



- Heavy-duty aluminium
- WLL: 250kg
- Height: 3000mm
- Non-slip stairway and work area
- Self-closing doors
- Flip down handrails

### KOMATSU

### **WA1200 WHEEL LOADER**

## KOMATSU WA1200 TREADLE ACCESS PLATFORM SET

Part No. 5502820

### CONSTRUCTION

- Heavy-duty aluminium
- Height: 2260mm
- Non-slip stairway and work area
- LH and RH configurations
- Removable handrails on all sides for ease of access
- Self-closing gates



## KOMATSU WA1200 INTERNAL TRANSMISSION AREA ACCESS PLATFORM

Part No. 5501628



### CONSTRUCTION

- Heavy-duty aluminium
- Recessed lifting lugs in platform deckfor crane access

\_\_\_\_\_

- Narrow access
- · For slots for efficient mobility

### WA1200 BUCKET WORK PLATFORM

Part No. 5502307



- Heavy-duty aluminium
- WLL: 500kg
- Large industrial castors
- Non-slip stairway and work area
- Self-closing gaes

## WA1200 WHEEL LOADER

KOMATSU WA1200 DROP-IN BUCKET PIN ACCESS PLATFORM

Part No. 5502744

### CONSTRUCTION

- Heavy-duty steel
- WLL: 250kg
- Fitted with self-closing gates
- Designed and engineered to safely access the bucket pins at the front of the Komatsu WA1200 Loader



### KOMATSU WA1200 ACCESS AND PROTECTION

Part No. 5501654



### **CONSTRUCTION**

- Heavy-duty aluminium
- Weld on steel base plates
- Handrails thread on to steel blocks welded to WA1200
- Handrails finished in Y14 safety yellow

### KOMATSU WA1200 TRANSMISSION COVER

Part No. 5504710



- Heavy-duty aluminium
- WLL: 400kg
- Removable handrails
- Non-slip grating deck and edges
- Handrails finished in Y14 safety yellow

## KOMATSU PC4000 EXCAVATOR

## KOMATSU WA1200 TREADLE ACCESS PLATFORM SET

Part No. 5502821

### CONSTRUCTION

• Heavy-duty aluminium

WLL: 350kgHeight: 2850mmSelf-closing gate

Fitted with forklift slotsBolt-on safety handrails

Non-slip stairway and work area

• Large industrial castors and leveling jack



## PUMP ROOM UNDERSIDE ACCESS PLATFORM

Part No. 5502859

### **CONSTRUCTION**

Heavy-duty steel and aluminium

WLL: 200kgSelf-closing gateSafety handrails

• 8' x 5' trailer

• Non-slip stairway and work area

• Oil drain bund inside trailer with evac point

,,,,,,,,,,,,,,,,,,



## PC4000 EXCAVATOR

### KOMATSU PC4000 AND HITACHI EX5500 PUMP ROOM ACCESS PLATFORM

Part No. 5502822

### **CONSTRUCTION**

• Heavy-duty aluminium

WLL: 400kgHeight: 4100mmSelf-closing gateSafety handrails

• Non-slip stairway and work area

· Large industrial castors and leveling jacks



## WASH-DOWN PAD WALKWAYS

Part No. 5501896

### **CONSTRUCTION**

Heavy-duty steelHeight: 5500mmLength: 24835mm

Stairway Access

 Handrails along walkways
 Full assembly bolts together for ease of transport

Grating and platform structure completely hot dip galvanised





# LETOURNEAU MACHINE RANGE



www.bendtechgroup.com.au

## L1850 WHEEL LOADER

### LETOURNEAU L1850 LOWER ARTIC ACCESS PLATFORM

Part No. 5504617

### CONSTRUCTION

Heavy-duty aluminium

WLL: 250kgHeight: 1150mm

• Heavy-duty caster wheels

• Heavy-duty jacking stands

• Drop bar gate

Fitted with forklift slots



### LETOURNEAU L1850 RH SIDE ENGINE ACCESS PLATFORM

Part No. 5504616

### CONSTRUCTION

• Heavy-duty aluminium

• WLL: 250kg • Height: 1400mm

• Heavy-duty caster wheels

Heavy-duty jacking stands

• Drop bar gate

• Fitted with forklift slots



### LETOURNEAU L1850 HV CABINET ACCESS PLATFORM

Part No. 5504580

### **CONSTRUCTION**

Heavy-duty steel

• WLL: 250kg

• Height: 1400mm

• Heavy-duty caster wheels

• Heavy-duty jacking stands

• Drop bar gate

• Fitted with forklift slots



## L2350 WHEEL LOADER

### LETOURNEAU L2350 SIDE ACCESS PLATFORM

Part No. 5501574

#### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 250kgHeight: 4350mm
- LH and RH configuration
- Non-slip stairway and work area
- · Levelling jacks for uneven ground
- Self closing gate at top of stairs
- Removable handrails



### LETOURNEAU L2350 ARTIC AREA ACCESS PLATFORM

Part No. 5501580

#### **CONSTRUCTION**

- Heavy-duty aluminium
- WLL: 250kg • Height: 3100mm
- Heavy duty castor wheels
- Outriggers with stability jacks
- Platform bolts together in a top and bottom section
- Self-closing gate at top of stairs and boom rail at rear



### LETOURNEAU L2350 RH CHASSIS ACCESS PLATFORM

Part No. 5501766

- Heavy-duty steel
- WLL: 250kg
- Slide-out handrail for extra protection
- Non-slip stairway and work area
- Wide Stairway for easy access
- Self-closing doors
- Safety handrails



### **LETOURNEAU**

### **L2350 WHEEL LOADER**

### LETOURNEAU L2350 LH CHASSIS ACCESS PLATFORM

Part No. 5501765

### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 250kgHeight: 3550mm
- Self closing gate
- Wide Stairway for easy access
- Heavy duty caster wheels
- Slide-out handrail for extra protection



### LETOURNEAU L2350 ARTIC SHORT ACCESS PLATFORM SET

Part No. 5502214

### **CONSTRUCTION**

- Heavy-duty aluminium
- WLL: 150kgHeight: 1785mm
- Non-slip stairway and work area
- · Levelling jacks for uneven ground
- Self-closing gate at top of stairs
- Removable handrails



### LETOURNEAU L2350 AIRCON CONDENSOR ACCESS PLATFORM

Part No. 5501891

### **CONSTRUCTION**

- Heavy-duty steel
- Rubber on base plates for stability when on deck
- Self-closing doors
- Safety handrails



## L2350 WHEEL LOADER

### LETOURNEAU L2350 FRONT PIN BASE

Part No. 5501736

### **CONSTRUCTION**

- Heavy-duty aluminium
- · Fixed on the front section
- · Handrails for safe access
- Certified and compliant with Australian Standards



### LETOURNEAU L2350 LH - RH STRUT REMOVAL PLATFORM

Part No. 5501735

### CONSTRUCTION

- Heavy-duty aluminium
- Suits left and right hand configurations
- Stability jacks
- Removable handrails and Removable step
- Double self-closing doors



### LETOURNEAU L2350 REAR RADIATOR ACCESS PLATFORM

Part No. 5503563

### **CONSTRUCTION**

- Heavy-duty aluminium
- WLL: 350kg
- Forklift slots
- Self-closing gate
- Removable handrails
- Non-slip nosings on all stair treads
- Bolt-on safety handrails with kickplates

,,,,,,,,,,,,,,,,,,,





# LIEBHERR 996 WHEEL LOADER

### LIEBHERR 996 SLEW BEARING CHANGEOUT KIT

Part No. 5501448

#### CONSTRUCTION

- Heavy-duty steel
- Certified and compliant with Australian Standards
- Hot-dip galvanised



### LIEBHERR 996 TRACK MOUNT ACCESS PLATFORM

Part No. 5501409

#### CONSTRUCTION

- Heavy-duty aluminium
- Fitted with self-closing gates
- Fitted with toolbox
- Fitted with rigging storage



#### LIEBHERR 996 BUCKET ACCESS PLATFORM

,,,,,,,,,,,,,,,,,,,,,,,,,

Part No. 5501334

#### **CONSTRUCTION**

- Heavy-duty steel
- WLL: 250kg
- Fitted with self-closing gates
- Levelling jacks



# LIEBHERR 9400 EXCAVATOR

#### LIEBHERR 9250/9400 TRACK ACCESS PLATFORM

Part No. 5504920

#### CONSTRUCTION

Heavy-duty steelWLL: 250kgHeight: 2230mmSelf closing gate

Jack stands

Fork pockets



#### LIEBHERR 9250/9400 TRACK WORK PLATFORM

Part No. 5504919


#### **CONSTRUCTION**

Heavy-duty steel

WLL: 500kgLength: 7000mmDrop in handrails

Fitted with fork pockets

• Adjustable chain lock system



### LIEBHERR 9400 SWING BOX ACCESS PLATFORM

Part No. 5505292

#### **CONSTRUCTION**

• Heavy-duty lightweight aluminium

WLL: 150kgJack stands

• Fitted with forklift slots

• German made castor wheels





A safe, certified and compliant access platform designed and engineered for the Volvo L120F Wheel Loader

#### CONSTRUCTION

- Heavy-duty aluminium
- Left and right-hand platforms for easy access on both sides of the loader
- Non-slip stairway and work area
- Safety handrails
- Overhangs for easy access
- Easy to move around the workshop while the loader is serviced
- · Heavy duty caster wheels to detail



VOLVO L120F ACCESS PLATFORM

# L120F WHEEL LOADER

### VOLVO L120F WINDSCREEN CHANGEOUT PLATFORM

Part No. 5504108

#### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 150kg
- Non-slip nosings
- Self-closing gates
- High quality German made castor wheels
- Latch system included to attach two platforms to each other



# VOLVO A45G WHEEL LOADER

### VOLVO A45G ENGINE ACCESS PLATFORM

Part No. 5504579

#### **CONSTRUCTION**

- Heavy-duty aluminium
- WLL: 150kg
- Height: 1435mm
- Forklift slots
- Self-closing gate
- Safety handrails with kickplates
- Non-slip nosings on all stair treads
- · Left hand and right hand are symmetrical





# UNDERGROUND MACHINERY PRODUCTS **EPIROC**



www.bendtechgroup.com.au

### **EPIROC MT65 TRUCK**

#### **EPIROC MT65 TRANSMISSION ACCESS PLATFORM**

Part No. 5503302

#### CONSTRUCTION

Heavy-duty aluminium

 WLL: 250kg • Height: 2115mm

• Fitted with jacking stands

• Fitted with self-closing gates

• Fitted with heavy-duty castors



#### **EPIROC MT65 REAR TRAY ACCESS PLATFORM**

Part No. 5503288

#### **CONSTRUCTION**

• Heavy-duty aluminium

• Height: 2545mm

• Fitted with jacking stands

• Fitted with removable handrails

• Fitted with heavy-duty castors



#### **EPIROC MT65 FRONT PLATFORM SET**

Part No. 5503190

#### **CONSTRUCTION**


• Height: 1140mm

• Fitted with forklift slots

• Fitted with jacking stands

• Fitted with removable handrails

Fitted with heavy-duty castors




# EPIROC MT65 TRUCK

### EPIROC MT65 OIL POINT ACCESS PLATFORM

Part No. 5503982

#### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 150kg
- Height: 1240mm
- Self-closing gate
- Fitted with forklift slots
- High quality locking wheels
- Non-slip stairway and work area



#### EPIROC MT65 CAB OFF ENGINE ACCESS PLATFORM

Part No. 5505479

#### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 150kg
- Height: 1650mm
- Self-closing gate
- Fitted with forklift slots
- · Non-slip stairway and work area
- High quality German mande castor wheels
- Green bolt-on safety handrails with kickplates





Designed and engineered for universal access on the Epiroc ST14. Certified and compliant with Australian Standards.

#### **CONSTRUCTION**

- Heavy-duty aluminium
- WLL: 600kg
- Height: 800mm 1200mm
- Non-slip stairway and work area
- Adjustable height
- Fitted with forklift slots



EPIROC ST14 UNIVERSAL ADJUSTABLE PLATFORM



# UNDERGROUND MACHINERY PRODUCTS CATERPILLAR



www.bendtechgroup.com.au



# CATERPILLAR AD30 TRUCK




A safe, certified and compliant access platform designed and engineered to access the tray on the CAT AD30 Underground Dump Truck.

#### **CONSTRUCTION**

- Heavy-duty aluminium
- Height: 2150mm
- Handrails fully removable
- Non-slip stairway and work area
- Self-closing gate at the top of the stairs
- Stairway parallel to the platform deck to reduce platform footprint



CATERPILLAR AD30 TRAY ACCESS PLATFORM



A safe, certified and compliant access platform designed and engineered to access the tray on the AD45 Underground Dump Truck

#### **CONSTRUCTION**

- Heavy-duty aluminium
- Height: 2250mm
- Handrails fully removable
- Non-slip stairway and work area
- Self-closing gate at the top of the stairs
- Stairway parallel to the platform deck to reduce platform footprint







# CATERPILLAR AD55B TRUCK



A platform designed for the safe, certified and compliant access to the to the tray of the AD55B Underground Dump Truck.

#### CONSTRUCTION

- Heavy-duty aluminium
- Height: 2000mm
- Safety handrails
- Self closing gate
- Fitted with jacking stands
- Non-slip stairway and work area
- Foldable handrail wings that align with the edges of the tray






# CATERPILLAR AD60 TRUCK

#### CATERPILLAR AD60 REAR TRANSMISSION ACCESS PLATFORM

Part No. 5503486

#### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 250kgHeight: 2015mm
- Fitted with jacking stands
- Fitted with self-closing gates
- Fitted with heavy-duty castors




#### CATERPILLAR AD60 FRONT ACCESS PLATFORM

Part No. 5503472

#### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 600kg per platform section
- Height: 970mm
- Self-closing gate
- Safety handrails with kickplates
- Non-slip nosings on all stair treads
- Platforms allow easy access to the front of the cab and around the sides
- Double height handrails at points to prevent falls

. . . . . . . . . . . . . . . . . . . .



# CATERPILLAR AD63 TRUCK

#### CAT AD63 FRONT ACCESS PLATFORM

Part No. 5506355

#### **CONSTRUCTION**

- Heavy-duty aluminium
- WLL: 600kg
- Self-closing gates
- Latch locking design
- 2 piece design, bolts together
- · Non-slip nosings on all stair treads
- Bolt-on handrails with kickplates
- Heavy-duty levelling jacking stands
- High quality German made castor wheels
- Non-slip, serrated grating work deck and stair treads



### CAT AD63 TRANSMISSION ACCESS PLATFORM

Part No. 5506357

#### **CONSTRUCTION**

- Heavy-duty aluminium
- WLL: 250kg
- Self-closing gates
- Latch locking design
- Bolt-on handrails with kickplates
- Non-slip nosings on all stair treads
- Heavy-duty levelling jacking stands
- High quality German made castor wheels
- Non-slip, serrated grating work deck and stair treads



#### CAT AD63 TRAY/TUB ACCESS PLATFORM

Part No. 5506359

#### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 250kg
- · Latch locking design
- Bolt-on handrails with kickplates
- Swing gates with magnetic clamps
- Non-slip nosings on all stair treads
- Heavy-duty levelling jacking stands
- High quality German made castor wheels
- Non-slip, serrated grating work deck and stair treads





# CATERPILLAR R2900 / R3000 LOADER

#### CATERPILLAR R2900/3000 REAR ACCESS PLATFORM

Part No. 5503189

#### CONSTRUCTION


WLL: 600kgHeight: 4880mm

Fitted with forklift slots

• Fitted with jacking stands

• Fitted with heavy-duty castors

 Certified and compliant with Australian Standards




#### CATERPILLAR R2900/3000 LIFTING ARM ACCESS PLATFORMS

Part No. 5503187

#### CONSTRUCTION

- Heavy-duty aluminium
- WLL: 350kg
- LH & RH set
- Fitted with jacking stands
- Fitted with heavy-duty castor wheels
- Certified and compliant with Australian Standards



#### CAT R2900/3000 FRONT LIFTING ARM ACCESS PLATFORM SET

Part No. 5505474

#### **CONSTRUCTION**

- Heavy-duty aluminium
- LH & RH symmetrical platform set
- Platforms allow easy access on both sides at once
- Non-slip, serrated grating work deck and stair treads
- Safety handrails with kickplates
- Heavy-duty levelling jacking stands
- Self-closing gate



\_\_\_\_\_

# CATERPILLAR R2900 LOADER

### CATERPILLAR 2900 BUCKET RECONDITIONING PLATFORM

Part No. 5501730

#### CONSTRUCTION

- Heavy duty aluminium
- 4 x sections bolt together to combine in one square shaped platform
- Non-slip stairway and work area
- Safety handrails
- Jacking stands for levelling
- Certified and compliant with Australian Standards



#### CATERPILLAR R2900 ARTICULATION AREA ACCESS PLATFORM

Part No. 5501557

#### CONSTRUCTION

- · Heavy duty aluminium
- Safety handrail
- Self closing gate
- Non-slip stairway and work area
- Forklift slots for ease of manoeuvrability
- Certified and compliant with Australian Standards



# CATERPILLAR R2900 LOADER

### CAT R2900 FRONT WHEEL/TILT CYLINDER ACCESS PLATFORM

Part No. 5504118

#### CONSTRUCTION

Heavy duty steelWLL: 200kg

• Height: 2250mm

• Fitted with forklift slots

• Fitted with removable handrail

- can be used on both sides of platform deck

• Certified and compliant with Australian Standards



#### CATERPILLAR R2900 BUCKET REPAIR ACCESS PLATFORM

Part No. 5505506

#### **CONSTRUCTION**

Heavy duty steelWLL: 200kg

• Height: 750mm

• Fitted with forklift slots

• Removable handrail -

can be used on both sides of platform deck



#### 



A platform designed and engineered to provide safe and efficient access for maintenance to the bucket of the Caterpillar R3000 loader. Certified and compliant with Australian Standards.


#### **CONSTRUCTION**

- Heavy duty steel
- WLL: 200kg
- Height: 1150mm
- Fitted with forklift slots
- Removable handrail
  - can be used on both sides of platform deck



CATERPILLAR R3000 BUCKET REPAIR ACCESS PLATFORM





An engineered and certified solution which provides safe and efficient access to the windscreen on the Sandvik DD421 drill. Ideal for windscreen changeout, maintenance or inspection.

#### **CONSTRUCTION**

- Heavy duty aluminium
- WLL: 150kg
- Height: 1750mm
- Self-closing gate
- Fitted with forklift slots
- Removable end handrail
- High quality caster wheels

SANDVIK DD421 WINDSCREEN CHANGEOUT ACCESS PLATFORM





#### SANDVIK

### LH517 / LH517I LOADER

#### SANDVIK LH517/LH517I LIFTING ARM ACCESS PLATFORM SET

Part No. 5504086

#### CONSTRUCTION

- Heavy duty aluminium
- WLL: 250kg
- · Height: 2370mm
- LH & RH platform set
- Self-closing gates
- Removable handrails
- Non-slip nosings on all stair treads
- Non-slip serrated grating for deck and stair treads




#### SANDVIK LH517I REAR ACCESS PLATFORM

Part No. 5606502

#### CONSTRUCTION

- Heavy duty aluminium
- WLL: 250kg
- Height: 1240mm
- Jack stands
- Self-closing gates
- Removable handrails
- Non-slip nosings on all stair treads
- Non-slip serrated grating for deck and stair treads

,,,,,,,,,,,,,,,,,,,






# SANDVIK LH621 LOADER

#### SANDVIK LH621 LOADER FRONT ACCESS PLATFORM

Part No. 5501967

#### CONSTRUCTION

- Heavy-duty aluminium
- Flip up grating sections on deck
- · Left hand and Right hand are symmetrical
- Platforms allow easy access from the bucket right to the cab
- Double height handrails at tyre points to prevent falls



#### SANDVIK LH621 REAR ACCESS PLATFORM

Part No. 5001962

#### CONSTRUCTION

- Heavy-duty aluminium
- Height: 1240mm
- Comes as a left and right handed set
- Provides safe, efficient and easy access to the rear of machine



#### SANDVIK LH517/LH517I LIFTING ARM ACCESS PLATFORM SET

Part No. 5504086

#### CONSTRUCTION

- Heavy duty aluminium
- WLL: 250kg
- Height: 2370mm
- LH & RH platform set
- Self-closing gates
- Removable handrails
- Non-slip nosings on all stair treads
- Non-slip serrated grating for deck and stair treads

,,,,,,,,,,,,,,,,,,,,



# SANDVIK TH663 TRUCK

#### SANDVIK TH663 TRANSMISSION ACCESS PLATFORM

Part No. 5504061

#### **CONSTRUCTION**

- Heavy duty aluminium
- WLL: 250kg
- Height: 2300mm
- Fitted with jacking stands
- Fitted with self-closing gates
- Fitted with heavy-duty castors
- Certified and compliant with Australian Standards



#### SANDVIK TH663 TRAY/TUB ACCESS PLATFORM

Part No. 5507377

#### CONSTRUCTION

- Heavy duty aluminium
- WLL: 250kgHeight: 3745mm
- Self-closing gate
- Heavy-duty levelling jacking stands
- Non-slip nosings on all stair treads
- Bolt-on safety handrails with kickplates





Access and walkway steps made to make maintenance safer and more efficient on the Sandvik Rhino R100H. Designed and built to withstand the harshest underground mining environments.

#### **CONSTRUCTION**

· Heavy duty ligthweight aluminium

WLL: 200kgHeight: 920mmLength: 2315mmSlide-out handrail

• Non-slip serrated grating and nosings

· Bolt-on handrail with self-closing gate


## SANDVIK RHINO R100H

**WALKWAY AND STEPS** 



### **BIGGER THAN BUSINESS**

### **TAKE NOTE**



### EXPERIENCE OUR CONSULTING, DESIGN AND ENGINEERING SERVICE

Projects and the associated challenges often require custom solutions which our **CDEC** system facilitates. Consultation, Design, Engineering and Construction is our holistic approach to solution development, making maintenance on-site safe, efficient, and easy.



#### CONSULTATION

We come to you and visit your site to get a hands-on feel for your project. The aim of our consultation is to listen to and understand your requirements. If the project requires it, our 3D scanning capabilities will streamline measurement and data capture. This approach allows us to discuss your problem on-site, possible solutions, and the benefits we can offer.



#### **DESIGN**

After the consultation we go back to our design team to begin the development of your custom solution. Our team produce designs in CAD Design complete with all drafting documentation ensuring an advanced manufacturing process.



#### **ENGINEERING**

Once the design is approved, we begin the engineering process. This ensures that the right material grade is used for your project to guarantee structural and functional integrity. We provide full certification that includes WLL, load ratings, integrity reports as well as certification plates and identifications. We design and engineer all our solutions to ensure full compliance with Australian standards.

Our engineering department includes 9 draftsman and 14 engineers. We are experienced in the design and development of complex mechanical engineering analysis and solutions.



### CONSTRUCTION AND FABRICATION

Our industry leading 10000 sq/m facility in Welshpool, Western Australia is armed with highly qualified consulting, drafting, engineering and fabrication personnel dedicated to manufacturing precision, engineered high performance industrial solutions.

. . . . . . . . . . . . . . .







