





DESIGNED FOR DURABILITY COMMERCIAL GRADE WALLCOVERINGS

Manufactured & Designed in USA

UPDATE 6

• Two Tipcards




ABOUT THE COLLECTION

Offering the best in professional style, our in-house studio creates sophisticated designs inspired by influences from the landscape of international trend and color.

Combined with the York signature of specialty techniques and iconic manufacturing excellence, York builds the perfect mix of elegance and strength.

KEYWORDS

geometrics, weaves, ombre, plaster, concrete, grasscloth, watercolor, painting, textures, stripes, metallics, silks, emboss, faux, commercial





BRUSSELS

Design copyright © York Contract

SPECIFICATIONS

EU US

Width: 137 cm 52 in 459 g/m^2 20 oz Weight: Backing Type: Polycotton Osnaburg

Installation: Reversible Hang / Random Match

EU PERFORMANCE

In accordance with EN 15102:2007 + A1:2011

Fire Behavior: Smoke Production: Flame Production:

A+ Rating for French VOC Emissions

US PERFORMANCE

ASTM E84 Class A Fire Rated Fire Rating:

Federal Specifications: Meets or exceeds CCC-W-408D for Type II

Indoor Air Quality: Passes California CDPH Standard Method

(Section 01350)

Production: Printed using water based inks LEED: Can contribute towards LEED points

WARRANTY

This product is covered by York Contract's 5 year limited warranty against manufacturing defects. For additional and most current information, please refer to yorkcontract.com





IB1389 Beige











IB1394 Charcoal



IB1390 Platinum



IB1391 Greige







IB1397 Celadon



IB1398 Chestnut



IB1399 Umber



MECCA

Design copyright © York Contract

SPECIFICATIONS

EU US

Backing Type: Non-Woven

Installation: Non-Reversible Hang / Straight Match

EU PERFORMANCE

In accordance with EN 15102:2007 + A1:2011

Fire Behavior: B
Smoke Production: s2
Flame Production: d0

A+ Rating for French VOC Emissions

US PERFORMANCE

Fire Rating: ASTM E84 Class A Fire Rated

Federal Specifications: Meets or exceeds CCC-W-408D for Type II
Indoor Air Quality: Passes California CDPH Standard Method

(Section 01350)

Production: Printed using water based inks
LEED: Can contribute towards LEED points

WARRANTY

This product is covered by York Contract's 5 year limited warranty against manufacturing defects. For additional and most current information, please refer to yorkcontract.com













IB1384 Beige



IB1382 Greige




IB1385 Fawn



IB1383 Indigo



IB1386 Umber

















DOWNLOAD ROOM SET IMAGES



DOWNLOAD ADDITIONAL PRODUCT ASSETS










UPDATE 5

ITEM NUMBER: V30UPDATE3EXP

Versailles 11 colors
 Windsor 11 colors
 Biltmore 11 colors



originally released January 2021







ITEM NUMBER: V30UPDATE3EXP

1.	Aura	11 colors
2.	Crossing	6 colors
3.	Koi	4 colors
4.	Slated	9 colors


1. 2. 3. 4.

originally released April 2020

UPDATE 4

ITEM NUMBER: V30UPDATE4EXP

1.	Monument	11 colors
2.	Overlook	8 colors
3.	Stonecraft	11 colors



originally released September 2020







ITEM NUMBER: V30UPDATE1EXP

1.	Basalt	11 colors
2.	Himalayan	9 colors
3.	New Leaf	9 colors
4.	Preserved	9 colors
5.	Shibori	5 colors

originally released October 2019

UPDATE 2

ITEM NUMBER: V30UPDATE2EXP

1.	Aspire	11 colors
2.	Radar	11 colors
3.	Saga	11 colors
4.	Reflections	9 colors







INITIAL LAUNCH


ITEM NUMBER: V30BINDERSETEXP

1.	Angora	8 colors
2.	Baste Stitch	5 colors
3.	Caledonia	11 colors
4.	Castile	11 colors
5.	Diamond Mine	9 colors


6.	Etched Pinstripe	8 colors
7.	Etherial	11 colors
8.	Grass Roots	11 colors
9.	Live Wire	9 colors
10.	Lucky Bamboo	8 colors

11.	Lux Linen	8 colors
12.	Nettle	9 colors
13.	New Horizons	5 colors
14.	Parget	9 colors
15.	Sequoia	11 colors

16.	Side by Side	7 colors
17.	Silk Road	11 colors
18.	Sphinx	7 colors
19.	Tread Softly	9 colors
20.	Zuma	6 colors









DESIGNED FOR DURABILITY COMMERCIAL GRADE WALLCOVERINGS

Manufactured & Designed in USA

UPDATE 7

• Three Tipcards





ABOUT THE BRAND

Designed for durability, York's commercial grade wallcoverings are as beautiful as they are strong. Created for hospitality, corporate, healthcare and retail facilities. York Contract offers the longevity, scrubbability and stain resistance associated with commercial grade vinyl in designer style and color for the modern marketplace.



ABOUT THE COLLECTION

Offering the best in professional style, our in-house studio creates sophisticated designs inspired by influences from the landscape of international trend and color.

Combined with the York signature of specialty techniques and iconic manufacturing excellence, York builds the perfect mix of elegance and strength.

KEYWORDS

geometrics, weaves, ombre, plaster, concrete, grasscloth, watercolor, painting, textures, stripes, metallics, silks, emboss, faux, commercial





WEST END SQUARE

Design copyright © York Contract

SPECIFICATIONS

Width:

Weight:

Vertical Repeat

Backing Type: Non-Woven

Installation: Non-Reversible Hang / Straight Match

EU PERFORMANCE

In accordance with EN 15102:2007 + A1:2011

Fire Behavior: B
Smoke Production: s2
Flame Production: d0

A+ Rating for French VOC Emissions

US PERFORMANCE

Fire Rating: ASTM E84 Class A Fire Rated

Federal Specifications: Meets or exceeds CCC-W-408D for Type II

Indoor Air Quality: Passes California CDPH Standard Method

(Section 01350)


Production: Printed using water based inks
LEED: Can contribute towards LEED points

WARRANTY

This product is covered by York Contract's 5 year limited warranty against manufacturing defects. For additional and most current information, please refer to yorkcontract.com







IB1402 Blue Cargo









IB1404 Steel

IB1406 Sun Deck



MANSFIELD

Design copyright © York Contract

SPECIFICATIONS

EU US

Width: 137 cm 54 in 459 g/m² 20 oz Weight: 25.25 in Vertical Repeat: 64 cm

Backing Type: Non-Woven

Installation: Non-Reversible Hang / Straight Match

EU PERFORMANCE

In accordance with EN 15102:2007 + A1:2011

Fire Behavior: s2 Smoke Production: Flame Production:

A+ Rating for French VOC Emissions

US PERFORMANCE

Fire Rating: ASTM E84 Class A Fire Rated

Federal Specifications: Meets or exceeds CCC-W-408D for Type II Indoor Air Quality: Passes California CDPH Standard Method

(Section 01350)

Production: Printed using water based inks LEED: Can contribute towards LEED points

WARRANTY

This product is covered by York Contract's 5 year limited warranty against manufacturing defects. For additional and most current information, please refer to yorkcontract.com











IB1410 Porcelain





IB1413 Marble



IB1411 Cobblestone



IB1414 Frost



IB1412 Mineral



IB1415 Admiral



COVENTRY

Design copyright © York Contract

SPECIFICATIONS

EU US 137 cm 54 in

Width: 459 g/m² 20 oz Weight: 25.25 in Vertical Repeat 64 cm

Backing Type: Non-Woven

Installation: Non-Reversible Hang / Straight Match

EU PERFORMANCE

In accordance with EN 15102:2007 + A1:2011

Fire Behavior: Smoke Production: s2 Flame Production:

A+ Rating for French VOC Emissions

US PERFORMANCE

ASTM E84 Class A Fire Rated Fire Rating:

Federal Specifications: Meets or exceeds CCC-W-408D for Type II

Indoor Air Quality: Passes California CDPH Standard Method

(Section 01350)

Production: Printed using water based inks LEED: Can contribute towards LEED points

WARRANTY

This product is covered by York Contract's 5 year limited warranty against manufacturing defects. For additional and most current information, please refer to yorkcontract.com







IB1418 Champagne





IB1419 Porcelain





IB1420 Cobblestone



IB1424 Frost




IB1421 Oat



IB1425 Mineral




IB1422 Sage



IB1426 Admiral











DOWNLOAD PRODUCT IMAGES



DOWNLOAD ROOM SET IMAGES



DOWNLOAD ROTATION AND SPEC SHEETS



UPDATES 5 & 6



UPDATE 5

ITEM NUMBER: V30UPDATE5EXP

Ί.	Versailles	11 colors
2.	Windsor	11 colors
3.	Biltmore	11 colors

1. 2. 3.

originally released January 2021

UPDATE 6

ITEM NUMBER: V30UPDATE6EXP

1.	Brussels	11 colors
2.	Mecca	7 colors



originally released May 2021





ITEM NUMBER: V30UPDATE3EXP

1.	Aura	11 colors
2.	Crossing	6 colors
3.	Koi	4 colors
4.	Slated	9 colors


1. 2. 3. 4.

originally released April 2020

UPDATE 4

ITEM NUMBER: V30UPDATE4EXP

1.	Monument	11 colors
2.	Overlook	8 colors
3.	Stonecraft	11 colors



originally released September 2020







ITEM NUMBER: V30UPDATE1EXP


1.	Basalt	11 colors
2.	Himalayan	9 colors
3.	New Leaf	9 colors
4.	Preserved	9 colors
5	Shibori	5 colors

originally released October 2019

UPDATE 2

ITEM NUMBER: V30UPDATE2EXP

1.	Aspire	11 colors
2.	Radar	11 colors
3.	Saga	11 colors
4.	Reflections	9 colors



originally released January 2020





INITIAL LAUNCH


ITEM NUMBER: V30BINDERSETEXP


1.	Angora	8 colors
2.	Baste Stitch	5 colors
3.	Caledonia	11 colors
4.	Castile	11 colors
5.	Diamond Mine	9 colors


6.	Etched Pinstripe	8 colors
7.	Etherial	11 colors
8.	Grass Roots	11 colors
9.	Live Wire	9 colors
0.	Lucky Bamboo	8 colors

11.	Lux Linen	8 colors
12.	Nettle	9 colors
13.	New Horizons	5 colors
14.	Parget	9 colors
15.	Sequoia	11 colors

16.	Side by Side	7 colors
17.	Silk Road	11 colors
18.	Sphinx	7 colors
19.	Tread Softly	9 colors
20.	Zuma	6 colors









DESIGNED FOR DURABILITY COMMERCIAL GRADE WALLCOVERINGS

Manufactured & Designed in USA

UPDATE 1

• Five Tipca rds

Additional p attern upd ates coming soon

yorkcont ract.com



ABOUT THE COLLECTION

Offering the best in professional style, our in-house studio creates sophisticated designs inspired by influences from the landscape of international trend and color.

Combined with the York signature of specialty techniques and iconic manufacturing excellence, York builds the perfect mix of elegance and strength.

KEYWORDS

geometrics, weaves, ombre, plaster, concrete, grasscloth, watercolor, painting, textures, stripes, metallics, silks, emboss, faux, commercial







BASALT

Desig n copyright © York Contract

SPE CIFICATION S

EU US

 Width:
 137 c m
 54 i n

 Weight:
 629 g/l m
 20 o z

 Backing Type:
 Polycotton Os naburg

Installation: Reversible Hang / Random Match

EU PER FOR MANCE

In accordance with EN 15102:2007 + A1:201 1

Fire Behav ior: B
Smoke Production: s2
Flame Production: d0

A+ Rating for French VOC Emissions

US PE RFORMA NCE

Fire Rating: ASTM E84 C lass A Fire Rated

Federal Spec ifications: Meets or exceeds CC C-W-408D f or Type II Indoor Air Quality: Passes California CDPH Standard Method

(Section 01350)

Production: Printed using water base d inks
LEED: Can contribute towards LEED points

WARRANTY


This product is covered by York Contract's 5 year limited warranty against manufacturing defects . For additional and most current information, please refer to yorkcontract.com







IB1008 Surfin' Blue



IB1009 Frosted



IB1010 Cloud Nine



IB1013 Gravel



IB1017 Stormy



IB1018 Green Thumb



31011 Last Straw



IB1012 Desert



IB1016 Cafe Latte



IB1014 Wild Card



IB1015 Stone





HIMALAYAN

Desig n copyright © York Contract

SPE CIFICATION S

EU US

 Width:
 137 cm
 54 in

 Weight:
 629 g/ lm
 20 oz

 Back ing Type:
 Polycotton Os naburg

Installation: Reversible Hang / Random Match

EU PER FORMA NCE

In acco rdance with EN 15102:2007 + A1:201 1

Fire Behav ior: B
Smoke Production: s2
Flame Production: d0

A+ Rating for French VOC Emissions

US PER FORMANCE

Fire Rating: ASTM E84 Class A Fire Rated

Federal Specifications: Meets or exceeds CC C-W-408D for Type II Indoor Air Qual ity: Passes California CDPH Standard Method

(Sectio n 01350)

Production: Printed using water based inks
LEED: Can contribute towards LEED points


WARRANTY

This product is cove red by York Contract's 5 year limited warranty against manufactur ing defe cts. For additional and most current information, please refer to yorkcontract.com





IB1216 Teal





IB1217 Highlight



IB1219 Pebble



IB1223 Indigo



IB1224 Shadow



IB1218 Mine ral



IB1221 Latte



IB1220 Mink



IB1222 Verde





NEW LEAF

Design co pyright © York Contract

SPE CIFICATION S

ΕU US

Widt h: 137 cm 54 in Weight: 629 g/ lm 20 oz Vertical Repeat: 2 cm .75 in Backing Type: Polycotton Os naburg

Installation: Revers ible Hang / Straight Match

EU PERFOR MANCE

In acc ordance with EN 15102:2007 + A1:201 1

Fire Behavior: Smoke Production: s 2 Flame Production:

A+ Rating for French VOC Emissions

US PE RFOR MANC E

Fire Rating: ASTM E84 Cl ass A Fire Rated

Federal Spe cifications: Meets or exceeds CC C-W-408D for Type II Indoor Air Quality: Passes California CDPH Standard Method

(Section 01350)


Production: Printed using water based inks LEED: Can contribute towards LEE D points

WARRANTY

This product is covered by York Contract's 5 year limited warranty against manufacturing defects. For additional and most current information, please refer to yorkcontract.com














IB1131 Fresh Air




IB1132 Sandy Shores



IB1133 Canteen



IB1134 H appy Camper



IB1135 White Rapids



IB1136 Spring Water



IB1137 I ron Oar



IB1138 Lakeside





PRESERVED

Desig n copyright © York Contract

SPE CIFICATION S

EU US

 Width:
 137 c m
 54 i n

 Weight:
 629 g/l m
 20 o z

 Backing Type:
 Polycotton Os naburg

Installation: Reversible Hang / Random Match

EU PER FOR MANCE

In accordance with EN 15102:2007 + A1:201 1

Fire Behav ior: B
Smoke Production: s2
Flame Production: d0

A+ Rating for French VOC Emissions

US PE RFORMA NCE

Fire Rating: ASTM E84 C lass A Fire Rated

Federal Spec ifications: Meets or exceeds CC C-W-408D f or Type II Indoor Air Quality: Passes California CDPH Standard Method

(Section 01350)

Production: Printed using water base d inks
LEED: Can contribute towards LEED points

WARRANTY

This product is covered by York Contract's 5 year limited warranty against manufacturing defects. For additional and most current information, please refer to yorkcontract.com







IB1207 Blue Cargo



IB1208 Pearl Trax





IB1209 Cryst al Shore



IB1213 Rotary



IB1210 River Haze



IB1214 Aluminum



IB1211 Fog Transit



IB1215 Ink Press





SHIBORI

Desig n copyright © York Contract

SPEC IFICATION S

EU US

 Width:
 137 cm
 54 in

 Weight:
 629 g/ lm
 20 oz

 Vertical Repeat:
 64 cm
 25.25 in

Backing Type: Non-Woven

Installation: Non-Revers ible Hang / Straight Match

EU PER FORMANCE

In acco rdance with EN 15102:2007 + A1:201 1

Fire Beh avior: B
Smoke Production: s2
Flame Production: d0

A+ Rating for French VOC E missions

US PER FORMA NCE

Fire Rating: A STM E84 Class A Fire Rated

Federal Specifications: Meets or exceeds CC C-W-408D for Type II Indoor Air Qual ity: Passes California CDPH Standard Method

(Sectio n 01350)

Production: Printed using water based inks
LEED: Can contribute towards LEED points

WARRANTY

This product is cove red by York Contract's 5 year limited warranty against manufacturing defects. For additional and most current information, please refer to yorkcontract.com









IB1060 Flagstone



IB1057 Seaglass



IB1059 Antique



IB1058 Agate




PRODU CTS - UP DATE 1

























DOWNLOAD UPDATE 1 ROOM SET IMAGES



DOWNLOAD UPDATE 1 ROTATION SHEET









DOWNLOAD UPDATE 1 ADDITIONAL PRODUCT ASSETS





PRODU CTS - ENTIRE COLLE CTION












































DOWNLOAD ENTIRE COLLECTION ADDITIONAL PRODUCT ASSETS









DESIGNED FOR DURABILITY COMMERCIAL GRADE WALLCOVERINGS

Manufactured & Designed in USA

UPDATE 3

Four Tipcards



ABOUT THE COLLECTION

Offering the best in professional style, our in-house studio creates sophisticated designs inspired by influences from the landscape of international trend and color.

Combined with the York signature of specialty techniques and iconic manufacturing excellence, York builds the perfect mix of elegance and strength.

KEYWORDS

geometrics, weaves, ombre, plaster, concrete, grasscloth, watercolor, painting, textures, stripes, metallics, silks, emboss, faux, commercial





AURA

Design copyright © York Contract

SPECIFICATIONS

EU US

Width: 137 cm 54 in Weight: 459 g/m^2 20 oz

Backing Type: Non-Woven

Installation: Reversible Hang / Random Match

EU PERFORMANCE

In accordance with EN 15102:2007 + A1:2011

Fire Behavior: Smoke Production: Flame Production:

A+ Rating for French VOC Emissions

US PERFORMANCE

ASTM E84 Class A Fire Rated Fire Rating:

Federal Specifications: Meets or exceeds CCC-W-408D for Type II

Indoor Air Quality: Passes California CDPH Standard Method

(Section 01350)


Production: Printed using water based inks LEED: Can contribute towards LEED points

WARRANTY

This product is covered by York Contract's 5 year limited warranty against manufacturing defects. For additional and most current information, please refer to yorkcontract.com

























IB1241 Carob IB1246 Wine

IB1236 Ocean



CROSSING

Design copyright © York Contract

SPECIFICATIONS

EU US

Width:137 cm54 inWeight: 459 g/m^2 20 ozVertical Repeat:17 cm6.75 in

Backing Type: Non-Woven

Installation: Non-Reversible Hang / Straight Match

EU PERFORMANCE

In accordance with EN 15102:2007 + A1:2011

Fire Behavior: B
Smoke Production: s2
Flame Production: d0

A+ Rating for French VOC Emissions

US PERFORMANCE

Fire Rating: ASTM E84 Class A Fire Rated

Federal Specifications: Meets or exceeds CCC-W-408D for Type II Indoor Air Quality: Passes California CDPH Standard Method

(Section 01350)


Production: Printed using water based inks
LEED: Can contribute towards LEED points

WARRANTY

This product is covered by York Contract's 5 year limited warranty against manufacturing defects. For additional and most current information, please refer to yorkcontract.com











IB1248 Beige

IB1251 Snow





IB1249 Khaki

IB1252 Storm





IB1250 Beach

IB1253 Admiral



KOI

Design copyright © York Contract

SPECIFICATIONS

EU US

Width: 137 cm 54 in Weight: 459 g/m² 20 oz 25.25 in Vertical Repeat: 64 cm

Backing Type: Non-Woven

Installation: Non-Reversible Hang / Straight Match

EU PERFORMANCE

In accordance with EN 15102:2007 + A1:2011

Fire Behavior: Smoke Production: Flame Production:

A+ Rating for French VOC Emissions

US PERFORMANCE

Fire Rating: ASTM E84 Class A Fire Rated

Meets or exceeds CCC-W-408D for Type II Federal Specifications: Passes California CDPH Standard Method Indoor Air Quality:

(Section 01350)

Production: Printed using water based inks LEED: Can contribute towards LEED points

WARRANTY

This product is covered by York Contract's 5 year limited warranty against manufacturing defects. For additional and most current information, please refer to yorkcontract.com













IB1267 Graphite



IB1268 Pearl



IB1269 Aqua



SLATED

Design copyright © York Contract

SPECIFICATIONS

EU US 137 cm 54 in

Width: Weight: 459 g/m^2 20 oz Backing Type: Polycotton Osnaburg

Installation: Reversible Hang / Random Match

EU PERFORMANCE

In accordance with EN 15102:2007 + A1:2011

Fire Behavior: Smoke Production: Flame Production:

A+ Rating for French VOC Emissions

US PERFORMANCE

ASTM E84 Class A Fire Rated Fire Rating:

Federal Specifications: Meets or exceeds CCC-W-408D for Type II

Indoor Air Quality: Passes California CDPH Standard Method

(Section 01350)

Production: Printed using water based inks LEED: Can contribute towards LEED points

WARRANTY

This product is covered by York Contract's 5 year limited warranty against manufacturing defects. For additional and most current information, please refer to yorkcontract.com





IB1310 Rotary









IB1314 Fog Transit

IB1318 Ink Press
































DOWNLOAD ROOM SET IMAGES







ITEM NUMBER: V30UPDATE1EXP

1.	Basalt	11 colors
2.	Himalayan	9 colors
3.	New Leaf	9 colors
4.	Preserved	9 colors
5	Shibori	5 colors

originally released October 2019

UPDATE 2

ITEM NUMBER: V30UPDATE2EXP

1.	Aspire	11 colors
2.	Radar	11 colors
3.	Saga	11 colors
4.	Reflections	9 colors







INITIAL LAUNCH

ITEM NUMBER: V30BINDERSETEXP

١.	Arigora	0 (01013
2.	Baste Stitch	5 colors
3.	Caledonia	11 colors
1	Castila	11 colors


9 colors


Diamond Mine


6.	Etched Pinstripe	8 colors
7.	Etherial	11 colors
8.	Grass Roots	11 colors
9.	Live Wire	9 colors
0.	Lucky Bamboo	8 colors

11.	Lux Linen	8 colors
12.	Nettle	9 colors
13.	New Horizons	5 colors
14.	Parget	9 colors
15.	Sequoia	11 colors

16.	Side by Side	7 colors
17.	Silk Road	11 colors
18.	Sphinx	7 colors
19.	Tread Softly	9 colors
20.	Zuma	6 colors









DESIGNED FOR DURABILITY COMMERCIAL GRADE WALLCOVERINGS

Manufactured & Designed in USA

UPDATE 4

Three Tipcards




ABOUT THE COLLECTION

Offering the best in professional style, our in-house studio creates sophisticated designs inspired by influences from the landscape of international trend and color.

Combined with the York signature of specialty techniques and iconic manufacturing excellence, York builds the perfect mix of elegance and strength.

KEYWORDS

geometrics, weaves, ombre, plaster, concrete, grasscloth, watercolor, painting, textures, stripes, metallics, silks, emboss, faux, commercial





MONUMENT

Design copyright © York Contract

SPECIFICATIONS

EU US Width: 137 cm 54 in Weight: 459 g/m^2 20 oz Vertical Repeat: 25.25 in

Backing Type: Non-Woven

Installation: Non-Reversible Hang / Straight Match

EU PERFORMANCE

In accordance with EN 15102:2007 + A1:2011

Fire Behavior: Smoke Production: Flame Production:

A+ Rating for French VOC Emissions

US PERFORMANCE

ASTM E84 Class A Fire Rated Fire Rating:

Federal Specifications: Meets or exceeds CCC-W-408D for Type II Indoor Air Quality: Passes California CDPH Standard Method

(Section 01350)

Production: Printed using water based inks LEED: Can contribute towards LEED points


WARRANTY


This product is covered by York Contract's 5 year limited warranty against manufacturing defects. For additional and most current information, please refer to yorkcontract.com





IB1270 Chestnut







IB1271 Ivory



IB1272 Timber



IB1273 Ecru



IB1274 Silver



IB1275 Umber




IB1276 Platinum




IB1277 Azure



IB1278 Matcha



IB1279 Teal



IB1280 Prussian



OVERLOOK

Design copyright © York Contract

SPECIFICATIONS

EU US

Width: 137 cm 54 in Weight: 459 g/m^2 20 oz

Backing Type: Non-Woven

Installation: Reversible Hang / Random Match

EU PERFORMANCE

In accordance with EN 15102:2007 + A1:2011

Fire Behavior: B
Smoke Production: s2
Flame Production: d0

A+ Rating for French VOC Emissions

US PERFORMANCE

Fire Rating: ASTM E84 Class A Fire Rated

Federal Specifications: Meets or exceeds CCC-W-408D for Type II

Indoor Air Quality: Passes California CDPH Standard Method

(Section 01350)

Production: Printed using water based inks
LEED: Can contribute towards LEED points

WARRANTY

This product is covered by York Contract's 5 year limited warranty against manufacturing defects. For additional and most current information, please refer to yorkcontract.com











IB1282 In the Clouds



IB1286 Stadium Gray



IB1283 Grand Sand



IB1287 Suite Seats



IB1284 Premium



IB1288 Viewpoint



IB1285 Championship



IB1289 Luxury



STONECRAFT

Design copyright © York Contract

SPECIFICATIONS

EU US

Width: 137 cm 54 in 20 oz Weight: 459 g/m² Backing Type: Polycotton Osnaburg

Installation: Reversible Hang / Random Match

EU PERFORMANCE

In accordance with EN 15102:2007 + A1:2011

Fire Behavior: Smoke Production: Flame Production:

A+ Rating for French VOC Emissions

US PERFORMANCE

Fire Rating: ASTM E84 Class A Fire Rated

Federal Specifications: Meets or exceeds CCC-W-408D for Type II Passes California CDPH Standard Method Indoor Air Quality:

(Section 01350)

Production: Printed using water based inks LEED: Can contribute towards LEED points

WARRANTY

This product is covered by York Contract's 5 year limited warranty against manufacturing defects. For additional and most current information, please refer to yorkcontract.com























IB1325 Bunsen Beige



IB1326 Sand



IB1327 Mineral




IB1328 Earth



IB1329 Magnetic













DOWNLOAD ROOM SET IMAGES



DOWNLOAD ADDITIONAL PRODUCT ASSETS









UPDATE 3

ITEM NUMBER: V30UPDATE3EXP

1.	Aura	11 colors
2.	Crossing	6 colors
3.	Koi	4 colors
4.	Slated	9 colors



originally released April 2020





ITEM NUMBER: V30UPDATE1EXP

1.	Basalt	11 colors
2.	Himalayan	9 colors
3.	New Leaf	9 colors
4.	Preserved	9 colors
5	Shibori	5 colors

originally released October 2019

UPDATE 2

ITEM NUMBER: V30UPDATE2EXP

1.	Aspire	11 colors
2.	Radar	11 colors
3.	Saga	11 colors
4.	Reflections	9 colors









INITIAL LAUNCH

ITEM NUMBER: V30BINDERSETEXP

1.	Aligola	0 (01013
2.	Baste Stitch	5 colors
3.	Caledonia	11 colors
4.	Castile	11 colors


9 colors

Diamond Mine


6.	Etched Pinstripe	8 colors
7.	Etherial	11 colors
8.	Grass Roots	11 colors
9.	Live Wire	9 colors
0.	Lucky Bamboo	8 colors

11.	Lux Linen	8 colors
12.	Nettle	9 colors
13.	New Horizons	5 colors
14.	Parget	9 colors
15.	Sequoia	11 colors

16.	Side by Side	7 colors
17.	Silk Road	11 colors
18.	Sphinx	7 colors
19.	Tread Softly	9 colors
20.	Zuma	6 colors









DESIGNED FOR DURABILITY COMMERCIAL GRADE WALLCOVERINGS

Manufactured & Designed in USA

UPDATE 5

• Three Tipcards




ABOUT THE COLLECTION

Offering the best in professional style, our in-house studio creates sophisticated designs inspired by influences from the landscape of international trend and color.

Combined with the York signature of specialty techniques and iconic manufacturing excellence, York builds the perfect mix of elegance and strength.

KEYWORDS

geometrics, weaves, ombre, plaster, concrete, grasscloth, watercolor, painting, textures, stripes, metallics, silks, emboss, faux, commercial





BILTMORE

Design copyright © York Contract

SPECIFICATIONS

EU US

Width: 137 cm 54 in Weight: 459 g/m² 20 oz

Backing Type: Non-Woven

Non-Reversible Hang / Random Match Installation:

EU PERFORMANCE

In accordance with EN 15102:2007 + A1:2011

Fire Behavior: Smoke Production: s2 Flame Production:

A+ Rating for French VOC Emissions

US PERFORMANCE

ASTM E84 Class A Fire Rated Fire Rating:

Federal Specifications: Meets or exceeds CCC-W-408D for Type II Indoor Air Quality:

Passes California CDPH Standard Method

(Section 01350)

Production: Printed using water based inks LEED: Can contribute towards LEED points

WARRANTY

This product is covered by York Contract's 5 year limited warranty against manufacturing defects. For additional and most current information, please refer to yorkcontract.com











IB1356 Nebula



IB1357 Fog



IB1358 Asteroid



IB1359 Blue Moon



IB1360 Galaxy Grey



IB1361 Sand



IB1362 Meteor



IB1363 Comet



IB1364 Earth



IB1365 Solar



VERSAILLES

Design copyright © York Contract

SPECIFICATIONS

EU US

54 in Width: 137 cm Weight: 459 g/m² 20 oz

Backing Type: Non-Woven

Installation: Reversible Hang / Random Match

EU PERFORMANCE

In accordance with EN 15102:2007 + A1:2011

Fire Behavior: Smoke Production: Flame Production:

A+ Rating for French VOC Emissions

US PERFORMANCE

ASTM E84 Class A Fire Rated Fire Rating:

Federal Specifications: Meets or exceeds CCC-W-408D for Type II

Indoor Air Quality: Passes California CDPH Standard Method

(Section 01350)

Production: Printed using water based inks LEED: Can contribute towards LEED points

WARRANTY

This product is covered by York Contract's 5 year limited warranty against manufacturing defects. For additional and most current information, please refer to yorkcontract.com





IB1367 Ink Press











IB1373 Pearl Trax



IB1369 Pewter



IB1374 River Haze



IB1370 Fog Transit



IB1375 Sun Deck



IB1371 Blue Cargo



IB1376 Esquire



IB1372 Shadow



IB1377 Garnet



WINDSOR

Design copyright © York Contract

SPECIFICATIONS

EU US

Width: 137 cm 54 in 459 g/m^2 20 oz Weight:

Backing Type: Non-Woven

Installation: Reversible Hang / Random Match

EU PERFORMANCE

In accordance with EN 15102:2007 + A1:2011

Fire Behavior: Smoke Production: Flame Production:

A+ Rating for French VOC Emissions

US PERFORMANCE

Fire Rating: ASTM E84 Class A Fire Rated

Meets or exceeds CCC-W-408D for Type II Federal Specifications:

Indoor Air Quality: Passes California CDPH Standard Method

(Section 01350)

Printed using water based inks Production: LEED: Can contribute towards LEED points

WARRANTY

This product is covered by York Contract's 5 year limited warranty against manufacturing defects. For additional and most current information, please refer to yorkcontract.com















IB1345 Beige



IB1346 Putty



IB1347 Earth




IB1348 Evergreen



IB1349 Cotton



IB1350 Fog



IB1351 Denim



IB1352 Charcoal



IB1353 Shadow






















DOWNLOAD PRODUCT IMAGES



DOWNLOAD ROOM SET IMAGES













ITEM NUMBER: V30UPDATE3EXP


1.	Aura	11 colors
2.	Crossing	6 colors
3.	Koi	4 colors
4.	Slated	9 colors

originally released April 2020

UPDATE 4

ITEM NUMBER: V30UPDATE4EXP

1.	Monument	11 colors
2.	Overlook	8 colors
3.	Stonecraft	11 colors







ITEM NUMBER: V30UPDATE1EXP

1.	Basalt	11 colors
2.	Himalayan	9 colors
3.	New Leaf	9 colors
4.	Preserved	9 colors
5.	Shibori	5 colors

originally released October 2019

UPDATE 2

ITEM NUMBER: V30UPDATE2EXP

1.	Aspire	11 colors
2.	Radar	11 colors
3.	Saga	11 colors
4.	Reflections	9 color:





