



CHARM

CATEGORY
CATEGORIA

6

COMPOSITION
COMPOSICIÓN

70% PC; 25% PL; 5% CO

MARTINDALE
50.000

CLEANING
LAVADO



FIRE RESISTANCE
RESISTENCIA AL FUEGO



COLOUR FASTNESS TO LIGHT
RESISTENCIA DEL COLOR A LA LUZ

≥ 4/5

PILLING
≥ 4

CHARM

MC-CHA



MC-CHA 002



MC-CHA 003



MC-CHA 004




MC-CHA 005




MC-CHA 006




MC-CHA 008




MC-CHA 010



MC-CHA 011



MC-CHA 013




MC-CHA 014



MC-CHA 015



MC-CHA 016




MC-CHA 017



MC-CHA 018



MC-CHA 019



MC-CHA 020



MC-CHA 021



MC-CHA 021 M




MC-CHA 022




MC-CHA 023



MC-CHA 024



MC-CHA 025



MC-CHA 026



MC-CHA 027



MC-CHA 028



MC-CHA 030




MC-CHA 031




MC-CHA 032




MC-CHA 033



MC-CHA 034



MC-CHA 007



MC-CHA 029

LAUNDRY GUIDE

GUÍA DE LAVANDERÍA

SYMBOLS SÍMBOLOS



Wash at or below 30°C
Lavar a 30°C o por debajo



Do not wash
No lavar



Iron
Planchar



Wash at or below 30°C
(Machine wash permanent press)
*Lavar a 30°C o por debajo
(Lavado en ciclo para prendas sintéticas)*



Do not bleach
No usar blanqueador / lejía



Do not iron
No planchar



Wash at or below 30°C
(Machine wash gentle cycle)
*Lavar a 30°C o por debajo
(Lavado en ciclo delicado)*



Do not tumble dry
No secar en secadora



Gentle dry clean, hydrocarbon solvent only
Limpiar en seco suave, solo con disolventes a base de hidrocarburos



Hand wash
Lavado a mano



Dry clean with PCE
Limpiar en seco con percloroetileno

FIRE BEHAVIOR GUIDE

The **BS 5852-1:1979** (UK) assesses the fire resistance of upholstered materials when exposed to common ignition sources. Two tests are performed: cigarette and match.

The **California Bulletin 117-2013** is a fire safety standard for upholstered furniture. It requires materials to resist ignition from a smoldering cigarette rather than an open flame, reducing the need for flame-retardant chemicals.

GUÍA RESISTENCIA AL FUEGO

La norma **BS 5852-1:1979** (Reino Unido) evalúa la resistencia al fuego de los materiales tapizados cuando se exponen a fuentes de ignición comunes. Se realizan dos pruebas: cigarrillo y cerilla.

El **California Bulletin 117-2013** es una norma de seguridad contra incendios para muebles tapizados. Exige que los materiales resistan la ignición por un cigarro encendido en lugar de una llama directa, reduciendo el uso de retardantes de fuego.

CIGARETTE CIGARRILLO



PASS PASA



NOT PASS NO PASA

MATCH CERILLA



PASS PASA



NOT PASS NO PASA

CA TB 117-2013



PASS PASA



NOT PASS NO PASA