

# **Security Data Sheet (ABS)**

# **Co-polymer Polylac ABS**

In accordance with Commission Regulation (EU) 2015/830 of 28th May 2015 amending Regulation (EC) No 1907/2006, Annex II

## 1 - Identification of substances/mixtures and of the Company

#### Product

Name	Co-polymer Polylac ABS
Commercial name	Eolas Prints ABS

#### Uses

Plastics for 3D printing (FFF/FDM) amongst others.

#### Supplier

Company	Eolas Prints S.L.
Address	Parque Empresarial Besaya D-14
	39538 Reocín, Cantabria (Spain)
Telephone	+34 942735955
e-mail	info@eolasprints.com

#### Emergency phone (National Toxicologist Institute of Spain)

+34 915620420 (24h)



# 2 - Identification of risks

The substance is not classified as hazardous according to the Regulation (EC) No 1272/2008 (CLP/GHS) and the Directive 67/548/EEC

#### Label elements

Danger pictograms	Not applicable
Word of caution	Not applicable
Danger Warnings	Not applicable
Additional warning indications	Not applicable

#### **Other risks**

Hazards for people	Under normal conditions of use no danger to human health are noted
Environmental hazards	Under normal conditions of use, no environmental hazards are noted The product is completely recyclable
Physical-Chemical hazards	In case of thermal degradation, vapours or fumes are released Combustion, if exposed to flame

The risks of this product are related to its processing:

- The molten polymer may cause burns.
- Polymer dust may present a fire hazard in sufficient concentration and the presence of an ignition source.



## 3 - Composition, information on components

#### Product

Substance name	Acrylonitrile-Butadiene-Styrene copolymer
CAS number	9003-56-9
EC number	Not applicable
IUPAC number	Not applicable
Index number under	Not available
Regulation (CE) 1272/2008	

#### Additional information:

Preparation does not contain dangerous substances above limits that need to be mentioned in this section according to applicable legislation

	Registration No.
Acrylonitrile	01-2119474195-34-0045
	01-2119457861-32-0006
	01-2119457861-32-0007
Styrene	01-2119457861-32-0057
	01-2119457861-32-0065
	01-2119457861-32-0081
Buta-1,3-diene	01-2119471988-16-0044



# 4 - First aid

In case of inhalation	Thermal degradation vapours: Oxygen therapy, if necessary In case of gases evolving from melted resin, move subject to fresh air. Consult a doctor
After skin contact	In case of irritation caused by fine dust: rinse thoroughly with water until the irritation disappears Treat the affected area with cold water In case of adhesion due to melted product, do not try to remove the product Cool the area with water In case of burns, go to a hospital or medical centre for treatment
After eye contact	In case of irritation caused by fine dust: rinse thoroughly with water until the irritation disappears Visit an ophthalmologist In case of exposure to hot product splash: flush eyes with plenty of cold water In case of burns, go to a hospital or medical centre for treatment
In case of ingestion	Do not induce vomiting Seek medical help immediately

Eolas Prints Parque Empresarial Besaya D-14 Reocín 39538 Cantabria Spain



# 5 - Fire-fighting measures

#### Extinguishing equipment

Appropriate extinguishing	Small fires: CO2, powder extinguisher and
equipment	water
	Big fires: foam extinguisher and water spray for
	cooling fire-exposed surfaces
Inappropriate extinguishing	Pressurized water jets (could help the fire to
equipment	spread)

#### Specific hazards arising from the substance or mixture

- Complete combustion with excess O2 produces CO2 and water vapour.

- Partial combustion may produce CO, soot, aldehydes, and ketones.

- Dust may cause explosion mixed with air, initiated by a spark, flame or any ignition source.

Eolas Prints Parque Empresarial Besaya D-14 Reocín 39538 Cantabria Spain



## 6 – Accidental release measures

#### Personal precautions, protective equipment, and emergency procedures

Non-emergency personnel	Stop the leak if it is safe to do so Be aware of the materials and conditions to be avoided Do not touch or step on spilled material Pellets or powder remained on ground may cause slipping
Emergency personnel	Extinguish all ignition sources Ventilate the area Prevent dust clouds from forming

#### **Environmental precautions**

Avoid entry into sewers, drains, basements, or confined areas.

#### Methods and materials for containment and clean-up

- If little material has been spilled, pour plenty of water on the area. Collect with sand or other non-combustible absorbent material and place in containers for later disposal.

- If a lot of material has been spilled, contain the liquid spillage with a dike for later disposal.

- Using a clean shovel, shovel the material into a clean, dry container and cover loosely; remove containers from the spillage area.

#### Containment

If a lot of material has been spilled, contain the liquid spillage with a dike for later disposal.

#### Cleaning

- If little material has been spilled, pour plenty of water on the area. Scoop up with sand or other non-combustible absorbent material and place in containers for later disposal.

- Using a clean shovel, shove the material into a clean, dry container and cover loosely; remove containers from the spill area.

#### **Reference to other sections**

See also sections 8 and 13 of this Safety Data Sheet.

Eolas Prints Parque Empresarial Besaya D-14 Reocín 39538 Cantabria Spain



# 7 – Handling and storage

## Precautions for safe handling

Protection measures	Be aware of materials and conditions to avoid Wash thoroughly after handling Work in accordance with engineering controls and use personal protective equipment
Fire prevention measures	Use caution when the temperature is high Prevent from fire around handling area
Environmental protection measures	Not available
Measures to prevent the generation of dust and aerosols	Maintain good housekeeping standards to prevent accumulation of dust. To avoid dust explosion resulting from the existence of powder, electrostatics eliminators and grounding should be fixed to such equipment as air transferring pipes, bag filters and hoppers. Use electrically conductive filters for bag filters.
General occupational hygiene advice	Not available

#### Safe storage conditions

Technical measures and storage conditions	Protect from direct sunlight, rain and violent temperature fluctuation
	Fire is inhibited around storage area
Packaging materials	Not available
Requirements for storage	Use a closed container for storage
rooms and storage vessels	The storage place should be cool and dry

Eolas Prints Parque Empresarial Besaya D-14 Reocín 39538 Cantabria Spain



# 8 – Exposure controls/personal protection

#### **Control parameters**

Components with	Contains no substances with occupational
occupational exposure limits	exposure limit values
Biological Limit Values	Not established
PNEC	The obligation to register under REACH
	Regulation (EC) No 1907/2006 does not apply
	to polymers
DNEL	The obligation to register under REACH
	Regulation (EC) No 1907/2006 does not apply
	to polymers

#### Appropriate engineering controls

Measures related to the substance/mixture to prevent exposure during identified uses	Use local exhaust ventilation or other engineering controls to maintain airborne vapour exposure concentrations below the limit value Install eyes washer and shower in the place of operation
Structural measures to prevent exposure	Not available
Organisational measures to prevent exposure	Not available
Technical measures to prevent exposure	Not available

Eolas Prints Parque Empresarial Besaya D-14 Reocín 39538 Cantabria Spain



#### Individual protection measures (personal protective equipment)

Eye/ face protection	Wear contour-fitting safety glasses (EN166)
Hand protection	Wear protective gloves (EN374): butyl rubber, thickness: 0.5 mm. (Wear time: > 8 hours) For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves Use heat resistant gloves when handling hot / molten product
Other protection measures	Wear heat-resistant protective clothing when handling hot/molten product
Respiratory protection	In case of inadequate ventilation wear respiratory protection. Full-piece or half-face respiratory protective equipment (with goggles) Particulate filter device, level 2 (EN 149)

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface, and ground water.

Eolas Prints Parque Empresarial Besaya D-14 Reocín 39538 Cantabria Spain



# 9 – Physical and chemical properties

#### Appearance

Physical state	Solid
Form	Pellets or Filament
Colour	Natural or off-white
Odour	No smell
Odour threshold	Not applicable

#### **Other properties**

Not applicable
Not applicable
>100°C/ Not applicable
Not applicable
404°C
If dust occurs
No
No
1,07 g/cm³ at 25°C
negligible
Insoluble
Not applicable
Not applicable
Not applicable
Very low
466°C (ASTM E 659)
>300°C

Eolas Prints Parque Empresarial Besaya D-14 Reocín 39538 Cantabria Spain



# 10 – Stability and reactivity

Reactivity	Non-reactive under normal handling and storage conditions
Chemical stability	Stable under normal temperature and pressure conditions
Possibility of dangerous reactions	Containers may explode when heated Fire may produce irritating and/or toxic gases Some liquids produce vapours that can cause dizziness or asphyxiation Inhalation of the material can be harmful
Conditions to be avoided	Avoid excessive heat, flames, and all sources of ignition
Incompatible materials	Not applicable
Hazardous decomposition products	Irritant and/or toxic gases

Eolas Prints Parque Empresarial Besaya D-14 Reocín 39538 Cantabria Spain



# 11 – Toxicological Information

Acute toxicity	Ingestion: No known effect	
,	Dust ingestion may cause gastrointestinal	
	irritation, nausea, vomiting and diarrhoea	
	Skin contact: No known effect	
	Molten material will cause burns	
	Inhalation: No known effect	
	Dust from the product may be irritating to	
	eyes, skin, and respiratory system	
	Resin particles, like other inert materials, are	
	mechanically irritating to the eyes	
Germ cell mutagenicity	Not known to cause heritable genetic damage	
Carcinogenicity	It does not contain any ingredients considered	
	carcinogenic	
Reproductive toxicity	Not known to cause birth defects or to have a	
	deleterious effect on a developing foetus	
	Not known to adversely affect reproductive	
	organs and functions	
STOT-single exposure	No known effect	
STOT-repeated exposure	No known effect	
Aspiration hazard	No known effect	



# 12 – Ecological Information

## Toxicity

Short-term aquatic toxicity	Based on available data on the constituents the classification criteria are not met LC (50) <sub>mixture</sub> = 5,78 mg/l (Additivity and summation method, toxicity information available for 92,5 % of the mixture)
Long-term aquatic toxicity	Based on available data on the constituents the classification criteria are met, and the mixture is therefore classified as Aquatic Chronic 1 NOEC <sub>mixture</sub> = 0,0079 mg/l (Additivity and summation method, toxicity information available for 78 % of the mixture)

#### Persistence and Degradability

Further details	Biodegradation: Product is not readily biodegradable
	The product is likely to persist in the environment
Effects in sewage plants	In sewage treatment plants it may be separated mechanically

- Bio accumulative potential: To avoid bioaccumulation plastics should not be disposed in the sea or in other water environments
- Mobility in soil: No data available
- Results PBT & vPvB assessment: According to the revised Annex XIII of regulation (EC) 1907/2006 and (EC) 253/2011: No information available on the product as such
- Other adverse effects: Do not allow to enter groundwater, surface water or drains

Eolas Prints Parque Empresarial Besaya D-14 Reocín 39538 Cantabria Spain



## 13 – Disposal considerations

- Dispose of contents/container in accordance with local/regional/national/ international regulations.
- Sewage disposal-relevant information: Do not empty into drains.
- Waste treatment of containers/ packages: Handle contaminated packages in the same way as the substance itself.
- Inadequate incineration may generate toxic gases such as CO, HCN, AN and SM

Eolas Prints Parque Empresarial Besaya D-14 Reocín 39538 Cantabria Spain



# 14 – Transport information

NU number	Not applicable
Official NU transport designation	Not applicable
Transport hazard class	Not applicable
Packing group	Not applicable
Environmental hazards	Not considered environmentally hazardous based on available data
Special precautions	In case of fire: Not applicable In case of escape: Not applicable
Transport in bulk in accordance with Annex II of Marpol 73/78 and the IBC Code	Not applicable

Eolas Prints Parque Empresarial Besaya D-14 Reocín 39538 Cantabria Spain



# 15 – Regulatory information

#### EU legislation and classification

Classification	Not regulated
Hazard identification codes	Not regulated
List of EU SVHCs	Not regulated
EU authorisation list	Not regulated
List of EU restrictions	Not regulated
EU BPR	Not regulated

#### Foreign regulatory information

Substance of the Rotterdam Convention	Not regulated
Substance of the Stockholm Convention	Not regulated
Substance of the Montreal protocol	Not regulated

#### Security assessment

No chemical safety assessment has been carried out by the supplier for this substance/mixture.

Eolas Prints Parque Empresarial Besaya D-14 Reocín 39538 Cantabria Spain



# 16 – Other information

Product Safety Data Sheet prepared according to Regulation (EU) 2015/830 (REACH), Annex II

#### Revised

Date of update: 4th October 2022 Version: 1.0

#### Abbreviations and acronyms

ACGIH = American Conference of Governmental Industrial Hygienists *CLP* = Classification, Labelling and Packaging Regulation; Regulation (EC) No. 1272/2008 CAS No. = Chemical Abstracts Service number EC No. = EINECS and ELINCS (see also EINECS and ELINCS) EU = European Union IARC = International Agency for Research on Cancer *NIOSH* = National Institute for Occupational Safety and Health NTP = National Toxicology Programme OSHA = European Agency for Safety and Health at Work PBT = Persistent, Bioaccumulate and Toxic Substance *REACH* = Regulation on the Registration, Evaluation, Authorisation and Restriction of Chemicals (Regulation (EC) No. 453/2010) SVHC = Substances of Very High Concern *vPvB* = very persistent and very bioaccumulate MARPOL = International Convention for the Prevention of Pollution from Ships (IMO)*IBC* = Intermediate Bulk Container EINECS = European Inventory of Existing Commercial Chemical Substances ELINCS = European List of Notified Chemical Substances STOT = Specific target organ toxicity

NOEC = No Observed Effect Concentration

LC (50) = Lethal Concentration 50

Eolas Prints Parque Empresarial Besaya D-14 Reocín 39538 Cantabria Spain



#### Main bibliographical references and data sources

- Threshold Limit Values and Biological Exposure Indices of the American Conference of Governmental Industrial Hygienists. Governmental.

- NIOSH Pocket Guide: https://www.cdc.gov/niosh/npg/default.html

- National Toxicological Programme: https://ntp.niehs.nih.gov/data/index.html

- IARC monographs on the evaluation of carcinogenic risks to humans. <u>http://monographs.iarc.fr</u>

- EU CLP : <u>https://echa.europa.eu/information-on-chemicals/cl-inventory-database</u>

- TOMES-LOLI®: http://www.rightanswerknowledge.com/loginRA.asp

- European Chemicals Agency: http://echa.europa.eu/

# Classification and procedure used to derive the classification of mixtures according to Regulation (EC) No 1272/2008 (CLP)

Classification according to Regulation (EC) No 1272/2008 (CLP)	Not classified
Classification procedure	Not available

#### Consultancy

Do not handle until you have read and understood all safety precautions.

#### More information

This Safety Data Sheet (SDS) is based on the legal provisions of the REACH Regulation, as amended. Its contents are intended as a guide to handling the material in accordance with appropriate safety precautions. It is the responsibility of the addressees of this SDS to ensure that all persons who might use, handle, dispose of or come into contact with the material, it is the responsibility of the recipients of this SDS to ensure that all persons who might use, handle, dispose of, or come into contact with the product read and understand all the information contained herein. The information and instructions provided in this SDS are based on the current state of scientific and technological knowledge at the date of issue indicated. It should not be construed as any kind of guarantee of technical performance or suitability for specific applications, nor does it establish a legally valid contractual relationship. This version of the SDS supersedes all previous versions.

\*\***Disclaimer:** The product and technical information provided in this datasheet is correct to the best of our knowledge. The information given is provided as a guidance for good use, handling and processing and is not to be considered as a quality specification. The information only relates to the specific product and the material properties.

# Eolas Prints

Parque Empresarial Besaya D-14 Reocín 39538 Cantabria Spain