


Muscle Groups Focus






Z Dip Bar


The Z-dip bar enables assisted push-up and pull-up exercises to be completed. Different levels of difficulty can be achieved using different grips. By placing the foot on the grip bar, you can also perform push-up exercises with a difficult body position.

Attributes

| Product code | 1-1-052 |
|------------------|----------------------|
| Certificate | EN 16630, ASTM F3101 |
| Age group | 14 + years |
| Capacity | l person |
| Max. weight load | 218.26 lbs |
| Туре | Calisthenics |
| Difficulty level | Medium |







Installation information

| Number of installers (concrete) | At least 2 people |
|--|----------------------------|
| Total installation time (concrete) | 45-120 min. |
| Number of installers (equipment) | At least 2 people |
| Total installation time (equipment) | 20-30 min. |
| Excavation volume | 21,19 ft ³ |
| Concrete volume | 21,19 ft ³ |
| Size of the base structure | 3pc 19.69 x 19.69 x 31.5 " |
| Anchoring options In combined structures, the volume of concrete required | In-ground or surface |


Technical specification

| Safety surfice area | Around 4.92 ft rac |
|--|--------------------|
| Net weight | 52.91 |
| Material | S |
| Critic fall height | 37 |
| Color options | |
| For more color options, discuss with your sales repre- | sentative. |
| | |

Warranty

| ft radius | Structure | 25 years |
|-----------|---|------------|
| 52.91 lbs | Steel | 15 years |
| S235 | Paint | 2 years |
| 37.95" | Plastic | 5-10 years |
| | Rubber | 1-3 years |
| | Moving parts Detailed information in the warranty document | 2 years |

Material specification







The element is made of high quality S235 steel, which has been cleaned via sandblasting. A corrosion resistant powder coating finish is then applied. Also available with galvanized surface for even greater protection and longevity! The clamp system allows for easy assembly and extreme stability.



The connecting elements are fastened with vandal-proof stainless steel screws and nuts. The ends of the bars and posts are sealed with injection-moulded plastic caps.

BESTRONG bestrongworld () bestrong.com Log usa@bestrong.com



