

# LockerWall

## Specification

**BISLEY**



LockerWall, fully integrated with our comprehensive BeSmart service, is our smart storage system that delivers dependable security without dominating space or sacrificing style.

Integrating seamlessly into your environment, LockerWall is available in a wide range of material and colour finishes, including wood and steel. And utilising the latest smart locking software, personal storage and facility management has never been simpler and safer.

There is a growing demand for intelligent locker systems, and with the integration of BeSmart, LockerWall has been expertly created with functionality, security and style in mind, tailored precisely to each project requirement. Available across a range of sectors, our professional, consultative approach ensures that each solution is customised to suit your environment – from a corporate office to educational institutions, healthcare facility, or a leisure space.

Backed by decades of experience and expertise, Bisley works with you to build a data-driven LockerWall that not only transforms your space but also streamlines how users interact with their environment.

Create an efficient, sleek system that integrates seamlessly into your design.





# Features

Locker compartments are available in six door heights and three widths.

Variety of door combinations available for each module.

Choice of MFC or steel doors in a variety of colours and finishes.

LockerWall is compatible with the full BeSmart lock range, including:  
Hardwired systems, wireless and battery-operated.

Option to add a lockable top box to the top of locker modules for extra storage space.

Multiple MFC plinth and scribing panel sizes create a bespoke look.

Broad range of internal configurations and accessories available including adjustable shelves, hooks and postal slots.

Option to add a recessed fitted perch area to banks of lockers.

Range of storage cupboards and display shelving available.

Decorative tops and wraps available in a range of MFC finishes.

Optional USB power inside locker compartments.

Numbering and decorative vinyl graphics can be added to doors.

Soft-close doors.

Five-year guarantee.

Made in the UK.



## Benefits

**Secure** – A choice of locking options to keep your personal belongings safe.

**Integrated** – Maximise storage without sacrificing valuable floor space with compact, integrated installations which can be fitted against existing walls or into alcoves.

**Sleek** – Multiple finish options and flush fronted, soft-close doors and scribing panels create stylish yet hardworking storage.

**Customisable** – With a breadth of MFC, steel and CGL colour options, internal accessories and decorative additions, you can create a flexible, elegant storage solution for the workforce.


**Power** – Rest assured that all your belongings can be fully charged ready for your working day with the option of having discreet USB power inside each locker.

**Modular** – Each locker column is individual so you can ‘mix ‘n match’ your units to fit the needs of your workplace.


# Range Overview

All lockers are 500mm (19.7") deep with the exception of the Z door option which is 600mm (23.6") deep.

## Lockers




## Storage




Coat cupboard  
H: 1900mm (74.8")  
W: 500mm (19.7"), 800mm (31.5")  
& 1000mm (39.4")  
D: 500mm (23.6")

\*Includes internal coat rail and shelves



Storage cupboard  
H: 1900mm (74.8")  
W: 800mm (31.5") or 1000mm (39.4")  
D: 600mm (19.7")

\*Includes 4 internal shelves






Bookshelf  
H: 1900mm (74.8")  
W: 800mm (31.5") or 1000mm (39.4")  
D: 600mm (23.6")

\*Includes 4 shelves

## Perch Units

H: 1900mm (74.8")  
W: 1000mm (39.4") or 2000mm (78.7") \*Corner unit is 2000mm (78.7") by 2000mm (78.7")  
D: 500mm (19.7")








# Locker modules

## 3 Door Locker Module

H: 1180mm (46.5") D: 500mm (19.7")

Product Code	Description	Width
LW311S3ABNP	Standard 3 door AB lock	300mm (11.8")
LW311P3ABNP	Postal Slot 3 door AB lock	300mm (11.8")
LW411S3ABNP	Standard 3 door AB lock	400mm (15.7")
LW411P3ABNP	Postal Slot 3 door AB lock	400mm (15.7")
LW511S3ABNP	Standard 3 door AB lock	500mm (19.7")
LW511P3ABNP	Postal Slot 3 door AB lock	500mm (19.7")




LW411S3ABNP

## 4 Door Locker Module

H: 1540mm (60.6") D: 500mm (19.7")

Product Code	Description	Width
LW315S4ABNP	Standard 4 door AB lock	300mm (11.8")
LW315P4ABNP	Postal Slot 4 door AB lock	300mm (11.8")
LW415S4ABNP	Standard 4 door AB lock	400mm (15.7")
LW415P4ABNP	Postal Slot 4 door AB lock	400mm (15.7")
LW515S4ABNP	Standard 4 door AB lock	500mm (19.7")
LW515P4ABNP	Postal Slot 4 door AB lock	500mm (19.7")



LW415P4ABNP

## 1 Door Locker Module

H: 1900mm (74.8") D: 500mm (19.7")

Product Code	Description	Width
LW319S1ABNP	Standard 1 door AB lock	300mm (11.8")
LW419S1ABNP	Standard 1 door AB lock	400mm (15.7")
LW519S1ABNP	Standard 1 door AB lock	500mm (19.7")



LW319S1ABNP

## 2 Door Locker Module

H: 1900mm (74.8") D: 500mm (19.7")

Product Code	Description	Width
LW319S2ABNP	Standard 2 door AB lock	300mm (11.8")
LW419S2ABNP	Standard 2 door AB lock	400mm (15.7")
LW519S2ABNP	Standard 2 door AB lock	500mm (19.7")



LW319S2ABNP



### 3 Door Locker Module

H: 1900mm (74.8") D: 500mm (19.7")

Product Code	Description	Width	
LW319S3ABNP	Standard 3 door AB lock	300mm (11.8")	
LW419S3ABNP	Standard 3 door AB lock	400mm (15.7")	
LW519S3ABNP	Standard 3 door AB lock	500mm (19.7")	

LW319S3ABNP

### 4 Door Locker Module

H: 1900mm (74.8") D: 500mm (19.7")

Product Code	Description	Width	
LW319S4ABNP	Standard 4 door AB lock	300mm (11.8")	
LW319P4ABNP	Postal Slot 4 door AB lock	300mm (11.8")	
LW419S4ABNP	Standard 4 door AB lock	400mm (15.7")	
LW419P4ABNP	Postal Slot 4 door AB lock	400mm (15.7")	
LW519S4ABNP	Standard 4 door AB lock	500mm (19.7")	
LW519P4ABNP	Postal Slot 4 door AB lock	500mm (19.7")	

LW419S4ABNP

### 5 Door Locker Module

H: 1900mm (74.8") D: 500mm (19.7")

Product Code	Description	Width	
LW319S5ABNP	Standard 5 door AB lock	300mm (11.8")	
LW319P5ABNP	Postal Slot 5 door AB lock	300mm (11.8")	
LW419S5ABNP	Standard 5 door AB lock	400mm (15.7")	
LW419P5ABNP	Postal Slot 5 door AB lock	400mm (15.7")	
LW519S5ABNP	Standard 5 door AB lock	500mm (19.7")	
LW519P5ABNP	Postal Slot 5 door AB lock	500mm (19.7")	

LW319S5ABNP

### 4 Door/1 Drawer Locker Module

H: 1900mm (74.8") D: 500mm (19.7")


Product Code	Description	Width	
LW519C5ABNP	4 door, 1 drawer AB lock	500mm (19.7")	

LW519C5ABNP

### 3 Door Combi Locker Module

H: 1900mm (74.8") D: 500mm (19.7")

Product Code	Description	Width
LW319C3ABNP	Combi 3 door AB lock	300mm (11.8")
LW419C3ABNP	Combi 3 door AB lock	400mm (15.7")
LW519C3ABNP	Combi 3 door AB lock	500mm (19.7")




LW319C3ABNP

### Z Door Locker Module

H: 1900mm (74.8") D: 600mm (23.6")

Product Code	Description	Width
LW519Z2ABNP	MFC Locker with CGL Z doors, AB lock	500mm (19.7")




LW519Z2ABNP

### Top Box

H: 400mm (15.7") D: 500mm (19.7")

Product Code	Description	Width
LW304S1ABNP	1 door Topbox, AB lock	300mm (11.8")
LW404S1ABNP	1 door Topbox, AB lock	400mm (15.7")
LW504S1ABNP	1 door Topbox, AB lock	500mm (19.7")




LW404S1ABNP

## Cupboards & bookshelves

### Coat Cupboard (Includes 1 full width shelf with coat rail underneath)

H: 1900mm (74.8") D: 600mm (23.6")

Product Code	Description	Width
LW0519CC	1 door coat cupboard, AB lock and T bar handle.	500mm (19.7")
LW0819CC	2 door coat cupboard, AB lock and T bar handle.	800mm (31.5")
LW1019CC	2 door coat cupboard, AB lock and T bar handle.	1000mm (39.4")




LW0819CC

## Storage Cupboard (Includes 4 fixed internal shelves)

H: 1900mm (74.8") D: 500mm (19.7")

Product Code	Description	Width
LW0819SC	2 door cupboard AB lock and T bar handle	800mm (31.5")
LW1019SC	2 door cupboard AB lock and T bar handle	1000mm (39.4")




LW0819SC

## Bookshelf (Includes 4 fixed shelves)

H: 1900mm (74.8") D: 500mm (19.7")

Product Code	Description	Width
LW0819BS	Bookshelf	800mm (31.5")
LW1019BS	Bookshelf	1000mm (39.4")




LW0819BS

## Perchpads

## Perchpad

H: 1900mm (74.8") D: 600mm (23.6")

Product Code	Description	Width
LW1019PP	Perchpad	1000mm (39.4")
LW2019PP	Perchpad	2000mm (78.7")




LW1019PP

## Corner Perchpad

H: 1900mm (74.8") D: 600mm (23.6")

Product Code	Description	Width
LW2019CPP	Corner Perchpad	2000mm (78.7")



LW2019CPP

# Finishing & scribing panels

Top Mid Panel for Free Standing Lockers				H: 18mm (0.7")	D: 520mm (20.5")
LW1052TP W:1000mm (39.4")	LW1252TP W:1200mm (47.2")	LW1552TP W:1500mm (59")	LW1652TP W:1600mm (62.9")	LW1852TP W:1800mm (70.8")	LW2052TP W:2000mm (78.7")
LW2452TP W:2400mm (94.4")					

Top 1 End Panel for Free Standing Lockers				H: 18mm (0.7")	D: 520mm (20.5")
LW10152TP W:1020mm (40.1")	LW12152TP W:1220mm (48")	LW15152TP W:1520mm (59.8")	LW16152TP W:1620mm (63.7")	LW18152TP W:1820mm (71.6")	LW20152TP W:2020mm (79.5")
LW24152TP W:2420mm (95.2")					

Top 2 End Panel for Free Standing Lockers				H: 18mm (0.7")	D: 520mm (20.5")
LW10252TP W: 1040mm (40.9")	LW12252TP W: 1240mm (48.8")	LW15252TP W: 1540mm (60.6")	LW16252TP W: 1640mm (64.5")	LW18252TP W: 1840mm (72.4")	LW20252TP W: 2040mm (80.3")
LW24252TP W:2440mm (96")					

Top Mid Panel for Wall lockers and Skirting boards				H: 18mm (0.7")	D: 550mm (21.7")
LW10M5TP W: 1000mm (39.4")	LW12M5TP W: 1200mm (47.2")	LW15M5TP W: 1500mm (59")	LW16M5TP W: 1600mm (62.9")	LW18M5TP W: 1800mm (70.8")	LW20M5TP W: 2000mm (78.7")
LW24M5TP W: 2400mm (94.4")					

Top 1 End Panel for Wall lockers and Skirting boards				H: 18mm (0.7")	D: 550mm (21.7")
LW101E5TP W: 1020mm (40.1")	LW121E5TP W: 1220mm (48")	LW151E5TP W: 1520mm (59.8")	LW161E5TP W: 1620mm (63.7")	LW181E5TP W: 1820mm (71.6")	LW201E5TP W: 2020mm (79.5")
LW241E5TP W: 2420mm (95.2")					

Top 2 End Panel for Wall lockers and Skirting boards				H: 18mm (0.7")	D: 550mm (21.7")
LW102E5TP W: 1040mm (40.9")	LW122E5TP W: 1240mm (48.8")	LW152E5TP W: 1540mm (60.6")	LW162E5TP W: 1640 (64.5")	LW182E5TP W: 1840mm (72.4")	LW202E5TP W: 2040mm (80.3")
LW242E5TP W: 2440mm (96")					



Top Mid Panel for Coat cupboards & Perchpads				H: 18mm (0.7")	D: 650mm (25.6")
LW10M6TP W: 1000mm (39.4")	LW12M6TP W: 1200mm (47.2")	LW15M6TP W: 1500mm (59")	LW16M6TP W: 1600mm (62.9")	LW18M6TP W: 1800mm (70.8")	LW20M6TP W: 2000mm (78.7")
LW24M6TP W: 2400mm (94.4")					

Top 1 End Panel for Coat cupboards & Perchpads				H: 18mm (0.7")	D: 650mm (25.6")
LW101E6TP W: 1020mm (40.1")	LW121E6TP W: 1220mm (48")	LW151E6TP W: 1520mm (59.8")	LW161E6TP W: 1620mm (63.7")	LW181E6TP W: 1820mm (71.6")	LW201E6TP W: 2020mm (79.5")
LW241E6TP W: 2420mm (95.2")					

Top 2 End Panel for Coat cupboards & Perchpads				H: 18mm (0.7")	D: 650mm (25.6")
LW102E6TP W: 1040mm (40.9")	LW122E6TP W: 1240mm (48.8")	LW152E6TP W: 1540mm (60.6")	LW162E6TP W: 1640mm (64.5")	LW182E6TP W: 1840mm (72.4")	LW202E6TP W: 2040mm (80.3")
LW242E6TP W: 2440mm (96")					

Back Panels				D: 18mm (0.7")	H: 1180mm (46.4")
LWBP1150 W: 500mm (20.5")	LWBP1110 W: 1000mm (39.4")	LWBP1112 W: 1200mm (47.2")	LWBP1115 W: 1500mm (59")	LWBP1116 W: 1600mm (62.9")	LWBP1118 W: 1800mm (70.8")
LWBP1120 W: 2000mm (78.7")					
LWBP1125 W: 2500mm (98.4")					

Back Panels				D: 18mm (0.7")	H: 1540mm (60.6")
LWBP1550 W: 500mm (20.5")	LWBP1510 W: 1000mm (39.4")	LWBP1512 W: 1200mm (47.2")	LWBP1515 W: 1500mm (59")	LWBP1516 W: 1600mm (62.9")	LWBP1518 W: 1800mm (70.8")
LWBP1520 W: 2000mm (78.7")					
LWBP1525 W: 2500mm (98.4")					

End Panels				W: 18mm (0.7")	D: 520mm (20.5")
LW1152EPL	LW1552EPL	LW1152EPR	LW1552EPR		
H: 1180mm (46.4")	H: 1540mm (60.6")	H: 1180mm (46.4")	H: 1540mm (60.6")		

End Panels				W: 18mm (0.7")	D: 550mm (21.7")
LW115EPL	LW155EPL	LW195EPL	LW235EPL		
H: 1180mm (46.4")	H: 1540mm (60.6")	H: 1900mm (74.8")	H: 2300mm (90.5")		
LW115EPR	LW155EPR	LW195EPR	LW235EPR		
H: 1180mm (46.4")	H: 1540mm (60.6")	H: 1900mm (74.8")	H: 2300mm (90.5")		

End Panels				W: 18mm (0.7")	D: 650mm (25.6")
LW116EPL	LW156EPL	LW196EPL	LW236EPL		
H: 1180mm (46.4")	H: 1540mm (60.6")	H: 1900mm (74.8")	H: 2300mm (90.5")		
LW116EPR	LW156EPR	LW196EPR	LW236EPR		
H: 1180mm (46.4")	H: 1540mm (60.6")	H: 1900mm (74.8")	H: 2300mm (90.5")		

\*Codes ending in 'L' = Left hand panels  
 \*Codes ending in 'R' = Right hand panels

Infill Panels		D: 18mm (0.7")	W: 500mm (19.7")
LW19IP	LW23IP		
H: 1900mm (74.8")	H: 2300mm (90.5")		

\*Comes with fixings


Top Fascia Panels		D: 18mm (0.7")	H: 500mm (19.7")
LW20TF5	LW25TF5		
W: 2000mm (78.7")	W: 2500mm (98.4")		

\*Comes with vertical supporting panels fitted to the top of the lockers and fixings

Plinth						D: 18mm (0.7")	H: 100mm (3.9")
LW05PL	LW10PL	LW12PL	LW15PL	LW16PL	LW18PL		
W: 500mm (19.7")	W: 1000mm (39.4")	W: 1200mm (47.2")	W: 1500mm (59")	W: 1600mm (62.9")	W: 1800mm (70.8")		
LW20PL	LW24PL						
W: 2000mm (78.7")	W: 2400mm (94.4")						

# Accessories

Product Code	Description	Width	Height	Depth
LWSH3	MFC shelf - 300mm (11.8") locker	263mm (10.4")	18mm (0.7")	370mm (14.6")
LWSH4	MFC shelf - 400mm (15.7") locker	363mm (14.3")	18mm (0.7")	370mm (14.6")
LWSH5	MFC shelf - 500mm (19.7") locker	463mm (18.2")	18mm (0.7")	370mm (14.6")
LWA4PT	A4 postal slot tray	301mm (11.9")	50mm (2")	235mm (9.3")
COATHOOK	Self adhesive coat hook			
LHLDP2PS	Label holders (pack of 2)			
LWJIGCH	Jig for affixing the coat hook			
LWJIGLHAB	Jig for affixing label holder with AB lock			
LWJIGLHM3	Jig for affixing label holder with M3 lock			
LWJIGLHE4	Jig for affixing label holder with E4 lock			



LWA4PT




## Specifying Additional Finishing and Scribing Panels

Please note: We highly recommend contacting your Bisley representative for support when specifying LockerWall.

### **Scenario example one: Scribed LockerWall bank**

For this scenario we recommend specifying:


- End panels
- Top fascia panel/s
- Plinth/s
- Infill panel/s if required



### **Scenario example two: Freestanding LockerWall bank**

For this scenario we recommend specifying:

- End panels
- Top panel/s
- Plinth/s
- Back panel






### Scenario example three: LockerWall bank against a wall

For this scenario we recommend specifying:

- Top panel/s
- End panels
- Plinth/s



# Specification Notes

---

All LockerWall options listed are standard key locking with no power. Please see below for additional options.

## Locking Options


(Locker modules only)

LockerWall is compatible with the full BeSmart lock range, including:  
Hardwired systems, wireless and battery-operated.


For the below alternative locking options replace the 8 & 9th characters of the code from '**AB**' to the relevant locking option for example:

For **E4** lock - LW311S3**AB**NP becomes LW311S3**E4**NP


### AB



### E4 (Private)



### M3 (Private)



For Besmart locking options please speak to your Bisley representative.

Please Note: All locking options apply to doors only, drawers come non-locking as standard.

---

## Power Options

(Only available in 4 and 5 door lockers)

To add USB power inside locker compartments change characters 10 & 11 from '**NP**' to '**UK/EU/US**' for example:


For **UK** power - LW319S4**ABNP** becomes LW319S4**ABUK**

Please Note: Power is only available in door compartments.



## Finish Options:

### Palette one



### Palette two

10% surcharge applies.



### Palette three

20% surcharge applies.



---

## Alternative Materials

Steel doors = +10% surcharge


Anti Microbial paint on steel doors = +15%

Compact Grade Laminate (CGL) doors = +20%

Please Note: Z Door Lockers are only available with MFC carcass and CGL doors.


# Internal Compartment Dimensions

All 300mm (11.8”) wide lockers have an internal width of 264mm (10.4”)  
All 400mm (15.7”) wide lockers have an internal width of 364mm (14.3”)  
All 500mm (19.7”) wide lockers have an internal width of 464mm (18.3”)




Please note: Postal slot doors include 1 fixed shelf positioned at the top of each compartment for paper capture.






H: 332mm (13.1")  
D: 450mm (17.7")



H: 332mm (13.1")  
W: 464mm (18.3")  
D: 450mm (17.7")


Drawer:  
H: 225mm (8.9")  
W: 406mm (16")  
D: 432mm (17")

Please note only available in 500mm (19.7") width




Small door  
H: 422mm (16.6")  
Large door  
H: 872mm (34.3")  
D: 450mm (17.7")

Bottom locker compartment includes 2 adjustable MFC shelves



Widest section:	Narrowest section:
H: 299mm (11.8")	H: 1128mm (44.4")
W: 464mm (18.3")	W: 223mm (8.8")
D: 580mm (22.8")	D: 580mm (22.8")

Z door lockers have one fixed shelf and a coat rail in each compartment



Top box

H: 363mm (14.3")  
D: 450mm (17.7")

**BISLEY**