

ALUMINUM GARDEN LIGHTS SERIES



2025

PRODUCT CATALOG





Engineered for Outdoors. Designed for Trust.


We are a professional outdoor lighting manufacturer offering integrated capabilities in injection molding, die-casting, and final assembly. Our aluminum and plastic lighting solutions are built with both structural integrity and refined aesthetics, designed for walls, gardens, walkways, and coastal environments.

Certified under ISO9001, ISO14001, and BSCI, we operate an in-house lab for IP waterproof, IK impact, UV aging, salt spray, and optical performance testing, ensuring long-term durability even in harsh outdoor conditions. Our products comply with CE, RoHS, ErP, ETL, and other major international standards—ready for distribution across Europe, the Americas, and Southeast Asia.

With over 300 SKUs and ongoing product development, we support OEM/ODM projects with flexibility and speed. Our customers include lighting brands, home improvement retailers, and professional distributors worldwide. We aim to deliver reliable, visually appealing, and globally compliant outdoor lighting solutions, while building lasting partnerships based on quality, trust, and growth.

2025

PRODUCT CATALOG





■ GD-AWX057-1



IP Rating: IP65

Lumen: 1000lm

POWER: 18W

Size: 210x170x110mm

Light source/Socket: SMD2835



■ GD-AWX057-1-SEN

IP Rating: IP65


Lumen: 1000lm

POWER: 18W

Size: 210x170x110mm

Light source/Socket: SMD2835

WITH PIR SENSOR



■ GD-ABX057-2


IP Rating: IP65

Lumen: 1000lm

POWER: 18W

Size: 87x213x800mm

Light source/Socket: SMD2835



■ GD-ABX057-2-SEN

IP Rating: IP65


Lumen: 1000lm

POWER: 18W

Size: 87x213x800mm

Light source/Socket: SMD2835

WITH PIR SENSOR







■ GD-AWX027-5-PC


IP Rating: IP65

Lumen: 900lm

POWER: 18W

Size: 170x150x45mm

Light source/Socket: SMD2835
PC DIFFUSER



■ GD-AWX027-6-GL


IP Rating: IP65

Lumen: 1000lm

POWER: 18W

Size: 170x150x45mm

Light source/Socket: COB
GLASS DIFFUSER



■ GD-AWX027-7-PC


IP Rating: IP65

Lumen: 900lm

POWER: 18W

Size: 170x150x45mm

Light source/Socket: SMD2835
PC DIFFUSER



■ GD-AWX027-8-GL


IP Rating: IP65

Lumen: 1000lm

POWER: 18W

Size: 170x150x45mm

Light source/Socket: COB
GLASS DIFFUSER





■ GD-ABX027-1-PC-800

IP Rating: IP65


Lumen:900lm

POWER: 18W

Size: 135x170x800mm

Light source/Socket:SMD2835

PC DIFFUSER



■ GD-ABX027-2-GL-800

IP Rating: IP65


Lumen:1000lm

POWER: 18W

Size: 135x170x800mm

Light source/Socket:SMD2835

GLASS DIFFUSER



■ GD-ABX027-3-PC-800

IP Rating: IP65


Lumen:900lm

POWER: 18W

Size: 135x170x800mm

Light source/Socket:SMD2835

PC DIFFUSER



■ GD-ABX027-4-GL-800

IP Rating: IP65


Lumen:1000lm

POWER: 18W

Size: 135x170x800mm

Light source/Socket:SMD2835

GLASS DIFFUSER





■ GD-AWX202-1


IP Rating: IP65

Lumen:600lm

POWER: 12W

Size: 120*120*120mm

Light source/Socket:SMD2835
PC DIFFUSER



■ GD-ABX202-2-600


IP Rating: IP65

Lumen:600lm

POWER: 12W

Size: 125*120*600mm

Light source/Socket:SMD2835
PC DIFFUSER



■ GD-ABX202-2-spike-600


IP Rating: IP65

Lumen:600lm

POWER: 12W

Size: 125*120*590mm

Light source/Socket:SMD2835
PC DIFFUSER





■ GD-AWX198

IP Rating: IP65


Lumen:600lm

POWER: 12W

Size: 80*75*215mm

Light source/Socket:SMD2835

DOUBLE LAYER PC DIFFUSER



■ GD-AWX198-SEN

IP Rating: IP65


Lumen:600lm

POWER: 12W

Size: 80*75*215mm

Light source/Socket:SMD2835

DOUBLE LAYER PC DIFFUSER





■ GD-AWX028-1

IP Rating: IP65


Lumen:600lm

POWER: 12W

Size: 80x140x295mm

Light source/Socket:SMD2835

DOUBLE LAYER PC DIFFUSER



■ GD-AWX028-1-SEN

IP Rating: IP65

Lumen:600lm


POWER: 12W

Size: 80x140x295mm

Light source/Socket:SMD2835

WITH PIR SENSOR

DOUBLE LAYER PC DIFFUSER



■ GD-ABX028-2-600

IP Rating: IP65


Lumen:600lm

POWER: 12W

Size: 80x80x600mm

Light source/Socket:SMD2835

DOUBLE LAYER PC DIFFUSER



■ GD-ABX028-2-SEN-600

IP Rating: IP65

Lumen:600lm


POWER: 12W

Size: 80x80x600mm

Light source/Socket:SMD2835

WITH PIR SENSOR

DOUBLE LAYER PC DIFFUSER





■ **GD-AWX034-2**


IP Rating: IP65

Lumen:600lm

POWER: 12W

Size: 180*165*265mm

Light source/Socket:SMD2835



■ **GD-ABX034-1-600**

IP Rating: IP65

Lumen:600lm

POWER: 12W

Size: 180*190*800mm

Light source/Socket:SMD2835



■ GD-AWX192-1


IP Rating: IP65

Lumen:600lm

POWER: 12W

Size: 105*80*230mm

Light source/Socket:SMD2835



■ GD-ABX192-2-600


IP Rating: IP65

Lumen:600lm

POWER: 12W

Size: 110*80*600mm

Light source/Socket:SMD2835



■ GD-AWX195-1


IP Rating: IP65

Lumen:900lm

POWER: 18W

Size: 115*220*335mm

Light source/Socket:SMD2835



■ GD-ABX195-2-600


IP Rating: IP65

Lumen:900lm

POWER: 18W

Size: 115*235*600mm

Light source/Socket:SMD2835





■ GD-AWX193-2A


IP Rating: IP65

Lumen:350lm

POWER: 7W

Size: 100*70*235mm

Light source/Socket:SMD2835



■ GD-AWX193-2B


IP Rating: IP65

Lumen:350lm

POWER: 7W

Size: 100*70*235mm

Light source/Socket:SMD2835





■ GD-AWX193-5A


IP Rating: IP65

Lumen:700lm

POWER: 7W*2

Size: 100*70*360mm

Light source/Socket:SMD2835



■ GD-AWX193-5B


IP Rating: IP65

Lumen:700lm

POWER: 7W*2

Size: 100*70*360mm

Light source/Socket:SMD2835



■ GD-ABX193-4A-600


IP Rating: IP65

Lumen:350lm

POWER: 7W

Size:125*125*600mm

Light source/Socket:SMD2835



■ GD-ABX193-4B-600


IP Rating: IP65

Lumen:350lm

POWER: 7W

Size:125*125*600mm

Light source/Socket:SMD2835







■ GD-AWX193-1A


IP Rating: IP65

Lumen:350lm

POWER: 7W

Size: 100*70*205mm

Light source/Socket:SMD2835



■ GD-AWX193-1B


IP Rating: IP65

Lumen:350lm

POWER: 7W

Size: 100*70*205mm

Light source/Socket:SMD2835



■ GD-ABX193-3A-600


IP Rating: IP65

Lumen:350lm

POWER: 7W

Size:125*125*575mm

Light source/Socket:SMD2835



■ GD-ABX193-3B-600


IP Rating: IP65


Lumen:350lm

POWER: 7W

Size:125*125*575mm

Light source/Socket:SMD2835







■ GD-AWZ63-4


IP Rating: IP 54

Lumen: 360lm

POWER: 4W

Size: 110*80*40mm

Light source/Socket: SMD2835



■ GD-AWZ63-6



IP Rating: IP 54

Lumen: 540lm

POWER: 6W

Size: 155*80*35mm

Light source/Socket: SMD2835



■ GD-AWZ63-8


IP Rating: IP 54

Lumen: 720lm

POWER: 8W

Size: 155*80*35mm

Light source/Socket: SMD2835



■ GD-AWZ63-10


IP Rating: IP 54

Lumen: 900lm

POWER: 10W

Size: 260*80*35mm

Light source/Socket: SMD2835







■ GD-AWX173-1


IP Rating: IP65

Lumen:300lm

POWER: 6W

Size: 155*145*130mm

Light source/Socket:SMD2835



■ GD-AWX173-1-GX53


IP Rating: IP65

Lumen:N/A

POWER: MAX 10W

Size: 155*145*130mm

Light source/Socket:GX53



■ GD-AWX173-2

IP Rating: IP65

Lumen:600lm

POWER: 6W*2

Size:275*145*130mm

Light source/Socket:SMD2835



■ GD-AWX173-2-GX53

IP Rating: IP65

Lumen:N/A

POWER: MAX 10W*2

Size:275*145*130mm

Light source/Socket:GX53



■ GD-AWX209-1



IP Rating: IP65

Lumen: 250lm

POWER: 5W

Size: 76*35*120mm

Light source/Socket: COB



■ GD-ABX209-2-600


IP Rating: IP65

Lumen: 250lm

POWER: 5W

Size: 80*175*600mm

Light source/Socket: COB



■ GD-ABX209-3-600


IP Rating: IP65

Lumen: 300lm

POWER: 6W

Size: 130*200*600mm

Light source/Socket: SMD 2835





■ GD-AWX190-1



IP Rating: IP65

Lumen: 350lm

POWER: 7W

Size: 115*110*110mm

Light source/Socket: SMD 2835



■ GD-AWX190-2


IP Rating: IP65

Lumen: 350lm

POWER: 7W

Size: 115*110*110mm

Light source/Socket: SMD 2835



■ GD-ABX190-7B-600


IP Rating: IP65

Lumen: 350lm

POWER: 7W

Size: 110*110*600mm

Light source/Socket: SMD 2835



■ GD-ABX190-8B-600


IP Rating: IP65

Lumen: 350lm

POWER: 7W

Size: 110*110*600mm

Light source/Socket: SMD 2835





■ GD-ABX029-1-stake-600


IP Rating: IP65

Lumen:200lm

POWER: 5W

Size: 40x175x828mm

Light source/Socket:SMD2835
GLASS DIFFUSER



■ GD-ABX029-1-base-600


IP Rating: IP65

Lumen:200lm

POWER: 5W

Size: 40x175x600mm

Light source/Socket:SMD2835
GLASS DIFFUSER



■ GD-ABX029-2-stake-600


IP Rating: IP65

Lumen:200lm

POWER: 5W

Size: 46x185x868mm

Light source/Socket:SMD2835
GLASS DIFFUSER



■ GD-ABX029-2-base-600


IP Rating: IP65

Lumen:200lm

POWER: 5W

Size: 46x185x600mm

Light source/Socket:SMD2835
GLASS DIFFUSER





■ GD-ABX031-1-2PC

IP Rating: IP65


Lumen:800lm

POWER: 18W

Size: 250x250x260mm

Light source/Socket:SMD2835

DOUBLE LAYER PC DIFFUSER



■ GD-ABX031-1A-2PC-E27

IP Rating: IP65


Lumen:N/A

POWER: MAX.40W

Size: 250x250x260mm

Light source/Socket:E27

DOUBLE LAYER PC DIFFUSER



■ GD-ABX031-2-PC

IP Rating: IP65


Lumen:800lm

POWER: 18W

Size: 250x250x260mm

Light source/Socket:SMD2835

SINGLE LAYER PC DIFFUSER



■ GD-ABX031-2A-PC-E27

IP Rating: IP65


Lumen:N/A

POWER: MAX.40W

Size: 250x250x260mm

Light source/Socket:E27

SINGLE LAYER PC DIFFUSER







■ GD-AWX032-1


IP Rating: IP65

Lumen:700lm

POWER: 12W

Size: 55x80x215mm

Light source/Socket:SMD2835



■ GD-ABX032-3


IP Rating: IP65

Lumen:700lm

POWER: 12W

Size: 55x125x600mm

Light source/Socket:SMD2835



■ GD-ABX032-5


IP Rating: IP65

Lumen:1400lm

POWER: 2x12W

Size: 55x150x600mm

Light source/Socket:SMD2835





■ GD-ABX172-1


IP Rating: IP65

Lumen: 750lm

POWER: 15W

Size: 390*345*800mm

Light source/Socket: COB



■ GD-ABX172-2


IP Rating: IP65

Lumen: 500lm

POWER: 10W

Size: 390*181*800mm

Light source/Socket: COB



■ GD-ABX172-3


IP Rating: IP65

Lumen: 250lm

POWER: 5W

Size: 245*110*800mm

Light source/Socket: COB





■ **GD-AWX033-1-COB**


IP Rating: IP65

Lumen:300lm

POWER: 5W

Size: 100*100*90mm

Light source/Socket:COB



■ **GD-AWX033-1-GU10**


IP Rating: IP65

Lumen:N/A

POWER: MAX 5W

Size: 100*100*90mm

Light source/Socket:GU10



■ **GD-AWX033-2-COB**


IP Rating: IP65

Lumen:300lm

POWER: 5W

Size: 100*120*90mm

Light source/Socket:COB



■ **GD-AWX033-2-GU10**


IP Rating: IP65

Lumen:N/A

POWER: MAX 5W

Size: 100*120*90mm

Light source/Socket:GU10





■ GD-ABX033-3-600-COB


IP Rating: IP65

Lumen:300lm

POWER: 5W

Size: 155*100*600mm

Light source/Socket:COB



■ GD-ABX033-3-600-GU10


IP Rating: IP65

Lumen:N/A

POWER: MAX 5W

Size: 155*100*600mm

Light source/Socket:GU10



■ GD-ABX033-4-600-COB


IP Rating: IP65

Lumen:600lm

POWER: 5W*2

Size: 100*275*600mm

Light source/Socket:COB



■ GD-ABX033-4-600-GU10


IP Rating: IP65


Lumen:N/A

POWER: MAX 5W*2

Size: 100*275*600mm

Light source/Socket:GU10







■ **GD-AWX073-1**


IP Rating: IP65

Lumen:500lm

POWER:10W

Size: 200*126*141mm

Light source/Socket:SMD 2835



■ **GD-AWX073-1**


IP Rating: IP65

Lumen:1000lm

POWER:10W*2

Size: 330*126*141mm

Light source/Socket:SMD 2835





■ GD-ABX201-2A-600


IP Rating: IP65

Lumen:900lm

POWER: 20W

Size: 150*90*600mm

Light source/Socket:SMD2835



■ GD-ABX201-2B-600



IP Rating: IP65

Lumen:900lm

POWER: 20W

Size: 150*90*590mm

Light source/Socket:SMD2835



■ GD-ABX201-2C-E27-600


IP Rating: IP65

Lumen:N/A

POWER: MAX 40

Size: 150*90*600mm

Light source/Socket:E27



■ GD-ABX201-2D-E27-600


IP Rating: IP65

Lumen:N/A

POWER: MAX 40

Size: 150*90*590mm

Light source/Socket:E27





■ **GD-ABX074-5-600**


IP Rating: IP65

Lumen:300lm

POWER: 6W

Size: 45x100x600mm

Light source/Socket:SMD2835



■ **GD-ABX074-6-600**


IP Rating: IP65

Lumen:300lm

POWER: 6W

Size: 80x88x600mm

Light source/Socket:SMD2835





■ GD-AWX074-1


IP Rating: IP65

Lumen:300lm

POWER: 6W

Size: 78x100x172mm

Light source/Socket:SMD2835



■ GD-AWX074-2


IP Rating: IP65

Lumen:300lm

POWER: 6W

Size: 88x110x172mm

Light source/Socket:SMD2835



■ GD-AWX074-3


IP Rating: IP65

Lumen:600lm

POWER: 2x6W

Size: 78x100x260mm

Light source/Socket:SMD2835



■ GD-AWX074-4


IP Rating: IP65

Lumen:600lm

POWER: 2x6W

Size: 88x110x260mm

Light source/Socket:SMD2835







■ GD-AWX153-1

IP Rating: IP65


Lumen:300lm

POWER: 6W

Size: 159x156x188mm

Light source/Socket:SMD2835

LIGHTING DOWNWARD
ROTATABLE HEAD



■ GD-ABX153-5-600

IP Rating: IP65


Lumen:300lm

POWER: 6W

Size: 235x130x600mm

Light source/Socket:SMD2835

ROTATABLE HEAD
LIGHTING DOWNWARD



■ GD-AWX153-1A

IP Rating: IP65


Lumen:600lm

POWER: 2*6W

Size: 159x156x188mm

Light source/Socket:SMD2835

LIGHTING UPWARD AND DOWNWARD
ROTATABLE HEAD



■ GD-ABX153-5A-600

IP Rating: IP65


Lumen:600lm

POWER:2x 6W

Size: 235x130x600mm

Light source/Socket:SMD2835

ROTATABLE HEAD
LIGHTING UPWARD AND DOWNWARD





■ GD-ABX153-8-600

IP Rating: IP65


Lumen:600lm

POWER: 2x6W

Size: 370x135x600mm

Light source/Socket:SMD2835

ROTATABLE HEAD
LIGHTING DOWNWARD



■ GD-AWX153-3

IP Rating: IP65


Lumen:350lm

POWER: 7W

Size: 158x158x130mm

Light source/Socket:SMD2835

ROTATABLE HEAD



■ GD-ABX153-4-600

IP Rating: IP65


Lumen:350lm

POWER: 7W

Size: 158x235x600mm

Light source/Socket:SMD2835

ROTATABLE HEAD



■ GD-ABX171-6-600


IP Rating: IP65

Lumen:300lm

POWER: 7W

Size: 159x159x600mm

Light source/Socket:SMD2835





■ GD-ABX153-7-600

IP Rating: IP65


Lumen:700lm

POWER: 2x7W

Size: 370x158x600mm

Light source/Socket:SMD2835

ROTATABLE HEAD



■ GD-AWX154-1

IP Rating: IP65


Lumen:250lm

POWER: 5W

Size: 100x100x52mm

Light source/Socket:COB

Glass diffuser



■ GD-ABX154-2-600

IP Rating: IP65


Lumen:250lm

POWER:5W

Size: 165x100x600mm

Light source/Socket:COB

Glass diffuser



■ GD-ABX154-3-600

IP Rating: IP65


Lumen:500lm

POWER: 2x5W

Size: 230x100x600mm

Light source/Socket:COB

Glass diffuser





■ **GD-AWX148-2-E27**

IP Rating: IP65


Lumen:N/A

POWER:MAX.12W

Size: 110x157x171mm

Light source/Socket:E27

GLASS DIFFUSER



■ **GD-ABX148-3-600-E27**


IP Rating: IP65

Lumen:N/A

POWER:MAX.12W

Size: 155x155x600mm

Light source/Socket:E27





■ GD-AWX148-1

IP Rating: IP65


Lumen:350lm

POWER:7W

Size: 105x155x105mm

Light source/Socket:SMD2835

PC DIFFUSER
PIR SENSOR FOR OPTION



■ GD-ABX148-4-600


IP Rating: IP65

Lumen:350lm

POWER:7W

Size: 105x188x600mm

Light source/Socket:SMD2835



■ GD-ABX148-5-600


IP Rating: IP65

Lumen:700lm

POWER:2x7W

Size: 105x275x600mm

Light source/Socket:SMD2835



■ GD-ABX148-6-600


IP Rating: IP65

Lumen:700lm

POWER:2x7W

Size: 105x275x600mm

Light source/Socket:SMD2835





■ GD-AWX156-9


IP Rating: IP65

Lumen: 600lm

POWER: 12W

Size: 120x157x240mm

Light source/Socket: SMD 2835



■ GD-AWX156-10-E27

IP Rating: IP65

Lumen: N/A

POWER: MAX. 12W

Size: 120x157x240mm

Light source/Socket: E27



■ GD-AWX156-11


IP Rating: IP65

Lumen: 600lm

POWER: 12W

Size: 240x183x240mm

Light source/Socket: SMD 2835





■ **GD-ABX156-12-E27**


IP Rating: IP65

Lumen:N/A

POWER: MAX.12W

Size: 240x183x240mm

Light source/Socket:E27



■ **GD-AWX156-13**


IP Rating: IP65

Lumen:1200lm

POWER: 2x12W

Size: 120x157x373mm

Light source/Socket:SMD2835



■ **GD-AWX156-14-E27**


IP Rating: IP65

Lumen:N/A

POWER: 2xMAX.12W

Size: 120x157x373mm

Light source/Socket:E27



■ **GD-AWX156-15**


IP Rating: IP65

Lumen:1200lm

POWER: 2x12W

Size: 128x183x373mm

Light source/Socket:SMD2835



■ **GD-AWX156-16-E27**


IP Rating: IP65

Lumen:N/A

POWER: 2xMAX.12W

Size: 128x183x373mm

Light source/Socket:E27





■ GD-ABX156-1-600


IP Rating: IP65

Lumen:600lm

POWER: 12W

Size: 122x122x600mm

Light source/Socket:SMD2835



■ GD-ABX156-2-E27-600


IP Rating: IP65

Lumen:N/A

POWER: MAX.12W

Size: 122x122x600mm

Light source/Socket:E27



■ GD-ABX156-3-600


IP Rating: IP65

Lumen:600lm

POWER: 12W

Size: 128x125x600mm

Light source/Socket:SMD2835



■ GD-ABX156-4-E27-600


IP Rating: IP65

Lumen:N/A

POWER: MAX.12W

Size: 128x125x600mm

Light source/Socket:E27





■ GD-ABX156-5-600

IP Rating: IP65


Lumen:900lm

POWER: 12W+5W

Size: 120x120x725mm

Light source/Socket:SMD2835

LIGHTING UPWARD AND DOWNWARD



■ GD-ABX156-6-600

IP Rating: IP65


Lumen:900lm

POWER: 12W+5W

Size: 120x120x725mm

Light source/Socket:SMD2835

LIGHTING UPWARD AND DOWNWARD



■ GD-ABX156-7-600

IP Rating: IP65


Lumen:900lm

POWER: 12W+5W

Size: 128x125x725mm

Light source/Socket:SMD2835

LIGHTING UPWARD AND DOWNWARD



■ GD-ABX156-8-600

IP Rating: IP65


Lumen:900lm


POWER: 12W+5W

Size: 165x183x725mm

Light source/Socket:SMD2835

LIGHTING UPWARD AND DOWNWARD









■ **GD-AWZ94**

IP Rating: IP65
Lumen: 180lm
POWER: 5W
Size: 150x150x36mm
Light source/Socket: SMD2835




■ **GD-AWZ95**

IP Rating: IP65
Lumen: 180lm
POWER: 5W
Size: 150x150x36mm
Light source/Socket: SMD 2835




■ **GD-AWZ96**

IP Rating: IP65
Lumen: 200lm
POWER: 5W
Size: 200x90x36mm
Light source/Socket: SMD 2835




■ **GD-AWX010-1**

IP Rating: IP65
Lumen: 150lm
POWER: 5W
Size: 80x80x48mm
Light source/Socket: COB




■ **GD-AWX010-2**

IP Rating: IP65
Lumen: 150lm
POWER: 5W
Size: 100x100x48mm
Light source/Socket: COB



■ **GD-AWX011**

IP Rating: IP65
Lumen: 200lm
POWER: 6W
Size: 320x79x70mm
Light source/Socket: SMD 2835





■ **GD-AWX169-5**


IP Rating: IP65

Lumen:320lm

POWER:7W

Size: 90x137x290mm

Light source/Socket:SMD2835



■ **GD-AWX169-6**


IP Rating: IP65

Lumen:350lm

POWER:7W

Size: 90x137x213mm

Light source/Socket:SMD2835





■ **GD-ABX169-1-600**


IP Rating: IP65

Lumen:320lm

POWER:7W

Size:90x131x600mm

Light source/Socket:SMD2835



■ **GD-ABX169-2-600**


IP Rating: IP65

Lumen:350lm

POWER:7W

Size: 90x131x600mm

Light source/Socket:SMD2835



■ **GD-ABX169-3-600**


IP Rating: IP65

Lumen:320lm

POWER:7W

Size: 90x100x600mm

Light source/Socket:SMD2835



■ **GD-ABX169-4-600**


IP Rating: IP65

Lumen:350lm

POWER:7W

Size:90x100x600mm

Light source/Socket:SMD2835



■ **GD-ABX169-7-600**


IP Rating: IP65

Lumen:320lm

POWER:7W

Size: 90x100x600mm

Light source/Socket:SMD2835







■ **GD-ABX167-1-600**

IP Rating: IP65

Lumen:300lm

POWER:7W

Size: 150x150x600mm

Light source/Socket:SMD2835



■ **GD-ABX167-2-600**

IP Rating: IP65

Lumen:300lm

POWER:7W

Size: 165x165x600mm

Light source/Socket:SMD2835



■ **GD-ABX167-3-600**


IP Rating: IP65

Lumen:300lm

POWER:7W

Size: 150x150x600mm

Light source/Socket:SMD2835



■ **GD-ABX167-4-600**


IP Rating: IP65

Lumen:300lm

POWER:7W

Size: 165x165x600mm

Light source/Socket:SMD2835



■ **GD-AWX167-5**


IP Rating: IP65

Lumen:300lm

POWER:7W

Size: 150x150x370mm

Light source/Socket:SMD2835





■ **GD-AWX167-6**


IP Rating: IP65

Lumen:300lm

POWER:7W

Size: 165x165x370mm

Light source/Socket:E27



■ **GD-AWX167-7-E27**


IP Rating: IP65

Lumen:N/A

POWER:MAX 12W

Size: 150x150x370mm

Light source/Socket:E27



■ **GD-AWX167-8-E27**


IP Rating: IP65

Lumen:N/A

POWER:MAX 12W

Size: 165x165x370mm

Light source/Socket:E27



■ **GD-ABX168-1-E27-600**


IP Rating: IP65

Lumen:N/A

POWER:MAX.12W

Size: 120x120x600mm

Light source/Socket:E27



■ **GD-ABX168-2-E27-600**


IP Rating: IP65

Lumen:N/A

POWER:MAX.12W

Size: 124x121x600mm

Light source/Socket:E27





■ **GD-ABX168-3-600**


IP Rating: IP65

Lumen:600lm

POWER:12W

Size: 120x120x600mm

Light source/Socket:SMD2835



■ **GD-ABX168-4-600**


IP Rating: IP65

Lumen:600lm

POWER:12W

Size: 124x121x600mm

Light source/Socket:SMD2835



■ **GD-ABX168-3-E27-600**


IP Rating: IP65

Lumen:N/A

POWER:MAX 12W

Size: 120x120x600mm

Light source/Socket:E27



■ **GD-ABX168-4-E27-600**


IP Rating: IP65

Lumen:N/A

POWER:MAX 12W

Size: 124x121x600mm

Light source/Socket:E27









■ **GD-AWX168-5-E27**

IP Rating: IP65
Lumen:N/A
POWER:MAX 12W
Size: 120x120x300mm
Light source/Socket:E27




■ **GD-AWX168-6-E27**

IP Rating: IP65
Lumen:N/A
POWER:MAX 12W
Size: 124x121x300mm
Light source/Socket:E27




■ **GD-AWX168-5**

IP Rating: IP65
Lumen:600lm
POWER:12W
Size: 120x120x300mm
Light source/Socket:SMD 2835




■ **GD-AWX168-6**

IP Rating: IP65
Lumen:600lm
POWER:12W
Size: 124x121x300mm
Light source/Socket:SMD 2835



■ **GD-ABX062-1-E27**

IP Rating: IP65
Lumen:N/A
POWER:MAX. 15W
Size: 150x150x230mm
Light source/Socket:E27





■ **GD-ABX062-2-E27**


IP Rating: IP65

Lumen:N/A

POWER:MAX.15W

Size:165x165x203mm

Light source/Socket:E27



■ **GD-ABX062-3**


IP Rating: IP65

Lumen:400lm

POWER:6W

Size:150x150x230mm

Light source/Socket:SMD2835



■ **GD-ABX062-4**


IP Rating: IP65

Lumen:400lm

POWER:6W

Size:165x165x230mm

Light source/Socket:SMD2835



■ **GD-ABX062-5-600-E27**


IP Rating: IP65

Lumen:N/A

POWER:MAX.25W

Size:150x150x600mm

Light source/Socket:E27



■ **GD-ABX062-6-600-E27**


IP Rating: IP65

Lumen:N/A

POWER:MAX.25W

Size:165x165x600mm

Light source/Socket:E27





■ GD-ABX062-7


IP Rating: IP65

Lumen:350lm

POWER:7W

Size:150x150x600mm

Light source/Socket:COB



■ GD-ABX062-8


IP Rating: IP65

Lumen:350lm

POWER:7W

Size:165x165x600mm

Light source/Socket:COB



■ GD-ABX062-9-E27


IP Rating: IP65

Lumen:N/A

POWER:MAX.15W

Size:150x150x600mm

Light source/Socket:E27



■ GD-ABX062-10-E27


IP Rating: IP65

Lumen:N/A

POWER:MAX.15W

Size:165x165x600mm

Light source/Socket:E27



■ GD-ABX002-200


IP Rating: IP65

Lumen:600lm

POWER:10W

Size:108x108x200mm

Light source/Socket:COB





■ **GD-ABX002-1-600**


IP Rating: IP65

Lumen:600lm

POWER:10W

Size:108x155x600mm

Light source/Socket:COB



■ **GD-ABZ06sn-600**

IP Rating: IP65

Lumen:350lm

POWER:7W

Size:110x110x600mm

Light source/Socket:COB



■ **GD-ABZ06sn-GU10-600**

IP Rating: IP65

Lumen:N/A

POWER:MAX.7W

Size:110x110x600mm

Light source/Socket:GU10



■ **GD-AWX006-1**


IP Rating: IP65

Lumen:350lm

POWER:7W

Size:108x158x200mm

Light source/Socket:COB



■ **GD-ABX006-2-600**


IP Rating: IP65

Lumen:350lm

POWER:7W

Size:108x108x600mm

Light source/Socket:COB





■ **GD-ABX006-3-GU10-600**


IP Rating: IP65

Lumen:N/A

POWER:MAX.7W

Size:108x108x600mm

Light source/Socket:GU10



■ **GD-ABX061-1-200**


IP Rating: IP65

Lumen:250lm

POWER:5W

Size:121x140x207mm

Light source/Socket:COB



■ **GD-ABX061-2-600**


IP Rating: IP65

Lumen:250lm

POWER:5W

Size:165x183x600mm

Light source/Socket:COB



■ **GD-ABX110-1-600**


IP Rating: IP65

Lumen600lm

POWER:12W

Size:120x120x600mm

Light source/Socket:SMD2835



■ **GD-ABX110-2-600**


IP Rating: IP65

Lumen:600lm

POWER:12W

Size:120x120x600mm

Light source/Socket:SMD2835





■ GD-ABX110-3A-600


IP Rating: IP65

Lumen:600lm

POWER:12W

Size:127x123x600mm

Light source/Socket:SMD2835



■ GD-ABX110-3B-600


IP Rating: IP65

Lumen:600lm

POWER:12W

Size:165x183x600mm

Light source/Socket:SMD2835



■ GD-AWX110-4


IP Rating: IP65

Lumen:600lm

POWER:12W

Size:152x180x300mm

Light source/Socket:SMD2835



■ GD-AWX110-5


IP Rating: IP65

Lumen:600lm

POWER:12W

Size:120x157x300mm

Light source/Socket:SMD2835



■ GD-AWX110-6


IP Rating: IP65

Lumen:600lm

POWER:12W

Size:126x146x300mm


Light source/Socket:SMD2835






■ **GD-ABX111-600**

IP Rating: IP65
 Lumen:350lm
 POWER:7W
 Size:108x155x600mm
 Light source/Socket:COB




■ **GD-ABX111A-600-GU10**

IP Rating: IP65
 Lumen:N/A
 POWER:MAX.7W
 Size:108x155x600mm
 Light source/Socket:GU10





■ **GD-ABX111B-600-GU10**

IP Rating: IP65
 Lumen:N/A
 POWER:MAX.7W
 Size:108x155x600mm
 Light source/Socket:GU10




■ **GD-ABZ06s-600**

IP Rating: IP65
 Lumen:350lm
 POWER:7W
 Size:107x150x600mm
 Light source/Socket:COB



■ **GD-ABX162-2-600**

IP Rating: IP65
 Lumen:350lm
 POWER:7W
 Size:108x108x600mm
 Light source/Socket:COB







■ GD-AWX020-1


IP Rating: IP65

Lumen:600lm

POWER:12W

Size: 230x190x110mm

Light source/Socket:SMD28



■ GD-ABX020-2-600


IP Rating: IP65

Lumen:600lm

POWER:12W

Size: 265x190x600mm

Light source/Socket:SMD2835



■ GD-AWX020-3-E27


IP Rating: IP65

Lumen:N/A

POWER:MAX.12W

Size: 245x225x190mm

Light source/Socket:E27



■ GD-ABX020-4-E27-600


IP Rating: IP65

Lumen:N/A

POWER:MAX.12W

Size: 265x190x600mm

Light source/Socket:E27



■ GD-AWX020-5-E27


IP Rating: IP65

Lumen:N/A

POWER:MAX.12W

Size: 235x225x190mm

Light source/Socket:E27





■ GD-ABX020-3-E27-600


IP Rating: IP65

Lumen:N/A

POWER:MAX.12W

Size: 265x190x600mm

Light source/Socket:E27



■ GD-AWX147-3


IP Rating: IP65

Lumen:300lm

POWER:6W

Size: 235x201x180mm

Light source/Socket:SMD2835



■ GD-ABX147-5-600


IP Rating: IP65

Lumen:300lm

POWER:6W

Size: 201x273x600mm

Light source/Socket:SMD2835



■ GD-AWX147-8-E27


IP Rating: IP65

Lumen:N/A

POWER:MAX.12W

Size: 201x230x245mm

Light source/Socket:E27



■ GD-ABX147-10-600-E27


IP Rating: IP65

Lumen:N/A

POWER:MAX.12W

Size:201x273x600mm

Light source/Socket:E27





■ GD-AWX165-1


IP Rating: IP65

Lumen:900lm

POWER:18W

Size: 180*282*470mm

Light source/Socket:SMD2835



■ GD-ABX165-3-800


IP Rating: IP65

Lumen:900lm

POWER:18W

Size: 180*286*800mm

Light source/Socket:SMD2835







■ **GD-ABX135-1-600**


IP Rating: IP65

Lumen:900lm

POWER:18W

Size: 180x180x600mm

Light source/Socket:SMD2835



■ **GD-AWX135-2**


IP Rating: IP65

Lumen:900lm

POWER:18W

Size: 225x220x180mm

Light source/Socket:SMD2835



■ **GD-ABX135-3**


IP Rating: IP65

Lumen:900lm

POWER:18W

Size: 180x180x240mm

Light source/Socket:SMD2835



■ **GD-ABX135-4-600**


IP Rating: IP65

Lumen:900lm

POWER:18W

Size: 180x180x600mm

Light source/Socket:SMD2835



■ **GD-ABX022-1-600**


IP Rating: IP65

Lumen:400lm

POWER:6W

Size: 130x237x600mm

Light source/Socket:SMD2835





■ GD-ABX135-5-600


IP Rating: IP65

Lumen:1800lm

POWER:2x18W

Size: 180x424x600mm

Light source/Socket:SMD2835



■ GD-ABX022-2-600


IP Rating: IP65

Lumen:800lm

POWER:2x6W

Size: 130x375x600mm

Light source/Socket:SMD2835



■ GD-ABX170-1-600


IP Rating: IP65

Lumen:900lm

POWER:18W

Size: 180x180x600mm

Light source/Socket:SMD2835



■ GD-AWX170-2


IP Rating: IP65

Lumen:900lm

POWER:18W

Size: 180x183x305mm

Light source/Socket:SMD2835



■ GD-AWX170-3


IP Rating: IP65

Lumen:900lm

POWER:18W

Size: 180x183x292mm

Light source/Socket:SMD2835





■ **GD-AWX171-1**


IP Rating: IP65

Lumen:300lm

POWER:7W

Size: 170x159x200mm

Light source/Socket:SMD2835



■ **GD-AWX171-2**


IP Rating: IP65

Lumen:350lm

POWER:7W

Size: 150x163x275mm

Light source/Socket:SMD2835



■ **GD-AWX171-3**


IP Rating: IP65

Lumen:350lm

POWER:7W

Size: 150x163x280mm

Light source/Socket:SMD2835



■ **GD-ABX155-1-600**


IP Rating: IP65

Lumen:300lm

POWER:6W

Size: 150x150x680mm

Light source/Socket:SMD2835



■ **GD-ABX155-2-600**


IP Rating: IP65

Lumen:300lm

POWER:6W

Size: 150x150x680mm

Light source/Socket:SMD2835





■ **GD-AWX015-1**

IP Rating: IP65


Lumen:350lm

POWER:7W

Size: 130x195x200mm

Light source/Socket:COB

GLASS DIFFUSER



■ **GD-ABX015-2-600**

IP Rating: IP65


Lumen:350lm

POWER:7W

Size: 130x175x600mm

Light source/Socket:COB

GLASS DIFFUSER



ROTATABLE HEAD SERIES



■ GD-AWX015-3-PC

IP Rating: IP65


Lumen:320lm

POWER:7W

Size: 130x195x200mm

Light source/Socket:COB

PC DIFFUSER



■ GD-ABX015-4-PC-600

IP Rating: IP65


Lumen:320lm

POWER:7W

Size: 130x175x600mm

Light source/Socket:COB

PC DIFFUSER



■ GD-AWX015-5

IP Rating: IP65



Lumen:350lm

POWER:7W

Size: 130x130x100mm

Light source/Socket:COB

GLASS DIFFUSER



■ GD-AWX015-6-PC

IP Rating: IP65


Lumen:320lm


POWER:7W

Size: 130x130x100mm

Light source/Socket:COB

PC DIFFUSER






Rotatable

■ GD-ABX146-3-600


IP Rating: IP65

Lumen:900lm

POWER:18W

Size: 210x170x600mm

Light source/Socket:SMD2835




Rotatable

■ GD-ABX146-4-600


IP Rating: IP65

Lumen:900lm

POWER:18W

Size: 158x226x600mm

Light source/Socket:SMD2835



ROTATABLE HEAD SERIES



■ GD-AWX146-1


IP Rating: IP65

Lumen:900lm

POWER:18W

Size: 195x145x160mm

Light source/Socket:SMD2835



■ GD-AWX146-1B-SEN

IP Rating: IP65


Lumen:900lm

POWER:18W

Size: 195x145x160mm

Light source/Socket:SMD2835

WITH PIR SENSOR



■ GD-AWX146-2A


IP Rating: IP65

Lumen:900lm

POWER:18W

Size: 195x145x160mm

Light source/Socket:SMD2835



■ GD-AWX146-2B-SEN

IP Rating: IP65


Lumen:900lm


POWER:18W

Size: 195x145x160mm

Light source/Socket:SMD2835

WITH PIR SENSOR










■ **GD-AWX122**

IP Rating: IP65
Lumen:150lm
POWER: 3W
Size: 160x90x35mm
Light source/Socket:COB




■ **GD-AWX123**

IP Rating: IP65
Lumen:200lm
POWER: 12W
Size: 160x160x40mm
Light source/Socket:COB




■ **GD-AWX124**

IP Rating: IP65
Lumen:200lm
POWER: 12W
Size: 120x120x50mm
Light source/Socket:COB




■ **GD-AWX152-2**


IP Rating: IP65
Lumen:300lm
POWER: 7W
Size: 180x180x53mm
Light source/Socket:SMD2835



■ **GD-AWZ12**

IP Rating: IP65
Lumen:800lm
POWER: 12W
Size: 126x106x225mm
Light source/Socket:SMD2835





■ **GD-AWX115-3-E27**



IP Rating: IP65

Lumen:N/A

POWER:MAX.12W

Size: 190x355x150mm

Light source/Socket:E27



■ **GD-ABX115-1-600-E27**


IP Rating: IP65

Lumen:N/A

POWER:MAX.12W

Size: 150x122x600mm

Light source/Socket:E27





■ **GD-AWX115-4**


IP Rating: IP65

Lumen:300lm

POWER:7W

Size: 190x355x150mm

Light source/Socket:COB



■ **GD-ABX115-2-600**


IP Rating: IP65

Lumen:300lm

POWER:7W

Size: 150x122x600mm

Light source/Socket:COB



■ **GD-AWX115-6**


IP Rating: IP65

Lumen:300lm

POWER:7W

Size: 190x355x150mm

Light source/Socket:SMD2835



■ **GD-ABX115-5-600**


IP Rating: IP65

Lumen:300lm

POWER:7W

Size: 150x122x600mm

Light source/Socket:COB







■ GD-AWX016-1


IP Rating: IP65

Lumen:800lm

POWER: 12W

Size: 145x100x245mm

Light source/Socket:SMD2835



■ GD-AWX016-1-E27


IP Rating: IP65

Lumen:N/A

POWER: MAX.12W

Size: 145x100x245mm

Light source/Socket:E27



■ GD-AWX016-2


IP Rating: IP65

Lumen:800lm

POWER: 12W

Size: 145x100x245mm

Light source/Socket:SMD2835



■ GD-AWX016-2-E27


IP Rating: IP65

Lumen:N/A

POWER: MAX.12W

Size: 145x100x245mm

Light source/Socket:E27





■ GD-AWX016-3


IP Rating: IP65

Lumen:800lm

POWER: 12W

Size: 145x100x245mm

Light source/Socket:SMD2835



■ GD-AWX016-3-E27


IP Rating: IP65

Lumen:N/A

POWER: MAX.12W

Size: 145x100x245mm

Light source/Socket:E27



■ GD-AWX016-4


IP Rating: IP65

Lumen:800lm

POWER: 12W

Size: 145x80x245mm

Light source/Socket:SMD2835



■ GD-AWX016-4-E27


IP Rating: IP65


Lumen:N/A

POWER: MAX.12W

Size: 145x80x245mm

Light source/Socket:E27





■ GD-AWX054-1



IP Rating: IP65

Lumen:600lm

POWER: 12W

Size: 220x110x82mm

Light source/Socket:SMD2835



■ GD-AWX054-2


IP Rating: IP65

Lumen:600lm

POWER: 12W

Size: 220x110x82mm

Light source/Socket:SMD2835



■ GD-AWX054-3

IP Rating: IP65

Lumen:800lm

POWER: 12W

Size: 220x110x82mm

Light source/Socket:SMD2835



■ GD-AWX054-4


IP Rating: IP65

Lumen:800lm

POWER: 12W

Size: 220x110x82mm

Light source/Socket:SMD2835






SMALL SIZE




■ GD-AWZ05

IP Rating: IP65
 Lumen: 400lm
 POWER: 2x3W
 Size: 115x90x28mm
 Light source/Socket: SMD 2835
 GLASS DIFFUSER



■ GD-AWZ05-PC

IP Rating: IP65
 Lumen: 400lm
 POWER: 2x3W
 Size: 115x106x28mm
 Light source/Socket: SMD 2835
 PC DIFFUSER




MEDIUM SIZE




■ GD-AWZ04

IP Rating: IP65
 Lumen: 800lm
 POWER: 2x6W
 Size: 175x90x28mm
 Light source/Socket: SMD 2835
 GLASS DIFFUSER



■ GD-AWZ04-PC

IP Rating: IP65
 Lumen: 800lm
 POWER: 2x6W
 Size: 175x106x28mm
 Light source/Socket: SMD 2835
 PC DIFFUSER




BIG SIZE




■ GD-AWX019

IP Rating: IP65
 Lumen: 1200lm
 POWER: 2x12W
 Size: 301x98x40mm
 Light source/Socket: SMD 2835
 GLASS DIFFUSER



■ GD-AWX019-PC

IP Rating: IP65
 Lumen: 1200lm
 POWER: 2x12W
 Size: 301x114x40mm
 Light source/Socket: SMD 2835
 PC DIFFUSER









■ GD-AWZ57-2

IP Rating: IP65
 Lumen: 160lm
 POWER: 2x1W
 Size: 85x80x35mm
 Light source/Socket: SMD 3030
 PC DIFFUSER




■ GD-AWZ57-4

IP Rating: IP65
 Lumen: 300lm
 POWER: 4x1W
 Size: 120x80x35mm
 Light source/Socket: SMD 3030
 PC DIFFUSER




■ GD-AWZ57-6

IP Rating: IP65
 Lumen: 520lm
 POWER: 6x1W
 Size: 170x80x45mm
 Light source/Socket: SMD 3030
 PC DIFFUSER



■ GD-AWZ57-8

IP Rating: IP65
 Lumen: 720lm
 POWER: 8x1W
 Size: 220x80x50mm
 Light source/Socket: SMD 3030
 PC DIFFUSER



■ GD-AWZ57-10

IP Rating: IP65
 Lumen: 900lm
 POWER: 10x1W
 Size: 270x70x37mm
 Light source/Socket: SMD 3030
 PC DIFFUSER



■ GD-AWZ57-12


IP Rating: IP65
 Lumen: 1050lm
 POWER: 12x1W
 Size: 320x70x37mm
 Light source/Socket: SMD 3030
 PC DIFFUSER






■ **GD-AWX127-1**

IP Rating: IP65
Lumen:600lm
POWER:12W
Size: 135x130x180mm
Light source/Socket:SMD 2835




■ **GD-AWX127-2**

IP Rating: IP65
Lumen:600lm
POWER: 12W
Size: 135x130x180mm
Light source/Socket:SMD 2835




■ **GD-ABX127-3-600**

IP Rating: IP65
Lumen:600lm
POWER: 12W
Size: 130*165*600mm
Light source/Socket:SMD 2835




■ **GD-ABX127-7-600**

IP Rating: IP65
Lumen:1200lm
POWER: 24W
Size: 130*245*600mm
Light source/Socket:SMD 2835



■ **GD-ABX127-4-600**


IP Rating: IP65
Lumen:1200lm
POWER: 24W
Size: 130*245*600mm
Light source/Socket:SMD 2835






■ **GD-ABX127-5-600**

IP Rating: IP65
Lumen:600lm
POWER: 12W
Size: 130*165*600mm
Light source/Socket:SMD 2835




■ **GD-ABX127-8-600**

IP Rating: IP65
Lumen:1200lm
POWER: 24W
Size: 130*240*600mm
Light source/Socket:SMD 2835




■ **GD-ABX127-6-600**

IP Rating: IP65
Lumen:1200lm
POWER: 24W
Size: 130*240*600mm
Light source/Socket:SMD 2835




■ **GD-AWX181-2**


IP Rating: IP65
Lumen:900lm
POWER: 18W
Size: 150*75*115mm
Light source/Socket:COB



■ **GD-AWX181-3**

IP Rating: IP65
Lumen:900lm
POWER: 18W*2
Size: 245*75*115mm
Light source/Socket:COB





■ GD-AWX188-1



IP Rating: IP65

Lumen:900lm

POWER: 18W

Size: 140*65*90mm

Light source/Socket:SMD2835



■ GD-AWX188-2



IP Rating: IP65

Lumen:1000lm

POWER: 20W

Size: 185*75*90mm

Light source/Socket:SMD2835



■ GD-AWX188-3



IP Rating: IP65

Lumen:1200lm

POWER: 24W

Size: 220*85*105mm

Light source/Socket:SMD2835



■ GD-AWX188-4


IP Rating: IP65

Lumen:1500lm

POWER: 30W

Size: 300*110*120mm

Light source/Socket:SMD2835









■ **GD-AWX180**

IP Rating: IP65
Lumen:800lm
POWER:18W
Size: 180*65*70mm
Light source/Socket:SMD 2835




■ **GD-AWX108-1-E27**

IP Rating: IP65
Lumen:N/A
POWER:MAX.18W
Size: 220x120x90mm
Light source/Socket:E27




■ **GD-AWX108-2-E27**

IP Rating: IP65
Lumen:N/A
POWER: MAX.18W
Size: 220x120x90mm
Light source/Socket:E27




■ **GD-AWX141**

IP Rating: IP65
Lumen:350lm
POWER:2x5W
Size: 250x100x100mm
Light source/Socket:COB



■ **GD-AWX128**

IP Rating: IP65
Lumen:600lm
POWER: 2x5W
Size: 180x180x70mm
Light source/Socket:COB







■ GD-AWX166-1


IP Rating: IP65

Lumen:800lm

POWER: 8*1W

Size: 158x158x56mm

Light source/Socket:COB



■ GD-AWX166-2


IP Rating: IP65

Lumen:900lm

POWER:8*1W+2W

Size: 158x158x55mm

Light source/Socket:COB



■ GD-AWX166-3


IP Rating: IP65

Lumen:600lm

POWER: 6x2W

Size: 118x118x57mm

Light source/Socket:COB



■ GD-AWX166-4


IP Rating: IP65

Lumen:700lm

POWER: 6x2W+2W

Size: 118x118x56mm

Light source/Socket:COB





■ **GD-AWX137-1**

IP Rating: IP65

Lumen:300lm

POWER:7W

Size: 100x100x80mm

Light source/Socket:COB



■ **GD-AWX137-2**


IP Rating: IP65

Lumen:600lm


POWER: 2x7W

Size: 200x105x80mm

Light source/Socket:COB




BIGGER VERSION







■ **GD-AWX049-1**

IP Rating: IP65
Lumen:150lm
POWER:3W
Size: 90x90x65mm
Light source/Socket:COB




■ **GD-AWX049-2**

IP Rating: IP65
Lumen:300lm
POWER: 2x3W
Size: 160x90x65mm
Light source/Socket:COB




■ **GD-AWX105-1**

IP Rating: IP65
Lumen:150lm
POWER:3W
Size: 80x80x65mm
Light source/Socket:COB




■ **GD-AWX105-2**

IP Rating: IP65
Lumen:300lm
POWER: 2x3W
Size: 140x80x65mm
Light source/Socket:COB




■ **GD-AWX105-1S**

IP Rating: IP65
Lumen:150lm
POWER:3W
Size: 80x80x65mm
Light source/Socket:COB



■ **GD-AWX105-2S**

IP Rating: IP65
Lumen:300lm
POWER: 2x3W
Size: 140x80x65mm
Light source/Socket:COB







■ **GD-AWZ52**

IP Rating: IP65


Lumen:350lm

POWER: 6W

Size: 105x95x85mm

Light source/Socket:SMD 2835

PC DIFFUSER



■ **GD-AWZ53**

IP Rating: IP65


Lumen:700lm

POWER:2x6W

Size:105x96x130mm

Light source/Socket:SMD 2835

PC DIFFUSER



■ **GD-AWZ50**

IP Rating: IP65


Lumen:350lm

POWER: 6W

Size: 106x96x85mm

Light source/Socket:SMD 2835

PC DIFFUSER



■ **GD-AWZ51**

IP Rating: IP65


Lumen:700lm

POWER:2x6W

Size:115x96x130mm

Light source/Socket:SMD 2835

PC DIFFUSER



■ **GD-AWX014-1**

IP Rating: IP65


Lumen:400lm

POWER:7W

Size: 141x106x126mm

Light source/Socket:COB

GLASS DIFFUSER



■ **GD-AWX014-2**

IP Rating: IP65


Lumen:800lm


POWER:2x7W

Size: 147x141x126mm

Light source/Socket:COB

GLASS DIFFUSER







■ **GD-AWG06**

IP Rating: IP65


Lumen:300lm

POWER:2x3W

Size: 100x100x100mm

Light source/Socket:COB

GLASS DIFFUSER



■ **GD-AWZ30-G9**

IP Rating: IP65


Lumen:N/A

POWER:MAX.5W

Size: 100x100x100mm

Light source/Socket:G9

GLASS DIFFUSER



■ **GD-AWG06-R**

IP Rating: IP65


Lumen:300lm

POWER: 2x3W

Size: 140x115x100mm

Light source/Socket:COB

GLASS DIFFUSER



■ **GD-AWZ30-R-G9**

IP Rating: IP65


Lumen:N/A

POWER: MAX.5W

Size: 140x115x100mm

Light source/Socket:G9

GLASS DIFFUSER



■ **GD-AWX144**

IP Rating: IP65


Lumen:1000lm

POWER:2x10W

Size: 120x120x120mm

Light source/Socket:SMD2835

GLASS DIFFUSER







■ GD-AWX129-2

IP Rating: IP65


Lumen:600lm

POWER:12W

Size: 200x200x373mm

Light source/Socket:SMD 2835

PC DIFFUSER



■ GD-ABX129-1-800

IP Rating: IP65


Lumen:600lm

POWER:12W

Size: 200x200x800mm

Light source/Socket:SMD 2835

PC DIFFUSER



■ GD-ABX129-4-800

IP Rating: IP65


Lumen:600lm

POWER:12W

Size: 200x200x800mm

Light source/Socket:SMD 2835

PC DIFFUSER





■ **GD-AWX130-GU10**

IP Rating: IP65


Lumen:N/A

POWER:MAX.7W

Size: 185x125x130mm

Light source/Socket:GU10

GLASS DIFFUSER



■ **GD-ABX130-1-GU10-600**

IP Rating: IP65


Lumen:N/A

POWER: MAX.7W

Size: 200x130x600mm

Light source/Socket:GU10

GLASS DIFFUSER



■ **GD-AWK347-GU10**

IP Rating: IP44


Lumen:N/A

POWER:MAX.7W

Size:65x90x100mm

Light source/Socket:GU10

GLASS DIFFUSER



■ **GD-ABK347-GU10-500**

IP Rating: IP44


Lumen:N/A


POWER:MAX.7W

Size: 115×90×500mm

Light source/Socket:GU10


GLASS DIFFUSER






■ GD-AWX131-1

IP Rating: IP65
 Lumen:900lm
 POWER:18W
 Size: 120x100x260mm
 Light source/Socket:SMD 2835
 PC DIFFUSER




■ GD-ABX131-2-600

IP Rating: IP65
 Lumen:900lm
 POWER: 18W
 Size: 120x100x600mm
 Light source/Socket:SMD 2835
 PC DIFFUSER




■ GD-ABX107-1


IP Rating: IP65
 Lumen:300lm
 POWER:7W
 Size:120x170x170mm
 Light source/Socket:SMD2835
 PC DIFFUSER



■ GD-ABX107-2

IP Rating: IP65
 Lumen:300lm
 POWER:7W
 Size: 120x170x600mm
 Light source/Socket:SMD2835
 PC DIFFUSER





■ **GD-AWX126-2A**


IP Rating: IP65

Lumen:300lm

POWER:7W

Size:145*130*30mm

Light source/Socket:SMD 2835



■ **GD-AWX126-2B**


IP Rating: IP65

Lumen:300lm

POWER:7W

Size:185*130*30mm

Light source/Socket:SMD 2835





■ **GD-ABX126-1-600**

IP Rating: IP65


Lumen:300lm

POWER:7W

Size: 170x70x600mm

Light source/Socket:SMD 2835

GLASS DIFFUSER



■ **GD-ABX126-3A-600**


IP Rating: IP 65

Lumen:600lm

POWER:6W*2

Size: 70*170*600mm

Light source/Socket:SMD 2835



■ **GD-ABX126-3B-600**


IP Rating: IP 44

Lumen:600lm

POWER:6W*2

Size: 70*170*600mm

Light source/Socket:SMD 2835



■ **GD-ABX126-3C-600**


IP Rating: IP 65

Lumen:300lm

POWER:6W

Size: 70*170*600mm

Light source/Socket:SMD 2835



■ **GD-ABX126-3D-600**


IP Rating: IP 44

Lumen:300lm

POWER:6W

Size: 70*170*600mm

Light source/Socket:SMD 2835





■ **GD-ABG05-500**

IP Rating: IP65


Lumen:200lm

POWER: 5W

Size:80×66×500mm

Light source/Socket:COB

GLASS DIFFUSER



LIGHTING FROM BACK AND FRONT



■ **GD-ABX145-2-600**

IP Rating: IP65


Lumen:400lm

POWER: 2x5W

Size:115x70x600mm

Light source/Socket:COB

GLASS DIFFUSER



LIGHTING FROM FRONT



■ **GD-ABX145-1-600**

IP Rating: IP65


Lumen:200lm

POWER: 5W

Size:115x70x600mm

Light source/Socket:COB

GLASS DIFFUSER





■ GD-AWZ20


IP Rating: IP65

Lumen:700lm

POWER:12W

Size: 90*100*290mm

Light source/Socket:SMD2835



■ GD-ABX163-2-600

IP Rating: IP65



Lumen:900lm

POWER:18W

Size: 69x153x600mm

Light source/Socket:SMD 2835

PC DIFFUSER



■ GD-ABG01-600

IP Rating: IP65


Lumen:300lm

POWER: 7W

Size: 153x57x600mm

Light source/Socket:COB

PC DIFFUSER



■ GD-ABK1883-E27-500

IP Rating: IP44

Lumen:N/A

POWER:MAX.15W

Size: 140x140x500mm

Light source/Socket::E27

PC DIFFUSER



■ GD-ABG08-900

IP Rating: IP65



Lumen:500lm

POWER: 7W

Size: :65x65x900mm

Light source/Socket:SMD 2835

PC DIFFUSER



■ **GD-AWX066-1**

IP Rating: IP65
 Lumen: 600lm
 POWER: 12W
 Size: 150x150x50mm
 Light source/Socket: SMD 2835
 PC DIFFUSER






■ **GD-AWX066-2**

IP Rating: IP65
 Lumen: 600lm
 POWER: 12W
 Size: 150x150x60mm
 Light source/Socket: SMD 2835
 PC DIFFUSER



■ **GD-AWX008-1**


IP Rating: IP65
 Lumen: 800lm
 POWER: 18W
 Size: 180x180x49mm
 Light source/Socket: SMD 2835






■ **GD-AWX008-2**

IP Rating: IP65
Lumen:800lm
POWER:18W
Size: 180x180x61mm
Light source/Socket:SMD 2835
PC DIFFUSER




■ **GD-AWX064-1**

IP Rating: IP65
Lumen:600lm
POWER: 12W
Size: 150x150x50mm
Light source/Socket:SMD 2835
PC DIFFUSER




■ **GD-AWX064-2**

IP Rating: IP65
Lumen:600lm
POWER: 12W
Size: 150x150x55mm
Light source/Socket:SMD 2835
PC DIFFUSER




■ **GD-AWX007-1**

IP Rating: IP65
Lumen:800lm
POWER:18W
Size: 180x180x48mm
Light source/Socket:SMD 2835
PC DIFFUSER




■ **GD-AWX007-2**

IP Rating: IP65
Lumen:800lm
POWER:18W
Size: 180x180x61mm
Light source/Socket:SMD 2835
PC DIFFUSER







GD-ABX067-1-600
 IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 150x150x600mm
 Light source/Socket:SMD 2835
 PC DIFFUSER




GD-ABX067-2-600
 IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 150x150x600mm
 Light source/Socket:SMD 2835



GD-ABX008-3-600
 IP Rating: IP65
 Lumen:1000lm
 POWER: 18W
 Size: 180x180x600mm
 Light source/Socket:SMD 2835
 PC DIFFUSER



GD-ABX008-4-600
 IP Rating: IP65
 Lumen:1000lm
 POWER: 18W
 Size: 180x180x600mm
 Light source/Socket:SMD 2835





■ **GD-ABX065-1-600**

IP Rating: IP65


Lumen:600lm

POWER: 12W

Size: 150x150x600mm

Light source/Socket:SMD 2835

PC DIFFUSER



■ **GD-ABX065-2-600**

IP Rating: IP65


Lumen:600lm

POWER: 12W

Size: 150x150x600mm

Light source/Socket:SMD 2835

PC DIFFUSER



■ **GD-ABX007-3-600**

IP Rating: IP65


Lumen:1000lm

POWER: 18W

Size: 180x180x600mm

Light source/Socket:SMD 2835

PC DIFFUSER



■ **GD-ABX007-4-600**

IP Rating: IP65


Lumen:1000lm

POWER: 18W

Size: 180x180x600mm

Light source/Socket:SMD 2835

PC DIFFUSER







■ GD-ABX090-1-600

IP Rating: IP65


Lumen:1000lm

POWER: 18W

Size: 180x180x600mm

Light source/Socket:SMD 2835

PC DIFFUSER



■ GD-ABX090-2-600

IP Rating: IP65


Lumen:1000lm

POWER: 18W

Size: 180x180x600mm

Light source/Socket:SMD 2835

PC DIFFUSER



■ GD-ABX090-3-600

IP Rating: IP65


Lumen:700lm

POWER: 12W

Size: 150x150x600mm

Light source/Socket:SMD2835

PC DIFFUSER



■ GD-ABX090-4-600

IP Rating: IP65


Lumen:700lm

POWER: 12W

Size: 150x150x600mm

Light source/Socket:SMD2835

PC DIFFUSER





■ GD-ABX091-1-600

IP Rating: IP65


Lumen: 1000lm

POWER: 18W

Size: 180x180x600mm

Light source/Socket: SMD 2835

PC DIFFUSER



■ GD-ABX091-2-600

IP Rating: IP65


Lumen: 1000lm

POWER: 18W

Size: 180x180x600mm

Light source/Socket: SMD 2835

PC DIFFUSER



■ GD-ABX091-3-600

IP Rating: IP65


Lumen: 700lm

POWER: 12W

Size: 150x150x600mm

Light source/Socket: SMD 2835

PC DIFFUSER



■ GD-ABX091-4-600

IP Rating: IP65


Lumen: 700lm

POWER: 12W

Size: 150x150x600mm

Light source/Socket: SMD 2835

PC DIFFUSER





■ GD-ABX092-5


IP Rating: IP65

Lumen: 700lm

POWER: 12W

Size: 150x150x260mm

Light source/Socket: SMD 2835
PC DIFFUSER



■ GD-ABX092-6


IP Rating: IP65

Lumen: 700lm

POWER: 12W

Size: 150x150x260mm

Light source/Socket: SMD 2835
PC DIFFUSER



■ GD-ABX092-7


IP Rating: IP65

Lumen: 700lm

POWER: 12W

Size: 150x150x260mm

Light source/Socket: SMD 2835
PC DIFFUSER



■ GD-ABX092-8


IP Rating: IP65

Lumen: 700lm

POWER: 12W

Size: 150x150x260mm

Light source/Socket: SMD 2835
PC DIFFUSER







■ GD-AWX055-1


IP Rating: IP65

Lumen:1200lm

POWER:18W

Size: 275x275x76mm

Light source/Socket:SMD 2835



■ GD-AWX055-2


IP Rating: IP65

Lumen:750lm

POWER: 18W

Size: 275x275x81mm

Light source/Socket:SMD 2835



■ GD-AWX055-3


IP Rating: IP65

Lumen:1100lm

POWER:18W

Size: 275x275x84mm

Light source/Socket:SMD 2835



■ GD-AWX055-4


IP Rating: IP65

Lumen:950lm

POWER:18W

Size: 275x275x88mm

Light source/Socket:SMD 2835





■ **GD-AWX063-4**



IP Rating: IP65

Lumen: 350lm

POWER: 6W

Size: 248x253x250mm

Light source/Socket: SMD2835



■ **GD-AWX063-5**


IP Rating: IP65

Lumen: 350lm

POWER: 6W

Size: 248x253x230mm

Light source/Socket: SMD2835





■ GD-AWX063-1


IP Rating: IP65

Lumen:350lm

POWER: 6W

Size: 248x248x115mm

Light source/Socket:SMD2835



■ GD-ABX063-2-600


IP Rating: IP65

Lumen:350lm

POWER: 6W

Size: 248x248x600mm

Light source/Socket:SMD2835



■ GD-ABX063-3-600


IP Rating: IP65

Lumen:350lm

POWER: 6W

Size: 248x248x600mm

Light source/Socket:SMD2835



■ GD-APX063-6

IP Rating: IP65


Lumen:350lm

POWER: 6W

Size: 348x110x1000mm

Light source/Socket:SMD2835







■ GD-AWG13-GU10


IP Rating: IP65

Lumen:N/A

POWER: 2xMAX.5W

Size: 150x68x82mm

Light source/Socket:GU10x2



■ GD-AWG13


IP Rating: IP65

Lumen:500lm

POWER: 2x5W

Size: 150x68x82mm

Light source/Socket:COB



■ GD-AWG14-GU10


IP Rating: IP65

Lumen:N/A

POWER: MAX.5W

Size: 80x68x82mm

Light source/Socket:GU10



■ GD-AWG14


IP Rating: IP65

Lumen:250lm

POWER: 5W

Size: 80x68x82mm

Light source/Socket:COB





■ GD-AWG15-GU10


IP Rating: IP65

Lumen:N/A

POWER: 2xMAX.5W

Size: 150x68x82mm

Light source/Socket:GU10x2



■ GD-AWG15


IP Rating: IP65

Lumen:500lm

POWER: 2x5W

Size: 150x68x82mm

Light source/Socket:COB



■ GD-AWG16-GU10


IP Rating: IP65

Lumen:N/A

POWER: MAX.5W

Size: 80x68x82mm

Light source/Socket:GU10



■ GD-AWG16


IP Rating: IP65

Lumen:250lm

POWER: 5W

Size:80x68x82mm

Light source/Socket:COB





■ GD-AWG09


IP Rating: IP65

Lumen:300lm

POWER: 5W

Size: 50x102x270mm

Light source/Socket:COB



■ GD-AWG10


IP Rating: IP65

Lumen:600lm

POWER: 2x5W

Size: 50x102x300mm

Light source/Socket:COB



■ GD-ABG09-600



IP Rating: IP65


Lumen:300lm

POWER: 1x5W

Size: 100x100x600mm

Light source/Socket:COB







■ GD-AWY11



IP Rating: IP65

Lumen:250lm

POWER: 1x5W

Size: 90x80x80mm

Light source/Socket:COB



■ GD-AWY11-GU10



IP Rating: IP65

Lumen:N/A

POWER: MAX.1x5W

Size: 90x80x80mm

Light source/Socket:GU10



■ GD-AWZ153-1



IP Rating: IP65

Lumen:250lm

POWER: 1x5W

Size: 90x80x80mm

Light source/Socket:COB



■ GD-AWZ153-1-GU10


IP Rating: IP65

Lumen:N/A


POWER: MAX.1x5W

Size: 90x80x80mm

Light source/Socket:GU10



SMALLER VERSION



■ GD-AWY12



IP Rating: IP65

Lumen:500lm

POWER: 2x5W

Size: 160x80x80mm

Light source/Socket:COB



■ GD-AWY12-GU10


IP Rating: IP65

Lumen:N/A

POWER: MAX.2x5W

Size: 160x80x80mm

Light source/Socket:GU10x2



■ GD-AWZ153


IP Rating: IP65

Lumen:500lm

POWER: 2x5W

Size: 160x80x80mm

Light source/Socket:COB



■ GD-AWZ153-GU10


IP Rating: IP65

Lumen:N/A


POWER: MAX.2x5W

Size: 160x80x80mm

Light source/Socket:GU10x2



BIGGER VERSION



■ GD-AWX003-1



IP Rating: IP65

Lumen: 1000lm

POWER: 2x7W

Size: 200x100x100mm

Light source/Socket: COB



■ GD-AWX003-1-GU10


IP Rating: IP65

Lumen: N/A

POWER: MAX. 2x7W

Size: 200x100x100mm

Light source/Socket: GU10x2



■ GD-AWX003-2


IP Rating: IP65

Lumen: 1000lm

POWER: 2x7W

Size: 200x100x100mm

Light source/Socket: COB



■ GD-AWX003-2-GU10


IP Rating: IP65


Lumen: N/A

POWER: MAX. 2x7W

Size: 200x100x100mm

Light source/Socket: GU10x2







SMALLER VERSION

BIGGER VERSION




■ GD-AWG08-1

IP Rating: IP65
Lumen:400lm
POWER: 6W
Size: 108x108x80mm
Light source/Socket:SMD 2835




■ GD-AWG08-2

IP Rating: IP65
Lumen:800lm
POWER: 12W
Size: 160x160x100mm
Light source/Socket:SMD 2835




■ GD-AWG07-1

IP Rating: IP65
Lumen:400lm
POWER: 6W
Size: 108x108x80mm
Light source/Socket:SMD 2835





■ GD-AWG07-2

IP Rating: IP65
Lumen:800lm
POWER: 12W
Size: 170x170x102mm
Light source/Socket:SMD 2835




■ GD-AWX068-3

IP Rating: IP65
Lumen:400lm
POWER:6W
Size: 108x108x80mm
Light source/Socket:SMD 2835




■ GD-AWP042

IP Rating: IP65
Lumen:800lm
POWER:12W
Size: 160x160x100mm
Light source/Socket:SMD 2835




■ GD-AWX069-3

IP Rating: IP65
Lumen:250lm
POWER: 6W
Size: 108x108x80mm
Light source/Socket:SMD 2835



■ GD-AWX013-1

IP Rating: IP65
Lumen:800lm
POWER: 12W
Size: 170x170x100mm
Light source/Socket:SMD 2835





■ **GD-AWX069-4-600**


IP Rating: IP65

Lumen: 250lm

POWER: 6W

Size: 110x110x600mm

Light source/Socket: SMD 2835




SMALLER VERSION




■ GD-AWX068-1

IP Rating: IP65
 Lumen: 250lm
 POWER: 6W
 Size: 108 x 108 x 110mm
 Light source/Socket: SMD 2835





■ GD-AWX069-2

IP Rating: IP65
 Lumen: 250lm
 POWER: 6W
 Size: 108x108x110mm
 Light source/Socket: SMD 2835




■ GD-AWX069-1

IP Rating: IP65
 Lumen: 250lm
 POWER: 6W
 Size: 110x110x110mm
 Light source/Socket: SMD 2835



■ GD-AWX068-2

IP Rating: IP65
 Lumen: 400lm
 POWER: 6W
 Size: 110x110x105mm
 Light source/Socket: SMD 2835




BIGGER VERSION




■ GD-AWX083-1

IP Rating: IP65
 Lumen: 800lm
 POWER: 12W
 Size: 160x160x134mm
 Light source/Socket: SMD 2835




■ GD-AWX084-2

IP Rating: IP65
 Lumen: 800lm
 POWER: 12W
 Size: 170x170x130mm
 Light source/Socket: SMD 2835




■ GD-AWX084-1

IP Rating: IP65
 Lumen: 600lm
 POWER: 12W
 Size: 170x170x134mm
 Light source/Socket: SMD 2835



■ GD-AWX083-2

IP Rating: IP65
 Lumen: 800lm
 POWER: 12W
 Size: 160x160x128mm
 Light source/Socket: SMD 2835





■ **GD-AWX101-1**


IP Rating: IP65

Lumen: 800lm

POWER: 18W

Size: 210x210x70mm

Light source/Socket: SMD2835



■ **GD-AWX101-2**


IP Rating: IP65

Lumen: 800lm

POWER: 18W

Size: 230x230x70mm

Light source/Socket: SMD 2835





■ GD-AWX051-1


IP Rating: IP65

Lumen:900lm

POWER: 18W

Size: 220x220x55mm

Light source/Socket:SMD2835



■ GD-AWX051-2


IP Rating: IP65

Lumen:600lm

POWER:12W

Size: 155x155x54mm

Light source/Socket:SMD 2835



■ GD-AWX051-3


IP Rating: IP65

Lumen:900lm

POWER: 18W

Size: 220x220x55mm

Light source/Socket:SMD2835



■ GD-AWX051-4


IP Rating: IP65

Lumen:600lm

POWER:12W

Size: 155x155x54mm

Light source/Socket:SMD 2835





■ **GD-AWX095-1**


IP Rating: IP65

Lumen:800lm

POWER: 18W

Size: 220x220x55mm

Light source/Socket:SMD2835



■ **GD-AWX095-2**



IP Rating: IP65

Lumen:600lm

POWER:12W

Size: 155x155x55mm

Light source/Socket:SMD 2835



■ **GD-AWX096-1**


IP Rating: IP65

Lumen:800lm

POWER: 18W

Size: 220x220x55mm

Light source/Socket:SMD2835



■ **GD-AWX096-2**


IP Rating: IP65

Lumen:600lm

POWER:12W

Size: 155x155x55mm

Light source/Socket:SMD 2835





■ GD-AWX093-1


IP Rating: IP65

Lumen: 1200lm

POWER: 22W

Size: 245x245x50mm

Light source/Socket: SMD2835



■ GD-AWX093-2


IP Rating: IP65

Lumen: 800lm

POWER: 18W

Size: 180x180x50mm

Light source/Socket: SMD2835



■ GD-AWX094-1


IP Rating: IP65

Lumen: 1200lm

POWER: 22W

Size: 245x245x50mm

Light source/Socket: SMD2835



■ GD-AWX094-2

IP Rating: IP65

Lumen: 800lm

POWER: 18W

Size: 175x175x50mm

Light source/Socket: SMD2835





■ **GD-ABZ12-E27-600**

IP Rating: IP44

Lumen:N/A

POWER: MAX.10W

Size:108×108×600mm

Light source/Socket:E27



■ GD-ABG02-600


IP Rating: IP65

Lumen:800lm

POWER: 12W

Size:112×112×650mm

Light source/Socket:SMD 2835



■ GD-ABG03-600


IP Rating: IP65

Lumen:250lm

POWER: 7W

Size:160×160×600mm

Light source/Socket:SMD 2835



■ GD-ABG04-600



IP Rating: IP65

Lumen:300lm

POWER: 7W

Size:138×138×600mm

Light source/Socket:SMD 2835



■ GD-ABG11-600


IP Rating: IP65


Lumen:250lm

POWER: 7W

Size:120×120×600mm

Light source/Socket:SMD 2835







■ GD-AWZ14


IP Rating: IP65

Lumen:200lm

POWER: 2x3W

Size: 138x75x76mm

Light source/Socket:COB



■ GD-AWX044-3


IP Rating: IP65

Lumen:220lm

POWER: 2x3W

Size: 176x111x63mm

Light source/Socket:COB



■ GD-AWX046-1


IP Rating: IP65

Lumen:240lm

POWER: 3x2W

Size: 140x122x41mm

Light source/Socket:COB



■ GD-AWX046-2


IP Rating: IP65

Lumen:450lm

POWER: 3x3W

Size: 140x122x41mm

Light source/Socket:COB



■ GD-AWX120


IP Rating: IP65

Lumen:250lm

POWER: 5W

Size: 165x90x200mm

Light source/Socket:COB





■ GD-AWX112-1-S


IP Rating: IP65

Lumen: 300lm

POWER: 3x2W

Size: 161x161x63mm

Light source/Socket: COB



■ GD-AWX112-2-D


IP Rating: IP65

Lumen: 600lm

POWER: 6x2W

Size: 161x161x63mm

Light source/Socket: COB



■ GD-AWX112-3-S


IP Rating: IP65

Lumen: 300lm

POWER: 6W

Size: 161x161x63mm

Light source/Socket: SMD2835



■ GD-AWX112-4-D


IP Rating: IP65

Lumen: 600lm

POWER: 2x6W

Size: 161x161x63mm

Light source/Socket: SMD2835





■ **GD-AWK01**


IP Rating: IP65

Lumen:800lm

POWER: 12W

Size: 140x120x64mm

Light source/Socket:SMD2835



■ **GD-AWK01-SEN**


IP Rating: IP65

Lumen:800lm

POWER: 12W

Size: 138x121x121mm

Light source/Socket:SMD2835



■ **GD-AWK02**


IP Rating: IP65

Lumen:800lm

POWER: 12W

Size: 140x120x63mm

Light source/Socket:SMD2835



■ **GD-AWK02-SEN**


IP Rating: IP65

Lumen:800lm

POWER: 12W

Size: 140x120x120mm

Light source/Socket:SMD2835









■ **GD-AWX047-1**

IP Rating: IP65
Lumen: 700lm
POWER: 2x7W
Size: 100x90x180mm
Light source/Socket: COB




■ **GD-AWX047-2**

IP Rating: IP65
Lumen: 700lm
POWER: 2x7W
Size: 100x90x180mm
Light source/Socket: COB




■ **GD-AWX047-3**

IP Rating: IP65
Lumen: 700lm
POWER: 2x7W
Size: 100x90x180mm
Light source/Socket: COB




■ **GD-AWG11**

IP Rating: IP65
Lumen: 400lm
POWER: 6W
Size: 165x130x50mm
Light source/Socket: SMD2835



■ **GD-AWG12**

IP Rating: IP65
Lumen: 800lm
POWER: 12W
Size: 240x130x50mm
Light source/Socket: SMD2835









■ **GD-AWZ101-260-E27**

IP Rating: IP65
Lumen:N/A
POWER: MAX.18W
Size: 260x125x125mm
Light source/Socket:E27




■ **GD-AWZ101-260**

IP Rating: IP65
Lumen:600lm
POWER:12W
Size: 260x125x125mm
Light source/Socket:SMD 2835



■ **GD-AWX100**

IP Rating: IP65
Lumen:N/A
POWER:MAX.18W
Size: 96x150x285mm
Light source/Socket:E27




■ **GD-AWX017-1-E27**

IP Rating: IP65
Lumen:N/A
POWER: MAX.12W
Size: 160x160x190mm
Light source/Socket:E27




■ **GD-AWX017-1**

IP Rating: IP65
Lumen:700lm
POWER:12W
Size: 160x160x190mm
Light source/Socket:SMD 2835



■ **GD-AWX017-2-E27**

IP Rating: IP65
Lumen:N/A
POWER: MAX.12W
Size: 160x160x190mm
Light source/Socket:E27



■ **GD-AWX017-2**

IP Rating: IP65
Lumen:700lm
POWER:12W
Size: 160x160x190mm
Light source/Socket:SMD 2835





■ GD-AWZ67-260-E27

IP Rating: IP65


Lumen:N/A

POWER: MAX.18W

Size: 260x125x125mm

Light source/Socket:E27

PC DIFFUSER



■ GD-AWZ67-260

IP Rating: IP65


Lumen:600lm

POWER:12W

Size: 260x125x125mm

Light source/Socket:SMD 2835

PC DIFFUSER



■ GD-AWZ66-260-E27

IP Rating: IP65


Lumen:N/A

POWER: MAX.18W

Size: 260x125x125mm

Light source/Socket:E27

PC DIFFUSER



■ GD-AWZ66-260

IP Rating: IP65


Lumen:600lm

POWER:12W

Size: 260x125x125mm

Light source/Socket:SMD 2835

PC DIFFUSER







■ **GD-AWY31-GU10**


IP Rating: IP44

Lumen:N/A

POWER: MAX.7W

Size:90x150x180mm

Light source/Socket:GU10
PC DIFFUSER



■ **GD-AWY32-GU10**


IP Rating: IP44

Lumen:N/A

POWER: 2xMAX.7W

Size:110x125x225mm

Light source/Socket:GU10x2
PC DIFFUSER



■ **GD-AWY33-E27**


IP Rating: IP44

Lumen:N/A

POWER: MAX 10W

Size:90x150x185mm

Light source/Socket:E27
PC DIFFUSER



■ **GD-AWY34-E27**


IP Rating: IP44

Lumen:N/A

POWER: 2xMAX10W

Size:90x150x310mm

Light source/Socket:E27x2
PC DIFFUSER



■ **GD-AWZ111-2-3C-E27**


IP Rating: IP44

Lumen:N/A

POWER: 2xMAX 12W

Size:90x150x360mm

Light source/Socket:E27x2
PC DIFFUSER





■ **GD-AWY35-GU10**

IP Rating: IP44


Lumen:N/A

POWER: MAX.7W

Size:110x100x155mm

Light source/Socket:GU10

PC DIFFUSER



■ **GD-AWY36-GU10**

IP Rating: IP44


Lumen:N/A

POWER: 2xMAX.7W

Size:110x102x195mm

Light source/Socket:GU10x2

PC DIFFUSER



■ **GD-AWY37-E27**

IP Rating: IP44


Lumen:N/A

POWER: MAX. 10W

Size:100x110x190mm

Light source/Socket:E27

PC DIFFUSER



■ **GD-AWY38-E27**

IP Rating: IP44


Lumen:N/A

POWER: 2xMAX.10W

Size:100x110x310mm

Light source/Socket:E27x2

PC DIFFUSER



■ **GD-AWZ107-1-3C-E27**

IP Rating: IP44


Lumen:N/A

POWER: MAX.12W

Size:110x95x232mm

Light source/Socket:E27

PC DIFFUSER





■ **GD-AWY39-E27**

IP Rating: IP44


Lumen:N/A

POWER: MAX.10W

Size:100x100x190mm

Light source/Socket:E27

PC DIFFUSER



■ **GD-AWY40-E27**

IP Rating: IP44


Lumen:N/A

POWER: 2xMAX.10W

Size:100x110x310mm

Light source/Socket:E27x2

PC DIFFUSER



■ **GD-AWY41-E27**


IP Rating: IP44

Lumen:N/A

POWER: MAX.10W

Size:110x125x220mm

Light source/Socket:E27



■ **GD-AWY42-E27**

IP Rating: IP44


Lumen:N/A

POWER: 2xMAX.10W

Size:90x125x335mm

Light source/Socket:E27x2

PC DIFFUSER



■ **GD-AWZ108-2-3C-E27**

IP Rating: IP44


Lumen:N/A

POWER: 2xMAX.10W


Size:90x150x380mm

Light source/Socket:E27x2

PC DIFFUSER









■ **GD-ABZ13-E27-5C-600**

IP Rating: IP44
Lumen:N/A
POWER: MAX.15W
Size: 140x140x600mm
Light source/Socket:E27
PC DIFFUSER




■ **GD-ABZ13-E27-3C-500**

IP Rating: Ip44
Lumen:N/A
POWER: MAX.12W
Size: 140x140x500mm
Light source/Socket:E27
PC DIFFUSER



■ **GD-ABZ11-E27-600**

IP Rating: IP44
Lumen:N/A
POWER: MAX.12W
Size: 150x150x600mm
Light source/Socket:E27
PC DIFFUSER



■ **GD-ABY07-E27**

IP Rating: IP44
Lumen:N/A
POWER: NAX.18W
Size: 120x160x500mm
Light source/Socket:E27
PC DIFFUSER



■ **GD-ABY05-E27**

IP Rating: IP44
Lumen:N/A
POWER: MAX.10W
Size: 88x140x500mm
Light source/Socket:E27
PC DIFFUSER





■ GD-AWY01-E27

IP Rating: IP44


Lumen:N/A

POWER:MAX.12W

Size:120x120x170mm

Light source/Socket:E27

PS DIFFUSER



■ GD-AWY03-E27

IP Rating: IP44


Lumen:N/A

POWER:MAX.12W

Size:120x120x170mm

Light source/Socket:E27

PS DIFFUSER



■ GD-AWY02-E27

IP Rating: IP44


Lumen:N/A

POWER:2xMAX.12w

Size:120x120x305mm

Light source/Socket:E27x2

PS DIFFUSER



■ GD-AWY04-E27

IP Rating: IP44


Lumen:N/A

POWER:2xMAX.12w

Size:120x120x305mm

Light source/Socket:E27x2

PS DIFFUSER





■ **GD-AWY43-E27**


IP Rating: IP65

Lumen: N/A

POWER: MAX. 18W

Size: 250x110x85mm

Light source/Socket: E27





■ GD-AWY43


IP Rating: IP65

Lumen:600lm

POWER: 12W

Size: 250x110x85mm

Light source/Socket:SMD 2835



■ GD-AWX102-2-E27


IP Rating: IP65

Lumen:N/A

POWER:MAX.18W

Size: 250x110x85mm

Light source/Socket:E27



■ GD-AWX102-2


IP Rating: IP65

Lumen:600lm

POWER: 12W

Size: 250x110x85mm

Light source/Socket:SMD2835



■ GD-AWY44-E27


IP Rating: IP65

Lumen:N/A

POWER:MAX.18W

Size: 250x110x85mm

Light source/Socket:E27



■ GD-AWY44

IP Rating: IP65

Lumen:400lm

POWER:12W

Size: 250x110x85mm

Light source/Socket:SMD 2835

