

OUR LATEST CATALOG IS ALWAYS AVAILABLE ON SBSALASKA.COM. To request a hard copy of our catalog moving forward please sign-up at WWW.SBSALASKA.COM/SERVICES/RURAL-SALES or scan the QR code.



TARI F OF CONTENTS

INFO A OPPER FORM	
INFO. & ORDER FORM	1 - 2
HOMES & CABINS	3 - 9
Home Packages	3-7
Cabins	8-9
STORAGE	10
TOOLS	11 - 19
Power Tools Saws	11
Drill/Driver	12 - 13
Accessories	14
Nailers & Compressors	15
Makita Tools & Accessories Hand Tools	16
	17
Safety, Belts & Pouches Chain Saws & Accessories	18 19
FASTENERS	20 - 22
Nails & Screws - Bulk	20 - 22
Nails & Staples - Collated	21
Connectors	22
BUILDING PRODUCTS	23 - 36 23 - 25
Lumber	
Trusses	26
Roofing & Siding	27
Roofing	28
Insulation	29 - 30
Ceiling Tiles	31
Doors & Locksets	31 - 33
Moulding & Trim	34
Paneling	35
Windows	36
SEASONAL	37
HARDWARE	38 - 39
Miscellaneous	38
Shelving	39
PAINT & STAIN	40 - 44
Paint & Stain	40 - 41
Sundries	42
Plasterboard Accessories	43
Caulk & Adhesives	44
FURNITURE	45
HOME DECOR	46-60
Flooring Carpet	46
Vinyl & Laminate	46 - 48
Appliances	49 - 52
Bathroom Bathtub & Showers	49 - 52 53
Bathroom Bathtub & Showers Bath Fixtures	49 - 52 53 54
Bathroom Bathtub & Showers Bath Fixtures Faucets	49 - 52 53
Bathroom Bathtub & Showers Bath Fixtures Faucets Vanities	49 - 52 53 54
Bathroom Bathtub & Showers Bath Fixtures Faucets Vanities Cabinets	49 - 52 53 54 55 56 57 - 59
Bathroom Bathtub & Showers Bath Fixtures Faucets Vanities Cabinets Countertops	49 - 52 53 54 55 56 57 - 59 60
Bathroom Bathtub & Showers Bath Fixtures Faucets Vanities Cabinets	49 - 52 53 54 55 56 57 - 59
Bathroom Bathtub & Showers Bath Fixtures Faucets Vanities Cabinets Countertops PLUMBING & HEATING Heaters	49 - 52 53 54 55 56 57 - 59 60 61 - 69
Bathroom Bathtub & Showers Bath Fixtures Faucets Vanities Cabinets Countertops PLUMBING & HEATING Heaters Wood Stoves	49 - 52 53 54 55 56 57 - 59 60 61 - 69 61
Bathroom Bathtub & Showers Bath Fixtures Faucets Vanities Cabinets Countertops PLUMBING & HEATING Heaters Wood Stoves Chimney Pipe	49 - 52 53 54 55 56 57 - 59 60 61 - 69 61 62 63 - 64
Bathroom Bathtub & Showers Bath Fixtures Faucets Vanities Cabinets Countertops PLUMBING & HEATING Heaters Wood Stoves Chimney Pipe Weatherproofing	49 - 52 53 54 55 56 57 - 59 60 61 - 69 61 62 63 - 64 65
Bathroom Bathtub & Showers Bath Fixtures Faucets Vanities Cabinets Countertops PLUMBING & HEATING Heaters Wood Stoves Chimney Pipe Weatherproofing PEX Tubing	49 - 52 53 54 55 56 57 - 59 60 61 - 69 61 62 63 - 64 65
Bathroom Bathtub & Showers Bath Fixtures Faucets Vanities Cabinets Countertops PLUMBING & HEATING Heaters Wood Stoves Chimney Pipe Weatherproofing PEX Tubing Water Heaters	49 - 52 53 54 55 56 57 - 59 60 61 - 69 61 62 63 - 64 65 66
Bathroom Bathtub & Showers Bath Fixtures Faucets Vanities Cabinets Countertops PLUMBING & HEATING Heaters Wood Stoves Chimney Pipe Weatherproofing PEX Tubing Water Heaters Pipe & Fittings	49 - 52 53 54 55 56 57 - 59 60 61 - 69 62 63 - 64 65 66 67 68
Bathroom Bathtub & Showers Bath Fixtures Faucets Vanities Cabinets Countertops PLUMBING & HEATING Heaters Wood Stoves Chimney Pipe Weatherproofing PEX Tubing Water Heaters Pipe & Fittings Sink Replacement	49 - 52 53 54 55 56 57 - 59 60 61 - 69 62 63 - 64 65 66 67 68
Bathroom Bathtub & Showers Bath Fixtures Faucets Vanities Cabinets Countertops PLUMBING & HEATING Heaters Wood Stoves Chimney Pipe Weatherproofing PEX Tubing Water Heaters Pipe & Fittings Sink Replacement ELECTRICAL	49 - 52 53 54 55 56 57 - 59 60 61 - 69 62 63 - 64 65 66 67 68 69 70 - 73
Bathroom Bathtub & Showers Bath Fixtures Faucets Vanities Cabinets Countertops PLUMBING & HEATING Heaters Wood Stoves Chimney Pipe Weatherproofing PEX Tubing Water Heaters Pipe & Fittings Sink Replacement ELECTRICAL Rough Electrical	49 - 52 53 54 55 56 57 - 59 60 61 - 69 62 63 - 64 65 66 67 68 69 70 - 73
Bathroom Bathtub & Showers Bath Fixtures Faucets Vanities Cabinets Countertops PLUMBING & HEATING Heaters Wood Stoves Chimney Pipe Weatherproofing PEX Tubing Water Heaters Pipe & Fittings Sink Replacement ELECTRICAL Rough Electrical Light Fixtures	49 - 52 53 54 55 56 57 - 59 60 61 - 69 62 63 - 64 65 66 67 68 69 70 - 73
Bathroom Bathtub & Showers Bath Fixtures Faucets Vanities Cabinets Countertops PLUMBING & HEATING Heaters Wood Stoves Chimney Pipe Weatherproofing PEX Tubing Water Heaters Pipe & Fittings Sink Replacement ELECTRICAL Rough Electrical	49 - 52 53 54 55 56 57 - 59 60 61 - 69 62 63 - 64 65 66 67 68 69 70 - 73

Build With Our Experience

As Alaskans we understand the challenges of building in Alaska. A short building season, limited transportation and the weather all play into your construction schedule.

100% Guarantee of Your Satisfaction

Call us anytime if any product does not meet your complete satisfaction. We'll issue a replacement product, a credit or your money back.



Rural Sales Team:

On the truck, L to R: Katie Sargent, Jeff Cornwell, Steve Mattila, Joe Dement, Jayden Reynolds, Dwayne Larson.

On the ground, L to R: Mike Dablemont, Jenn Vonada, Doug Doyle, Bob Price, Gary Cooper, Ryan Stuckey, Steve Lusk

HOW TO ORDER

Mail

Simply complete and return the order form on page 3.

Phone: 1.800.844.9313 Mon. - Sat. 8 AM - 5 PM

Fax: 907.261.9206

E-Mail: catalogsales@sbsalaska.com

Website: www.sbsalaska.com

WE ACCEPT:



ORDERING FORM ON PAGE 3

ORDERING INSTRUCTIONS

Bank Drafts, money orders, and personal checks are the safest method of payment. Spenard Builders Supply cannot be responsible for cash sent through the mail. When using VISA, MasterCard, Discover, American Express or SBS Credit Card, do not send your card. Be sure all information is complete, including expiration date and card number. All members of the same household should order under the same name. Signature of buyer must accompany order. All merchandise must be paid in full prior to shipment unless other arrangements have been made. Credit applications for a Spenard Builders Supply charge account are available upon request.

SHIPPING INSTRUCTIONS

When necessary to package merchandise for proper shipping, crating will be added to your bill. SBS is not liable for items lost in the mail. Claims must be made to the U.S. Post Office.

WWW.SBSALASKA.COM/FINANCING

Convenient Plans That Work With You...

Prepaid • Courtesy Cash



CALL TODAY FOR DETAILS!

DAMAGES OR SHORTAGES

Catalog orders are shipped F.O.B. Spenard Builders Supply, Anchorage, Alaska. Should merchandise for freight savings be available, we reserve the right to ship from any of our branch locations near you or our distribution center in Tacoma, Washington. In case of shortage or damage, notify the delivering transportation agent at once and file claim promptly. Any delay may cause you a loss. Spenard Builders Supply requires notification of shortages within (7) days of receiving your shipment.

WARRANTY

All General Electric and Whirlpool appliances have a one-year parts and labor warranty. Warranty work will be provided at the nearest factory authorized service center. Spenard Builders Supply is not liable for shipment charges to factory authorized service centers.

PRICES & PRODUCT IMAGERY

Prices in this catalog are current F.O.B. Anchorage at the date of publication. All prices are subject to change without notice. Special price quotations are available on volume shipments. Write or call the Bush Sales Department at Spenard Builders Supply, 4412 Lois Drive, Anchorage, AK 99517. Phone 907-563-3141, Ext. 313 or 1-800-844-9313. Fax 261-9206. PLEASE NOTE: Catalog products shown may differ from actual products.

PLEASE ALLOW 4-5 DAYS FOR ORDER PROCESSING. CATALOG PRICING IS FOB ANCHORAGE

POSTAL INSURANCE

Required coverage against loss or

\$2.25

2.85

3.55

4.70

damage (in addition to postage)

\$0.01 - \$50.00

50.01 - 100.00

100.01 - 200.00

200.01 - 300.00

IMPORTANT NOTICE TO OUR CUSTOMERS

SHIP TO

Our number one priority is the safety and well-being our employees, customers and communities. Disruptions in manufacturing, distribution and/or shipping may delay the timely delivery of your order. If you have any questions or concerns please contact us at 1.800.844.9313 or catalogsales@sbsalaska.com.

Spenard Builders Supply

4412 Lois Drive, Anchorage, AK 99517

TOLL FREE 1.800.844.9313 • FAX 907.261.9206

Name Daytime phone Address State Zip				500.01 - 600.00 600.01 - 5,000.00\$ (PLUS) \$1.40 per \$10 fraction thereof ove		r \$600	
DAVAGNITA	ILTUOR WE						
	NETHOD WAS COD CHEVnodite MasterCar	ام ۱/۱۲۸ می	orican Evnro	ss Dissover	or CDC Account		
	ey Order, C.O.D., CHEXpedite, MasterCar be made by CREDIT CARD or SBS ACCOUNT, complete		erican Expres	ss, Discover,	CVV2 Code	Expiration	Data
праутеть	semade by engan crimb or sustricted out, complete				CVV2 Code	Expiration	Date
C '					(from back of Card)	MO.	YR.
Signature			(Signature o	of card holder requi	ired)		
		1					
Product No.	Description	Page No.	Size/Color	Quantity	Price Each	Total Price	Weight
				<u> </u>	Tota	ı	
SHIPPING ME					+ Crating	-	Wt. in lbs.
☐ Air Frei	=	_			See charts + Shipping		
	ght Collect	aii			See charts	40.00	_
a c.o.b. (via i nonty ivian				+ Handling	10.00	_
SIGNATU	RE			+ Haza	ardous Handling (25 if applicable		
				+ Pos	tal Insurance See chart above		
Order	annot be filled without signature. I understand all prices are su	ubject to change w	rithout notice.	Total A	mount Enclosed	d .	

PLEASE NOTE:

Local tax may apply to your order. Include a daytime phone number where you can be reached if there is a question about your order, and make sure you have included all appropriate shipping and crating charges. Your order will not be shipped, or may be delayed, if you do not include these extra charges.

ORDER INFORMATION

Pricing Notice

C.O.D. ORDERS

Accepted for Priority Mail shipment only—up to 600 in "combined" value material and postage cost.

TAXES

All orders that originate or/are delivered within taxable jurisdiction(s) will be assessed applicable sales tax prior to shipment. Exempt purchases require a valid sales tax-exempt card(s) and must be presented at time of order.

CRATING CHARGES

Crating pricing is dependent upon the size, weight and dimensions. Doors, windows, vanities, sinks and other items require crating in order to avoid damage during shipments.

HAZMAT PROCESSING FEE \$30

Hazardous Materials Handling charge due to government restrictions on transportation of materials designated as flammable and corrosive.



PLEASE NOTE:

Notice 123 - Rates effective January 9, 2022. Postal Rates are subject to change. Call 1.800.844.9313 for any questions.

*NOTE:

- 1. Parcels that exceed one cubic foot (1,728 cubic inches) are charged based on the actual weight or the dimensional weight, whichever is greater (as calculated in DMM 123.1.3).
- 2. Parcels that exceed 22 inches but not greater than 30 inches in length, add \$4.00.
- 3. Parcels that exceed 30 inches in length, add \$18.00.
- 4. Parcels that exceed 2 cubic feet (3456 cubic inches), add \$30.00.


Priority Mail Rates*

Priority	viali Kate	: S			
WEIGHT	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5
(Not Over)	Zip Code 995	Zip Code 996	Zip Code 997	Zip Code 998	Zip Code 999
1	\$9.35	\$9.60	\$9.70	\$9.90	\$11.00
2	10.50	11.10	11.80	12.65	14.85
3	10.95	11.70	12.30	13.35	15.95
4	11.80	12.35	13.25	14.40	17.35
5	12.60	13.15	14.10	15.40	18.55
6 7	13.10	13.50	14.50	16.00	19.65
8	13.70 14.30	14.10 14.55	15.05 15.50	16.75 17.35	20.80 21.90
9	14.80	15.10	15.90	17.95	23.00
10	15.70	16.05	16.90	19.10	24.50
11	16.45	16.95	17.85	20.15	26.05
12	17.15	17.60	18.40	20.95	27.35
13	17.90	18.25	18.90	21.50	28.50
14	18.65	18.80	19.45	22.30	29.95
15	19.35	19.55	20.20	22.95	31.25
16	20.15	20.35	20.95	24.05	32.60
17	20.90	21.15	21.65	25.10	34.50
18 19	21.60	21.85	22.40	25.70	36.70
20	22.05 22.50	22.35 22.70	23.35 24.25	26.15 27.05	39.10 41.65
21	25.95	27.30	29.45	34.70	46.85
22	28.25	30.30	33.35	40.25	53.35
23	29.80	32.15	35.55	43.30	57.20
24	30.90	33.35	37.05	45.30	59.95
25	32.10	34.65	38.55	47.40	62.60
26	33.20	35.95	40.10	49.45	65.30
27	34.30	37.25	41.60	51.55	68.05
28	35.20	38.20	42.80	53.05	70.20
29	36.05	39.20	43.90	54.60	72.35
30	36.95	40.20 41.15	45.00	56.05 57.50	74.40
31 32	37.85 38.65	42.15	46.10 47.25	59.00	76.45 78.50
33	39.50	43.00	48.30	60.40	80.55
34	40.40	43.95	49.35	61.75	82.45
35	41.20	44.90	50.35	63.15	84.45
36	42.05	45.75	51.40	64.45	86.40
37	42.85	46.65	52.40	65.85	88.30
38	43.65	47.45	53.25	67.15	90.15
39	44.45	48.35	54.25	68.40	92.10
40	45.20	49.25	55.20	69.70	93.85
41	\$45.95	\$50.05	\$56.15	\$70.95	\$95.75
42 43	46.75 47.45	50.80 51.65	57.00 57.90	72.15 73.35	97.45 99.25
44	48.25	52.45	58.70	74.50	101.00
45	48.95	53.15	59.60	75.70	102.70
46	49.65	53.95	60.40	76.85	104.35
47	50.35	54.75	61.20	77.95	106.05
48	51.00	55.45	62.00	79.00	107.70
49	51.70	56.15	62.80	80.15	109.30
50	52.40	56.85	63.55	81.20	110.85
51	53.05	57.55	64.20	82.20	112.45
52	53.75	58.25	64.95	83.25	114.00
53 54	54.30 54.95	58.80 59.55	65.60 66.30	84.25 85.15	115.45 116.90
55	55.55	60.15	67.00	86.15	118.40
56	56.20	60.75	67.60	87.10	119.85
57	56.80	61.40	68.25	87.90	121.30
58	57.35	61.95	68.85	88.85	122.70
59	57.95	62.55	69.50	89.65	124.05
60	58.45	63.10	70.00	90.55	125.30
61	59.05	63.70	70.60	91.30	126.65
62	59.60	64.15	71.05	92.15	127.95
63	60.15	64.75	71.60	92.95	129.15
64 65	60.65 61.10	65.20 65.75	72.05 72.60	93.65 94.35	130.45 131.65
66	61.65	66.20	73.00	95.10	132.80
67	62.10	66.65	73.45	95.75	133.95
68	62.65	67.15	73.85	96.45	135.10
69	63.05	67.55	74.30	97.05	136.20
70	63.55	68.00	74.65	97.70	137.35

HOME PACKAGES



EACH UNIT | 2 Bedroom | 1 Bathroom | Arctic Entry



Call for pricing!

The House Package is Complete...Build It and Move In!



Exterior Package

Foundation Material

- Treated pads
- Glu-lam beams BCI Floor I-Joists
- · Framing Structure
- 2 x 8 24" OC exterior walls
- 2 x 4 16" OC interior walls
- 3/4" subfloor, 7/16" CDX floor soffit, wall and 19/32" roof sheathing
- 14" energy heel trusses 24" on center
- · Doors and Windows
- · Fiberglass door
- Alpine vinyl casement windows with screens
- 29 gauge painted steel roofing
- Vinyl siding

Interior Package

Insulation and Plasterboard

- R-47 floors
- · R-49 ceiling
- R-34 walls
- 5/8" Type-X fire rated plasterboard ceilings
- 5/8" plasterboard walls

Interior Finish

- Cabinets
- · Preformed laminate countertops
- Jeld-Wen 6-panel interior doors
- · Plumbing fixtures
- · ABS plastic waste lines
- Pex water supply lines
- · Hot water storage tank
- · Baseboard heating system
- Carpet and vinyl flooring
- Closet hardware and fasteners
- Lighting
- Paint

ALASKA AT HOME

- Choose a floor plan that's right for you!
- Blueprints and itemized material list included with each package.


Call for Additional Information & Pricing!

PLEASE NOTE: Home packages are not off the shelf. Pricing and products will vary based on location and road system.

	Call SBS for Pricing Information	ZONE 1	ZONE 2	ZONE 3	ZONE 4
l	Home Package Pricing is based on barge or air freight to the locations in our 4 zones. FOB traditional barge	Bethel	Kotzebue	North Slope	Aniak
l	loading site. For other delivery locations please call	Dillingham	Nome		
l	for pricing information to your village.	Naknek			Kwethluk

HOME PACKAGES






New Floor Plans!






HOME PACKAGES





1208 sq. ft. PLAN #1208
2 Bedroom Home
with Arctic Entry




with Arctic Entry

With Arctic E


Efficiency 4 Bedroom Home


HOME PACKAGES

1488 sq. ft. PLAN #1488 3 Bedroom Home with Arctic Entry



1568 sq. ft. PLAN #1568
4 Bedroom/1 Bath Home
with Arctic Entry






1552 sq. ft. PLAN #1552 3 Bedroom/2 Bath Home with Arctic Entry



1904sq. ft. PLAN #1904 Duplex with Arctic Entries



NEW! Cabin Kits at SBS

Caribou Cabins...Customize, build & enjoy!







Flexible Caribou Cabin!

Starting at 12'x16' with OSB panels you choose how big or small to build. Substitute window, door, or wall panels to suit your personal design.

The Caribou Cabin is customizable with a variety of panel options. The panels are 4' wide, so you can enlarge the building to fit your needs with these panels:

- Field Panel- Solid faced panel
- Door Panel-Cut out for a 3'0" exterior door
- Window Panel-Openings cut to fit various windows sizes based on your needs
- Corner Panels-Left and right panels
- All panels are available with your choice of T1-11 or OSB siding

kit pieces can be transported without heavy equipment

Portable! Most components weigh less 130 lbs. The 16'x20'

Call for pricing!

Cabin Kit Package | 16' X 20' Caribou



Cabin Kit Package | 12' X 16' Caribou



Cabin Shell Includes:

- 2 x 6 construction with 16" O.C. studs
- Pier blocks
- Floor beams
- BCI joists
- · Flooring plywood
- Smart Panel Wall panels
- 3'x3' double pane slider Windows (2)
- Exterior Fiberglass Door
- Roof trusses
- Metal roofing (choice of colors)
- Steps
- Handrails

All fasteners required

Multiple Finish Options:

- Insulation
- Drywall
- Paneling
- Electrical Floor coverings
- Ceilings
- Decking
- Stairs
- Heating
- · & more!

Prices are subject to market conditions. Note: Regional construction considerations may require alterations to these plans. SBS will specify the right materials for your region.

Image shown is not the standard package

NEW! CABIN SHELL PACKAGES

Easy to ship, easy to build. Many options to choose from.



The Bear Series Cabin Shell Packages Include:

- Foundation Treated Pads and Adjustable Bearing Brackets
- Floor System with 5.5"x15" GLB's/cd Ply Sheathing
- Prefabricated Wall Panels with Cd Ply Sheathing and Cedar Trim
- Roof Truss Package with Roof/Gable Sheathing
- Loft Floor Framing with 5/8" Cd Plv (Half Loft Ledger to Wall Panels)
- Metal Roofing with Felt
- 6 Panel Man Door
- Vinyl Windows
- 2x Treated Deck Framing and Boards/ **Porch Beams**
- Assembly Hardware
- Exterior Wall/Trim Paint
- Loft Ladder System

Optional Add-On Packages

- Insulation (roof, walls & soffit sheathing)
- Sheetrock
- Kitchen (packaged 8'x9' corner section)
- Siding (Klondike metal siding)

We have several other Add-Ons available.

SBS can fully customize your cabin. Appliances, Cabinets, Countertops, Flooring, Heating and more! Additional Add-Ons will be quoted upon request.

Cabin Shells 1536 sq. ft. w/full loft 41,000 lbs. 720 sq. ft. 480 sq. ft. 20,000 lbs. Grizzly Bear 25,000 lbs. Kodiak Bear **Black Bear** including over deck w/half loft w/half loft

STORAGE

12' x 16'

All-Purpose Storage Shed Kit

- Gain extra storage and security with our easy to assemble pre-
- Kit includes: T1-11 plywood siding, stud package, metal roofing, truss rafters, 8' X 7' overhead door, 2' X 2' vinyl sliding window, 2'-8" exterior fiberglass door and more

FOB Anchorage

5200 lbs.

Wood Storage Shed Kits

- Kits include rough sawn wood siding, trusses, flooring, hardware, nails and complete assembly instructions
- · Roofing and foundation sold separately

	1
*	7
	10

8' x 8'	1025 lbs.
10' x 12'	1659 lbs.

Roofing Package			
 Includes shing 	les, felt, nails and flashi	ng	
8' x 8'	(41575778)	325 lbs.	
10' x 12'	(41575397)	574 lbs.	

	Foundation Pa	ickage	
• Includes beam	s and pier blocks	_	
8' x 8'	(41575658)	246 lbs.	
10' x 12'	(41574579)	598 lbs.	

White Wall Canvas Tents

Touah enouah for Alaska's winds



- Doors have a 7' opening and are closed with a heavy-duty zipper
- Includes rope, rope slips (tension adjusters)
- The bottom is reinforced with webbing and uses grommets
- Full 10 oz. non-treated fiber

8' x 10'	(CAT8104)	35 lbs.	599
12' x 14'	(CAT12144)	45 lbs.	719

EZ Builder Greenhouse Kits Add value to your home and enjoy your Alaskan summers!

- · The SBS greenhouse kit is not totally precut. Trusses and studs are precut. Some other cutting is required.
- · This kit does not have a floor. A floor kit is available as an option. If this greenhouse is to be set directly on the ground we recommend that treated 4 x 4's be placed below the bottom plate to protect against rot.




Greenhouse Kits			
12'X12' SUNTUF GREENHOUSE	(GREENL)		
8'X10' SUNTUF ROOFING GREENHOUSE	(810GREENL)		
8'X10' GREENHOUSE **FRAME ONLY**	(810GREENPKG)		

SUNTUF Panels			
6'X 8' SUNTUF PANEL	ST268PANELC		
6'X 10' SUNTUF PANEL	ST2610PANELC		
6'X 12' SUNTUF PANEL	ST2612PANELC		
SUNTUF Ridge Roof Cap	108653		
SUNTUF Closure Wool 72"	72HSTWC		









DEWALT

Heavy-Duty Oscillating Multi-Tool Kit

- Powerful 3 amp Motor
- Quick-Change[™] accessory system
- Dual-Grip[™] variable speed trigger
- · Universal accessory adaptor

#DWE315K

(DWE315K)



7.25 lbs.

179.99

5" Variable Speed Random Orbit Sander Kit

- 3.0 amp motor-12,000 OPM
- Separate counterweight design
- areas of the sander

#DWE6423K

4 lbs.

99.99

Heavy-Duty Cut-Out Tool

- Tool-free bit change
- 5 Amp, 30,000 rpm motor
- Includes: 1-general purpose bit, 1 drywall cutting bit, 1/4" & 1/8" collets

#DW660

3 lbs.

69.99

13" Thickness Planer With Three Knife Cutter-Head

- Powerful 15 amp, 20,000 rpm materials with ease.
- Three knife cutter head delivers 30% longer knife life.
- Two-speed gear box allows users to

(DWDW735X) 779 #DW735X 102 lbs.

- user handling, comfort, and strength
- Durable cast magnesium footplate provides
- Top-accessible spindle lock enables easier

and faster blade changing



219

13 Amp Reciprocating Saw

- BUZZKILL Technology reducing vibration by 35%
- Variable speed trigger for better control
- Tool- less blade clamp
- Oversized trigger provides flexibility to cut in multiple positions





119.99

DEWALT

10" Single Bevel **Compound Miter Saw**

- 14 positive stops
- 15 Amp, 5000 RPM

Heavy-Duty 12" Double-Bevel Compound Miter Saw

- 15.0 Amps, 3,600 rpm motor
- · Double bevel design allows saw to bevel left and right 0° - 48° with positive stops at 0°, 33.9°, 45° and 48° both left & right allowing user to flip the saw not material
- Includes carbide blade, dust bag and blade wrench

#DWS715 (DWDWS715) 51 lbs.

329

Heavy-Duty 12" **Double-Bevel Sliding Compound**

Miter Saw

- XPS cross cut positioning system
- 15 Amp, 3,800 rpm motor
- Tall sliding fences support crown molding up to 7-1/2" nested and base molding up to 6-3/4"
- Cuts up to 2x16 dimensional lumber at 90° and 2x12 at 45°
- Miters 60° to the right and 50° to the left

#DWS780 (DWS780) 66 lbs.

10" Compact Job Site Table Saw

With Rolling Stand

- Telescoping fence with 32-1/2" rip capacity
- 15 Amp high-torque motor
- Includes: 10" 24-tooth carbide blades, rolling table saw stand, miter gauge and push stick

#DWE7491RS (DWE7491RS) 113 lbs.

649

649

Heavy-Duty Miter Saw Stand

- Universal design of lightweight aluminum
- 5-1/2' beam extends to support up to 16 ft. of material and up to 400 lbs.

#DWX723 (DWX723) 48.4 lbs.



- · All-metal keyless ratcheting chuck
- · Mid-handle grip


#DWD215G (DWD215G) 6.75 lbs.

158.99









#DWS713 (DWDWS713) 38.1 lbs.

- Rubber over-mold in all of the critical

Improved dust-sealed switch

(DWE6423K)



(DW660)



change feed speed to optimizing cuts per in. at 96 or 179 CPI.

7-1/4" Worm Drive Circular Saw

- · Lightweight magnesium construction for optimum
- a tough and solid cutting platform

#DWS535B (DWS535B) 18.5 lbs.

• 10 Amp, 0-1,200 rpm

TOOLS

Pricing

DEWALT

20V MAX XR Lithium Ion Brushless 3-Speed Drill/Driver Kit

- · 3-speed, all-metal high performance transmission
- DEWALT-built high power, high efficiency brushless motor
- Heavy-duty 1/2" ratcheting metal chuck
- 3-Mode LED provides lighting in dark or confined spaces

#DCD996P2 (DWDCD996P2) 11.24 lbs. 369

20V MAX Lithium Ion Brushless1/4" Impact **Driver Kit**

• Kit includes: DCF887 3-Speed Impact Driver, (2) DCB204: 20V* Max XR Premium Li-Ion Batteries (4.0 Ah), Fast Charger, Belt Hook and Kitbox

#DWDCF850P2 (DWDCF850P2)



9.09 lbs. 299

BARE TOOLS BATTERIES NOT INCLUDED

20V MAX

Drywall Cut-Out Tool

- 26,000 RPM motor
- Tool-free for fast and easy bit changing
- Dust-sealed
- Bright LED light

#DWDCE555B (DWDCE555B) 2.5 lbs. 179

20V MAX 7 1/4" Sliding Miter Saw

- Capacity to cup 3 5/8" nested crown and 3 1/2 base vertically
- · Adjustable stainless steel miter detent plate with 11 positive stops

Add to your existing Tool Kit. Use the batteries & chargers you already have. Tools for all your needs.

- · Compact, lightweight design (30 bs.)
- · Cam lock miter handle

#DCS361B (DWDCS361B) 35.8 lbs. 349

20V MAX 6-1/2" Circular Saw

• 5,150 RPM motor

- · High strength and lightweight magnesium shoe
- 0-50° bevel capacity
- 6-1/2" carbide-tipped blade

#DCS391B (DWDCS391B) 8.65 lbs.

139

20V MAX

4-1/2" - 5" Brushless Cordless Paddle Switch Angle Grinder With FlexVolt Advantage™ (Tool Only)

- E-Clutch
- Kickback Brake
- E-Switch Protection

#DCG410B (DWDCG410B) 4.6 LBS 249

20V MAX XR Brushless Cordless 3-speed Oscillating Multi-Tool

- DEWALT® brushless motor
- Quick-Change[™] accessory system
- Dual-Grip[™] variable speed trigger
- Bright LED Light
- *Universal accessory adapter

#DCS356B (DWDCS356B) 2.33 lbs. 169



20V MAX XR 1/4" 3-Speed Impact Driver

- DEWALT built brushless motor
- One-handed loading 1/4" hex chuck

DCF850B (DWDCF850B) 2.65 lbs.



20V MAX Reciprocating Saw

- 1-1/8" stroke length, 0-3,000 spm
- · Variable speed with trigger lock

#DCS380B (DWDCS380B) 6.40 lbs.



20V MAX XR

XR® Cordless Jig Saw (Tool Only)

- Brushless motor
- LED Light
- 4 position orbital action

#DCS334B (DWDCS334B) 5.2 lbs 219

20V MAX* XR® Brushless Lithium Ion 3 Speed Hammerdrill

- 3-speed, all-metal transmission
- Heavy-duty 1/2" self-tightening chuck
- · High power, high efficiency motor

#DCD996B (DWDCD996B) 239

20V MAX

1/2" High Impact Torque Wrench

- 1030 ft.-lbs. of maximum torque
- · Durable magnesium gear case & all metal transmission

#DCF900B (DWDCF900B) 2.50 lbs. 299.99



TOOLS



DEWALT 14 Pc. **Cordless Screwdriver with FLEXDRIVE™ Control**

• 360° Control - Eliminate the restriction of buttons with the slide-to-drive flexibility of the FLEXDRIVE™ Collar

#DWHT66719 (DWHT66719) 3.1 lbs 109.99

20V MAX XR **XR® Brushless Deep Cut Band Saw (Bare Tool)**

- 5" Cutting Capacity
- LED Light
- Variable Speed
- Toolless Blade Change

#DCS374B (DWDCS374B) 15.79 lbs



329

20-Volt MAX XR Lithium-Ion **Cordless Brushless** Framing Nailer (Tool Only)

- Capable of driving 21 degree fasteners from 2 in. to 3-1/2 in.
- Compatible with all DEWALT 20-Volt MAX batteries and chargers
- · Ideal for fencing, framing, and decking applications

#DCN920B (DWDCN920B)



21° Extended Framing Magazine

- Holds 2 strips of nails.
- · Constructed from high-strength magnesium for durability.
- Easily attach to compatible tool DCN920 DeWalt®


#DZN920 (DWDZN920)



20V MAX XR Lithium Ion **Brushless Compact Drill/Driver Kit**

- 2-speed settings (0-600/0-2,000 RPM)
- DEWALT brushless motor delivers up to 57% more run time over brushed
- Compact (7.2" front to back), lightweight (3.5 lb) design
- Kit includes DCD790 1/2" Drill/Driver, (2) 20V Max* XR Compact Li-Ion Batteries (2.0Ah), Fast charger, Belt hook, On-board bit holder, Kitbox

#DCD800D2 (DWDCD800D2) 8.75 lbs.



20V MAX XR Lithium Ion

Brushless Compact Drill/Driver & Impact Driver Combo Kit

- DCD791 20V 1/2" Drill/Driver
- DCF887 1/4" Impact Driver
- (2) DCB203 20V Battery (2.0AH)
- Charger
- (2) Belt Hooks & Contractor Bag

#DCK225D2 (DWDCK225D2) 10.16 lbs.



20V MAX

Premium 5-Tool Combo Kit

- Kit include: DCD985 1/2" Hammerdrill, DCS380 Reciprocating Saw, DCF885 1/4" Impact Driver, DCS391 6 1/2" Circular Saw, DCL040
- LED Work Light
- (2) 20V MAX* Lithium Ion 3.0 Ah Battery Packs
- Fast Charger

#DCK592L2 (DCK592L2)



699

Pricing Notice

TOOLS

DEWALT 7" Abrasive **Metal or Masonry Blades**

- For fast cutting and chopping with all 7" circular saws
- Your choice

Metal	(DW3511)	.41 lb	6.99
Masonry	(DW3521)	.38 lb.	5.99



7-1/4" Steel Combination

• For fast and smooth rips, cross cuts and miters

#DWA171440 (DWDWA171440) 0.74 lb. 39.99



10" Combination **60-Tooth Blade**

40-Tooth Blade

- Micro-grain carbide produces ultra-sharp cutting edges
- · Laser-cut plate, tough coat finish

#DWA11060 (DWA11060) 1.5 lb.



12" Crosscutting 32-Tooth Blade

- Thin kerf laser-cut plate for precise, accurate cuts
- · Crosscutting saw blade

#DWA11024 (DWA11024) 2.6 lb. 32.99



12" Crosscutting 80-Tooth Blade

- · Laser-cut plate for precise, accurate cuts
- · Ultra-smooth crosscutting

#DWA11280 (DWA11280) 2.7 lb. 57.99



DIWALT!

SHOOT !! DeWALT

Reciprocating **Saw Blades**

- · Matrix II steel with 8% cobalt
- · Flexible body resists breaking
- Reinforced teeth

(6" Wood			
#DW4850	(DWDW4850)	0.25 lb.	16.99	
6" Metal				
#DWA4186	(DWA4186)	0.25 lb.	19.99	
8" Metal				
#DWA4179	(DWA4179)	0.39 lb.	25.99	
1	2" Wood			
#DW4849	(DW4849)	0.5 lb.	29.99	
12" Metal				
#DWA41812	(DWA41812)	0.5 lb.	32.99	
	#DW4850 #DWA4186 #DWA4179 1 #DW4849	6" Metal #DWA4186 (DWA4186) 8" Metal #DWA4179 (DWA4179) 12" Wood #DW4849 (DW4849) 12" Metal	#DW4850 (DWDW4850) 0.25 lb. #DWA4186 (DWA4186) 0.25 lb. #DWA4179 (DWA4179) 0.39 lb. #DW4849 (DW4849) 0.5 lb. #DW4849 (DW4849) 0.5 lb.	



20 Pc. Black and Gold **Drill Bit Set**

- High Speed Steel
- Split point
- · 3 flats shank

#DW1177 (DW1177)



35 Pc. DeWalt Screwdriver Bit Set

#DWA2T35IR (DWA2T35IR) 1.66 lb. 49.99



Tool Combo Kit

.15 lbs.




54.99

DIABLO 📚

Sanding Belts

- · Sands wood, metal, plastic and fiberglass
- 1 pack





Metric Impact Duty 19 Pc. Socket Set

- 3/8" inch drive design
- Chrome Molybdenum Steel construction
- Includes case with handle 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 20 mm, 21 mm, 22 mm, 23 mm & 24 mm

#49-66-6801 (MIL49-66-6801) 4 lbs. 109.99



TOOLS

STANLEY BOSTITCH 6 Gallon / 150 PSI Oil-Free Compressor

- Long-life oil-free, maintenance-free pump for convenient use
- 2.6 SCFM* delivered @ 90 PSI pump enable long run time & quick recovery

#BTFP02012 (BTFP02012) 29 lbs.



169

18 Ga. Brad Nailer

- · Comfort grip, adjustable depth
- Uses Stanley Bostitch 5/8" -2-1/8" brads

#BTFP12233 (BTFP12233) 5 lbs.



23 Ga. Pin Nailer

- Adjustable high/low power control
- · Low profile nosepiece for clear line-of-site
- · Lightweight aluminum housing

#HP118K (HP118K) 4.2 lbs. 169.99

(MCN150)

Strapshot™ Metal Connector Nailer

- Exposed nail tip places fastener point directly into connector holes
- Includes carrying case

#MCN150



259

5.1 lbs.

STANLEY BOSTITCH

Coil Roofing Nailer

- · Lightweight magnesium housing
- · Side load canister-one-step nail loading
- Massive rubber housing pads
- · Shingle gauge for fast layouts

#RN46-1 (RN46-1) 5.8 lbs. 269

Mini Impact Palm Nailer

- Rubber grip design
- 360° swivel air fitting
- Front exhaust
- Drives Most Common Bulk Finish,

#PN50 (PN50) 11 lb. 64.99

Heavy-Duty, Round Head **Stick Framing Nailer**

- Lightweight magnesium housing
- Tool-free adjustable, die-cast aluminum deflector

263.99 #F21PL (F21PL) 9.2 lbs.

Metal Connector Nailer

- Exposed nail tip places fastener point directly into connector holes
- 1-1/2" and 2-1/2" 35° paper tape metal connector nails fastener range

(MCN250) 9.65 lbs. #MCN250





Full line of fittings and accessories available. Male and female quick couplers in 1/4" and 3/8". Blowguns, swivels, tire chucks, line lubricants, oils and filters.





DEWALT

20V MAX* 2.5 Gallon Cordless Air **Compressor Kit**

- Do More In Less Time Drive over 850 nails per charge** • Versatility And Power - Air delivery of 1.0 SCFM at 90 psit
- Fast and accurate pressure adjustments with one turn regulator

#DCC2520T1 (DWDCC2520T1)





20V Brad Nailer (Tool Only)

- · 100% battery powered, eliminates the hassle of using gas, compressor and hose
- Tool-free selectable trigger for sequential or contact actuation modes
- · Tool-free jam release to quickly and easily clear nail jams
- · Integrated tool-free stall release lever to quickly reset the driver blade in the event of a stall

#DCN680B (DWDCN680B)



'OOLS

Pricing Notice



M18™ Cordless 6-Tool Combo Kit

- M18™ 1/2"" Hammer Drill / Driver (2602-20)
- M18[™] 1/4"" Hex Impact Driver (2650-20)
- M18™; Sawzall® Recip Saw (2620-20)
- M18[™] 6 ½"" Circular Saw (2630-20)
- M18[™] 4-1/2"" Cut-off / Grinder (2680-20)
- M18[™] Work Light (49-24-0171)

#MIL2696-26 41.5 749.00 Milwaukee M18™ Compact Brushless 2-Tool Combo Kit, **Drill Driver/Impact Driver**

- M18™ Compact Brushless 1/2" Drill/ Driver
- M18™ Compact Brushless 1/4" Hex Impact Driver
- (2) M18™ REDLITHIUM™ CP2.0 Battery
- M18™ & M12™ Multi-Voltage Charger
- Contractor Bag

MIL3692-22CT 239.00 4.6



- POWERSTATE™ Brushless Motor has no wearable parts, which keeps the motor running longer without needing service
- REDLINK PLUS™ Intelligence protects against overload and over heating
- Rubber seal and weep holes provide added protection against water ingress and debris

299.00 MIL2719-21



- 12,000 OPM Max
- · More Material Removed Per Charge
- Variable Speed Control
- 5"" Sanding Pad
- 7,000-12,000 OPM Variable Speed
- 3/32"" Orbit Diameter

MIL2648-20 129.00

Milwaukee M18 FUEL

4-1/2" / 5" Braking Grinder Paddle Switch, No-Lock

- POWERSTATE™ Brushless Motor: Purposely built for the M18 FUEL™ 4-1/2"" / 5"" Angle Grinder delivers 8,500 RPM to provide the power to complete the toughest grinding and cutting applications.
- REDLITHIUM HIGH OUTPUT Battery Pack: Provides 50% more power and runs 50% cooler versus standard REDLITHIUM

MIL2880-20 3.1 199.00



Oscillating Multi-Tool

POWERSTATE[™] Brushless Motor: Purposely built for the M18 FUEL[™] Oscillating Multi-Tool combined with 10,000 to 20,000 OPM delivers fastest speed of cut.

• REDLITHIUM™ Battery Pack: Superior pack construction, electronics, and performance deliver more work per charge and more work over pack lifespan than any battery on the market.

> MIL2836-20 3.1 229.00

M18 FUEL™ SURGE™ 1/4" Hex Hydraulic Driver

 Milwaukee® POWERSTATE™ Brushless Motor provides more power, more run-time, and longer life.

REDLINK PLUS™ Electronic Intelligence enables advanced communication between your batteries and tools, allowing for unmatched levels of performance, protection, and productivity.

> MIL2760-20 2.8 169.00



M18 FUEL™ 2 Gallon **Compact Quiet Compressor**

- Only 68dB(A)
- · Easily carry design for less fatigue taking on and off the jobsite
- Single Turn Regulator
- POWERSTATE™ Brushless Motor delivers maximum power and long motor life

MIL2840-20 31.25 379.00



Milwaukee M18 FUEL™ D-Handle Jig Saw

- POWERSTATE™ Brushless Motor: Increased SPM and the power to cut hard materials, including hardwoods and metals
- REDLITHIUM battery technology: deliver more work per charge and more work over pack life than any battery on the market
- 4-position orbital cutting provides versatility for application-specific cutting4-position orbital cutting provides versatility for application-specific cutting

MIL2737-20

5.8

199.00



- REDLINK PLUS intelligence provides optimized performance and overload protection using total system communication between tool, battery and
- POWERSTATE Brushless Motor delivers longer life and higher performance
- Pivoting Rafter Hook
- Belt Hook
- Tool Free Drive Depth Adjustment
- On Board Hex Key Storage

MIL2744-20

379.00

Milwauk **Cordless**



- Palm Nailer • Powerful 12-volt motor and impacting mechanism: Deliver 2.2 ft-lbs of blow energy and 2700 BPM
- Industrial-duty collet: 6D-16D magnetic collet provides secure hold for one-handed tool use
- REDLITHIUM™ Battery Technology: Superior pack construction, electronics, and performance deliver more work per charge and more work over pack life than any battery on the market

MIL2458-20 149.00

STANLEY Utility Knife



· Storage handle includes 2 extra blades #10-099 (ST10099) 0.25 lb.

FatMax™ Utility Knife


· Adjustable thumb-dial locking wheel holds blade in place and prevents shifting



10.99 #10-778 (ST10778) .4 lbs.


100 Pack Fat Max Utility Knives

- · Precision ground blades
- Dispenser pack



30 ft. Tape Measure

- Exclusive blade control
- Heavy-duty Tru-Zero hook
- Slide lock up front



1-1/4" x 25 ft. FatMax® **Tape Measure**

- Contractor grade
- · High impact ABS case
- · Easy to read graphics & extra long standout

#33-725 (ST33725) 1.5 lbs. 25.99

1-1/4" x 30 ft. FatMax® **Tape Measure**

- 11' tape standout
- BladeArmor[™] coating on the first 6"

#33-730 (ST33730) 1.5 lbs. 37.99

16 oz. Curve Claw Nail Hammer

- Jacketed graphite handle
- · High carbon, precision balanced, polished steel head

1.6 lbs. 22.99 #51-505 (ST51505)

22 oz. FatMax® Checkered Face Framing Hammer

• Forged, one-piece steel construction for strength and durability

#51-167 (ST51167) 2 lbs. 34.99

VAUGHAN 23 oz. California Framing Hammer

- · White hickory handle is triple wedged
- Extra-large striking face

(CF1) 2.3 lbs. 39.99

STANLEY 10" **Fixed Frame** Hacksaw



 Pivot-load feature allows quick and easy blade change

#STHT20138 (STHT20138) 2 lbs.

Combination **Bow Saw & Hacksay**

- guard
- Two blades included

#80799 (80799) 21.99 1.5 lbs.



12" Combo Square

• Level, depth and marking gauge, square plus scriber

#46-123 (ST46123) 0.4 lb.



7" Speed Square

 Five tools in one: framing square, try square, miter square, protractor and saw guide

#SO101C (S0101)0.5 lb. 13.99

STANLEY Sauare

- Body: 24" x 2", tongue: 16" x 1-1/2"
- 1/8" graduations, lumber scale, decimal equivalent table, nail sizes, wood screw gauge

#45-300 (ST45300) 0.83 lb. 14.99

48" FATMAX **Box Beam Level**

- Max Edge
- Shock absorbing end caps hold up to heavy use

#43-548 2.50 lbs. 34.99

STABILA

Aluminum Levels

· 3 vertical & horizontal vials Removable end caps

(T196HSL48) 2.7 lbs. 179.99 #37448

Hammer Tacker

- · Strikes like a hammer automatically drives a staple with each blow
- · Widely used for fastening insulation, roofing felt, carpet, underlayment, etc.

(ARHT50) 2.2 lbs. 37.99

STANLEY

8" Slip Joint Plier

Drop forged

#84-098

· Carbon Steel



4 Piece Standard Screwdriver Set

- Magnetic tip
- Comfort grip
- 2 phillip 2 straight blade



17.99

(DWHT65200) #STDWHT65200 .5 lb. 16.99

13" Wonder Bar

- Forged high carbon steel
- · Beveled nail slot on both ends

#55-515 (ST55515) 1.3 lbs. 13.99


11" Nail Puller

- Double-end puller features 90° and 30° offset claws
- · Heat-treated for durability

#55-035 (ST55035) 1.15 lbs.

3 Piece FatMax®





#16-970 (ST16970) 1.2 lbs. 25.99

IRWIN 100 Ft. Aluminum Chalk Reel

- · Wide door for quick and easy chalk fill
- 100' Abrasion-resistant poly line provides 5-6 strikes per pull

#1932880 (IRW1932880) 1.0 lbs. 6.99

Staples

• 1250 pieces per package

1/4"	(AR50424)	0.5 lb. 6.49
5/16"	(AR50524)	0.5 lb. 6.49
3/8"	(AR50624)	0.5 lb. 5.99
1/2"	(AR50824)	0.5 lb. 5.99

Heavy-Duty Staple Gun

- Chrome finish-all steel construction
- Patented jam-proof mechanism
- · Compression spring action

#T-50 Gun (ART50) 2.3 lbs. 21.99 #T-50 17/32" (AR50CT24) 0.5 lb. 5.99 Staples

High carbon hardened steel working parts

TOOLS

Pricing Notice

3M Hard Hat

- · Four-point adjustable suspension
- Meets ANSI requirements for protective head wear

#CHHWH1-12-V-12-DC (3MCCHWH1-V-12-DC)





Polarized Safety Glasses

- · Wrap-around frame
- Scratch resistant hard coat & anti-fog polycarb lens
- · U.V. ray protection
- Choose from copper, smoke, silver or blue lens color

0.3 lb. **45.99** (SGTSM216) (EETXP415) 0.3 lb. 44.99



The HUV universal harness has 5 points of adjustment for added comfort. The vertical lifeline assembly contains a 50 ft. lifeline, shock pack and positioning device with 18-Inch extension lanyard. This kit also comes with a heavy duty temper reusable anchor point to attach onto the ridge of the roof. Used for residential rooftop safety.



#00815-QC

(GF00815) 17.3 lbs. 119.99

3M Foam Ear Plugs

- · Soft, comfortable hearing protection for high noise situations (up to 100dBA TWA)
- One pair

#90581

(3M905812001CEA)

0.01 lb.

4 lbs.



Deluxe Office First Aid Kit

- Includes 196 high quality first aid supplies and pain medication
- · Sturdy, well organized case
- First aid care for up to 50 people

(FA225U)



94.99

3M Paint Spray-**Pesticide Respirator**

- Includes half face piece, 1 pair organic vapor cartridges, 2 pair of particulate filters and 1 pair of filter retainers
- Medium or large

#R6211/311

(3M6211PA1AR621)





EDGE Safety Glasses

- Non-Polarized Safety Glasses
- · Clear Lens, Black Frame #SD111AR-G2
 - (SD111AR-G2)

 Wraparound Frame 7.19 0.1 lb.

Unisex, Polycarbonate Lens

Liars Suspenders

Perfect for fibbers, fishermen, truth stretchers and leg pullers

· Made from premium elastic, top quality hardware and genuine leather cross brace

(CLC110RUL) 0.56 lb.

5-Pocket Tool System

- Made of double layered 600D polyester fabric
- · Adjustable, padded suspenders
- One size fits most

#1614 (CLC1614) 5 lbs. 119.99

Heavy-Duty Construction Work Apron

- 12 pockets, 2" wide belt, fits sizes 29"-46"
- 4 main nail/tool pockets and 6 small pockets
- Leather tape holder and combination square holder

#I427X (CLCI427X) 1.9 lbs. 34.99

Tools sold separately

58-Pocket

Zippered Tool Carrier

- 52 Pockets inside and 6 pockets outside to organize tools and accessories
- · Large center compartment to carry multiple power tools and accessories
- 2 outside compartments
- Zippered side panels

#1539 (CLC1539)

6.0 lbs.

99.99

39.99

Padded Pro Suspenders

- Fully adjustable
- · Heavy duty padding
- One size fits most
- · Convenient quick fastening system

#5122 (CLC5122)

17-Pocket/4-Piece Combo Apron

- Rugged fabric & nylon binding
- 6 Main nail and tool pockets and 11 smaller pockets
- Padded comfort belt with double adjustment fits waists 29"-52"

(CLC1604)

0.88 lbs.

Plastic Cap Knee Pads

- Exclusive grooved cap design prevents thread abrasion
- · Super tough, lightweight fabric covering, comfortable foam padding for extra knee protection
- · One size fits all
- Comfortable, double straps with hook and loop fasteners

#V230 (CLCV230) .75 lbs. 29.99

Non-Skid / Non-Marring **Knee Pads**

- Soft outer shell
- · Closed cell foam padding
- Rubber straps

#361 (CLC361)





34.99



TOOLS



HHusqvarna

Gas Chain Saw

• 16" model is Ideal for jobs like pruning, lighter cutting tasks and hobby work

Equipped with Smart Start and fuel pump to ensure easy starts everytime					
	1	16"			
Chain Saw		(HV967861936)	21 lbs.	301.99	
Replacement Chain	#S56	(16CSRC)	0.4 lb.	29.99	
Bar/Chain Extender	#27857	(OR27857)	2.1 lb.	39.99	
	18"				
Chain Saw		(HV967651003)	23 lbs.	469.99	
Replacement Chain	#G72	(OCM72)	0.93 lb.	37.99	

16" Electric Chainsaw

(WG3031)

CUTTING-CHAIN FILES

#WG303.1

15 Gallon Plastic Drum

- Meets DOT-34 regulations for domestic shipments
- Standard closures furnished are 2" NPT with opposite 3/4" NPT equipped with solid plugs
- Opaque pigment for ultraviolet resistance

(GFPC15) 9 lbs. 139.99 Drum Bung Wrench (DWP) 2 lbs. 64.99



- manufactured prior to January 1, 2009
- Kit contains spout and cap, 8" spout extension for hard to reach tanks, 1/2" replacement push in vent, second base cap to fit additional cans and a flame arrester
- 7/8" opening, fast fueling for off road equipment, tractors, boats and more

#30051 (CO30051) 0.20 lbs. 17.99

Chain Saw

Chainsaw File

• Your choice 7/32" or 5/32"

#23575/77 (OR23575/77) 0.3 lb. 11.99

Utility Two-Cycle Oil

- For high performance requirements of severe duty air-cooled two-stroke cycle engines
- 8 oz.

3.49 #702275 (702275)0.5 lb.

(702278)

Bar & Chain Oil

· Reduces friction between bar & chain

Quart

#702278

7.99 2.5 lbs.

5-Gallon **Poly Fuel Can**

18.3 lbs. 119.99

• The SmartControl system offers customers ease of use in a durable design, with an added layer of

protection. The SmartControl delivers fast fills without spills. The easy-push and controllable flow makes filling everything from lawn mowers to recreational vehicles a cleaner, safer, better experience.

#FSCG571 (SCFSCG571) 2.6 lbs.

5-Gallon **Poly Diesel Fuel Can** · Self-venting spout

#FSCD571 (SCFSCD571) 3 lbs.

Blitz Fuel Can Replacement Parts Nozzle Kit #05459 (SC05459) 0.2 lb. 9.99

Shaker Siphon

· Works with most liquids

Anti-static

(WMW54154) .5 lbs.



Fluid Transfer **Hand Pump**

· For all types of petroleum products



#FR152 (FR152)

FASTENERS & NAILS

Pricing Notice

Full line of nails and staples available in 1lbs, 5lbs and larger bulk boxes

Please call an expert to find the correct fastener for the application.

EXECUTE: DeckForce® Exterior Wood Screws

- Weather Resistance Coating
- T-17 Autopilot Tip
- · Wedge Lock Head



			1 lb.		5 lb.
#8	1-1/4"	#GRDF114STGD1	10.49	#GRDF114STGD5	34.99
#8	1-5/8"	#GRDF158STGD1	10.49	#GRDF158STGD5	34.99
#9	2"	#GRDF2STGD1	10.49	#GRDF2STGD5	34.99
#10	2-1/2"	#GRDF212STGD1	10.49	#GRDF212STGD5	34.99
#10	3"	#GRDF3STGD1	10.49	#GRDF3STGD5	34.99
#10	3-1/2"	#GRDF312STGD1	10.49	#GRDF312STGD5	34.99
#10	4"	#GRDF4STGD1	10.49	#GRDF4STGD5	34.99

PrimeGuard Plus Exterior Screw

- Prime Guard Plus prevents rust and corrosion
- Type T-17 tip
- · Countersink bugle head for flush finish

			1 lb.		5 lb.
#8	1-1/4"	#GRL114STB1	9.99	#GRL114STB5	33.19
#8	1-5/8"	#GRL158STB1	9.99	#GRL158STB5	33.19
#9	2"	#GRL2STB1	9.99	#GRL2STB5	33.19
#9	2-1/2"	#GRL212STB1	9.99	#GRL212STB5	33.19
#9	3"	#GRL3STB1	9.99	#GRL3STB5	33.19
#10	3-1/2"	#GRL312STB1	9.99	#GRL312STB5	33.19
#10	4"	#GRL4STB1	9.99		

Bugle Head Drywall Screws

• Attaches drywall to 20-25 ga. steel studs fine thread.

			1 lb.		5 lb.
#6	1-1/4"	#114DWS1	7.59	#114DWS5	25.99
#6	1-5/8"	#158DWS1	7.59	#158DWS5	25.99

Black

· Attaches drywall to wood

			1 lb.		5 lb.
#6	1-1/4"	#114CDWS1	7.59	#114CDWS5	25.99
#6	1-5/8"	#158CDWS1	7.59	#158CDWS5	25.99
#6	2"	#2CDWS1	7.59	#2CDWS5	25.99
#8	2-1/2"	#212CDWS1	7.59	#212CDWS5	25.99
#8	3"	#3CDWS1	7.59	#3CDWS5	25.99

Bulk Tubs

#6	1-1/4"	#114CDWS8M	28.7 lbs.	76.99
#6	1-5/8"	#158CDWS5M	23.1 lbs.	64.49

Grip Rite

Explore industry-leading products meticulously designed for an unrivaled grip that stands tall against time and challenges. Elevate your work to masterpiece status with Grip-Rite® – the ultimate companion in building excellence.

All Purpose Construction Grade Screws

• YELLOW ZINC AP STAR SCREWS

		1 lb.		5 lb.
1-1/4"	#GR114GCS1	\$10.49	#GR114GCS5	\$31.69
1-5/8"	#GR158GCS1	\$10.49	#GR158GCS5	\$31.69
2"	#GR2GCS1	\$10.49	#GR2GCS5	\$31.69
2-1/2"	#GR212GCS1	\$10.49	#GR212GCS5	\$31.69
3"	#GR3GCS1	\$10.49	#GR3GCS5	\$31.69
3-1/2"	#GR312GCS1	\$10.49	#GR312GCS5	\$31.69
4"	#GR4GCS1	\$10.49	#GR4GCS5	\$31.69

III Hand Drive Nails

		1 lb.		5 lb.
2-3/8 8D VC Sinker Nails	#8CTDSKR1	5.79	#8CTDSKR5	\$21.99
3-1/4"16D CTD Sinker Nails	#16CTDSKR1	5.79	#16CTDSKR5	\$21.99
6D HDG Box Nails	#6HGBX1	7.39	#6HGBX5	\$24.19
8D HDG Box Nails	#8HGBX1	7.39	#8HGBX5	\$23.99
3" 10D HDG Box Nails	#10HGBX1	7.39	#10HGBX5	\$24.19
16D HDG Box Nails	#GR16HGBX1	7.39	#16HGBX5	\$24.19
1-1/2"9ga Galv Joist Nails	#GR112HGJST1	4.99	#GR112HGJST5	\$21.99

TIMBER LOK

8" Timberlok Screws 12pc		
FMTLOK08-12	1 lbs	26.09
6" Timberlok HD Wood Screw 50c	t	
FMTLOK06-50	2.9lbs	52.49
10" Timberlok Wood Screw 50ct		
FMTLOK10-50A	4.65 lbs	77.99
10" Timberlok Screw 12/pk		
FMTLOK10-12	1.5lbs	28.29

OlyLog

14" Olylog screw 250ct		
OS14250	28.5lbs	329.99

FASTENERS & NAILS

Collated Nails

15 Gauge Galvanized Finish Nails

- For trim and fine finishing work
- 1M per case

2"	#GRDA21GLM	2.4 lbs.	26.99
2-1/2"	#GRDA25GLM	11.4 lbs.	30.79

16 Gauge Straight Galvanized Finish Nail

- For casing, finish, trim, moulding, base and cabinet work
- 1M per case

1-1/4"	#GRF16114M	1 lbs.	9.79
1-1/2"	#GRF16112M	1.4 lbs.	10.99
1-3/4"	#GRF16134M	1.4 lbs.	11.39
2"	#GRF162M	1.6 lbs.	13.19
2-1/2"	#GRF16212M	2.4 lbs.	14.89

18 Gauge Galvanized Brad Nail

- For casing, finish, trim, moulding, base and cabinet work
- 1M per case

1"	#GRF181M	.7 lbs.	10.49
1-1/4"	#GRF18114M	.8 lbs.	11.49
1-1/2"	#GRF18112M	1 lbs.	12.69
1-3/4"	#GRF18134M	1.4 lbs.	13.29
2"	#GRF182M	1.2 lbs.	14.69

Pasiode TrimMaster 16 Gauge Finish Nails

- For use with Paslode® TrimMaster Nailers
- 2M per case

1-1/2"	#650231	(PAS650231)	2.6 lbs.	44.99
1"	#650047	(PAS650047)	3.6 lbs.	45.99
2-1/2"	#650232	(PAS650232)	4.4 lbs.	49.99

16 Gauge Straight Finish Nails

- For use with Paslode® cordless nailers & fasteners
- 2M per case
- 20° angled

_09.00	-		4440	
1-1/2"	#650283	(PAS650283)	2.9 lbs.	29.99
2"	#650285	(PAS650285)	3.5 lbs.	29.99
2-1/2"	#650287	(PAS650287)	4.9 lbs.	37.99

Staples

• For use with Paslode® fasteners

1-1/2" Galv.	10.5M	#T2695	(PAST2695)	5 lbs.	109.99
1-3/4" Galv.	9M	#T2250	(PAST2250)	5 lbs.	109.99

		•	•	٠	. 5	_	•••			
_	_				_	_	_	_	-	

21° Stick Framing Nails

- · For framing, sheathing, subfloors & roof decking
- Plastic collated

.113 Diameter

2"	Galv Ring	5M	#GR04HG	31 lbs. 138.99
2-3/8"	Smooth	5M	#GR09HG	38 lbs. 136.99
2-3/8"	Galv Ring	5M	#GR08RHG	38 lbs. 155.99
2-3/8"	Brt Ring	5M	#GR08R	38 lbs. 118.99
.131 D	iameter			
2-1/2"	Smooth	5M	#GR212131HG	51 lbs. 157.99
3"	Smooth	4M	#GR014	48 lbs. 93.49
3-1/4"	Smooth	4M	#GR024	52.5 lbs. 143.99
3-1/4"	Galv.	4M	#GR034HG	52.5 lbs. 187.99
.148 D	iameter			
2-3/8"	Smooth	4M	#GR8D148	49 lbs. 99.49
3"	Smooth	4M	#GR3148	61.16 lbs. 155.99

Coil Roofing Nails

- For roofing shingles or vinyl siding
- 15° wire weld coil, galvanized
- 120 Diameter 7.2M per case

1-1/4"	Smooth	#GRCR3DHDG	34 lbs. 106.99
1-1/2"	Smooth	#GRCR4DHDG	41 lbs. 106.99
1-3/4"	Smooth	#GRCR5DHDG	46 lbs. 135.99

16 Gauge Medium Crown Staples

- For sheathing, fencing, doors, cabinet backs
- Galvanized wire

3-1/2"X .131

7/16" Crown • 10M per case

1-1/2"	Galv.	#GRN17 27	lbs. 82.49
1-3/4"	Galv.	#GRN19 31	lbs. 90.99
2"	Galv.	#GRN21 34	lbs. 99.99

Paske Round Drive Nails

Ring Shank

2-3/8"	5M	#650238	(PAS650238)	34 lbs.	119.99
Fullhead					
2-1/2" x .131	3M	#405253	(405253)	27 lbs.	97.99
3" x .131	2.5M	#650830	(PAS650830)	28 lbs.	99.99
3-1/4" x .131	2.5M	#650839	(PAS650839)	31 lbs.	99.99
Fullhead Galvan	ized				
2 3/8"X .113	2M	#650382	(PAS650382)	14lbs	72.99
3" x .131	2M	#650386	(PAS650386)	18 lbs.	119.99

#650476 (PAS650476)

22lbs 149.99

FASTENERS & NAILS

Pricing Notice



R	ETRO-FIT I	POST BAS	E	
tro-fit Post Base	#RPBZ	(RPBZ)	1.75 lbs.	9.59
-60	D.	B	EP EN	3
1562	1	100		100

ANCHORS						
Z-Max Framing	2-1/2"	#A34Z	(A34Z)	0.9 lb.	1.09	
Z-Max Framing	4-5/8" x 1-7/16"	#A35Z	(A35Z)	0.13 lb.	1.49	

	JOIST	SUPPORT		
2" x 4"	#LUS24Z	(LUS24Z)	0.18 lb.	1.29
2" x 6-8"	#LUS26Z	(LUS26Z)	0.26 lb.	2.09
2" x 8-12"	#LUS28Z	(LUS28Z)	0.35 lb.	2.49
2" x 10-14"	#LUS210Z	(LUS210Z)	0.39 lb.	2.79



Z-Max	4" x 4"	#AC4Z	(AC4Z)	0.49 lb.	9.49
Z-Max	6" x 6"	#AC6Z	(AC6Z)	0.65 lb.	13.49
		0.62 64 0/04			

POST CAP/BASE					
Z-Max	4" x 4"	#BC4Z	(BC4Z)	0.63 lb.	12.99
Z-Max	6" x 6"	#BC6Z	(BC6Z)	1 lb.	38.19

• Nail on plates are flanged for added support

• 20 gauge, galvanized

	TIE PLATES	;	但作以	
3" x 5"	#TP35	(TP35)	0.17 lb.	1.09
3" x 7"	#TP37	(TP37)	0.23 lb.	2.59
5" x 7"	#TP57	(TP57)	0.40 lb.	4.29



W		POST BAS	SE 🔧	0
Elev. Hot Dip Gal.	4" x 4"	#EPB44HDG	(EPB44HDG)	1.7 lbs. 34.79
Elev. Hot Dip Gal.	4" x 6"	#EPB46HDG	(EPB46HDG)	1.87 lbs. 39.29
Adjustable Z-Max	4" x 4"	#ABW44Z	(ABW44Z)	1.2 lbs. 19.19



	A	NAIL PLA	TES		
3"	450	#NS-1	(NS1)	.07 lb.	99¢
6"		#NS-2	(NS2)	.15 lb.	1.09

	PLYWOO!	D CLIPS		
7/16"	#PSC716	(PSCL7/16EA)	.04 lb.	19¢
1/2"	#PSC12	(PSCL1/2EA)	.04 lb.	19¢
5/8"	#PSC58	(PSCL5/8EA)	.04 lb.	19¢

STAIRCASE ANGLES				
1-1/2" X 10-1/4" X 1-1/2"	#TA10ZR	(TA10Z-R)	.74 lb.	9.39
1-1/2" X 8-1/2" X 1-1/2"	#TA9ZR	(TA9Z-R)	.39 lb.	9.09

JOIST HANGER NAIL					
(GR112HGJST1)	1.0 lb.	4.99			
(GR112HGJST1)	1.0 lb.	4.99			
(GR112HGJST5)	5.0 lb.	21.99			
	(GR112HGJST1) (GR112HGJST1)	(GR112HGJST1) 1.0 lb. (GR112HGJST1) 1.0 lb.			

6" Truss Screws						
50 PC.	#SDWC	(SDWC15600KT50)	2.1 lb.	61.99		

BUILDING PRODUCTS

Nominal Dimension or Call Sizes used. See page 1 for Actual Board Dimensions.

Lumber Notice to Customers

Boards, Lumber, Timbers, Wood Structural Panels and other building materials are commonly referenced using a nominal description that differs from the actual dimensions of the product. The actual dimensions of Boards, Lumber and Timbers are always less than the associated nominal dimensions or call sizes. **See tables below** for examples of common Boards, Lumber and Timbers.

Nominal Dimension or Call Size				Actual Timber Dimension				
1 in	Χ	2 in	=	3/4 in	Х	1-1/2 in		
1 in	Χ	3 in	=	3/4 in	Х	2-1/2 in		
1 in	Χ	4 in	=	3/4 in	Χ	3-1/2 in		
1 in	Χ	6 in	=	3/4 in	Χ	5-1/2 in		
1 in	Χ	8 in	=	3/4 in	Χ	7-1/4 in		
1 in	Χ	10 in	=	3/4 in	Χ	9-1/4 in		
1 in	Х	12 in	=	3/4 in	Х	11-1/4 in		

	al Dir Call S	nension Size	Actual Timber Dimension			
2 in	Χ	2 in	=	1-1/2 in	Χ	1-1/2 in
2 in	Χ	3 in	=	1-1/2 in	Χ	2-1/2 in
2 in	Χ	4 in	=	1-1/2 in	Χ	3-1/2 in
2 in	Х	6 in	=	1-1/2 in	Χ	5-1/2 in
2 in	Х	8 in	=	1-1/2 in	Χ	7-1/4 in
2 in	Χ	10 in	=	1-1/2 in	Χ	9-1/4 in
2 in	Х	12 in	=	1-1/2 in	Χ	11-1/4 in
4 in	Χ	6 in	=	3-1/2 in	Χ	5-1/2 in
4 in	Х	8 in	=	3-1/2 in	Χ	7-1/4 in
4 in	Χ	10 in	=	3-1/2 in	Χ	9-1/4 in
4 in	Χ	12 in	=	3-1/2 in	Χ	11-1/4 in

Nominal Dimension				Actual Timber			
or	Call S	ize		Dir	nens	ion	
6 in	Χ	6 in	=	5-1/2 in	Χ	5-1/2 in	
6 in	Χ	8 in	=	5-1/2 in	Χ	7-1/4 in	
6 in	Χ	10 in	=	5-1/2 in	Χ	9-1/4 in	
6 in	Χ	12 in	=	5-1/2 in	Χ	11-1/4 in	
8 in	Χ	8 in	=	7-1/4 in	Χ	7-1/4 in	
8 in	Χ	10 in	=	7-1/4 in	Χ	9-1/4 in	
8 in	Х	12 in	=	7-1/4 in	Χ	11-1/4 in	

Actual Average Wood Structural

Wood Structural Panels (Plywood and OSB)

The actual dimensions of Wood Structural Panels are commonly less than the nominal dimension or call sizes. The associated thickness identified on each panel's grade stamp may also be different than the actual thickness. For example, 15/32in, 19/32in and 23/32in Wood Structural Panels may be commonly referred to as 1/2in, 5/8in and 3/4in, respectively. See table below for examples of common Wood Structural Panels:

Grade Stamp Nominal Dimension							Par	nel Dimens	ion	
3/8 in	Χ	4 ft	Χ	8 ft	=	11/32 in	Χ	3.98 ft	Χ	7.98 ft
7/16 in	Χ	4 ft	Χ	8 ft	=	13/32 in	Χ	3.98 ft	Χ	7.98 ft
15/32 in	Χ	4 ft	Χ	8 ft	=	7/16 in	Χ	3.98 ft	Χ	7.98 ft
1/2 in	Χ	4 ft	Χ	8 ft	=	15/32 in	Χ	3.98 ft	Χ	7.98 ft
19/32 in	Χ	4 ft	Χ	8 ft	=	9/16 in	Χ	3.98 ft	Χ	7.98 ft
5/8 in	Χ	4 ft	Χ	8 ft	=	19/32 in	Χ	3.98 ft	Χ	7.98 ft
23/32 in	Χ	4 ft	Χ	8 ft	=	11/16 in	Χ	3.98 ft	Χ	7.98 ft
3/4 in	Χ	4 ft	Х	8 ft	=	23/32 in	Χ	3.98 ft	Χ	7.98 ft

Other Building Materials

Manufactured building products also commonly use nominal dimensions, call sizes, weights or other identifiers that differ from their actual dimensions. In many instances the actual dimensions of manufactured building products are less than the nominal dimensions, call sizes, weights or other identifiers used to describe them.

The actual dimensions and other characteristics of manufactured building products may be found in manufacturers' literature, catalogs and/or installation instructions, as applicable. Literature

identifying the actual dimensions and other characteristics of manufactured building products may be requested from the manufacturer.

For additional information related to construction material dimensions and other characteristics we encourage you to review the following documents and publications:

- United States Department of Commerce Voluntary Product Standards PS 1, PS 2 and PS 20
- American Wood Council's National Design Specifications for Wood Construction Supplement

- $-\,Design\,Values\,for\,WoodConstruction$
- APA The Engineered Wood Association PRP-108 Performance Standards and Qualification Policy for Structural-UsePanels

Additionally, we encourage you to consult with an appropriately licensed Design Professional (Registered Architect or Professional Engineer) and Licensed General Contractor familiar with applicable Codes, standards and wood construction design for further advice and direction on selecting materials best suited for your project.

Decking



Transcend Decking

- Designed in multiple, rich, lasting colors and a natural-looking wood grain
- Resists stains and mold better than traditional composites
- Colors: Islan Mist, Tiki Torch, Havana Gold, Spiced Rum, Lava Rock
- Backed by limited warranties against material defects and against fade & stain

1" x 5 1/2" x 16'	(54616TTFPXX)	41.9 lbs.
1" x 5 1/2" x 20'	(54620TTFPXX)	51.8 lbs.
.56" x 7 1/4" x 12'	(58812TTFXX)	42 lbs.
.56" x 11 1/4" x 12'	(581212TTFPF)	49 lbs.



Composite Decking

Available in: Espresso, Early Gray, Cabin, Beach House, Bungalow, Tuscan Villa and Cabana.

 Savara Edga

	Square Euge	
5/4" x 6" x 16'	(FGL54616SXXX)	35 lbs.
5/4" x 6" x 20'	(FGL54620SXXX)	43 lbs.
	Grooved Edge	
5/4" x 6" x 12'	(FGL54612GXXX)	26 lbs.
5/4" x 6" x 16'	(FGL54616GXXX)	35 lbs.
5/4" x 6" x 20'	(FGL54620GXXX)	43 lbs.

BUILDING PRODUCTS

Nominal Dimension or Call Sizes used. See page 23 for Actual Board Dimensions.

Pricing Notice

8/4 Bending Hickory

- Kiln dried
- Sold by the board foot
- $\bullet \ \mathsf{Sold} \ \mathsf{random} \ \mathsf{length}, \mathsf{random} \ \mathsf{width}$

(84BHICKORY)

GREAT FOR DOG SLEDS!

4.75 lbs.



Cedar Fencing

• Protect your family and pets while adding value to your home

1 x 6 x 5' Flattop	(165FBC)
1 x 6 x 6' Flattop	(15561CF)
1 x 6 x 6' Dog-Eared	(1556DE1CF /1556DE2CF)
2 x 4 x 8' Rail	(248SGC)
4 x 4 x 8' Treated Post	(448HF2TICGC)

Above Ground and Ground Contact Treated Lumber

Select structural grade
 ACQ rated fasteners required
 Lifetime guarantee

2 x 4	8', 10', 12', 14', 16', 18', 20'
2 x 6	8', 10', 12', 14', 16', 18', 20'
2 x 8	8', 10', 12', 14', 16', 18', 20'
4 x 4	8', 10', 12', 14', 16', 18', 20'
4 x 6	8', 10', 12', 14', 16', 18', 20'



All Purpose Common Cedar

- All purpose grade stamped construction lumber
- Agency certified for many uses
- Surfaced 1 side, 2 edges

1 x 3	8', 12', 16', 20	
1 x 4	8', 10', 12', 16', 20'	
1 x 6	8', 10', 12', 16', 20'	
1 x 8	8', 12', 16', 20'	
1 x 10	12', 16', 20'	
1 x 12	12', 16', 20'	
5/4 x 8 STK	8', 10', 12', 16', 20'	
5/4 x 10 STK	8', 10', 12', 16'	
5/4 x 12 STK	8', 10', 12', 16', 20'	

Common Cedar

Green

2 x 4	
2 x 6	
2 x 8	

4' x 8' OSB Sheathing

Available in 7/16", 1/2", 5/8", and 3/4" T&G



Fir Timbers

• Standard and better, surfaced four sides, 8' to 20' lengths in 2' multiples

4 x 4	(44XXGDF2)	
4 x 6	(46XXGDF2)	
4 x 8	(48XXGDF2)	
4 x 10	(410XXGDF2)	
4 x 12	(412XXGDF2)	
6 x 6	(66XXGDF2)	
6 x 8	(68XXGDF2)	
6 x 12	(612XXGDF2)	

4' x 8' Plywoods

Construction Grade

- CDX grade, agency certified
- For use in general building
- Rough both sides
- Available in 3/8", 1/2", 5/8", or 3/4"

Marine

- Both sides sanded AB grade
- Available in 1/4", 3/8", 1/2", or 3/4" other sizes available by special order

AC Sanded

- AC grade for interior or exterior building projects where appearance is important on one side only
- Fully sanded, 1-side
- Available in 1/4", 3/8", 1/2", 5/8" or 3/4"



BCI Versa Studs

5-1/2X18' Versa Stud	(2618LVLS1.70E)	37.8 lbs.
5-1/2X24' Versa Stud	(2624LVLS1.70E)	50.4 lbs.
7-1/4X18' Versa Stud	(2818LVLS1.70E)	50.4 lbs.
7-1/4X24' Versa Stud	(2824LVLS1.70E)	72.4 lbs.

BUILDING PRODU

Nominal Dimension or Call Sizes used. See page 1 for Actual Board Dimensions.

Joists and Beams

9-1/2" (BC60001024) 53 lbs.

11-7/8" (BC60001224) 59 lbs.



BCI 6000

- Makes residential framing cost-effective and fast
- · Precision engineering ensures stiffer and quieter support

24'



26

(BC60001026) 57 lbs.

(BC60001226) 64 lbs.

1-3/4"	Versa-Lam
Beam	

- Laminated veneer floor beams and headers
- · Sold in full lengths

9-1/2"	4.3 lbs. per l.f.	
11-7/8"	5.3 lbs. per l.f.	
16"	7.4 lbs. per l.f.	



Permanent Wood Foundation (PWF) System is a treated plywood and lumber foundation that installs in any weather. Builders have discovered advantages to include: savings in scheduling; installation by carpentry crews; reduction in material costs, especially where concrete is at a premium, and easy to insulate and finish as a conventional frame wall. The PWF system is all about quality, strength, ease of installation and comfort.

Permanent Wood Foundation Products

28'


(BC60001028) 61 lbs.

(BC60001228) 69 lbs.

2 x 4	8', 10', 12', 16', 20'
2 x 6	8', 10', 12', 16', 20'
2 x 8	8', 10', 12', 16', 20'
4 x 4	8', 10', 12', 16', 20'
4 x 6	8', 10', 12', 16', 20'

Pre-Cut Surface Dried Hem-Fir Studs

· Standard and better, surfaced four sides





Kiln-Dried **Pine Boards**

- Kiln-dried No. 3 pine, surfaced four sides
- 8' to 16' lengths in 2' multiples
- Prices per linear foot

1 x 3	(13XXCOMP)	5 lbs.	
1 x 4	(14XXCOMP)	5 lbs.	
1 x 6	(16XXCOMP)	1 lb.	
1 x 8	(18XXCOMP)	1.5 lbs.	
1 x 12	(112x/XXCOMP)	2 lbs.	



Clear Oak

Surfaced 4 sides

1 x 2	(12OAKC)
	, ,
1 x 3	(13OAKC)
1 x 4	(14OAKC)
1 x 6	(16OAKC)
1 x 8	(18OAKC)
1 x 10	(110OAKC)
1 x 12	(112OAKC)



T1-11 Exterior **Plywood Siding**


- Texture 1-11; 5/8" thick and 4' width, 8', 9', 10' lengths
- Durable and economical
- · Design flexibility & decorative finish
- · Vertical grooving, 4", 8", 12" on center
- · Available in 8', 9' or 10' sheets



BUILDING PRODUCTS

Nominal Dimension or Call Sizes used. See page 23 for Actual Board Dimensions.

Pricing Notice









Mono Truss or Half Truss



roof truss is the Howe Truss, which is made with a center king post, giving it superior strength and straightness in the top and bottom cords.

both products. Our most popular

SBS manufactures two types of support trusses, roof and floor. We offer professional engineering and unlimited design configurations in

Information required when ordering trusses:

- ✓ Quantity_____
- ✓ Type ______
- ✓ Pitch ______
- ✓ Span_____
- ✓ Overhang_____
- ✓ Remarks _____

Supply meet the rigid TPI quality standards. Plywood Roof Sheathing or OSB Fascia Rafters and Ceiling Joist Pre-manufactured Trusses If you have any questions, contact SBS. Partition Wall (Non-Load-Bearing) Center Bearing Wall and Outside Load Bearing Wall Lumber prices subject to market condition. Please call for current Plywood Subflooring market prices on plywood and lumber. Plywood Wall Sheathing or Siding Floor Joist Post Footing Foundation Lumber (Concrete Block shown) Footing Lumber

Dimensional Lumber

	2 x 2 (228HF/10HF)	2 x 4 (248HF2/2XXHF2)	2 x 6 (268HF2/26XXHF2)	2 x 8 (288DF2/28XXDF2)	2 x 10 (2108DF2/210XXDF2)	2 x 12 (2128DF2/212XXDF2)
8'	5 lbs.	10 lbs.	15 lbs.	19.5 lbs.	29.5 lbs.	29.5 lbs.
10'	6 lbs.	12.5 lbs.	18.5 lbs.	24.5 lbs.	31 lbs.	37 lbs.
12'		15 lbs.	22 lbs.	30 lbs.	37 lbs.	44.5 lbs.
14'		17 lbs.	26 lbs.	34.5 lbs.	43 lbs.	52 lbs.
16'		19.5 lbs.	30 lbs.	39.5 lbs.	49.5 lbs.	59 lbs.
18'		22 lbs.	33 lbs.	44.5 lbs.	55.5 lbs.	66.5 lbs.
20'		24.5 lbs.	37 lbs.	49 lbs.	62 lbs.	74 lbs.

Grades: Std. and better (2 x 4), #2/BTR (2 x 6, 8, 10, 12) Surface Dry

BUILDING PRODU

Nominal Dimension or Call Sizes used. See page 1 for Actual Board Dimensions.



Consider the many advantages a metal roof can offer your home.

- ✓ Weather Resistant
 ✓ Maintenance
- ✓ Strength
- Non-combustible ✓ Appeal
- Applications



Monogram® Vinyl Siding

Monogram™ provides the look of wood siding, but does not require the upkeep common to wood. Monogram siding is manufactured with TrueTexture™ rough cedar finish molded directly from real cedar boards. Available in a selection of profiles, Monogram offers the industry's widest selection of colors. It is appropriate for use in new construction for single family homes, multi-housing projects and light commercial developments. Monogram is also an ideal product for remodeling.

- STUDfinder™: The patented STUDfinder Installation System combines precisely engineered nail slot locations with graphics. Nail slots are positioned 16" on center to allow for alignment with studs. STUDfinder graphics centered at each slot provide a quick and easy guide to help locate studs.
- RigidForm™: Monogram RigidForm 220 technology has a stiff, double-thick .092" nail hem for a straighter-on-the-wall appearance and wind load performance.

#D4/D5 104 lbs. per carton



Metal Roofing

- 29 gauge Strata Rib or NorClad
- 36" panel coverage (width), trapezoidal rib on 9" centers
- Exposed fastened, low profile panel
- Applies over open framing or solid substrate

		Galvalume	Painted	
3 ft.	2.86 lbs.			
10'6" Ridge	9 lbs.			
10'6" Eave Trim	3 lbs.			
10'6" Gable Trim	8 lbs.			
1-1/2" Screws (100/bg)	2.7 lbs.	Call for Pricing		
10'6" C Metal	3 lbs.	Call for		
10'6" Outside Corner	7 lbs.			
10'6" Universal End	6 lbs.			
Top or Bottom Closure (4 per bag)	1 lb.			

Crating Required – Please See Order Page



ASC Logo - Klondike® Metal Siding

Klondike® metal siding is suitable for extreme climates and high wind conditions. This structural exposed fastened metal siding system is an ideal application for residential and commercial, exterior or interior siding, wainscoting, and trailer skirting projects. Klondike® metal siding offer builders flexible design options with panels that can be installed vertically or horizontally as well as provide a variety of colors to choose from. Klondike® metal siding provide a safer alternative to other traditional building materials.

Malarkey 401 Ice & Water Shield

- 200 sq. ft. coverage
- 65 mil

#401 (MRK401IW)



FLEXIBLE SEAL

- Application Range: -30F to +200F
- · A solvent based single component, primerless, paintable coating
- Used for narrow cracks, small holes, and seams on steel, glass, aluminum, concrete, wood, brick, clay and tile substrates
- Paintable after 24 hours
- Sticks to wet surfaces -
- UV Resistant mildew & fungus resistant



White	(EP00580)	10.6 oz.	10.29
Clear	(EP00560)	10.6 oz.	10.29

ILDING PRODUCTS

Nominal Dimension or Call Sizes used. See page 23 for Actual Board Dimensions.

Pricing





Silicone will withstand areas of ponding water without softening, bubbling or peeling from the substrate. Acrylic, urethane and asphalt roof coatings decompose and wear away from the stress of harsh sunlight, UV rays, and freeze-thaw cycles.

Silicone's unique chemistry creates a coating that will not degrade under ultraviolet light or from weather conditions. Silicone is an inert material, and does not decompose. As acrylic and urethane coatings age, they become dirty and stained from exposure to blowing debris, dust and dirt. The coatings require recoating to maintain a clean appearance. The smooth surface of GacoRoof silicone roof coating offers excellent resistance to mold, mildew and staining and does not require recoating. GacoRoof's reflective white surface resists ozone and UV rays.



10.1 oz. #365 (365APOC) 5.09 Gallon #365 (365APOC1) 10 lbs. 30.99

APOC Fibrex® **Cold Process Cement & Adhesive**

- Heavy Brush Grade
- Adheres Roofing Granules
- Bonds Rolled Roofing

5 Gallon #107 (107APOC5) 50 lbs. 120.99

GacoRoof Silicone Roof Coating

- 100% silicone
- Ideal for most roof surfaces
- Withstands permanent ponding water
- Can be applied between 32F and 120F
- Not mailable

Gallon White GR1628 (GACSRC1) 11.2 lbs. 104.99

5 Gal. White GR1600 (GACSRC5) 56.8 lbs. **439.99**

5 Gal. Gray GR1628 (GACSRCG5) 56.8 lbs. **445.99**


Gaco HAZARDOUS MATERIALS

Henry

Wet/Dry Roof Cement

- Stop leaks around skylights, vent pipes, chimneys, valleys and foundation joints
- Repairs cracks, seams and small holes in roofing materials up to 1/4" wide


11 oz.





100% Silicone **Roof Coating**

GacoRoof 100% Silicone Roof Coating creates a seamless membrane to seal and repair existing



(GP15002) 22 lbs. 181.99 2 Gallon

HAZARDOUS MATERIALS



GRACE Ice & Water Shield

Ice & Water Shield

- Used as an underlayment on sloped roofs to resist water penetration due to ice dam back up or wind-driven rain
- For new construction and remodeling under shingles or metal roofing
- Can be applied in temperatures down to 40° F
- 225 sq. ft. coverage

(AAIS) 70 lbs. 218.99 36" x 75' roll



Foundation & Roof Coating

- Great for use in cold process roofing
- Use with polyester or chopped glass
- Excellent base coat for reflective coatings
- Great for below-grade dampproofing

(300APOC5) 50 lbs. 73.49 5 Gallon

Epmar 00560 Clear Flexible Seal Paintable Roof Sealant

A long-lasting primerless, paintable, Lraton G Block copolymer based, elastomeric sealant. When used as directed, the material will seal joints or cracks to resist the passage of light, heat, cold, air, snow, wind, odor, dust and chemical contaminants. Material has a 30-year life expectancy. Highly recommended for commercial or residential buildings and their roofs, walls, and window openings. The product adheres to brick, glass, wood, copper, concrete, fiberglass, steel, aluminum, and most plastics, in wet or dry conditions. The elastomeric characteristic allows the sealant to expand and contract in the heat of day to the coolness of night, where temperatures may vary 70 degrees in a matter of hours.

10.29 #Epmar 00560 (EP00560) 1 lbs.



APOC Rain-Proof® Wet/Dry

Stops roof leaks

flashing, vent pipes and chimneys

#109 (109APOX1) 10 lbs. Gallon 20.59 5 Gallon #109 (109APOX5) 50 lbs. 107.99





BUILDING PROD

Nominal Dimension or Call Sizes used. See page 1 for Actual Board Dimensions.



2 Component Foam System

- LOW GWP
- Ideal for duct work & vertical applications
- Fast drying, cures in 35-45 seconds

· Fire rated



System 600 #7565062610 (DAP7565062610) 102 lbs. 849.99 System 200 #7565062620 (DAP7565062620) 39 lbs. 379.99





All-Purpose Gun Foam

- Type V Residential Fireblock
- · Seals Gaps and Stops Air Infiltration

#4006002420 (DAP7565002420) 2 lbs. 18.99





Lo-Temp Gun Foam

- Cures in temperatures as low as 20° F
- Approved Type V residential fireblock sealant

#00044 (DAP7565000044) 1.5 lbs. 17.99





Window & Door Gun Foam

- Minimal Expansion exerts no force on frames or jambs
- Outperforms Fiberglass

#4006002010 (DAP7565002010) 1.71 lbs. 18.99







Poly-Clean

· Removes wet foam from can valves, dispensing equipment, skin and clothing

(DAP075650120057)

1 lbs. 11.99





- ICC approved as a fireblockpenetration sealant
- Type V residential fireblock

#4004528712 (TSFIREBLOCKII) 1.96 lbs. 17.99





- Re-usable advanced metering system
- Includes pre-assembled hoses & both fast fan and high velocity nozzles

(DAP7565070235)

5 lbs. 29.99



100 Ft. Clear Poly



		-		A CONTRACTOR OF THE PARTY OF TH		
	4 MIL			6	MIL	
12'	(HKCF0412C)	24 lbs.	77.99	(HKCF0612C)	32 lbs.	59.99
14'				(HKCF0614C)	40 lbs.	69.99
16'	(416100C)	31 lbs.	99.99	(HKCF0616C)	48 lbs.	82.99
20'	(HKCF0420C)	40 lbs.	70.99	(HKCF0620C)	60 lbs.	115.99
24'				(HKCF0624C)	64 lbs.	135.99
32'				(HKCF0632C)	96 lbs.	199.99
40'				(HKCF0640C)	120 lbs.	249.99

20	(820100C)	70 IDS.	155.99	(HKCF10200	C) 90 I	DS. 203.99
			Reinfo	rced		
20'	(IPR6201	100DSR5C	CC)	38	lbs.	159.99
40'	(IPR640	100DSR5C	CC)	77 lk	os.	364.99



201

🎏 Foam Sealant

(0201006)

· Airtight weather-resistant bond that seals out drafts

8 MIL

- For interior and exterior use
- · Fire retardant and water resistant



Triple Expanding Foam

12 oz.	(DAP7565000043)	1 lb.	9.99
20 oz.	(DAP7565020012)	1.75 lbs.	13.99

Window and Door Foam Sealant

12 oz. (DAP7565004000) 8.69





12 oz. (DAP7565000082) 1.1 lbs. **6.79**



10 MIL

06 lbs 202 00

(HVCE1020C)



BUILDING PRODUCTS

Nominal Dimension or Call Sizes used. See page 23 for Actual Board Dimensions.

Pricing Notice

NOTE: THE GREATER THE R-VALUE THE GREATER THE INSULATION POWER.



KNAUFINSULATION its time to save energy

Fiberglass Insulation

	Kı	raft-faced H	landi- Pak	Manager	
R-13	3-1/2" x 15"	116.25 sq. ft.	(IFK1315PPK)	27.10 lbs.	118.99
R-19	5-1/2"X15" x 39.2"	48.95 sq. ft.	(IFK1915HPK)	13.2 lbs.	60.99

	Un-faced Batts (Air freight only)				
R-11	3-1/2" x 15"	157.58 sq. ft.	(IFK1115UX)	28.52 lbs.	112.99
	3-1/2" x 24"	256 sq. ft.	(IFK1124U)	46.4 lbs.	182.99
R-19	6-1/4" x 15"	99.55 sq. ft.	(IFK1915U)	24.59 lbs.	103.99
	6-1/4" x 23"	136.59 sq. ft.	(IFK1923U)	33.73 lbs	147.99
R-21	5-1/2" x 15"	67.81 sq. ft.	(IFK2115U)	29.3 lbs.	83.49
	5-1/2" x 23"	103.98 sq. ft.	(IFK2123U)	45 lbs.	128.99
R-30	10" x 16"	69.33 sq. ft.	(IFK301648U)	28.29 lbs.	118.99
	10" x 24"	88 sq. ft.	(IFK302448U)	36 lbs.	149.99
R-38	12" x 16"	58.67 sq. ft.	(IFK381648U)	27 lbs.	118.99
	12" x 24"	64 sq. ft.	(IFK382448U)	29.44 lbs.	118.99



Tyvek Housewrap Tape

9' x 150'



(9150HWSBS)



249.99

Thermasheath®-3

 Plastic thermal insulation board composed of closed cell polyisocyanurate foam bonded to reinforced aluminum foil facers on both sides



11.1 lbs.

107.58

(2RMAXTS8)

24.4 lbs.




- A valuable barrier against air leaks when used under siding
- Works below ground to conserve basement heat
- R-value 5.0 per 1" thickness
- 25PSI

1"X2'X8'	(ISD12SM)	4.1 lbs.	18.64
1-1/2" X4'X8'	(ISD1124SM)	8.2 lbs.	55.94
2" X2'X8'	(ISD22SM)	5.45 lbs.	37.24
2" X4'X8'	(ISD24SM)	10.9 lbs.	74.53





4' x 8' R-Tech Snap Rigid Insulation

 Ideal underlayment for exterior siding and below grade water proofing, quick and easy to install



R value = 4.17 per 1" thickness





R-5.9 1" x 4' x 8'

R-9.4 1-1/2" x 4' x 8' R-12.9 2" x 4' x 8'





Fanfold Protection Board

- Provides waterproofing membrane to protect foundation
- Eliminates the problem of backfill or other jobsite operations from damaging the membrane used to waterproof concrete or masonry wall foundations

3/8" x 4' x 50' (ISI38FF) 10 lbs. 106.60

BUILDING PROD

Nominal Dimension or Call Sizes used. See page 1 for Actual Board Dimensions.



• Excellent sound absorption. Use with grid system

2' x 4' Panel					
Illusions - Radar	3/4" (48 sq. ft. per carton)	#2842	(USG2842)	43 lbs.	120.99 ctn.
Fissured Firecode	5/8" (64 sq. ft. per carton)	#586	(USG586)	73 lbs.	206.46 ctn.
Radar	5/8" (64 sq. ft. per carton)	#2410	(USG2410)	46 lbs.	127.99 ctn.



Illusions-Radar

Fissured

Radar

Fissured Firecode

Custom White

Lace

Donn Fire Rated Grid System

2' Cross Tee	#DX/DXL216	(DXL216)	0.25 lb.	3.11 ea.
12' Wall Angle	#M7	(SM7)	1.45 lbs.	14.30 ea.
4' Cross Tee	#DX/DXL424	(SDXL424)	1 lb.	5.95 ea.
12' Main Runner	#DX26/DXL26	(DXL26)	3.24 lbs.	24.09 ea.





Premier Hi-Light

Storm Doors



32" screen door

- WearTuff® screen is 3x stronger and tear resistant
- Reversa Screen design allows top or bottom ventilation
- High traffic 5 hinge system provides extra durability
- FlexGuard closer protects the door when over-extended and allows door to open past 90 degrees
- Durable outside handle with keyed lock include



278.50

LARSON

Vinyl Clad Storm Door

- 1 inch thick solid core
- Maintenance-free vinyl finish provides weather resistance
- Traditional half-screen adjusts for bottom ventilation

(LSN298SS36)

• 36" X 81"



218.87



• WearTuff® screen is 3x stronger and tear resistant

36" Reversible

- · Reversa Screen design allows top or bottom ventilation
- High traffic 5 hinge system provides extra durability
- Durable outside handle with keyed lock included



#37050032 (37050032)

Self-Storing

(LS37050031)

Storm/Screen Door

- · Solid wood core with maintenance-free vinyl finish
- · Self-storing window and screen system allow for bottom ventilation
- 32" X 81"



(LSN298-SS) 65 lbs. 228.61

60 lbs.

Retractable Screen Storm/Screen Door

60 lbs.

- Magnetic weatherstrip seals like a refrigerator, keeping the weather out
- Retractable Screen Away® design offers the beauty of a clear view with the convenience of quick & easy ventilation
- 2/3 window offers increased sunlight

#830-82

• DuraTech® finish protects against age and weather





Storm/Screen Door

- Full-View Glass w/ interchangeable screen • Durable weather stripping
- · Adjustable speed closer
- Reversible hinges
- Brushed nickel finished inter/exter handle w/built-in deadbolt



329.99 #35017032 (30WCVL15SD) 65 lbs.

299.99

CRATING REQUIRED ON ALL STORM DOORS

(LSN830-82)

G PRODUCTS

Nominal Dimension or Call Sizes used. See page 23 for Actual Board Dimensions.

Pricing

3' Pre-Hung **Exterior Doors**

- 4-9/16" inswing primed jamb, aluminum sill and US3-4 brass hinges
- Composite threshold
- · Primed brick moulding
- · Locksets sold separately
- Single Bore










		TI-	IERMA TRU°
	Door Pricing Starting at:	Smooth Fiberglass	Textured Fiberglass
Flush	100 lbs. Average Wt.		
Colonial 6-Panel	100 lbs. Average Wt.		Pricing!
Colonial 1-Lite	100 lbs. Average Wt.	Call for	7110
4-Panel 2-Lite	100 lbs. Average Wt.	Cui	



Swing of Pre-hung Doors

Left-hand doors are hinged on the left side as door swings away from you. Right-hand doors are hinged on the right side as the door swings away from you.

Additional sizes and styles available.

4-Panel Sunburst



100 lbs. Average Wt.

SCHLAGE

Non-Handed Locksets

• Can be used right or left handed

Satin nickel finish



Passage	#F10NVACC619	(SACCPS15VP)	2.08 lbs.	39.99
Privacy	#F40NVACC619	(SACCPR15VP)	2.08 lbs.	45.99
Entrance	#F51NVACC619	(SF51AVACC619)	2.08 lbs.	52.99
Deadbolt	#B360NV619	(SB60NV619KA4)	2.0 lbs.	44.99

SCHLAGE

Locksets

- Fits both 2-3/8" and 2-3/4" backsets
- · Bell and Orbit design in bright brass finish
- · Georgian design in antique brass finish

Passage	Bell	(SBELLPA3)	1.2 lbs.	22.99
	Plymouth	(SF10VPLY605)	1.2 lbs.	22.99
Privacy	Bell	(SBELLPR3)	1.5 lbs.	27.99
	Plymouth	(SF40VPLY605)	1.5 lbs.	25.99
Keyed Entry	Bell	(SBELENV35)	1.6 lbs.	29.99

Keyless Locksets

- Keyless access with customizable codes
- Certified Commercial Grade 2
- · Lock and leave without a key





Keypad Deadbolt	Bright Brass	(SBE365VCAM716)	4.25 lbs.	169.99
	Satin Nickel	(SBE365VCAM619)	4.25 lbs.	169.99
Keypad	Bright Brass	(SFE595VCAMACC716)	3.25 lbs.	179.99
Lever Knob	Satin Nickel	(SFE595VCAMACC619)	3.25 lbs.	149.99
Touchless Deadbolt	Satin Nickel	(SBE365VCAM619)	3.0 lbs.	169.99

Deadbolt Lockset

- Adjustable deadbolt latch fits 2-3/8" or 2-3/4" backsets
- · Concealed anti-saw bar
- · Door frame reinforcer included

#B360NV609 **Antique Brass** (SSCDB609)



3.6 lbs.

Accent Lever Combo Lockset

- · Accent lever lock and deadbolt combo
- Satin nickel

Satin nickel

(SFB50NVACC619)





Keyed Alike Set

- · Adjustable deadbolt latch fits 2-3/8" or 2-3/4" backsets
- "Georgian" style knob





BUILDING PRODUCTS

Nominal Dimension or Call Sizes used. See page 1 for Actual Board Dimensions.

Bi-Fold Doors

- All door sets include hinges
- Includes track hardware
- Available in unfinished birch or prefinished strand oak

2'	Strand Oak	43 lbs.
2'	Unfinished Birch	32 lbs.
2'6"	Strand Oak	67 lbs.
2' 6"	Unfinished Birch	50 lbs.
3'	Strand Oak	79 lbs.
3'	Unfinished Birch	56 lbs.



lynden Deor

Molded Raised Panel Bi-Fold Doors

- · Attractive 6 and 4 panel designs
- Ready to paint
- All hardware included (jambs sold separately)

2'	45 lbs.	
3'	47 lbs.	
4'	61 lbs.	
5'	74 lbs.	
6'	88 lbs.	



Clear Finished Oak Doors

- Pre-finished
- Matching Oak jambs
- Locksets sold separately

	Bi-Fold Doors			
2'		31 lbs.		
2'6"		35 lbs.		
3'		39 lbs.		
	Pre-Hung Passage Doors			
2'	#2068	36 lbs.		

Pre-Hung Passage Doors				
2'	#2068	36 lbs.		
2'4"	#2468	38 lbs.		
2'6"	#2668	40 lbs.		
2'8"	#2868	41 lbs.		
3'	#3068	44 lbs.		






Crating Required

Ready-To-Assemble Mahogany Doors (unfinished)

- Includes door frame and pre-mounted hinges
- Detailed instructions included
- Full reversible left or right hand swing
- Pre-bored and mortised for lockset

2'	#2068	(PHL20FF)	24 lbs.	
2'6"	#2668	(PHL26FF)	26 lbs.	
2'8"	#2868	(PHL28FF)	28 lbs.	
3'	#3068	(PHL30FF)	29 lbs.	





35 lbs.

39 lbs.

40 lbs.

43 lbs.

37.5 lbs.

CAIMAN

Pre-Hung Interior Doors

• All doors are hollow core, 1-3/8" thick

• Includes 4-9/16" jambs and hinges

· Choose from Colonist 6-panel,

· Locksets sold separately

2'

2'4"

2'6"

2'8"

3'

Caiman 2-Panel and Carrara 2-Panel

#2068

#2468

#2668

#2868

#3068

 Available in Unfinished Birch with primed jambs and prefinished Strand Oak with matching jambs

and pr	and prefinished Strand Oak with matching Jambs					
2'4"	Strand Oak	38 lbs.				
2'4"	Unfinished Birch	38 lbs.				
2'6"	Strand Oak	40 lbs.				
2'6"	Unfinished Birch	40 lbs.				
2'8"	Strand Oak	41 lbs.				
2'8"	Unfinished Birch	41 lbs.				
3'	Strand Oak	43 lbs.				
3'	Unfinished Birch	43 lbs.				




COLONIST

Crating Required

Swing of Pre-hung Doors

Left-hand doors are hinged on the left side as door swings away from you.
Right-hand doors are hinged on the right side as the door swings away from you.



Helpful Hint...Add 2" to width and height for framed rough opening

PRODUCTS

Nominal Dimension or Call Sizes used. See page 23 for Actual Board Dimensions.

Pricing











Outside Corner



Moulding

- Clear natural pine, oak, hemlock, or primed Ultralite Supercoat
- · Ready to paint or stain



Oak	Hemlock
8' (MRO327408)	3/4" x 8' (MWHSM348)

	Pine	Primed Ultralite Supercoat	Oak	Hemlock
Screen Mold	3/4" x 8' (WM142S8)		3/4" x 8' (MRO327408)	3/4" x 8' (MWHSM348)
OS Corner	3/4" x 8' (WM206S8)		3/4" x 8' (WM206S8)	1-1/4"x 8' (MWHOC1148)
Cove	3/4" x 8' (WM93S8)		3/4" x 8' (WM93O8)	11/16" x 8' (MWHCOV11168)
Base	2-1/2" (WM502S)	3-1/4" x 8' (623MDF8)		2-1/4" x 8' (MWHBS2148)
Colonial Base		5-1/4" x 8' (MFP6188)	3-1/4" x 8' (WM623O8)	3-1/4" x 8' (MWHCB3148)
Colonial Casing	2-1/4" (WM356S)	2-1/4" x 7' (MFP356MDF7)	2-1/8" x 7' (WM356O7)	2-1/16" x 8' (MWHCC21168)
Bevel Casing	2-1/4" (WM324S)	2-1/4" x 7' (MFP3002MDF7)	2-1/4" x 7'(WM3002BVO7)	2-1/4" x 7' (MWHBC2147)
Crown		3-1/4" x 8' (51MDF8)		3-1/4" x 8' (MWHCR3148)

Pole Socket Set

Shelf & Rod Bracket

1-5/16" diameter pole #108 (N224-428) 1.25 lbs.

White

#MBP107 (N243-659) 0.1 lb. 2.99

· Sturdy 1 piece welded bracket for use with



7.59

Call for Pricing!

KD S4S FJ Primed Pine				
1 x 4 16'	(1416WPFJP)	7.68 lbs.		
1 x 6 16'	(1616WPFJP)	11.68 lbs.		
1 x 8 16'	(1816WPFJP)	15.36 lbs.		

Primed MDF					
1 x 2 8'	(128MDFP)	3.04 lbs.			
1 x 3 8'	(138MDFP)	5.04 lbs.			
1 x 4 8'	(148MDFP)	7.04 lbs.			
1 x 6 8'	(168MDFP)	12.0 lbs.			
1 x 8 8'	(188MDFP)	16.0 lbs.			
1 x 10 8'	(1108MDFP)	20.0 lbs.			
1 x 12 8'	(1128MDFP)	24.0 lbs.			
2-1/	4" McKinley	Oak Casing			
7'	(MKO3567)	2.0 lbs.			
14'	(MKO35614)	4.0 lbs.			
2-1/4" CHENA/STRAND Col Casing					
7'	(MWOC- S2147STR)	1.4 lbs.			

S2147STR)

(MWOC-

S21414STR)

2.8 lbs.

1-5/16" Hemlock Closet Rod

0.3 lb per l.f. (WM233SF)




(WM13S) 0.41 lb. 6.03 l.f.



Handrail Bracket

Satin Nickel	#BP059A-92	(HRB059A92)	0.13 lb.	4.19
White	#V112	(N248-351)	0.3 lb.	9.99







· Made of cellular pvc that offers unequalled combination of uniformity, durability, workability and beauty

14'

				Additional trims available		
		8'			10'	
1 x 4	#AZ10408 (14	8AFT)	6 lbs.	#AZ10410	(1410AFT)	7.52 lbs.
1 x 6	#AZ10608 (16	8AFT)	9.48 lbs.	#AZ10610	(1610AFT)	11.85 lbs.
1 x 8	#AZ10808 (18	8AFT)	12.52 lbs.	#AZ10810	(1810AFT)	15.64 lbs.
5/4 x 4 OSC				#AZM54410OSC	(AZM54410OSC)	20 lbs.

33 lbs.

21.2 lbs.

32 lbs.

51.26

74.99

77.99

Pricing and availability are subject to change due to current supply chain issues and market conditions. If a price is not listed, contact a SBS team member for current market pricing or assistance.

BUILDING PRODUCTS

1/4"

1/4"

3/8"

Rustic Cedar

· Unfinished cedar veneer

Nominal Dimension or Call Sizes used. See page 1 for Actual Board Dimensions.

Astoria Primed Beaded Panel MDF

· Nail or glue up, finish with solid color paint

(1448ASTPB)

(PSBS-1)

(3848HBP)

Honey Birch - flat (no grooves)





4' x 8' Trimac Paneling Norwegian Pine

· Light pine finish

1/8" (1848NPP) 16.5 lbs. **31.49**

Alpine Oak

• White washed finish

1/8" (1848AOP) 20.8 lbs. **29.69**

Honey Birch

· Golden birch finish

mm (3MMHBP) 12 lbs. **40.29**







Alpine Oak



Honey Birch



Astoria Primed Beaded Panel



Rustic Cedar



Natural Oak

3/8" Wall Paneling

- 4' x 8' sheet
- Natural Oak

(3848NOPP) 22.4 lbs. **119.99**



1 x 6 Tongue & Groove Reserve Pine Paneling

Available in 8', 10', 12', 16'

9.66 /ea	6.72 lb.	(168TGRPINE)
12.08/ea	6.72 lb.	(1610TGRPINE)
14.49/ea	6.72 lb.	(1612TGRPINE)
19.32/ea	6.72 lb.	(1616TGRPINE)



3/8" V-Groove Paneling

• Your choice of Honey Birch or Norwegian Pine



Honey Birch

3/8" x 4' x 8' (3848VGHBP/NPP) 32 lbs. 79.99



Construction Adhesive

 Quick-grab formula of DAP® Beats the Nail® provides a high-strength, heatand water-resistant bond to a variety of substrates. Meets ASTM Specification C 557. Interior/exterior use.

10 oz. (DAP25082) 1 lb. **4.79**





Panel Nails

 Multiple colors and sizes available.Please ask a representative for selection that best fits the purchased panel.


BUILDING PRODUCTS

Nominal Dimension or Call Sizes used. See page 23 for Actual Board Dimensions.

Pricing Notice

All-Environment Vinyl Windows

Alpine provides the ultimate in vinyl window technology. Our heavy-duty vinyl frames combined with 1" insulated, "Low-E" Glass and Argon Gas, make these windows some of the most energy efficient produced. Only Alpine can merge incredible performance, extreme efficiency and superior durability into a premiere vinyl window collection that's as strong as it is beautiful. (Shown with optional grids. Screens sold separately)





For more information on energy-efficient windows, visit the Efficient Windows Collaborative website at www.efficientwindows.org



Casement					
30" x 36"	(WINV2630CL/R)	34 lbs.			
30" x 42"	(WINV2636CL/R)	39 lbs.			
30" x 48"	(WINV2640CL/R)	44 lbs.			
30" x 60"	(WINV2650CL/R)	55 lbs.			
36" x 36"	(WINV3030CL/R)	40 lbs.			
36" x 42"	(WINV3036CL/R)	47 lbs.			
36" x 48"	(WINV3040CL/R)	53 lbs.			

		Call for	P
Horizont	al Sliders	Callina	
24" x 24"	(WINV2020XO)	20 lbs.	
36" x 24"	(WINV3020XO)	27 lbs.	
36" x 36"	(WINV3030XO)	37 lbs.	
36" x 48"	(WINV3040XO)	48 lbs.	
48" x 48"	(WINV4040XO)	59 lbs.	
60" x 42"	(WINV5036XO)	64 lbs.	
60" x 48"	(WINV5040XO)	71 lbs.	
72" x 48"	(WINV6040XO)	84 lbs.	
84" x 48"	(WINV7040XOX)	105 lbs.	
84" x 60"	(WINV7050XOX)	130 lbs.	

Single Hung					
24" x 36"	(WINV2030SH)	24 lbs.			
24" x 48"	(WINV2040SH)	32 lbs.			
24" x 60"	(WINV2050SH)	40 lbs.			
30" x 48"	(WINV2640SH)	40 lbs.			
30" x 60"	(WINV2650SH)	50 lbs.			
36" x 60"	(WINV3050SH)	60 lbs.			

Picture			
24" x 48"	(WINV2040PW)	30 lbs.	
30" x 48"	(WINV2640PW)	37 lbs.	
30" x 60"	(WINV2650PW)	47 lbs.	
36" x 36"	(WINV3030PW)	34 lbs.	
36" x 48"	(WINV3040PW)	45 lbs.	
36" x 60"	(WINV3050PW)	56 lbs.	
48" x 48"	(WINV4040PW)	60 lbs.	
48" x 60"	(WINV4050PW)	74 lbs.	
60" x 60"	(WINV5050PW)	120 lbs.	
72" x 48"	(WINV6040PW)	89 lbs.	
72" x 60"	(WINV6050PW)	147 lbs.	

Triple pane available by special order

NOTES FOR ORDERING WINDOWS:

- Do not cut opening until window arrives or rough opening is confirmed by Spenard Builders Supply
- Indicate "right" or "left" handing when ordering casements
- Sizes listed indicate rough opening size
- Pricing does not include crating and is subject to change



Nominal Dimension or Call Sizes used. See page 37 for Actual Board Dimensions.

Poly Tarps

- · Protect firewood, boats & other items from weather
- Made of heavy duty reinforced polyethylene
- Grommets for tie downs

10' x 12' #674 (TARP1012BGB) 3.5 lbs. 16' x 20' #677 (CWC070955) 8.0 lbs. 18' x 24' #681 (CWC070956) 11.2 lbs. 20' x 30' #683 (CWC070957) 14.3 lbs.	4.59	1.2 lbs.	(TARP57BGB)	#669	5' x 7'
18' x 24' #681 (CWC070956) 11.2 lbs. 20' x 30' #683 (CWC070957) 14.3 lbs.	16.99	3.5 lbs.	(TARP1012BGB)	#674	10' x 12'
20' x 30' #683 (CWC070957) 14.3 lbs.	41.19	8.0 lbs.	(CWC070955)	#677	16' x 20'
	51.49	11.2 lbs.	(CWC070956)	#681	18' x 24'
	77.49	14.3 lbs.	(CWC070957)	#683	20' x 30'
30' x 40' #685 (CWC070961) 27 lbs.	01.99	27 lbs.	(CWC070961)	#685	30' x 40'



Coveralls with Hood

MAJESTIC

- Disposable spun-bound micro-porous
- · Lightweight and breathable
- Elastic wrist and ankles

Large	(74-103LGEA) .39 lbs.		10.99
XLarge	(74-103XLGEA)	.39 lbs.	10.99
XXLarge	(74-103XXLGEA)	.39 lbs.	11.49
XXXLarge	(74-103XXXLGEA)	.39 lbs.	11.99

Mutual Industries 48" x 100' Safety Fencing

• For use around construction sites or wherever a visible barrier is needed

· Fluorescent orange

(MLSF1499348) 9 lbs.

Venom Steel Disposable Nitrile **Black Gloves**

- Disposable Gloves
- 2XL
- Nitrile
- Powder-Free
- 9-1/2 in L

(VEN6146N) 1.75 lb.

ess Insulated Work Gloves

- Synthetic leather palm
- 3M Thinsulate™ Insulation M, L
- · Stretch spandex back

(5207M/L/XL) 0.32 lb.





31.99

KINCOPRO™ **Brown Synthetic Heat Keep Glove**

- · Form-fitting, stretchable brown polyester-spandex fabric back provides a snug
- High-performance signature Heatkeep® thermal insulation

(KC2014HKM/L/XL) 21.49



- Medium weight chore glove
- · Cotton/polyester blend
- Knit overlock wrist





Latex Lined **Grip Gloves**

- Latex palm and fingertips
- Lined



KINCO HYDROFLECTOR™ **Lined Hi-Vis Glove**

- High-visibility orange nylon fabric back
- 3M™ Scotchlite™ reflective knuckle strap
- High-performance signature Heatkeep® thermal insulation
- Available L or XL

(1938-M/L/XL)

Therma-fit **Gripper Gloves**

- Latex palm and fingers
- Durable cotton/polyester shell
- Available in S-XL

(451S-07RT/C451M/LG/XL) 0.2 lb. 5.99



KINCO™ Micro-Foam

Nitrile Palm Gloves • Gray lightweight 15-gauge

- nylon knit shell · Seamless design for
- dexterity & comfort
- M, L or XL

(KC1888-M/L/-XL)

Size Large **Work Gloves**

- B71162-L Gloves
- L, 8 to 8-3/8 in L
- Wing Thumb

(BOSSB71162-L)



0.12 lb.

5.09

FlexGrip Workright Winter Gloves

- Cold weather insulated
- Padded synthetic palm material
- Stretch spandex back
- Large

(8439S/M/L/BOSS8439XL)





- Knit "Gripper" glove
- Polyester/acrylic shell
- · Textured, latex dipped palm
- Elasticized knit wrist
- Available in M-XL

(BOSS8435M/8435L/8435X)





HARDWARE

Pricing

T-Hinges

Zinc finish



4"	#V284	(N128-587)	0.34 lb.	5.96
5"	#V284	(N128-652)	0.48 lb.	6.99

Heavy Duty T-Hinges

Zinc finish



4"	#286	(N129-023)	.33 lb.	4.99
5"	#286	(N129-072)	.42 lb.	6.99
6"	#286	(N129-171)	.63 lb.	7.99
8"	#286	(N129-221)	1.24 lb.	10.99

Standard Hinges

• Brass finish Round corner #512RC



Strap-Hinges

Zinc finish



4"	#V280	(N127-514)	0.3 lb.	5.99
5"	#V280	(N127-605)	0.5 lb.	7.99
10"		(N127-878)	1.9 lb.	16.99
12"		(N127-910)	3.25 lb.	29.99

Swivel Hasp

Zinc finish padlock latch




4-1/2"	#V32	(N102-921)	0.4 lb.	8.69
6"	#V32	(N102-962)	0.57 lb.	10.99

Chrome Floor Mount Door Stop

• Rubber bumper

Chrome

• Protective clear lacquer coating



Satin Nickel Wall Mount Door Stop


• Large base door stop offers easy, one-screw installation

• Solid brass ring, rubber bumper and plastic wall anchor #V1935 (N326-983) 0.40 lb.



Kickdown Door Stop

• 4" size



Door Pull

#V238

• Heavy duty • 6-3/4", zinc finish #V6 (N100-313)



KV.

Barrel Bolts




4" Brass	#V834	(N151-688)	0.25 lb.	6.99
4" Zinc	#V831	(N162-370)	0.44 lb.	10.99
8" Zinc	#V832	(N151-167)	1.5 lb.	14.99

Chain and Bolt Hardware

#3 Bronze Swivel Boat Snap	#3191BC	(N223-305)	.32 lbs	13.99
3/8" Blue Clevis Slip Hook	#3242	(N177-279)	1.41 lbs	12.99
3/8" Blue Clevis Grab Hook	#3240	(N177-238)	1.1 lbs	12.99
1/4" Screw Pin Shackle	#3250BC	(N223-669)	13 lbs	4.79
5/16" Screw Pin Shackle	#3250BC	(N223-677)	.20 lbs	5.39
1/2" Screw Pin Shackle	#3250BC	(N223-685)	.70 lbs.	6.99

Master Keyed Padlocks

Laminated steel body



Master Combination Padlock

• Double armored stainless steel

3-digit combination

#1500D (1500D)



Master **Long Shackle Steel body Padlock**

#930DLHPF 1.64 lb. 34.99



Master **Numbered Combo Padlock**

#175DMP .58 lb. 18.99



Master Number combo lock long shackle

#175DLH .66 lb. 19.99





4 Pack - 1"X10' Camo Tie Down

#MCFH64052 3.69 lb. 21.99



Ratchet Strap

#RT05506 4.57 lb. 29.99



#KE02815 2.15 lb. 25.99

HARDWARE



8 Ft. Laminate Shelving


- Easy to clean melamine finish
- White

12" x 8' Melamine Shelf	(FMS128)	24 lbs.
16" x 8' Melamine Shelf	(168WOMELSHELF)	35 lbs.

Particle Board Shelving

- Rough Particle Board

16" x 12'



(11612PB)

Richelieu Transitional Hook Rac

- Black and Brushed Nickel
- 22 Lb. Load Capacity

#NH040214195 (NH040214195)

4.85 lb.

37.99

39.99

• 15-5/8" X 2-25/32

46 lbs.



Shelf Standards

- · Permanent baked-on finishes in designer colors
- #80-80A

Whit	e Finish / Chrome		
24"	(KV80WH24/KV80ANO24)	0.53 lb.	5.99
36"	(KV80WH36)	0.77 lb.	6.99
48"	(KVPK80WH48/KV80ANO48)	1.03 lb.	8.99
72"	(KV80WH72/KV80ANO72)	1.54 lb.	11.99
72"	(KV80WH72/KV80ANO72)	1.54 lb.	11.9

Shelf Brackets

- Baked-on finishes
- White or chrome finish

White	Finish / G	Chrome	
10"	0.25 lb.	(KV180WH10/KV180ANO10)	5.39
12"	0.29 lb.	(KV180WH12/KV180ANO12)	5.99
16"	0.44 lb.	(KV180ANO16)	6.49

12" x 48" **White Finished Shelf**

#KV1980WH12X48 11.2 lb.



- #211

5" x 6"	(N171-060)	0.09 lb.	2.39
6" x 8"	(N171-066)	0.25 lb.	2.59
8" x 10"	(N171-074)	0.25 lb.	2.99
10" x 12"	(N172-619)	0.25 lb.	4.59

Closet Maid

164 C.MAID 12" SUPPORT BRACKET	CM164	0.26	\$3.99
CM 12"X6' WARDROBE SHELF	CM1361	9.00	\$24.99
16X6' STEEL WHT WARDROBE SHELF	CM1363	9.00	\$25.99
12"X2"X2" SUPPORT BRCKET WH 2P	CM6606	0.75	\$10.99
WHT WALL BRACKETS	CM6620	0.25	\$6.99
PLASTIC SHELVING WALL CLIP	CM7546	0.20	12.99

U SHAPED SHELF CLIPS WHT 12CT	CM756100	0.30	\$16.99
SHELF&ROD WIRE 96"W X 12"D WHT	CM107800	9.33	\$22.99
6'X12" SUPERSLIDE SHELF WHITE	CM471700	6.00	\$15.63
12" SHELF & ROD CORNER KIT WHT	CM2106600	3.00	\$34.99
12"SUPPORT BRCKTS W/ANCHRS WHT	CM2177500	3.55	\$37.99

PAINT & STAIN

Pricing Notice



valspar

valspar

Gallon

Latex Paint

Exterior Paint Primer

- All season beauty & protection
- · Rain ready—Dries in 2 hours

Interior/Exterior Porch, Floor & Patio

Interior/Exterior Porch, Floor & Patio Latex Paint is an

#1533G

acrylic coating available in satin or gloss sheens, which gives floors tough, long-lasting protection. The latex formula is ideal for indoor applications where fast dry is important. Durable and weather-resistant, this enamel lasts for years in exterior applications. Easy water cleanup.



Gallon		5 Gallon	
(VAL25XXX/VAL26XXX/ VAL27XXX)	11 lbs. 57.99	(VAL25XXX/ VAL26XXX/VAL27XXX) 60 lbs.	269.99

ProLuxe Cetol® SRD

- · One-coat application
- Excellent UV protection and wood clarity
- Translucent
- · Cedar, Natural or Redwood



1 Gallon

(PPGSIK240-078G)

94.99


MINWAX **Fast Drying**





- · Ideal for furniture, cabinets, doors & moulding
- · Semi-gloss or gloss sheens

Quart #6300X (MW63005/MNW63000) 2 lbs. 22.79



• Flood finishes provide the ultimate in both beauty and durability

Gallon SWF-Solid #FLD82X-01/05 (FLD820-01/FLD820-05) 10 lbs. 47.99 50 lbs. 219.99

(VAL1533G)






Available in Clear, Chestnut, Redwood, Western Red Cedar, Transparent Redwood, Sable and Sierra


1 Gallon	(F5EXXXX)	9 lbs.	55.49
5 Gal Bucket	(F5EXXXX)	48 lbs.	253.99



Pro-Tech Wood Cleaner, Stripper & Brightener







Splatter-resistant application

Gallon #15028 (VAL15028G) 13 lbs. 52.99




8 lbs.

41.99

Flood

5 Gallon


🕮 Primer Sealer



Soap & water clean-up

Gallon	(KILZ20941)	11.64 lbs.	25.99
5 Gallon	(KILZ20000)	57.5 lbs.	124.99





· High hiding formula

· Flexible finish resists cracking & peeling



PAINT & STAIN

KELLY-MOORE Premium Professional Interior Paints

Premium Professional is a line of high quality interior latex paints and enamels designed to provide premium performance, excellent coverage, and easy application in a very low VOC formula.

Excellent for use on walls, trim, and ceiling surfaces in residential, commercial, and maintenance applications. Premium Professional Interior can be used on drywall, plaster, masonry, metal, wood, and hardboard. A great choice for living rooms, bedrooms, offices, classrooms, retail spaces, and much more.

	Gallon			5 Ga	allon
Eggshell	#KM1010XX	11 lbs.	50.99	#KM1010XX	55 lbs. 249.99
Low Sheen	#KM1007XX	11 lbs.	50.99	#KM1007XX	55 lbs. 249.99



AcryPlex is a family of premium quality interior paints, enamels and primers designed to provide a luxurious, self-priming finish in a durable 100% acrylic, low VOC formulation.

Excellent for use on a walls, trim and ceiling surfaces in residential and commercial applications. AcryPlex can be used on drywall, plaster, masonry, metal, wood and hardboard. Ideal for living rooms, bedrooms, offices, classrooms, standard doors/trim and much more.

Gallon				5 G	allon	
Flat	#KM1602XX	11 lbs.	64.99	#KM1602XX	55 lbs.	319.99
Eggshell	#KM1610XX	11 lbs.	65.99	#KM1610XX	55 lbs.	324.99
Satin	#KM1640XX	11 lbs.	66.99	#KM1640XX	55 lbs.	329.99
Semi-Glos	s #KM1650XX	11 lbs.	67.99	#KM1650XX	55 lbs.	334.99



PROFESSIONAL



AP-25 Aluminum Work Platform

- Non-marring feet
- · Lightweight, easy to carry

(WLAP-25)	14 lbs.	109.99

valspar

Medallion Plus Interior Paint and Primer

This durable wall enamel protects with a 100% acrylic coating for long lasting interior beauty. Dries quickly and cleans up easily with soap and water.



	Gallo	n	5 Gal	lon
Int Flat	(VAL2100XG)	11 lbs. 51.99	(VAL2100X5G)	55 lbs. 229.99
Eggshell	(VAL2100XG)	11 lbs. 54.99	(VAL2200X5G)	55 lbs. 249.99
Satin	(VAL2300XG)	11 lbs. 57.99	(VAL2300X5G)	55 lbs. 259.99
Semi-Gloss	(VAL2400XXG)	11 lbs. 59.99	(VAL2400X5G)	55 lbs. 269.99




- 5/8 hp motor
- 1/4" x 50' hose
- .27 G.P.M.

#262-800 XR5 (GR262800) 28 lbs. 399.99

DEWALT

Fiberglass Ladder Type 1


- Type I, 250 lb. duty rating
- Non-grounding ladder designed for electrical use
- Aluminum steps serrated for slipresistance



>LOUISVILLE.

Fiberglass Step Ladder

- Type I, 250 lb. duty rating
- Non-grounding ladder designed for electrical use
- Aluminum steps serrated for slipresistance






2-IN-1 Fiberglass Stepladder

- Unique ProTop and innovative locking mechanism allows for positioning against a wall, building, or pole
- Equipped with a V-shape ProTop with non-marring slip resistant rubber tread
- Meets or exceeds the safety standards set by ANSI, CSA, and OSHA

#FXS1506 (FXS1506) 21 lbs. **179.99**



PAINT & STAIN

Pricing



Gloveworks™ **Textured Black** Nitrile Glove 5Mil

- Form-fitting, stretchable brown polyester-spandex fabric back provides a snug fit
- High-performance signature Heatkeep® thermal insulation

Med	I (AMGPNB44100)	1.75 lbs.	12.99
Lrg	(AMGPNB46100)	1.75 lbs.	12.99
XL	(AMXGPNB48100)	1.75 lbs.	12.99

WOOSTER Paint Brushes Silver Tip™

• Very soft formulation, feather stroke

Signature ATP Angle®

• Excellent results with all coatings including water or oil-based paints, enamels and one-part epoxies

- Unique synthetic blend featuring Micro Tip™ filaments for the finest finish with all paints
- Firm, full formulation for smooth paint flow and increased production

	Silver	Tip™ #522	2X	Alpha Fla	t #4232	K	Alpha	#423X	
2"	(W52212)	0.2 lb.	8.99				(WOO4231-2)	0.20 lb.	16.99
2-1/2"	(W522125)	0.25 lb.	10.99	(WOO4232-21) 0	.10 lb.	19.99	(WOO4231-21)	0.20 lb.	19.99
3"	(WO52233)	0.3 lb.	18.99	(WOO4232-3) 0	.10 lb.	22.99	(WOO4231-3)	0.20 lb.	25.99

Painter's **Disposable** Coveralls

• Made of white, tear resistant, non-woven material with a zipper front and collar

Breathable

#9903 Large	(TC09903)	0.25 lb.	9.99
#0666578 XL	(CXLRG)	0.25 lb.	15.99
#9907 XXL	(TC9907)	0.25 lb.	10.99

LINZER 9" Professional Microfiber **Roller Covers**



MICROFIBER

FDGF

WOOSTER Super/Fab **Roller Covers**

- For flat paints
- Pro core, three fiber blend
- Beveled ends

3/8"	#RR923	(WOORR923-9)	0.3 lb.	5.99
1/2"	#RR924	(WOORR924-9)	0.3 lb.	6.99
3/4"	#RR925	(WOORR925-9)	.13 lb.	7.59

8" x 36" **Tack Cloth Supertuff**

#TC10501

(TC10501)

2.79 0.5 lb.



#LT35045 (LT35045) 0.33 lb. 6.49

WOOSTER 3 Pack Brush Set

#5229

LINZER

(WB5229)

8-Piece Painting Kit



super tab ftp

1 lb. 16.99

Blue Tape

1"	#2090 (3M209024A)	0.5 lb.	6.49
1 1/2"	(3M209036A)	0.5 lb.	7.99
2"	(3M209048A)	0.75 lb	8 69



1-1/4" Dia, 2.1' to 3.6' L (MR6504) 1 lb. 22.99



3-Piece **Paint Tray Set**

• Includes: 4-Wire Cage Roller Frame, 3/8 in Roller Cover and (1) Metal Tray

#LPRS682

(LPRS682)

1.5 lbs. **0.99**



Warp's 9' x 12' **Drop Cloth**

• 1 mil, plastic

#912DC (912DC) 0.75 lb. 3.49

9' x 12' **Drop Cloth**

- Protect furniture, floors, walkways, shrubs, etc.
- Canvas construction

#800 (TC58901) 6 lbs. 25.99

• Includes paint brush, roller frame & cover, extension pole, paint tray & 9' x 12' drop cloth • For use with flat finish paints

#RS701-SP (8PPK) 2 lbs. 15.99

24" x50' **Multi Surface Protector**

(MU2450W) 1.3 lbs. 17.99

Linzer 3/8"x 9" 6-Pack **Paint Roller Cover**



#RC139



PAINT & STAIN

Universal Pole Sander

- Reinforced ridges to prevent bowing
- Swivel head

Two holding clamps

#PS660A (MTPS660A) 2.25 lbs. 35.99



6

Drywall Sanding Screen

- 2-Sheets
- · Durable abrasive on both sides for longer life
- Size: 4-3/8"x11-1/4"

STANLEY Uti	lity Saw	***************************************			
Medium	#9090NA	(3M9090)	.10 lbs.	Santana Santana	6.49
Fine	#9089NA	(3M9089)	.10 lbs.	MC DIC DIS	6.49

 Keyhole style for cutting small openings and making odd shaped cuts

[‡] 15-556	(ST20556)	0.25 lb.	12.99

12" Mud Pan

Durable plastic

#PP12	(WB27002)	0.67 lb.	7.39

4 Ft. T-Square

· Blade features reverse calibrations on either side for quick measurement

#WTS-50	(JTS48)	2.5 lbs.	17.99

Taping Knife

• Broad blade for easy application

8"	(18-028)	0.6 lb.	14.99
10"	(18-030)	0.75 lb.	14.99
12"	(18-032)	0.83 lb.	12.99





Inside Corner	(82-001)	3.25 lb.	14.99
Outside Corner	(82-002)	0.5 lb.	19.99

Beadex

All-Purpose Pre-Mixed Joint Compound

· Longer taping time for large jobs

Gallon - Lite	(USG384015)	9 lbs.	12.69
5 Gallon	(USG388558)	65 lbs.	34.39

Silver Set Compound

Lite Taping

• Dries quickly in 90 minutes

20 lb. Bag (USG3852/2)	20 lb. Bag	(USG385272)
-------------------------------	------------	-------------



20 lbs

- higher humidity conditions
- · Good shrinkage for a smooth, uniform wall surface

3.5 Gallon Box	(USG385264)	30 lbs.	20.99
----------------	-------------	---------	-------

Lite Topping Joint Compound

- Specifically formulated for filling and finishing
- · Smoothest consistency and finish
- Easy workability
- · Minimum shrinkage for fewer coats

3.5 Gal	lon Box	(USG385262)



16.99

37 lbs. 20.99

Lite All Purpose Joint Compound

· Ready to use

3.5 Gallon Box (USG385258) 37 lbs.

Fastex

Spray Texture

mixed formula - no

 Achieve any texture pattern from light

dash to knock down

Use spray hopper, roller or brush

4 Gallon Box (USG385276) 54 lbs. 23.99

Convenient pre-

dust, no lumps




20.99

Softline Corner

- Softline corners help create appealing, rounded outer corners
- Easy to install
- 8 Ft. (SL8OSBNCORNER) 0.75 lb.

Joint Tape

· Forms smooth seal between plasterboard sheets





Fiberglass

2" x 75' (USG385173) 0.5 lb. 4.19



Joint Tape

(SG206A10) 0.8 lb. 13.69



2" x 300'





Spackling **Paste**

Quart

wood, plaster and wallboard



Webcrete[™] 95 **Patch**

- · Fast-setting, latex-fortified cement
- For interior use
- Flexible and resilient



#95-25 (D63168) 25 lbs. 47.79



- · Galvanized metal corners for 90° outside corners
- · Excellent bond for joint compound and paint
- 8' lengths

Tape-on #B1XW (PFB8) 0.76 lb. 4.09

PAINT & STAIN

Pricing

Silicone II Caulk

- Durable weather-proofing caulk ideal for windows, doors, bath and kitchen
- Available in clear, white or colors
- 10 1 07

#50X0 (GE5010) 1 lb. 12.99

Siliconized Acrylic Painter's Caulk

- White
- 2 to 7 days Curing
- 10 fl. oz. Cartridge

 Won't crack • 9 oz.

(GE2874436)

1.3 lbs. 4.99



• 28 oz.

• Used for windows, doors, siding,

· Available in clear, white or colors

0.69 lb.

10.99

• 40°F-120°F temperature range

DAP® 4000 Subfloor Construction Adhesive

moldings

· Non-toxic

• 10.5 oz.

· Water clean-up

(SS10010)

DAP25117 8.69 Tan



Kitchen & Bath

DAP® AMP Caulk

•••••oor/outdoor use, with Micro Ban™

White DAP7079800762 1.03 lbs. 10.99 Clear DAP7079800763 1.03 lbs. 11.99

All Purpose

White DAP7079800760 1.03 lbs. 10.99





Alex Plus® Acrylic Latex Caulk Plus Silicone

- 10.1 oz.
- Apply at temperatures above 40°
- · White, almond, cedar tan, slate gray, dark bronze, black or clear

(DAP18152/DAP18156)

1.25 lbs. 4.29

Dynaflex 230® Caulk/Sealant

- 10.1 oz.
- Apply at temperatures above 40°
- · White, cedar tan, clear, aluminum gray or almond

(DAP18275/DAP18412/ DAP18304/ DAP18286/ DAP18306)

1.25 lbs. **7.99**

Side Winder® Siding & Window Sealant

- Wet weather & low temperature (below 0°) application
- 10.1 oz.
- White

(DAP00801) 1.25 lbs. 11.99

Acrylic Rubber Sealant Titebond I

- Fast Drying
- Sandable

Quart	(FI5065)	2.6 lbs.	14.99
Gallon	(FRK5066)	10 lbs.	22.99



Gorilla Glue

- Multi-purpose glue
- Waterproof

4 oz.	(4GG)	0.25 lb.	7.99
8 oz.	(8GG)	0.5 lb.	13.99



Mon-Flammable Contact Cement

- Water resistant, dries in 30-40 minutes
- Easy water clean-up, low odor

#25336 (DAP25336) Gallon



Black Gorilla Tape

Max Adhesion

10 yards (GT10YD) 30 yards (GT30YDBLK)



6.99 10.99

PERMA-CHINK

30 oz.

5 Gallon

Acrylic Latex Log Sealant

Applies quick and easy

Manual Sausage Gun

· Choose from sandstone, gray or medium gray



Caulk Gun

· Metal frame



(AEB12S20)



• 2"X60 Yds		WW. 16. MA	*****
Silver Multi Use	(3M2960A)	1.35lbs.	8.99
Silver Cloth Back	(18760DT)	1.6lbs.	10.99





FURNITURE

Bunk Bed Frame

- Twin Over Twin design
- Safety rails and ladders on both sides
- Black
- Mattresses and bedding not included
- May be limited to stock on-hand or special order.

#2256K (TWBBFRAME) 120 lbs. 299.99

Rolled mattresses and bases

- Cooling gel memory foam with enhanced airflow
- Four-layer hybrid design for a medium firm feel
- Durable edge support with fully enclosed base
- Packaged for convenient shipping

Size			
Classic Plus Twin Rolled Mattress	MRCLASSPT	52lbs.	265.00
Classic Plus Full Roll Mattress	MRCLASSPF	65lbs.	370.00
Classic Plus Queen Rolled Mattress	MRCLASSPQ	75lbs.	405.00
Pisces Twin Rolled Mattress	MRPISCTM	54lbs.	305.99
Pisces Full Rolled Mattress	MRPISCFM	69lbs.	395.99
Pisces Queen Rolled Mattress	MRPISCQM	80lbs.	455.99

l l	TWIN		FULL		QUEEN	
Box Springs	(MRTBLAD) 38 lbs.	184.99	(MRFBLAD) 65 lbs.	237.99	(MRQBLAD) 85 lbs.	269.99
Frame	(MRTFRAMEMAL) 20 lbs.	84.99	(MRTFRAMEMAL) 26 lbs.	84.99	(MRQFRAMEMAL) 40 lbs.	106.99




HOME DECOR

Pricing Notice



Creekside

- 25oz Textured Berber
- 100% PET Polyester
- 10 year Commercial Warranty



Saddle

Colorado River

1.56 lbs. per sq. yd.

2.30 sq. ft.

Pebble

Coastal

- 25oz Textured Cut Pile
- 100% BCF PET Polvester
- 10 year Quality Warranty

1.56 lbs. per sq. yd.

1.80 sq ft

Tagranor

Grand Canyon

- 20oz Textured Level Loop
- Solution Dyed Polyester
- · Made in the USA
- 6 Colors Available



Get a Grip

Take Action

Bright Angel

Change in Attitude

- 26 oz Textured Fleck Plush
- 100% BCF PET Polvester
- R2x Stainguard FHA Approved
- 10 Year Quality Warranty

1.62 lbs. per sq. yd.

3.60 sq. ft.


Commercial Grade

Bandwidth

19.7" x 19.7" Commercial **Carpet Tile**


- Solution Dyed Nylon
- Heavy PVC Free Bitumen Backing





4 Ft. Carpet Tackstrip

• For wood or concrete subfloor application



Grizzly Tile 24" X 24" Commercial Carpet Tile

- Peel & Stick Backing
- Indoor & Outdoor application Please call for other color options

Call for Pricing



Brandt Point 12'

- Indoor/Outdoor
- 100% Olefin
- Durogen Rubber Backing
- 3 Year Limited Warranty

4 lbs. per tile

2.75 sq. ft.



Development 18oz, 19.7" x 19.7" **Commercial Carpet Tile**

- Solution Dyed Polpropylene
- PVC Free Bitumen Backing Please call for other color options

Call for Pricing



1 md	tair
Edging	in

• 6 Foot Strip

Silver	(MD78105)	0.92 lbs.	19.99
Gold	(MD79103)	0.92 lbs.	18.99

3/4" Seam Binder

• 6 Foot Strip

Silver	(MD78097)	0.57 lbs.	14.99
Gold	(MD79095)	0.57 lbs.	15.99

1-1/2" Carpet Bar

6 Foot Strip



7/16" 6 lb. **Super Magic Carpet Pad**

- 270 S.F. per roll
- Moisture Barrier Pad
- 6 lb. density
- 7/16" thickness

(TABR70) 89 lb.



182.99

46

HOME DECOR

Roppe #700 4" Cove Wall Base

- 4" X 4' Rubber Cove Base
- Durable TPR rubber compound
- 1/8" thickness helps hide wall irregularities
- · Made in U.S.A.

4" X 4' Rubber Cove Base 1.43 lbs. **4.89 ea.** 2.5" x 4' Rubber Cove Base 0.92 lbs.







Legend | Almond



Corawood | Wheat TK151499

TK152722

Vermont Slate | Charcoal TK150042

Tarkett **Custom Pro**

- Glassback Sheet Vinyl
- 55mil thick, 10mil wear layer
- Low Gloss Urethane





Modern Slate | Cliff TK151512



Ambiance

- 7.125" x 60" x 5.5 mm Overall Thickness
- 20 mil Wear Layer
- 30 Year Residential Warranty
- 10 Year Lt Commercial/Multi-Family

Call for Pricing











Memory Step Carpet Pad

- 8 lbs. Nex-Gen Bonded
- Moisture Barrier Pad
- 7/16" Thick
- 25 year limited warranty

SOLD ONLY BY THE ROLL

180 S.F. per roll LEBZ0319 119.00 /roll

Henry's 356 Flooring Adhesive

- Premium Multi-purpose Adhesive
- Commercial and Residential Application

Henry Cove Base Adhesive

(CBA440004)

(WWHFP00595005)

• Felt Back, Cork Sheet Flooring and **Commercial Carpet**

Multi-Purpose Adhesive

Gallon	(WWH12073)	10.4 lbs.	22.99
4 Gallon	(WWH356-069)	44 lbs.	81.70



Flooring Explorer

- 7" x 48" x 5mm
- 20mil Wear Layer with Ceramic Bead
- · Loose lay option in residential application

Call for Pricing















7.99

9.99

14.99

10 oz.

30 oz.

HOME DECOR

Pricing Notice

Odyssey EIR Collection Luxury Vinyl Flooring

- 3mm thick overall x 7.25"w x 48"l
- 4-Sided Micro-Bevel Edges


34.90 sq. ft. per carton **Call for Pricing** Balboa Monaco Capetown Havanna 7urich Lisbon Sorrento

Inhaus'

Visions

- 7.64" x 50.63" x 7mm
- Water Resistant 24 Hours
- AC3 Wear Surface

Call for Pricing



Easy Living

- · Construction: 12' Glassback
- Thickness: 100 mil, Wear Layer: 14 mil
- Finish: Low Gloss Urethane

Call for Pricing



TK146012 Waystone | Greige



TK143612 Rich Onyx | Gray



TK145512 Carrara | Bianca

Ecotone 20 Luxury Vinyl Flooring

- Dimensions: 7.20" Wide x 48" Long x 5mm/6mm Overall Thickness
- 28.84 Sq. Ft. per carton
- 20 Mil wear layer
- 20 Year Residential /10 year Commercial
- 47 lbs. per carton Pieces per Carton 12/10
- Angle /floating Installation method Radiant Heat Floor Approved
- Backing Attached 2mm Pad

28.84 sq. Ft/24.04 sq ft* **Call for Pricing** Driftwood **American** Weathered Sand **Red Oak** Oak Oak Grav Taupe

Provincial Estates Collection

- Dimensions: 7" Wide x 60" Long x 4.2 mm Overall Thickness
- · Wear Layer: 20 mil
- Installation: Angle/Angle Float
- Warranty: 30 Year Residential, 10 Year Light
- · Commercial/Multi-Family
- Packaging: 50.5 lbs; 8 pc/ctn, 23.62 sf/ctn, 45 ctn/plt, 1062.9 sf/plt

Call for Pricing






Rigid Core Luxury Vinyl Plank

- Dimensions: 7" Wide x 48" Long x 5 mm Overall Thickness
- · Packaging: 26.56 sf/ctn, 38lb/ctn

Rigid Core - 12mil Call for Pricing Naples

Glue Down Luxury Vinyl Plank

- Dimensions: 7" Wide x 48" Long x 2 mm Overall Thickness
- Packaging: 39lb/ctn





HOME DECOR

AMANA

3.8 cu. ft. Top load Washer

- Stainless Steel Tub
- Deep Water Wash Option
- 8 Wash Cycles/5 Temp
- Measures: 27 1/2"W x 42"H X 27"D



AMANA

6.5 cu. ft. Electric Dryer

- 11 Dryer Cycles
- Reversible Door
- White

• Measures:29"W x 44"H x 27 3/4"D



#NTW4519JW

(AMNTW4519JW)

145 lbs.

#NED4655EW

(AMNED4655EW)

117 lbs.

629.99

649.99

Whirlpool

3.8 cu. ft. Top load Washer

- Water Level Selection
- Stainless Wash Basket
- Late Lid Lock
- Measures: 27.5:W x 42"H x 27"D



Whirlpool

7.0 cu. ft. Electric Dryer

- Hamper Door
- 3 Dryer Temps
- Timed Dry
- Measures: 29"W x 43"H x 28.25"D



#WTW4855HW (WPWTW4855HW)

699.99

#WED4850HW (WPWED4850HW)

120 lbs.

699.99

Whirlpool

4.5 cu. ft. Top load Washer

- Deep Water Wash Option
- · Stainless Wash Basket
- · Quick Wash Cycle
- Measures: 27 3/4"W X 41 1/2"H X 27"D



Whirlpool

7.0 cu. ft. Electric Dryer

- Wrinkle Shield Option
- Interior Light
- End Of Cycle Signal
- Measures: 29"W X 40 1/2"H X 28 3/8"D



#WTW5015LW

(WPWTW5015LW)

145 lbs. 849.99 #WED5010LW

(WPWED5010LW)

125 lbs.

Whirlpool

4.5 cu. ft. Front Load Washer

- 12 wash cycles
- · Stainless wash basket
- Measures: 27"W x 39"H x 31 9/16"D



44.. 0

#WFW5720RW

(WPWFW5720RW)

999.99

Whirlpool

7.4 cu. ft Electric Dryer

- 5 cycles
- 4 Temp Selections
- Reversable Door
- Measures: 27"W x 39"H x 31"D



#WED5720RW

(WPWED5720RW)

999.99

Drver Stack Kit

#W10869845

(WPW10869845) 45.99 40 . 0

Speed Queen

3.2 cu. ft. Top-Load Washer

- 4 Temperature Selection
- 6 Pre Set Cycles
- Stainless wash tub
- Measures: 25 5/8"W X 42 3/4"H X 28"D

#TC5000WN

(SQTC5000WN)

189 lbs. 1599.99

Q Speed Queen

7.0 cu. ft. Electric Dryer

- 4 Temperature Selections
- 4 Pre Set Cycles
- Reversible Door Measures: 26 7/8"W x 42 3/4"H x 28"D

#DC5000WE

(SQDC5000WE)



137 lbs.

49

HOME DECOR

Pricing Notice



Whirlpool

3.5 cu.ft. Gas Stacked Laundry Center

- Dual action Agitator with Fabric Softener Dispenser
- White Porcelain Basket
- AutoDry™ Drying System
- 4 Drying Cycles
- 3.5 cu. ft. Washer Capacity



27" Electric • Measures: 27 1/2"W x 71 3/4"H x 32"D

#WET4027HW (WPWET4027HW) 270 lbs. **1599.99**

27" Gas · Measures: 27 1/4"W x 71 3/4"H x 32"D

#WGT4027HW (WPWGT4027HW) 274 lbs. **1699.99**

LP Kit required by special order



24" Electric Unitized Spacemaker

- 2.3 cu. ft capacity washer
- 4.4 cu. ft. capacity dryer
- Measures: 23 3/4"W x 74 7/8"H x 27 3/8"D



Louvered Wall Vent Kit

5 Piece

Lambro

- 4 in White Plastic Louvered Vent with 11 in Tail Pipe
- 4 in White Plastic Trim Plat
- 4 in x 8 ft UL 2158A Semi-Rigid Aluminum Transition Duct
- 2ea 4 in Metal Worm Gear Clamps

#LI1379W-R (LI1379W-R) 2.1 lbs. **34.99** #GUD24ESSMWW (GEGUD24ESSMWW) 241 lbs. **1499.99**

Accessories

HEARTLAND Deluxe Dryer Vent Closure

- Floating shuttle rises when dryer is running and drops back down to seal opening when dryer is not in use
- Keeps out cold air, bugs and rodents

#289W (289W) 2.25 lbs. **44.99**

4" Wall Vent Hood

Brown #224B (224B) 0.5 lb. **17.99**

^{4 Prong} **Dryer Cord**

- 30 Amp, 10/4, 250V
- 2500 watt
- U.L. listed
- 4 foot length

 4 Foot
 (DC104430A)
 1.6 lbs.
 31.99

 6 Foot
 (DC104B6)
 2.3 lbs.
 34.99

Washer Hook Up Hose

(EA48377) 1.68 lb. **35.99**

Dryer **Power Outlet**

- 30 Amp, 125/250V
- 4-wire grounding
- Surface mount
- Black

#1225 (GSRB1225)



Adjustable Dryer Clamps • 3" - 4"

#72 (72SSHCSS)



50

HOME DECOR

SUMMIT/HOTPOINT **Compact Ranges**

- Gas unit preset for LP use
- Easy to use controls





Ignition

30" Self Clean Electric Range

- 5.3 cu. ft. Oven
- Full width storage drawer
- White
- Measures: 29 7/8"W X 47"H X 28"D

#JB256DMWW (GEJB256DMWW)



170 lbs. 699.99



30" Electric Range

- 5.3 oven capacity
- Ceramic glass cooktop
- Dual-element bake
- Measures 30"W x 47"H x 28"D
- Stainless

#GRF500PVSS (GEGRF500PVSS)



160 lbs. 949.99

Whirlpool

Electric Front Control Coil Range

- 4.8 cu. ft Oven
- · Adjustable Self Cleaning Oven
- ADA Compliant
- Measures: 29 7/8"W x 36"H x 29 1/64"D

White



#WEC310S0LW (WPWEC310S0LW) 190 lbs. 1349.99

BREAN

Range Hood

- 300 CFM on High Setting
- 1.5 Sones on Normal Setting
- Led Lighting



#BCSEK130WW	(BNBCSEK130WW)	299.99
#BCSEK130SS	(BNBCSEK130SS)	399.99

BREAN

30" Under-Cabinet **Convertible Range Hood**

- Two speed fan
- White: 160 CFM/Incandescent light
- Stainless: 230 CFM/LED light

White	(BNF403011)	12 lbs.	82.99
Stainless Steel	(BNF4030SF)	12 lbs.	109.99

■ Hotpoint

30" Gas Range W/Cordless Battery Ignition

- 4.8 cu. ft. Oven Capacity
- 4 Sealed Cooktop Burners
- Natural Gas Ready/Convertable To Lp
- Measures: 30"W x 44 3/4"H x 28 3/4"D

#RGBS200DMWW (HPRGBS200DMWW)



170 lbs. 749.99



30" Free Standing Gas Range

- 4.8 cu. ft capacity
- Sealed cooktop burners
- ADA Compliant
- White
- Measures: 30"W x 46 1/4"H x 28 3/4"D

#JGBS30DEKWW (GEJGBS30DEKWW)



171 lbs. 729.99



30" Gas Range Stainless Steel

- 5.0 cu. ft oven
- Steam Clean oven
- · Intergrated Non-Stick griddle
- Measures: 30"W x 47 1/4"H x 28 3/4"D

#JGBS66REKSS (GEJGBS66REKSS)



172 lbs.

Whirlpool

30" Self Cleaning Gas Range

- 5.0 cu. ft.
- Sealed Burners
- White
- Measures: 30"W x 47 7/8"H x 28"D



White #WFGS3530RW (WPWFGS3530RW) 173 lbs. 1069.99

ACCESSORIES

3 Prong Range Cord

• 50 Amp, U.L. listed

29.99 4 Foot (PZ4592697) 2.0 lbs.



4 Prong Range Cord

• 50 Amp, U.L. listed

6 Foot (PZ4623518) 4 lbs. 42.99

Range Power Outlet

- 50 Amp, U.L. listed
- 3-pole, 4 wire grounding
- · Surface mount, black

#WD1212-BOX (1212SR4W)

0.98 lbs.



HOME DECOR

Pricing Notice

CROSLEY

7.0 cu. ft. Chest Freezer

- 2 storage baskets
- 2 adjustable legs
- Measures: 30.3"W x 34.25"H x 22"D



#VFM07TW

(CLVFM07TW)

72 lbs. 349.99

Coldspot by crosses 10.0 cu. ft. **Chest Freezer**

- 2 Rollers & 2 Adjustable legs
- 1 storage basket

• Measures: 43.9"W x 33.3"H x 25.4"D



#SXFC10AW

(CLSXFC10AW)

91 lbs.

459.99



SE APPLIANCES

17.7 cu. ft.

Bottom Freezer Refrigerator

- Counter-Depth
- Clear Look Storage Bins
- Fingerprint Resistance Stainless Steel
- Measures: 31 1/8"W x 68"H x 27"D

#GBE17HYRFS

(GEGBE17HYRFS)

233 lbs.

1799.99



SE APPLIANCES

14.1 cu. ft. Upright

Freezer

- Frost Free
- Audible temperature Alarm
- LED interior lighting
- · Lock with key
- Measures:28"W x 62"H x 32"D

#FUF14DLRWW (GEFUF14DLRWW) 185 lbs. 899.99





Upright

Freezer

- 4 Glass, 2 Adj Freezer Shelves
- Clear Slide-Out Freezer Bins
- Frost Free
- Measures: 32 7/8"W x 76 1/2"H x 31 3/8" D



#FUF21DLRWW (GEFUF21DLRWW) 239 lbs. 1149.99



11.6 cu. ft. Refrigerator

- ADA Compliant
- E-Star Oualified
- White
- Measures: 24"W x 59 7/8"H x 28 5/8"D



#GPE12FGKWW (GEGPE12FGKWW)

151 lbs.

949.99

Refrigerators



- Wire Shelves
- · Measures: 28"W x 61 3/4"H x 32 5/8"D

#GTS16DTNRWW (GEGTS16DTNRWW)

164 lbs. 699.99



(GEGTE18GTNRWW)



20.5 cu. ft. Refrigerator

- Frameless Glass Shelves
- · Clear Door Bins
- Led Interior Lighting
- Measures 32 3/4"W x 66 1/4"H x 32 7/8"D



#WRT311FZDW (WPWRT311FZDW) 215 lbs. 1099.99

HOME DECOR



- 48" 60" x 30" x 54"
- 5-panel system
- · White textured finish



#101594-000-129

(101594-000-129)

199.00



Utah Series 5 Piece Bathtub Wall Kit

- 31-3/4"L x 60-1/2" W x 59"H
- 5-panel system
- 2 towel bars, 6 shelves
- · High gloss, smooth finish

#102573-000-129 (102573-000-129)

△ DELTA

3 Piece Bathtub Wall Surround Direct To Stud

- · Modular design, durable high gloss finish
- Dry-Blok seal and channeled water containment system
- · Compression molded from solid Vikrell material
- Caulk-free installation

White #B66513-6030-WH (B66513-6030-WH) 79 lbs. 399.99

Tub Surround Adhesive

• Great for plastic, fiberglass and polystyrene tub and shower units

#LN-715 (LN-715)

1 lbs.





FRP Glasbord® Panel

· High impact strength, resistant to moisture, stains, chemicals, mold, mildew and bacterial growth CRATING REQUIRED

· Choose from white or colonial white



4' x 8' Panel	#BES3PI	(48WHITEFRP)	24 lbs.	90.08
Rivet	#3/4RVT	(WFRPRIVETEA)	0.01 lb.	20¢
10' Divider	#DB310	(CRVDB85V10)	1 lb.	4.99
10' Inside Corner	#IC3-10	(CRVIC85V10)	1 lb.	4.99
10' Outside Corner	#OC3-10	(CRVOC85V10)	1 lb.	4.99
10' Cap	#CP3-10	(CRVCP85V10)	1 lb.	4.99

FRP Adhesive

• 50 sq. ft. average coverage per gallon

1 Gallon	(FPA4	44044G)	10.25 lbs.	30.99
4 Gallon	#4054	(FRPA4G)	51 lbs.	147.99
FRP Trowel	#17883	(TB17929)	1 lb.	32.69



Trimac

1/8" x 4' x 8' Ceramica Tileboard

• Easy to clean, ideal waterproof panel

Designer White (1848BPDWT) 21 lbs. **38.99**

E.L. Mustee Econo Free Standing **Shower Enclosure**

- 32" x 32" x 74 3/4"
- · Slip-resistant floor with drain
- · Celcon shower valve and head, shower curtain and rod, safety railing with molded-in soap dish and shampoo holder
- Knock-down construction
- Includes a PVC drain for direct connection to a 2" PVC-DWV pipe

#68 (ELM68) 40 lbs. **349.99**





CHROME BATH ACCESSORIES						
#CSC8505-3	(CSC85053L)	0.6 lb.	12.99			
#CSC3L521	(CSC3L521)	0.5 lb.	16.99			
#CSC3L522	(CSC3L522)	0.5 lb.	17.99			
BATH ACCESS	SORIES					
#L5056-13B-103L	(PHBNV)	0.6 lb.	27.99			
#L5060-13B-103L	(TRBNV)	0.5 lb.	22.99			
#L5018-13B- 10-3L	(TBBNV18)	0.5 lb.	31.99			
#L5024-13B-103L	(TBBNV24)	0.5 lb.	34.99			
	#CSC8505-3 #CSC3L521 #CSC3L522 BATH ACCES #L5056-13B-103L #L5060-13B-103L #L5018-13B- 10-3L	#CSC8505-3 (CSC85053L) #CSC3L521 (CSC3L521) #CSC3L522 (CSC3L522) BATH ACCESSORIES #L5056-13B-103L (PHBNV) #L5018-13B- 10-3L (TBBNV18)	#CSC8505-3 (CSC85053L) 0.6 lb. #CSC3L521 (CSC3L521) 0.5 lb. #CSC3L522 (CSC3L522) 0.5 lb. BATH ACCESSORIES #L5056-13B-103L (PHBNV) 0.6 lb. #L5060-13B-103L (TRBNV) 0.5 lb. #L5018-13B- 10-3L (TBBNV18) 0.5 lb.			

HOME DECOR

Pricing



- · Measures: 5'L x 30"W x 16"H
- · Please specify right or left hand drain when ordering

White #B10513-6030R-WH (B10513-6030L-WH) 68 lbs. 379.99

60"x30" Galiant Easy-Up Surround Glue Up

White #40164 (DF40164) 33 lbs. 328.99

Round or Oval Vanity Sink

- Porcelain-on-steel construction
- Self rimming for easy installation

	19" Round		
White	(AS0491019020)	10 lbs.	77.99
	20" x 17" Oval		
White	(AS0476028020)	12 lbs.	77.99

Toilet Seat & Lid

· Snaps to most 5 gallon plastic buckets

(RL9881-03) 1.1 lbs. 19.99

Elongated Toilet Seat

White plastic

#CS02-W3L (PSKJ873A1WH) 3.15 lbs. 29.99

Standard Toilet Seat

- Regular bowl size
- · Durable enamel gloss finish

White #66TT-000 (66TT-000)

5 lbs. 16.59

Toilet In A Box

- Comfort Height Toilet complies with Americans With Disabilities Act
- Elongated Bowl Measures: 20"x28"x28"
- 1.6 gpf, 2-piece toilet
- Includes: toilet seat & parts, wax toilet bowl gasket with polyethylene flange, floor bolts, caps and instructions

92 lbs. 199.99 A.D.A. Comfort Height (AS751AA001020)

(AS751DA001020) Standard Height-Round Bowl 91.4 lbs. 161.29



Floor mount -wall discharge toilets available. Please call for pricing.

ACCESSORIES

Wax Ring Toilet Extender Kit

(AA4008561) 0.81 lb. 10.99

Wax Ring

(WR24) 0.4 lb. 3.79

Bolt Set

(PP835170) 0.1 lb. 10.99



Toilet Connectors

• Fits 3/8", 7/16" & 1/2" male compression and 1/2" male iron pipe

12" #B4T12U (FLUB4T12U) 0.24 lb. 7.99 20" #B4T20U (FLUB4T20U) 0.26 lb. 12.99




CRATING REQUIRED e Order Page

BATHROOM FANS

BROAN Bathroom Ceiling Fan

- 50 cfm exhaust capacity



BREAN Ultra Silent Bathroom Fan

- Motor engineered for continuous operation
- UL approved with GFCI circuit wiring
- 110 cfm exhaust capacity

#LP50100DC (BNLP50100DC) 119.99 12 lbs.



BRGAN 110 CFM Fan/Light

- 110CFM-1.3 SONES
- UL Listed for use over tub/shower with GFCI circuit
- 4" ducting

#AE110L (BNAE110L) 15.4 lbs. 280.99

BREAN 80 CFM Fan/Light

- TrueSeal damper technology
- · Ultra Quiet 1.3 sones
- · Energy Star qualified

#HD80L (BNHD80L)







HOME DECOR



PEERLE

Double Handle Faucet

- With sprayer
- Swivel spout
- Brilliance stainless finish

#P299575LF-SS (P299575LF-SS)



4.45 lbs.

PEERLESS

Single Handle Pull-Out Faucet

- Swivel spout
- · Chrome finish

#P18550LF (P18550LF) 5.8 lbs.



94.99

Double Handle Faucet

- · With sprayer, chrome finish
- 5 year warranty

#P225LF (P225LF) 3.25 lbs.

PEERLE!

Single Handle Faucet

· Washerless design, chrome finish

Without Sprayer

#P188200LF (P188200LF) 4.01 lbs.

With Sprayer

#P188500LF (P188500LF)

5 lbs.



△ DELTA

△ DELTA

Chrome Single Handle

• 3-hole 4" installation

ADA Compliant

#520-DST

DIAMOND™ Seal Technology

 WaterSense® labeled faucet uses at least 20% less water

Centerset Lavatory Faucet

Chrome Single Handle Water Efficient Pull-Out Kitchen Faucet

- Multi-Flow[™] Spray Wands
- Soft, rubber Touch-Clean® spray holes
- DIAMOND™ Seal Technology
- 1 or 3-hole 8" installation

#4153-DST (DF4153DST) 6.61 lbs.

266.99

Bathroom Faucets



Double Handle Chrome Faucet



#P299628LF (P299628LF) 2.75 lbs. **75.99**

Single Handle Shower Faucet 🖟

- Lever handle
- Pressure balanced valve and showerhead
- Chrome finish

4.3 lbs. #P188710 (P188710) 84.99

Tub & Shower Faucet

- Includes bath valve, showerhead and tub filler with diverter
- Chrome finish

#P188720 (P188720) 89.99

Tub & Shower Faucet

- · Brushed nickel finish
- Includes showerhead and tub filler with diverter

#144996-BN (144996-BN) 6 lbs. 179.99





30" **PEERLE**

12"

16"

20"

Bath Drain Assembly

#B4F12U

#B4F16U

#B4F20U

#B4F30U

Trip lever bath waste and overflow assembly

(520-DST) 2.34 lbs. 129.99

ACCESSORIES

Stainless Steel Braided Faucet Connectors

• Fits 3/8", 7/16" & 1/2" male compression and 1/2" male iron pipe

(FLUB4F12U)

(FLUB4F16U)

(B4F20U)

(FLUB4F30CU)

· Chrome finish

(PRP393) #RP393 2.0 lbs.





0.2 lb.

0.3 lb.

0.3 lb.


0.5 lb.



7.99

10.99

11.99



Zenith Beveled Edge Tri-View Medicine Cabinet

- Beveled mirrors with 3 adjustable shelves
- Surface mount installation

S	Single, Double and Triple Door Units					
24" x 26"	#ZPM24	(ZPM24)	28.0 lbs.	129.99		
30" x 26"	#ZPM30	(ZPM30)	41.0 lbs.	159.99		
36" x 30"	#ZPM36	(ZPM36)	49.0 lbs.	179.99		
48" x 30"	#M48	(M48)	67.0 lbs.	229.99		

Kitchen Sink

- 4-Faucet Hole
- 22 in OAW
- 6 in OAD
- 25 in OAH
- Stainless Steel

Sink (14631-4-NA) 7 lbs. **119.99**

Oversized Shipping May Apply



Double Bowl Sink

- Stainless steel
- Self-rimming design
- 33" x 22" size, satin finish (faucet not included)

6" Deep 7" Deep	(14633-4-NA) (14707-4-NA)	19 lbs.	219.99
8" Deep	(SP114024NA)	13.3 lbs.	269.99

Sheffield Natural Maple Vanities

Sheffield Natural finish vanities offer quality construction at an affordable price. Maple hardwood features include solid wood dovetail drawers, mortise and tenon doors, adjustable shelves and 6 way adjustable hinges. (Countertops and Faucet sold separately.)

Vanity Drawer 34.5" tall, 21" deep						
12"	#V3D12BH	(SMTV3D12BHMSNAT)	38 lbs.	295.99		
	Door/Drav	wer Vanity 34.5" tall, 2	1" deep			
24"	#VSB24BBH	(SMTVSB24BBHMSNAT)	48 lbs.	271.99		
30"	#VSB30BBH	(SMTVSB30BBHMSNAT)	58 lbs.	317.99		
36"	#VSC36BBH	(SMTVSC36BBHMSNAT)	71 lbs.	408.99		
48"	#VSC48BBH	(SMTVSC48BBHMSNAT)	92 lbs.	494.99		
36"	#VS2D36BHL	(SMTVS2D36BHLMSNA)	88 lbs.	369.99		
36"	#VS2D36BHR	(SMTVS2D36BHRMSNA)	88 lbs.	369.99		



Counter-tops and Faucet sold separately


HOME DECOR





Sheffield Natural Maple Kitchen Cabinets

Sheffield Natural finish offers quality construction at an affordable price. Shaker Mortise and Tenon Door, Veneer Flat Panel, Solid Drawer Front (can be upgraded to a 5-Piece), Reverse Bevel Edge Profile, Maple Hardwood, Standard Overlay/



Wall Cabinets

- All wall cabinets are 12" deep
- First two code numbers are width-"W3012", and second two numbers indicate height-"W3012"

A.	#W2424B	Butt Doors	28 lbs.	175.99
	#W3012B	Butt Doors	20 lbs.	157.99
	#W3015B	Butt Doors	23 lbs.	173.99
	#W3018B	Butt Doors	26 lbs.	186.99
	#W3024B	Butt Doors	33 lbs.	203.99
	#W3315B	Butt Doors	25 lbs.	190.99
	#W3612B	Butt Doors	22 lbs.	168.99
	#W3615B	Butt Doors	26 lbs.	199.99
	#W3618B	Butt Doors	30 lbs.	213.99
B.	#W930L	2 Shelves, Single Door	16 lbs.	134.99
	#W1230L	2 Shelves, Single Door	20 lbs.	155.99
	#W1530L	2 Shelves, Single Door	23 lbs.	164.99
	#W1830L	2 Shelves, Single Door	26 lbs.	177.99
	#W2130L	2 Shelves, Single Door	30 lbs.	191.99
C.	#W2430B	Butt Doors, 2 Shelves	33 lbs.	209.99
	#W2730B	Butt Doors,2 Shelves	36 lbs.	241.99
	#W3030B	Butt Doors,2 Shelves	40 lbs.	255.99
	#W3330B	Butt Doors, 2 Shelves	43 lbs.	271.99
	#W3630B	Butt Doors, 2 Shelves	46 lbs.	282.99
D.	#DWA2430L	Diagonal Wall, 2 Shelves	39 lbs.	295.99

Base Cabinets

• All base cabinets are 24" deep and measure 34-1/2" high

E.	#TB9L	Single Full Height Door	28 lbs	194.99
F.	#B12L	Single Drawer/Door	33 lbs	233.99
	#B15L	Single Drawer/Door	40 lbs	255.99
	#B18L Single Drawer/Door		46 lbs	275.99
	#B21L	Single Drawer/Door	53 lbs	306.99
	#B24B	Butt Doors, Single Drawer	60 lbs	324.99
	#B27B	Butt Doors, Single Drawer	66 lbs	361.99
	#B30B	Butt Doors, Single Drawer	73 lbs	392.99
	#B33B	Butt Doors, Single Drawer	80 lbs	425.99
	#B36B	Butt Doors, Single Drawer	86 lbs	448.99
G.	#B3D12	3 Drawer base	49 lbs	322.99
	#B3D15	3 Drawer Base	59 lbs	358.99
	#B3D18	3 Drawer Base	70 lbs	398.99
	#B3D21	3 Drawer Base	80 lbs	436.99
	#B3D24	3 Drawer Base	91 lbs	476.99
н.	#BBC36L	Base Blind Corner	93 lbs	391.99
	#BBC42L	Base Blind Corner	107 lbs	455.99
I.	#LS36L	Lazy Susan Base	93 lbs	654.99
J.	#SB30B Sink Base, Butt Doors		60 lbs	323.99
	#SB33B	Sink Base,Butt Doors	66 lbs	345.99
	#SB36B	Sink Base, Butt Doors	71 lbs	368.99

All prices are F.O.B. Anchorage. For ordering call 1-800-844-9313 or 1-907-563-3141, Extension 112 or 259. All pricing is subject to change. Knobs and pulls sold separately.

Pricing Notice




- Knock Down/Flat Pack
- · Assembly Required

BASE CABINETS	In S	stock!	
ItemNumber	Cabinet	Weight	
KCDSWB09SHAKER	SW-B09	31 lbs.	232.99
KCDSWB12SHAKER	SW-B12	43 lbs.	307.99
KCDSWB15SHAKER	SW-B15	48 lbs.	334.99
KCDSWB18SHAKER	SW-B18	52 lbs.	359.99
KCDSWB21SHAKER	SW-B21	56 lbs.	386.99
KCDSWB242SHAKER	SW-B24-2 (2 Door)	60 lbs.	422.99
KCDSWB27SHAKER	SW-B27	73 lbs.	522.99
KCDSWB30SHAKER	SW-B30	76 lbs.	535.99
KCDSWB33SHAKER	SW-B33	81 lbs.	579.99
KCDSWB36SHAKER	SW-B36	86 lbs.	594.99
KCDSWDB123SHAKER	SW-DB12-3 (3 Drawer Base)	66 lbs.	431.99
KCDSWDB153SHAKER	SW-DB15-3 (3 Drawer Base)	71 lbs.	463.99
KCDSWDB183SHAKER	SW-DB18-3 (3 Drawer Base)	77 lbs.	490.99
KCDSWDB243SHAKER	SW-DB24-3 (3 Drawer Base)	97 lbs.	559.99
KCDSWDB302SHAKER	SW-DB30-2(2 Drawer Base)	109 lbs.	549.99

		ar alat	
WALL CABINETS	In .	stock!	
ItemNumber	Cabinet	Weight	
KCDSWCW2430SHAKE	SW-CW2430 (Corner Wall)	59 lbs.	407.99
KCDSWW1230SHAKER	SW-W1230	24 lbs.	183.99
KCDSWW1530SHAKER	SW-W1530	28 lbs.	207.99
KCDSWW1830SHAKER	SW-W1830	31 lbs.	236.99
KCDSWW2130SHAKER	SW-W2130	35 lbs.	264.99
KCDSWW24302SHAKE	SW-W2430-2	39 lbs.	310.99
KCDSWW2730SHAKER	SW-W2730	43 lbs.	345.99
KCDSWW3012SHAKER	SW-W3012	21 lbs.	163.99
KCDSWW3015SHAKER	SW-W3015	25 lbs.	200.99
KCDSWW3018SHAKER	SW-W3018	28 lbs.	251.99
KCDSWW3030SHAKER	SW-W3030	46 lbs.	360.99
KCDSWW3315SHAKER	SW-W3315	30 lbs.	223.99
KCDSWW3330SHAKER	SW-W3330	50 lbs.	399.99
KCDSWW3612SHAKER	SW-W3612	25 lbs.	200.99
KCDSWW3615SHAKER	SW-W3615	27 lbs.	222.99
KCDSWW3618SHAKER	SW-W3618	35 lbs.	294.99
KCDSWW3630SHAKER	SW-W3630	53 lbs.	416.99
KCDSWW930SHAKER	SW-W930	20 lbs.	158.99

HOME DECOR







Single Door Standard Base

Shaker White Cabinets Slab Front Drawers

- All Plywood Construction
- Slab Door Style
- Soft Close Doors
- Soft Close Drawers
- Dovetailed Drawer Box
- DTC Hardware
- Sherwin Williams Paint
- Add'l Finishes Available











Shaker Sana

Shaker White 5PC

Shaker White Slab

SINK BASE CABINETS		In Stock!	
ItemNumber	Cabinet	Weight	
KCDSWSB30SHAKER	SW-SB30 (Sink Base)	53 lbs.	367.99
KCDSWSB33SHAKER	SW-SB33 (Sink Base)	56 lbs.	382.99
KCDSWSB36SHAKER	SW-SB36 (Sink Base)	59 lbs.	398.99

VANITY CABINETS	In S	tock!	
ItemNumber	Cabinet	Weight	
KCDSWV242SHAKER	SW-V24-2 (2 Door)	44 lbs.	288.99
KCDSWVDB12SHAKER	SW-VDB12 (3 Drawer Base)	60 lbs.	414.99
KCDSWVDB15SHAKER	SW-VDB15 (3 Drawer Base)	65 lbs.	436.99
KCDSWVDB18SHAKER	SW-VDB18 (3 Drawer Base)	70 lbs.	461.99
KCDSWVSB36SHAKER	SW-VSB36 (3 Drawer Base)	74 lbs.	550.99
KCDSWVSBDL36SHAK	SW-VSBDL36 (Drawers Left)	72 lbs.	564.99
KCDSWVSBDR36SHAK	SW-VSBDR36 (Drawers Right)	74 lbs.	564.99

SPECIALTY CABINETS & ACCESSORIES IN Stock!					
ItemNumber	Cabinet	Weight			
KCDSWER36SHAKER	SW-ER36 (Easy Reach)	99 lbs.	692.99		
KCDSWLSKNATURAL	SW-LSK (Lazy Susan)	12 lbs.	299.99		
KCDSWBPLG4896SHA	SW-BPLG4896 (Back Panel - Long)	27 lbs.	214.99		
KCDSWTEP3096SHAKER	SW-TEP3096 (Tall End Panel)	23 lbs.	349.99		
KCDSWDWR3SHAKER	SW-DWR3 (Dishwasher Panel)	10 lbs.	149.99		
KCDSWSCRIBESHAKER	SW-SCRIBE	5 lbs.	34.99		
KCDSWOCM8SHAKER	SW-SCM8 (Shaker Crown Molding)	5 lbs.	30.99		
KCDSWSCM8SHAKER	SW-OCM8 (Corner Molding)	5 lbs.	30.99		
KCDSWF396SHAKER	SW-F396 (3' Filler)	5 lbs.	55.99		
KCDSWTKS8SHAKER	SW-TKS8 (Toe Kick)	5 lbs.	23.99		
KCDSWTUKITSHAKER	SW-TUKIT (Touchup Kit)	1 lb.	30.99		

HOME DECOR

Pricing Notice







Because a typical kitchen countertop must withstand a range of abuses from vegetable chopping to plant potting yet remain smooth and sanitary with the wipe of a sponge, different work centers may call for unique surfaces. Consider the alternatives, then tailor each countertop to its specific purposes.

There are several ways to purchase countertops, depending on the material and your budget. Some laminates are available prefabricated in standard sizes; however most countertops are built to specifications.

Your countertop will be made at our countertop manufacturing facility by experienced professionals. Pick the style right for you! For kitchen, vanity or bar - in dozens of popular color options.

Countertop Colors (Subject to manufacturer's updates)




Colors available for kitchen and bath vanity.

M

"Futura" Style Preformed Laminated Countertops

- Sold in 4', 6', 8' and 12' blanks (unfinished ends)
- Custom finishing available (at additional cost)
- · Crating additional











V CenterPointe

Butcher block Countertops

Hevea and Acacia woods are harvested sustainably, resulting in less waste and reduced emission of greenhouse gases.

You can feel good about bringing the beauty and warmth of VT CenterPointe into your home.

We carry 25'' width in lengths of 50'', 98'', and 122'', in addition to bar width of $39'' \times 74''$ and 4'' splash.

PLUMBING/HEATING

Toyostove Kerosene Heaters Are Clean, Safe and Thermostat Controlled



A Laser Heater provides all the comfort and convenience of a central heating in one small, efficient unit at a fraction of the cost. It is also ideal for heating summer homes, hunting cabins, and is certified for installation in mobile homes and manufactured housing. The Laser heater combines the most advanced technology with the economy of kerosene heating. It features a simplified digital control panel that displays room temperature, temperature settings, time, and error codes. The unit is especially safe for children and pets as its cabinet is cool to the touch. All units feature a safety

shut-off system. You can easily install a Laser heater in just an hour or two. The helpful owner's manual provides complete, step-bystep instructions. Several installation options are available. All units are U.L. approved for #1 fuel oil.

15,000 BTU Heater

- Heats up to 720 sq. ft.
- Measures: 16-15/16"W x 13-9/16"D x 21-3/4"H
- Direct vent heater
- White



White	(TOYOL301)	42 lbs.	1559
Black	(TOYOL302)	42 lbs.	1559

Wi-Fi Capable 40,000 BTU Heater

- Heats up to 2,000 sq. ft.
- Measures: 30"W x 27-1/2"H x 16-3/4"D
- Three cycle burning mode
- · Forced fuel venting system



White #L731	(TOYOL731)	75 lbs.	2559
Black #L732	(TOYOL734GR)	75 lbs.	2559.99

22,000 BTU Heater

- Heats up to 1 100 sq. ft
- M
- Th
- Fo
- W

W/l-:+- TOYOL 5	11 (TOYOL	CO1) CO I	
/iFi Capable			
orced fuel venting	system		
hree cycle burning	mode		
leasures: 19-5/8" W	x 23-5/8" H x 16-	1/2" D	
eats up to 1,100 sq	11.		acre

White	TOYOL531	(TOYOL531)	52 lbs.	1859
Black	TOYOL532	(TOYOL532)	52 lbs.	1859

1500 Watt Electric Heater

- 5120 BTU
- 750/1500 Watt
- Safety tip over switch
- Adjustable thermostat

#PH-2

(KEPH-2)



46.39

Accessories



"CTIVIT

• Includes 1 each: Gate Valve, 3/8" Flare Nut, 3/8" x 3/8" Brass FLX-MIP Union 408, 1" x 3/8" Bushing – 2 each: 1" x 3/4" Bushing, 3/4" x 2" Nipple

(TO)(O A ((ET)

#FIKII		(TOYOAKFT)	2 IDS.	99.99		
Extension Kits						
Short	12" x 19"	(TY20479896)	2.0 lbs.	109.99		
Medium	22" x 39"	(TY20479897)	2.5 lbs.	157.99		
Long	60" x 78"	(TY20479898)	3.0 lbs.	260.99		

1500 Watt Ceramic Heater

- 750/1500 Watt
- Comfort Grip handle
- Built-in thermostat
- Rugged steel construction

#PUH1215T (KEPUH1215T)



5 lbs. 72.99

Fuel Tank Filter

• Removes water from gasoline and diesel fuel

 Water absorbing polymers trap water and restrict fuel flow which is your signal to replace element #496 (DL496)



Replacement Filter

#496-5 (DL496-5) 0.4 lb. 25.99

Mr. Buddy Heater

- 4,000 or 9,000 BTU per hour
- For use with propane gas
- · Heats up to 225 sq. ft.
- Accidental tip-over safety shut-off
- Runs off a 1 lb. cylinder
- · Connects directly to a 20 lb. cylinder with optional hose and filter (F232000) #F232000 79.99



Toyo lift kit


- Great for second-story installations
- For indoor installation only; electrical components are not waterproof
- Must be installed in accordance with National Fire Protection Association Code NFPA 31
- Compatible with all Toyotomi products

#OPT-101 (TOYO20477600) 8 lbs. 504.99



Weil-McLain Boilers

Spenard Builders Supply is now selling the WGO series of Weil-McLain boilers. Weil-McLain® oil-fired boilers are among the most reliable and energyefficient residential oil boilers on the market.



- Two Flue outlets rear and tope for complete venting flexibility
- · Dedicated water-only boiloer with cast iron section - no tankless heater or cover plate
- · Recessed target wall design protects nit from
- · Includes factory-wired circulator, service switch and Weil-McLain exclusive captured elastomer seals for added reliability
- 850 lbs. Crated Weight



PLUMBING/HEATING

Pricing



Pedestal Wood Stoves

- 2020 EPA certified
- Firebrick Lined
- Integrated Ash Pan



A. 1,200 Sq. Ft. Cap. #AW1120E-P (USAW1120E-P) 246 lbs. 999.99 B. 2,000 Sq. Ft. Cap. #AW2020E-P (USAW2020E-P) 296 lbs. 1199.99 C. 2,500 Sq. Ft. Cap. #AW2520E-P (USAW2520E-P) 354 lbs. 1299.99

Universal Wood Stove Blower

#SCB-36

(USSCB-36)



6" Heat Reclaimer

#MH6

(USSHR-6)

14 lbs.

159.99

Large Cast Iron Woodstove

- EPA Approved / 900 sqft
- · Heavy duty cast iron construction
- Perfect for cabins, garages and shops

#1269E (US1269E) 172 lbs.



Barrel Stove Kit

- All cast iron for long life durability
- · Converts any 55 gallon drum into an economical and efficient wood burning heater
- · Includes door, legs and chimney pipe adapter



#BK100E (USSBK100E) 25 lbs. 119.99

Stove Board

• Provides protection for floors and walls from intense heat, hot coals, ashes, and soot that wood stoves can produce.





· Grey Slate finish

32" x 42" Gray	#UL3242TP-2	(T2UL3242GT-1)	18.7 lbs. 129.99
36" x 52" Gray	#UL3652GT-3	(T2UL3652GT-1)	24.3 lbs. 199.99
36"X 52" Black	#UL3652BL-1	(T2UL3652BL-1)	24.3 lbs. 199.99

Accessories

6" Round Chimney Brush	#BR0183	(BR0183)	1.50 lbs.	27.99
8" Round Chimney Brush	#BR0184	(BR0184)	1.81 lbs.	37.99
48" Chimney Extension Rod	#BR0187	(BR0187)	.45 lb.	15.99



Ecofan UltrAir Stove Fan

Black (810CAXBX) 26.4 lbs. 125.99

CO Alarm

- · Multi-function, backlit digital display
- Peak CO level feature retrieves the highest concentration of carbon monoxide measured



#CO712 2.0 lb. 44.99

Battery Operated Smoke Alarm

- Silent & Test Feature
- · Loud 85 decibel alarm
- Blinking power indicator
- UL listed. 10-year limited warranty

#1046827 (FA1046827)



.21 lb. 14.99



Smoke Alarm

• BRK Hardwire w/9V battery backup

#1046836 FA1046836



.61 lbs. 24.99

#

HAZARDOUS **MATERIALS**



First Alert Combo Smoke/Carbon **Monoxide Alarm**

- 85 dBA
- Ionization Sensor

Direct Wire & 9V Battery #1046870 (FA1046870) .34 lb. 58.99





Fire Extinguishers


- Fights all common fires: electrical, oil, gas and flammable
- The first line of defense in case of fire in your home, boat, car

Garage/Home	#REC5	(FEREC5)	4.7 lbs.	27.99
Multi-Purpose	#HOME-RED	(FE1A10GO)	5.3 lbs.	25.99
Heavy-duty Plus	#PRO5	(3A40BC)	9.8 lbs.	62.99

PLUMBING/HEATING

METALBESTOS Metalbestos Stainless Steel Chimney System

Metalbestos Model SS Chimneys are ideal for venting wood, gas, oil and coal-fired appliances. They are suitable for application in residential, commercial and industrial buildings. Model SS Chimney Systems have a variety of components to meet installation requirements.
















	Matalhastas Dina	CII Din a	(Oll Otaida	D:\	011 Dim - /10	II Outside D	:
	Metalbestos Pipe	6 Pipe	(8" Outside	Diameter)	8" Pipe (10	Outside D	iameter)
A.	Chimney Top	(SEL206800)	3 lbs.	109.99	(SEL208800)	5 lbs.	139.99
В.	18" Pipe	(SEL206018U)	10 lbs.	118.99	(SEL208018U)	13 lbs.	167.99
c.	36" Pipe	(SEL206036U)	20 lbs.	218.99	(SEL208036U)	25 lbs.	251.99
D.	Finish Support	(SEL206410)	6 lbs.	199.99	(SEL208410)	7 lbs.	239.99
E.	Wall Bands	(SEL206520)	1.75 lbs.	44.99	(SEL208520)	2 lbs.	55.99
F.	Tall Cone Flashing Flat Roof	(SEL206815)	3 lbs.	139.99			
G.	Roof Flashing 0/12 - 6/12	(SEL206825)	2.75 lbs.	99.99	(SEL208825)	3.25 lbs.	129.99
н.	Roof Flashing 6/12 - 12/12	(SEL206830)	2 lbs.	139.99	(SEL208830)	3 lbs.	169.99
I.	Roof Support Package	(SEL206420)	14 lbs.	249.99	(SEL208420)	18 lbs.	299.99
J.	Insulated Tee With Clean Out	(SEL206100)	11 lbs.	269.99	(SEL208100)	15 lbs.	329.99
K.	Storm Collar	(SEL206810)	0.3 lbs.	22.99	(SEL208810)	0.3 lbs.	19.99
L.	Wall Support Kit	(SEL206430)	9 lbs.	109.99	(SEL208430)	10 lbs.	129.99
М.	Smoke Pipe Adapter	(SEL206240)	20 lbs.	79.99	(SEL208240)	34 lbs.	94.99
N.	6" Flat Ceiling Kit	(SEL206620)	25 lbs.	479.99	(SEL208620)	32 lbs.	649.99
	High Temp Silicone Roof Boots	(DF208RE)		128.99			
	Roof Brace Kit	(SEL206440)	8 lbs.	139.99	(SEL208440)	8 lbs.	149.99

Common Chimney Installations







SBS has a complete selection of galvanized, matte black, and aluminum pipe. Please call for sizes and pricing.

PLUMBING/HEATING

Pricing Notice

30 Gauge Pipe

Galvanized



3" x 24"	(GV0346)	1 lb.	6.99
4" x 24"	(GP304)	1.28 lbs.	7.59
5" x 24"	(EM110524)	1.8 lbs.	8.59
6" x 24"	(EM110624)	1.8 lbs.	8.69
7" x 24"	(NW110724)	2.12 lbs.	7.29
8" x 24"	(EM110824)	2.4 lbs.	10.79

28 Gauge Tee

Galvanized



4"	(EM4TEE26)	1 lb.	32.49
6"	(135697)	1.75 lbs.	27.09
8"	(EM8TEE28)	2.67 lbs.	26.99

Cast Iron Damper

Galvanized



		100	
6"	(BM0051-A)	.93 lbs.	16.99
8"	(BM0053-A)	1.84 lbs.	21.99

28 Gauge China Top

(EM134400)

(EM134500)

(EM6GCT)

(EM8GCT)

Galvanized

5"

6"

8"

8.59

16.09



25.99

32.49

34.59

0.75 lb.

0.9 lb.

1.42 lbs.

2.67 lbs.

Roof Ve	nt
Stack	Flashing

Directional Caps



EPDM Rubber	(OA14052)	.59 lb.	37.99
Thermoplastic	(OA14053)	0.7 lb.	29.99
6"- 9"	(RMS6FG6)	1.1 lbs.	95.99
7"- 13"	(RMS8FG8)	2 lbs.	142.99


90° Elbow Pipe

(EM120600)

(EM120800)

6"

8"



1 lb.

1.5 lbs.

Attic Vent

Galvanized



_				
3	6"	(WDC6)	4 lbs.	77.99
	8"	(WDC8)	4 lbs.	92.99
49.69	10"	(WDC10)	6 lbs.	106.99

Wall Stack Galvanized

Round Transition

3-1/4" x 10" x 6" (EM6310UBC) 1.5 lbs. 21.69

Straight Boot

3-1/4" x **10"** x **36"** (EM3103WSTK)1.52 lbs. **32.49**

12" x 12" (NWMFR1212GALV) 2.5 lbs. 12" x 18" (NWMFR1218GALV) 3 lbs. 61.49 14" x 24" (NWMFR1424GALV) 5 lbs. **75.99**

Aluminum Roll Flashing

• 50' Rolls



Aluminum Pipe

(301200) 3" X 24" 0.48 lb. 6.59 6" X 36" (EM636AP) 0.50 lb. 27.19

Aluminum Elbow

Adjustable



3"	(EM3AELBOW90)	0.25 lb.	7.59
4"	(IMVT0024)	0.25 lb.	5.39
5"	(IMGV0291C)	0.5 lb.	9.99
6"	(EM6AELBOW90)	0.5 lb.	15.19



24 Gauge Matte Black Pipe

• 24" sections

6" Diameter	(BM0111)	2.5 lbs.	12.99
8" Diameter	(BM824600)	3.72 lbs.	21.99

Matte Black Elbow

Adjustable

6" Diameter	(BM624602)	1.64 lbs.	13.99
8" Diameter	(BM0016)	1.84 lbs.	16.99

Fresh Air Wall Vent

4" Diameter	#80	(SS80VENT)	2 lbs.	81.99
4" Diameter	#100	(SS100VENT)	2 lbs.	79.99



PLUMBING/HEATING





· A self adhesive weatherproofing foam tape for eliminating air and moisture leaks

1/4" x 17'	(MD02071)	0.16 lb.	5.69
3/8" x 10'	(MD02295)	0.24 lb.	4.59
1/2" x 10'	(MD02311)	0.36 lb.	4.79

Camper Seal Foam Tape

• 3/16" x 1-1/4" x 30' roll

· Designed for specifically for truck campers


> #02352 (MD02352) 0.93 lb.

Window Insulation

• Easy shrink and seal, installs on inside frame of window

 Eliminates drafts and







- •96" in length
- Vinvl

White	(MD70068)	6.99
Brown	(MD70056)	6.99

Window And Door Weatherstrip

- Self adhesive plastic weatherstrip
- Easy, fast bonding insulation
- 7/8" x 17 ft. roll

Brown #03541 (MD03541) 0.25 lb. 6.99

Caulk Backer

- · Durable non-absorbant polyethylene pre-caulking material
- Use before caulking
- 20 foot

3/8"	#71464	(MD71464)	0.06 lb.	4.59		
1/2"	#71480	(MD71480)	0.07 lb.	4.99		
5/8"	#71506	(MD71506)	0.11 lb	5 69		

Weatherstrip

	#71480	(MD71480)	0.07 lb.	4.99
•	#71506	(MD71506)	0.11 lb.	5.69

EASYHEAT Pipe Heating Cable

 EasyHeat™ AHB automatic electric water pipe heating cable is a pre-assembled and ready to install, cable that prevents metal and plastic pipes from freezing. These units are activated and de-activated by an integral energy saving thermostat.

6' #AHB-016A (EAAHB-016A) 1 lb. 29.99

Aluminum Stop Door

· Aluminum with foam and vinyl seal

• Fits up to 36" width

#87783 (MD87783) 2.05 lbs. 42.99

md

Sub Zero Premium Weatherstrip

• 17 ft. roll

"K" Profile

"P" Profile

"D" Profile

10' All Profile

White

White

• Remains flexible to -40°F

#02592

#63628

#63669

Brown #02576 (MD02576)

Brown #02618 (MD02618) 0.22 lb.

#02550 (MD02550)

(MD02592)

Brown #63602 (MD63602) 0.25 lb. 12.99

Brown #63644 (MD63644) 0.03 lb. 11.99

(MD63669)



0.22 lb.

(MD63628) 0.25 lb. 12.99

9.99

9.99

0.5 lb. 10.99

0.5 lb. 10.99

0.03 lb. **11.99**

Door Bottom Sweep

- Durable PVC seals out cold and water
- Fits up to 36" width



(MD06528) 0.47 lb. 14.99

Sealeze 36" Door Sweep

 Helps stop under door drafts



#05090 (MD05090) 2 lbs. 13.99



Sealeze Garage Door Brush Seal

- Seals out dust and pollen
- Keeps cold air out, warm air in

7' Brush Seal	(J140CLA08BL7)	28.29
8' Brush Seal	(J140CLA08BL8)	32.29
9' Brush Seal	(J140CLA08BL9)	36.09
10' Brush Seal	(J140CLA08BL10)	40.19

Wrap

- Flexible pre-slit pipe jacket
- Helps to prevent cold pipe sweating

6' Section						
1/2"	#30581T	(QRPR38058TW)	0.09 lb.	3.49		
3/4"	#30781T	(QRPR38078TWTU0)	0.1 lb.	3.99		
1"	#31181T	(AA4096434)	0.12 lb.	4.59		



65

PLUMBING/HEATING

Pricing Notice

There's a PEX Fitting System For Every Plumbing Job...Production, Prefabrication or No-Flame Repair PEX Crosslinked Polyethylene Tubing

PEX tubing's versatility makes it perfect for many residential, commercial and industrial applications. It not only meets ASTM standards, but goes well beyond these requirements. PEX will handle all normal temperatures and pressures for residential potable water systems and radiant floor heating applications. PEX tubing stays flexible at all temperatures. It is easy to install year round. PEX tubing is practically inert. Nothing sticks to it. This means PEX resists mineral buildup, rust, corresion, and electrolysis. PEX pining can be connected to galvanized, connected to galvanized.



corrosion, and electrolysis. PEX piping can be connected to galvanized, copper, polybutylene and CPVC systems with standard Sharkbite fittings. Here are just a few of the advantages offered by PEX tubing:

Trouble-Free PEX Tubing

- Flexible
- · Corrosion resistant
- · No electrolysis
- · Freeze damage resistant

Crimp and Thread Connections


- · No exotic parts to fail
- · No solvents, bonding agents or "glues" used
- No flame, no solder, flux or gas used
- · More positive connections, quicker, easier

amp (10 Pack)			
#APJH1210PK	(APXJH12-10PK)	0.06 lb.	3.79
#APXJH3410PK	(CBAPXJH3410PK)	0.09 lb.	4.29
t 90 Elbow Barb - I	Lead Free		
QQE33GX	(APXE12)	0.05 lb.	2.99
QQE44GX	(APXE3434)	0.13 lb.	3.99
s Crimp Ring (10 P	Pack)		
QCR3X	(APXCR1210PK)	0.1 lb.	4.99
QCR4X	(APXCR3410PK)	0.1 lb.	6.99
s Coupling Barb -	Lead Free		
QQC33GX	(APXC1212)	0.03 lb.	2.59
QQC44GX	(APXC3434)	0.05 lb.	2.99
t Tee Barb - Lead F	ree		
QQT333GX	(APXT12)	0.06 lb.	4.59
QQT444GX	(APXT34)	0.13 lb.	5.39
	#APJH1210PK #APXJH3410PK t 90 Elbow Barb - QQE33GX QQE44GX s Crimp Ring (10 F QCR3X QCR4X s Coupling Barb - QQC33GX QQC44GX t Tee Barb - Lead F QQT333GX	#APJH1210PK (APXJH12-10PK) #APXJH3410PK (CBAPXJH3410PK) t 90 Elbow Barb - Lead Free	#APJH1210PK (APXJH12-10PK) 0.06 lb. #APXJH3410PK (CBAPXJH3410PK) 0.09 lb. t 90 Elbow Barb - Lead Free QQE33GX (APXE12) 0.05 lb. QQE44GX (APXE3434) 0.13 lb. cs Crimp Ring (10 Pack) QCR3X (APXCR1210PK) 0.1 lb. QCR4X (APXCR3410PK) 0.1 lb. cs Coupling Barb - Lead Free QQC33GX (APXC1212) 0.03 lb. QQC44GX (APXC3434) 0.05 lb. t Tee Barb - Lead Free QQT333GX (APXC1212) 0.06 lb.

QP3X	(APXP12)	0.02 lb.	2.39
bing – Red oı	r Blue		
Q3PC100X	(12100RPEX/12100BPEX)	5.4 lbs.	34.99
Q4PC100X	(CBAPPR10034/ CBAPPB10034)	10.2 lbs.	55.99
Valves			
QQV744X	(APXV3434)	0.3 lb.	14.99
ng-for in-floo	or heating systems		
U860O300	(APPOB30012)	7.37 lb.	123.99
U8700300	(APPOB30034)	10 lb.	219.99
	Q3PC100X Q4PC100X Valves QV744X ng-for in-floo	Oing – Red or Blue Q3PC100X (12100RPEX/12100BPEX) Q4PC100X (CBAPPR10034/ CBAPPB10034) Valves QQV744X (APXV3434) ng-for in-floor heating systems U860O300 (APPOB30012)	Ding – Red or Blue Q3PC100X (12100RPEX/12100BPEX) 5.4 lbs. Q4PC100X (CBAPPR10034/CBAPPB10034) 10.2 lbs. Valves QQV744X (APXV3434) 0.3 lb. ng-for in-floor heating systems U860O300 (APPOB30012) 7.37 lb.

Dimensions and Standard Equipment

Pressure Vessel, Reversible cast iron swing door, cast iron reversing chamber, deluxe insulated jacket, supply dip tube, pressure relief valve, pressure/temperature gauge, Beckett AFII burner, Taco 007 1-1/4" circulator with gaskets, flanges and fasteners, R7184A Cad cell relay with Pre and Post Purge, L8148A combination high limit, vent terminal, boiler vent connector, oil nozzle line heater, intake vacuum breaker, intake terminal, vent pipe sealant.



Oil-Fired Hot Water Home Heating

Uncompromising comfort is what you and your family can expect when your heating contractor installs a Burnham Hydronics LE™ (Low Energy) Series boiler. Offered in two models, direct vent and chimney vented (natural draft), the oil-fired LE and LEDV Series boilers are available in multiple sizes for practically any home. Both venting options are available in three capacities with annual fuel efficiency rating up to 86.7%.

Features:

- High efficiency with annual fuel efficiencies of up to 86%
- · No chimney needed!
- A complete home heating system
- Flexible installation options
- Long lasting performance
- Efficient AND economical



Burnham LE1/LEDV1 325 lbs. Call For Pricing

PLUMBING/HEATING



Gas Connectors

- A.G.A. design certified connectors permit easy installation of gas ranges, ovens, clothes dryers and space heaters
- · Corrugated single wall

		,					
	5/8" X 48" x 3/4"						
(1	BCCSSC1	2R48P)	1.5 lbs.	37.99			
	1/2" X 24" X 3/8"						
	(CSSL47	R-24P)	.58 lbs.	25.99			
	3/4" x 48" x 1/2"						
(CSSD105	R-48P)	1.30 lbs.	34.99			

Propane Connectors

1/2" x Close				
#1/2XCB	(12XCB)	0.06 lb.	1.19	
1/2" x 2" Nipple Black				
#1/2X2B	(12X2B)	0.1 lb.	1.69	

Teflon Tane



1/2" x 520 ft.	(12520TT)	0.03 lb.	1.69
4 Oz. Gas Line Teflon Paste	(TPP4OZ)	0.48 lb.	8.69
1/2" X 260" Gas Line Teflon Tape	(1260YTT)	0.6 lb.	4.79

Richmond

Water Heaters

- Resistor design heating elements prolong anode rod and tank life
- Extra-durable high-temp dip tube
- Easy access thermostat adjustment
- 6 year limited warranty on tank and parts

Call for more sizes

50 Gallon Electric

#6E50-D (6E50-D) 20.375" x 61.625" 121 lbs. **624.99**

50 Gallon Natural Gas

#6G50-38F (6G50-38F3) 20.5" x 58.375" 150 lbs. **679.99**



ACCESSORIES					
120/240V Thermostat	#07863	(TH07863)	.47 lb.	34.99	
Electric Installation Kit	#10193	(CAM10193)	1.83 lbs.	44.99	
Gas Installation Kit	#10183	(CAM10183)	1.03 lbs.	72.99	
Temperature & Pressure Relief Valve	#WA100XL4150	(WATLF3)	.70 lbs.	62.49	

тоуотомі

Instant Hot Water Heater

- Heats the water you need, when you need it up to 240 gallons per hour
- Stainless steel heat exchanger
- Direct vent or chimney vent*
- Small, compact size

*Water Heater Direct Vent Kit required (sold separately)

#22DW Formerly OM-148 (TYOM122DW) 12-5/8"x27-3/4"x22-1/2" 86 lbs. **2409**#128HH (TYOM128HH) 12-5/8"x27-3/4"x22-1/2" 120 lbs. **2409**

*Water Heater #2047(440) (TYOM128HH) 12-5/8"x27-3/4"x22-1/2" 120 lbs. **2409**

Vent Kit #20476440 (TY20476440) 7 lbs. **379.99**

Sta-Rite®

Utility Pump

• Pumps to 1/8" deep

cooler operation

#2305

1/6 HP Submersible

• 115-volt, 60-Hz, continuous-duty

(2305)

motor oil filled and sealed for



19 Gallon Laundry Tub

 Includes tub with legs, faucet, integral drain with plug and 2 plastic supply lines

#101040



(EM14CP) 15 lbs. **179.99**


1/2 HP Thermoplastic Sump Pump

• With float switch

#SPF50

- · Heavy duty, Oil-filled motor
- 1 1/2" NPT discharge





- 1-1/2 in Outlet
- 15 ft Max Head
- 3750 gph

#SPF33 (WPSPF33)



8 lbs. 129.99

(AA48580) 15 lbs. **149.99**

13 lbs. **129.99**

PLUMBING/HEATING

Pricing Notice

Copper Pipe Type M Copper Pipe



1/2" x 10'	(1210TMC)	2 lbs.	22.99
3/4" x 10'	(3410TMC)	3.2 lbs.	39.99

Type L Copper Tubing



39.99

57.99

11 lbs.

15 lbs.

•	3/8"	outside diameter	


20'	(MURC3820)	2.6 lbs.	49.99
60'	(CPRTL3860R)	11.6 lbs.	155.39

Copper Fittings

			y -	
Elbow	1/2"	(107C)	0.1 lb.	1.39
Elbow	3/4"	(ELK31288)	0.1 lb.	2.79
Tee	1/2"	(12CC111)	0.1 lb.	1.99
Tee	3/4"	(34CT111)	0.1 lb.	5.69
Coupling	1/2"	(12CC100)	0.1 lb.	.99
Coupling	3/4"	(34CCAP100)	0.1 lb.	1.99
Сар	1/2"	(ELK30626)	0.1 lb.	1.39
Сар	3/4"	(34CC117)	0.1 lb.	2.19

Gate Valves

For controlling water





Sweat 1/2"	(100-453NL)	0.6 lb.	12.99
Sweat 3/4"	(100-454NL)	1 lb.	15.99
IPS 1/2"	(100-403NL)	0.6 lb.	11.99
IPS 3/4"	(100-404NL)	1 25 lbs	13.99


ABS Pipe 10 Ft. ABS Pipe

(GEN80031F)

(GEN80041F)

3"

4"



ABS Elbow

(GEN82815)	0.3 lb.	3.29
(GEN82820)	0.3 lb.	4.79
(GEN82830)	0.3 lb.	12.99
(GEN82840)	1.6 lbs.	27.99
	(GEN82820) (GEN82830)	(GEN82820) 0.3 lb. (GEN82830) 0.3 lb.

ABS Tee

1-1/2"	(GEN81115)	0.2 lb.	5.69
2"	(GEN81120)	0.4 lb.	5.69
3"	(GEN81130)	1.4 lbs.	18.99

ABS No-Hub Couplings


1-1/2"	(P1056-150)	0.3 lb.	6.49
2"	(WWSNHC-2)	0.5 lb.	5.99
3"	(P1056-33)	0.5 lb.	10.99
4"	(WWSNHC-44)	1 lb.	12.99

ABS Glue



16 OZ. Low V.O.C. ABS Cement

 Medium-bodied black cement for use on all schedules and classes of ABS pipe and fittings up to 6" diameter with interference fit





#30892 (OA30892) 1.16 lbs. 15.99

Join Copper, CPVP and Pex Pipe in any combination, with no soldering, glue, unions or


clamps.




Tees

1/2" x 1/2" x 1/2" (SBUR362A) 0.2 lb. 16.09 3/4" x 3/4" x 1/2" (SBUR412A) 0.1 lb. 15.99 3/4" x 3/4" x 3/4" (SBUR370A) 0.3 lb. 15.99 3/4" x 1/2" x 3/4" (U444A) 0.2 lb. 17.99

90° Elbows



Straight Coupling



Dismount Clips

1/2"	(U710A)	0.1 lb.	2.99
3/4"	(U712A)	0.1 lb.	2.99
1"	(U714A)	0.1 lb.	2.99

Straight Connectors

1/2" x 1/2" MNPT	(SBUR120A)	0.2 lb.	9.09
1/2" x 1/2" FNPT	(SBUR072A)	0.2 lb.	8.99
3/4" x 3/4" MNPT	(SBUR134A)	0.1 lb.	9.99
3/4" x 3/4" FNPT	(SBUR088A)	0.3 lb.	11.29




PLUMBING/HEATING

SBS has everything you need for new and old sink replacement.


These helpful diagrams identify the parts involved in sink replacement.

- Measure the sink now in place. Note how many holes it has for faucets and hose sprayers as well as the distance these holes are apart. Example: If your kitchen faucet is a two-handle unit, the holes for the hot and cold are normally 8 inches apart.
- Remove the trap assembly from the old sink by turning the top slip nut at the trap and tailpiece connection. If a garbage disposer is involved, turn off the power at the main electrical service entrance. Disconnect the power wires to the disposer and then unscrew the bolts that hold the disposer to the sink drain.
- 3. Turn off the water either at the supply stop valves at the bottom of the sink or at the main water service entrance.
- 4. Disconnect the water supply at the faucets. Remove bracket hardware from underneath the countertop if needed. Lift the sink out of the countertop hole.
- Clean the countertop and set the new sink into position in plumber's putty. You may be able to connect the faucet assembly and the drain basket and tailpiece before you set the sink into the countertop.
- 6. If the sink is held by brackets, install them at this point.
- 7. Connect the faucet to the water supply pipes. Install the disposer to the sink drain opening with a bolted flange. Reconnect the wires and attach the unit to the trap. If there is no disposer, attach the tailpiece of the sink drain to the trap assembly.
- 8. Use plumber's putty to bed sink drains it is recommended that you use stainless steel putty if the sink is stainless steel, to avoid spotting and damaging the surface.




Wall drainage for single-bowl sinks

1. Basket Sink Strainer Assemby	#PP8PC	(PP8PC)	21.99
2. Tailpiece Assembly	#PP906W	(PP906W)	4.99
3. Center Outlet Tee and Tailpiece	#PP930W	(PP930W)	11.99
4. P-Trap Drain Bend	#PP940W	(PP940W)	6.99
5. End Outlet Connection Waste	#PP925W	(PP925W)	10.99
6. S-Trap Drain Bend	#PP66-3W	(PP663W)	12.99



Center outlet connection for double-bowl sinks



End outlet connection for double-bowl sinks

ELECTRICAL

Pricing

Switch Plates

• White or ivory

#2134W/V (2134W/CW2134V-BOX) 0.1 lb.

Receptacle Plates

• White or ivory

#2132W/V (2132W-BOX/1GIDRP) 0.1 lb.

LEVITON Single Pole Switch

· White or ivory

#1301-7W/V (CW13017W/CW13017V-BOX) 0.11 lb. 99¢


Duplex Receptacle

• White or ivory

(270W/CW270V) 0.16 lb.

Tamper Resistant Duplex Receptacle

• 15 Amp · White or Ivory



Tamper resistant receptacle with USB ports

· White or ivory

(TR7765W-KB-L/COTR7740V-K) 0.26 lb. 29.99

Nail-On Box

Plastic	#B118AR	(B118A)	0.2 lb.	89¢
Metal	#8355	(RA8355)	0.75 lb.	5.99

Metal Octagonal Box

#8164 (RC164) 0.66 lb.

Plastic Cut-In Box

#B114R (B114R) 2.59 0.68 lb.

Adjustable Box

Adjustable depth

Single Gang	(B121ADJ)	0.4 lb.	4.99
Double Gang	(TBB234ADJ)	0.53 lb.	8.99

Nail-In Box

PVC			
Single Gang	(BH122A)	0.34 lb.	2.39
Double Gang	(BH235A)	0.5 lb.	4.29
Round	(AM9351-NK)	0.5 lb.	3.29

Airtight Electrical Box

• One piece with sealing flange and foam gaskets Single Gang

(RA2011FBAR) 0.26 lb.

COOPER Wiring Devices

Tamper Resistant GFCI Receptacle

- Test and reset button
- · White or ivory

15 Amp #TRWVGF15W/V (CWTWRGF15W/CWTRGF15V) 0.33 lb. 27.99 **20 Amp** #TRSGF20W/V (CWTRGF20W/CWTRGF20V) 0.33 lb. **29.99**

250 Ft. House Wire

• 12/2 NM-B type wire with ground

• 20 Amp rated




#12/2 (SW28828255) 24 lbs



Meter/Main Combinations

- Combination meter socket for overhead or underground service entrance with provisions for field installed main circuit breaker
- Dependable (2) 1" circuit breakers



Meter Main	#MBE24L125BTS	(MBE24L125BTS)	30 lbs.	100.99
2 Pole Breaker	#BR2125	(BR2125)	2.65 lb.	129.99

200 AMP Combo - Includes one 200 amp breaker

#MBT48B200BTS (MBT48B200BTS) **Meter Main** 35 lbs. 249.99

Load Center

25

18

- 8 & 16 single circuit breaker options
- UL listed breaker box

		\sim	-	
8 Breake	r Positions	1	J.	
125 Amp	#BR816L125FDP	(BR816L125FP)	9.4 lbs.	42.99
16 Break	er Positions			
125 Amp	#1224L125G	(BR1224L125G)	30 lbs.	64.99



Circuit Breakers

Single Pole 20 An	np		
ITE/Simmons	(Q120)	0.25 lb.	8.69
Square D	(QO120C)	0.5 lb.	17.99
#BR120	(AA31481)	0.3 lb.	8.69

Double Pole 30 or 50 Amp			
ITE	(Q250)	0.5 lb.	19.99
Square D	(QO230C/QO250C)	0.7 lb.	42.99

20 Amp ARC Fault Breaker

· Required by the latest electrical code in bedroom applications

#BRCAF120 (BRCAF120) 0.53 lb. 67.99

Single Pole Breakers				
30 Amp ITE	#TQ130	(Q130)	0.4 lb.	8.69
20 Amp Combination*	#TB120C	(Q120)	0.3 lb.	8.69



Double Pole Breakers				
30 Amp Combination*	#BR230	(AA31489)	0.5 lb.	19.99
50 Amp Combination*	#BR250	(AA31492)	0.5 lb.	19.99

^{*} Combination breakers fit Crouse Hinds/ITE, Murray, GE, Westinghouse, Siemens. Challenger and Thomas Betts.



ELECTRICAL

Clear Glass Porch Light

• 6" high, extends to 5-1/4"

Black	(1LBLKJLYJR)	1.98 lb. 8.99
Satin Nickel	(4402H-BN)	2.5 lb. 11.99
Polished Brass	(4402H-23L)	3.6 lb. 8.99
Replacement Globe	(WL8161700)	1 lb. 9,99



12" Square Ceiling Light

· Ceramic white glass

• 5-3/4" high

(F98WH02-12643L)

22.99 2.1 lbs.



Dimmable Ceiling Light Fixture

- Embossed floral and leaf glass shade
- · Textured white finish
- 13-1/8" diameter x 7" height
- · Uses 2 clear, medium base bulbs, 60 watt maximum (not included)

#6333215

(F155WW021068EC3L)

6.47 lbs. **54.99**

79.99

29.99



LED Light Fixtures

4' Wrap Light

- · Wattage Rating: 34 W, 120 to 277 VAC
- 3600 Lumens, Dimmable

#54676241

• 48 x 5.9 x 2.9 in

4'

Metalux 4' Shop Light	
• 10" Chain and S hooks for mounting	
• 1 Lamp	
• 120 V, 40 W, LED Lamp, 4300 Lumen	

(ETI4FTWRAP40W)

Ceiling Fan-Light Fixtures

(CLSHPLT4040R)

30" Petite™ Fan

#4APSHP4040R

- 1 light opal mushroom glass fixture
- Reversible white/whitewashed blades

#CF78108 (CF-78108) 25.3 lbs. 72.99



52" Ceiling Fan • 3 Light

- Polished Brass

#BHCF78021L (BHCF78021L) 22 lbs. 119.99

ETI 48" Wrap Light

- 57 W, LED Lamp
- 5200 Lumens, 4000 K Color Temp

#ES54677441



7.5 lbs.

2.3 lbs.

Boston Harbor Lighting

13" 2 Light **Ceiling Fixture Brushed Nickel**

(BRT-ATE1012-

#BRT-ATE1012-SC3L SC3L)

4.77 lbs. **54.99**

2 Light **Ceiling Fixture Brushed Nickel**

#A2242-2

(A2242-2)

5.2 lbs. 54.99

6" Round Ceiling **Light Fixture Brushed Nickel**

(F3BB01-3375-#F3BB01- 3375-BN

BN)

.99 lbs. 22.99

6" Ceiling **Light Fixture** Oil Rubbed Bronze

(F301-3375-#F301-3375-ORB ORB)

.99 lbs. 22.99

9" 2 Light

Ceiling Fixture Venetian Bronze #F14BB02-8005-ORB

(F14BB02-

8005-ORB)

2.04 lbs. 49.99

9" 2 Light **Ceiling Fixture Brushed Nickel**



(F14BB02-8005-BN)

2.04 lbs. 52.99

7.2 lbs. **79.99**

3 Light **Vanity Fixture Brushed Nickel**

4 Light

#V044BN

(RF-V-044-BN)

Vanity Fixture **Brushed Nickel**

#V042BN

(RF-V-042-BN) 9.64 lbs. 99.99

Spin Light LED Ceiling Fixture

- 7" diameter
- 11.5 Watts
- · Screws into existing electrical socket
- · Wall or ceiling mount

#54606242

(54606242)



2 Pack Ceiling Light Fixture Ceiling Light Fixture

- 0.17 A, 120 V, 20 W
- · 2-Lamp, LED Lamp
- 1500 Lumens

· 3000 K Color Temp #ZD13-BN-C

(ZD13-BN-C)

11.5 lbs. 64.99

Ceiling Fan Box & Support (RC936)



ELECTRICAL

Pricing Notice

Globe Electric Security Floodlight

- · Motion Detection
- White
- Bulbs sold separately

#17000269



Power Smith 7000L LED Worklight

Cordless Light Switch

- · LED Lamp
- 200 Lumens
- · Wall Mounting

· 200 Lumens

#PZ12532 (PZ12532) .3 lbs. 6.99

Double Floodlight Fixture

- Sealed 240° motion sensor
- · Adjustable time and sensitivity
- · Bronze or white
- Flood bulbs sold separately

#HZ5318-BZ (HZ-5318-BZ) 2.33 lbs. 49.99 #HZ5318-WH (HZ-5318-WH) 2.33 lbs. 49.99

(GE17000269)

Power Smith 10W Rechargeable **LED Worklight**

100

#PWLR112FM (RPWLR112FM) 3 lbs. 55.99

#PWLS070H (RPPWLS070H) 3.4 lbs. 54.99



SYLVANIA **Light Bulbs**

- 4 pack
- 2700 K



40 Watt	#SYL74079	8.99	
60 Watt	#SYL73888	9.99	

Nebo Curvbeam 600 Flex Headlamp

· Curved 180-degree floodlight

 Constructed from impact-resistant polymer, rubber, and aluminum,

#NEB-HLP-0021

(NEB-HLP-0021)



LED Light Bulbs - 4 Pack Frosted Daylight Bulbs

#78100 (SYL78100) 1.03 lb. 15.99 100 W #78103 (SYL78103) 1.05 lb. 19.99

SYLVANIA

Dimmable LED Frosted Bulb

General Purpose

40 Watt #40724 (SYL40724) 0.16 lb. 4.29

PowerZone Halogen Light Bulbs

- Bright white light
- T3 Lamp
- 2-pack

500 W #ORHLB500T32P (ORHLB500T32P) 0.17 lb. 6.99

Fluorescent Light Bulbs

Soft White 3-Way Bulb

Single pack

50/100/ 150 Watt

#41280 (SYL18060) 0.14 lb.



SYLVANIA

- Universal deluxe
- · Average life, 15,000 hours

32 Watt T-8	#21781	(SYL21781)	0.45 lb.	5.99
40 Watt T-12	#24334	(SYL24472)	0.83 lb.	6.99
32 Watt T-8 2PK	#22239	(SYL22239)	0.92 lb.	10.99

FEIT 4' LED Fluorescent Bulb

- · Converts existing fluorescent fixture to LED technology
- No replacing or rewiring of lamp holders required.

#T48/840/LEDG2

(T48840LEDG2)

0.8 lb.

14.99

SYLVANIA

4 Ft. Daylight Full Spectrum **Fluorescent Bulb**

- Engineered to produce natural light
- · Helps to reduce eyestrain and fatigue
- 2 Pack

40 Watt

#24755

(SYL24755)

0.333 lb. 17.99

Shop Work Lights

Linkable Plug-in LED Shop Light

- UL/cUL Damp location approved
- Energy Star certified
- Pull chain on/off switch #54103162 (54103162)





ELECTRICAL

Heavy-Duty Extension Cord

- Durable all-weather cord
- UL listed





- · Lifetime guarantee
- 12/3 gauge



Electrical Tape


- 60 ft L, 3/4 in W
- PVC Backing

(IPG602)



LEVITON **Porcelain Lamp Holder**

· For ceiling applications



Porcelain Lamp Holder


- With pull chain
- 4" diameter



Porcelain Lampholder with Grounded Outlet

- With 15 amp 125 volt AC outlet
- · Mounts on 4" outlet boxes
- Includes ball chain, 3' of cord, connector and end bell (667SP) 0.6 lb.

10 Ft. EMT Conduit



1/2" Diameter	(1210EMTC)	2.9 lbs.	7.99
3/4" Diameter	(3410GEC)	4.5 lbs.	13.49

Lamp Holder

Porcelain socket

· TOTCCIAITI 30CK				All Indiana	
Base	#5606-0	(HE5606-0)	0.53 lb.		6.49

Glacier Flex® Cold-Weather Lighted-End **Extension Cord**

- · All-weather vinyl extension cords provide outstanding performance in extreme climate conditions at temperatures from -58°F to +221°F
- Lighted end
- UL listed

50'	12/3 Gauge	(ORCW511830)	6.5 lbs.	72.99
100'	12/3 Gauge	(PZ3790326)	12.5 lbs.	119.99

PowerZone Extension Cord

- 12 AWG Cable
- 5-15P Grounded Plug
- 5-15R Grounded Receptacle
- 25 ft L, 15 A, 125 V

(ORC530825) 3.3 lbs.



49.99

Wire Nuts

- Box of 100
- Available in red, yellow, green and blue colors.

Red	(WN10086)	0.83 lb.	17.99
Yellow	(GB10084)	0.83 lb.	12.99
Green	(GB10-095)	0.83 lb.	25.99

Insulated Staples

• Box of 100 • 1-1/4" x 9/16" Blue PVC insulation 0.7 lb.

(KI70112)

3.99

Wire and Fittings

#4 Copper Ground Wire	(SW10644302LF)	0.2 lb.	1.49 l.f.
Ground Rod Clamp	(EG5CP58)	0.2 lb.	4.79
2" Hub	(CHDS200H2P)	0.5 lb.	19.99
2" Weatherhead	(HC58020)	1.6 lbs.	18.99
8' Ground Rod	(ER615880UPC)	6.7 lbs.	19.99
2" X 10' Galvanized Rigid Conduit	(103101)	15.7 lbs.	102.19

*Available by special order

COOPER Wiring Devices 3-Outlet Adaptor

• 15 amp/125 volt

(CW4402RN) .5 lb.



6.99

Outdoor Box

• 3 hole with mounting lugs

Вох	#5320-5	(53205OB)	0.66 lb. 7.99
Weather Proof Cover	#MM410C	(HUBMM410C)	0.21 lb. 11.99

WANT TO HEAR FROM YOU



4412 LOIS DRIVE | ANCHORAGE, AK 99517

If you would like to receive the SBS Catalog by mail, we need to hear from you! Visit www.sbsalaska.com/ services/rural-sales or scan the QR Code to sign-up today!



The latest version of our catalog will always be available on our website at www.sbsalaska.com.



COVERING ALASKA WITH QUALITY, AFFORDABLE HOUSING

- Our homes are designed for do-it-yourselfers, first-time home buyers and growing families.
- Our homes are priced initially in their most affordable form. Upgrades are available based on your choices and local building practices.
- ✓ Technical service is available through our team of experts at SBS.
- ✓ Job site delivery.

IMPORTANT NOTICE TO OUR CUSTOMERS

Pricing and availability are subject to change due to current supply chain issues and market conditions. If a price is not listed, contact a SBS team member for current market pricing or assistance at 1.800.844.9313 or catalogsales@sbsalaska.com.