
ARMSTRONG® PRODUCT CATALOG









Company Profile

Siam Armstrong was established in 1995, is a leading specialist in adhesive products and tapes, including double sided tape, cloth tape, masking tape, foam tape, and etc. With over 30 years of experience, we have earned a reputation as one of Thailand's foremost companies in adhesive technology and product innovation. Our quality is certied to global standards - ISO 9001:2015 and IATF 16949, ensuring both consistency in quality and performance.

Siam Armstrong serves a diverse customer base across both industrial and consumer markets, offering a comprehensive portfolio of over 1,000 product types. In addition to our core adhesive tape solutions, we are dedicated to the development of environmentally friendly products and continue to invest in innovative, customized solutions to meet the evoiving needs of our clients.













OPP Tape Packing Tape

- · Manufactured from high quality Biaxially Oriented Polypropylene film
- Acrylic water based adhesive
- · Suitable for packing in both industrial and general
- · Available in 2 colors: Clear and Brown

Size	Core	Color	Micron	Qty./Ctn.
48mm x 45y		Clear		
48mm x 45y	3"	Brown	38-50	72 Rolls
48mm x 100y		Clear	38-50	/2 Rolls
48mm x 100y		Brown		



Color OPP Tape

Color Packing Tape

- Bright, vivid and eye-catching color
- Manufactured from high quality Biaxially Oriented Polypropylene film
- Acrylic water based adhesive
- · Suitable for packing in both industrial and general purposes
- · Available in 7 colors: Purple, Green, Blue, Pink, Red, Yellow and White

Size	Core	Micron	Qty./Ctn.
48mm x 45y	3"	45	72 Rolls



Kraft Tape #JKT-10 Easily tears by hands

- Manufactured from silicone coated with kraft paper
- High level of water and moisture resistance
- Suitable for high strength enclosure such as food, frozen food, packaging and frame fabrication
- Convenient to use, tearable by hands, and recyclable

Size	Core	Code	Qty./Ctn.
24mm x 30y		A100337	144 Rolls
36mm x 30y		A100344	96 Rolls
48mm x 30y	3"	A100351	72 Rolls
60mm x 30y		A100368	60 Rolls
72mm x 30y		A100375	48 Rolls





CL01: White	CL05: Light Pink	CL09: Dark Green	CL13: Light Brown
CL02: Yellow	CL06: Dark Pink	CL10: Light Blue	CL14: Dark Brown
CL03: Mustard Yellow	CL07: Red	CL11: Dark Blue	CL15: Silver
CL04: Orange	CL08: Light Green	CL12: Purple	CL16: Black

CLOTH TAPE #CL-230-70

Colorful and long-lasting adhesive

- High quality duct/cloth tape with 70 mesh fabric
- Strong adhesion on both smooth and rough surfaces
- Easily tearable by hands
- Ideal for book binding, office supply and general fixing purpose

Size	Core	Length			Qty./Pack	Qty./Ctn.					
24mm					1 Rolls	144 Rolls					
36mm	3"	8y	99	9у	9у	9у	9у	9у	10y	1 Rolls	96 Rolls
48mm					1 Rolls	72 Rolls					
24mm			y 4y		12 Rolls	48 Rolls					
36mm	33mm	3mm 3y 4y		-	12 Rolls	32 Rolls					
48mm					12 Rolls	24 Rolls					









24mm x 36y

















Double Sided Tissue Tape #TP 601WH

Mounting light objects

- High quality Double-Sided Tissue tape
- Suitable for light application
- Easily tearable by hands
- Ideal for paper bonding, art and craft, gift wrapping and other general purposes

Size	Core	Code	Qty./Ctn.
6mm x 20y		A100047	576 Rolls
12mm x 20y		A100030	288 Rolls
18mm x 20y	3"	A100023	192 Rolls
24mm x 20y	3	A100016	144 Rolls
36mm x 20y		A102027	96 Rolls
48mm x 20v		A101495	72 Rolls



Double Sided Tissue Tape #TP-6051AS

Very strong adhesion

- A very high bond Double Sided Tissue tape, provides extra strong adhesion
- Widely use in printing and sign industry
- Applicable for paper and film bonding and other medium-high bonding strength application

Size	Core	Code	Qty./Ctn.
12mm x 50y		A100054	144 Rolls
18mm x 50y	3"	A100061	96 Rolls
24mm x 50v		A100078	72 Rolls









Double Sided Tissue Tape #TP 6031-100 / TP 6031-140

Water and heat resistance

- Made from solvent based adhesive
- Super strong adhesion
- Excellent weather resistance from low to high temperature (-30°c to 120°c)
- Ideal for mounting packaging, product/shelf display and foam/rubber materials

Size	Core	Code	Qty./Ctn.
12mm x 50y		A107251	144 Rolls
18mm x 50y	3"	A107268	96 Rolls
24mm x 50y		A107275	72 Rolls





Washi Masking Tape #WS-625

As know as "Painter's tape"

- Thin and smooth paper
- Temperature resistance up to 80°c for 1 hour
- Removable without residue
- High flexibility and can draw good curves
- Suitable for car painting, furniture, artwork, documents, paper, etc.

Item No.	Size	Core	Code	Qty./Pack	Qty./Ctn.
	18mm x 10y	33mm	A115331	5 Rolls/Pack	126 Packs
WS-625 155 Microns	18mm x 20y	1"	A115324	5 Rolls/Pack	100 Packs
	18mm x 20y	- 1	A106414	1 Roll/Sealed	256 Rolls
	24mm x 20y		A106490	1 Roll	144 Rolls
WS-625 155 Microns	36mm x 20y	3"	A106506	1 Roll	96 Rolls
	48mm x 20y		A106513	1 Roll	72 Rolls



Masking Tape

Off-white & 14 colors available

- Manufactured from high-elastic crepe paper, firm, durable and easily removed with non-residue
- Temperature resistance up to 60°c for 30 minutes
- Use mainly in painting, to mask off areas that should not be painted
- Good for connecting papers, marking materials, arts and crafts, etc.

Item No.	Width	Length	Core	Code	Qty./Ctn.
MT-521 125 Microns	12mm			A102980	288 Rolls
	18mm			A102997	192 Rolls
	24mm	20y	3*	A103000	144 Rolls
	36mm			A103017	96 Rolls
	48mm			A103024	72 Rolls
	12mm			A121325	288 Rolls

	12mm	745	3"	A121325	288 Rolls
	18mm			A121134	192 Rolls
MT-NY 140 Microns	24mm	20y		A120991	144 Rolls
	36mm			A121141	96 Rolls
41	48mm			A121042	72 Rolls

Color Masking Tape #MT-C Temperature resistance up to 80°c for 30 minutes

Item No. Width Length Core Oty/Ctn.

	Addition (III)		9	Charles and the last	CO Processing
MT-C 150 Microns	24mm			3"	144 Rolls
	36mm	10y	20y		96 Rolls
	48mm	48mm			72 Rolls
AVAILABLE	8 COLOR	S			
Yellow	Oran	nge	F	Pink	Red
Light Green	Dark C	reen	Ligh	nt Blue	Dark Blue





Masking Tape #MT-5 #MT-8

High temperature resistance

- Made from crepe paper with high flexibility
- Resistant to high temperature 120°C 160°C
- Moisture resistance
- · Suitable for car painting, water and chemical resistant
- Sticks well on metal, rubber, leather and plastic (PP, PU, ABS)

Item No.	Size	Core	Code	Qty./Ctn
MT-5 155 Microns	18mm x 30y		A107299	144 Rolls
	24mm x 30y	3"	A107305	96 Rolls
	48mm x 30y		A107312	72 Rolls
MT-8 160 Microns	18mm x 30y		A107329	144 Rolls
	24mm x 30y	3"	A107336	96 Rolls
	48mm x 30y		A107343	72 Rolls





Clear Mounting Tape/ Nano Tape

Very high bond adhesive tape

- Made from premium transparent acrylic material
- Transparent PET liner
- Very strong and durable
- Waterproof and removable with no residue
- · Ideal for applying on glass, metal, tile and plastic

Item No.	Size	Core	Thickness	Code	Qty./Ctn.
AF-1100 TT	12mm x 1.5m		1mm	A121370	384 Packs
	21mm x 1.5m	1"	urim	A119537	192 Packs
AF-1200 TT	12mm x 70cm		2mm	A134271	384 Packs
	21mm x 70cm			A135797	192 Packs















Heavy Duty Tape

Very high bond adhesive tape

- Made from high quality Black acrylic material with Blue PET released liner
- · Very strong adhesion and high durability
- UV resistance and waterproof
- Removable without residue
- Ideal for applying on metal, aluminum, tile, glass and plastic

Item No.	Size	Core	Thickness	Code	Qty./Ctn.
AF-1080 BL	12mm x 2m	1"	0.8 mm	A134264	384 Packs















Smooth Surface พื้นผิวเรียน Thickness: 1mm

Rough Surface พื้นผิวขรุขร









Double Sided Foam Tape #WF-1010/1015 HK

Special model for weight holding

- Produced from high quality PE Foam and coated with Rubber-based adhesive with superior holding power
- 1 sq.in. can hold maximum weight up to 1.5 kg
- Stronger adhesion and high elasticity
- · Applicable for applying on hooks and excellent mounting on various surfaces

		Thickness:1mm		Thickness: 1.5mm	
Size	Core	Code	Qty./Ctn.	Code	Qty./Ctn.
12mm x 1m		A145499	384 Packs	A145611	384 Packs
12mm x 3m	1"	A145505	288 Packs	A145628	288 Packs
12mm x 5m		A145512	288 Packs	A145635	144 Packs
18mm x 1m		A145529	192 Packs	A145642	192 Packs
18mm x 3m	1"	A145536	144 Packs	A145659	144 Packs
18mm x 5m		A145543	144 Packs	A145666	72 Packs
21mm x 1m		A145550	192 Packs	A133939	192 Packs
21mm x 3m	1"	A145567	144 Packs	A125835	144 Packs
21mm x 5m		A145574	144 Packs	A102164	72 Packs
24mm x 1m	1"	A145581	192 Packs	A102317	192 Packs
24mm x 3m		A145598	144 Packs	A102331	144 Packs
24mm x 5m		A145604	144 Packs	A104052	72 Packs
24mm x 24mm DIE-CUT		(. 	-	A134202	144 Packs



Double Sided Foam Tape / Double Sided Black Foam Tape #WF-1010/1015 PY / #BF-1010/1015 PY

For general purpose usage

- Manufactured from special high quality low VOCs adhesive
- Evenly smooth foam surface, with good adhesion to different materials
- Suitable for mounting light objects such as posters, postcards, name plates, signage, etc.

			White Foam	Black Foam	
Size	Core	Thickness	Code	Code	Qty./Ctn.
21mm x 3m			A100177	A143570	168 Rolls
21mm x 5m		1mm	A100184	A143587	126 Rolls
21mm x 10m	3"		A100191	A143594	84 Rolls
21mm x 3m			A100214	A143600	126 Rolls
21mm x 5m		1.5mm	A100221	A143617	84 Rolls
21mm x 10m			A100238	A143624	56 Rolls
24mm x 3m			A133724	A143631	144 Rolls
24mm x 5m		1mm	A133731	A143648	108 Rolls
24mm x 10m	3"	-2773977	A100153	A143655	72 Rolls
24mm x 3m	3		A100849	A143662	108 Rolls
24mm x 5m		1.5mm	A100856	A143679	72 Rolls
24mm x 10m			A100863	A143686	48 Rolls
24mm x 45m	33cm	1.5mm	A104540	A143693	48 Packs
24mm x 1m		1.311111	A104557	A143709	32 Packs











Double Sided PE Foam

BFP-1010/1015 RPC

Material: Black PE Foam Released Liner: Red PVC Thickness: 1.0 / 1.5mm

- Made from high quality Black PE foam
- Strong adhesion, suitable for applying on curves with high flexibility material
- Ideal for using with automotive trim parts, both interior and exterior applications

Size	Core	Thickness	Code	Qty./Ctn.
12mm x 10y	3"	10	A140593	120 Packs
21mm x 5y		1.0mm	A143716	60 Packs
12mm x 10y		1.5mm	A100276	120 Packs
21mm x 5y			A143723	60 Packs



Double Sided Acrylic Foam Tape

AF-1080/1100G

Material: Grey Acrylic Released Liner: Red PVC Thickness: 0.8 / 1.0mm

- Made from high quality acrylic foam
- Very high bond adhesive
- · Removable, solution for residue-free bonding
- Suitable for applying on curves with high flexibility material
- Ideal for using with automotive trim parts, both interior and exterior applications

Size	Core	Thickness	Code	Qty./Ctn.
12mm x 2m	1"	0.8mm	A102379	384 Packs
21mm x 2m	100	U.DITIIII	A102225	192 Packs
12mm x 5m		1.0mm	A103369	144 Packs
21mm x 5m	3"		A107664	84 Packs
12mm x 10m			A100313	120 Packs



Double Sided Acrylic Tape

AF-1080T

Material: Transparent Acrylic Released Liner: Red PVC Thickness: 0.8mm

- · Made from high quality transparent acrylic
- · Very high bond adhesive
- Removable, solution for residue-free bonding
- Suitable for applying on curves with high flexibility material
- Ideal for using with automotive trim parts, both interior and exterior applications

Size	Core	Thickness	Code	Qty./Ctn
12mm x 1.5m	**	0.8mm	A102362	384 Packs
21mm x 1.5m	Т	U.omm	A102232	192 Packs



Double Sided EVA Foam Tape

BF-1010 HC

Material: Black EVA

Released Liner: HAVANA Color

Thickness: 1.0mm

- Made from high quality EVA foam
- High performance adhesive
- Ideal for mounting interior and exterior trim parts, tire balancing and other general purpose such as nameplate and signage

Size	Core	Thickness	Code
21mm x 1m	COIC	THICKITCS	
			A143730
21mm x 3m	3"	1.0mm	A143747
21mm x 5m	10.70		A143754
21mm x 10m			A143761
24mm x 1m			A143778
24mm x 3m	0.0	1.0mm	A143785
24mm x 5m	3"	LOMM	A143792
24mm x 10m			A143808



Vinyl Tape PVC Floor Marking Tape

- Made from high durable PVC
- Strong adhesion on rough and various surfaces
- Perfectly applied on lane marking, caution and hazardous areas

Size	Core	Color	Code	Description
48mm x 33m 3"	21	Red/White	A134929	(DANGEROUS AREA)
	3	Black/Yellow	A134936	(CAUTION AREA)



Barricade Tape

- No adhesive, made from PE plastic
- · High visibility with outstanding colors
- Use to identify and warn of unsafe or prohibited areas


Size	Core	Color	Code	Description
70 50		Red/White	A134943	
70mm x 50m		Black/Yellow	A134998	Red-White
		Red/White	A135421	Suitable for applying
70mm x 200m	3"	Black/Yellow	A135438	upon dangerous areas
70 000	· ·	Red/White	A134950	Black-Yellow
70mm x 300m		Black/Yellow	A135001	
70mm x 500m		Red/White	A134967	Suitable for traffic, restricted or caution areas such as
		Black/Yellow	A135018	construction sites











Custom Made Order

We offer an extensive range of services including laminating, die-cutting, sheeting, skiving and slitting. All services are served by highly technological machineries, prompted to tailor any aspect of customer requirement.

Custom Die-Cutting Service

- Provide diverse die-cutting solution
- Half die-cut and full die-cut services are available
- All shapes and sizes are customizable
- Low VOCs, premium quality adhesive is available
- · Offer a diverse selection of materials in die-cuts, sheets and rolls.
 - O EVA Foam
 - O PE/XPE Foam
 - O EPDM Rubber
 - O PVC, Fabric
 - O Leather
 - O Etc.
















Vinyl Electrical Tape

- Strong and flexible PVC backing
- Excellent in wire and cable splices
- Withstand voltage up to 600 Volt
- Flame retardant
- Temperature: 0-80°C (32-176°F)

Size	Thickness	Color	Code
19mm x 10m	0125mm	Black, Green, Blue, Yellow, Red	A127167
19mm x 20m	UJZamm	Black	A131676
19mm x 10m	0180mm	Black	A131805



Technical Data	Thickness 0.120	Thickness 0.180	Unit
Thickness	0.125 ± 0.025	0.180 ± 0.025	mm
Width	19 ± 1.0	19±1.0	mm
Length	10/20 + 1.0-0	10/20+1.0-0	m
Temperature to use	0-80 °C	0-80°C	*C
Tensile ≥150	238.4	290.2	N/10 mm
Dielectric Strength ≥ 1.8	≥ 2.3	3.4	N/10 mm
Voltage at break ≥40	≥60	85	kv/mm







High-Voltage Rubber Splicing Tape

- Made from Ethylene Propylene Rubber backing
- Self-fusing and highly conformable
- Excellent electrical properties
- Provides a moisture seal
- Withstand temperatures up to 130°C (266°F)

- TANKS	I Programme and the second		
19mm x 9.15m	Black	A131812	
	Test Result	į.	
Thickness (mm)		0.687-0.836	
Width (mm)		18.24 - 19.76	
Length (m)		≥ 9	
Breaking Strength (MP	(a)	≥ 1.7	
Elongation %		≥700	
Dielectric Strength (kv)	mm)	≥ 24	









Aluminum Foil Tape

Use for insulating and repairing purpose

- Aluminum foil coated with acrylic adhesive
- Can be used with thermal insulation
- Flexible with curve surface and strong adhesion
- Heat and water resistance
- Suitable for securing duct seams, connection, and joints

Size	Core	Code	Qty./Ctn.
36mm x 30y		A133540	96 Rolls
48mm x 30y	3"	A133557	72 Rolls
60mm x 30v		A107350	48 Rolls



Filament Tape (Straight Line) Strong adhesion and bonding strength

- PET film coated with straight line fiberglass filament
- Very strong adhesion and high tensile strength
- Good abrasion and moisture resistance
- Suitable for bundling heavy packages and materials, closing corrugated fiberboard boxes, reinforcing packages, bundling items and pallet unitizing

Size	Core	Code	Qty./Ctn.
24mm x 20m		A114730	144 Rolls
36mm x 20m	3"	A114754	96 Rolls
48mm x 20m		A114877	72 Rolls





Butyl Waterproof Tape

- High adhesion strength
- Multi-use: joint sealing, crack sealing, roof leaks, window sealing gutter, doors, walls, seams, etc.
- Immediate airtight and watertight seal
- Waterproof and high temperature resistance









	Size	Core	Code	Qty./Ctn.
A	50mm x 1m	33mm	A136534	126 Rolls
В	50mm x 3m		A133786	72 Rolls
С	50mm x 5m	3"	A133793	54 Rolls
D	100mm x 5m		A133786	27 Rolls











ARMSTRONG



AS-06TP AR-15P



AT-01P



Not penetrating the wall















AR-09P

AT-02P

Size Item No. Max.Load Code AR-02P A102300 AS-06P A102478 Min. AS-06TP A102485 1 kg AR-15P A103543 A128331 AT-01P AS-09P A128362 1.5 kg AR-01P A102249 Medium AS-01P A102324 AS-10P A128355 2 kg AR-06P A128386 AR-09P A128348 AT-02P A128379 AR-16P A103550 Large AS-08P A103536 AT-74P A128393

A128409

A128416

A103567



4-5 KG. EXTRA LARGE







AS-08P



AT-74P

AT-100P



AR-22P

AR-18P



AT-100P

AR-22P

AR-18P



3 kg

4 kg

5 kg







ARMSTRONG ARMSTRONG

000000

Fastening Tape

Fastening Tape

Durable and reusable

- · Attach two objects together
- Can be pulled apart and attached back again
- · Self-adhesive on both sides
- Packing: 4 pairs / pack



Felt Protected Pad

Self-adhesive felt pads

- Placing underneath furniture legs to protect flooring
- Prevent scratches and damages on laminates, hardwood floors and other surfaces
- · Perfectly use for supporting strong force and reduce noise of home furnitures such as table and chair
- Easy to install











Round Felt 20mm



Round Felt 28mm














Square Felt 100x150mm

Size	Color	Code	Qty./Pack	Qty./Ctn.
Round 17mm	Black	A102263	2 sheets /20 pcs	
Round 17111111	White	A102188	2 sileets /20 pcs	144 Packs
Round 20mm	Black	A102256	2 shoots (16 see	
Round 20mm	White	A102171	2 sheets /16 pcs	
Round 28mm	Black	A102270	2 -ht - //2	
Round Zomm	White	A102195	2 sheets /12 pcs	
C 20	Black	A102294	2 sheets /12 pcs	
Square 28mm	White	A102218		
D100	Black	A102287		
Round 38mm	White	A102201	1 sheet /4 pcs	
Square	Black	A102157	0 -1	
100mm x 150mm	White	A102140	2 sheets	





PU Safety Foam

- High press-force support and elasticity
- Self-adhesive PU (Polyurethane) Foam
- Made from high quality PU Foam
- Use with doors and window to reduce impact

Size	Thickness	Code	Qty./Ctn.
15mm x 2m	6mm	A102065	96 Packs



Single Sided Safety Foam

High compression force support

- Self-adhesive EVA (Ethylene Vinyl Acetate) Foam
- Use with doors and windows to reduce impact
- Made from high quality EVA Foam
- · 2 colors available: White and Black

Size	Thickness	Color	Code	Qty./Ctn.
10mm v 2mm		black	A102065	
10mm x 2m	6mm	white	A102000	96 Packs



PVC Corner Protector

High quality PVC

- Apply to corners of tables, cabinets and other furnitures with sharp corners
- Prevent accident caused by sharp corners
- Increase safety level for children

Item No.	Code	Qty./Ctn.
AP-01 Square Shape	A103574	72 Packs
AP-03 Round shape	A103581	721 0013



Insect Protected Tape

High quality adhesive and durable material

- Self-adhesive bristle brush
- Applicable for insect and dust protection underneath doors and windows
- · Easy to install

Size	Thickness	Code	Qty./Ctn.
7mm x 1.2m	10mm	A102058	96 Packs



Safety Corner Cushion

High press-force support

- Self-adhesive EVA (Ethylene Vinyl Acetate) Foam
- Made from high quality EVA Foam
- Apply to furnitures with sharp corners such as table, cabinet and chair
- High durability, suitable for applying on curves

Size	Thickness	Color	Code	Qty./Ctn.
40 450		Black	A102096	
18mm x 150mm	6mm	White	A102119	04.0
24mm x 150mm		Black	A102102	96 Packs
2-Hillia Isolilii		White	A102126	











Carpet Tape/Double Sided Cloth Tape

Removable with no residue

- Manufactured from high quality Rubber-based adhesive
- Can be used with rough surface
- · Suitable for both internal and external application
- Thickness: 330 Microns

Size	Core	Code	Qty./Ctn.
12mm x 15m		A104663	144 Packs
18mm x 15m	3"	A104717	96 Packs
24mm x 15m		A104670	72 Packs






Noise Sealing Tape

For Sliding Door and Window/For Casement Door and Window

- Made from fire retardant material to ensure higher safety level
- Reduce impact from doors and windows
- Reduce noise from outside
- Reduce impact force for safety
- Made from high flexibility material
- Easy to use

Туре	Size	Thickness	Color
Sliding Door & Window	10mm x 2.5m	5mm	Black
Casement Door & Window	20mm x 2.5m	8mm	



Contact Us

Siam Armstrong Co., Ltd.
Address: 14 Soi Bangkhae 12 Bangkhae
Bangkhae, Bangkok 10160, Thailand

O Telephone No.: (66) 2454 1135

Email: exportsales@siamarmstrong.net

@ www.siamarmstrong.co.th

Armstrong Tape Thailand











