




SEREN

CATEGORY
CATEGORIA

6

COMPOSITION
COMPOSICIÓN

65% PC - 35% PL

MARTINDALE
30.000

CLEANING
LAVADO



FIRE RESISTANCE
RESISTENCIA AL FUEGO




COLOUR FASTNESS TO LIGHT
RESISTENCIA DEL COLOR A LA LUZ

≥ 4/5

PILLING
≥ 4

SEREN

MC-SER



MC-SER 024




MC-SER 001



MC-SER 002



MC-SER 003



MC-SER 004




MC-SER 005



MC-SER 007




MC-SER 008




MC-SER 009



MC-SER 010



MC-SER 019



MC-SER 022




MC-SER 021





MC-SER 016



MC-SER 014



MC-SER 013



LAUNDRY GUIDE

GUÍA DE LAVANDERÍA

SYMBOLS SÍMBOLOS



Wash at or below 30°C
Lavar a 30°C o por debajo



Do not wash
No lavar



Iron
Planchar



Wash at or below 30°C
(Machine wash permanent press)
*Lavar a 30°C o por debajo
(Lavado en ciclo para prendas sintéticas)*



Do not bleach
No usar blanqueador / lejía



Do not iron
No planchar



Wash at or below 30°C
(Machine wash gentle cycle)
*Lavar a 30°C o por debajo
(Lavado en ciclo delicado)*



Do not tumble dry
No secar en secadora



Gentle dry clean, hydrocarbon solvent only
Limpiar en seco suave, solo con disolventes a base de hidrocarburos



Hand wash
Lavado a mano



Dry clean with PCE
Limpiar en seco con percloroetileno

FIRE BEHAVIOR GUIDE

The **BS 5852-1:1979** (UK) assesses the fire resistance of upholstered materials when exposed to common ignition sources. Two tests are performed: cigarette and match.

The **California Bulletin 117-2013** is a fire safety standard for upholstered furniture. It requires materials to resist ignition from a smoldering cigarette rather than an open flame, reducing the need for flame-retardant chemicals.

GUÍA RESISTENCIA AL FUEGO

La norma **BS 5852-1:1979** (Reino Unido) evalúa la resistencia al fuego de los materiales tapizados cuando se exponen a fuentes de ignición comunes. Se realizan dos pruebas: cigarrillo y cerilla.

El **California Bulletin 117-2013** es una norma de seguridad contra incendios para muebles tapizados. Exige que los materiales resistan la ignición por un cigarrillo encendido en lugar de una llama directa, reduciendo el uso de retardantes de fuego.

CIGARETTE CIGARRILLO



PASS PASA



NOT PASS NO PASA

MATCH CERILLA



PASS PASA



NOT PASS NO PASA

CA TB 117-2013



PASS PASA



NOT PASS NO PASA