



Attachments to suit













































About us

Since its inception in 2009, Impact Attachments has been on a journey of developing and manufacturing quality earth moving attachments, coupled with an unmatched level of service to the earth moving and civil industry.

As a team, we understand the importance of attachments and how they play a vital part in keeping contractors running effectively and efficiently every day. Our passion is to provide contractors with the most reliable attachments that are 'dig ready' and delivered swiftly.

Our range of products are manufactured to combat the harsh conditions that they endure every day and we are committed to offering state of the art service & support across all our product lines.

Over the last 15 years, through high quality attachments, a dedicated experience support team and an unwavering focus on offering the best service in the industry, we have partnered with some of the largest earth moving companies in Australia.

We look forward to partnering with you on your next attachment purchase and welcome your enquiry!

Remember our Mantra: "Mark of quality, assurance of service"



Attachment Range

E	Excavator Attachments —————	5-21
	Hydraulic Breakers —————	—— 6-7
	Excavator Buckets ——————	—— 8-11
	Sieve Buckets	12-13
	Tilting Mud Buckets —————	14-15
	Hydraulic Grapple Buckets ———	16-17
	Hydraulic 5-Finger Grabs ————	18
	Hydraulic Rotating Grabs ————	19
	Mechanical 5-Finger Grabs ———	20
	Excavator Pallet Forks —————	20
	Hydraulic Power Thumbs ————	20
	Compaction Wheels	21
	Compaction Plates	21
S	kid Steer Attachments ————	22-25
	4in1 Buckets	23
	Bucket Brooms	23
	Smudge Bars ——————	24
	Pallet Forks	24
	Hydraulic Breakers	25
	Grapple Buckets	25
Δ	Additional Items ——————	26-31
	Fuel Cells	27
	Aluminium Loading Ramps	27
	Weber Compaction Equipment —	28-29
	Auger Drive & Bits	30-31





Hydraulic Breakers

The Impact breakers are manufactured in South Korea and have been combating the demands of the hard rock we find in Australia since 2008. With their longevity and superior design, they require minimal maintenance and deliver a high hitting force.

With an industry leading 24-month warranty, unrivalled on site support & inhouse technical knowledge, these breakers have become the most reliable option for contractors to partner with.

- 1.0T to 50T
- Hoses & Fittings Included
- Adjustable Pulsation Rate
- Underwater Operation Option
 - High Pressure Accumulator
 - Removable Head Plate
 - High Impact Energy

- Spare Chisel
- Auto Greaser Option
- Noise Reduction System
- Parts Stocked Inhouse
- Genuine Seal Kits Fitted
 - Wide Oil Flow Range
 - Full Nylon Casing

 ITEM	SUITS	WEIGHT	CHISEL SIZE	OPERATING PRESSURE (BAR)	REQUIRED FLOW (LPM)	IMPACT ENERGY (JOULES)	IMPACT RATE (BPM)
100 Series	0.8-2T	102kg	40mm	90-120	15-25	450	800-1400
200 Series	1.2T-3T	126kg	45mm	90-120	20-30	580	700-1200
300 Series	2.5T-4.5T	165kg	53mm	90-120	25-50	950	600-1000
400 Series	4T-7T	295kg	68mm	110-140	40-70	1450	500-900
430 Series	6Т-9Т	395kg	75mm	120-150	50-90	2100	400-800
450 Series	7T-14T	571kg	85mm	130-160	60-100	2600	400-800
500 Series	11T-16T	861kg	100mm	150-170	80-110	4200	350-700
600 Series	14T-18T	1296kg	125mm	150-170	90-120	5800	350-650
700 Series	18T-21T	1500kg	135mm	160-180	100-150	6750	350-600
800 Series	20T-26T	1825kg	140mm	160-180	120-180	8100	300-500
1000 Series	25T-35T	2145kg	150mm	160-180	150-210	9850	300-450
1200 Series	32T-40T	2745kg	155mm	160-180	180-240	10800	300-450
1300 Series	35T-45T	3045kg	165mm	160-180	200-260	12000	250-400
1500 Series	45T-55T	4155kg	175mm	160-180	210-290	18900	200-350





Excavator Buckets

The Impact Excavator Buckets are designed and manufactured with all aspects considered.

We aim to maximise digging efficiency and minimise fuel consumption, we have wear parts readily available and the manufacture with the ability to lock in together for transportation.

FEATURES:

- 1.0T to 50T
- Oversize Bosses
- Hardox 400 Wear Plates
- Hardox 400 Under Body Wear Plate

GET ReplacementsSide Cutter ProvisionInterlock Transport DesignAngle Back Profile

WEIGHT CLASS - 1.7T

ITEM	WIDTH	STRUCK CAP.	HEAPED CAP.	GET	GET REQ.	WEIGHT
Mud Bucket	900mm	0.069	0.089	BOCE	-	68KG
Mud Bucket	1000mm	0.063	0.098	BOCE	-	72KG
Dig Bucket	600mm	0.035	0.051	V13	5	46KG
Dig Bucket	450mm	0.027	0.037	V13	4	38KG
Dig Bucket	300mm	0.017	0.023	V13	3	32KG
Dig Bucket	250mm	0.013	0.017	V13	3	30KG
Dig Bucket	200mm	0.009	0.012	V13	3	28KG
Gummy Bucket	450mm	0.027	0.037	BOCE	-	36KG
Gummy Bucket	300mm	0.017	0.023	BOCE	-	32KG
Ripper	Single Tyne	-	-	J200	-	32KG
Half Hitch	-	-		-	-	17KG
		W	EIGHT CLASS - 2.5	Г		
Mud Bucket	1200mm	0.1	0.15	BOCE	-	126KG
Mud Bucket	1000mm	0.083	0.12	BOCE	-	110KG
Dig Bucket	600mm	0.048	0.068	V13	5	65KG
Dig Bucket	450mm	0.035	0.049	V13	4	54KG
Dig Bucket	300mm	0.023	0.031	V13	3	45KG
Dig Bucket	250mm	0.017	0.023	V13	3	42KG
Dig Bucket	200mm	0.013	0.017	V13	3	40KG
Gummy Bucket	300mm	0.023	0.031	BOCE	-	43KG
Ripper	Single Tyne	-	-	J200	-	37KG
Half Hitch	-	-	-	-	-	17KG
		W	EIGHT CLASS - 3.5	Г		
Mud Bucket	1200mm	0.13	0.2	BOCE	-	150KG
Mud Bucket	1000mm	0.11	0.16	BOCE	-	126KG
Dig Bucket	600mm	0.076	0.102	V17	5	94KG
Dig Bucket	450mm	0.055	0.073	V17	4	82KG
Dig Bucket	300mm	0.034	0.044	V17	3	66KG
Dig Bucket	200mm	0.021	0.026	V17	3	65KG
Gummy Bucket	300mm	0.034	0.044	BOCE	-	62KG
Ripper	Single Tyne	-	-	J200	-	45KG







WEIGHT CLASS - 4.5T-5.5T

ITEM	WIDTH	STRUCK CAP.	HEAPED CAP.	GET	GET REQ.	WEIGHT
Mud Bucket	1500mm	0.23	0.37	BOCE	-	285KG
Mud Bucket	1200mm	0.21	0.29	BOCE	-	234KG
Dig Bucket	900mm	0.19	0.27	V17	7	200KG
Dig Bucket	750mm	0.17	0.22	V17	6	185KG
Dig Bucket	600mm	0.12	0.17	V17	5	143KG
Dig Bucket	450mm	0.09	0.12	V17	4	124KG
Dig Bucket	350mm	0.06	0.08	V17	3	110KG
Dig Bucket	300mm	0.05	0.07	V17	3	104KG
Dig Bucket	200mm	0.036	0.042	V17	2	95KG
Gummy Bucket	300mm	0.05	0.07	BOCE	-	96KG
Ripper	Single Tyne	-	-	V19	-	75KG
		WE	IGHT CLASS - 8T-1	от		
Mud Bucket	1500mm	0.358	0.512	BOCE	-	326KG
Mud Bucket	1200mm	0.363	0.513	BOCE	-	290KG
Dig Bucket	900mm	0.22	0.298	V23	6	225KG
Dig Bucket	750mm	0.216	0.293	V23	5	220KG
Dig Bucket	600mm	0.143	0.184	V23	4	210KG
Dig Bucket	450mm	0.104	0.129	V23	3	178KG
Dig Bucket	300mm	0.066	0.077	V23	3	152KG
Dig Bucket	200mm	0.054	0.061	V23	2	133KG
Gummy Bucket	450mm	0.104	0.129	BOCE	-	158KG
Gummy Bucket	300mm	0.066	0.077	BOCE	-	136KG
Ripper	Single Tyne	-	-	J250	-	130KG
		WE	IGHT CLASS - 12T-1	I5T		
Mud Bucket	1800mm	0.84	1.07	BOCE	-	750KG
Mud Bucket	1700mm	0.79	1.01	BOCE	-	694KG
Mud Bucket	1600mm	0.74	0.95	BOCE	-	680KG
Mud Bucket	1500mm	0.69	0.89	BOCE	-	670KG
Dig Bucket	1200mm	0.56	0.77	V29	5	660KG
Dig Bucket	1000mm	0.47	0.63	V29	5	600KG
Dig Bucket	900mm	0.35	0.49	V29	4	550KG
Dig Bucket	600mm	0.27	0.34	V29	4	430KG
Dig Bucket	450mm	0.2	0.24	V29	3	390KG
Dig Bucket	300mm	0.13	0.15	V29	3	350KG
Gummy Bucket	450mm	0.2	0.24	BOCE	-	362KG
Gummy Bucket	300mm	0.13	0.15	BOCE	-	322KG
Ripper	Single Tyne	-	-	D85	-	315KG







WEIGHT CLASS - 20T-25T

ITEM	WIDTH	STRUCK CAP.	HEAPED CAP.	GET	GET REQ.	WEIGHT
Mud Bucket	2000mm	1.24	1.33	BOCE	-	1197KG
Mud Bucket	1900mm	1.18	1.26	BOCE	-	1140KG
Mud Bucket	1800mm	1.12	1.19	BOCE	-	1100KG
Dig Bucket	1500mm	0.85	1.16	V33	6	1090KG
Dig Bucket	1200mm	0.68	0.93	V33	5	920KG
Dig Bucket	1000mm	0.56	0.75	V33	4	850KG
Dig Bucket	900mm	0.49	0.66	V33	4	775KG
Dig Bucket	600mm	0.33	0.41	V33	3	630KG
Dig Bucket	450mm	0.23	0.28	V33	3	575KG
Dig Bucket	300mm	0.15	0.19	V33	2	560KG
Ripper	Single Tyne	-	-	D85	-	460KG
		WE	IGHT CLASS - 30T-3	35T		
Mud Bucket	2200mm	1.78	2.312	BOCE	-	1840KG
Mud Bucket	2000mm	1.62	2.102	BOCE	-	1634KG
Dig Bucket	1500mm	1.16	1.572	V39	6	1650KG
Dig Bucket	1200mm	0.19	1.223	V39	5	1300KG
Dig Bucket	900mm	0.68	0.875	V39	4	1230KG
Dig Bucket	600mm	0.43	0.526	V39	3	940KG
Dig Bucket	450mm	0.27	0.321	V39	3	856KG
Ripper	Single Tyne	-	-	D90	-	820KG
		WE	IGHT CLASS - 40T-4	45T		
Mud Bucket	2400mm	3.28	3.67	BOCE	-	2875KG
Dig Bucket	1700mm	2.35	2.63	J550	6	2650KG
Dig Bucket	1500mm	1.98	2.21	J550	5	2390KG
Dig Bucket	1200mm	1.58	1.77	J550	4	2070KG
Dig Bucket	900mm	1.25	1.4	J550	4	1785KG
Big Bucket	600mm	0.83	0.93	J550	3	1490KG
Ripper	Single Tyne			D90		1150KG









Sieve Buckets

Impacts Sieve Buckets have been designed in one of the harshest and abrasive rock areas in Australia. Through working closely with quarries, development contractors and demolition contractors, we have perfected the range to ensure the day to day mission of dealing with rock and concrete couldn't be easier!

With thick IB400 wear resistant steel and the unique interlocking ribs design, this is how we see these buckets impress operators around Australia every day.

- 1.7T to 50T - GET Replacements
- Side Wear Plate Fitted24 Month Warranty
- Teeth & BOE OptionsIB400 Wear PlatesVarious Apertures AvailableCAT GET Wear Plate Fitted

ITEM	GET	SUITS	WIDTH	WEIGHT	OPENING
ISB200	вое	1.7T	900mm	100KG	70x70mm
ISB300	BOE	2.5T-3.5T	1200mm	165KG	70x70mm
ISB400	BOE	4.5T-5.5T	1200mm	250KG	70x70mm
ISB430	BOE	8T-10T	1200mm	279KG	70x70mm
ISB430	BOE	8T-10T	1350mm	279KG	70x70mm
ISB500T	TEETH	12T-15T	1400mm	880KG	70x100mm
ISB500T	TEETH	12T-15T	1400mm	880KG	100x100mm
ISB500B	BOE	12T-15T	1600mm	788KG	70x100mm
ISB500T	BOE	12T-15T	1700mm	788KG	70x100mm
ISB700T	TEETH	20T-24T	1500mm	1200KG	150x150mm
ISB700TW	TEETH	20T-24T	1800mm	1292KG	150x200mm
ISB700B	BOE	20T-24T	1900mm	1145KG	100x150mm
ISB1200T	TEETH	30T-36T	1500mm	1712KG	150x200mm
ISB1200TW	TEETH	30T-36T	1900mm	2000KG	150x200mm
ISB1200B	BOE	30T-36T	2000mm	1660KG	150x200mm
ISB1500T	TEETH	40T-50T	1700mm	2524KG	150x200mm







Hydraulic Tilt Buckets

The Impact Tilt Buckets are manufactured with dual hydraulic cylinders to ensure they're able to withstand the weight of the machine whilst holding profile, to grade a 90 degree angle (45 degrees each way).

The buckets are manufactured with the following features: Dual tapered profile to increase ground engagement width, a spill guard protection system to shield the hydraulic rams from debris & mud, high tensile corrosion resistant pins at all pivot points, and hose mounts & brackets installed to hold hydraulic hoses away from debris and mud.

- 1.7T to 35T
- Twin Ram
- Tapered Profile
- 12 Month Warranty

- Tie Down Points
- Ram Protectors
- Bolt on Cutting Edge
- 45 Degree Tilt Each Way

ITEM	SUITS	WIDTH	WEIGHT	TILT
ITB200	1.7T	1000mm	118KG	45 degrees
ITB300	2.5T-3.5T	1200mm	176KG	45 degrees
ITB400	4.5T-5.5T	1400mm	250KG	45 degrees
ITB430	8T-10T	1500mm	427KG	45 degrees
ITB500	12T-15T	1700mm	650KG	45 degrees
ITB700	20T-25T	1900mm	1,030KG	45 degrees
ITB1200	30T-35T	2260mm	1,520KG	45 degrees







Hydraulic Grapple Buckets

Impact Grapple Buckets are ready for the roughest conditions. The attachment provides versatility and unmatched durability, making them the number 1 choice for our customers in the demolition industry.

Large wear strips along the front and side provides strength and grip for handling large rocks, concrete blocks, logs and more. A secondary function of the grab is the ability to excavate dirt, roots and more, without the need to change attachments. With an oversized ram and wear plates on the thumb, bucket sides and between the teeth, an Impact Grapple Bucket will last for years to come.

FEATURES:

- 1.7T to 35T - Dual Purpose - Hydraulic Rams Protected - Hoses & Fittings Included- One Way Hydraulic Valve Fitted- Wear Strips Fitted

ITEM	SUITS	WIDTH	WEIGHT	OPENING
IGB200	1.7T	300mm	150KG	805mm
IGB300	2.5T-3.5T	300mm	150KG	805mm
IGB400	4.5T-5.5T	460mm	260KG	1101mm
IGB430	8T-10T	543mm	390KG	1463mm
IGB500	12T-15T	618mm	759KG	1728mm
IGB700	20T-25T	800mm	1100KG	1845mm
IGB1200	30T-35T	950mm	1200KG	2141mm





Rotating Hydraulic Grabs

The Impact Rotating Hydraulic Grab is designed and manufactured in view of carrying out demolition work, handling waste materials and waste management. With the full control of the operator running both independent hydraulic lines for the grab function and the rotation function, this allows for precision in operation.

These grabs are manufactured to combat extreme demolition conditions with full protection of any hydraulic hoses or hydraulic rams. With 360-degree rotation and easy maintenance, the design will help to minimise downtime and improve efficiency.

FEATURES:

Full 360-Degree RotationReplaceable bolt on edgesCase Drain

Full 360-Degree RotationReplaceable bolt on edgesCase Drain

ITEM	FOR	WEIGHT	OPENING	WIDTH	
1-000632	5-7t	400kgs	1300mm	1066mm	
1-000633	9-15t	700kgs	1828mm	1424mm	
I-000634	20-26t	1400kgs	2000mm	1715mm	



Hydraulic Five Finger Grabs

Our Hydraulic Five Finger Grabs are designed and manufactured in view of carrying out rock work, demolition work, tree work and waste management, with the least amount of maintenance and potential for damage as possible.

Through continued innovation and engineering, these grabs thrive in the harsh environment that they find them self in. Having all the hydraulic cylinders protected and encased in the actual attachment has enabled prevention of hydraulic damage.

FEATURES:

- 1.7T to 35T- Hydraulic Rams Protected- Hoses & Fittings Included

- Dual Rams- Universal Mounting Spec- Serrated Grip Rails

ITEM	FOR	WEIGHT	OPENING	WIDTH
IHG200	1.5-2T	110kgs	765mm	234mm
IHG300	2.5-3.5T	185kgs	763mm	533mm
IHG400	4.5-6T	290kgs	948mm	652mm
IHG430	8-10T	410kgs	1048mm	734mm
IHG500	12-15T	750kgs	1512mm	980mm
IGB700	20-24T	1259kgs	1786mm	1045mm
IGB1200	30-36T	1780kgs	1982mm	1070mm





Mechanical Five Finger Grabs

The Impact Mechanical Grabs are available to suit excavators from 2.5T to 35T.

They come with the stiff arm & bracket that mounts to the dipper arm.

With multiple lock in points on the bracket, they're versatile for all applications of demolition, including: recycling, stone placing & bulk material transferring.

- 2.5T to 35T - Ribbed Fingers

Ribbed FingersUniversal Mounting Spec

FEATURES:

- Multiple Lock In Points
- Wear Plates on Fingers
- Quick Arm & Bracket Included

ITEM	SUITS	WIDTH	WEIGHT	OPENING
IMG300	2.5-3.5T	500mm	194KG	600mm
IMG400	4.5-5.5T	550mm	238KG	650mm
IMG430	8-10T	650mm	352KG	720mm
IMG500	12-15T	804mm	760KG	925mm
IMG700	20-25T	1050mm	1378KG	1220mm
IMG1200	30-35T	1205mm	2070KG	2030mm



Pallet Forks

Our Forks are an excellent option if you don't have a telehandler on site, or a restricted space and budget. Particularly popular with groundworks and civil contractors, they allow the easy transportation of materials and equipment.

FEATURES:

- 5T Capacity- Tyne Positioning

ITEM	SUITS	CAPACITY	WEIGHT
ILF50	8T-24T	5000KG	310KG

Hydraulic Power Thumbs

Fully developed over years of industry testing, our universal Impact Thumbs are built to last with a heavy-duty, hard-wearing steel construction and specifically designed hydraulic ram. Impact Thumbs are heavy-duty but built smart, only using what is needed to maintain the machines lifting capacity.

- Easy Installation
- Universal Fit
- Serrated Teeth
- Hard Wearing Steel Construction

- Lock-Out Bolt
- Powerful Grip
- Industry Tested w/ Comp Simulation
 Design

ITEM	SUITS	WIDTH	WEIGHT
IPT200	0.8-3T	200mm	45KG
IPT300	2.5-3.5T	200mm	50KG
IPT400	4.5-5.5T	300mm	115KG
IPT450	8-10T	460mm	240KG



Compaction Wheels

Impacts Compaction wheels are a masterpiece of simplicity and functionality. Its durable design has never seen down time for either repairs or maintenance with a sealed bearing and thick, hard-wearing steel all round.

FEATURES:

- 4.5T to 40T - Clean Out Scrapers - Made in South Korea - Sealed Bearings- Interchangeable Head Plate- 24 Month Warranty

ITEM	SUITS	WIDTH	WEIGHT	WHEEL DIA.	(TO ()
ICW400	4.5T-5.5T	350mm	387kgs	680mm	V-1-1-1-
ICW430	8T-10T	350mm	387kgs	680mm	[lipoet
ICW450	12T-15T	450mm	756kgs	800mm	MAN
ICW700	20T-25T	510mm	1050kgs	800mm	TO THE PARTY OF TH
ICW1200	30-45T	620mm	1880kgs	1100mm	

Compaction Plates

Designed to meet the demands of tough jobs, our plates offer superior compaction and versatility. With four ultra tough rubber cushions, they help minimize vibration, allowing operators to apply pressure without machine damage.

FEATURES:

4.5T to 40TMade in South KoreaOne Way Hydraulic Valve

Interchangeable Head Plate
 Hoses & Fittings Included
 24 Month Warranty

ITEM	SUITS	PLATE SIZE	REQUIRED FLOW (LPM)	WEIGHT
ICP400	4.5T-5.5T	950x550mm	45~75	500KG
ICP450	8T-16T	1145x700mm	85~105	650KG
ICP700	18T-24T	1250x850mm	120~170	880KG
ICP1200	30T-40T	1450x1050mm	120~170	1288KG



Skid Steer Attachments



4in1 Buckets

The Impact 4 in 1 buckets are manufactured and designed to work through tough Australian conditions. With the eastern side of Australia and New Zealand being the main user of the 4 in 1 buckets globally our in house engineers have passionately developed these units by working closely with operators in the field.

FEATURES:

- Hoses & Fittings Included - Italian One-Way Locking Valve
- Parts Stocked Inhouse - Teeth & BOE Options



ITEM	SUITS	WIDTH	WEIGHT	GET
4IN1 Bucket	Skid Steer	1380mm	230KG	Teeth/BOE
4IN1 Bucket	Skid Steer	1600mm	460KG	Teeth/BOE
4IN1 Bucket	Skid Steer	1750mm	478KG	Teeth/BOE
4IN1 Bucket	Skid Steer	1850mm	500KG	Teeth/BOE
4IN1 Bucket	Skid Steer	2050mm	530KG	Teeth/BOE



Bucket Brooms

The Impact enclosed bucket brooms to suit skid steer and track loaders are strategically designed to endure the constant demands of the construction industry.

- Floating Back Frame- 4 Heavy Duty Caster Wheels
- One Piece Poly/Wire 610mm
- Eaton Hydraulic Motor w/ Guard
- Full Heavy Duty Adjustment
 Tilting Debris Emptying System
 Reversible Double Bevelled Cutting
 Edge

ITEM	SUITS	WIDTH	WEIGHT
IBB60	Skid Steer	60"	585KG
IBBB72	Skid Steer	72"	672KG
IBB84	Skid Steer	84"	742KG





Smudge Bars

The Impact Smudge Bar is designed to last. They are designed to protect the machines 4in1 bucket by being built to a weight so they are not too heavy, and by having the grip rails positioned so the clamping force is equally distributed across the whole bucket.

FEATURES:

 Wear Strips Fitted
 Clamping Force Equally Distributed




Pallet Forks

The Impact Pallet Forks have a capacity of 1800kgs and are in full accordance with 2359.1-2015 Australian Compliance Standards. The tynes are fully adjustable and fixed to the heavy duty frame, both top and bottom to ensure they are fully accessible to pick up whenever required. Ideal for: Demolition, Rock Placement, Waste Sorting & Logging.

FEATURES:

- Universal Mounting Spec- 12 Month Warranty



Hydraulic Breaker

The Impact Skid Steer Breakers are manufactured in South Korea and have been combating the demands of the hard rock we find in Australia since 2008. With their longevity and superior design, they require minimal maintenance and deliver a high hitting force. With an industry leading 24-month warranty, unrivalled on site support & inhouse technical knowledge, these breakers have become the most reliable option for contractors to partner with.

FEATURES:

- Hoses & Fittings Included
- Universal Mounting Frame
 - High Impact Energy
- Spare Chisel
- Parts Stocked Inhouse
- Wide Oil Flow Range

ITEM	SUITS	OPERATING PRES- SURE (BAR)	REQUIRED FLOW (LPM)	SIZE	WEIGHT
300SL	Skid Steer	90~120	25~50	300S	205KG
		loo la Paris.			

Grapple Buckets

The Impact Skid Steer Grapple Buckets are designed with two independently protected hydraulic cylinders. With a ribbed floor, this allows unwanted material and debris to fall through, whilst picking up rocks & trees.

FEATURES:

- Twin Ram - Supported Ribbed Floor - Multiple Widths
- Universal Mounting Frame
- Hoses & Fittings Included - Ram Protection

ITEM SUITS SIZE WEIGHT
IRGSS Skid Steer 1850mm 488KG





Additional Products



Portable Diesel Tanks

Whether you're looking for a fuel tank to refuel Tractors, Excavators, Graders, Dozers, Utes or any other machinery, Impacts range of portable fuel tanks, with pumps, ensure your equipment is refuelled safely and quickly.

FEATURES:

- Australian Made- Lockable- Tall & Slimline Options

40Lpm PumpAuto Shut Off15yr Tank Warranty

ITEM	CAPACITY	PUMP	SIZE
IUP100	100Ltr	40Lpm	800x680x465mm
IUP200	200Ltr	40Lpm	800x680x710mm 1150x820x565mm
IUP400	400Ltr	40Lpm	1150x820x780mm





Aluminium Loading Ramps

The PT Series are the specialised range of Climaxx Ramps, designed for use with all surface loader rubber tracks. The tread surfaces in this range are configured to reduce the possibility of damage to these types of tracks and can also be used with pneumatic tyres. They're Australian made and each ramp is designed to have the lightest possible weight without compromising quality or safety.

ITEM	CAPACITY	WEIGHT	LENGTH	TRACK WIDTH (internal)	RAMP WIDTH	RAMP DEPTH
7/3033PT	3000kg	36kg	3.3m	450mm	550mm	110mm
7/3033PTW	3000kg	38kg	3.3m	500mm	600mm	110mm
7/3635PT	3600kg	41kg	3.5m	450mm	550mm	120mm
7/4536PT	4500kg	46kg	3.6m	500mm	610mm	125mm
7/4536PTW	4500kg	48kg	3.6m	550mm	660mm	125mm
7/4833PT	4800kg	42kg	3.3m	500mm	610mm	125mm
7/6036PT	6000kg	52kg	3.6m	500mm	600mm	165mm

Weber Compaction Equipment

The reversible CR Soil Compactors stand out above the competition with their superb compacting capacity and superior efficiency.

Machines made by Weber MT are always the number one choice - whether they are needed for classic applications in road building and civil engineering or for embedding paving stones.

Their balanced operating characteristics and exceptionally smooth operation with low hand-arm vibrations for superb ease of use.

- German Made - Compatrol Option - Durable & Rugged Construction
- Engine Protection FrameLow Hand/Arm VibrationsLow Maintenance

ITEM	ENGINE	WEIGHT	OUTPUT	CENTRIFUGAL FORCE	FREQUENCY	WORKING WIDTH
CF2	Honda Gasoline	83KG	4.9HP	15kN	95HZ	450mm
CF3	Honda Gasoline	99KG	4.9HP	20kN	95HZ	500mm
CR3/E	Hatz Diesel	206KG	4.6HP	35kN	80HZ	500-700mm
CR3 HD	Honda Gasoline	203KG	4.9HP	35kN	80HZ	500-700mm
CR5/E	Hatz Diesel	298KG	7.4HP	42kN	75HZ	550-700mm
CR6	Hatz Diesel	412KG	10.3HP	50kN	72.5HZ	450-600mm
CR6 CCD	Hatz Diesel	416KG	10.3HP	50kN	72.5HZ	450-600mm
CR7	Hatz Diesel	478KG	10.5HP	60kN	65HZ	600-800mm
CR8	Hatz Diesel	601KG	14.1HP	75kN	67HZ	700-850mm
CR9	Hatz Diesel	739KG	15.3HP	100kN	65HZ	750mm



Vibratory Rammers

Excellent compaction results, exemplary operating comfort and rugged design are the essential requirements that Webers Vibratory Rammers must meet.

Ideal for: Road Building, Civil Engineering, Trench Construction, Landscape & Earth Compaction.

FEATURES:

- German Made - Dual Throttle - Robust Engine Protection - 24 Month Warranty

ITEM	ENGINE	WEIGHT	STROKE FORCE	SHOE WIDTH
SRV300	Honda Gasoline	32KG	9.1kN	140mm
SRV620	Honda Gasoline	66KG	18.2kN	280mm





MADE IN GERMANY

Trench Rollers

The MC Trench Roller from Weber MT is designed for maximum performance on cohesive soils, in trench and pipeline constructions, when compacting foundations and backfill and in road construction.

They are ideally suited for use on heavy, humid or cohesive soils, where conventional soil compactors would fail. The hydraulic articulated steering allows for easy manoeuvring even in confined spaces.

- German Made - Low Fuel Consumption
- Water-Cooled Engine
- 2 Compaction Settings
 - Long Service Life
- Low Operating Costs

ITEM	ENGINE	WEIGHT	CENTRIFUGAL FORCE	FREQUENCY	DRUM WIDTH
MC85	Kubota D1005 3-Cylinder, Water- Cooled	1628KG	73/36kN	42HZ	820mm





Auger Drives

These Earth Drills will give you the long and reliable service life that you need. High quality hydraulic motors, output shaft bearings which are 50% larger than others and use only high-grade materials. The latest manufacturing techniques are what makes this range of earth drills the market leaders.

This extensive range gives you complete versatility, peace of mind and efficiency.

- Shallow Pitch Flights
- Forged Hood Ears
- Epicycle Gearbox
- Hoses & Fittings Included
- Interchangable Head Plates
- Non-Dislodgement Shaft

ITEM	SUITS	TORQUE (Nm)	SHAFT SIZE	WEIGHT
2000MAX	1T-2.5T	639-2,190	65mm Rnd	47KG
3500MAX	2.5T-4.5T	1,205-3,614	65mm Rnd	73KG
4500MAX	3T-5T	1,574-4,721	65mm Rnd	75KG
5500MAX	4.5T-6T	1,685-5,477	75mm Sq	108KG
8000MAX	6T-8T	2,717-8,152	75mm Sq	116KG
10000MAX	8T-10T	3,281-10,662	75mm Sq	162KG
15000MAX	10T-15T	5,024-15,071	75mm Sq	173KG
25000MAX	15T-22T	16,503-24,755	75mm Sq	269KG
35000MAX	20T-45T	20,510-35,323	110mm Sq	442KG
42000MAX	20T-45T	24,612-42,387	110mm Sq	442KG



Auger Bits & Extensions

These Auger Bits come with the options of Tungsten or Rock Teeth. TUNGSTEN: Best used in dry, hard or medium ground conditions where floating rocks may be encountered. The perfect all rounder if you're not sure what you may encounter whilst drilling. ROCK: For very hard ground and tarmac where extra cutting is needed and high wear is expected. Most effective on machines with high down pressure.

ITEM	SIZES	SUITS	SHAFT SIZE
S4 Auger Bits	100mm, 150mm, 200mm, 300mm, 450mm & 600mm	2000, 3500 & 4500 MAX	65mm Rnd
S4 Auger Extensions	500mm & 1000mm	2000, 3500 & 4500 MAX	65mm Rnd
S5 Auger Bits	150mm, 200mm, 300mm, 450mm, 600mm, 750mm & 900mm	5500 & 8000 MAX	75mm Sq
S5 Auger Extensions	1000mm & 1500mm	5500 & 8000 MAX	75mm Sq
S6 Auger Bits	150mm, 200mm, 300mm, 450mm, 600mm, 750mm & 900mm	10000, 15000 & 25000 MAX	75mm Sq
S6 Auger Extensions	1500mm	10000, 15000 & 25000 MAX	75mm Sq
S5 Auger Bits	150mm, 200mm, 300mm, 450mm, 5500 & 8000	MAX 75n	nm Sq
	600mm, 750mm & 900mm		

S5 Auger Extensions 1000mm & 1500mm 5500 & 8000 MAX 75mm Sq




S6 Auger Bits

150mm, 200mm, 300mm, 450mm, 600mm, 750mm & 900mm

10000, 15000 & 25000 MAX

75mm Sa

10000, 15000 & 25000 MAX S6 Auger Extensions 1500mm 75mm Sq



IMPACT EARTHMOVING ATTACHMENTS

A: 20-24 Barretta Road, Ravenhall VIC 3023 **T:** 03 9971 2089

E: sales@impactattachments.com.au **W:** www.impactattachments.com.au

SCAN HERE:



Scan here for further information & company policies.