




Essential instruments

Domestic & light commercial
July 2025



KANE CARE

LIFETIME WARRANTY FOREVER



KANE CARE LIFETIME WARRANTY

Outstanding service or your money back - forever





ESSENTIAL INSTRUMENTS OUTSTANDING SERVICE LIFETIME WARRANTY



Welcome

Why KANE?

- ★ **KANE MADE** - Essential Instruments designed & made in UK
- ★ **KANE CARE** - Lifetime Warranty Forever
- ★ **KANE LINK** - Wireless Measurement & Future Proof Promise
- ★ **KANE LOCK** - Stolen Analyser Automatically Disabled
- ★ **KANE COVER** - Discounted Public Liability & Tools Insurance
- ★ **KANE TEAM** - 70 Years Family Business

Call **0800 059 0800** or **+44 1707 375550**, email **sales@kane.co.uk**,
visit **www.kane.co.uk** or follow **@kaneanalysers** on social media



Working with Industry, Associations & CO Safety Awareness



Contents



Lifetime Warranty

KANE CARE

Outstanding Service or Your Money Back - forever



Hertfordshire's Best Business



Living Wage Employer

KANE Analyser Summary	3-4
Which analyser & kit?	7-8
KANE158 & KANE258	9-10
KANE358	11-12
KANE458s with KANE LINK™	13-14
KANE458s IAQ with KANE LINK™	15-16
KANE460 HVACR with KANE LINK™	17-18
KANE LINK™	19
KANE LIVE & other Apps	20
KANE-HUB Wireless Probes	21-24
Pressure Meters & Tightness Testers	25-26
Combustible & Refrigerant Gas Leak Detectors	27
Personal Protection & Ambient CO2 IAQ tester	28
Thermal Imaging	29
Thermometers & Temperature Probes	30
Safe Isolation & Electrical Testers & UKAS	31-32
KANE LOCK - Stolen Analyser Automatically Disabled	33
KANE COVER - 15% Off Public Liability & Tools Insurance	34
Flue Gas & Appliance Probes	35
Consumables & Spare Parts	36
Lifetime KANE CARE & 5 Year Service Plan	37-38
Contact us	39

Global Quality, Environment, Health & Safety

KANE analysers - designed & made in the UK, supported Worldwide

- ISO 9001, ISO 14000 & ISO 17025 with analysers independently tested to EN 50379 & EN 50543
- Customer support in 40+ countries & KANE companies in France, Germany, North America, Mexico, China, Hong Kong & Korea
- Only UK analyser supplier with ISO 17025 UKAS certification for O₂, CO & CO₂ flue gas & IAQ





ESSENTIAL INSTRUMENTS OUTSTANDING SERVICE LIFETIME WARRANTY



NEW KANE158

- UK's best value analyser with KANE CARE LIFETIME WARRANTY
- Entry level domestic Oil, Gas & Biomass analyser
- O₂ & CO over range protection
- Differential temperature, efficiency & CO / CO₂ ratio
- Easy to use rotary dial & large display
- Protective magnetic hands free case
- Connect to KANE LIVE app
- KANE LOCK - Stolen analyser automatically disabled
- EN50379 TÜV certified

NEW KANE258

- As KANE158 plus:
- Test gas pressure & flue draught
- Let by & tightness test with KANE LIVE app
- KANE CARE LIFETIME WARRANTY
- EN50379 TÜV certified

NEW KANE358

- As KANE258 plus:
- CO to 10,000ppm with over range protection
- Automatic let by & tightness test
- TB143 Domestic gas boiler commission test
- BS7967 2 minute appliance sweep test
- Large graphic display
- Connect to KANE LIVE app
- KANE CARE LIFETIME WARRANTY
- EN50379 TÜV certified



NEW KANE458s

- As KANE358 plus:
- World 1st analyser measuring O₂, CO₂, CO & H₂ with NO_x option
- Indoor air CO₂ upgrade option to KANE458s IAQ
- KANE LINK wireless probes & future proof promise
- Heat pump test with wireless pipe clamp option
- CMDDA 5, 15 & 30 minute test with 4 room wireless option
- Ventilation temperature, humidity & airflow wireless test option
- KANE CARE LIFETIME WARRANTY
- EN50379 & EN50543 TÜV certified for indoor CO & CO₂ option



EN50379
EN50543



KANE458s IAQ

- As KANE458s plus:
- Indoor air CO2 to 9999ppm
- Appliance sweep & room safety CO & CO2 test
- Direct fired & commercial flueless gas appliance CO & CO2
- Commercial kitchen & ventilation CP42 certificate test
- KANE CARE LIFETIME WARRANTY
- EN50379 & EN50543 TÜV certified for indoor CO & CO2



KANE460

- As KANE458s plus:
- Large colour display & memory
- Heat pump, air conditioning & refrigeration tests
- Target superheat & subcool with 40 refrigerant gases
- Wireless temp, pressure & vacuum option - no manifold or hoses required
- KANE CARE LIFETIME WARRANTY
- EN50379 TÜV certified



KANE CARE LIFETIME WARRANTY



What do YOU get?	KANE CARE	Everyone else
★ Same day service & recertification guarantee or your money back	✓	✗
★ UKAS ISO 17025 fixed price certificate option with 1 extra day delivery	✓	✗
★ Free next day tracked delivery both ways	✓	✗
★ Price includes analyser & all extras - probe, batteries, charger, carry bag & printer	✓	✗
★ Lifetime warranty for analyser & accessories	✓	✗
★ Lifetime promise to repair or replace your analyser & accessories as required	✓	✗
★ 50% off new analyser if yours stolen	✓	✗

Follow us on...



★ Trustpilot





Appliance safety




IAQ



TB143 boiler
commission &
BS7967 sweep
test



Let by &
tightness tests



KANE LIVE App

Typical applications



Boiler efficiency



**CO migration test
to CMDDA1**



**A/C & refrigeration with
KANE LINK**



**Wireless temp & pressure
with KANE LINK**

Safety, Efficiency & Emissions

see pages 7-18



KANE158
£399

KANE258
£499

KANE358
£699

KANE458s
£879

KANE460
£1029



Independently tested
by TUV SUD to EN50379
Use for BS7967 & TB143

Analyser supplied with:

CO sensor over-range protection, CP2 combustion probe & charger, pressure sensor, pressure hose (not KANE158) & 14102/2 carry bag

What do I need?	KANE 158	KANE 258	KANE 358	KANE 458s	KANE 460
EN50379 TUV certified	✓	✓	✓	✓	✓
Connect to KANE LIVE app	✓	✓	✓	✓	✓
Pressure, let by & tightness tests		✓*	✓	✓	✓
TB143 commission & BS7967 2 minute sweep test			✓	✓	✓
CO to 10,000ppm & H2			✓	✓	✓
CMDDA Room CO tests				✓	✓
Ambient CO2 & COM-CAT option				✓	n/a
NOx option				✓	✓
KANE LINK™				✓	✓
IAQ - Temp, RH & Airflow				KANE- DTHA2**	KANE- DTHA2**
Heat pump wireless tests				KANE-WPCP**	KANE-WPCP**
Air Conditioning & Refrigeration tests					KANE-HUB4**

* with KANE LIVE app

** KANE LINK options



Which Kit?

Options	PRO KIT	PRO KIT2	CPA KIT	CPA KIT2	OIL KIT	COM-CAT KIT	CMDDA KIT	HVACR KIT
Analyser, probe, charger & 14102/2 large soft case	✓	✓	✓	✓	✓	✓	✓	✓
GLD Gas leak detector	✓	✓	✓	✓				
KAL1 & KPCP (x2) Temp probes	✓		✓					
KAL1 & WPCP (x2) wireless temp probes		✓		✓				
KANE-HUB4 WPCP (x2) & WPP (x2) wireless pressure probes								✓
HARHOSE Pressure tubing	✓	✓	✓	✓				✓
ASP3 Oven, grill & fire probes			✓	✓				
KANEMSP & SP9 Smoke pump & papers					✓			
18121 Oil Gauges					✓			
KANE-DTHA2 & 20128 extender						✓		✓
KANE78, KANE79 & CPS1 probe stand							✓	
KANE-IRP3 Printer option								



£399



KANE158

- Supplied with CP2 probe, 3 rechargeable batteries, USB1 charger & MSC00237 protective case & 14102/2 carry bag
- Kit options - KIT, PRO KIT, CPA KIT & OIL KIT



KANE158

Best value domestic analyser with KANE CARE LIFETIME WARRANTY

- O₂, CO & over range protection
- Differential temperature, combustion efficiency & CO / CO₂ ratio
- Purge pump prevents sensor damage
- Hydrogen (H₂) ready – up to 20% blend
- Connect to KANE LIVE app
- KANE LOCK - Stolen analyser automatically disabled - see p.33
- Protective magnetic sleeve for hands free use & infrared link to optional printer
- Suitable for CCN1 or CCLP1 (including CPA1) & CENWAT

Applications

- Test domestic appliances
- Combustion performance tests
- Combustion efficiency tests

Measures

- O₂ 0-21%
- CO 0-2,000ppm with over range protection
- Single, dual & differential temperature

Calculates

- CO₂ 0-20%
- Excess air
- CO / CO₂ ratio
- Combustion efficiency

Fuel Types

- Natural Gas
- Butane
- LPG
- Light oil
- Wood pellets
- Propane

Features

- Rotary dial & large 6 line display
- Connect to KANE LIVE & 3rd party Apps
- See, save & send test results to KANE LIVE or optional printer
- Backed by KANE CARE - We promise to never let you down or your money back



- Lifetime Warranty with annual Service & Recertification
- Same Day Service & Recertification guaranteed - some exclusions apply
- All included pricing - price you see is the price you pay
- FREE overnight tracked delivery to KANE & 9am next day return & Saturday
- Theft Protection - 50% off replacing your stolen analyser
- KANE CARE - Our promise to never let you down or your money back

KANE CARE terms & conditions apply - see www.kane.co.uk



Independently tested by TUV SUD to EN50379 Use for BS7967



EN50379



KANE5SP

KANE CARE 5 Year Service Plan
See page 37 for more details

£609





KANE258

Domestic analyser & manometer with KANE CARE LIFETIME WARRANTY

- As KANE158 plus:
- High accuracy single pressure sensor to +/- 80mbar
- Automatic let by & tightness test with KANE LIVE app
- Connect to KANE LIVE app
- KANE LOCK - Stolen analyser automatically disabled - see p.33
- Suitable for CCN1 or CCLP1 (including CPA1) & CENWAT

Applications

- Flue draught & pressure tests
- Let by & tightness tests
- Domestic appliance test
- Combustion performance test
- Combustion efficiency test

Measures

- O2 0-21%
- CO 0-2,000ppm with over range protection
- Single, dual & differential temperature

Calculates

- CO2 0-20%
- Excess air
- CO / CO2 ratio
- Combustion efficiency

Fuel Types

- Natural Gas
- Butane
- LPG
- Light oil
- Wood pellets
- Propane

Features

- Rotary dial & 6 line display
- Connect to KANE LIVE app
- See, save & send test results to KANE LIVE or optional printer
- KANE CARE LIFETIME WARRANTY - We promise to never let you down or your money back

£499



KANE258

- Supplied with CP2 probe, 3 rechargeable batteries, USB1 charger & MSC00237 protective case & 14102/2 carry bag
- Kit options - KIT, PRO KIT, CPA KIT & OIL KIT



- Lifetime Warranty with annual Service & Recertification
- Same Day Service & Recertification guaranteed - some exclusions apply
- All included pricing - price you see is the price you pay
- FREE overnight tracked delivery to KANE & 9am next day return & Saturday
- Theft Protection - 50% off replacing your stolen analyser
- KANE CARE - Our promise to never let you down or your money back

KANE CARE terms & conditions apply - see www.kane.co.uk



Independently tested by TUV SUD to EN50379 Use for BS7967



EN50379



All prices exclude VAT



KANE358

Domestic analyser with large graphic display & KANE CARE LIFETIME WARRANTY

- Tests domestic appliances as KANE258 plus:
- CO to 10,000ppm with H2 compensation & measurement
- TB143 Domestic gas boiler commission test
- BS7967 2 minute appliance sweep test
- Automatic let by & tightness tests
- Also suitable for CMA1 & MET1
- Large graphic display
- KANE LOCK - Stolen analyser automatically disabled - see p.33

Applications

- Domestic appliance test
- Combustion performance test
- Combustion efficiency test

Measures

- O2 0-21%
- CO 0-10,000ppm with H2 measurement & compensation
- Single, dual & differential temperature

Calculates

- CO2 0-20%
- Excess air
- CO / CO2 ratio
- Combustion efficiency

Fuel Types

- Natural Gas
- Butane
- LPG
- Light oil
- Wood pellets
- Propane

£699



KANE358

- Supplied with CP2 probe, 3 rechargeable batteries, USB1 charger & MSC00237 protective case & 14102/2 carry bag
- Kit options - KIT, PRO KIT, CPA KIT & OIL KIT



- Lifetime Warranty with annual Service & Recertification
- Same Day Service & Recertification guaranteed - some exclusions apply
- All included pricing - price you see is the price you pay
- FREE overnight tracked delivery to KANE & 9am next day return & Saturday
- Theft Protection - 50% off replacing your stolen analyser
- KANE CARE - Our promise to never let you down or your money back

KANE CARE terms & conditions apply - see www.kane.co.uk



Independently tested by TUV SUD to EN50379 Use for BS7967 & TB143



EN50379



KANE5SP
KANE CARE 5 Year Service Plan
See page 37 for more details

£609



All prices exclude VAT

Features

- Rotary dial & large graphic display
- Connect to KANE LIVE app
- See, save & send test results to KANE LIVE or optional printer
- Hydrogen compensated CO sensor to 10,000ppm for high accuracy flue gas measurements
- 20% & 100% Hydrogen ready - analyser measures & displays H₂
- Automatic domestic gas boiler TB143 test ensures safe set up every time
- 2 minute BS7967 appliance room test stops unsafe CO & other pollutant emissions
- KANE CARE LIFETIME WARRANTY - We promise to never let you down or your money back

KANE-IRP3 Infra-red printer

- Produce test reports using KANE-IRP3 Infra-Red Printer - option

Supplied with 4 rechargeable batteries & USB1 charger



£245



TB143 test

KANE158, KANE258 & KANE358 printer & kit options



PRO KIT

add £109



CPA KIT

add £199



OIL KIT

add £249



KANE458s

World 1st domestic & commercial analyser measuring O₂, CO₂ & CO with graphic display & KANE CARE LIFETIME WARRANTY

- As KANE358 plus:
- World 1st analyser measuring O₂, CO₂, CO to 10,000ppm with H₂ measurement & compensation
- NO_x option
- IAQ CO₂ upgrade option to KANE458s IAQ
- Large graphic display
- KANE LINK wireless probes & future proof promise
- Heat pump test with wireless pipe clamp option
- CMDDA 5, 15 & 30 minute test with 4 room wireless option
- Ventilation temperature, humidity & airflow wireless test option
- EN50379 TÜV certified & EN50543 for ambient CO₂
- KANE CARE LIFETIME WARRANTY
- KANE LOCK - Stolen analyser automatically disabled - see p.33

£879

KANE458s


- Supplied with CP2 probe, 3 rechargeable batteries, USB1 charger & MSC00237 protective case & 14102/2 carry bag
- Kit options - As KANE358 + PRO KIT2, CPA KIT2, COM-CAT KIT & CMDDA KITS





- Lifetime Warranty with annual Service & Recertification
- Same Day Service & Recertification guaranteed - some exclusions apply
- All included pricing - price you see is the price you pay
- FREE overnight tracked delivery to KANE & 9am next day return & Saturday
- Theft Protection - 50% off replacing your stolen analyser
- KANE CARE - Our promise to never let you down or your money back

KANE CARE terms & conditions apply - see www.kane.co.uk



KANE458s kit options - see KANE358 plus:



Independently tested by TUV SUD to EN50379 & EN50543
Use for BS7967 & CP42



EN50379



PRO KIT2
add £229

CPA KIT2
add £309

All prices exclude VAT

KANE LINK™ Our wireless measurement & future proof promise

Use your KANE458s & optional wireless LINK devices to safely measure:

- Boiler & Heat Pump flow & return temperatures
- Home & workplace IAQ, airflow & humidity
- Room CO tests - up to 4 simultaneously
- 100% H2 appliances
- HVO appliances

Measures

- O2 0-21%
- CO2 0-20%
- CO2 0-9,999ppm
- CO 0-10,000ppm with H2 compensation
- H2 measurement
- NO 0-600ppm option
- Differential temp -20 - +1350°C with suitable probes
- Differential pressure -80 - +160mBar
- Air flow 1.1 – 20m/s with KANE-DTHA2 option
- Temperature -20 - +50°C with KANE-DTHA2 option
- RH 0.1 – 99% with LINK KANE-DTHA2 option
- Room CO 0-999ppm with optional KANE79 CO monitor - connect up to 4

Calculates

- CO / CO2 ratio
- Excess air
- Combustion efficiency
- NOx option

Fuel Types

- Natural Gas
- LPG
- Wood pellets
- Butane
- Light oil
- Propane

Features

- Structured tests as KANE358 plus:
- Room CO migration test plus IAQ CO2 sensor option to EN50543
- Tests Type C sealed appliances, Type B boiler open flue & Type A cooker, space & water heaters
- Commercial kitchen air quality test with IAQ CO2 sensor option
- Boiler emissions test with NOx sensor option
- Large graphic display for great viewing in all conditions
- Screen protection
- Only analyser measuring O2 & CO2 - no appliance fuel selection required
- Data hold, log & print reports with user details to optional KANE-IRP3 printer
- Connect to KANE LIVE or 3rd party apps
- KANE CARE LIFETIME WARRANTY - We promise to never let you down or your money back

KANE458s sensor options:

NO sensor 0-600ppm	£345
IAQ CO2 sensor 0-9999ppm	£345

KANE LINK™ options:

KANE-HUB2 KIT	2 KANE-WPCP wireless temp clamp probes & KANE-HUB case	£229
KANE-DTHA2	Wireless anemometer for airflow, temp & RH	£269
KANE79	3 in 1 CO monitor & logger - connect up to 4	£299

KANE5SP

KANE CARE 5 Year Service Plan

See page 37 for more details



£609



See KANE LINK devices on pages 19 - 24

i Add optional sensor for ambient CO2 IAQ testing**



COM-CAT KIT

add £289**



CMDDA KIT

add £349

CMDDA2

- As CMDDA KIT plus: 3 KANE79 & CPS1 stands



CMDDA2 KIT

add £1579

CMDDA3

- As CMDDA KIT plus: CP35 flex probe & KVCT volt & continuity kit & MSC00274 lock off kit



CMDDA3 KIT

add £309

KANE458s IAQ



World 1st domestic & commercial analyser measuring O2, CO & IAQ CO2 with graphic display & KANE CARE LIFETIME WARRANTY

- As KANE458s plus:
- Test IAQ for CO2 to 9999ppm
- Sweep test domestic appliances for CO & CO2
- Perform room safety tests for CO & CO2
- Test domestic & commercial flueless gas appliances, space & water heaters for CO & CO2
- Test commercial kitchen appliances for CP42 gas safety certificates
- Use for CIS23 & BS8494
- EN50379 & EN5043 certified for O2, CO & CO2 flue gas & IAQ
- Suitable for CMDDA1 or IGEN/GL/8 investigation, CCCN1 & COMCAT, COCN1 & CIGA1 or CGDA1, CORT1, CGFE1, CCP1 or I-GAS
- KANE CARE LIFETIME WARRANTY
- KANE LOCK - Stolen analyser automatically disabled - see p.33

£1219

KANE458s IAQ

- Supplied with CP2 probe, 3 rechargeable batteries, USB1 charger & MSC00237 protective case & 14102/2 carry bag
- KANE458s IAQ options - As KANE358 + PRO KIT2, CPA KIT2, COM-CAT KIT & CMDDA KITS



- Lifetime Warranty with annual Service & Recertification
- Same Day Service & Recertification guaranteed - some exclusions apply
- All included pricing - price you see is the price you pay
- FREE overnight tracked delivery to KANE & 9am next day return & Saturday
- Theft Protection - 50% off replacing your stolen analyser
- KANE CARE - Our promise to never let you down or your money back

KANE CARE terms & conditions apply - see www.kane.co.uk



KANE5SP

KANE CARE 5 Year Service Plan

See page 37 for more details

£839



Independently tested by TUV SUD to EN50379 & EN50543
Use for BS7967 & TB143



EN50379
EN50543



All prices exclude VAT

KANE LINK™ our wireless measurement & future proof promise

Use your KANE458s IAQ & optional wireless LINK devices to safely measure:

- Boiler & Heat Pump flow & return temperatures
- Commercial premises IAQ, airflow & humidity
- Room CO tests - up to 4 simultaneously
- 100% H2 appliances
- HVO appliances

Measures

- O2 0-21%
- CO2 0-9999ppm
- CO 0-10,000ppm with H2 compensation
- H2 measurement
- NO 0-600ppm option
- Differential temperature -20 - +1350°C with suitable probes
- Differential pressure -80 - +80mBar
- Air flow 1.1 – 20m/s with KANE-DTHA2 option
- Temperature -20 - +50°C with KANE-DTHA2 option
- RH 0.1 – 99% with KANE-DTHA2 option
- Room CO 0-999ppm with KANE79 CO monitor option

Calculates

- CO2 flue gas
- Excess air
- NOx option
- CO / CO2 ratio
- Combustion efficiency

Fuel Types

- Natural Gas
- Butane
- LPG
- Light oil
- Wood pellets
- Propane

Features

- Structured tests as KANE458s plus:
- Room migration timed test for CO & CO2 with IAQ CO2 sensor
- Appliance timed sweep test for CO & CO2 with IAQ CO2 sensor
- Tests Type C sealed appliances, Type B boiler open flue & Type A cooker, space & water heaters
- Data hold, log & print reports with user details to optional KANE-IRP3 printer
- Connect to KANE LIVE or 3rd party apps
- KANE CARE LIFETIME WARRANTY - We promise to never let you down or your money back

KANE458s IAQ sensor options:

NO sensor 0-600ppm	£345
--------------------	-------------

KANE LINK™ options:

KANE-HUB2 KIT	2 KANE-WPCP wireless temp clamp probes & KANE-HUB case	£229
KANE-DTHA2	Wireless anemometer for airflow, temp & RH	£269
KANE79	3 in 1 CO monitor & logger - connect up to 4	£299

See KANE LINK devices on pages 19 - 24


Probe options



CP35

- 300mm flexible probe
- 8mm diameter
- 2m neoprene hose

£179



ASP3 KIT

- Appliance sampling probe kit - grills, gas fires & general purpose
- 5mm diameter
- 2.2m flexible tube
- Separate handle & hose assembly

£179

KANE LINK™ options

KANE-HUB2 KIT

- Wireless LINK temp clamp probes - connect as a pair

£229



KANE-DTHA2

- Wireless LINK airflow, temp & RH

£269



KANE79

- Wireless LINK CO monitor to 999ppm - connect up to 4

£299



TEST BOILERS, HEAT PUMPS, A/C & REFRIGERATION & IAQ



KANE LINK

°C/F

IAQ

CO



KANE CARE



LIFETIME WARRANTY FOREVER



£1029

KANE460

- Supplied with pressure hose, CP2 probe, 6 rechargeable batteries, CU12VDC2A21 charger & MSC00117 protective pouch & 14102/2 carry bag
- KANE460 Kit options - As KANE458s + HVACR KIT



- Lifetime Warranty with annual Service & Recertification
- Same Day Service & Recertification guaranteed - some exclusions apply
- All included pricing - price you see is the price you pay
- FREE overnight tracked delivery to KANE & 9am next day return & Saturday
- Theft Protection - 50% off replacing your stolen analyser
- KANE CARE - Our promise to never let you down or your money back

KANE CARE terms & conditions apply - see www.kane.co.uk



Independently tested by TUV SUD to EN50379 Use for BS7967 & TB143



EN50379

KANE460



Heating, Cooling & Refrigeration Analyser

- Test domestic & commercial heating & hot water systems
- Measures O₂, CO to 10,000ppm with H₂ compensation
- H₂ measurement & NO_x option to 5,000ppm
- Commission boilers, perform sweep & room CO migration tests
- Test building ventilation with **KANE LINK™** wireless probes
- Test single & differential flue gas & system pressures to 2 psi / 160 mbar
- Automatic let by & tightness tests
- Hydrophobic water trap stops vapour damage
- See, save & send tests to KANE LIVE app
- Fast & easy operation with large colour graphic display & rugged, compact design

Applications

- Test domestic & commercial gas, oil & biomass appliance performance & safety
- Perform let by, tightness & flue draught tests
- New boiler commissioning test
- Appliance sweep test for CO leaks

KANE4605SP

£839

KANE CARE 5 Year Service Plan

See page 37 for more details



All prices exclude VAT

NO CABLES, NO MANIFOLD, NO HOSES & NO LEAKS

- Simultaneous 4 room CO migration test with up to 4 KANE79 wireless CO monitors option
- Heat pump temperature differential test
- A/C & refrigeration superheat & subcool test
- Building ventilation & IAQ test with KANE-DTHA2 wireless anemometer for airflow, temp & RH

Measures

- O2 0-21%
- CO 0-10,000ppm H2 compensated with over range protection
- Measures H2
- NO 0-5,000ppm option
- Temperature - inlet / flue gas / differential / ambient
- High accuracy differential pressure meter +/- 160mbar

Calculates

- CO2 - 0-20%
- Excess air
- NOx option
- A/C & Refrigeration subcool & superheat
- CO/CO2 ratio
- Combustion efficiency

Fuels & Refrigerants

- 12 standard fuels including: Natural Gas, LPG, Butane, Propane, Light Oil, Heavy Oil, plus 5 user fuels
- 40 refrigerants including: R22, R32, R134a, R290 & R410A

Features

- Backed by KANE CARE - We promise to never let you down or your money back



Confirm boiler safety & efficiency



Test heat pumps, A/C & refrigeration systems

All prices exclude VAT

HVACR KIT



£419

- Supplied with KANE-DTHA2 anemometer & 20128 extender, KANE-HUB4 kit (2 WPCP wireless temperature clamp probes & 2 WPP wireless pass through pressure probes), 2 psi pressure sensor & hose, CU12VDC2A21 charger, MSC00017 handset pouch & 20106 backpack



KANE460 sensor & KANE LINK™ options

NO 0-5,000ppm	£375
KANE-DTHA2 wireless anemometer	£269
KANE79 wireless room CO monitor	£299
KANE-WPCP2 2 wireless temp clamp probe	£229
KANE-WPP2 2 wireless pressure probes	£289

See KANE LINK devices on pages 19 - 24

Room CO & Ventilation

Use with or without KANE LINK analysers



£299



Simultaneously test up to 4 rooms for CO

KANE79



3 in 1 CO Monitor & Logger

- Monitor CO in indoor air to 1ppm to EN50543
- Simultaneously test indoor air in multiple rooms & appliance emissions with your KANE analyser*
- Log CO for up to 2 weeks then see, save & send via KANE LIVE app
- Test homes, workplaces & vehicles for CO
- Visual & audible alert
- Optional stand & carry bag p/n: CPS1
- 100M line of sight range



KANE UKAS option

Add £255



Alarm Levels

- 0 to 9 ppm ●
- 10 to 19 ppm ●
- ≥20 ppm ●

CPS1

£159

WHO AQG limits exposure:
 <4ppm CO over 24 hours,
 <9ppm over 8 hours & <30ppm over 1 hour



- Lifetime Warranty with annual Service & Recertification
- Same Day Service & Recertification guaranteed - some exclusions apply
- All included pricing - price you see is the price you pay
- FREE overnight tracked delivery to KANE & 9am next day return & Saturday
- Theft Protection - 50% off replacing your stolen analyser
- KANE CARE - Our promise to never let you down or your money back

KANE CARE terms & conditions apply - see www.kane.co.uk

KANE-DTHA2



KANE-DTHA2 Wireless Airflow, Temperature, & Humidity Anemometer

Features


- Measure airflow, temperature & humidity wirelessly
- See results on your KANE analyser
- Test A/C units & kitchen extraction fans
- Calculate outlet volume flow with dimensions & geometry

- Instant On technology
- Airflow: 1.1 to 20 m/s; Temp: -20 to +50 C; RH: 0.1 to 99%
- Optional extender probe - p/n: 20128
- Connect to KANE-DTHA2 app or KANE LINK™ analyser



£269

See, save & share tests



Connect & control:

Wireless enabled KANE Analysers
KANE79 CO Monitor & Logger
KANE-DPM Differential Pressure Meter

- See, save & share
- Start, stop & share KANE79 CO logs
- Perform let by & tightness tests with KANE-DPM
- Download tests to save & share
- Generate PDF reports & certificates*
- Add company & user profiles
- Send test results in CSV for spreadsheets
- GPS tag location
- Control analyser pump, torch & fresh air purge
- Set KANE LOCK -Stolen analyser automatically disabled**
- Set up via KANE LIVE app

* market dependent

** Wireless analysers only - see p.33

For KANE LIVE info, scan here:



KANE Analysers approved for use with

Gas Checker

www.gaschecker.co.uk



HHiC - Benchmark App

www.benchmark.org.uk



GES - Gas Engineer Software

www.gasengineersoftware.co.uk



Master Gas

www.mastergas.co.uk



All prices exclude VAT

The Smart Way to test Heat Pumps, A/C & Refrigeration

KANE-HUB APP



Connect & control your KANE HUB probes

- See, save & share tests
- Measure system pressures & temperatures
- Calculate superheat & subcool
- Check duct temperature & humidity
- Test vacuum with dual mode vacuum screen
- Evacuation target display & rise limit test
- Display in microns, Pa, mmHg & mBar
- Display rate of change & water saturation point




Vacuum Screen



Refrigeration Screen



Air Side Screen



For more info, scan here:



Use with KANE-HUB app or your KANE LINK Analyser

KANE-WPCP2



2 Wireless Pipe Clamp
Temperature Probes

£229

- Wirelessly measure & display system temps including:
 - Flow & return
 - Boiler commissioning test
 - Monobloc Heat Pumps
- Connect to KANE-HUB app or KANE LINK™ analyser
- Work in tight spaces for pipe diameters up to 38mm
- Range: 0 - 80°C
- 100m line of sight range



KANE-WPCP



1 Wireless Pipe Clamp
Temperature Probe

£129

KANE-WPP2



2 Wireless Pressure Probes

- Wireless pass through pressure probes for heat pump, A/C & refrigeration system pressure tests
- Calculate system superheat & subcool
- Connect to KANE-HUB app or KANE LINK™ analyser
- 100m line of sight range



£289



KANE-WPP



1 Wireless Pressure Probe

£189

KANE-WHP2



2 Wireless Hygrometer Probes

In App temperature split & psychrometric calculations

- Slimmest 6mm (1/4") hygrometer probe means smaller drill holes
- Temp range: 0° to 60°C (32° to 140°F), accuracy ± 0.3 °C (±0.5°F)
- Relative Humidity: 0 to 100% (0.1% resolution, ±3% accuracy from 20 to 80% ±5% otherwise)
- Connect to KANE-HUB app or KANE LINK™ analyser
- 100m line of sight range



£229



KANE-WHP

- 1 Wireless hygrometer probe with magnets, 2 AA batteries

£129

The Smart Way to test Heat Pumps, A/C & Refrigeration

KANE-WOT2



Outdoor Temperature Sensor

Applications

- Test Heat Pump, A/C & Refrigeration Condensor temperatures
- Target Heat Pump, A/C & Refrigeration Superheat & Subcool

Measures

- Temperature range 0° to 82°C (32° to 180°F)

Features

- Outdoor air temperature measurements for target superheat calculation
- Magnetic hanger
- 2 positions for hands free use - Condensor side or top
- Connect to KANE-HUB app or KANE LINK™ analyser
- 100M line of sight range

£109



Outdoor air temperature measurement



KANE-WOT2

- Wireless outside temperature probe, magnetic hanger, 2 AA batteries



KANE-WVG2

- Wireless vacuum gauge probe, 45° coupler, 2 AA batteries



£189

KANE-WVG2



Wireless Vacuum Gauge

Applications

- Test heat pump, A/C & refrigeration system evacuation
- Ensure moisture & non condensate removal

Measures

- Vacuum range: 20,000 microns
- 700 psi maximum over range

Features

- 45° coupler & nickel plated male flare fitting
- Oil contamination warning & sensor failure detection
- Magnetic hanger
- Connect to KANE-HUB app or KANE LINK™ analyser
- 100M line of sight range

KANE-HUB Wireless Probe Kits



KANE-HUB2 KIT

- 2 KANE-WPCP wireless temperature pipe clamp probes
- Test Heat Pump flow & return
- Also use with KANE LINK™ Analysers

£229



KANE-HUB4 KIT

- As KANE-HUB2 plus 2 KANE-WPP pass through pressure probes
- Test AC & Refrigeration Pressures & Temperatures
- Also use with KANE460 Analyser

£469



KANE-HUB6 KIT

- As KANE-HUB4 plus KANE-WVG2 vacuum gauge & KANE-WOT2 outdoor condenser temperature probe
- Target AC & Refrigeration Superheat & Subcool & test system evacuation
- Also use with KANE460 Analyser

£759



KANE-HUB8 KIT

- As KANE-HUB6 plus 2 KANE-WHP duct temp & RH probes
- All AC & Refrigeration Duct system parameters
- Also use with KANE460 Analyser

£989



Pressure Meters & Tightness Testers








LIFETIME WARRANTY FOREVER



Supplied with HARHOSE pressure hose, 9V PP3 alkaline battery & MSC00238 protective case



- Lifetime Warranty with annual Service & Recertification
- Same Day Service & Recertification guaranteed - some exclusions apply
- All included pricing - price you see is the price you pay
- FREE overnight tracked delivery to KANE & 9am next day return & Saturday
- Theft Protection - 50% off replacing your stolen analyser
- KANE CARE - Our promise to never let you down or your money back

KANE CARE terms & conditions apply - see www.kane.co.uk

KANE3500

High Accuracy Differential Pressure Meters with temperature compensation & test results data transfer

Description

- Measure flue draft & gas / air ratio valves on high efficiency boilers
- Test Smart Meter integrity after installation
- Automatic Tightness Testing on KANE3500-2
- Print test results with user details to optional printer
- Connect to KANE LIVE or 3rd party apps

Features

- 4 versions available - see table for specifications
- Temperature compensated for superior accuracy
- Switchable between high & low resolution
- Switchable between: mbar, Pa, hPa, kPa, mmHg, mmH₂O, inH₂O & PSI
- Data hold & max / min recording
- Backed by KANE CARE - We promise to never let you down or your money back

KANE3500


KANE3500-2	Range ± 2 psi / 160 mbar	£299
KANE3500-5	Range ± 5 psi / 400 mbar	£339
KANE3500-15	Range ± 15 psi / 1040 mbar	£339
KANE3500-30	Range ± 30 psi / 2070 mbar	£339



Tightness testing



KANE Asset Manager (KAM)
- Fastest way to manage recertification with FREE postage



£199

Supplied with HARHOSE pressure hose, 3 AAA alkaline batteries & MSC00238 protective case

KANE-DPM

Differential Pressure Meter

- Measure Appliance Gas & Draught Pressures
- Use KANE LIVE app for let by & tightness tests
- Test Ductwork Air Pressure & Filter Performance

Features

- Measures positive & negative pressures to +150 mbar
- Temperature compensated for accuracy
- Easy to read large backlit display
- Wireless data transfer
- One hand & hands free use
- Protective rubber sleeve
- 1 year warranty
- 10 year warranty when serviced & recertified by KANE
- Backed by KANE CARE - We promise to never let you down or your money back



Tightness testing



- Lifetime Warranty with annual Service & Recertification
- Same Day Service & Recertification guaranteed - some exclusions apply
- All included pricing - price you see is the price you pay
- FREE overnight tracked delivery to KANE & 9am next day return & Saturday
- Theft Protection - 50% off replacing your stolen analyser
- KANE CARE - Our promise to never let you down or your money back

KANE CARE terms & conditions apply - see www.kane.co.uk

PRD2

Pressure Relief Device



£49

Description

- When completing a tightness test the PRD2 lets you bleed off any excess gas pressure

All prices exclude VAT

KANE-IRP3

Infra-red printer

- Produce test reports using optional KANE-IRP3 Infra-Red Printer



£245

Supplied with 4 rechargeable batteries & USB1 charger

Combustible & Refrigerant Gas Leak Detectors

KANE-EGD

Combustible Gas Leak Detector

- EGD detects combustible gas leaks from:
20ppm Hydrogen
50ppm Methane & Propane

Gases Detected

Acetone	Gasoline/Petrol	Naphtha
Alcohol	Hydrogen	Natural Gas
Ammonia	Industrial Solvents	Propane
Benzene	Jet Fuel	Thinners
Butane	Lacquer	Toluene
Ethylene	Methane	

Features

- Flexible goose neck probe
- Solid state semi conductor sensor
- Detection levels <50ppm methane
- Indicators - audible tic rate & visual multi-coloured LEDs
- Tip light

Supplied with 2 AA alkaline batteries & MSC00238 protective case



£189



Visual 3 colour LED indication

KANE-RGD

Refrigerant Gas Leak Detector

- RGD detects refrigerant gas leaks of:
CFC, HFC, HCFC, R11, R22, R134a etc

Features

- Flexible goose neck probe
- Solid state semi conductor sensor
- Detection levels 10g / year based on R134a
- Indicators - audible tic rate & visual multi-coloured LEDs
- Tip light



£209



Supplied with 2 AA alkaline batteries & MSC00238 protective case

KANE-GLD

Combustible Gas Leak Detector

Applications

- Pin-point small combustible gas leaks

Gases Detected - same as KANE-EGD

Features

- Flexible shaft 180mm long
- Solid state semi conductor sensor
- Audible & visual indicators
- >50ppm methane detection limit



Leak detectors do not measure gas levels

Supplied with 2 AA alkaline batteries



£99



Personal Protection

£139



KANE78

iD Safe™ Personal CO Alarm & ID Holder

Features

- 2 in 1 CO alarm & ID badge holder
- Protects you from high CO levels wherever you are
- Displays your ID badge
- Audible & visual alarm over 20ppm CO
- 2 years "fit & forget" life
- Supplied with lanyard



Alarm Levels

In accordance with EH40/2005 (Fourth Edition 2020)

Alarm LED Alarm trigger point CO >20ppm

Battery LED Replace iD Safe™

Activity LED iD Safe™ is active

KANE78 is a personal CO alarm - Once activated, it operates for up to 2 years if alarm doesn't activate **Audible alarm ≥ 75db**



Ambient CO2 IAQ tester

KANE-CO2

Indoor Air Quality (IAQ) Carbon Dioxide Monitor

Application

- Monitors CO2 concentration, relative humidity & temperature

Measures

- Ambient CO2 0-5000ppm
- Relative humidity RH 5-95%
- Temperature 0°C to 90°C / 32°F to 195°F



Features

- Large display & touch button operation
- Low drift CO2 NDIR sensor with long lifespan
- Audible & visible alarm
- Chart with variable time zoom levels
- CO2 / RH / Temperature monitor tracer
- Auto-calibration on power on & manual calibration
- Max / min value display in real time
- Supplied with USB cable & manual

Health & Safety Executive (HSE) report CO2 monitors help identify poor ventilation increasing risk of COVID Aerosol transmission

All prices exclude VAT

Thermal Imaging

KANE-TCAM



Thermal Imaging Camera

Combines surface temperature measurement & real-time thermal imaging - See the unseeable!

Ideal problem solver for:


- **Plumbing** & Heating
 - Radiators, underfloor heating, energy auditing or water damage
- Automotive
 - Heated seats & windows, high resistance in wiring, overheating wiring or components

Features:


- Large colour display & on-screen cursor
 - Accurately locate temperature hotspots
- 3GB SD Card Data storage
 - Store up to 20,000 images that can be extracted through USB
- Rechargeable battery
 - 3 hours during normal operation
- Temperature -20 - +300°C
- Four types of surface measurement modes:
 - Coarse surface
 - Semi-matte surface
 - Semi-shiny surface
 - Shiny surface




£819



Underfloor heating




Blocked radiators



Invisible leaks

Display Screen 2.8 inch full view TFT display



Supplied with sealed battery pack, USB charger & MSC00237 protective case

Temperature

KANE-DT2

Digital Differential Thermometer

- Confirm Boiler, Heat Pump & ACR System Performance
- Prevent Legionella & Skin Burns

Applications

- Test boiler & heat pump flow & return, A/C & refrigeration systems
- Check cold water inlet & hot water outlet temperatures

£169



Features:

- Measures -200°C to +1370°C
- 2 channels measures temperature separately, together & their differential
- Use K, J, T, E, R & S type probes
- See Max, Min & Average temperatures
- Freeze tests with Data hold function
- Store up to 9,999 tests
- Easy to read large backlit display
- One hand & hands free use
- Protective rubber sleeve
- Supplied with 2 K Type wire probes, 3 AA batteries & protective pouch
- 1 year warranty



Stop Legionella

Avoid Legionella risk - Keep cold water below 20 °C & hot water above 60 °C, circulated above 50 °C.

Employers with hot & cold water or wet cooling systems must identify & prevent contamination risks - see HSE Approved Code of Practice www.hse.gov.uk/legionnaires

Prevent Burns

HSE & NHS guidelines state space heater surface temperatures should be below 43 °C to remove burn risks - e.g: thermal storage heaters, oil-filled or conventional radiators

H&V KIT

Heating & Ventilation kit includes:

- KANE-DT2** Digital Thermometer
- 2 **KWA1** Wrap Around Pipe Temperature Probes
- 1 **KAL1** Air Liquid Temperature Probe
- 1 **KSP1** Surface Temperature Probe
- 1 **KFT** Flexible Temperature Probe
- Protective Carry Case

£319



KANE-INF165C

Infra-Red Thermometer

Description

- Easy, comfortable non-contact temperature testing

Measures

- Temperature -60 to +550°C
-76 to +1022°F

Features

- Circular laser targeting
- Distance to spot ratio 12:1
- Fixed emissivity 0.95
- Max value capture
- Auto off

Supplied with 2 AAA alkaline batteries & KANE-INF165C protective pouch



£109

Thermometers & Temperature Probes

KPCP

£49



Pipe clamp probe
Measures -40 to +150°C
Jaw dia. up to 50mm

KAL1

Air / liquid & chisel probe
-50 to +500°C

£79



KSP1

£79

Light duty surface probe -50 to +500°C



KSP2

£79

Heavy duty surface probe -50 to +500°C



KWA1

£49

Wrap around pipe probe
Measures -40 to +150°C



All prices exclude VAT

Safe Isolation & Electrical Testers

For full specifications visit www.kane.co.uk



Safe Isolation Testing

See TB118 & 'Electricity at works regulations 1989' for more information



KANE-VCT KIT Contents:

- KANE-VCT Voltage Tester
- KANE-PU690V Proving Unit
- Kit Carry Pouch
- Batteries

KANE-VCT KIT

Voltage & Continuity Tester with 690 volt AC Proving Unit

KANE-VCT KIT combines 2 great products & pouch:
KANE-VCT & KANE-PU690V



KANE-VCT

Voltage & Continuity Tester

Features

- KANE Voltage & Continuity Tester with LED & digital voltage indication 12 - 690V AC/DC
- Includes Single Pole Detection & meets BS 61243-3:2014 GS38



£129



£119

KANE-PU690V

690v AC Proving Unit

Features

- Compact voltage proving unit
- Safely check voltage testers before using on live circuits



KANE-DL469

AC 400A TRMS
Clamp Meter

Features

- True RMS
- 400A AC
- 750V AC / 600V DC
- Resistance 40MΩ
- DC Microamps 2000μA
- Diode test
- Non-contact voltage detection



£149

KANE-NCV3

Non-Contact Voltage Tester

£39

Features

- 24 to 1000V AC detection
- High / Low voltage detection
- Visual LED alert
- Audible alert
- Worklight
- Magnetic mount
- Auto power off
- Low battery warning



KANE UKAS ISO 17025 Calibration Certificates

KANE UKAS certificates deliver peace of mind

- ★ Your analyser tested in our UKAS test centre
- ★ Your analyser tested to the highest standard
- ★ Your analyser tested in the most controlled environment
- ★ Your analyser tested by the best equipment
- ★ Your analyser suitable for legal submission

KANE UKAS Applications

- Room CO migration tests
- CO poisoning incident investigations
- Combustion plant in strictly controlled facilities
- Customers wanting best accuracy confirmation

UKAS is the only authority accrediting UK laboratories -
KANE is the only analyser manufacturer accredited to ISO 17025.

KANE UKAS guarantees the best possible calibration certificate to the highest degree of accuracy.

KANE UKAS certificates are recognised worldwide, suitable for legal submission.

Order when you buy or organise KANE CARE -
KANE UKAS certificates are fixed price and add 1 day to delivery.






KANE Analyser Theft Protection

Analysers are essential instruments, valuable & often stolen

You know a stolen analyser means no work, no income & higher premiums

KANE LOCK stops unauthorised use - here's how:



KANE CARE 50% off theft plan:

- 1 If your analyser is stolen, register police crime reference number on kane.co.uk
- 2 Call to order your half price analyser
- 3 If your stolen analyser is returned, we return it subject to Police permission

NOTE:

KANE LOCK works with new shape wireless analysers - if unsure, call

KANE LOCK requires weekly connection to KANE LIVE on your Android or IOS smart device

KANE LOCK stops your analyser working after 1 week if separated from your smart device



KANE COVER

Discounted Public Liability & Tools Insurance

SAVE 15%* on Public Liability & Tools Insurance

Do I need Public Liability Insurance - PLI?

PLI is designed to cover legal costs & compensation payments if your business is held responsible for injury or property damage to a client, contractor or another member of the public.

Some trade organisations may require you to have PLI.

PLI can also be contractually required when tendering for new work.



How much does PLI cost?

This depends on you & your business size - You get 15% off* for being a KANE customer.



“Get 15% off for being a KANE customer”

Do I need Tools Insurance?

Tools Insurance is designed to cover the cost of replacing your tools if damaged or stolen, helping you continue working with minimum delays.

How much does Tools Insurance cost?

This depends on value of your tools - Get 15% off* for being a KANE customer.



Who is Trade Direct Insurance?

Trade Direct Insurance is a trade insurance broker with over 40 years' experience.

Their PLI & Tools Insurance is underwritten by Zurich Insurance Company Ltd.

Get 15% off* for being a KANE customer.



In partnership with TDI

What do I do next?

Go to:
www.kane.co.uk/kanecover

In partnership with TDI



Public Liability Insurance

- Public liability cover of up to £5 million
- Professional indemnity cover available
- Cover for third party financial loss
- Capital death benefit
- Tools cover up to £15,000
- Temporary Total Disablement Cover
- Option to pay in monthly instalments
- Plus, optional extensions and extras



Tools Insurance

- Choose an amount from £1,000 to £15,000
- 24 hours a day cover – sleep easy knowing your tools are protected,
- European Union cover – in case you need to travel with your tools
- Covers portable powered and non-powered handheld tools

The above subject to policy terms



Why choose Trade Direct Insurance?

- Underwritten by Zurich Insurance Company Ltd
- Feefo™ Platinum Trusted Service Rated
- Expert UK telephone support
- 40 years' experience in tradesman insurance



To get a quote, go to
www.kane.co.uk/kanecover or call **0800 028 380**
or email
enquiries@tradedirectinsurance.co.uk



Kane International Limited (reg. number 01555423, FCA number 990521) is an Intermediary (Introducer) of Trade Direct Insurance Services Ltd.

Trade Direct Insurance Services Limited (company number 1580129). Registered office 5th Floor, 40 Lime Street, London, EC3M 7AW.

Trade Direct Insurance Services Ltd is authorised and regulated by the Financial Conduct Authority (FCA), firm registration number 307734 - Check this by visiting www.fca.org.uk/register or calling the FCA on **0800 111 6768**.

Financial Promotion - **TD0337-2410**

KANE & KANE logo worldwide are Kane Group Ltd trademarks used under licence
© 2025 Kane International Limited



Flue Gas & Appliance Probes



Combustion probes for standard temperature flue gases 600°C / 1112°F

Please see www.kane.co.uk for high temperature flue gas probes up to 1250°C / 2282°F





	ASP3 KIT	<ul style="list-style-type: none"> • Appliance sampling probe kit - grills, gas fires & general purpose • 5mm diameter • 2.2M flexible tube • Separate handle & hose assembly 	£179
	CP2	<ul style="list-style-type: none"> • 240mm probe • 6mm diameter • 2M neoprene hose 	£129
	CP2S	<ul style="list-style-type: none"> • 100mm probe • 6mm diameter • 1.5M neoprene hose 	£129
	CP2T	<ul style="list-style-type: none"> • 240mm probe • 6mm diameter • 4M PTFE lined neoprene hose • For KANE958, 975 & 988 	£229
	CP30	<ul style="list-style-type: none"> • 240mm combined flue gas & pressure probe • 6mm diameter • 2M neoprene hose 	£179
	CP35	<ul style="list-style-type: none"> • 300mm flexible probe • 8mm diameter • 2M neoprene hose 	£179
	CP71	<ul style="list-style-type: none"> • 240mm probe • 6mm diameter • 0.9M neoprene hose 	£149
	17320	<ul style="list-style-type: none"> • 6mm diameter depth stop cone 	£29
	4290/2	<ul style="list-style-type: none"> • 8mm diameter depth stop cone 	£29
	SM50472	<ul style="list-style-type: none"> • 10mm diameter depth stop cone for CP35 	£29
	CPS1	<ul style="list-style-type: none"> • Combustion probe stand • 2.1M max height 	£159

Consumables & Spare Parts

Please see www.kane.co.uk for more options

	KANE-IRP3 KANE Infra-Red Printer	£245
	KANE-MSP KANE Smoke Test Kit	£149
	18121 Oil gauge kit	£229
	SP9 Smoke papers & chart (for use with smoke probe options)	£49
	PRD2 Pressure Relief Device	£49





Batteries Chargers & Power Leads

	USB1 USB charger for KANE258, 358, 458s, 958, AQA & KANE-EGA1, 2, 3	£49
	CU12VDC2A21 Charger for KANE460, 975 & 988 / 988+	£49
	CA10733/4 In vehicle charger for KANE460, 975 & 988 / 988+	£49
	B15 4x 2000 mAh rechargeable batteries. Note: battery make may differ	£49


Carry Cases

	14102/2 Large carry bag	£89
	20106 Backpack	£129
	MSC00237 Hard carry case for KANE-TCAM & KANE258, 358, 458s & 458s IAQ	£39
	MSC00238 Hard carry case for KANE3500, KANE-DPM & KANE-DT2	£39
	MSC00239 Hard carry case for KANE-EGD & RGD	£39
	KANE-HUB CASE Case for KANE-HUB probes	£39



Filters

	PF400/5 - 5 particle filters for all handheld FGA & AQA except KANE460, 975 & 988 / 988+	£19
	PF2/10 - 10 particle filters for AF2, KANE460, 975 & 988 / 988+	£89
	WSF1/5 - 5 water stop filters for KANE458s & 958	£49
	WSF2/10 - 10 water stop filters for KANE460, 975 & 988 / 988+	£89



Paper & Ribbons

	TP5 - 5 thermal paper rolls for KANE-IRP1, 2 & 3	£39
--	---	------------


Probe Connectors

	SM11103 Black pressure probe connector - also gas probe connector for old shape handheld FGAs	£6
	SM14980 Red gas probe connector for KANE new shape FGAs including KANE460, 975, 988 / 988+ & KANE-AQA	£6



Water Traps

	SM50515 Water trap for KANE258, 358, 458s, 958, AQA & EGA1, 2 & 3	£59
	SM50675 Watertrap for KANE460, 975 & 988 / 988+	£59

Extender Stick

	20128 Extender stick for KANE-DTHA2	£59
--	---	------------

Boiler Magnet & Hooks

	SM51061 Hanging hook for KANE460, 975 & 988 / 988+	£29
	SM50932 Boiler magnet for KANE460, 975 & 988 / 988+	£29



ESSENTIAL INSTRUMENTS OUTSTANDING SERVICE LIFETIME WARRANTY



KANE CARE UK & Ireland Service & Recertification

KANE CARE - Outstanding Service or Your Money Back - forever

- ★ Lifetime Warranty with annual Service & Recertification
- ★ Same Day Service & Recertification guaranteed
- ★ Lifetime all inclusive pricing - price you see is price you pay
- ★ Free next day tracked delivery to KANE & 9am next day return & Saturday
- ★ Theft protection - 50% off when replacing your stolen KANE analyser

KANE CARE applies to any KANE FGA Service & Recertification booked online via www.kane.co.uk & www.kanetest.ie - some exclusions apply more info at:

www.kane.co.uk/service-and-re-certification



KANE CARE 5 Year Service Plan

Our 5 year year KANE CARE service plan - all the benefits of KANE CARE plus:

- ★ Peace of mind - no further costs for 5 years
- ★ 10% saving on your KANE CARE Service & Recertification
- ★ Theft protection cover - if stolen we replace your analyser for free
- ★ Secure activation via www.kane.co.uk
- ★ Annual UKAS Calibration Certificate option

more info at: www.kane.co.uk/service-plan

KANE CARE 5 Year Service Plan Options*

KANE5SP - KANE258, 358 & 458s	£609
KANE5SP with UKAS certificates	£1499
KANE4605SP - KANE458s IAQ, 460 & 958 with standard sensors	£839
KANE4605SP with UKAS certificates	£1729

7 & 10 year Service Plans available - call for details

*Standard configuration analyser

T&Cs apply





**UK & Ireland
Same Day Despatch
KANE CARE Service & Recertification**



**Register your analyser on
www.kane.co.uk or
www.kanetest.ie**



**Book & pay to Service & Recertify
via your dashboard**



**Select FREEPOST for tracked
carriage - UK & Ireland mainland only**



**Your analyser despatched same
day we receive it ...**

OR YOUR MONEY BACK*



*Excludes KANE-EGA, AUTO600, '9 series' analysers & UKAS certificates - Ireland 2 day turnaround



ESSENTIAL INSTRUMENTS OUTSTANDING SERVICE LIFETIME WARRANTY



WE'VE GOT YOUR BACK

Distributed by:



Customer Service



0800 059 0800
+44 1707 375550

www.kane.co.uk
Email: sales@kane.co.uk



www.kane.eu
Email: sales@kane.eu



1800 852 937
www.kanetest.ie
Email: sales@kanetest.ie



+44 1707 375550
www.kaneint.com
Email: sales@kaneint.com

Follow us on...



★ Trustpilot



www.kanecare.co.uk www.kanecare.eu www.kanecare.com www.kanecare.net

Prices valid from 1st July 2025. We reserve the right to change prices, products & specifications without prior notice. Kit contents may change - Please check before purchase. All prices ex-works £ GBP & exclude VAT. Free UK & Ireland mainland delivery for orders via www.kane.co.uk or www.kanetest.ie or non web orders over £275 / €330 - otherwise £12 / €15 for next day or £25 / €30 for next day delivery by 10am. Additional £35 / €42 for reseller orders with 3rd party delivery address. Free EU mainland delivery for orders via kane.eu. Product images not to scale unless stated & colours may vary from those illustrated.

KANE and the KANE logo (registered in the UK and elsewhere) are trademarks of Kane Group Limited, used under licence. All other marks are trademarks of their respective holders. © 2025 Kane International Limited