




## Muscle Groups Focus




### Mini Parallel Bars

The mini parallel bar is suitable for developing a wide range of muscles, as it can be used for a variety of bodyweight exercises, and its small size makes it ideal for heavier exercises.


### Attributes

Product code	1-1-017
Certificate	EN 16630, ASTM F3101
Age group	14 + years
Capacity	1 person
Max. weight load	218.26 lbs
Type	Calisthenics
Difficulty level	Medium

## Side View




## Plan View



## Installation information

Number of installers (concrete)	At least 2 people
Total installation time (concrete)	60-120 min.
Number of installers (equipment)	At least 2 people
Total installation time (equipment)	10-20 min.
Excavation volume	18,54 ft <sup>3</sup>
Concrete volume	18,54 ft <sup>3</sup>
Size of the base structure	39.37 x 59.6 x 13.78 „
Anchoring options	In-ground or surface
In combined structures, the volume of concrete required varies.	


## Technical specification

Safety surface area	Around 4.92 ft radius
Net weight	57.32 lbs
Material	S235
Critic fall height	23.62"
Color options	
For more color options, discuss with your sales representative.	


## Warranty

Structure	25 years
Steel	15 years
Paint	2 years
Plastic	5-10 years
Rubber	1-3 years
Moving parts	2 years
Detailed information in the warranty document	

# Material specification



The element is made of high quality S235 steel, which has been cleaned via sandblasting. A corrosion resistant powder coating finish is then applied. Also available with galvanized surface for even greater protection and longevity!



# BESTSTRONG

 [bestrongworld](#)  [bestrongworld](#)  [usa.bestrong.com](#)  [usa@bestrong.com](mailto:usa@bestrong.com)

