

CORPORATE **PROFILE** 



PRODUCT PORTFOLIO

# **TABLE OF CONTENTS**

RUTON® TEA BAG	GINGER TEA GINTEE OPC	.76
NERVE  NAO DAC SINH CERINPAS®	RUTON® TEA BAG	.78
NERVE  NAO DAC SINH CERINPAS®	Normo OPC	.80
NERVE  NAO DAC SINH CERINPAS®	LAXATIVE TABLET OP.LIZ®	.81
NERVE NAO DAC SINH CERINPAS®	Liverbil	.82
MIMOSA® Sedative tablet	NEDVE	
MIMOSA® Sedative tablet	NAO DAC SINH CERINPAS®	.85
OP.CAN®	MIMOSA® Sedative tablet	.86
URINARY Tablet for kidney stone KIM TIEN THAO	OP.CAN®	.88
URINARY Tablet for kidney stone KIM TIEN THAO	Cerebral Nourishing Tablet OP.BRAIN® F	.90
Tablet for kidney stone KIM TIEN THAO	IIRINARY	
ICH MAU EXTRACT	Tablet for kidney stone KIM TIEN THAO	92
ICH MAU EXTRACT	DESMODIN® KIM TIEN THAO	94
ICH MAU EXTRACT	FNDOCRINE	
OP.CIM® 98 OP.CALIFE® Canh Nien An Tablet 99 NUTRITION BAT TRAN PILLS OPC 101 LINGZHI EXTRACT 102 LINGZHI - GINSENG EXTRACT 103 LINGZHI TONIC OPC 104 Invigorating the children OPSURE® 105 Phi Nhi Dai Bo Pills 106 Sam Quy Tonic 107 Minh Mang KingOPC 108 SANOLIN 20 Panax Vietnamensis extract 110 Ngoc Linh Ginseng & Bird's Nest Opc 112 Sanolin 20 - Opc Ngoc Linh Ginseng Bird's Nest 114 NOTOGINSENG OPC 116 Shi Quan Da Bu Wan - Ten Inclusive Great Tonifying Pills 117 Spleen Invigoration Heart Nourishing Opc 118 MUSCULOSKELETAL SYSTEM DOC HOAT Tang Ky Sinh OPC 120 Khu Phong Tru Thap Neutolin 121 Fengshi-OPC® 122 PAIN RELIEF - INFLAMMATION CABOVIS® capsule for clearing heat and expelling miasma 125 Ngan Kieu Giai Doc FAVOMIN® 126 NYST® collutory powder 127 OP.ZEN® Eliminate swelling - Relieve pain	ICH MALL EXTRACT	97
NUTRITION  BAT TRAN PILLS OPC	OP CIM®	98
NUTRITION  BAT TRAN PILLS OPC	OPCALIFF® Canh Nien An Tahlet	99
BAT TRAN PILLS OPC	NITRITION	. , ,
LINGZHI EXTRACT	BAT TRAN PILLS OPC	01
LINGZHI – GINSENG EXTRACT	LINGZHI FXTRACT	102
LINGZHI TONIC OPC	LING7HI – GINSFNG FXTRACT 1	103
Pri Nri Dai Bo Pills	LINGZHI TONIC OPC	104
Pri Nri Dai Bo Pills	Invigorating the children OPSLIRE®	05
Sam Quy Tonic	Phi Nhi Dai Bo Pills	106
Minh Mang KingOPC	Sam Ouv Tonic	107
SANOLIN 20 Panax Vietnamensis extract110 Ngoc Linh Ginseng & Bird's Nest Opc112 Sanolin 20 - Opc Ngoc Linh Ginseng Bird's Nest	Minh Mang KingOPC	ักิ
Ngoc Linh Ginseng & Bird's Nest Opc	SANOLIN 20 Panax Vietnamensis extract 1	10
Sanolin 20 - Opc Ngoc Linh Ginseng Bird's Nest	Naoc Linh Ginsena & Bird's Nest Onc	12
Nest	Sanolin 20 - One Ngoe Linh Ginseng Ri	rd's
Tonifying Pills	Nest	114
Tonifying Pills	NOTOGINSENG OPC 1	16
Tonifying Pills	Shi Quan Da Bu Wan - Ten Inclusive Gr	eat
MUSCULOSKELETAL SYSTEM  Doc Hoat Tang Ky Sinh OPC	Tonifying Pills	17
MUSCULOSKELETAL SYSTEM  Doc Hoat Tang Ky Sinh OPC	Spleen Invigoration Heart Nourishing Opc. 1	18
Doc Hoat Tang Ky Sinh OPC	MUSCULOSKELETAL SYSTEM	
Khu Phong Tru Thap Neutolin	Doc Hoat Tang Ky Sinh OPC	20
Fengshi-OPC®	Khu Phong Tru Than Neutolin.	21
PAIN RELIEF - INFLAMMATION CABOVIS® capsule for clearing heat and expelling miasma	Fengshi-OPC®	22
CABOVIS® capsule for clearing heat and expelling miasma	PAIN RELIFE - INFLAMMATION	
Mgan Kieu Giai Doc FAVOMIN®	CAROVIS® cansule for clearing heat and expell	ina
Ngan Kieu Giai Doc FAVOMIN®	miasma	125
NYST® collutory powder	Ngan Kieu Giai Doc FAVOMIN®	26
OP.ZEN® Eliminate swelling – Relieve pain	NYST® collutory powder	27
Cansule 128	OPZEN® Fliminate swelling - Relieve n	ain
	Capsule	28

VITAMINS & MINERALS	
C - Calci MULTI - OPC Orange flavour effervescent tablet	31
MULTI - OPC Orange flavour effervescent tablet	132
Vitamin AD	134
Vitamin C 500mg	135
Vitamin C 1000MG	136
Vitamin E 400IU - OPC1	37
VITAMIN C LOZENGES - OPC	138
Vitamin E 400IU - OPC VITAMIN C LOZENGES - OPC VITAMIN C ROYAL JELLY LOZENGES - OPC	139
Alcool 70° - 90°1	41
Golden Star Balm1	142
Liniment1	43
Dan Toc Oil	44
Opc Eucalyptus Oil	46
Sun Linimént	48
DENTANALGI® Toothache Medicine1	49
EUCA-OPC® for steam inhalation use1	50
MILIAN SOLUTION1	52
3% HYDROGEN PEROXIDE1	53
PICADO®1	54
Povidon iod 10%1	55
Solution External Use For Burns TRANCUMIN®1	
Vaseline Pure Strawberry Flavor1	57
Opc Mouthwash Salt Tablet1	58
Air-sat Opc Nasal Spray1	59
OTHERS	
Kidney-yin Replenishment	61
Kidney-y ang Replenishment	62
Ha Thu O Capsule EXTRACAP®	63
KIDNEYCAP® Capsule of Eight Ingredients	01
KIDNEYCAP® Capsule of Eight Ingredients Kidney-Yang Replenishment	64
KIDNEYTON® Capsule of Six Ingredients or Kidney-	Yır
Replenishment	65
OPCRILATI® – Crinum Latifolium Tablets	66
CARDIOVASCULAR	
Opc Bird's Nest - Bird's Nest With Rock Sugar	6/
Opc Bird's Nest - Bird's Nest With Ginseng	8
Opc Bird's Nest – Bird's Nest With Ginseng Cordyceps Opc Bird's Nest – Bird's Nest Sugarless	165
One Bird's Nest - Bird's Nest Sugariess	71
Opc Bird's Nest – Collagen Bird's Nest Health Supplement. Ruton Tea (TPBVSK. Ruton tea).1	75
One Cooling Detect Too	75
Opc Cooling Detox Tea	1//
Mimosa Tea	0.5



### History of formation and development

**OPC Pharmaceutical Joint Stock Company**, formerly known as **TW 26 Pharmaceutical Enterprise - OPC**, was established on October 24, 1977 based on merging from 8 private apothecary institutes in Saigon before. In the early days of establishment, the office and factory were built on an area of about 7,000 m2, with just over 100 employees and were oriented to develop on the basis of producing drugs from inherited medicinal herbs and promoting traditional medicine.

Since the 1990s, **TW26 Pharmaceutical Enterprise - OPC** has become a strong exporter in the pharmaceutical industry with a turnover of about 1.4 million USD and an average growth rate of 15%/year. Golden Star Balm and OPC products have been present in 15 countries around the world such as Eastern Europe, Germany, France, etc.

On February 8, 2002, **TW26 Pharmaceutical Enterprise - OPC** was equitized with the name **OPC Pharmaceutical Joint Stock Company**, which is one of the State Pharmaceutical Enterprises under the Ministry of Health equitizing early and most successful.

Today, OPC is proud to be one of the leading pharmaceutical companies in Vietnam in the field of manufacturing and trading pharmaceuticals derived from medicinal herbs. OPC currently has nearly 1,000 employees under 22 departments and a system of 09 branches spread across the country and 03 manufacturing plants meeting GMP-WHO standards with GACP-certified medicinal herbs growing areas.

In 2022, the General Meeting of Shareholders decided on the company's strategic steps in the coming time, specifically issuing shares to increase capital to VND 651,143,360,000.




















## CÔNG TY CỔ PHẦN DƯỢC PHẨM OPC

# ĐẠI HỘI ĐỒNG CỔ ĐÔNG THƯỜNG NIÊN NĂM 2024





### Vision, mission and core values



### Important milestones

October 24, 1977 was established on the basis of merger from 8 private apothecary institutes in Saigon before.

OPC was the first unit interested in marketing since 1985, with the forms of brand promotion. Although such marketing activities at that time were very simple, but very effective that faciliated introducing the company's image and products to consumers from urban to rural areas across the country.

In 1994, OPC was the strongest exporter in Vietnam Pharmaceutical Corporation with a turnover of 1.4 million USD. Golden Star Balm and OPC products were present in 15 countries around the world.

In 2002, TW26 Pharmaceutical Enterprise - OPC transformed into joint stock model - named OPC Pharmaceutical Joint Stock Company, with initial charter capital of 20 billion dong, is one of the state-owned pharmaceutical enterprises under the Ministry of Health equitizated early and most successfully.

In 1999, GMP-ASEAN applied for the first soft capsule line in Vietnam.

Introduced Kim Tien Thao "Old Man", the first herbal medicine for kidney stone in Vietnam market. In this respect, one of the 10 most prominent events of Vietnam Pharmaceutical Corporation was "Having OPC Kim Tien Thao for kidney stones makes me feel secure".

2003 2005

In July 2003, OPC officially completed the establishment of GMP-ASEAN for the manufacturers to be certificated GMP - GLP - GSP in

In 2005, OPC was one of the first traditional medicine manufacturers to be certificated GMP - GLP - GSP, in addition, certificated ISO 9001:2000 by the Dutch DNV-UKAS organization.

In 2007, established Subsidiary - OPC Binh Duong Pharmaceutical Co., Ltd with charter capital of 15 billion VND.

2009 ← 2010

In 2010, established OPC Bac Giang Pharmaceutical Joint Stock Company.

entire manufacturing plant.

In 2009, launched the GMP-WHO plant in Binh Duong on an area of 5.6 hectares, the initial investment capital was up to trillions of dong and was re-certified to ISO 9001:2008.

In 2008, listing on the stock exchange (coded: OPC), OPC has ethanol factory, the first one in the country to be granted GMP-WHO certificate.

### Important milestones

In 2011, an important milestone in the relocation of the factory to Binh Duong, an advanced step in OPC's strategy of scale development and production expansion.

In March 2012, OPC Binh Duong Pharmaceutical Factory was certified GMP-WHO standard, quality control system meets GLP standard, warehouse system meets GSP standard.

In July 2014, OPC Bac Giang Pharmaceutical factory was certificated GMP-WHO by the Ministry of Health.

In June 2018, the Department of Traditional Medicine Management - Ministry of Health of Vietnam officially received Declaration of Medicinal Materials produced under GACP -WHO for 2 medicinal herbs: Kim Tien Thao and Cao Ich Mau.

September 2016, officially owned TW25 Pharmaceutical Joint Stock Company (Uphace).

In July 2015, Kim Tien Thao medicinal herbs planting area in Bac Giang satisfied GACP standards.

In June 2020, Dinh Lang medicinal herb planting area on an area of 7.2 hectares in Chu Se district, Gia Lai province was granted the Certificate of GACP - WHO by the Department of Traditional Medicine Management - Ministry of Health of Vietnam.


In 2021, OPC was officially named in the Top 100 domestic manufacturing enterprises with revenue exceeding

and at the same time achieve the dual goal of both joining hands with the health industry to fight the epidemic while providing essential products to the community in a timely manner.

2022: Issued shares. Increased charter capital to over 640 billion VND.

2024: Applying SAP - ERP software. Celebrating the Digitalization of Vietnamese Natural Drugs Database at the R&D Center.

2023: OPC PHARMA expanded its herbal cultivation network with four new GACP-WHO certified areas. Concurrently, OPC PHARMA achieved ISO 22000:2018 certification. To further enhance innovation, OPC established an R&D center at its headquarters, leveraging AI to drive research and development.








Human capital





### **Quality raw materials**

The major scope of OPC specializes in manufacturing and trading of medicines from medicinal herbs, therefore, from a very early age, it was aware that establishing medicinal herbs growing areas for key products is very important. Thus, in March 2010 OPC Bac Giang Pharmaceutical Joint Stock Company was established. Currently, OPC Bac Giang owns the GACP-WHO standard GACP-WHO medicinal plant area in Yen Dung district, Bac Giang province, providing 65 tons of dried medicinal herbs per year. The planting area of Dinh Lang material meets GACP-WHO standards on an area of 7.2 hectares in Chu Se district, Gia Lai province. Currently, OPC Bac Giang owns GACP-WHO certified planting areas of Kim Tien Thao, Cao Ich Mau on an area of 7.5 hectares, providing 65 tons of dried medicinal herbs per year, standard GACP-WHO medicinal plant area in Yen Dung district, Bac Giang province, providing 65 tons of dried medicinal herbs per year. In addition, it owns GACP-WHO certified planting area of Dinh Lang on an area of 7.2 hectares in Chu Se district, Gia Lai province.







### Advanced research technology

Product research and development is one of the spearheads of OPC to carry out strategic tasks in the field of investment and research and development of new breakthrough-oriented products in disease prevention and treatment. In addition to the human factor, the advanced equipment is invested by OPC at the R&D pilot room with a cluster of machines: high-speed mixer, fluidized bed dryer, film coating machine, sugar coating machine, pilot-scale pelletizing machine with optimal systems in the laboratory such as: HPLC machine cluster, GC machine cluster, atomic absorption spectrometer cluster, especially equipped with AAS heavy metal quantitative equipment, ...













### State-of-the-art production line

#### **MULTI-FUNCTIONAL EXTRACTION SYSTEM**

Is invested with the most state-of-the-art extraction technology, with a capacity of 4 tons of medicinal herbs/day. The system can extract not only the active ingredients in medicinal herbs with hot water, but also use a variety of other solvent systems, especially ethanol reflux extraction. The system ensures that the desired therapeutically active ingredients are extracted. In addition, essential oils can also be extracted from medicinal plants.





#### HIGH VACUUM CONCENTRATION

Is invested based on two parameters that determine the quality of herbal extracts: low temperature and reduced pressure, the concentration rate is about 1000 liters / 1 hour.

### State-of-the-art production line

#### TABLET BARTENDING SYSTEM WITH MACHINE CLUSTERS

High speed mixer, fluidized bed dryer, 1 ton cone 2-head mixer. With high-speed mixing and modern fluidized bed drying with a capacity of 200kg/batch, with a 2-head cone mixer, the batch can be mixed up to 1 ton.





State-of-the-art production line

#### THE SYSTEM OF FILM COATING AND SUGAR COATING MACHINES

With the most state-of-the-art film and sugar coating technology and fully automated process. OPC company has successfully applied this cluster of film and sugar coating machines in many products which gained trusted and accepted by the market for decades such as: Kim Tien Thao Kidney Stone Treatment (sugar coated), Kim Tien Thao Kidney Stone Medicine (film-coated), MIMOSA Sedative Tablets, PYLANTIN Diep Ha Chau Tablets,...



### State-of-the-art production line

#### **PILL BARTENDING SYSTEM**

Automation from mixing raw materials, dividing, finishing, drying, packaging. The process is fully homogenized with a capacity of 1.2 tons/day.



### State-of-the-art production line

#### SOFT CAPSULE PRODUCTION SYSTEM

With a capacity of 1 million tablets/day imported from Korea. During the recent COVID-19 pandemic, many OPC soft capsule products have gained reputation in the market, contributing to the prevention of the epidemic, many products are trusted and appreciated in the community. Among them are: EUCA OPC, TUSSIDAY Cough Tablet, Vitamin AD,....







### State-of-the-art production line





#### PRODUCTION SYSTEM OF EFFERVESCENT TABLETS, EFFERVESCENT POWDERED NUGGETS

The production line meets GMP-WHO standards with an output of 1 ton/day, making a great contribution to health care and disease treatment for people during the COVID-19 epidemic period such as: MULTI VITAMIN OPC Orange flavor, VITAMIN C 1000MG, VITAMIN C 100 mg Orange flavor, PARA-OPC 80 mg, PARA OPC 250 MG,...



### **Prestigious partner**





Affirming its brand position as a strong pharmaceutical corporation in Vietnam and ready to reach out to the great sea, OPC signed a memorandum of understanding with Aribio, a Korean partner, jointly developing a cooperation plan to effectively exploit the resources and advantages of the two sides. Especially the transfer and application of AI technology in apothecary and production of health supplements and drugs derived from Vietnamese medicinal herbs.

**Prestigious partner** 

**OPC VIETNAM WELCOMES** 

### MR. AKARAPON SAWETKAMON

MOU OF COOPERATION

BETWEEN OPC VIETNAM AND GATT INTERTRADE THAILAND















### **BASIC INFORMATION**

### **Awards**

- Labor Medal (first class, second class, third class), the title of Labor Hero in the renovation period and the Third Class Independence Medal.
- Being the only Pharmaceutical Enterprise that has 08 times in a row of products achieving National Brand (2008-2022).
- "Vietnamese drug star" for OPC Pharmaceutical brand and 8 products of OPC EUCALYPTUS OIL, KIM TIEN THAO OPC - TABLET FOR KIDNEY STONE, HoAstex, MIMOSA - SEDATIVE TABLET, FENGSHI-OPC, CHOLAPAN, LINIMENT, GARLICAP Garlic-Turmeric Capsule
- National Quality, Gold Prize 2022
- HCM City Green Businesses 2023
- "Vietnamese Golden Star" Award 16 years in a row (2007 2022).
- "High quality Vietnamese goods" 27 years in a row (1998 – 2024).
- Along with many other noble titles...

































# BASIC INFORMATION

**Awards** 



CHƯƠNG TRÌNH THƯƠNG HIỆU QUỐC GIA VIỆT NAM

# LỄ CÔNG BỐ SẢN PHẨM ĐẠT THƯƠNG HIỆU QUỐC GIA VIỆT NAM NĂM 2022 CÔNG TY CP DƯỢC PHẨM OPC

→ SẢN PHẨM ĐẠT THƯƠNG HIỆU QUỐC GIA VIỆT NAM 2022 ↔

DÂU KHUYNH DIỆP OPC NHÃN HIỆU "ME BÔNG CON" THUỐC TRỊ SỎI THẬN KIM TIẾN THẢO NHÃN HIỆU "ÔNG GIÀ" SIRO HOASTEX

VIÊN XÔNG EUCA OPC VIÊN AN THẨN MIMOSA VIÊN PHONG THẤP FENGSHI - OPC







### **BASIC INFORMATION**

### **Business network**

OPC has built a distribution system with 09 branches operating mainly in provinces such as: **Hanoi, Nghe An, Da Nang, Nha Trang, Vung Tau, Southeast, HCMC, Tien Giang, Can Tho**. The team of pharmacists has covered all provinces and cities in the territory of Vietnam.

In the trend of integration, OPC continues to strongly develop its overseas distribution network in some traditional markets in Nigeria, Cambodia, Laos, Mondova, Philippines, Russia.....and is developing into new markets such as: Thailand, Myanmar,..contributing to increase in export sales as a solid foundation for the strategy of expanding to the world market.







### **SOCIALLY RESPONSIBLE ACTIVITIES**

Activities launched by OPC throughout the year such as taking care of poor children, supporting needy families, gratitude fund, scholarship fund for poor studious students, fund joining hands with people facing natural disasters disaster – flood protection, charity medical examination and treatment, blood donation, etc. are the ways that OPC practices its social responsibility to the community.




































### **CORTONYL<sup>®</sup> OPC**

Cardiotonic, faint due to heart failure.





### 

Benzoic acid, sugar, ethanol 96%, purified water.

**USES:** Cardiotonic, faint due to heart failure. Insomnia, overwork, sedative. **DIRECTIONS:** Adults: take orally 2 times per day, each time 20 - 50 drops diluted with about 30 ml of water.

Children: take orally 2 times per day, each time 10 -1 5 drops diluted with about 15 ml of water.

Or follow doctor's instructions.

**CONTRAINDICATIONS:** 

Children under 30 months of age, children with a history of epilepsy or febrile convulsion.

People driving vehicles or operating machinery.

### Capsule of heart attack defender **OPCARDIO**®

INGREDIENTS: For one hard capsule.

Radix Salviae miltiorrhizae.......450 mg
Radix Panasis notoginseng.....141 mg
Borneolum syntheticum.....8 mg
Excipients: Cellulose, lactose, talc
powder, magnesium stearate, nipasol M,
capsule shell.

**USES:** Prevention and treatment of angina pectoris, oppression in the chest, palpitations.

Prevention and treatment of coronary arteries atherosclerosis.

#### **DIRECTIONS:**

Treatment of angina pectoris: Take orally 3 tablets each time, 3 times per day.

Prevention of angina pectoris, treatment and prevention of coronary arteries atherosclerosis: Take orally 2 – 3 tablets

each time, 3 times per day.

#### CONTRAINDICATIONS:

Pregnant women, lactating women.
Patients are bleeding or risk of bleeding.
Patients with hypersensitivity to any ingredient of the medicine.

Prevention and treatment of angina pectoris, oppression in the chest, palpitations.

Prevention and treatment of coronary arteries atherosclerosis.



### **LINGZHI OPC**

Regulate blood pressure, reduce blood cholesterol.

Improve the function of the liver detection to the liver detection of the liver detection.



### **INGREDIENTS:** For 1 softgel.

Ganoderma......3g
Excipients: Soya oil, white bee wax, shortening, maize starch, gelatin, glycerol, nipasol M, brown iron oxide, lake ponceau 4R red, lake quinoline yellow, titan dioxide.

**USES:** Regulate blood pressure, reduce blood cholesterol.

Improve the function of the liver, detoxify the liver.

### **DIRECTIONS:**

Adults: take orally 1 - 2 softgels each time, 2 times per day.

Children: half of adult's dose.

Or follow your doctor's instructions.

#### **CONTRAINDICATIONS:**





### **GINSENG LINGZHI OPC**

General tonic indicated in the following cases: asthenia, overwork, physical fatigue and during convalescents.

Treat mental depression, reduce blood cholesterol.

Prevent and support therapy for hepatitis.



### **INGREDIENTS:** For 1 softgel.

Lingzhi extract on dry basis	45,00 mg		
Ginseng extract	80,00 mg		
Excipients: Lactose, starch, povidone	e, cellulose		
powder, talc powder, magnesium stearate, sodium			
benzoate, nipasol M , capsule shell.			

**USES:** General tonic indicated in the following cases: asthenia, overwork, physical fatigue and during convalescents.

Treat mental depression, reduce blood cholesterol. Prevent and support therapy for hepatitis.

#### **DIRECTIONS:**

Take orally 1 - 2 capsules each time, 2 - 3 times per day.

Do not take this medicine before bedtime.

Or follow physician's instructions.

### **CONTRAINDICATIONS:**

Pregnant women, insomnia people.



### GARLICAP® Garlic Turmeric Capsule

Reduce blood cholesterol and blood triglyceride. Help protect cardiovascular, prevent the atherosclerosis, the stroke, myocardial infarction, improve the immune function.



#### **INGREDIENTS:**

#### **USES:**

Reduce blood cholesterol and blood triglyceride.

Help protect cardiovascular, prevent the atherosclerosis, the stroke, myocardial infarction, improve the immune function.

### **DIRECTIONS:**

Take orally 2 tablets each time, 2 times per day.

Take orally before meal.

Or follow your doctor's instructions.

#### CONTRAINDICATIONS:


People with hypersensitivity to any ingredient of the medicine.

Pregnant women, People with blood confusion or haemorrhage.



### Cough preparation FOR ADULTS OPC

Treat repiratory inflammation and infections, light cough caused by a cold, cough due to flu, cough with phlegm, sore throat.





#### **INGREDIENTS:** For 1 bottle of 90ml.

Folium Eriobotryae	16.20 g
Radix Platycodi grandiflori	1.80 c
Radix Stemonae tuberosae	
Radix Peucedani	1.80 c
Cortex Mori albae radicis	1.80 c
Radix Asparagi cochinchinensis	2.70 c
Poria	
Radix et Rhizoma Glycyrrhizae	
Radix Scutellariae	
Cineol	
Menthol	
Excipients: Sugar, sodium benzoate, purified water.	-

### USES:

Treat repiratory inflammation and infections, light cough caused by a cold, cough due to flu, cough with phlegm, sore throat.

#### **DIRECTIONS:**

Adults: take orally 1 tablespoon (15 ml), 3 times per day. Shake well before use.

Or follow your doctor's instructions.

### **CONTRAINDICATIONS:**


Children under 15 years old, children with a history of epilepsy or febrile convulsion.

People with cough due to wind-cold evil.

Diabetes patients, because of sugar content.

People with deficiency-cold of spleen and stomach having such symptoms as: abdominal pain, dyspepsia, anorexia, vomitting, diarhea or prolonged dysentery.

Cough preparation FOR ADULTS OPC
TREAT REPIRATORY INFLAMMATION
AND INFECTIONS







### Cough preparation FOR CHILDREN OPC

Treat repiratory inflammation and infections, light cough caused by a cold, cough due to flu, cough with phlegm, sore throat.





### INGREDIENTS: For 1 bottle of 90ml.

III OIL DE LEINE CONTRACTOR DE LA CONTRA	
Folium Eriobotryae	16.20 g
Radix Platycodi grandiflori	1.80 g
Radix Stemonae tuberosae	2.79 g
Radix Peucedani	1.80 g
Cortex Mori albae radicis	1.80 g
Radix Asparagi cochinchinensis	2.70 g
Poria	-
Radix et Rhizoma Glycyrrhizae	0.90 g
Radix Scutellariae	
Cineol	
Menthol	18.00 mg
Excipients: Sugar, sodium benzoate,	9
purified water.	

#### **USES:**

Treat repiratory inflammation and infections, light cough caused by a cold, cough due to flu, cough with phlegm, sore throat.

#### **DIRECTIONS:**

Children from 30 months to below 6 years of age: take orally each time 5 ml, 3 times per day.

Children from 6 to below 12 years of age: take orally each time 10 ml, 3 times per day.

Children from 12 to below 18 years of age: take orally each time 15 ml, 3 times per day.

Shake well before use.

Or follow your doctor's instructions.

#### **CONTRAINDICATIONS:**

Children below 30 months of age, children with a history of epilepsy or febrile convulsion.

Diabetes patients, because of sugar content.



### **HoAstex**®

Treat cough. Reduce cough in people with sore throat, bronchitis, tracheitis.









#### **INGREDIENTS:**

Active pharmaceutical ingredients:

1 sachet 5ml 1 bottle 90ml/.

Folium plectranthi amboinici......2,500 g......45,00 g

Cortex Oroxyli.......0,625 g......11,25 g

Cineolum......4,650 mg......83,70 mg

Excipients: Sugar, sodium benzoate, kolliphor RH40.

### **USES:**

Treat cough. Reduce cough in people with sore throat, bronchitis, tracheitis.

#### **DIRECTIONS:**

Infant baby to children below 2 years of age: take orally each time 2 – 5 ml, 3 times per day.

Children from 2 to below 6 years of age: take orally each time 5 - 10 ml, 3 times per day.

### **CONTRAINDICATIONS:**

People with diabetics.

Children with a history of epilepsy or febrile convulsion.

# HoAstex® Sirô thuốc







Hộp 30 gối x 5 mi

**Produced** in accordance to **ASTEX** cough syrup formula of **Children Hospital 1** HCMC



### **HoAstex-S**

Treat cough. Reduce cough in people with sore throat, bronchitis, tracheitis, etc. (respiratory inflammation).



#### **INGREDIENTS:** For 1 bottle of 90ml

Active pharmaceutical ingredients:

Excipients: Sugar, sodium benzoate, polyoxyethylene 40 hydrogenated castor oil, pure water.

#### USES:

Treat cough. Reduce cough in people with sore throat, bronchitis, tracheitis, etc. (respiratory inflammation).

#### **DIRECTIONS:**

Children under 30 months of age: follow doctor's instructions.

Children from 30 months to below 6 years of age: take orally each time 5-10 ml (1 sachet

- 2 sachets of 5 ml), 3 times per day Children from 6 to below 15 years of age:

take orally each time 10 – 15 ml (2 sachets –

3 sachets of 5 ml), 3 times per day.

Children above 15 years of age and adult: take orally each time 15 ml (3 sachets of 5 ml), 3 times per day.

Or follow doctor's instructions.

#### CONTRAINDICATIONS:

People with diabetics.

Children with a history of epilepsy or febrile convulsion.


### HoAstex-S Sirô thuốc

### Respiratory system









The product can be used for INFANTS AND YOUNG CHILDREN








### **HoAstex-S**

Support tonifyng lung. Support to help reduce cough, phlegm, sore throat, running nose caused by pharyngitis and bronchitis.





### **INGREDIENTS:** For a bottle of 90ml.

Liquid herbal extracts (1:2) equivalent to:

### **USES:**

purificata.

Support tonifyng lung. Support to help reduce cough, phlegm, sore throat, running nose caused by pharyngitis and bronchitis.

Note: This product is not medicine and ineffective alternative medicine.

#### DIRECTIONS:

Children over 3 to below 6 years of age: take orally each time 5 ml, 3 times per day.
Children from 6 to below 12 years of age: take orally each time 10ml, 3 times per day.
Children from 12 to below 18 years of age: take orally each time 15 ml, 3 times per day.
Be taken after meals. Shake well before using.

#### **CONTRAINDICATIONS:**

Don't use for people with hypersensitivity to any ingredient of the medicine.

Don't use for people with diarrhea

Pregnant women and people taking medication should consult a doctor or medical professional before use.

Do not use for children under 30 months old, children with a history of epilepsy or convulsions due to high fever.

Do not use for weak and tired people (yin deficiency) with fever or cough.

The product may have a few fine residues of herbs but this does not affect the quality of the product.

### TY BA BO PHOI NGUOI LON OPC

Support tonifyng lung. Support to help reduce cough, phlegm, sore throat, running nose caused by pharyngitis and bronchitis.

### **INGREDIENTS:** For a bottle of 90ml.

Liquid herbal extracts (1:2) equivalent to:

Liquid herbai extracts (1.2) equivalent	.0.
Folium Eriobotryae	16.2 g
Herba Andrographii	3.60 g
Radix Stemonae tuberosae	2.79 g
Radix Asparagi cochinchinensis	2.7g
Radix Platycodi grandiflori	1.8g
Cortex Mori albae radicis	1.8g
Poria	1.8g
Radix Peucedani	1.8g
Radix Scutellariae	1.8g
Fructus Armeniacae praeparatus	1.8g
Radix et Rhizoma Glycyrrhizae	0.9g
Cineol (Aetheroleum Cajuputi)	18.0mg
Excipients: Saccharum, Ethanol 96 %	%, Aqua
purificata.	

### **USES:**

Support tonifyng lung. Support to help reduce cough, phlegm, sore throat, running nose caused by pharyngitis and bronchitis.

Note: This product is not medicine and ineffective alternative medicine.

### **DIRECTIONS:**

Adults: take orally 1 tablespoon (15ml), 3 times per day.

Shake well before use Or follow your doctor's instructions.


### **CONTRAINDICATIONS:**

Don't use for people with hypersensitivity to any ingredient of the medicine.

Pregnant women and people taking medication should consult a doctor or medical professional before use.

Do not use for children under 30 months old, children with a history of epilepsy or convulsions due to high fever.

The product may have a few fine residues of herbs but this does not affect the quality of the product.





### Antitussive soft-gel **TussiDay**®

Treat symptoms of cough, sore throat, running nose, influenza. Used as an antiseptic for the throat and nose. Dissolve mucus, relieve cough.



#### **INGREDIENTS:**

Cineolum					100.00	mg
Aetheroleum Plectranthi amboinici0.60 mg						
Aetheroleum Zingiberis1.00 mg						
Excipients:	Soya	oi <b>l</b> ,	gelatin,	glycerin,	nipasol	M,
titanium dioxide, lake ponceau 4R red, purified water.						

#### **USES:**

Treat symptoms of cough, sore throat, running nose, influenza. Used as an antiseptic for the throat and nose. Dissolve mucus, relieve cough.

#### DIRECTIONS:

Adults: take orally each time 2 soft-gels, 3 times per day.

Children above 30 months of age: take orally each time 1 soft-gels, 3 times per day

Or follow doctor's instructions.

#### **CONTRAINDICATIONS:**

Children under 30 months of age. Children with a history of epilepsy or febrile convulsion.

Patients with cough due to asthma or respiratory failure.

People with hypersensitivity to any ingredient of the medicine.

TussiDay - Medicinal tablets to soothe a cough



## Capsule for sinus rhinitis RHINASSIN OPC®

Sinusitis, allergic rhinitis. Symptoms of nasal congestion, runny nose.



#### **INGREDIENTS:**

Fructus Xanthii strumarii	400 mg
Flos Magnoliae	300 mg
Radix Saposhnikoviae divaricatae	300 mg
Rhizoma Atractylodis macrocephalae	.300 mg
Radix Astragali membranacei	500 mg
Herba Menthae	100 mg
Radix Angelicae dahuricae	.300 mg
Excipients: starch, magnesium stearate,	sodium
benzoate, hardcapsule,	

#### USES:

Sinusitis, allergic rhinitis. Symptoms of nasal congestion, runny nose.

#### **DIRECTIONS:**

Adult and children over 12 years of age: 3 capsules each time, 3 times per day. Take orally after meals. Or follow your doctor's instructions.

### **CONTRAINDICATIONS:**

Children under 12 years of age.

### Throat spray ANDROGRAPHI OPC

Cleans the oral cavity, throat, soothes the throat, helps relieve symptoms of itchy throat, sore throat, cough due to sore throat, prolonged cough, supports the treatment of influenza caused by bacteria, invading viruses, seasonal flu.

Helps prevent bacteria and viruses from entering the oropharynx, supporting cough relief.

Support the treatment and prevention of diseases: gingivitis, tooth decay, periodontal diseases, sore throat

#### **INGREDIENTS:** For 1 bottle of 30 ml

Herbal Andrographi extract, Thyme extract, Folium Artcmisiae anniiae extract, Mel, Propolis, Menthol, Aetheroleum Plectranthi amboinici, Aetheroleum Zingiberis.

#### **USES:**

Cleans the oral cavity, throat, soothes the throat, helps relieve symptoms of itchy throat, sore throat, cough due to sore throat, prolonged cough, supports the treatment of influenza caused by bacteria, invading viruses, seasonal flu. Helps prevent bacteria and viruses from entering the oropharynx, supporting cough relief.

Support the treatment and prevention of diseases: gingivitis, tooth decay, periodontal diseases, sore throat.

### **DIRECTIONS:**

Shake before use.

Spray directly into the oral cavity and throat.

Adults and children over 2 years old: Spray directly into the oral cavity, 1-2 sprays each time, spray 2 - 3 times a day, can increase the number of times sprayed (if needed).

Pharyngitis, sore throat, cough: Spray deep into the throat.

Canker sores, mouth ulcers: Spray directly on sores, heat spots.

Prevention of tooth decay and bad breath: Spray into the oral cavity and root area.

Children from 6 months to 2 years old: Spray directly into the oral cavity, 1-2 sprays each time, spray 2-3 times a day. The spray product can be spit out or swallowed without harm to the health of the user. Safe to use for children and pregnant women.

### **CONTRAINDICATIONS:**



### **DUONG THANH OPC** Lozenges

Assistance in reducing the symptoms of pharyngitis, bronchitis, sore throat, hoarseness, itchy throat, dry cough, and



### **INGREDIENTS:** For 1 lozenge.

3	
Herbal mixture extract	.533,33 mg
Equivalent to:	
Radix Scrophulariae	275 mg
Radix Ophiopogonis	275 mg
Radix et Rhizoma Glycyrrhizae	275 mg
Radix Platycodonis	275 mg
Excipients: Mannitol (E421), colloidal	anhydrous
silica, pregelatinised starch, anhydrous	citric acid
(E330), magnesium stearate (E470iii),	peppermint
essential oil, sucralose (E955).	

#### **USES:**

Assistance in reducing the symptoms of pharyngitis, bronchitis, sore throat, hoarseness, itchy throat, dry cough, and wet cough.

\* People with diabetes, and dieters can use the product.

Note: This product is not a medicine and has no effects as a substitute for medicament.

#### **DIRECTIONS:**

Allow the lozenge to dissolve slowly in the mouth.

Adults and children from 12 years of age: 1-2 lozenges each time, 12 lozenges per day.

Children from 6 to 12 years of age: 1 lozenge each time, 3 – 6 lozenges per day.

Recommendation: Pregnant women and lactating women use as the doctor's instructions.

#### **CONTRAINDICATIONS:**

Do not use for children below 6 years of age because the form is unsuitable.

Do not use for people with hypersensitivity to any ingredient of the product.





### **INGREDIENTS:** For 1 lozenge.

Extractum Rhizoma Curcumae longae	.75.00 mg		
Pericarpium Citri reticulatae perenne	139.00 mg		
Extractum Fellis	.60.00 mg		
Excipients: Lactose, magnesium carbonate, povidone,	cellulose		
powder, sodium starch glycolate, talc powder, magnesium	ı stearate,		
chitofilm powder, tartrazine yellow lake, nipasol M.			

### **USES:**

Used in case of hepatalgia, bile deficiency, gastralgia.

Treat symptoms of epigastric pain, sour eructation, epigastric heartburn, indigestion, flatulence, gastric meteorism.

Improve symptoms of constipation, anorexia.

#### **DIRECTIONS:**

Children 5 to below 15 years of age: 1 tablet each time, 2 times per day.

Adults: 2 tablets each time, 2 times per day.

In case of intense pain, double dose is recommended.

Take orally before main meals.

Or follow your doctor's instructions.

### **CONTRAINDICATIONS:**

Pregnant women.

Children below 5 years of age because the dosage form is not suitable.


People with hypersensitivity to any ingredient of the medicine.

### **CHOLAPAN®**

Used in case of hepatalgia, bile deficiency, gastralgia.

Treat symptoms of epigastric pain, sour eructation, epigastric heartburn, indigestion, flatulence, gastric meteorism.

Improve symptoms of constipation, anorexia.



### "DOM KIM" PILL

Used in case of hepatalgia, bile deficiency, gastralgia.

Treat symptoms of epigastrium pains, sour eructation, epigastric heartburn, indigestion, flatulence, gastric meteorism.

Improve symptoms of constipation, anorexia.



### **INGREDIENTS:** For 1 pill.

Rhizoma Curcumae longae250 m	ıg
Pericarpium Citri reticulatae perenne250 m	ıg
Extractum Fellis	ıg
Excipients: Talc powder, honey, calcium carbonate, maize starc	:h,
glutinous rice starch, sodium benzoate, tartrazine yellow, har	rd
paraffin.	

#### **USES:**

Used in case of hepatalgia, bile deficiency, gastralgia.

Treat symptoms of epigastrium pains, sour eructation, epigastric heartburn, indigestion, flatulence, gastric meteorism.

Improve symptoms of constipation, anorexia.

### **DIRECTIONS:**

Take orally before main meals.

Adults: 5 pills each time, 2 times per day.

Children below 15 years of age: 2 - 3 pills each time, 2 times per day.

In case of intense pain, double dose is recommended.

Or follow your doctor's instructions.

### CONTRAINDICATIONS:

Pregnant women.



### **KOSABIR OPC**

Helps reduce unpleasant symptoms caused by drinking alcohol.
Supports liver function, protects liver cells.



INGREDIENTS: For 1 bottle of 50 ml	
Magnificent Extract	600 mg
Ginseng Fruit Extract	400 mg
Artichoke Extract	240 mg
Other ingredients: Natural sweetener	

### **USES:**

Helps reduce unpleasant symptoms caused by drinking alcohol.

Supports liver function, protects liver cells.

Note: This food is not a medicine, it is not a substitute for medicine.

#### **RECOMMENDED USERS:**

People who regularly drink alcohol or beer or have unpleasant symptoms due to drinking alcohol or beer.

People with impaired liver function or high liver enzymes.

#### **USAGES:**

Reduce unpleasant symptoms after drinking alcohol and beer:

Drink 1 bottle before drinking alcohol or beer.

Should drink 1 more bottle after drinking alcohol, beer for better effect.

People with impaired liver function, high liver enzymes: Drink 1-2 bottles / day.

Use continuously 15 days in 1 month..

### **WARNINGS:**

Do not use for people with hypersensitivity or taboo to any ingredient of the product.

People who are using drugs, pregnant women consult a medical professional before use.

The product may have little fine residue of medicinal extracts, but does not affect the product quality.

### STORAGE:

Store in a dry place, the temperature should not exceed 30 °C, avoid direct sunlight and high humidity.

### Health Supplement

# KOSABIR OPC

Helps reduce unpleasant symptoms caused by drinking alcohol.

Supports liver function, protects liver cells.



### **Inberco**® tablets for colon

Diarrhea, colitis, amoebic dysentery, bacillary dysentery, enteral infection.



#### **INGREDIENTS:** For 1 tablet.

Berberine chloride	40.0 mg
Radix Saussureae lappae	74.7 mg
Fructus Evodiae rutaecarpae	53.4 mg
Radix Paeoniae lactiflorae	216.0 mg
Radix Saussureae lappae pulverata	80.0 mg
Excipients: Lactose, light magnesium carbonate, ma	aize starch,
povidone, sodium starch glycolate, silicified micro	ocrystalline
cellulose, talc powder, magnesium stearate, chitofi	lm powder,
lake quinoline yellow, lake ponceau 4R red , nipasol	M.

#### **USES:**

Diarrhea, colitis, amoebic dysentery, bacillary dysentery, enteral infection.

#### **DIRECTIONS:**

Adults and children 12 years of age and above: take orally 3 tablets each time, 3 times a day.

Children from 8 to 12 years of age: take orally 2 tablets each time, twice a day.

Children from 4 to 8 years of age: take orally 1 tablet each time, twice a day.

Children below 4 years of age: do not use due to the inappropriate dosage form.

Or follow doctor's instructions.

#### **CONTRAINDICATIONS:**

Pregnant women: because some studies show that berberine stimulates uterine contractions.



### Diep ha chau Tablets **PYLANTIN**®

Indicate for the treatment of hepatitis, viral hepatitis, chronic hepatitis, especially viral hepatitis B. The symptoms of hepatitis including malaise, pain on right side under ribs, indigestion, jaundice, elimination problems constingtion



#### **INGREDIENTS:** For 1 tablet.

Excipients: Maize starch, cellulose powder, sodium starch glycolate, talc powder, magnesium stearate, quinoline yellow lake, patent blue V, chitofilm powder.

### **USES:**

Indicate for the treatment of hepatitis, viral hepatitis, chronic hepatitis, especially viral hepatitis B. The symptoms of hepatitis including malaise, pain on right side under ribs, indigestion, jaundice, elimination problems, constipation.

Remove toxin in case of inflammatory acne on perioral skin, boil, itchy sore phenomenon.

#### **DIRECTIONS:**

Children from 9 to 16 years: 1 - 2 tablets each time, 2 times per day.

Adults: 2 - 3 tablets each time, 3 times per day.

Take orally after meals with warm water.

One treatment course is one month; depending on patient's condition, 1 - 3 treatment courses may be suggested. In combination with tonic is advised.

Or follow doctor's instructions.

#### **CONTRAINDICATIONS:**

Pregnant women.



### Ginger tea Gintee OPC

Helps reduce symptoms of headaches, stuffy nose, and nausea caused by cold.



#### **INGREDIENTS:**

Ginger Extract	100 mg
Equivalent to:	
Rhizoma Zingiberis	2 g
Excipients: Lactose, mannitol (421), sucralose (955)	

#### **USES:**

Helps reduce symptoms of headaches, stuffy nose, and nausea caused by cold.

Note: This product is not a medicine; it has no effect as a substitute for medicine.

### **DIRECTIONS:**

Add 1 sachet to about 60 - 80 ml of hot water, stir to dissolve. Take 1 sachet each time, 2 - 3 times per day. Drink in the morning or after meals. Drink while the water is still warm.

#### CONTRAINDICATIONS:

Do not use for people with hypersensitivity, taboo to any ingredient of the product.

Do not use for people are taking medicines, pregnant women, people a lot of sweat, hypertension, high fever, people with heat inside and out.

The product after being dissolved in water may have a little fine sediment from the herbal extract but it does not affect the quality of the product.



### **RUTON**® Tea bag

Diuresis, laxation, and constipation treatment. Support therapy for hypertension and stop bleeding.



#### **INGREDIENTS:**

Herba Houttuyniae cordatae	.915	mg
Flos Styphnolobii japonici imaturi		
Flos Chrysanthemi indici	45	mg

### (Content of Rutin ≥ 86 mg/bag)

Excipients: Sodium carboxymethylcellulose, sodium benzoate.

#### **USES:**

Increase urine flow, moisten the intestines and relax the bowels, can be used as daily drink for everyone.

Treat symptoms related to varicose veins: heavy legs, swollen veins of limbs, internal hemorrhoids, external hemorrhoids.

Treat constipation, boils, allergies (urticaria, contact with foreign bodies, food allergies).

Prevent broken capillaries, cerebral hemorrhage in the elderly.

Support therapy for hypertension and stop bleeding in cases of hemorrhage.

### **DIRECTIONS:**

Put the tea bag into 100 - 150 ml of boiling water, wait 3 - 5 minutes.

Add sugar or lemon as desired.

Can be used every day instead of tea or other drinks.

Daily intake: 2 - 4 bags per day.

For treatment: 6 - 8 bags per day, make double strength tea.

Or follow your doctor's instructions.

### **CONTRAINDICATIONS:**

People with deficiency of yang, deficiency – cold of spleen and stomach.



### **NORMO OPC**

Supports neutralization of gastric acid. Supports the reduction of symptoms due to stomach and duodenal ulcers, belching, heartburn, and epigastric pain.



### **INGREDIENTS:** Add 1 effervescent tablet.

Refined squid shell (Os Sepiae)	100 mg
Magnesium oxide	20 mg
Ingredients: Sodium hydrocarbonate (500(ii)), anhydrou	s citric acid
(330), anhydrous sodium carbonate (500(i)), sodium ber	nzoate (211),
sorbitol (420(i)), povidone (1201).	

#### **USES:**

Supports neutralization of gastric acid.

Supports the reduction of symptoms due to stomach and duodenal ulcers, belching, heartburn, and epigastric pain.

Note: This food is not a medicine and does not replace medicine.

### **DIRECTIONS:**

Take 2 pills each time, 3 times a day. Dissolve 2 tablets in about 200 ml of cooled boiled water, use after eating.

#### CONTRAINDICATIONS:

Do not use for people who are sensitive to any ingredient of the product. Do not use for people with severe kidney failure (risk of hypermagnesemia). Pregnant and breastfeeding women consult a doctor before use.

### **INGREDIENTS:**

Rhizoma Rhei	255.00 mg
Folium Sennae	127.50 mg
Semen Pharbitidis	127.50 mg
Fructus Aurantii	30.75 mg
Extractum Fellis pulveratum	27.50 mg
Fructus Aurantii pulveratus	33.00 mg

Excipients: Lactose, maize starch, sodium starch glycolat, talc powder, magnesium stearate, chitofilm F, yellow quinolin lake, red ponceau 4R lake, iron oxyd black, paraffin wax, nipasol M.

### **USES:**

To treat constipation cause by plenitude heat, manifestations of constipation, may have a high fever, full pulse.

#### **DIRECTIONS:**

Take orally in the morning and before bedtime in the evening.

Adults: 2 tablets each time, 2 times per day.

Children 11 - 15 years of age: 1 tablet each time, 2 times per day.

Children 5 – under 11 years of age: 1 tablet per day before bedtime.

Or follow your doctor's instructions.

#### **CONTRAINDICATIONS:**

Pregnant and lactating women; people with stomach ulcer, ileus, appendicitis, atonic colon; serious dehydration and electrolyte imbalance, children under 5 years of age.

People with hypersensitivity to any ingredient of the medicine.

### Laxative Tablet **OP.Liz**®

### Laxative, constipation



### **LIVERBIL**

Treatment for the symptoms of abdominal distention, digestive disorders, allergy, pimple, itch, urticaria due to liver dysfunction and hepatitis.



### **INGREDIENTS:** For 1 capsule.

Folium Cynarae scolymi	400 mg
Semen Pharbitidis	.400 mg
Herba Glini oppositifolii	400 mg
Herba Phyllanthi urinariae	400 mg
Excipients: Lactose, maize starch, calcium carbonate,	sodium
carboxymethyl cellulose, magnesium stearate, hard capsule s	shell.

#### USES:

Treatment for the symptoms of abdominal distention, digestive disorders, allergy, pimple, itch, urticaria due to liver dysfunction and hepatitis.

Prevent and support therapy for hepatitis, functional disorder of liver.

#### **DIRECTIONS:**

Take orally before meals.

Adults: 2 capsules each time, 3 times per day. Children: 1 capsule each time, 3 times per day.

Or follow your doctor's instructions.

#### **CONTRAINDICATIONS:**

People with biliary inflammation or obstruction, pregnant women.

# DETOXIFIES LIVER WITH 4 INGREDIENTS, LIMITS THE HARMFUL EFFECTS OF ALCOHOL







#### **INGREDIENTS:**

Radix Panasis notoginseng	234 mg
Flos Carthami	272 mg
Fructus Crataegi	470 mg
Rhizoma Chuanxiong	234 mg
Radix Puerariae lobatae	784 mg
Excipients: Maize starch, lactose, magnesium stearate,	sodium
benzoate, hard capsule.	

### **USES:**

Dizziness, stroke caused by static blood obstructing collaterals, manifested as paralyzed limbs, sluggish speech, dizziness and vertigo. Cerebral arteriosclerosis, ischemic stroke, cerebral haemorrhage sequela with the symptoms described above.

### **DIRECTIONS:**

Adult: 2 capsules each time, 3 times per day. Take orally after meals with warm water.

Or follow your doctor's instructions.

#### **CONTRAINDICATIONS:**

Pregnant women and lactating women.

People with acute brain hemorrhage.

People with peptic ulcers, menorrhagia, influenza.

People with acute myocardial infarction.

People with hypersensitivity to any ingredient of the medicine.

### Nao dac sinh **CERINPAS**®

Dizziness, stroke caused by static blood obstructing collaterals, manifested as paralyzed limbs, sluggish speech, dizziness and vertigo. Cerebral arteriosclerosis, ischemic stroke, cerebral haemorrhage sequela with the symptoms described above.



### **MIMOSA®** Sedative tablet

Insomnia or sleeplessness, mental depression.



### **INGREDIENTS:** For 1 tablet.

Tuber Stephaniae	150.0 mg
Folium Nelumbinis nuciferae	180.0 mg
Herba Passiflorae foetidae	600.0 mg
Folium Erythrinae variegatae	600.0 mg
Herba Mimosae pudicae	638.0 mg

Excipients: Lactose, Maize starch, povidone, cellulose powder, sodium starch glycolat, talc powder, magnesi stearate, indigocarmin blue lake, chitofilm powder, sodium benzoate

### **USES:**

Insomnia or sleeplessness, mental depression.

#### **DIRECTIONS:**

Adults: take orally 1 – 2 tablets in 30 – 60 minutes prior to bedtime. Children 5 – 15 years of age: half of adult's dose.

Or follow your doctor's instructions.

### **CONTRAINDICATIONS:**

People with depression, people while working at high places.

People while driving vehicles or operating machine.



### OP.Can®

Decrease of memory, lack of concentration, particularly in elderly. Cerebral circulatory insufficiency. Tinnitus, vertigo, deficiency of hearing. Intermittent claudication. Some cases of anaemic retinopathy. Raynaud syndrome.



### **INGREDIENTS:** For 1 softgel.

Dry extract of Ginkgo folium.......40 mg (equivalent to 9.6mg total flavonoid)

Excipients: soya oil, white beeswax, gelatine, glycerin, nipasol M, titanium dioxide, patent blue V, quinoleine yellow.

#### **USES:**

Decrease of memory, lack of concentration, particularly in elderly. Cerebral circulatory insufficiency. Tinnitus, vertigo, deficiency of hearing. Intermittent claudication. Some cases of anaemic retinopathy. Raynaud syndrome.

#### **DIRECTIONS:**

Adults and children over 12 years of age: 1 tablet x 3 times per day. Take orally after or at meals.

Or comply with doctor's prescription.

#### **CONTRAINDICATIONS:**

Children under 12 years of age, pregnant women and lactating women, patients with blood coagulation disorders.

Phase of acute myocardial infarction, cerebral haemorrhage.

People with hypersensitivity to any ingredient of the medicine.



### Cerebral Nourishing Tablet **OP.Brain**®**F**

Decrease of memory, lack of concentration, particularly in elderly. Cerebral circulatory insufficiency. Tinnitus, vertigo, deficiency of hearing. Intermittent claudication. Some cases of anaemic retinopathy. Raynaud syndrome.



#### **INGREDIENTS:**

Extractum Polysciacis fruticosae spissum	300 mg
Extractum Folii Ginkgo siccus	100 mg
Excipients: Light magnesium carbonate, colloidal anhydro	ous silica,
maize starch, silicified microcrystalline cellulose, sodiu	ım starch
glycolat, talc powder, magnesium stearate, sodium	benzoate,
chitofilm F, lake ponceau 4R, lake quinoline yellow, black iro	on oxide.

### **USES:**

Prevention and treament of following diseases such as:

Memory decline, neurasthenia, stress, lack of concentration, forgetfulness.

Cerebral circulation insufficiency, vestibular syndrome with manifestations such as : headache, insomnia, dizziness, tinnitus, vertigo, losing balance.

Raynaud syndrome.

Tremor in Parkinson patients.

Some cases of retinal anemia (type 1 or type 2 diabetic – retinal anemia when there are complications with manifestations such as: blurred vision; retinal phlebemphraxis).

### **DIRECTIONS:**

Adults: 2 tablets each time, 2 times per day.

Children from 12 to below 18 years of age: 1 tablet each time, 1 time per day.

Take orally after meals with warm water.

Or follow doctor's instructions.

### **CONTRAINDICATIONS:**

Children under 12 years of age, pregnant women and lactating women, patients with blood coagulation disorders.

Phase of acute myocardial infarction, cerebral haemorrhage.

People with hypersensitivity to any ingredient of the medicine.



### Urinary

Tablet for kidney stone **KIM TIEN THAO** 

### Urinary stones, kidney stones.

#### **INGREDIENTS:**

For 1 sugar coated tablet.

Desmodium styracifolium extract......120 mg

(Extractum siccum Desmodii styracifolii)

(Equivalent to Herba Desmodii styracifolii 2.4 g)

Excipients: Lactose, maize starch, cellulose powder, sodium starch glycolate, povidone, magnesium stearate, talc powder, sugar, HT brown, beeswax.

For 1 film coated tablet

Active pharmaceutical ingredients:

Desmodium styracifolium extract......120 mg

(Extractum siccum Desmodii styracifolii)

(Equivalent to Herba Desmodii styracifolii 2.4 g)

### Excipients:

Lactose, maize starch, cellulose powder, povidone, sodium starch glycolate, talc powder, magnesium stearate, chitofilm F, lake ponceau 4R red, lake quinoline yellow, iron oxide black, nipasol M.

### **USES:**

Urinary stones, kidney stones.

#### **DIRECTIONS:**

Take orally 5 tablets each time, 3 times per day.

Drink a lot of water during treatment duration.

Or follow your doctor's instructions.

Film coated tablet: Diabetics can take it.

### **CONTRAINDICATIONS:**

Do not use sugar coated tablets in people with diabetics or diabetes insipidus.

People with anemia, consumptive thirst, yin deficiency.







### Urinary

### **DESMODIN®** KIM TIEN THAO

Urinary stones, kidney stones.



### **INGREDIENTS:**

For 1 film coated tablet

Desmodium styracifolium extract......300 mg

(Extractum siccum Desmodii styracifolii)

(Equivalent to 6g of Desmodium styracifolium)

Excipients: Lactose, maize starch, cellulose powder, povidone, magnesium stearate, talc powder, chitofilm powder, HT brown.

### **USES:**

Urinary stones, kidney stones.


#### DIRECTIONS:

Take orally 2 tablets each time, 3 times a day.

Drink a lot of water during treatment duration.

Or follow your doctor's instructions.

### **CONTRAINDICATIONS:**



### Endocrine

Irregular menstruation, abdominal pains. Menstrual disorders during beginning menstrual period and pre-menopause.

10p T chaix 100 m

### **ICH MAU EXTRACT**







### **DIRECTIONS:**

**INGREDIENTS:** For 1 bottle of 90 ml. Herba Leonuri japonici......72,00 g Rhizoma Cyperi.....22,50 g Herba Artemisiae vulgaris....18,00 g Excipients: Sugar, ethanol 96%,

purified water.

USES: Irregular menstruation (including polymenorrhea, oligomenorrhea or irregular cycles). disorders Menstrual during beginning menstrual period and (including pre-menopause polymenorrhea, oligomenorrhea or irregular cycles).

Symptoms during pre-menopause including hot flashes, headaches, irritability, abdominal pains.

Take orally 1 tablespoonful (15 ml) each time, 2 times per day.

Or follow your doctor's instructions.

### **CONTRAINDICATIONS:**

Pregnant women.

### Endocrine

### **OP.CIM**®

Treat menstrual disorder, menstrual abdominal pain. Menstrual disturbance in the beginning period of the menstruation and pre-menopause period. Symptoms in pre-menopause period such as sensation of burning face, headache, bad temper, abdominal pains menstrual disorder.



### **INGREDIENTS:** For 1 capsule

Herba Leonuri japonici	4,0 mg
Rhizoma Cyperi	1,25 g
Herba Artemisiae vulgaris	1,00 g
Excipients: Maize starch, magnesium stearate, capsule s	hell.

#### **USES:**

Treat menstrual disorder, menstrual abdominal pain.

Menstrual disturbance in the beginning period of the menstruation and pre-menopause period. Symptoms in pre-menopause period such as sensation of burning face, headache, bad temper, abdominal pains menstrual disorder.

#### DIRECTIONS:

Treat menstrual disorder, menstrual abdominal pain, menstrual disturbance in the beginning period of the menstruation and pre-menopause period: Take orally 2 tablets each time, 3 times per day, 10 days prior to menstrual period.

Symptoms in pre-menopause period such as sensation of burning face, headache, bad temper, abdominal pains menstrual disorder: Take orally 2 tablets each time, 3 times per day, until the symptoms is controlled.

Or follow your doctor's instructions.

#### **CONTRAINDICATIONS:**

Pregnant women.

#### INGREDIENTS:

Cortex Radicis Paeoniae suffruticosae
Radix Fallopiae multiflorae50 mg
Fructus Schisandrae chinensis50 mg
Rhizoma Alismatis50 mg
Radix Rehmanniae glutinosae50 mg
Radix Scrophulariae50 mg
Radix Ophiopogonis japonici50 mg
Radix Rehmanniae glutinosae praeparata50 mg
Ramulus cum Unco Uncariae1.00 mg
Caulis Fallopiae multiflorae100 mg
<i>Poria</i>
Rhizoma Curculiginis
Magnetitum100 mg
Concha Margaritifera100 mg
Fructus Tritici Levis
Excipients: Lactose, maize starch, calcium carbonate, povidone, microcrystal
cellulose, sodium starch glycolate, talc powder, magnesium stearate, sodium
benzoate, chitosan, amaranth red, ponceau 4R red lake.

#### **USES:**

Used in pre-menopause period with the following symptoms: Hot flashes, sweating, vertigo, tinnitus, restlessness, anxiety, insomnia, unstable blood pressure.

This medicine can be used in conjunction with Hormone Replacement Therapy on doctor's prescription.

#### **DIRECTIONS:**

Take orally 3 tablets each time, 3 times per day until the symptoms are under the control. Maintenance dosage: 2 - 3 tablets per time, 2 times per day. Take orally after meal. It is recommended to be taken with weak green tea.

Or follow your doctor's instructions.

### **CONTRAINDICATIONS:**

People with yang deficiency, cold syndrome.

Pregnant women, lactating women.

People with diarrhea.

People with hypersensitivity to any ingredient of the medicine.

### Endocrine

### **OP.Calife®** Canh Nien An Tablet

Used in pre-menopause period with the following symptoms: Hot flashes, sweating, vertigo, tinnitus, restlessness, anxiety, insomnia, unstable blood pressure.

This medicine can be used in conjunction with Hormone Replacement Therapy on doctor's prescription.





#### **INGREDIENTS:**

Radix Codonopsis	48 mg
Radix Angelicae sinensis	48 mg
Rhizoma Atractylodis macrocephalae	48 mg
Radix Paeoniae lactiflorae	48 mg
Rhizoma Ligustici wallichii	48 mg
Radix et Rhizoma Glycyrrhizae	40 mg
Radix Rehmanniae glutinosae praeparata	48 mg
Poria	48 mg
Excipients: Honey, sodium benzoate, talc powder, black iron oxide	e, hard paraffin,
sugar.	

**USES:** To treat and prevent common diseases because of the qi and blood deficiency causing fatigue, poor appetite, laziness to talk, shortness of breath, pale complexion, vertigo, dizziness, palpitation.

#### **DIRECTIONS:**

Adults: Take orally 10 - 12 pills each time, twice a day.

### Children:

- From 7 to below 11 years of age: Take orally 4 6 pills each time, twice a day.
- From 11 to 16 years of age: Take orally 6 8 pills each time, twice a day.

Take medicine after meals with warm water.

Or follow your doctor's instructions.

### **CONTRAINDICATIONS:**

Pregnant women.

People with hypersensitivity to any ingredient of the medicine.

### **BAT TRAN PILLS OPC**

To treat and prevent common diseases because of the qi and blood deficiency causing.





### **LINGZHI EXTRACT**

Mental depression, fatigue, loss of appatite, sleeplessness. Supporting therapy for acute and chronic liver inflammation, accute tracheitis, coronary diseases, high level of lipid in blood.



**INGREDIENTS:** For 01 bottle of 50 g.

Ganoderma lucidum......50 g

Excipients: Honey, sodium benzoate, water.

#### **USES:**

Mental depression, fatigue, loss of appatite, sleeplessness. Supporting therapy for acute and chronic liver inflammation, accute tracheitis, coronary diseases, high level of lipid in blood.

### **DIRECTIONS:**

Take orally 2 spoon each time (2 g), 2 times per day. Dissolve in warm water, take orally before meals.

### **CONTRAINDICATIONS:**

It should not be used for patients with hypersensitivity to any ingredient of the medicine.

### Nutrition

### **INGREDIENTS:** For 01 bottle of 50 g.

Ganoderma5	0,0 g
Rhizoma et Radix Ginseng1	2,5 g
Excipients: Honey, sodium benzoate, purified water.	

### **USES:**

Used in case: Asthenia, exhaustion, fatigue, loss of appetite, convalescence.

Treat neurasthenia, high blood cholesterol.

#### **DIRECTIONS:**

Take orally 2 spoons each time (2 g), 2 – 3 times a day. Dissolve in warm water, take orally before meals.

Or follow your doctor's instructions.

### **CONTRAINDICATIONS:**

Pregnant women.

People with hypersensitivity to any ingredient of the medicine.

### **LINGZHI – GINSENG EXTRACT**

Used in case: Asthenia, exhaustion, fatigue, loss of appetite, convalescence. Treat neurasthenia, high blood cholesterol.



### LINGZHI TONIC OPC

### Tonify the body. Treat nervous asthenia



INGREDIENTS:	Creamic bottle 500 ml	Creamic bottle 700 ml		
Lingzhi (Ganode	rma)7.5 g	10.5 g		
Ginseng (Radix 0	Ginseng)7.5 g	10.5 g		
Cortex Schefflerae heptaphyllae 7.5 g10.5 g				
Rhizoma Impera	tae cylindricae7.	5 g10.5 g		
Styli et Stigmata	Maydis7.5 g10.5 g			
Excipient: Sugar, vanilin, ethanol 96%, purified water.				

#### **USES:**

Tonify the body. Treat nervous asthenia.

### **DIRECTIONS:**

Take orally each time 30ml, twice a day, before meals.

### **CONTRAINDICATIONS:**

People with hyperactivity of fire due to yin deficiency with such symptoms as mild fever, evening hot flashes, warm soles and palms, dry mouth, night sweats, reddish tongue, etc.

People with severe liver failure, kidney failure or peptic ulcers, pregnant and

breast feeding women, children under 16 years of age.

INGREDIENTS: Radix Astragali membranacei		Creamic bottle of 90 ml
Pericarpium Citri reticulatae perenne	0.222 g	4.0 g
Radix Scutellariae	0.222 g	4.0 g
Semen Raphani sativi	0.222 g	4.0 g
Rhizoma Atractylodis macrocephalae	0.222 g	4.0 g
Radix Ophiopogonis japonici	0.444 g	8.0 g
Fructus Crataegi	0.222 g	4.0 g

Excipients: Sugar, potassium sorbate, purified water.

#### **USES:**

Anorexia in children caused by poor digestion, improper diet, distension and fullness in epigastrium and abdomen, feverish palms and soles, spontaneous sweating, night sweats, lack of strength, and stool irregularities.

#### **DIRECTIONS:**

Take orally each time 30 ml, twice a day, before meals.

**USES:** Anorexia in children caused by poor digestion, improper diet, distension and fullness in epigastrium and abdomen, feverish palms and soles, spontaneous sweating, night sweats, lack of strength, and stool irregularities.

### **DIRECTIONS:**

Children from 6 months to 2 years of age: Take orally each time 2.5 - 5 ml or 0.5 - 1 sachet of 5 ml.

Children from above 2 to 3 years of age: Take orally each time 5 - 7.5 ml or 1 - 1.5 sachets of 5 ml.

Children from above 3 years of age: Take orally each time  $7.5-15\,$  ml or  $1.5-3\,$  sachets of 5 ml.

Take orally 2 times per day, before meals.

Or follow your doctor's instructions.

Take directly or dilute with water before use.

Shake well before use.

Once opened, use for one treatment only.

#### **CONTRAINDICATIONS:**

People with diabetes.

People with hypersensitivity to any ingredient of the medicine.

### Nutrition

### Invigorating the children OPSURE®

Anorexia in children caused by poor digestion, improper diet.

Night sweats.





### PHI NHI DAI BO PILLS

Tonify the body, especially good for children with malnutrition, emaciation, anorexia, sleeplessness, cold perspiration, hottish skin.



#### **INGREDIENTS:**

Bufo siccus	500 mg
Fructus Mali	500 mg
Semen Nelumbinis nuciferae	400 mg
Radix Rehmanniae glutinosae praeparata	400 mg
Semen Coicis	400 mg
Tuber Dioscoreae persimilis	400 mg
Calciumphosphate	100 mg
Maltum	1.0 g
Honey	1.4 g
Excipients: Orange essential oil, nipasol, vanillin.	

#### **USES:**

Tonify the body, especially good for children with malnutrition, emaciation, anorexia, sleeplessness, cold perspiration, hottish skin.

#### **DIRECTIONS:**

Chew 1 pill each time, 3 times per day on the empty stomach. Children can eat with porridge or milk after soaking the pill in warm water until it becomes soft

Or follow physician's instructions

### **CONTRAINDICATIONS:**

It should not be taken for patients with hypersensitivity to any ingredient of the medicine.

### Nutrition

### **INGREDIENTS:** For 1 bottle of 200 ml

	Radix Codonopsis	10.00 g
	Radix Rehmanniae glutinosae praeparata	9.34 g
	Ramulus Cinnamomi	0.66 g
(	Cortex Schefflerae heptaphyllae	5.34 g
	Radix Angelicae sinensis	5.98 g
	Rhizoma Ligustici wallichii	1.60 g
,	Arillus Longan	0.66 g
	Pericarpium Citri reticulatae perenne	1.06 g

### Excipients: Honey, white sugar, sodium benzoate, ethanol 96 %, purified water.

### **USES:**

Nourish and increase physical strength.

Treat asthenia, anemia, vertigo, loss of appetite, insomnia.

### **DIRECTIONS:**

Adults: Take orally 30 ml each time, 2 times per day, 30 minutes before meals. Or follow your doctor's instructions.

### CONTRAINDICATIONS:

Pregnant women.

People with liver failure, people with diabetes, children under 15 years of age.

Asthenic with such symptoms as hot and thirsty, flushed face, decreased urination and dark yellow urine, hot-tempered feeling.

People with a history of epilepsy or convulsions due to high fever.

People with hypersensitivity to any ingredient of the medicine.

### **SAM QUY TONIC**

Nourish and increase physical strength. Treat asthenia, anemia, vertigo, loss of appetite, insomnia.



### MINH MANG KING OPC

Nourish the kidneys and increase vitality. Nourishing mental strength. Helps the spirit and mind stay alert and clear.



### **INGREDIENTS:** For 1 jar 1 litter

,	
Ginseng	7.5 <u>(</u>
Three purple sizes	7.5
Bean weight	7.5 g
Acerola	
Goji berries	7.5 g
Duong Quy	
Chrysanthemum	
Pink yang or	
Big apple	5.6 g
Telecom	
The humiliation is	5.6
Licorice	5.6 g
Away from	5.6 g
Sieve	5.6 g
Apples	5.6
Pearl	5.6 g
Lotus seeds	5.6 <u>(</u>
Deer velvet	5.6 g
Glutinous wine is just enough I liter.	

**USES:** Nourish the kidneys and increase vitality.

Nourishing mental strength.

Helps the spirit and mind stay alert and clear

**DIRECTIONS:** Drink directly or dilute with white wine depending on preference.

Should be maintained daily from 2 to 3 (40 - 60 ml), before meals.

#### **CONTRAINDICATIONS:**

Do not use for people with hypersensitivity or taboo to any ingredient of the product.

## Minh Many Vueng OPC

- Nourish the kidneys and increase vitality.
- Nourishing mental strength.
- Helps the spirit and mind stay alert and clear.



# NUTRITION

# **SANOLIN 20** Panax Vietnamensis extract

# Supporting health promotion, reducing fatigue, strengthening resistance.

**INGREDIENTS:** For 01 bottle of 50 ml.

(Equivalent to content of MR2 ≥ 5mg/100 ml, content of Saponin ≥ 120 mg/100 ml)

Excipients: natural sweeteners (Fructus Ziziphi jujubae extract 0.5%, Radix Codonopsis javanicae extract 0.5%, Stevia extract 0.04%).

#### **USES:**

Supporting health promotion, reducing fatigue, strengthening resistance.

Note: This product is not a medicine, should not be taken as a substitution for medicine.

#### **DIRECTIONS:**

Take orally 1 bottle in the morning, once a day.

Shake well before using.

#### **CONTRAINDICATIONS:**

Should not take the product in the evening. People with hypersensitivity to any ingredient of the product.

The product may have little fine sediment of herbal extracts. However, these do not affect the quality of the product.

Persons are in the process of taking medicine and pregnant women: Consult with a doctor before taking this product.





Sanolin - Vietnamese ginseng



# Nutrition

# Ngoc Linh Ginseng & Bird's Nest OPC

Helps increase resistance, improve health, reduce fatigue, provide nutrients to help improve body weakness, improve skin and sleep.



#### **INGREDIENTS**

#### **USES:**

Helps increase resistance, improve health, reduce fatigue, provide nutrients to help improve body weakness, improve skin and sleep.

#### **DIRECTIONS:**

Use 1 day 1 day apart, 1 month use 12 days.

It should be maintained on a monthly basis for optimal results.

Depending on the condition, the sick person can use twice as much.

Shake well before use, drink directly, better when drinking cold.

#### **CONTRAINDICATIONS:**

Do not use the product with the lid on before opening.

Do not use for people with hypersensitivity to any ingredient of the product.

# Ngoc Linh Ginseng Bird's Nest OPC

- Helps increase resistance, improve health, reduce fatigue
- Provide nutrients to help improve body weakness
- Improve skin and sleep



# Nutrition

# SANOLIN 20 OPC Ngoc Linh Ginseng Bird's Nest

Supporting health promotion, reducing fatigue, strengthening resistance. Nourish the body, provide nutrients to improve poor health, improve skin and







Ngoc Linh Ginseng - "Vietnam's National Treasure", a precious ginseng found on Ngoc Linh Mountain has long been ranked as a premium product with active ingredients of over 52 types of Saponin, of which 26 types are not found in other types of ginseng in the world. The uses of Ngoc Linh Ginseng have been proven to increase resistance, improve health, increase vitality, prevent oxidation, and reduce stress. In particular, only Ngoc Linh Ginseng contains MR2, which has the effect of preventing and inhibiting the growth of tumors. Using advanced technology, OPC PHARMA has extracted almost the entire quintessence of MR2 of this "National Treasure".

**Bird's nest** – Classified as one of the **eight rare culinary treasures offered to kings from ancient times to the present, it is still at the top of dishes that nourish the body.** Bird's Nest contains a large amount of amino acids and more than 30 important micronutrients for the human body, helping to strengthen immune function, improve mental and physical health, and prevent aging.

The wonderful combination of Ngoc Linh ginseng and bird's nest will balance nutritional value and protect health.



# Nutrition

# **NOTOGINSENG OPC**

Treat metrorrhea, trauma, nosebleed, haemoptysis, haematuria.

Taken in case of anaemia, dizziness, vertigo, sleeplessness, asthenia, especially for postnatal women.



#### **INGREDIENTS:** For 1 softgel.

Radix Panasis notoginseng......750 mg

Excipients: Soya oil, white bee wax, shortening, maize starch, gelatin, glycerol, nipasol M, brown iron oxide, lake ponceau 4R red, lake quinoline yellow, titan dioxide.

#### **USES:**

Treat metrorrhea, trauma, nosebleed, haemoptysis, haematuria.

Taken in case of anaemia, dizziness, vertigo, sleeplessness, asthenia, especially for postnatal women.

#### **DIRECTIONS:**

Children: follow your doctor's instructions.

Adults: take orally 1-2 softgels each time, 2 times per day.

Or follow your doctor's instructions.

#### **CONTRAINDICATIONS:**

Pregnant women.

#### SHI QUAN DA BU WAN - TEN INCLUSIVE GREAT TONIFYING PILLS

#### **INGREDIENTS:** For 1 pill.

THE TENTE OF THE T	
Radix Paeoniae lactiflorae	50.0 mg
Poria	50.0 mg
Rhizoma Atractylodis macrocephalae	50.0 mg
Cortex Cinnamomi	12.5 mg
Radix et Rhizoma Glycyrrhizae	25.0 mg
Radix Rehmanniae glutinosae praeparata	75.0 mg
Radix Codonopsis	50.0 mg
Rhizoma Ligustici wallichii	25.0 mg
Radix Angelicae sinensis	75.0 mg
Radix Astragali membranacei	50.0 mg
Excipients: Sugar, potassium sorbate, sodium benzoate, talo	c powder,
black iron oxide, paraffin wax.	

#### **USES:**

Replenish the vital essence and blood in cases of asthenia, anaemia, loss of appetite, post natal women.

Used in cases of pale face, shortness of breath, palpitation, vertigo, sweating, weakness, fatigue, cold limbs, menorrhagia.

#### **DIRECTIONS:**

Children: follow doctor's instructions.

Adults: Take orally 2 times per day, each time 8 – 10 pills or 1 sachet of 10 pills. Use in the early morning and before bedtime.

Or follow doctor's instructions.

#### **CONTRAINDICATIONS:**

Pregnant women.

People with hypersensitivity to any ingredient of the medicine.

Replenish the vital essence and blood in cases of asthenia, anaemia, loss of appetite, post natal women.



# Nutrition

## **Spleen Invigoration Heart Nourishing OPC**

Used for people with signs of autonomic nervous system dysfunction manifested.



INGREDIENTS. FOLL SURGEL.	
Radix Atractylodis macrocephalae	64.0 mg
Poria	64.0 mg
Radix Polygalae (processed)	6.4 q
Semen Ziziphi mauritianae	
Arillus Longan	
Radix Angelicae sinensis	
Fructus Ziziphi jujubae	
Radix Condonopsis pilosae	
Radix Astragali membranacei	
Radix Glycyrrhizae	
Radix Saussureae lappae	
Excipient: Sodium benzoate, white sugar, talc powder, black iron oxide	

#### **USES:**

Used for people with excessive mental activities, overthinking or great sadness, irregular eating habits causing digestive system dysfunction, asthenia and autonomic nervous system dysfunction manifested as:

Palpitation, rapid hearbeat, phobia, vertigo, forgetfulness.

Reduced eating, poor appetite.

INCDEDIENTS: For 1 softgel

Insomnia, dream-disturbed sleep, restless sleep.

Hot flushes, exhaustion, night sweat, shortness of breath, sallow complexion.

Irregular menstruation, menstrual spotting, leucorrhea.

#### DIRECTIONS:

Adults: take orally 10 pills each time, 3 times per day.

Children from 7 to below 18 years of age: take orally 5 pills each time, 3 times per day. Take orally after meals with warm water.

#### **CONTRAINDICATIONS:**

It should not be used for children below 7 years of age (because of the inappropriate dosage form).

It should not be used for patients with hypersensitivity to any ingredients of the medicine.



# Musculoskeletal System

### DOC HOAT TANG KY SINH OPC

#### **Treat diseases:**

Deficiency of liver and kidney combined with wind-cold-dampness evils causing arthritis, numbness and pain, lower back pain, sciatica, neck and shoulder pain, knee pain, difficult contracting and stretching of the lower limbs, heavy sensation.



#### INGREDIENTS: For 1 sachet of 5g.

Active pharmaceutical ingredients:	
Viscous extract on dry basis	1000 mg
Equivalent to:	
Radix Angelicae sinensis	400 mg
Radix Saposhnikoviae divaricatae	400 mg
Radix Gentianae	
Herba Loranthi Gracifilolii	400 mg
Radix Rehmanniae glutinosae	400 mg
Cortex Eucommiae	
Radix et Rhizoma Glycyrrhizae	400 mg
Complex powder	
Equivalent to:	
Radix Angelicae pubescentis	600 mg
Cortex Cinnamomi	400 mg
Herba Asari	400 mg
Rhizoma Ligustici wallichii	400 mg
Radix Paeoniae lactiflorae	
Radix Codonopsis	400 mg
Radix Achyranthis bidentatae	400 mg
Poria	400 mg
Excipients: Honey, sugar, polyvinyl alcohol, sodium benzoate, iron oxide blad	ck, talc powder.

#### **USES:**

Treat diseases: Deficiency of liver and kidney combined with wind-cold-dampness evils causing arthritis, numbness and pain, lower back pain, sciatica, neck and shoulder pain, knee pain, difficult contracting and stretching of the lower limbs, heavy sensation.

#### **DIRECTIONS:**

1 - 2 sachets each time, 3 times per day. Take orally after meals.

A treatment course often takes 2 weeks. 1 - 2 more courses can be used depending on the condition of the disease.

Or follow your doctor's instructions.

#### CONTRAINDICATIONS:

Pregnant women and lactating women.

People have wind-heat-dampness syndrome.

#### **INGREDIENTS:** For 1 sachet of 5 g hard pills.

Viscous extract on dry basis 1300 mg equivalent to: Radix Paeoniae......925 mg Complex powder 2850 mg equivalent to: Radix Glycyrrhizae......203 mg Excipients (Honey, sugar, polyvinyl alcohol, sodium benzoate, iron oxide black, talc powder)....s.q.f 1 pill.

#### **USES:**

Treat body aches and pains, crouched back, difficulty moving, limbs numbness.

#### **DIRECTIONS:**

Take orally 1-2 sachets each time, 3 times per day. Or follow doctor's instructions. Take orally after meals.

#### **CONTRAINDICATIONS:**

Pregnant women and lactating women.

Patients with hypersensitivity to any ingredients of the medicine.

# Musculoskeletal System

# KHU PHONG TRU THAP **NEUTOLIN**

Treat body aches and pains, crouched back, difficulty moving, limbs numbness.



# Musculoskeletal System

# FENGSHI®-OPC Capsule for rheumatism

Intercostal neuralgia; pains in the shoulders, nape, limbs and the back; joints aches and pains.



**INGREDIENTS:** For 1 capsule.

Active pharmaceutical ingredients:

Powderum Semen Strychni praeparatum

Equivalent to	0.7 mg of Strychnine
Extractum Herba Siegesbeckiae	88 mg
Equivalent to: Herba Siegesbeckiae	852 mg
Extractum Cortex Schefflerae heptaphyllae	8 mg
Equivalent to: Cortex Schefflerae heptaphyllae	232 mg
Extractum Radix Panasis notoginseng	10 mg
Equivalent to: Radix Panasis notoginseng	50 mg
Excipients: Maize starch, lactose, magnesium stear	ate, hard capsule.

#### **USES:**

Intercostal neuralgia; pains in the shoulders, nape, limbs and the back; joints aches and pains.

#### **DIRECTIONS:**

Adults: 2 capsules each time, 2 times per day. Take orally after meals. Or follow your doctor's instructions.

#### **CONTRAINDICATIONS:**

Children, pregnant women and lactating women, patients with liver failure, patients with kidney failure.





#### **INGREDIENTS:** For 1 capsule.

Active pharmaceutical ingredients:

Cabovis extract

Equivalent to:

Gypsum fibrosum	200 mg
Radix Scutellariae	150 mg
Radix Platycodi grandiflori	100 mg
Radix et Rhizoma Glycyrrhizae	50 mg
Rhizoma Rhei powder	200 mg
Borneolum syntheticum	25 mg
Bovis Calculus artifactus	5 mg
Excipients: Maize starch, lactose, magnesium stearate, capsule shell.	

#### **USES:**

Treatment for symptoms of excessive fire and heat manifested by sore throat, swollen and painful gums, sores in the mouth and tongue, carbuncles and boils, constipation...

#### **DIRECTIONS:**

Adults: 2 capsules each time, 2 - 3 times per day. Or follow your doctor's instructions. Take orally after meals with warm water.

#### **CONTRAINDICATIONS:**

Pregnant women, people with kidney stone, diseases of bladder, liver, bile. People who have cold state, abdominal pain and defecation due to cold. People with hypersensitivity to any ingredient of the medicine.

# Pain Relief - Inflammation

# CABOVIS® Capsule for clearing heat and detoxifying

Treatment for symptoms of excessive fire and heat manifested by sore throat, swollen and painful gums, sores in the mouth and tongue, carbuncles and boils, constipation...



# Pain Relief - Inflammation

# Ngan kieu giai đoc **FAVOMIN**®

Treat cold due to wind-heat with fever, fear of wind, headache, cough, thirst and sore throat.



#### **INGREDIENTS:** For 1 capsule.

Active pharmaceutical ingredients:

Notive pharmaceatical ingredients.	
Viscous extract on dry basis	263 mg
Equivalent to:	
Flos Lonicerae	267 mg
Fructus Forsythiae suspensae	267 mg
Herba Menthae	160 mg
Herba Elsholtziae ciliatae	107 mg
Semen Vignae cylindricae praeparata	133 mg
Fructus Arctii lappae (stir-fried)	160 mg
Radix Platycodi grandiflori	
Herba Lophatheri	107 mg
Radix et Rhizoma Glycyrrhizae	133 mg
Excipients: Lactose, maize starch, magnesium stearate, capsule shell.	

**USES:** Treat cold due to wind-heat with fever, fear of wind, headache, cough, thirst and sore throat.

#### **DIRECTIONS:**

Children from 4 to below 7 years of age: take orally 1 capsule each time, 2 - 3 times per day.

Children from 7 to below 16 years of age: take orally 2 capsules each time, 2 - 3 times per day.

Adults and children above 16 years of age: take orally 3 capsules each time, 2 - 3 times per day.

Take orally after meals with warm water.

#### **CONTRAINDICATIONS:**

Children under 4 years old.

Pregnant women.

People with such conditions as:

Deficiency-cold of spleen and stomach: abdominal pain, dyspepsia, anorexia, vomitting, diarrhea or prolonged dysentery.

Internal heat due to Yin deficiency: hectic fever, night fever, hot palms and soles, etc. Skin conditions such as pimples or carbuncles with clear discharge and persistent skin lesions.

# INGREDIENTS: For 1 sachet.

**USES:** Prevention and treatment of candidiasis: oral thrush, stomatitis, papillary atrophy, pharyngitis caused by Candida albicans.

#### **DIRECTIONS:**

Infants under 1 month of age: take half a sachet each time, twice a day.

Children from 1 month to under 18 years: take 1 sachet each time, twice a day.

Adults from 18 years and older: take 2 sachets each time, twice a day.

Or follow doctor's instructions.

Add one dose to a smallglass with one teaspoon of cooled-boiled water, stir to disperse evenly, wrap around one finger with sterilized gauze, apply to the tongue, throat, etc where fungi grow. Within 20 minutes after taking this medicine, do not eat or drink. It is designed for extemporaneous preparation of a single dose at a time. Swallowing this medicine has no effect on patient's health.

#### **CONTRAINDICATIONS:**

This medicine should be avoided if you have a known history of hypersensitivity to Nystatin or any ingredients of the medicine.

# Pain Relief - Inflammation

# **NYST**<sup>®</sup> Collutory Powder

Prevention and treatment of candidiasis: oral thrush, stomatitis, papillary atrophy, pharyngitis caused by Candida albicans.



# Pain Relief - Inflammation

# **OP.ZEN**® Eliminate swelling Relieve pain Capsule

Used in blood agglomeration, swelling and pain caused by trauma...



**INGREDIENTS:** For 1 capsule.

Active pharmaceutical ingredients:

**USES:** Used in blood agglomeration, swelling and pain caused by trauma...

#### **DIRECTIONS:**

Adults: 2 capsules each time, 2 - 3 times per day. Children below 12 years of age: Half of adult's dose.

Take orally after meals.

Or follow your doctor's instructions.

#### CONTRAINDICATIONS:

Pregnant women, people with haemorrhage.

#### **INGREDIENTS:** For 1 sachet.

For 1 sachet 80 mg - 150 mg - 250 mg - 325 mg.

Paracetamol 80 mg - 150 mg - 250 mg - 325 mg

Excipients for 1 pack (anhydrous sodium carbonate, anhydrous citric acid, aspartame, saccharin sodium, primelose, sodium docusate).

#### **USES:**

Relief of mild to moderate pain, fever. Used in the following cases: Headaches, migraines, flu, toothache, pain after vaccination, musculoskeletal pain, pain due to arthritis, fever reduction.

#### **DIRECTIONS:**

This dosage form is for children weighing 5-16 kg (about 2 months - 5 years old). The daily dose of Paracetamol is calculated based on the child's weight and age for guidance only.

If you do not know the child's weight, it is necessary to weigh the child to calculate the most appropriate dose.

The recommended daily dose of Paracetamol is about 60 mg/ kg/ day, divided into 4 - 6 doses (about 15 mg/ kg in 6 hours or 10mg/ kg in 4 hours).

The usual dose is:

Children weighing 5 - under 6 kg (about 2 - 4 months old): use one 80mg packet at a time, if necessary repeat after 6 hours, no more than 4 packets in a day.

Children weighing 6 - under 8 kg (about 3 - 9 months old): use one 80 mg packet at a time, if necessary repeat after 4 hours, no more than 6 packets in a day.

Children weighing from 8 - under 12 kg (about 9 - 24 months old): use two packets of 80mg each time, if necessary repeat after 6 hours, no more than 8 packets in a day.

Children weighing from 12 - 16 kg (about 2 - 5 years old): use two packets of 80mg each time, if necessary repeat after 4 hours, no more than 12 packets in a day.

Method of administration: Pour the packet into a cup, then add a little drink such as water, milk, fruit juice. Stir well before drinking.

If symptoms persist for more than 5 days, or fever persists for more than 3 days, or the medicine is not effective enough, or other symptoms appear. When the above symptoms appear, do not continue treatment but consult your doctor.

#### **CONTRAINDICATIONS:**

People are often anemic and have severe heart, liver, and lung diseases.

Patients who are hypersensitive to paracetamol or any ingredient of the drug.

# Pain Relief - Inflammation

PARA-OPC

(80 mg - 150 mg - 250 mg - 325 mg)

Relief of mild to moderate pain, fever.



# VITAMINS



# MINERALS







Ca

Vitamin B1







Vitamin



#### **INGREDIENTS:** For 1 bottle of 25 ml.

#### **USES:**

Prevention and treatment of Vitamin C and Calcium deficiency.

#### **DIRECTIONS:**

Dissolve the tablet in about 200 ml water.

Adults take orally 1 tablet per day.

#### **CONTRAINDICATIONS:**


Ventricular fibrillation during cardiac resuscitation, heart disease and kidney disease, hypercalcemia, malignant bone destruction; Severe calciuria and osteoporosis due to immobility, patients taking digitalis, people with glucose - 6 - phosphate dehydrogenase (G6PD) deficiency (risk of hemolytic anemia).

People with hypersensitivity to any ingredient of the product.

# Vitamins & Mineralsts

## C - CALCI

Prevention and treatment of Vitamin C and Calcium deficiency.



## **MULTI-OPC**

## Orange flavour effervescent tablet

Use as a supplement of vitamins for the body, supports health, reduces fatigue due to vitamin deficiency.



#### **INGREDIENTS:** For 1 effervescent tablet.

Vitamin C60.00 mg
Vitamin PP
Vitamin E6.00 mg
Vitamin B
Vitamin B1
Vitamin B2
Vitamin B6
Folic acid
Excipients: Anhydrous citric acid, sodium hydrogen carbonate, anhydrous sodium
carbonate, magnesium carbonate, calcium carbonate, anhydrous glucose, orange
flavour powder, sodium benzoate, sorbitol, saccharin sodium, aspartame, orange

#### **USES:**

Use as a supplement of vitamins for the body, supports health, reduces fatigue due to vitamin deficiency.

Note: This product is not medicine, no effective alternative medicine.

oil, povidone, sodium docusate, sunset yellow, ponceau 4R red.

#### **DIRECTIONS:**

Dissolve the tablet in about 200 ml of water.

Take orally 1 tablet per time. 1-2 time(s) per day.

#### **CONTRAINDICATIONS:**

It should not be used for people with hypersensitivity to any ingredient of the product.



## Vitamin AD

Treat and prevent deficiency of vitamin A, D



INGREDIENTS:	For 1	effervescent tablet.

Vitamin A500	)0 IU
Vitamin D340	)0 IU
Excipients (Sova oil, gelatin, glycerol, propyl paraben) s g f 1 soft-gel	

#### **USES:**

Supplement vitamin A for patiens with liver diseases, especially hepatitis induced by billiary obstruction due to decreased absorption and storage of vitamin A.

Treat and prevent deficiency of vitamin A, D in cases: nutritional rickets or osteomalacia, vitamin D-dependent rickets, familial hypophosphatemia (vitamin D-resistant rickets), rickets and osteomalacia due to anti-epileptic drugs; ocular dryness, nyctalopia; osteomalacia and osteoporosis; osteomalacia due to corticosteroids; renal osteodystrophy or secondary calcemia due to chronic kidney disease; hypoparathyroidism and pseudo- hypoparathyroidism. Prevent risk of falling and bone fractures in the elderly.

Supportively treat: Darier disease (Keratosis flollicularis), ichthyosis, abrasions, acne, psoriasis, mild lupus, rheumatoid arthritis; primary biliary cirrhosis or chronic cholestatic liver disease.

#### **DIRECTIONS:**

Prevention dosage:

Adults and children 12 years of age and above: take orally 1 soft-gel daily.

Children under 12 years of age: as directed by a physician.

For treatment of diseases: as directed by a physician.

#### CONTRAINDICATIONS:

Patients with excessive vitamin A, hypercalcemia, vitamin D intoxication.

Pregnant women and lactating women (because the dose of Vitamin A exceeds the daily requirement for pregnant women and lactating women).

#### **INGREDIENTS:** For 1 effervescent tablet.

Vitamin A	.5000 IU
Vitamin D3	400 IU
Excipients (Soya oil, gelatin, glycerol, propyl paraben) s.g.f 1 soft-g	el.

#### **USES:**

Supplement vitamin A for patiens with liver diseases, especially hepatitis induced by billiary obstruction due to decreased absorption and storage of vitamin A.

Treat and prevent deficiency of vitamin A, D in cases: nutritional rickets or osteomalacia, vitamin D-dependent rickets, familial hypophosphatemia (vitamin D-resistant rickets), rickets and osteomalacia due to anti-epileptic drugs; ocular dryness, nyctalopia; osteomalacia and osteoporosis; osteomalacia due to corticosteroids; renal osteodystrophy or secondary calcemia due to chronic kidney disease; hypoparathyroidism and pseudo-hypoparathyroidism. Prevent risk of falling and bone fractures in the elderly.

Supportively treat: Darier disease (Keratosis flollicularis), ichthyosis, abrasions, acne, psoriasis, mild lupus, rheumatoid arthritis; primary biliary cirrhosis or chronic cholestatic liver disease.

#### **DIRECTIONS:**

Prevention dosage:

Adults and children 12 years of age and above: take orally 1 soft-gel daily. Children under 12 years of age: as directed by a physician.

For treatment of diseases: as directed by a physician.

#### **CONTRAINDICATIONS:**

Patients with excessive vitamin A, hypercalcemia, vitamin D intoxication. Pregnant women and lactating women (because the dose of Vitamin A exceeds the daily requirement for pregnant women and lactating women). People with hypersensitivity to any ingredient of the medicine.

# Vitamin C 500mg

Treatment for scurvy and other bleeding cases due to a deficiency of vitamin C.



# **VITAMIN C 1000MG**

Treatment for scurvy and other bleeding cases due to a deficiency of vitamin C.



#### 

Excipients: sodium hydrogen carbonate, anhydrous citric acid, sorbitol, saccharin sodium, aspartame, sunset yellow, orange oil, sodium benzoate.

#### **USES:**

Treatment for scurvy and other bleeding cases due to a deficiency of vitamin C.

#### **DIRECTIONS:**

Dissolve the tablet in a half of the glasses.

Adults take orally 1 tablet per day.

#### **CONTRAINDICATIONS:**

People with glucose-6-phosphate dehydrogenase (G6PD) deficiency (risk of thalasemia), people with nephrolith in the past, hyperoxaluria, xalate metabolite disorder (high risk of nephrolith), thalassemia (high risk of iron absorption)

People with hypersensitivity to any ingredient of the product.

# **VITAMIN E 400IU - OPC**

# Treat vitamin E deficiency in cases of insufficient intakes of vitamin E

# Hộp 4 ví x 10 viên Thing and, khing duing.

#### INGREDIENTS:

Treat vitamin E deficiency in cases of insufficient intakes of vitamin E, children with cystic fibrosis of pancreas or fat malabsorption because of biliary malabsorption or abetalipoproteinaemia, very low birth weight premature infants; myopathic or neurological diseases such as reduction of reflex, abnormal carriage, tardive dyskinesia, ophthalmoplegia, retinal pigmentation and axon degeneration.

Prevent the oxidation in combining with vitamin C, vitamin A and selenium. Supportively treat fatty liver, hypercholesterolemia, infertility, low sperm count. Prevent vitamin E deficiency.

#### **DIRECTIONS:**

Take orally 1 soft-gel daily, for both prevention and treatment of Vitamin E deficiency or as directed by the physician.

#### **CONTRAINDICATIONS:**

# Vitamin C - LOZENGES OPC

Supports to improve resistance, improve health and reduce the risk of vitamin C deficiency.



#### **INGREDIENTS:** For 1 lozenge

#### USES:

Supports to improve resistance, improve health and reduce the risk of vitamin C deficiency.

#### **CONTRAINDICATIONS:**

# VITAMIN C ROYAL JELLY LOZENGES - OPC

#### **INGREDIENTS:** For 1 lozenge

Excipients: Refined extra sugar, Polyethylene glycol 6000, Orange flavor powder, Magnesium stearate, Sunset yellow lake, Ponceau 4R red lake.

#### **USES:**

Nutritious for sick people, the elderly, malnourished children, postpartum anemia women, low milk production, anorexia, and insomnia. Supports to improve resistance, improve health and reduce the risk of vitamin C deficiency.

#### **DIRECTIONS:**

Allow the lozenge to dissolve slowly in the mouth.

Children from 3 to 9 years of age: 4 lozenges per day.

Adults and children from 9 years of age: 4 – 8 lozenges per day.

#### CONTRAINDICATIONS:

People with hypersensitivity to any ingredient of the product.

Nutritious for sick people, the elderly, malnourished children, postpartum anemia women, low milk production, anorexia, and insomnia. Supports to improve resistance, improve health and reduce the risk of vitamin C deficiency.





# **INGREDIENTS:** ALCOOL 90° BLUE For 1 bottle of 60 ml Active ingredient: Ethanol 96%......56.25 ml Excipients: Methylene blue, purified water. ALCOOL 90° WHITE For 1 bottle of 60 ml Active ingredient: Ethanol 96%......56.25 ml **Excipients:** Purified water. ALCOOL 70° For 1 bottle of 60ml Active ingredient: Ethanol 96%......43.75 ml Excipients: Purified water. **USES:** Skin antiseptic, items. **DIRECTIONS:** Use cotton wool moistened with gentle wounds or items to be disinfected. CONTRAINDICATIONS: The person is hypersensitive to any component of the drug.

# EXTERNAL USE

**ALCOOL 70° - 90°** 

Skin antiseptic, items.



# **EXTERNAL USE**

# **GOLDEN STAR BALM**

Cold and flu, headache, runny nose, nausea, colic, motion sickness, body aches, mosquito bites and other insect stings.



#### **INGREDIENTS:** For 1 tin box of 4g

Active pharmaceutical ingredients:

notive priarmaceatical ingreaterito.	
Camphor	849.20 mg
Menthol	425.20 mg
Peppermint essential oil	525.20 mg
(Aetheroleum Menthae arvensis)	•
Cajuput essential oil (Aetheroleum Cajuputi)	210.80 mg
Clove essential oil (Caryophylli floris Aetheroleum)	
Cinnamon essential oil (Aetheroleum Cinnamomi)	53.20 mg
Excipients: Paraffin oil, yellow beeswax, lanoline, vaso	eline, paraffin, beta
carotene.	

#### USES:

Cold and flu, headache, runny nose, nausea, colic, motion sickness, body aches, mosquito bites and other insect stings.

#### **DIRECTIONS:**

For headache, vertigo, cold and flu, motion sickness: Rub balm on the temples, nape, nostrils, etc.

Body aches: Rub balm on the aching positions, slightly massage.

For mosquitoes bites and other insects stings: rub balm on the affected parts of skin.

Steam exhalation: add a little bit of balm to a glass of boiling water and inhale for treating cold and flu.

Or follow your doctor's instructions.

#### **CONTRAINDICATIONS:**

Children under 30 months of age, or has history of epileptic or convulsion because of high fever.

Patients with asthma or other respiratory diseases have high-risk increase when patient is allergic, simple headache, headache after getting up or strong exercise.

Do not apply to the eyes and open wounds.

# **EXTERNAL USE**

#### **INGREDIENTS:** For 50ml

Active pharmaceutical ingredients:

Rhizoma Kaempferiae galangae	2,50 g
Rhizoma Alpiniae officinari	2,50 g
Rhizoma Homalomenae occultae	1,50 g
Lignum Dracaenae	1,50 g
Fructus Illicii veri	1,00 g
Ramulus Cinnamomi	1,00 g
Radix Aconiti	0,50 g
Camphora0,50 g	

Excipients: Ethanol 96%, puried water, propylene glycol.

#### **USES:**

Treat aches and pains due to several causes: Rheumatism, arthritis, sprain, pains.

#### **DIRECTIONS:**

Use about 2 - 5 ml for each time, massage painful areas many times per day.

For spray bottle 50 ml: Spray on and massage painful areas many times per day.

For external use only, do not take orally.

#### **CONTRAINDICATIONS:**

Pregnant women.

Children under 30 months of age, children with a history of seizures or convulsions due to high fever.

Keep away from eyes, open wound.

People with hypersensitivity to any ingredient of the medicine.

# **LINIMENT**

Treat aches and pains due to several causes: Rheumatism, arthritis, sprain, pains.









# **EXTERNAL USE**

# **DAN TOC OIL**

Common cold, stuffy nose, headache, dizziness, sea sickness, motion sickness, abdominal pain.



**INGREDIENTS:** For 1 bottle of 1.5 ml

Active pharmaceutical ingredients:

Aetheroleum Menthae arvensis	1.22 g
Aetheroleum Cinnamomi	2.50 mg
Caryophylli Floris Aetheroleum	10.00 mg
Excipients: Adora Yellow orange, Soybeen oil.	

#### **USES:**

Common cold, stuffy nose, headache, dizziness, sea sickness, motion sickness, abdominal pain.

#### DIRECTIONS:

Apply on the skin or steam.

#### CONTRAINDICATIONS:

Children under 30 months of age, children with a history of epilepsy or febrile convulsion. Do not apply to the eyes.











ĐAU BỤNG



### **OPC EUCALYPTUS OIL**

Prevention and treatment of flu, runny nose, nasal congestion, cough with chest-pain, abdominal pain, aches, headache, vertigo, nausea, insect's biting or sting, sprain, swelling.



DIÊP OPC

油

**INGREDIENTS:** For 1 bottle of 15 ml Active pharmaceutical ingredients:

Eucalyptol......12.44 g

Excipients: Paraffin oil, chlorophyll green.

#### **USES:**

Prevention and treatment of flu, runny nose, nasal congestion, cough with chest-pain, abdominal pain, aches, headache, vertigo, nausea, insect's biting or sting, sprain, swelling.

#### **DIRECTIONS:**

Massage topically on the afflicted area.

Flu, runny nose and nasal congestion: rub the oil to the skin on the temples, the neck, the nape and the nose.

Headache, vertigo, nausea: rub the oil to the skin on the temples, the neck, the philtrum and the nose.

Cough with chest-pain: rub the oil to the skin on the chest, the neck and the upper back.

Indigestion or abdominal pain: apply to the skin on the abdomen.

Vaporization for adults (for healing of flu, etc.): add 5-10 drops of OPC Eucalyptus oil to a glass containing 250 ml of hot water.

Or follow your doctor's instructions.

#### **CONTRAINDICATIONS:**

People with hypersensitivity to any ingredient of the medicine.

Children with a history of epilepsy or febrile convulsion.

## ME BONG CON **EUCALYPTUS OIL**







The product is a not a dietary supplement



### **SUN LINIMENT**

Massage topically on the affected skin in cases of aches and pains, rheumatism, lumbago, cold, flu.





#### **INGREDIENTS:** For 1 bottle of 25 ml

Active pharmaceutical ingredients:	Bottle 20 ml	Bottle 60 ml
Methyl salicylat	6.21 g	18.63 g
Camphor	2.10 g	6.3 g
OleumCinnamomi	0.11 g	0.33 g
Oleum Menthae arvensis	2.48 g	7.44 g
Rhizoma Zingiberis	0.63 g	1.89 g

Excipients: Paraffin oil, ethanol 96%.

#### **USES:**

Massage topically on the affected skin in cases of aches and pains, rheumatism, lumbago, cold, flu.

#### **DIRECTIONS:**

Apply about 2 - 5 ml and massage topically on the affected skin 2 - 4 times per day or massage for treatment of cough and cold.

Or follow doctor's instructions.

#### **CONTRAINDICATIONS:**

Under-30-month-old children, children having history of epilepsy or seizure because of high fever.

Pregnant women.

Apply to eye, breast when breast feeding, open wound.

Patents with hypersensitivity to any ingredient of the medicine.

# **DDENTANALGI**® Toothache Medicine

Treatment to toothache, gingivitis, paradentitis.



#### **INGREDIENTS:** For 1 bottle of 7 ml

Active pharmaceutical ingredients:

Camphor	420 mg
Menthol	280 mg
Procaine Hydrochloride	35 mg
Oleum Caryophylli	439 mg
Cortex Hopea	700 mg
Fructus Gleditsiae australis	140 mg
Herba Allium fistulosum	140 mg

Excipients: Ethanol 96%, purified water.

#### **USES:**

Treatment to toothache, gingivitis, paradentitis.

#### **DIRECTIONS:**

Apply the medication to a cotton swab and place it on the affected area, 3-4 times per day.

Dilute 1 ml of the medication (30 drops) in approximately 60 ml of boiled water, mix well, gargle and rinse the mouth three times a day.

Or follow your doctor's instructions.

#### **CONTRAINDICATIONS:**

Children under 5 years of age, children with a history of epilepsy or convulsions due to high fever.

Patients with hypersensitivity to any ingredient of the medicine.

### **EUCA-OPC®** for steam inhalation use

inhalation Steam treatment of cold and flu, as an antiseptic for the throat and the nose.



#### **INGREDIENTS:** For 1 softgel.

Active pharmaceutical ingredients:

Menthol	24 mg
Eucalyptol	24 mg
Camphor	24 mg
Excinients:	

#### Excipients:

Soya oil, gelatin, glycerol, nipasol M, copper chlorophyll 15%, pure water.

#### **USES:**

Steam inhalation use for treatment of cold and flu, as an antiseptic for the throat and the nose.

#### **DIRECTIONS:**

Steam inhalation for treating cold and flu: 2 softgels each time, 1 - 2 times per day. Put softgels into a pot containing approximately 2 liters of freshly boiling water, steam inhalation for 10 - 15 minutes.

Steam inhalation for antiseptic in the throat and the nose: 1 softgel each time, 1 - 2 times per day. Put softgel into steam inhaler or into a glass containing approximately 300 ml of freshly boiling water, cover tightly with a paper funnel and inhale the vapor into the nose or the throat.

Or follow your doctor's instructions.

#### **CONTRAINDICATIONS:**

Children under 30 months of age, children with a history of epilepsy or febrile convulsions.

People with hypersensitivity to any ingredient of the medicine.

OPC EUCA steam tablet

DISINFECTS NOSE AND THROAT, TREAT COLDS







Having Euca - Staying away from colds

### **MILIAN SOLUTION**

Topical use for the treatment of skin viral infections such as eczema (usually caused by Herpes simplex virus), impetigo, pyoderma, skin infections (inguinal rash).



INGREDIENTS: For 1 bottle of 20 ml

Active ingredient:

Gentian violet.......50 mg

**Excipients: Purified water** 

#### **USES:**

Topical use for the treatment of skin viral infections such as eczema (usually caused by Herpes simplex virus), impetigo, pyoderma, skin infections (inguinal rash).

#### **DIRECTIONS:**

Wash the wound, apply topically 2 - 3 times / day, for 3 days.

#### **CONTRAINDICATIONS:**

Open wounds, extensive sores or ulcerative lesions on the face. The patient is hypersensitive to any component of the drug.

### **3% HYDROGEN PEROXIDE**

Used topically to clean and disinfect small wounds. Gargle, apply mouth to treat stomatitis, acute gingivitis and eliminate bad smell of the mouth. Ear drops to remove earwax.



**INGREDIENTS:** For 1 bottle of 20 ml

Active ingredient:

Hydrogen peroxide concentrated (50%)......1.2 g

Excipients: Benzoic acid, ethanol 96%, purified water.

#### **USES:**

Used topically to clean and disinfect small wounds. Gargle, apply mouth to treat stomatitis, acute gingivitis and eliminate bad smell of the mouth. Ear drops to remove earwax.

#### **DIRECTIONS:**

Use cotton wool to absorb the medicine on the wound or apply it directly to the wound. Dilute the drug with the same volume of water when instilling ears or when rinsing the mouth.

#### **CONTRAINDICATIONS:**

Do not instillate the drug into the closed cavities of the body. Do not instillate the drug into the ear in the presence of perforation of the eardrum. The person is hypersensitive to any component of the drug.

### **PICADO**<sup>®</sup>

Topical treatment of inflammatory lesion restricted to mucous membranes in the mouth and aphthae.



#### **INGREDIENTS:** For 1 tube

Active pharmaceutical ingredients:

Excipient:

Sodium carboxymethylcellulose, sodium saccharin, glycerine, peppermint essential oil, purified water.

#### **USES:**

Topical treatment of inflammatory lesion restricted to mucous membranes in the mouth and aphthae. For the symptomatic relief of pain associated with recurrent mouth ulcer and denture irritation.

#### **DIRECTIONS:**

Apply the medicine to the wound 2-3 times per day. Put a small amount of gel the lesion and massage gently.

Do not rinse teeth or mouth immediately after application.

Or follow your doctor's instructions.

#### **CONTRAINDICATIONS:**

Children under 6 years of age.

Children with a history of epileptic or convulsion because of high fever.

People with a history of stomach ulcers.

Reactions with salicylate derivatives may occur.

Do not apply to the eyes and open wounds.

### **POVIDON IOD 10%**

sterilization.

Disinfection disinfection and contaminated wounds and skin and mucous membranes before surgery. Clean medical instruments before





#### **INGREDIENTS:** For 1 bottle of 20 ml

Active ingredient:

Excipients: Purified water.

#### **USES:**

Disinfection and disinfection of contaminated wounds and skin and mucous membranes before surgery. Clean medical instruments before sterilization.

#### **DIRECTIONS:**

Apply pure solution to the skin area for disinfection. Apply to the lesion area (Herpes simplex, Shingles, wounds,...) to avoid bacterial infection. Apply 2 times a day, gauze can be applied to the wound if necessary. Or as directed by your doctor.

#### CONTRAINDICATIONS:

History of hypersensitivity to lod. Do not use regularly in people with thyroid disorders. Perforation of the eardrum or application directly to the meninges. The cavity is badly damaged. Pregnant and lactating women. Children under 2 years old. The person is hypersensitive to any component of the drug.

### Solution External Use For BurnsTRANCUMIN®

Treat burns, help a wound heal faster.



**INGREDIENTS:** For 1 bottle of 25 ml

#### **USES:**

Treat burns, help a wound heal faster.

#### **DIRECTIONS:**

Apply the medicine to the wound 2 – 3 times per day.
Or follow your doctor's instructions.

#### **CONTRAINDICATIONS:**

Do not apply to infected burn wounds. People with hypersensitivity to any ingredient of the medicine.



### **VASELINE PURE STRAWBERRY FLAVOR**

**INGREDIENTS:** For 1 tube

Vaseline......9,82 g
Fragrance......0,18 g

**USES:** 

Prenvents cracked lips, dry lips, cracked skin on feet and hands. Softens skin and wrinkles.

**DIRECTIONS:** 

Apply to the surface topically, unlimited number of uses.

**CONTRAINDICATIONS:** 

People with hypersensitivity to any ingredient of the product.

Prenvents cracked lips, dry lips, cracked skin on feet and hands. Softens skin and wrinkles.



### **OPC MOUTHWASH SALT TABLET**

Rinse the mouth, throat, oral hygiene, prevent bacteria, support to treat and prevent diseases in the mouth, teeth, pharynx, throat and respiratory diseases.





#### **INGREDIENTS:** For 1 effervescent tablet

Sodium chlorid......900 mg

Excipient s.p.f 1 tablet

#### **USES:**

Rinse the mouth, throat, oral hygiene, prevent bacteria, support to treat and prevent diseases in the mouth, teeth, pharynx, throat and respiratory diseases.

#### **DIRECTIONS:**

Dissolve the tablet in about 100 ml of water.

Rinse the mouth, throat: hold 20 - 30 ml liquid in your mouth, rinse the liquid in 30 second carefully and expel the liquid, use three times a day or more after breakfast, after lunch and before going to bed.

#### **CONTRAINDICATIONS:**

The solution after dissolving must not be injected.







### OTHERS

#### **INGREDIENTS:** For 1 pill of 0.25 g

Active pharmaceutical ingredients:

Radix Rehmanniae glutinosae praeparata	96 mg
Tuber Dioscoreae persimilis	48 mg
Fructus Corni officinalis	48 mg
Cortex Radicis Paeoniae suffruticosae	36 mg
Rhizoma Alismatis	36 mg
Poria	36 mg
Evoiniente:	

Excipients:

White sugar, sodium benzoate, honey, black iron oxide, talc powder, hard parafin.

#### **USES:**

Deficiency of blood and vital essence, aching and limpness of the loins and knees, dizziness, vertigo, tinnitus, yellow urine, feverish sensation on the skin, night sweating, spermatorrhea.

#### **DIRECTIONS:**

Take orally 10 pills each time or 1 sachet of 10 pills, 2 times per day.

Or follow your doctor's instructions.

#### CONTRAINDICATIONS:


People with indigestion, loose faeces because of cold impairment or fever.

People with physical condition deficiency of yang, cold syndrome.

People with hypersensitivity to any ingredient of the medicine.

### KIDNEY-YIN REPLENISHMENT

Deficiency of blood and vital essence, aching and limpness of the loins and knees, dizziness, vertigo, tinnitus, yellow urine, feverish sensation on the skin, night sweating, spermatorrhea.





### **OTHERS**

### KIDNEY-YANG REPLENISHMENT

Deficiency of the kidney-yang, headache, tinnitus, back aches, knees tiredness, cold lower half of body, night urination, frequent urination, cold perspiration.





#### **INGREDIENTS:** For 1 pill

Active pharmaceutical	ingredients:
-----------------------	--------------

Active pharmaceutical ingredients.	
Viscous extract on dry basis	40.50 mg
Equivalent to:	
Radix Rehmanniae glutinosae praeparata	73.50 mg
Tuber Dioscoreae persimilis	66.00 mg
Fructus Corni officinalis	60.50 mg
Rhizoma Alismatis	44.75 mg
Radix Aconiti lateralis praeparata	15.12 mg
Powder mixture	136.13 mg
Excipients:	
Radix Rehmanniae glutinosae praeparata	5.25 mg
Tuber Dioscoreae persimilis	6.00 mg
Fructus Corni officinalis	5.50 mg
Cortex Paeoniae suffruticosae	48.75 mg
Rhizoma Alismatis	4.00 mg
Poria	48.75 mg
Cortex Cinnamomi	16.50 mg
Radix Aconiti lateralis praeparata	1.38 mg
Excipients: Sugar, sodium benzoate, honey, iron oxide black paraffin.	k, talc powder, hard

#### **USES:**

Deficiency of the kidney-yang, headache, tinnitus, back aches, knees tiredness, cold lower half of body, night urination, frequent urination, cold perspiration.

#### **DIRECTIONS:**

Take orally 10 pills each time (or 1 sachet of 10 pills), 2 times per day. Or follow your doctor's instructions.

#### **CONTRAINDICATIONS:**

People with deficiency of kidney-yin, diabetes insipidus, hypertension, heart failure. Pregnant women. People recently suffered from cold and fever, constipation. Children under 15 years old.



#### **INGREDIENTS:** For 1 capsule

Active pharmaceutical ingredients:

Viscous extract on dried basis......340 mg

Equivalent to:

Multiflorous knotweed (Radix Fallopiae multiflorae)......2 g

Excipients: Cellulose powder, magnesium stearate, talc powder,

hard capsule.

#### **USES:**

Treat male infertility, mental depression.

Used in cases of dry hair, hair loss, premature white hair, physical fatigue, reduced life expectancy.

#### **DIRECTIONS:**

Take 2 capsules each time, 3 times per day. Take orally before meals.

EXTRACAP® is highly efficacious for long-term use.

Or follow your doctor's instructions.

#### **CONTRAINDICATIONS:**

Pregnant women.

People with hypersensitivity to any ingredient of the medicine.

### Ha Thu O Capsule **EXTRACAP®**

Treat male infertility, mental depression. Used in cases of dry hair loss, premature white hair, physical fatigue, reduced life expectancy.



### **OTHERS**

### **KIDNEYCAP®**

#### **Capsule of Eight Ingredients**

Deficiency of the kidney-yang, headache, tinnitus, back aches, knees tiredness, cold lower half of body, night urination, cold perspiration.



moneplem of toupoute	
Active pharmaceutical ingredients:	
Extract on dry basis	100.00 mg
Equivalent to:	
Radix Rehmanniae glutinosae praeparata	262.50 mg
Tuber Dioscoreae persimilis	189.82 mg
Fructus Corni officinalis	220.00 mg
Cortex Radicis Paeoniae suffruticosae	80.0 mg
Rhizoma Alismatis	162.50 mg
Radix Aconiti lateralis praeparata	55.00 mg
Poria	125.00 mg

**INGREDIENTS:** For 1 capsule

Powder mixture......170.10 mg

Excipients: Maize starch, magnesium carbonate light, talc powder, magnesium stearate, hard capsule.

#### USES:

Deficiency of the kidney-yang, headache, tinnitus, back aches, knees tiredness, cold lower half of body, night urination, cold perspiration.

#### **DIRECTIONS:**

Take orally 2 capsules each time, 3 times per day. Take orally before meals.

Or follow doctor's instructions.

#### **CONTRAINDICATIONS:**

Pregnant women, person suffering from newly fever, constipation, children below 15 years old, people with diabetes insipidus, hot property, thirst desire, deficiency of blood.


People with hypersensitivity to any ingredient of the medicine taking this medicine.



### **KIDNEYTON®**

Capsule of Six Ingredients or Kidney-Yin Replenishment

Used for people with low blood pressure, weak waist and knees, dizziness, dizziness, tinnitus, yellow urine, hot skin, sweat, sperm.



#### **INGREDIENTS:** For 1 capsule.

Active pharmacoutical ingredients:

Active pharmaceutical myre	ulelits.	
Viscous extract on dry basis	196.98	mg
Equivalent to:		

Viscous extract on ary busis	1 70.70 1119
Equivalent to:	
Radix Rehmanniae glutinosae praeparata	320.00 mg
Fructus Corni officinalis	160.00 mg
Cortex Radicis Paeoniae suffruticosae	20.14 mg
Rhizoma Alismatis	120.00 mg
Tuber Dioscoreae persimilis	99.20 mg
Poria	74.55 mg
Powder mixture	206.10 mg
Equivalent to:	•
Cortex Radicis Paeoniae suffruticosae	99.86 mg
Tuber Dioscoreae persimilis	•
·	

Excipients: Maize starch, lactose, talc powder, magnesium stearate, nipasol M, capsules shell.

*Poria......*45.45 mg

#### **USES:**

Deficiency of blood and vital essence, aching and limpness of the loins and knees, dizziness, vertigo, tinnitus, yellow urine, feverish sensation on the skin, cold perspiration, spermatorrhea.

#### **DIRECTIONS:**

Take orally 2 capsules each time, 3 times per day.

Or follow your doctor's instructions.

#### **CONTRAINDICATIONS:**

People with indigestion, loose faeces due to cold impairment or fever.

People with hypersensitivity to any ingredient of the medicine.

### **OTHERS**

### **OPCRILATI®**

### **Crinum Latifolium Tablets**

Help reduce the development of benign fibroids: Uterine fibroids and prostate fibroids.



#### **INGREDIENTS:** For 1 tablet.

Iron oxyd red, Ponceau 4R lake.

#### **USES:**

Help reduce the development of benign fibroids: Uterine fibroids and prostate fibroids.

Note: This product is neither a medicine nor a substitute for medicine.

#### **DIRECTIONS:**

Take 2-3 tablets each time, 3 times per day.

Continuosly use for 60 days.

#### **CONTRAINDICATIONS:**

Not recommended for patients with unexplained urinary retention.

If there are signs of vomiting or nausea, reduce the dose or stop using indefinitely.

Do not use it for people with hypersensitivity to any ingredient of the product.



### Opc Bird's Nest - Bird's Nest With Rock Sugar

Supports increasing resistance, replenishing nutrients, nourishing the body, and reducing fatigue.



#### **INGREDIENTS:**

Bird's nest	20 g
Vitamin B1	0,5 mg
Vitamin B6	0,5 mg
Vitamin C	30 mg
Rock sugar nure water	

#### **USES:**

Supports increasing resistance, replenishing nutrients, nourishing the body, and reducing fatigue.

#### DIRECTIONS:

Shake slightly before drinking. Should be used immediately after opening or stored in the refrigerator.

#### **CONTRAINDICATIONS:**

Only use the product with a tightly closed lid and use within 24 hours after opening.

Supplemented Food

# Opc Bird's Nest Bird's Nest With Rock Sugar

Supports increasing resistance

Replenishing nutrients

Nourishing the body and reducing fatigue



### Opc Bird's Nest - Bird's Nest With Ginseng & Cordyceps

Supports increasing resistance, replenishing nutrients, nourishing the body, and reducing fatigue.

Helps increase physical and mental activity.



#### **INGREDIENTS:**

Bird's nest3	30%.
Canadian Ginseng0,	7%.
Cordyceps militaris0	,2%.
Natural sweetener (Stevia rebaudiana), pure water.	

#### **USES:**

Supports increasing resistance, replenishing nutrients, nourishing the body, and reducing fatigue.

Helps increase physical and mental activity.

#### **DIRECTIONS:**

Shake slightly before drinking. Should be used immediately after opening or stored in the refrigerator.

#### **CONTRAINDICATIONS:**

Only use the product with a tightly closed lid and use within 24 hours after opening.

Supplemented Food

Opc Bird's Nest
Bird's Nest With Ginseng
& Cordyceps



Replenishing nutrients

Nourishing the body and reducing fatigue



### Opc Bird's Nest – Bird's Nest Sugarless

Supports increasing resistance, replenishing nutrients, nourishing the body, and reducing fatigue.



#### **INGREDIENTS:**

Bird's nest 30%, natural sweetener (Stevia rebaudiana), pure water.

#### **USES:**

Supports increasing resistance, replenishing nutrients, nourishing the body, and reducing fatigue.

#### DIRECTIONS:

Shake slightly before drinking. Should be used immediately after opening or stored in the refrigerator.

#### **CONTRAINDICATIONS:**

Only use the product with a tightly closed lid and use within 24 hours after opening.

Supplemented Food

### Opc Bird's Nest Bird's Nest Sugarless

- Supports increasing resistance
- Replenishing nutrients
- Nourishing the body and reducing fatigue



### Opc Bird's Nest - Collagen Bird's Nest

Supports anti-aging of the skin from within, helps skin maintain elasticity, reduces wrinkles, helps firm and smooth skin.
Supports increasing resistance.



#### **INGREDIENTS:**

Bird's nest	.25 %
Collagen peptide from fish	10 %
Turmaric extract	.0,3 %

Natural sweetener (Stevia rebaudiana), pure water.

#### **USES:**

Supports anti-aging of the skin from within, helps skin maintain elasticity, reduces wrinkles, helps firm and smooth skin.

Supports increasing resistance.

#### **DIRECTIONS:**

Shake slightly before drinking. Should be used immediately after opening or stored in the refrigerator.

#### **CONTRAINDICATIONS:**

Only use the product with a tightly closed lid and use within 24 hours after opening.

Supplemented Food

### Opc Bird's Nest Collagen Bird's Nest

- Supports anti-aging of the skin from within
- Helps skin maintain elasticity
- Reduces wrinkles
- Helps firm and smooth skin



NSX: 31.10.2023

### Opc Bird's Nest - Kid Bird's Nest (Kiddi)

Helps children eat well and increase absorption of nutrients.

Supports increased resistance, helps children health development and intelligence.



#### **INGREDIENTS:**

Bird's nest	25 %
Zinc gluconate (equivalent 1,5mg Zinc)	10,5 g
Lysine	20 mg
Taurine	20 mg
Rock sugar, pure water.	

#### **USES:**

Helps children eat well and increase absorption of nutrients.

Supports increased resistance, helps children health development and intelligence.

#### **DIRECTIONS:**

Children from 6 months - 3 years old: 1/2 - 1 jar/day.

Children 3 years and older: 1 - 2 jars/day

Children should be given when hungry, early in the morning and/or at night before going to bed so that the child's body can optimally absorb the nutrients in the product.

Shake slightly before drinking. Should be used immediately after opening or stored in the refrigerator.

#### **CONTRAINDICATIONS:**

Only use the product with a tightly closed lid and use within 24 hours after opening.

Supplemented Food

### Opc Bird's Nest Kid Bird's Nest (Kiddi)

Supports increased resistance

Helps children health development and intelligence



### CARDIOVASCULAR

# Health Supplement RUTON TEA

Supports increasing durability of the walls of blood vessels. Supports reducing symptoms of hemorrhoids such as anal bleeding and burning pain.



INGREDIENTS: For 1 tea bag of 1.5g	
Powder of herbal extract	.1365 mg
Equivalent to:	
Herba Houttuyniae cordatae	1065 mg
Flos Styphnolobii japonici imaturi	700 mg
Flos Chrysanthemi indici	35 mg
Excipients: natural sweeteners (Stevia, Radix et	Rhizoma
Glycyrrhizae), cassava starch, chrysanthecum fragran	CV.

#### **USES:**

Supports increasing durability of the walls of blood vessels. Supports reducing symptoms of hemorrhoids such as anal bleeding and burning pain.

Note: This product is not a medicine, should not be taken as a substitution for medicine.

#### **DIRECTIONS:**

Put the tea bag into 100 - 150 ml of boiling water. Daily intake: 2 - 4 bags per day, twice a day.

#### **CONTRAINDICATIONS:**

Pregnant women and lactating women should not use. People with hypersensitivity to any ingredient of the product.

Persons are in the process of taking medicine, pregnant women and lactating women: Consult with physician before taking this product.

Note: Hemorrhoids patients should avoid drinking alcohol and eating hot and spicy foods.



### **OPC COOLING DETOX TEA**

Support to improve sleeping, sleeping easily, well sleep and sleep deeply



#### **INGREDIENTS:** For 1 tea bag of 2 g

Actisô (*Cynarae scolymi*)......1750 mg Lactuca indica (*Herba Lactucae indicae*)......200 mg Other ingredient: Natural sweetener (Stevia rebaudiana).

#### **USES:**

Cool liver, clear heat and detoxify.

#### **DIRECTIONS:**

Dip tea bag(s) in 150 - 200ml of boiling water in 3-5 minutes. It can be used multiple times by adding boiling water. Add sugar or honey as desired.

#### **CONTRAINDICATIONS:**

People with hypersensitivity to any ingredient of the product. People who are using drugs, pregnant women consult a medical professional before using.



### **MIMOSA TEA**

Support to improve sleeping, sleeping easily, well sleep and sleep deeply.



#### **INGREDIENTS:** For 1 tea bag of 1.5g

Herba Passiflorae foetidae	600 mg	
Folium Erythrinae variegatae	600 mg	
Tuber Stephaniae glabrae	300 mg	
Folium Nelumbinis nuciferae	180 mg	
Other ingredient: Natural sweetener (Stevia rebaudiana).		

#### USES:

Support to improve sleeping, sleeping easily, well sleep and sleep deeply.

#### **DIRECTIONS:**

Dip tea bag(s) in 150 - 200 ml of boiling water in 3-5 minutes. Use 30 minutes before go to bed.

#### **CONTRAINDICATIONS:**

NPeople with hypersensitivity to any ingredient of the product.

People who are using drugs, pregnant women consult a medical professional before using.

# Mimosa Tea

Support to improve sleeping, sleeping easily, well sleep and sleep deeply.







### **OPC PHARMACEUTICAL JOINT-STOCK CO.**

1017 Hong Bang, Ward 12, District 6, Ho Chi Minh City, Vietnam Tel: 84.28.37517111 - 84.28.38778899 - Fax: 84.28.38752048 Email: info@opcpharma.com - Website: opcpharma.com

Manufactured at Branch of OPC Pharmaceutical JSC in Binh Duong - OPC Pharmaceutical Factory - 09/ĐX04-TH, Group 7, Tan Hoa Quarter, Tan Vinh Hiep Ward, Tan Uyen Town, Binh Duong Province, Vietnam